

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending May 1, 2018.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
4-30-2018	Juniata Valley Financial Corp. Mifflintown Juniata County Application for approval to acquire 100% of Liverpool Community Bank, Liverpool.	Effective

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>										
4-30-2018	Community Bank Carmichaels Greene County Merger of Progressive Bank, National Association, Wheeling, WV, with and into Community Bank, Carmichaels, PA. As a result of the merger, the following branch offices of Foundation Bank became branch offices of First Commonwealth Bank: <table border="0" style="margin-left: 20px; width: 100%;"> <tr> <td style="width: 50%;">590 National Road Wheeling Ohio County, WV (Administrative Office)</td> <td style="width: 50%;">875 National Road Wheeling Ohio County, WV</td> </tr> <tr> <td>1090 East Bethlehem Boulevard Wheeling Ohio County, WV</td> <td>1701 Warwood Avenue Wheeling Ohio County, WV</td> </tr> <tr> <td>744 Charles Street Wellsburg Brook County, WV</td> <td>809 Lafayette Avenue Moundsville Marshall, WV</td> </tr> <tr> <td>425 3rd Street New Martinsville Wetzel County, WV</td> <td>3 South Locust Street Buckhannon Upshur County, WV</td> </tr> <tr> <td>426 34th Street Bellaire Belmont County, OH</td> <td></td> </tr> </table>	590 National Road Wheeling Ohio County, WV (Administrative Office)	875 National Road Wheeling Ohio County, WV	1090 East Bethlehem Boulevard Wheeling Ohio County, WV	1701 Warwood Avenue Wheeling Ohio County, WV	744 Charles Street Wellsburg Brook County, WV	809 Lafayette Avenue Moundsville Marshall, WV	425 3rd Street New Martinsville Wetzel County, WV	3 South Locust Street Buckhannon Upshur County, WV	426 34th Street Bellaire Belmont County, OH		Effective
590 National Road Wheeling Ohio County, WV (Administrative Office)	875 National Road Wheeling Ohio County, WV											
1090 East Bethlehem Boulevard Wheeling Ohio County, WV	1701 Warwood Avenue Wheeling Ohio County, WV											
744 Charles Street Wellsburg Brook County, WV	809 Lafayette Avenue Moundsville Marshall, WV											
425 3rd Street New Martinsville Wetzel County, WV	3 South Locust Street Buckhannon Upshur County, WV											
426 34th Street Bellaire Belmont County, OH												
4-30-2018	The Juniata Valley Bank Mifflintown Juniata County Merger of Liverpool Community Bank, Liverpool, with and into The Juniata Valley Bank, Mifflintown. As a result of the merger, the sole office of Liverpool Community Bank, located at the following address, became a branch office of The Juniata Valley Bank: <table border="0" style="margin-left: 20px; width: 100%;"> <tr> <td>104 North Front Street Liverpool Perry County</td> </tr> </table>	104 North Front Street Liverpool Perry County	Effective									
104 North Front Street Liverpool Perry County												

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
5-1-2018	First Commonwealth Bank Indiana Indiana County Merger of Foundation Bank, Cincinnati, OH, with and into First Commonwealth Bank, Indiana, PA. As a result of the merger, the following branch offices of Foundation Bank became branch offices of First Commonwealth Bank: 25 Garfield Place Cincinnati Hamilton County, OH 9960 Springfield Pike Cincinnati Hamilton County, OH 4730 Montgomery Road Norwood Hamilton County, OH	Effective

Branch Applications**De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-1-2018	AmeriServ Financial Bank Johnstown Cambria County	12806 Shank Farm Way Hagerstown Washington County, MD	Filed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 18-738. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Transfer of State Park Land to the Turnpike Commission; Funding for the Acquisition of Land by the Pennsylvania Turnpike Commission for Lands to be Acquired by the Department of Conservation and Natural Resources to be Encumbered with Certain Statutory Restrictions

Part A: Transfer of State park land to the Turnpike Commission (Commission).

The Commission has begun a Total Reconstruction and Widening project (highway project) from milepost 308 to 312, located through and adjacent to Marsh Creek State Park, Upper Uwchlan Township, Chester County. This project falls within the Commission's main line (I-76). By and through its authority under 74 Pa.C.S. § 8110 (relating to procedural requirements of acquisition), the Commission is proposing to permanently take 4.302 acres of State park land needed to reconstruct the highway.

The lands now comprising Marsh Creek State Park were acquired from funding by and through the Project 70 Land Acquisition and Borrowing Act (Project 70 Act) (72 P.S. §§ 3946.1—3946.22). In addition, a portion of these lands are also encumbered, in part, by the National Park Service's Land and Water Conservation Fund (LWCF) program. In accordance with the restrictions and requirements set forth in the LWCF, 54 U.S.C.A.

§ 200305(f)(3), the Commission is required to provide replacement lands that exceed both the acreage and appraised value of the land being taken.

The Commission is working to fulfill the requirements for the land transfer as required by the Department of Conservation and Natural Resource (Department), the LWCF administrator and the Project 70 Act. In accordance with the Commission's statutory authority, and with the approval by the Secretary of the National Park Service for the LWCF conversion, and express authorization from the General Assembly to dispose of the State park land currently encumbered by Project 70 Act restrictions, the Department is proposing to grant to the Commission, free of all encumbrances, a permanent right of way (ROW) acquisition of 4.302 acres of State park land as more fully described as follows.

1) 4.302 acres of State park land for use as a permanent ROW with the Commission. These permanent ROWs to be conveyed from the Department to the Commission exist as three separate areas—all adjacent to the highway project lands. a) Area 1 (South, Parcel 1)—1.863 acres ROW for Limited Access; b) Area 2 (South, Parcel 2)—1.176 acres ROW for Limited Access, 0.075 acre Drainage Easement and 0.002 Temporary Construction Easement; and c) Area 3 (North, Parcel 3)—1.186 acres ROW for Limited Access:

All those certain tracts or parcels of land situate in Upper Uwchlan Townships, Chester County, being bounded and described according to Commission Plan No. RW 6018-C, WBS No. T-308.00T001-4-10, dated April 20, 2018, MP T308.12 to T308.52, and as follows to wit:

a) Area 1—1.863 acres—required ROW for limited access

Beginning at a point on the southerly legal ROW line for limited access of the grantee and the westerly legal ROW line of Styer Road (T-457), said point being located 100.00 feet right of and opposite Survey and ROW Baseline Station 754+71±;

Thence through lands of the grantor and along the westerly legal line of Styer Road (T-457), South 39°45'56" West, 60.26 feet to a point being located 160.00 feet, right of and opposite Survey and ROW Baseline Station 754+77±;

Thence through land of the grantor and along the required ROW line for limited access the following three courses and distances:

1. North 44°56'27" West, 599.92 feet to a point being located 160.00 feet, right of and opposite Survey and ROW Baseline Station 748+77.00;

2. North 46°49'41" West, 607.33 feet to a point being located 180.00 feet, right of and opposite Survey and ROW Baseline Station 742+70.00;

3. North 44°56'27" West, 28.61 feet to a point on the line now or formerly of the Commission, said point being located 180.00 feet right of and opposite Survey and ROW Baseline Station 742+41±;

Thence along land now or formerly of the Commission the following two courses and distances:

1. North 50°21'47" East, 14.32 feet to a point being located 166 feet, more or less, right of and opposite Survey and ROW Baseline Station 742+43±;

2. North 28°26'03" East, 68.60 feet to a point on the southerly legal ROW line for limited access of the grantee, said point being located 100.00 feet, more or less, right of and opposite Survey and ROW Baseline Station 742+23±;

Thence along the southerly legal ROW line for limited access of the grantee, South 44°56'27" East, 1248.27 feet to the point of beginning.

Containing 1.863 acres.

Area 1 includes 0.031 acre of ROW reserved by Laurel/Buckeye and Sunoco Pipeline and 0.056 acre of ROW reserved by Texas Eastern Transmission Corporation and 0.042 acre of legal channel easement.

b) Area 2—1.176 acres—required ROW for limited access, 0.075 acre drainage easement, and 0.002 temporary construction easement

Beginning at a point on the southerly legal ROW line for limited access of the grantee and the easterly legal ROW line of Styer Road (T-457), said point being located 102.02 feet right of and opposite Survey and ROW Baseline Station 755+05±;

Thence along the southerly legal ROW line for limited access of the grantee the following four courses and distances:

1. South 33°37'26" East, 40.66 feet to a point being located 110.00 feet, right of and opposite Survey and ROW Baseline Station 755+45±;

2. South 44°56'27" East, 799.40 feet to a point being located 110.00 feet, right of and opposite Survey and ROW Baseline Station 763+44±;

3. South 56°15'27" East, 50.96 feet to a point being located 100.00 feet, right of and opposite Survey and ROW Baseline Station 763+94±;

4. South 44°56'27" East, 52.89 feet to a point on the line now or formerly of Robin W. and Judy A. Reid, said point being located 100.00 feet right of and opposite Survey and ROW Baseline Station 764+47±;

Thence along land now of formerly of Robin W. and Judy A. Reid, South 14°05'18" West, 29.24 feet to a point being located 125 feet, more or less, right of and opposite Survey and ROW Baseline Station 764+62±;

Thence through land of the grantor and along the required ROW line for limited access the following six courses and distances:

1. North 75°54'42" West, 87.31 feet to a point being located 170.00 feet, right of and opposite Survey and ROW Baseline Station 763+87.00;

2. North 44°56'27" West, 127.00 feet to a point being located 170.00 feet, right of and opposite Survey and ROW Baseline Station 762+60.00;

3. North 45°03'33" East, 10.00 feet to a point being located 160.00 feet, right of and opposite Survey and ROW Baseline Station 762+60.00;

4. North 44°56'27" West, 295.00 feet to a point being located 160.00 feet, right of and opposite Survey and ROW Baseline Station 759+65.00;

5. South 45°03'33" West, 5.00 feet to a point being located 165.00 feet, right of and opposite Survey and ROW Baseline Station 759+65.00;

6. North 44°56'27" West, 454.48 feet to a point on the easterly legal ROW line of Styer Road (T-457), said point being located 165.00 feet, right of and opposite Survey and ROW Baseline Station 753+11±;

Thence along the easterly legal ROW line of Styer Road (T-457), North 39°45'56" East, 63.25 feet to the point of beginning.

Containing 1.176 acres.

Area 2 includes 0.614 acre of ROW reserved by Laurel/Buckeye and Sunoco Pipeline and 0.039 acre of ROW reserved by Texas Eastern Transmission Corporation and 0.018 acre of ROW reserved by Aqua Water.

Required Drainage Easement—0.075 acre

Beginning at a point on the required ROW line for limited access, said point being located 160.00 feet, right of and opposite Survey and ROW Baseline Station 759+65.00;

Thence along the required ROW line for limited access, South 44°56'27" East, 65.00 feet to a point being located 160 feet, right of and opposite Survey and ROW Baseline Station 760+30;

Thence through land of the grantor the following three courses and distances:

1. South 45°03'33" West, 50.00 feet to a point being located 210 feet, right of and opposite Survey and ROW Baseline Station 760+30;

2. North 44°56'27" West, 65.00 feet to a point being located 210 feet, right of and opposite Survey and ROW Baseline Station 759+65;

3. North 45°03'33" East, 50.00 feet to the point of beginning.

Containing 0.075 acre.

The previous required drainage easement includes 0.050 acre of ROW reserved by Laurel/Buckeye and Sunoco Pipeline.

Temporary Construction Easement—0.002 acre

Beginning at a point on the required ROW line for limited access, said point being located 160 feet, right of and opposite Survey and ROW Baseline Station 761+92;

Thence along the required ROW line for limited access, South 44°56'27" East, 10.00 feet to a point being located 160 feet, right of and opposite Survey and ROW Baseline Station 762+02;

Thence through land of the grantor the following three courses and distances:

1. South 45°03'33" West, 10.00 feet to a point being located 170 feet, right of and opposite Survey and ROW Baseline Station 762+02;

2. North 44°56'27" West, 10.00 feet to a point being located 170 feet, right of and opposite Survey and ROW Baseline Station 761+92;

3. North 45°03'33" East, 10.00 feet to the point of beginning.

Containing 0.002 acre.

The previous temporary construction easement includes 0.002 acre of ROW reserved by Laurel/Buckeye and Sunoco Pipeline.

c) Area 3—1.186 acres—required ROW for limited access

Beginning at a point on the northerly legal ROW line for limited access of the grantee and the easterly legal ROW line of Styer Road (T-457), said point being located 100 feet, more or less, left of and opposite Survey and ROW Baseline Station 754+91±;

Thence along the easterly legal ROW line of Styer Road (T-457), by a curve to the right, having a radius of 533.50 feet, an arc length of 43.86 feet, and a chord bearing of North 45°50'56" East, a chord distance of 43.84 feet to a point being located 144 feet, more or less, left of and opposite Survey and ROW Baseline Station 754+92±;

Thence along the required ROW line for limited access and land now or formerly of John S. and Patricia M. Cassel the following three courses and distances:

1. South 60°22'50" East, 57.19 feet to a point being located 159 feet, more or less, left of and opposite Survey and ROW Baseline Station 755+47±;

2. North 80°07'06" East, 109.81 feet to a point being located 249 feet, more or less, left of and opposite Survey and ROW Baseline Station 756+10±;

3. South 41°47'17" East, 201.29 feet to a point being located 238 feet, more or less, left of and opposite Survey and ROW Baseline Station 758+11±;

Thence along the required ROW line for limited access, land now or formerly of John S. and Patricia M. Cassel, land now or formerly of William M. and Kathleen A. Kalkbrenner, and land now or formerly of Nelson L. and Kimberly D. Lucas-Murphy, South 16°06'07" East, 265.12 feet to a point on the northerly legal ROW line of the grantee, said point being located 110 feet, more or less, left of and opposite Survey and ROW Baseline Station 760+43±;

Thence along the northerly legal ROW line for limited access of the grantee the following three courses and distances:

1. North 44°56'27" West, 348.56 feet to a point being located 110.00 feet, left of and opposite Survey and ROW Baseline Station 756+94±;

2. North 56°15'27" West, 50.96 feet to a point being located 100.00 feet, left of and opposite Survey and ROW Baseline Station 756+44±;

3. North 44°56'27" West, 153.50 feet to the point of beginning.

Containing 1.186 acres.

Area 3 includes 0.273 acre of ROW reserved by Texas Eastern Transmission Corporation and 0.007 acre of ROW reserved by Aqua Water.

Being portions of the same properties Chester County Water Resources Authority, by its deed dated November 7, 1969, and recorded November 7, 1969, in the Recorder of Deeds Office in and for Chester County in Deed Book C39, Page 290, and its deed dated February 20, 1978, and recorded February 20, 1978, in the Recorder of Deeds Office in and for Chester County in Deed Book M52, Page 300, granted and conveyed unto the Commonwealth, grantor herein.

Part B: Funding by the Commission for lands to be acquired by the Commonwealth, acting by and through the Department's Bureau of State Parks to be encumbered with certain statutory restrictions.

The Commission is proposing to fund the acquisition of 5.0 acres of land, as more fully described as follows, as replacement lands for the conversion of the LWCF and Project 70 Act restricted lands in accordance with the LWCF and Project 70 Act requirements. Upon acquisition, the Department shall impose and record Project 70 Act restrictions and LWCF restrictions on the property described as follows.

All that certain parcel of land situated in Wallace Township, Chester County, being a part of UPI 31-4-145, being a Turnpike Mitigation Area according to a new survey thereof as shown on a Plan of Property Boundary Survey for Natural Lands, prepared by Beideman Associates, Glenmoore, PA, dated February 22, 2018, and being more fully described as follows:

Beginning at an interior point, a corner of a County/State/Highlands Funding Area, and on line of land of the Commonwealth (UPI 31-4-146); which interior point of beginning is located as follows from the point of intersection of the title line in Marshall Road (SR 4033) and the title line in Chalfont Road (T-423), being at the intersection of Little Conestoga Road (SR 4016) extending to the north and east, Marshall Road extending to the west, and Chalfont Road extending to the south; commencing thence along the title line in Chalfont Road and along the Charles Andrews Subdivision recorded in Plan Book 56 Page 13, the three following courses and distances: 1) South 14°34'31" East 585.32 feet to a point; 2) crossing through the Andrews Lane intersection, South 20°24'31" 369.89 feet to a point; and 3) South 30°30'31" East 363.53 feet to a point; thence continuing along the title line in Chalfont Road and along the Chalfont-St. Giles Subdivision recorded as Plan Number 13270, crossing through the Waterview Drive intersection, South 21°33'32" East 411.98 feet to a point, a corner of land of the Commonwealth (UPI 31-4-146); thence leaving Chalfont Road and along said land of the Commonwealth, South 44°35'45" West 65.60 feet to a corner of the herein described

Turnpike Mitigation Area, an interior point and the true point of beginning; thence from the true point of beginning, along said land of the Commonwealth, crossing a copperweld found at a distance of 19.24 feet, South 44°35'45" West a total distance of 1,165.92 feet to a concrete monument found at a corner of land of Philadelphia Suburban Water Company, now Aqua Pennsylvania, Inc. (UPI 31-4-143); thence along said land, North 38°22'44" West 183.64 feet to a corner of the aforementioned County/State/Highlands Funding Area; thence through UPI 31-4-145 of which this is a part, and along the County/State/Highlands Funding Area, North 44°35'45" East 1,224.02 feet to a point; thence along the same, South 21°33'32" East 199.27 feet to the point of beginning.

Containing 5.000 acres of land be the same more or less.

Being part of UPI Number 31-4-145.

Being a part of the same premises which Dekamodo Investment Partnership, LP, by deed dated December 19, 2017, and recorded December 29, 2017, in the Office of

the Recorder of Deeds in and for the County of Chester in Record Book 9675, Page 243, granted and conveyed to Natural Lands Trust, a Pennsylvania nonprofit corporation.

Review and Comment:

Project documents will be available for review from May 15, 2018, until June 30, 2018, at the Marsh Creek State Park Office and on the Commission's web site at www.patpconstruction.com/mp298to312/.

Questions or comments on this proposal should be sent to John Hallas, Director, Bureau of State Parks, Attn: RMPD—Planning Section, P.O. Box 8551, Harrisburg, PA 17105-8551, RA-Park-Operations@pa.gov. Comments must be received within 30 days following publication of this notice.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 18-739. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of

this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062715 (Industrial)	Sunoco Partners Marketing & Terminals, L.P.— Kingston Terminal 60 S. Wyoming Avenue Edwardsville, PA 18704	Luzerne County Edwardsville Borough	Toby Creek (05B)	Yes
PA0062588 (Industrial)	PA Ceasetown WTP 1799 Jumper Road Wilkes-Barre, PA 18702-8032	Luzerne County Jackson Township	Pikes Creek (5-B)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0253057 (Sewage)	Testa SRSTP 239 Roaring Run Road Champion, PA 15622-3093	Westmoreland County Donegal Township	Roaring Run (19-E)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0103209 (Sewage)	Wattsburg Area School District Campus 10782 Wattsburg Road Erie, PA 16509-6422	Erie County Greene Township	Unnamed Tributary of East Branch LeBoeuf Creek (16-A)	Yes
PA0239348 (Sewage)	698 Roadhouse PO Box 318 9107 Main Street McKean, PA 16426-0318	Erie County Elk Creek Township	Unnamed Tributary to Cussewago Creek (16-D)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0026298, Sewage, SIC Code 4952, **Whitemarsh Township Authority Montgomery County**, PO Box 447, Lafayette Hill, PA 19444-0447. Facility Name: Whitemarsh Township STP & Sewer System. This existing facility is located in Whitemarsh Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Schuylkill River, is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 2 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.3
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Influent	Report	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	417	667	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	500	750	XXX	30	45	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000*
				Geo Mean		
Ammonia-Nitrogen	333	XXX	XXX	20	XXX	40
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000.0	2,000.0	2,500
				Avg Qrtly	Daily Max	
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Sulfate, Total	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Chloride	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Bromide	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		

*Shall not exceed in more than 10% of samples during period of October thru April.

Sludge use and disposal description and location(s): Sludge is stored in sludge holding tank, dewater thru rotary fan press filter, stabilized and send to landfill for final disposal.

In addition, the permit contains the following major special conditions:

No storm water discharge directly to Sanitary Sewers.

Acquire all necessary property rights.

Proper sludge disposal.

Optimized chlorine use.

Notification of responsible operator.

Develop and implement O & M Plan.

High Flow Management Plan.

Solids Management in treatment plant.

Whole Effluent Toxicity Test.

Fecal requirement per DRBC Rule.

Requirements applicable to storm water.

PCB minimization Plan.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0244619, Sewage, SIC Code 8811, **Rachel A. Wachs**, 215 West Church Road, King of Prussia, PA 19406. Facility Name: Wachs SRSTP. This existing facility is located in 1107 Manor Road, Coatesville, PA 19320, West Brandywine Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to West Branch Brandywine Creek, is located in State Water Plan watershed 3-H and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	20.0	XXX	40.0
May 1 - Oct 31	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

Proposed Part C Conditions:

I. Other Requirements.

A. AMR to DEP.

B. DMR to DEP.

C. Depth of Septage.

D. Solids Removal from Septic Tanks.

E. No Stormwater.

F. Necessary Property Rights.

G. Proper Sludge Disposal.

H. Abandon STP when Municipal Sewers Available.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0058301, Sewage, SIC Code 8811, **Richard Maurer**, 807 Ridge Road, Telford, PA 18969-1528. Facility Name: Maurer SRSTP. This existing facility is located in Salford Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Ridge Valley Creek, is located in State Water Plan watershed 3-E and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	10.0	XXX	20.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	3.0	XXX	6.0
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0

In addition, the permit contains the following major special conditions: Proposed Part C Conditions:

I. Other Requirements.

A. AMR to DEP.

B. DMR to DEP.

C. Depth of Septage.

D. Solids Removal from Septic Tanks.

E. No Stormwater.

F. Necessary Property Rights.

G. Proper Sludge Disposal.

H. Abandon STP when Municipal Sewers Available.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PAS120002, Storm Water, SIC Code 5171, **Alger Oil, Inc.**, 533 Lincoln Street, Oxford, PA 19363-1521. Facility Name: Davis Fuel Oxford Facility. This existing facility is located in Oxford Borough, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Stormwater.

The receiving stream(s), Unnamed Tributary of West Branch Big Elk Creek, is located in State Water Plan watershed 7-K and is classified for Mi and High—Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Semi- Annual Average	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	15.0	30.0	XXX

In addition, the permit contains the following major special conditions:

Proposed Part C. Conditions:

I. Stormwater outfalls and authorized non-stormwater discharges.

II. Best management practices (BMPs).

III. Routine inspections.

IV. Preparedness, prevention, and contingency (PPC) plan.

V. Stormwater monitoring requirements.

VI. Other requirements.

A. Acquire Necessary Property Rights.

B. Sludge Disposal Requirement.

C. BAT/BCT Reopener.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0266698, Sewage, SIC Code 8811, **Sorin & Ina Danciu**, 3501 New Holland Road, Mohnton, PA 19540. Facility Name: Danciu Residence. This proposed facility is located in Cumru Township, **Berks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Angelica Creek, is located in State Water Plan watershed 3-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>		
Flow (MGD)	Report Annl	XXX	XXX	XXX	XXX	XXX
	Avg					
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	XXX	1,000

In addition, the permit contains the following major special conditions:

- Septic pumps must be pumped out at least once every three years and records kept.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0088528, Sewage, SIC Code 4952, **Tulpehocken Township Berks County**, PO Box 272, Rehrersburg, PA 19550-0272. Facility Name: Tulpehocken Township Rehrersburg STP. This existing facility is located in Tulpehocken Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Little Swatara Creek, is located in State Water Plan watershed 7-D and is classified for CWF aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.065 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	13.5	XXX	XXX	25.0	XXX	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	16.3	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	9.8	XXX	XXX	18.0	XXX	36
May 1 - Oct 31	3.3	XXX	XXX	6.0	XXX	12
Total Phosphorus	1.1	XXX	XXX	2.0	XXX	4

In addition, the permit contains the following major special conditions:

- Reporting of biosolids production and disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect because the facility discharges Phosphorus to a stream which is impaired for Phosphorus and for which there is a final TMDL that includes Phosphorus.

PA0081515, Sewage, SIC Code 4952, **Lancaster County Career & Tech Center**, PO Box 527, Willow Street, PA 17584-0527. Facility Name: Lancaster County Career & Tech Center Brownstown. This existing facility is located in West Earl Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Conestoga River, is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0043 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0043 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Report	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0021245, Sewage, SIC Code 4952, **Duncannon Borough Municipal Authority**, 428 North High Street, Duncannon, PA 17020. Facility Name: Duncannon Borough Municipal WWTP. This existing facility is located in Duncannon Borough, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.74 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	150	245	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	185	275	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	12.0	XXX	XXX	2.0	XXX	4

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Effluent Limitations

Parameter	Mass Units (lbs)		Monthly Average	Concentrations (mg/L)	
	Monthly	Annual		Maximum	Instant. Maximum
Ammonia—N	Report	Report	Report	XXX	XXX
Kjeldahl—N	Report	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	Report	XXX	XXX
Total Phosphorus	Report	Report	Report	XXX	XXX
Net Total Nitrogen	Report	13,515	XXX	XXX	XXX
Net Total Phosphorus	Report	1,802	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay nutrients monitoring, notification of designation of responsible operator, solids management for non-lagoon system, hauled-in waste restriction, chlorine minimization, and SBR batch discharge condition.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0083836, Sewage, SIC Code 3999, **Pine Run Management LLC**, PO Box 677, Morgantown, PA 19543-0677. Facility Name: Pine Run MHP. This existing facility is located in Hamilton Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Conewago Creek, is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
(Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
(Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
(Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3

In addition, the permit contains the following major special conditions:

- Chesapeake Bay nutrients monitoring, solids management for non-lagoon system, hauled-in waste restriction, and notification of designation of responsible operator.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0088510, Sewage, SIC Code 4952, **Tulpehocken Township Berks County**, PO Box 272, Rehrersburg, PA 19550-0272. Facility Name: Tulpehocken Township Mt Aetna STP. This existing facility is located in Tulpehocken Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary of Little Swatara Creek, is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.055 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	11.5	XXX	XXX	25.0	XXX	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	13.8	XXX	XXX	30.0	XXX	60
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	4.8	XXX	XXX	10.5	XXX	21
May 1 - Oct 31	1.6	XXX	XXX	3.5	XXX	7.3
Total Phosphorus	0.92	XXX	XXX	2.0	XXX	4
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.055 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	11.5	XXX	XXX	25.0	XXX	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	13.8	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	Report	Report	XXX	Report	XXX	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	4.5	XXX	XXX	9.9	XXX	19.8
May 1 - Oct 31	1.5	XXX	XXX	3.3	XXX	6.6
Total Phosphorus	0.92	XXX	XXX	2.0	XXX	4
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- Reporting of Biosolids production and disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect because the facility discharges Phosphorus to a stream which is impaired for Phosphorus and for which there is a final TMDL that includes Phosphorus.

PA0088021, Sewage, SIC Code 4952, **Christman Susan**, 183 Christman Road, Lenhartsville, PA 19534. Facility Name: Christman Lake STP. This existing facility is located in Windsor Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Maiden Creek, is located in State Water Plan watershed 3-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0785 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.32	XXX	1.05
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	Report	XXX	XXX	30.0	XXX	60
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	14.7	XXX	29
May 1 - Oct 31	XXX	XXX	XXX	4.9	XXX	9.8
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Mo						

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Phosphorus (Total Load) (lbs)	XXX	239 Total Annual	XXX	XXX	XXX	XXX
Total Suspended Solids (Total Load) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids (Total Load) (lbs)	XXX	7,168 Total Annual	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0785 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.32	XXX	1.05
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	Report	XXX	XXX	30.0	XXX	60
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	14.7	XXX	29
May 1 - Oct 31	XXX	XXX	XXX	4.9	XXX	9.8
Total Phosphorus	Report	XXX	XXX	2.0	XXX	XXX
Total Phosphorus (Total Load) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load) (lbs)	XXX	239 Total Annual	XXX	XXX	XXX	XXX
Total Suspended Solids (Total Load) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids (Total Load) (lbs)	XXX	7,168 Total Annual	XXX	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- Proper handling of screenings, sludges, and solids.
- The discharge may be subject to effluent limitations and conditions as developed and required by the Delaware River Basin Commission (DRBC).

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect: the discharge is identified as a point source in a Total Maximum Daily Load (TMDL) for the receiving water.

PA0088684, Sewage, SIC Code 7033, **Pleasant Hills Campground LLC**, 12733 Pleasant Hills Drive, Hesston, PA 16647-0086. Facility Name: Pleasant Hills Campground. This existing facility is located in Penn Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF Sewage.

The receiving stream(s), Unnamed Tributary to Hawns Run, is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

In addition, the permit contains the following major special conditions:

- Chlorine minimization.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0024228, Industrial, SIC Code 2015, **Hain Pure Protein Corp**, PO Box 10, Fredericksburg, PA 17026. Facility Name: Hain Pure Protein Chicken Proc Plant. This existing facility is located in Bethel Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Elizabeth Run, Beach Run, and Deep Run, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.6 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.019	XXX	0.06
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	50	100	XXX	10	20	25
Total Suspended Solids	Report	Report	XXX	10	20	25
Total Suspended Solids (Total Load, lbs) (lbs)	XXX	45,800 Total Annual	XXX	XXX	XXX	XXX
Total Suspended Solids (Total Load, lbs) (lbs)	Report Total Mo	Report	XXX	8	14	20
Oil and Grease	Report	Report	XXX	8	14	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	400 Geo Mean	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	103.0	147.0	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	20	40	XXX	4.0	8.0	10
May 1 - Oct 31	7.5	15	XXX	1.5	3.0	3.75
Total Phosphorus	2.5	5.0	XXX	0.5	1.0	1.25

The proposed effluent limits for Outfall 002, 003, 004 and 005 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen*	Report	18,982	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	766	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Requirements for Stormwater outfalls
- Chlorine Minimization
- Collected screenings, slurries, sludges, and solids management,
- Chemical Additives
- Condition for effluent limitations below detection limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0014648, Industrial, SIC Code 4941, **Suez Water Pennsylvania Inc.**, 4405 N 6th Street, Harrisburg, PA 17110-1654. Facility Name: Suez Water PA. This existing facility is located in Hummelstown Borough, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Swatara Creek, is located in State Water Plan watershed 7-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Total Suspended Solids	Report	Report	XXX	30	60	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	4.0	5
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Approval Contingencies,
- Proper Waste/solids Management,
- Collected screenings, slurries, sludges, and solids management,

- Chlorine Minimization condition
- Requirement during Cleaning of Lagoons

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0266671, Sewage, SIC Code 8811, **Shermans Creek Inn**, 1095 Bower Road, Shermans Dale, PA 17090. Facility Name: Shermans Creek Inn Properties. This proposed facility is located in Carroll Township, **Perry County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF Sewage.

The receiving stream(s), Unnamed Tributary of Sherman Creek, is located in State Water Plan watershed 7-A and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0110931, Sewage, SIC Code 7033, **George Bernard**, 166 Shellbark Road, Manns Choice, PA 15550-8614. Facility Name: Shellbark Campground. This existing facility is located in Napier Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Raystown Branch Juniata River, is located in State Water Plan watershed 11-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0042 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50 Geo Mean	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	40.0	50
Total Suspended Solids	XXX	XXX	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0042 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Ammonia-Nitrogen Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
May 1 - Oct 31	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		

In addition, the permit contains the following major special conditions:

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0087041, Sewage, SIC Code 7033, **Lake-In-Wood RV Resort**, 27777 Franklin Road, Southfield, MI 48034. Facility Name: Lake-In-Wood RV Resort. This existing facility is located in Brecknock Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary of Black Creek, is located in State Water Plan watershed 7-J and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max				XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.32	XXX	1.07
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081949, Sewage, SIC Code 4952, **West Earl Sewer Authority**, 157 West Metzler Road, PO Box 725, Brownstown, PA 17508. Facility Name: Brownstown WWTP. This existing facility is located in West Earl Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Conestoga River, is located in State Water Plan watershed 7-J and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.545 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	113	181	XXX	25.0	40.0	50
Biochemical Oxygen Demand		Wkly Avg				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	136	204	XXX	30.0	45.0	60
		Wkly Avg				
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	9.1	XXX	XXX	2.0	XXX	4
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Sulfate, Total	XXX	XXX	XXX	Report	XXX	XXX
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	8,219	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	1,096	XXX	XXX	XXX	XXX

• This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- 8,800 lbs/yr of Total Nitrogen offsets was approved to be used for compliance with TN Cap Load.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0028657, Sewage, SIC Code 4952, **Nanty Glo Borough Sanitary Sewer Authority**, 879 Wood Street, Nanty Glo, PA 15943-1371. Facility Name: Nanty Glo Borough. This existing facility is located in Nanty Glo Borough, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), South Branch Blacklick Creek, is located in State Water Plan watershed 18-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.975 MGD.—Interim Monthly Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	203	305	XXX	25	37.5	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Raw Sewage Influent	244	366	XXX	30	45	60
Fecal Coliform (No./100 ml)	Report	Report	XXX	Report	Report	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 0.975 MGD.—Interim Quarterly Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.975 MGD.—Final Quarterly Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.975 MGD.—Final Monthly Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	203	305	XXX	25	37.5	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	244	366	XXX	30	45	60

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	21.0	XXX	42.0
May 1 - Oct 31	XXX	XXX	XXX	7.0	XXX	14.0

Sludge use and disposal description and location(s): sludge is dewatered and hauled off site to the Laurel Highlands Landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0265829, Sewage, SIC Code 5541, **Loves Travel Stops & Country Stores Inc.**, 10601 N Pennsylvania Avenue, Oklahoma City, OK 73120-4108. Facility Name: Loves Travel Stop Slippery Rock. This proposed facility is located at the Interstate 79/New Castle Road intersection in Worth Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream, Slippery Rock Creek, is located in State Water Plan watershed 20-C and is classified for cold water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- No stormwater admitted to the treatment system
- Solids handling/management
- Abandonment of the treatment system (for public sewage)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0265772, Sewage, SIC Code 8800, **Donald Hamme, Jr.**, 183 Young Road, Erie, PA 16509. Facility Name: Hamme Estate SRSTP. This proposed facility is located at 2805 Summerville Road, Erie, PA 16510 in Harborcreek Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Mill Creek, is located in State Water Plan watershed 15-A and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

Central Office Bureau of Clean Water; Rachael Carson State Office Building, 400 Market Street, Harrisburg, PA 17105-8184, Telephone: 717.787.8184.

PA0270768, Pesticides, **PECO Energy Co.**, 2301 Market Street, Philadelphia, PA 19103-1338.

Description of Existing Activity: The application is for a renewal of coverage under an NPDES permit for the application of pesticides to control vegetation that can interfere with equipment and represents a safety and security risk, especially at substations, gas gates, and service buildings, and has the potential to limit access by PECO personnel located in transmission and distribution right-of-ways (ROWs), substations, and other facilities within over 230 municipalities of **Bucks, Chester, Delaware, Lancaster, Lehigh, Montgomery, Philadelphia and York Counties** in Pennsylvania.

Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. Certain pesticides require a shutdown of the public water supply intake for 48 hours if applied within 1/2 mile from any active drinking water supply intake. Applicators are required to coordinate with the operators of such drinking water treatment plants prior to treatment to avoid any shortages. Generally, the discharges associated with the pesticide applications are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling the NPDES Permitting Division at 717.787.8184. You may submit written comments on the application and draft permit within 30 days to the address above. After the 30-day comment period, PA DEP will make a final determination on the issuance of the permit.

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 6618401, Sewage, **Lake Winola Municipal Authority Wyoming County**, PO Box 59, Lake Winola, PA 18625-0059.

This proposed facility is located in Overfield Township, **Wyoming County**.

Description of Proposed Action/Activity: Replacement Pump Station.

WQM Permit No. 3917402, Sewage, **Lehigh County Authority—Sand Spring WWTP**, 1053 Spruce Road, Allentown, PA 18106-9408.

This proposed facility is located in North Whitehall Township, **Lehigh County**.

Description of Proposed Action/Activity: Replacement Sewage Treatment Plant/Outfall consisting of influent screening; influent equalization tank; two (2) Sequence Batch Reactors (SBRs) tanks; post-equalization tank; cloth media disk filter; UV Disinfection (with back-up sodium hypochlorite disinfection); and sludge holding tank for an existing discharge (NPDES ID # PA0034029).

WQM Permit No. 4817404, Sewage, **Hanover Township Northampton County**, 3630 Jacksonville Road, Bethlehem, PA 18017.

This proposed facility is located in Hanover Township, **Northampton County**.

Description of Proposed Action/Activity: Monocacy Sanitary Sewer Interceptor Upgrade involving replacement 1,100 LF of 18-inch PVC SDR-35 Interceptor and abandonment of existing 15-inch reinforced concrete pipe.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. 5618400, CAFO, **Pennwood Farms, LLC**, 262 Sugar Grove School Road, Berlin, PA 15530.

This proposed facility is located in Brothersvalley Township, **Somerset County**.

Description of Size and Scope of Proposed Operation/Activity: Seeking permit approval for the construction/operation for construction of a heifer barn and associated manure storage pond.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4218403, Sewage, **Chad Yohe**, 499 Seaward Avenue, Bradford, PA 16701.

This proposed facility is located in Corydon Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1618404, Sewage, **David Anzaldi**, 125 Old Route 68, Evans City, PA 16033.

This proposed facility is located in Licking Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 3776402 A-1, Sewage, **Matthew R Hinkle**, 5137 Clayton Circle, New Castle, PA 16156.

This existing facility is located in Slippery Rock Township, **Lawrence County**.

Description of Proposed Action/Activity: Amendment to correct existing permit.

WQM Permit No. 2410402 A-2, Sewage, **Benezette Township Elk County**, PO Box 10, Benezett, PA 15821-0010.

This existing facility is located in Benezette Township, **Elk County**.

Description of Proposed Action/Activity: Wastewater treatment plant improvements.

IV. NPDES Applications for Stormwater Discharges from MS4.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PAI130046, MS4, Whitpain Township Montgomery County, 960 Wentz Road, Blue Bell, PA 19422-1835. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Whitpain Township, **Montgomery County**. The receiving stream(s), East Branch Brandywine Unnamed Tributary to Plymouth Creek, Unnamed Tributary to MarshWillow Run, Unnamed Tributary to Stony Creek, Unnamed Tributary to Sawmill Run, Prophecy Creek, and Wissahickon Creek, Marsh Creek, Pickering Creek, Unnamed Tributary to Black Horse Creek, Black Horse Creek, and Unnamed Tributary to Pickering Creek, is located in State Water Plan watershed 3-H and 3-D and is classified for Mi and High-Quality Waters—Migratory Fishes, Warm Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP).
- A Total Maximum Daily Load (TMDL) Plan.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s for large MS4s.

PAI130031, MS4, Abington Township Montgomery County, 1176 Old York Road, Abington, PA 19001. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Abington Township, **Montgomery County**. The receiving stream(s), Unnamed Tributary to Jenkintown Creek, Terwood Run, Unnamed Tributary to Wissahickon Creek, Tacony Creek, Pennypack Creek, Sandy Run, Robinhood Brook, Unnamed Tributary to Tacony Creek, and Jenkintown Creek, is located in State Water Plan watershed 3-F and 3-J and is classified for Migratory Fishes, Warm Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP).
- A Total Maximum Daily Load (TMDL) Plan.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PAI132237, MS4, Forks Township, 1606 Sullivan Trail, Easton, PA 18040-8332. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Forks Township, **Northampton County**. The receiving streams, an Unnamed Tributary to the Delaware River, Bushkill Creek, and the Delaware River, are located in State Water Plan watershed 1-F and are classified for Cold Water and Migratory Fish, High Quality—Cold Water and Migratory Fish, Warm Water and Migratory Fish, respectively, as well as aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP).

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150064	DP 260 Morehall, LLC 967 East Swedesford Road, Suite 400 Exton, PA 19341	Chester	East Whiteland Township	Valley Creek EV
PAD150066	Landhope Realty Company 101 East Street Road Kennett Square, PA 19348	Chester	Lower Oxford Township	Unnamed Tributary to West Branch Big Elk Creek HQ-TSF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lackawanna County Conservation District, 1038 Montdale Road, Scott Township, PA 18447.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD350008	Pompey Coal Co 4000 4th St, Ste 3 Moosic, PA 18507	Lackawanna	Jessup Boro Archbald Boro	Lackawanna River (HQ-CWF, MF) Grassy Island (HQ-CWF, MF)

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390080	Jaindl Land Co 3150 Coffeetown Rd Orefield, PA 18069	Lehigh	Upper Macungie Twp	Little Lehigh Creek (HQ-CWF, MF)
PAD390074	Upper Macungie Twp 8330 Schantz Rd Breinigsville, PA 18031	Lehigh	Upper Macungie Twp	Iron Run (HQ-CWF, MF)
PAD390077	PPL Electric Utilities Corp 2 N 9th St, GENN 4 Allentown, PA 18101	Lehigh	Upper Macungie Twp S Whitehall Twp N Whitehall Twp Whitehall Twp Allen Twp	Cedar Creek (HQ-CWF, MF) Little Cedar Creek (HQ-CWF, MF) Jordan Creek (TSF, MF) Coplay Creek (CWF, MF) Spring Creek (CWF, MF) Lehigh River (TSF, MF)

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390075	PPL Electric Utilities Corp 2 N 9th St Allentown, PA 18101	Lehigh	Washington Twp, Lehigh County East Penn Twp Lower Towamensing Twp Palmerton Boro, Carbon County	Aquashicola Creek (TSF, MF) Lehigh River (TSF, MF) Trout Creek (CWF, MF) EV Wetland

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD400021	PPL Electric Util. Corp Colleen Kester 2 N 9th St Allentown, PA 18101-1139	Luzerne	Butler Twp Hazle Twp	Hazle Creek (HQ-CWF, MF) Dreck Creek (HQ-CWF, MF) Black Creek (CWF, MF) Pond Creek (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Ave.—Greystone Building, Nazareth, PA 18064-9211.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480057	Jack Muschlitz Water's Edge at Wind Gap, LLC 2437 Southmore Dr Bath, PA 18014	Northampton	Boro of Wind Gap	Little Bushkill Creek (HQ-CWF, MF)
PAD480047	Primrose Glen, LLC Ryan Pektor 559 Main St, Ste 300 Bethlehem, PA 18018	Northampton	Williams Twp	Fry's Run (HQ-CWF, MF) UNT to Lehigh River (CWF, MF)
PAD480056	Hanover Twp 3630 Jacksonville Rd Bethlehem, PA 18017	Northampton	Hanover Twp	Monocacy Creek (HQ-CWF, MF)

Susquehanna County Conservation District, 88 Chenango Street, Montrose, PA 18801.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD580006	Elk Mtn Ski Resort 344 Elk Mtn Rd Uniondale, PA 18470	Susquehanna	Herrick	East Branch Tunkhannock (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210021	PANCAL 954 Centerville (Unit B) LLC 1101 30th Street NW Washington, DC 20007	Cumberland	Penn Township	Yellow Breeches Creek (HQ-CWF)

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAD630025	Peters Township Sewer Authority 111 Bell Drive McMurray, PA 15317	Washington County	Peters Township	Little Chartiers Creek (WWF); Boone Reservoir (WWF); Canonsburg Lake (WWF)

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

MS4 PAG-13 Notices of Intent Received.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136196	Turtle Creek Borough 125 Monroeville Avenue Turtle Creek, PA 15145-1862	Turtle Creek Borough, Allegheny County	N	Y

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Curvin Martin 322 Hatchery Road Dalmatia, PA 17017	Northumberland	0.00	88.06	Ducks	NA	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration

of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office

listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3618505 MA, Minor Amendment, Public Water Supply.

Applicant **TKC CCXXXIV LLC**
 Municipality Elizabeth Township
 County **Lancaster**
 Responsible Official Kenneth R. Beuley, Authorized Member
 4500 Cameron Parkway
 Suite 400
 Charlotte, NC 28211

Type of Facility Public Water Supply
 Consulting Engineer Daniel S. Hershey, P.E.
 Hershey Engineering, Inc.
 703 Woodcrest Avenue
 Lititz, PA 17543

Application Received: 4/26/2018
 Description of Action New Transient Noncommunity Water System consisting of one (1) groundwater well rated for 10 gpm, greensand filtration for Fe/Mn removal, anion exchange for nitrate treatment, GAC for MTBE removal as required by existing environmental covenant for the property, sodium hypochlorite disinfection with 4-log virus treatment capability.

Permit No. 0618506, Public Water Supply.

Applicant **Western Berks Water Authority**
 Municipality Lower Heidelberg Township
 County **Berks**
 Responsible Official Matthew Walborn, Operations Manager
 91 Water Road
 Sinking Spring, PA 19608-9633

Type of Facility Public Water Supply
 Consulting Engineer Darryl A. Jenkins, P.E.
 SSM Group
 1047 N Park Rd
 Reading, PA 19610

Application Received: 3/23/2018

Description of Action Western Berks Water Authority (Authority) has submitted an application for the approval to install a new raw water pipeline to deliver water by gravity from Blue Marsh Lake to the Authority's water treatment plant. The pipeline will consist of approximately 4,000' of 24" Class 52 DIP, with several hundred feet of PVC, DR-21 AWWA C-905, pipe in the vicinity of the Sunoco petroleum pipeline.

Permit No. 0618501, Public Water Supply.

Applicant **Giorgio Foods, Inc.**
 Municipality Maiden creek Township
 County **Berks**
 Responsible Official Bruce Seidel, Vice President—Operations
 1161 Park Road
 Blandon, PA 19510

Type of Facility Public Water Supply
 Consulting Engineer Andrew C. Hood, P.E.
 Keystone Engineering Group, Inc.
 590 East Lancaster Avenue
 Frazer, PA 19355

Application Received: 1/10/2018
 Description of Action A permit application was submitted on behalf of Giorgio Foods, Inc. for the installation of a new disinfection system to provide 4-log treatment of viruses at Entry Point 101 (Well Nos. 1, 2, and 3). The disinfection system will consist of onsite chlorine generation, new chemical feed pumps, and three 20,000-gallon storage tanks for contact time. Additional system upgrades include new distribution pumps, water softeners, and multimedia filters. Due to the extent of the project and deadlines stated in the November 17, 2017 COA, the new disinfection system and contact tanks will be separated and assigned a new authorization number.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0218501, Public Water Supply.

Applicant **West Penn Allegheny Health System, Inc.**
 320 East North Avenue
 Pittsburgh, PA 15212
 [Township or Borough] City of Pittsburgh

Responsible Official Michael Palmer, Director of Facilities Management, AGH West Penn Allegheny Health System, Inc.
320 East North Avenue
Pittsburgh, PA 15212

Type of Facility New water system

Consulting Engineer Venture Engineering & Construction
100 Global View Drive
Suite 600
Warrendale, PA 15086

Application Received Date January 8, 2018

Description of Action Installation of secondary disinfection at Allegheny General Hospital.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 2518505, Public Water Supply.

Applicant **Saint Mary's Home of Erie**

Township or Borough City of Erie

County **Erie**

Responsible Official Robert Orton
607 East 26th Street
Erie, PA 16504

Type of Facility Public Water Supply

Consulting Engineer Wayne Jacobs
Venture Engineering & Construction
100 Global View Drive
Suite 600
Warrendale, PA 15086

Application Received Date April 12, 2018

Description of Action Secondary disinfection to cold water for organic removal in potable water.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 5617501MA-2, Minor Amendment.

Applicant **Windber Area Authority**
1700 Stockholm Avenue
Windber, PA 15963

[Township or Borough] Paint Township

Responsible Official Barry Jerley, Chairman
Windber Area Authority
1700 Stockholm Avenue
Windber, PA 15963

Type of Facility Water system

Consulting Engineer The EADS Group, Inc.
450 Aberdeen Drive
Somerset, PA 15501

Application Received Date April 25, 2018

Description of Action Installation of approximately 5,065 feet of 10-inch diameter waterline (Horn Road waterline project).

Application No. 6518507MA, Minor Amendment.

Applicant **Municipal Authority of Westmoreland County**
124 Park & Pool Road
New Stanton, PA 15672

[Township or Borough] Kiskiminetas Township, Armstrong County; Apollo and Oklahoma Borough, **Westmoreland County**

Responsible Official William Castelli, Distribution Facility Superintendent
Municipal Authority of Westmoreland County
124 Park & Pool Road
New Stanton, PA 15672

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Application Received Date April 27, 2018

Description of Action Installation of approximately 5,065 feet of 12-inch, 525 feet of 16-inch and 610 feet of 20-inch diameter transmission line (Apollo River Crossing project).

Application No. 0217552MA-1, Minor Amendment.

Applicant **Pittsburgh Water & Sewer Authority**
Penn Liberty Plaza I
1200 Penn Avenue
Pittsburgh, PA 15222

[Township or Borough] City of Pittsburgh

Responsible Official Robert Weimar, Executive Director
Pittsburgh Water & Sewer Authority
Penn Liberty Plaza I
1200 Penn Avenue
Pittsburgh, PA 15222

Type of Facility Water system

Consulting Engineer Arcadis
6041 Wallace Road Extension
300
Wexford, PA 15090

Application Received Date April 24, 2018

Description of Action Lanpher Reservoir improvement project—East Cell (modification).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Thomas C. Styer Farm & Market, 215 Shady Lane, Muncy, Muncy Creek Township, **Lycoming County**. Gary C. Calvert, LLC, P.O. Box 504, Hollidaysburg, PA 15548, on behalf of Thomas C. Styer Farm & Market, 215 Shady Lane, Muncy, PA 17756, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with heating oil. The applicant proposes to remediate the site to meet the Statewide Health Standards. A summary of the Notice of Intent to Remediate was published in *The Luminary* on April 18, 2018.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State

Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

39-00004D: Mack Trucks, Inc. (700 Alburtis Road, Macungie, PA 18062) for their facility in Lower Macungie Township, **Lehigh County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received a Plan Approval for Mack Trucks, Inc. (700 Alburtis Road, Macungie, PA 18062) for their facility in Lower Macungie Township, Lehigh County. This Plan Approval No. 39-00004D will be incorporated into a Title V Permit through an administrative amendment at a later date.

Plan Approval No.39-00004D is for approval of an alternate method of compliance in accordance with 25 Pa. Code 129.51 to comply with the VOC content limits of 25 Pa. Code § 129.52d on their "G" line Chassis spray booth and oven (Source ID 108, ID 109). The main emissions from these sources are VOCs. There is no VOC emission increase proposed for these sources. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 39-00004D and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting

a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

23-0003AC: Monroe Energy, LLC (4101 Post Road, Trainer, PA 19061) for the installation of an Ultra-Low Sulfur (ULSG) unit located at 4101 Post Road, Trainer Borough, **Delaware County**. This plan approval application revises certain conditions and requirements of Plan Approval 23-0003AB which provided authorization for the construction and temporary operation of the ULSG project, and the transfer and use of Nitrogen Oxides (NO_x) emission reduction credits (ERCs). This plan approval supersedes 23-0003AB.

The revisions proposed in the application consists of minor changes to the project description, updates to projected emission increases, clarification of certain regulatory requirements, identification of minor variances in the ULSG unit as-constructed to what was proposed in the original plan approval application, and revisions to previously submitted emission calculations when taking into account the as-constructed differences and using more accurate emissions test data and emission factors published by EPA, and using more accurate projections for future operation.

The proposed changes to the project description and emission calculations does not affect the overall permitting conclusions that were originally made in Plan Approval 23-0003AB. Neither the emissions increase of the project nor the contemporaneous emissions increase changed such that the Prevention of Significant Deterioration (PSD) or Nonattainment New Source Review (NNSR) evaluations previously conducted, would be affected.

Based on the information provided by the Applicant and DEP's own analysis, the emission increases for the project are 32.36 tons NO_x per year and 23.64 tons VOC per year. The required ERCs are 47.0 tons NO_x to offset the contemporaneous net emissions increase of 35.40 tons.

Copies of the application, draft Plan Approval and other documents used in evaluation of the application are available for public inspection during normal business hours at the address shown below.

In order to assure compliance with the applicable standards, DEP will place the following conditions in the plan approval:

25 Pa. Code § 127.208—ERC use and transfer requirements

- The permittee shall use and transfer ERC in accordance with 25 Pa. Code § 127.208.

25 Pa. Code § 127.210—Offset ratios

- The permittee shall provide NO_x ERCs at a 1.3:1.0 ratio to offset the net NO_x emissions increase of 35.40 tons as per 25 Pa. Code § 127.210. The required NO_x ERCs are 47.0 tons.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

62-032N: Ellwood National Forge—Irvine (One Front Street, Irvine, PA 16329), for the proposed reactivation of Furnace 388 as a new source that will burn natural gas instead of # 2 fuel oil and the modification of Furnace 606 with both furnaces included in Source 111 [ENF Heat Treat Furnaces (13)] in Brokenstraw Township, **Warren County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only operating permit at a later date.

Plan approval No 62-032N is for the proposed reactivation of Furnace 388 as a new source that will burn natural gas instead of # 2 fuel oil and the modification of Furnace 606 with both furnaces included in Source 111 [ENF Heat Treat Furnaces (13)]. The potential emissions from these furnaces are 0.352 tpy for PM/PM₁₀/PM_{2.5}, 4.64 tpy for NO_x, 0.03 tpy for SO_x, 3.90 tpy for CO, 0.256 tpy for VOC, and 5,580 tpy of CO_{2(e)}. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- All conditions from the facility operating permit issued on January 30, 2018, for Source 111 remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [62-032N] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting

a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

53-00006: Dominion Transmission, Inc. (925 White Oakes Blvd, Bridgeport, WV 26330) has submitted an application to the Pennsylvania Department of Environmental Protection for the significant modification to the Title V operating permit TVOP 53-00006 for the incorporation of the Reasonably Available Control Technology (RACT II) presumptive requirements pursuant to 25 Pa. Code §§ 129.96—129.100 at the Ellisburg Compressor Station located in Genesee Township, **Potter County**. The Department intends to modify TVOP 53-00006 for the incorporation of the RACT II presumptive requirements pursuant to 25 Pa. Code §§ 129.96—129.100 and for the Alternative Compliance Schedule for the installation of turbochargers on Sources 101 and P102 and for high-pressure, fuel injection (HPFI) systems on Sources P106—P108 by the second quarter of 2018 pursuant to 25 Pa. Code § 129.99. The following is a summary of the conditions that will be included in TVOP 53-00006 in order to ensure compliance with the RACT II requirements:

Pursuant to 25 Pa. Code § 129.96, the fugitive volatile organic compounds from Source P01 shall not exceed 7.90 tons in any 12 consecutive month period and the permittee shall perform monthly Audio Visual Olfactory (AVO) inspections to detect any leak. Pursuant to 25 Pa. Code § 129.97(g)(3)(i)(A-B) the nitrogen oxide emissions from Sources P101 through P108 shall not exceed 3.0 grams per brake horsepower-hour and the volatile organic compound emissions shall not exceed 1.0 grams per brake horsepower-hour. Pursuant to 25 Pa. Code § 129.97(d) the permittee shall operate and maintain all sources at the facility in accordance with the manufacturer's specifications and good air pollution control practices. Pursuant to 25 Pa. Code § 129.97(c)(8), Source P221 shall not be operate no than 500 hours in any 12 consecutive month period.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williams-

port, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00194: Freedom Alloys, Inc. (155 Railroad Plz, Royersford, PA 19468) for the renewal of the state-only operating permit to operate the three electric induction furnaces. This facility is located in Royersford Borough, **Montgomery County**. The facility's potential to emit criteria pollutants is less than major thresholds; therefore, the facility is a Natural Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00047: Precision Tube Co. (formerly known as Mueller Streamline) (287 Wissahickon Ave, North Wales, PA 19454) located in Upper Gwynedd Township, **Montgomery County**. This action is a renewal of the Title V Operating Permit for copper pipes & tubes manufacturing facility. Based on its potential-to-emit Hazardous for Air Pollutant (HAP) and Carbon Monoxide (CO) the facility is a Title V facility. This renewal updated the permit to reflect the removal of one emergency generator and the addition of one tube straighteners. The renewed permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00116: Pecora Corporation (165 Wambold Road, Harleysville, PA 19438) located in Lower Salford Township, **Montgomery County**, for the operation of mixers and cold cleaning degreasers. This action is a renewal of the State Only Operating Permit (Natural Minor) as well as an administrative amendment to incorporate Plan Approval No. 46-0116A. The permit contains all applicable requirements including monitoring, recordkeeping and reporting designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

35-00026: Quadrant EPP (900 North South Rd, Scranton, PA 18504) The Department intends to issue a State-Only (Natural Minor) Operating Permit for operation of a plastics film and sheet manufacturing facility located in the City of Scranton, **Lackawanna County**. The sources include two natural gas-fired boilers and one press. The proposed permit will contain applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

35-00027: Quadrant EPP (900 North South Rd, Scranton, PA 18504) The Department intends to issue a State-Only (Natural Minor) Operating Permit for operation of a plastics film and sheet manufacturing facility located in the City of Scranton, **Lackawanna County**. The sources include three natural gas-fired boilers and one press. The proposed permit will contain applicable requirements for emission limitations, work practice stan-

dards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00046: Wilkes-Barre General Hospital Co., LLC (575 N. River Street, Wilkes-Barre, PA 18702) The Department intends to issue a State-Only (Natural Minor) Operating Permit for operation of a hospital located in the City of Wilkes-Barre, **Luzerne County**. The sources include three boilers, six emergency engines, and a sterilizer. The proposed permit will contain applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

38-03039: Martins Wood Products (650 Houtztown Road, Myerstown, PA 17067-2196) to issue a State-Only Operating Permit for the operation of their wood furniture surface coating facility in Jackson Township, **Lebanon County**. Actual emissions from the facility in 2017 were estimated at 0.08 ton of CO, 0.13 ton of NO_x, 0.04 ton of SO_x, 7.20 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52.

28-05020: TB Woods, Inc. (440 North Fifth Avenue, Chambersburg, PA 17201) for their gray and ductile iron foundry in Chambersburg Borough, **Franklin County**. The facility has the 2017 actual air emissions: 2.2 tons of CO, 2.7 tons of NO_x, 49.89 tons of PM, 0.14 ton of SO_x, 15.99 tons of VOC, and 5.56 tons of total HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources, and 40 CFR Part 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

06-05082: Dairy Farmers of America, Inc. (100 McKinley Avenue, Reading, PA 19605) to issue a State Only Operating Permit for the milk products processing facility located in Muhlenberg Township, **Berks County**. The potential emissions from the facility are estimated at 28.8 tpy of NO_x, 24.2 tpy of CO, 33.4 tpy of PM, 0.2 tpy of SO_x and 1.6 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 123.13 Processes.

36-05129: Haines & Kibblehouse, Inc. (PO Box 196, 2052 Lucon Road, Skippack, PA 19474-0196) to issue a State-Only Operating Permit for the operation of a batch asphalt plant at their Silver Hill Quarry in Brecknock Township, **Lancaster County**. Actual emissions from the facility in 2016 were estimated at 22.01 tons CO, 1.49 ton of PM₁₀, 1.38 ton of NO_x, 0.25 ton of SO_x, and 0.45 ton of

VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities & 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

06-05090: Toppan Interamerica, Inc. (378 Thousand Oaks Blvd., Morgantown, PA 19543) to issue a State Only Operating Permit for the graphic arts printing facility located in Caernarvon Township, **Berks County**. The actual emissions from the facility in 2016 year are estimated at 2.6 tpy of NO_x, 2.3 tpy of CO, 15.0 tpy of VOCs and 5.8 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart KK—National Emission Standards for Printing and Publishing Industry.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

60-00007: U.S. Dept. of Justice (2400 Robert F. Miller Drive, Lewisburg, PA 17837) to issue a renewal State Only operating permit for the Lewisburg Penitentiary located in Kelly Township, **Union County**. The facility is currently operating under State Only (Synthetic Minor) Operating Permit 60-00007. The facility's main sources include four natural gas/No. 2 fuel oil-fired boilers, three diesel-fired emergency generator engines, various miscellaneous, natural gas-fired combustion sources. The facility has potential emissions of 44.24 TPY of CO; 53.81 TPY of NO_x; 0.37 TPY of SO_x; 4.02 TPY of PM/PM₁₀; 4.45 TPY of VOCs; 1.72 TPY HAPs; 70,973 TPY GHGs. All four natural gas/No. 2 fuel oil-fired boilers are subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. All three diesel-fired generator engines are subject to 40 CFR Part 63, Subpart ZZZZ—NESHAPS for Stationary Reciprocating Internal Combustion Engines. The emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6131.

43-00010: Jamestown Coating Technologies (Jamestown Paint Co.) (108 Main St., Jamestown, PA 16134), on April 26, 2018, the Department issued the renewal of the State-Only Operating Permit to a paint manufacturing facility located in Jamestown Borough,

Mercer County. Permitted sources at the facility include natural gas-fired boilers, storage tanks, mills, and stationary and portable mixing tanks. With PTEs for VOC (21.39 TPY) and HAP (18.39 TPY) below major source thresholds, the facility is Natural Minor for permitting purposes. As parts of the paint manufacturing process, the storage tanks, mills, and mixing tanks are subject to 40 CFR 63 Subpart CCCCCC pertaining to National Emission Standards for HAPs (NESHAP) for Area Sources: Paints and Allied Products Manufacturing. In this renewal, the reporting requirements pursuant to 25 Pa. Code Chapter 135, which includes 25 Pa. Code §§ 135.3, 135.4, 135.5 and 135.21 (Emission statements), are removed because the facility is Natural Minor and located in an ozone attainment area. The metal HAP standards of 40 CFR 63 Subpart CCCCCC is also removed because the particulate control device for controlling these emissions exhausts indoors.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

OP17-00068: SJA Construction Inc. (2870 E. Allegheny Avenue, Philadelphia, PA 19134) for the operation of a concrete plant facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission source includes a cement silo, a mixer, a baghouse, and a 2.8 MMBtu/hr No. 2 oil-fired boiler.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OP17-00048: General Electric International Inc., Philadelphia Service Center (1040 East Erie Avenue, Philadelphia, PA 19124), for repair of industrial transformers, retrofitting and refilling of railroad transformers, large motor repair, and rental of energy producing and HVAC equipment City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) paint booths, rail bay open coating, surface coating operations outside paint booths for a motor generator department, two (2) particulate sources, eleven (11) combustion units each rated at less than 2.3 MMBTU/hr, two (2) cold cleaning degreasers, and a VPI tank. The facility's air emission control devices include two (2) dust collectors, a cyclone, and surface coating filters for particulate capture.

The VOC emission from varnish dip tank is limited to 1.5 lb per gallon and VPI tank emission is limited to 3.2 lbs per gallon. The HAP emissions are limited to 0.2 tpy combined from both electric insulating varnish tanks. The facilities' potential emission will be below the significant thresholds.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

48-00101A: Lehigh Valley Animal Crematory Services, Inc. (326 Main Street, Hellertown, PA 18055) for their facility in Hellertown Borough, **Northampton County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Lehigh Valley Animal Crematory Services, Inc. (326 Main Street, Hellertown, PA 18055) for their facility in Hellertown Borough, Northampton County. This Plan Approval No. 48-00101A will be incorporated into a Natural Minor Permit at a later date.

Plan Approval No. 48-00101A is for the installation and operation of two (2) animal remains incinerators fired by natural gas. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions and shall be required to maintain the temperature at the exit of the secondary (or last) chamber at 1,800° F or higher and be maintained throughout the cremation cycle. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.:

48-00101A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for

an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 11080101 and NPDES No. PA0262587. Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in East Taylor & Croyle Townships, **Cambria County**, affecting 555.2 acres. Receiving streams: unnamed tributaries to/and the Little Conemaugh River to the Conemaugh River, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 14, 2018.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17930103 and NPDES PA0207241. Junior Coal Contracting, Inc. (2330 Six Mile Road, Philipsburg, PA

16866). Permit renewal and revision to add auger mining for continued operation and restoration of a bituminous surface coal mine located in Girard Township, **Clearfield County** affecting 309.9 acres. Receiving stream(s): Unnamed Tributaries to Beaver Run and Beaver Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: April 2, 2018.

17020101 and NPDES PA0243205. Junior Coal Contracting (2330 Six Mile Road, Philipsburg, PA 16866). Permit renewal for continued operation and restoration of a bituminous surface coal mine located in Decatur Township, **Clearfield County** affecting 61.0 acres. Receiving stream(s): Big Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: April 17, 2018.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

37970302. Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201) Renewal of NPDES Permit No. PA0227579, Slippery Rock Township, **Lawrence County**. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: April 20, 2018.

25102801. Groundwork Resource, LLC (8870 Baron Road, McKean, PA 16426) Renewal of NPDES Permit No. PA0259390, McKean Township, **Elk County**. Receiving streams: Unnamed tributary to Walnut Run, classified for the following: HQ-CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: April 23, 2018.

10180801 and NPDES Permit No. PA0280585. SMX Resources, LLC (102 Dogwood Court, Butler, PA 16001) Commencement, operation and restoration of a small industrial minerals operation in Clay Township, **Butler County** affecting 7.98 acres. Receiving streams: Tributary 34144 to Muddy Creek, classified for the following uses: HQ-CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: April 23, 2018.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17860301. North Star Aggregates, Inc. (P.O. Box R, Ridgway, PA 15853). Permit revision to change land use for 4.0 acres from Inland Water Impoundment for Recreational Purposes and Revegetated to Industrial/Commercial located in Huston Township, **Clearfield County** affecting 199.3 acres. Receiving stream(s): Bennett Branch classified as CWF. There are no potable water supply intakes within 10 miles downstream. Application received: April 12, 2018.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0257672 (Mining permit no. 17110106), Black Cat Coal, LLC, 107 West First Avenue, Clearfield, PA 16830, NPDES permit renewal for surface coal mining in Brady Township, **Clearfield County**, affecting 89.0 acres. Receiving stream(s): Unnamed Tributary to East Branch Mahoning Creek and Stump Creek, classified for the following use(s): HQ-CWF and CWF. [East Branch Mahoning Creek Watershed TMDL and Stump Creek Watershed TMDL] Application received: July 31, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls require a non-discharge alternative: Unnamed Tributary to East Branch Mahoning Creek and Stump Creek

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
A	No
B	No
C	No
D	No
E	No
F	No
G	No
TB1	No
TB2	No
TB3	No

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

NPDES No. PA0250643 (Mining permit no. 26050401), Laurel Aggregates of Delaware, LLC, 1600 Market Street, 38th Floor, Philadelphia, PA 19102.

New NPDES permit for a bituminous surface mine in Springhill Township, **Fayette County**, affecting 171.7 acres. Receiving stream(s): Unnamed Tributary to Rubles Run classified for the following use(s): CWF. Application received: November 20, 2015.

The following stormwater outfalls discharge to Unnamed Tributary to Rubles Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	SW
002	N	SW
003	N	SW
004	N	SW
005	N	SW

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.9	1.8	2.2
Total Suspended Solids (mg/L)	35	70	90
Total Selenium (mg/L)	Report	Report	Report
Total Silver (mg/L)	Report	Report	Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

NPDES No. PA0259080 (Permit No. 10110303). Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201) Renewal of an existing NPDES permit for a large industrial minerals surface mine in Washington Township, **Butler County**, affecting 309.0 acres. Receiving streams: Unnamed tributaries to South Branch Slippery Rock Creek, classified for the following uses: CWF. TMDL: None. Application received: April 9, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to unnamed tributaries to South Branch Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TA	N
TB	N
TC	N
TD	N
TF1	N
TF2	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to South Branch Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
A	N
B	N
C	N
D	N
F	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l)				0.5

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E22-643: Lower Paxton Township Authority, 425 Prince Street, Harrisburg, PA 17109 in Lower Paxton Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To abandon portions of an existing sanitary sewer line and to install, operate, and maintain 12 utility line stream crossings and 14 utility line wetland crossings impacting 0.71 acre of palustrine emergent wetlands, 0.17 acre of palustrine scrub shrub wetlands, 0.73 acre of palustrine forested wetlands, and approximately 510 linear feet of an unnamed tributary to Beaver Creek (WWF, MF) (individually identified in the attached table) for the purpose of replacing or rehabilitating approximately 39,200 feet of sanitary sewer to reduce inflow and infiltration which has led to sewage overflows during periods of wet weather.

<i>Impact</i>	<i>Type</i>	<i>Material</i>	<i>Location</i>
1	Wetland 1	15-inch PVC Pipe	Lat: 40.331118, Long: -76.764826
2	Stream 1	Bank protection	Lat: 40.331065, Long: -76.765162
3	Stream 1	16-inch Ductile Iron Pipe	Lat: 40.331862, Long: -76.765801
4	Wetland 2	15-inch PVC Pipe	Lat: 40.331364, Long: -76.766737

<i>Impact</i>	<i>Type</i>	<i>Material</i>	<i>Location</i>
5	Wetland 3	15-inch PVC Pipe	Lat: 40.331913, Long: -76.768529
6	Stream 1	Bank protection	Lat: 40.331862, Long: -76.768565
7	Stream 1	16-inch Ductile Iron Pipe	Lat: 40.331949, Long: -76.768763
8	Wetland 4	15-inch PVC Pipe	Lat: 40.332818, Long: -76.769458
9	Stream 1	16-inch Ductile Iron Pipe	Lat: 40.332901, Long: -76.769475
10	Stream 2	16-inch Ductile Iron Pipe	Lat: 40.332996, Long: -76.769492
11	Stream 1	6-inch PVC Pipe	Lat: 40.332991, Long: -76.769790
12	Stream 1	Bank protection	Lat: 40.333341, Long: -76.770966
13	Stream 1	Ford crossing	Lat: 40.333588, Long: -76.771684
14	Wetland 5	15-inch PVC Pipe	Lat: 40.334315, Long: -76.772376
15	Stream 1	16-inch Ductile Iron Pipe	Lat: 40.334437, Long: -76.773355
16	Stream 3	Bank protection	Lat: 40.334279, Long: -76.773850
17	Wetland 6	15-inch PVC Pipe	Lat: 40.334816, Long: -76.773353
18	Wetland 7	15-inch PVC Pipe	Lat: 40.335269, Long: -76.773762
19	Wetland 8	15-inch PVC Pipe	Lat: 40.336264, Long: -76.775281
20	Stream 1	16-inch Ductile Iron Pipe	Lat: 40.336311, Long: -76.775733
21	Wetland 9	15-inch PVC Pipe	Lat: 40.336328, Long: -76.775889
22	Wetland 9	15-inch PVC Pipe	Lat: 40.336294, Long: -76.776282
23	Stream 1	Bank protection	Lat: 40.336587, Long: -76.776757
24	Wetland 9	15-inch PVC Pipe	Lat: 40.336500, Long: -76.777008
25	Wetland 10	Fill (manhole abandonment)	Lat: 40.336631, Long: -76.778961
26	Wetland 11	15-inch PVC Pipe	Lat: 40.336680, Long: -76.780188
27	Wetland 11	15-inch PVC Pipe	Lat: 40.336695, Long: -76.780436
28	Stream 1	16-inch Ductile Iron Pipe	Lat: 40.336822, Long: -76.781334
29	Wetland 12	15-inch PVC Pipe	Lat: 40.336954, Long: -76.781720
30	Stream 1	6-inch PVC Pipe	Lat: 40.336927, Long: -76.781882
31	Stream 1	6-inch PVC Pipe	Lat: 40.336926, Long: -76.782479
32	Stream 1	16-inch Ductile Iron Pipe	Lat: 40.337055, Long: -76.783052
33	Stream 1	10-inch PVC Pipe	Lat: 40.339209, Long: -76.787599

The project is located near the intersection of Blue Ridge Avenue and Blue Bell Avenue (centered on Latitude: 40° 20' 12.91"; Longitude: -76° 46' 15.0") in Lower Paxton Township, Dauphin County. No permanent wetland loss is proposed and wetland replacement is not required. 0.51 acre of the forested wetland vegetative conversion is proposed and the applicant proposes to plant trees in 0.51 acre of palustrine emergent wetlands located near the project site to compensate for the proposed conversion.

E07-468: Aaron Ritchey, 1008 Edgewood Drive, Duncansville, PA 16635 in Freedom Township, **Blair County**, US. Army Corps of Engineers Baltimore District.

To construct and maintain a 64.0-foot long, 12.0-foot wide single span steel beam bridge over Poplar Run (CWF, MF) and a portion of its floodway for the purpose of providing access to a private land parcel. The project is located approximately 0.10 mile southwest of the intersection of Findley Lane and Puzzletown Road (Latitude: 40° 23' 2" N; Longitude: 78° 28' 38" W) in Freedom Township, Blair County. No wetlands will be impacted by this project.

E22-632: Thea Drive Associates, LLC. 474 Mt. Sidney Road, Lancaster, PA 17602 in Susquehanna Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

1) To maintain fill in approximately 121 square feet of palustrine emergent wetlands that was previously performed without a permit;

2) To maintain a sewer line crossing of an unnamed tributary to Black Run (WWF, MF) and an associated wetland swale installed previously without a permit impacting 55 linear feet of stream and 1,712 square feet of emergent wetlands;

3) To maintain an outfall with a rip rap apron along an unnamed tributary to Black Run (WWF, MF) installed previously without a permit impacting 22 linear feet of stream;

4) To construct and maintain a 2.83-foot by 17.75-foot corrugated metal arch culvert in an unnamed tributary to Black Run (WWF, MF) and adjacent palustrine emergent wetland impacting 26 linear feet of stream and 595 square feet of wetland;

5) To construct and maintain five 30-inch SLCPP culverts to carry a road crossing and utilities over a

palustrine emergent wetland impacting 1,281 square feet of wetland;

6) To construct and maintain a 2.83-foot by 11.58-foot corrugated metal arch culvert and utilities in an unnamed tributary to Black Run (WWF, MF) and adjacent palustrine emergent wetland, impacting 97 linear feet of stream and 1,673 square feet of wetland;

7) To construct and maintain three culvert crossings associated with three pedestrian bridges over two unnamed tributaries to Black Run (WWF, MF);

8) To construct and maintain a 24-inch reinforced concrete pipe outfall with a rip rap apron within the floodway of Black Run (WWF, MF);

9) To construct and maintain a sewer line crossing of an unnamed tributary to Black Run (WWF, MF), impacting 60 linear feet of stream; and 10) To install and maintain a welded steel riser plate to the existing 24-inch concrete riser within the on-line Widener pond all for the purpose of providing access in and around a townhouse community.

The project involves 6 stream crossings totaling 379 linear feet and 8 wetland impacts totaling 5,382 square feet (3,670 square feet of permanent impacts). Mitigation is intended for previous impacts as well as newly proposed impacts, which includes 8,000 square feet of emergent wetlands (approximately 2:1 replacement) and a total of 1,550 linear feet of riparian corridor enhancement along two watercourses. The project is located within Susquehanna Township, Dauphin County (Latitude 40°19'28.5", Longitude -76°51'5.8").

E67-943: Spring Grove Borough, PO Box 126, 1 Campus Avenue, Spring Grove, PA 17362-0126, Campus Avenue Stream Improvements, Spring Grove Borough, **York County**, U.S. Army Corps of Engineers Baltimore District.

To 1) restore approximately 1,305 linear feet of stream channel and 2) relocate direct discharge points to the stream for the purpose of repairing highly eroded areas and reducing sediment discharge from an unnamed tributary to Codorus Creek (WWF, MF) into the lower Susquehanna watershed.

The project is located between Campus Avenue and Roths Church Road in Spring Grove Borough, West York Quadrangle, (Lat: 39° 53' 3.3294" N, Long: 76° 51' 57.4829" W) No wetlands will be impacted by this project.

E22-645: The McNaughton Company, Inc., 2090 Linglestown Road, Harrisburg, PA 17110, Autumn Oaks in Lower Paxton Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To 1) install an 8-inch ductile iron sanitary sewer crossing impacting approximately 772 ft² of wetland and 240 ft² of stream, 2) fill approximately 7,214 ft² of wetland to extend Continental Drive, 3) install, operate, and maintain 70 feet of 6-foot by 5-foot concrete box culvert to carry an unnamed tributary to Paxton Creek (WWF, MF) beneath Continental Drive, and 4) replace an 18-inch culvert with three 50-foot by 15-inch HDPE culverts to improve an existing access drive across approximately 1,387 ft² of wetlands for the purpose of constructing 50 homes during phases III and IV of a residential housing development.

The project is located at the intersection of Continental Drive and Patton Road (Lat: 40° 20' 52" N, Long: 76° 49' 16" W) in Lower Paxton Township. 0.32 acre of wetland mitigation will be done on-site.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E65-994, Franklin Regional School District, 4121 Sardis Road, Murrysville, PA 15668, Municipality of Murrysville, **Westmoreland County**, Pittsburgh ACOE District.

The applicant proposes to:

1. Place and maintain fill in approximately 0.15 acre of PEM wetland.

2. Temporarily place fill on either side of an existing culvert over Haymaker Run (HQ-CWF).

For the purpose of constructing an addition to an existing school and a new school. This project will temporarily impact approximately 50 LF of Haymaker Run and permanently impact 0.15 acre of PEM wetland. Mitigation includes the creation of an approximately 0.34 acre wetland. This project is located approximately 800 feet south of the intersection of Sardis Road and Crowfoot Road (Murrysville, PA USGS Topographic Quadrangle; Latitude 40° 27' 20"; Longitude: -79° 39' 53"; USACE: Pittsburgh District Sub-basin 19A), in the Municipality of Murrysville, Westmoreland County.

Central Office: Bureau of Waterways Engineering and Wetlands, 400 Market Street, Floor 2, P.O. Box 8460, Harrisburg, PA 17105-8460.

MB990367-0001, First Pennsylvania Resource, LLC, 503 Dunkard Valley Road, York, PA 17403; Codorus Creek Mitigation Bank—Phase I, in Loganville Borough and Springfield Township, **York County**, ACOE Baltimore District (Glen Rock, PA Quadrangles N: 39° 50' 56.93" W: 76° 42' 01.21" West).

To construct Codorus Creek Mitigation Bank—Phase I consisting of restoration, enhancement and conservation activities within approximately 44 acres of the Codorus Creek watershed. These activities would include activities affecting 42 acres of uplands, floodplains, 8,780 linear feet of stream channels and 2 acres of wetland areas of the East Branch Codorus Creek watershed; including a tributary 08113 to East Branch Codorus Creek and several unnamed tributaries.

The project proposes to approximately result in the following: **Upland resources**—35 acres; **Wetland resources**—re-establish 6.5 acres and rehabilitate/enhance 1.5 acre; **Riverine and floodplain resources**—Reestablish/rehabilitate 9,283 linear feet of the stream and floodplain, and enhance 1,168 linear feet of stream channel and floodplain. The project site will be protected under the overall site conservation easements. Some of the areas will involve vegetation habitat management, invasive plant species control and vegetative plantings. The project may provide compensatory mitigation credits through the applicant's existing permit MB9915-0001. This application is being jointly evaluated as a mitigation bank by the Army Corps of Engineers under the 2008 Mitigation Rule.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

D45-321EA. Ben Turpin, Pohoqualine Fish Association, 369 Route 715, Saylorsburg, PA 18353, Chestnut Hill Township, **Monroe County**, USACOE Philadelphia District.

Project proposes to remove Wagners Dam to eliminate a threat to public safety and to restore approximately 250 feet of stream channel to a free-flowing condition. The

project is located across McMichael Creek (EV, MF) (Brodheadsville, PA Quadrangle, Latitude: 40.9390; Longitude: -75.3929).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0057967 (Industrial)	Campania International, Inc. 2452 Quakertown Road Pennsburg, PA 18073	Montgomery County Upper Hanover Township	Macoby Creek Branch 3-E	Y
PA0054909 (Industrial)	North Penn and North Wales Water Authority P.O. Box 317 Chalfont, PA 18914-0317	Bucks County Plumstead Township	North Branch Neshaminy Crk 2-F	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0266655 SEW	Harris Daniel N Harris Ida F 5178 Cortland Road New Paris, PA 15554	Lincoln Township, Bedford County	Georges Creek in Watershed(s) 11-C	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0024121, Sewage, **Aqua Pennsylvania Wastewater Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489.

This proposed facility is located in Upper Providence Township, **Delaware County**.

Description of Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

NPDES Permit No. PA0065391, Industrial, SIC Code 0782, **Ariel Land Owners Inc.**, P.O. Box 503, Lake Ariel, PA 18436-0503.

This existing facility is located in Lake Township, **Wayne County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for application of herbicides and algicides for control of aquatic plants and algae.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PA0266451, Industrial Waste, **American Rock Salt Company, LLC**, 5520 Route 63, P.O. Box 190, Mt. Morris, PA 14510-0190.

This proposed facility is located in Spring Garden Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to Codorus Creek in Watershed 7-H.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES Permit No. PA0255386, Sewage, SIC Code 8800, **Adcam Properties LLC**, 264 Coraopolis Road, Coraopolis, PA 15108.

This proposed facility is located in Ohioville Borough, **Beaver County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0023213, Sewage, SIC Code 4952, **Ridgway Borough Elk County**, P.O. Box 149, Ridgway, PA 15853-0149.

This existing facility is located in Ridgway Borough, **Elk County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

NPDES Permit No. PA0265624, Sewage, SIC Code 8800, **Vernon Jacquell**, 4651 Golden Road, McKean, PA 16426.

This proposed facility is located in Eldred Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 2398405, Sewage, Transfer, **Campus Eleven Associates, LP**, 112 Chesley Drive, Suite 200, Media, PA 19063.

This proposed facility is located in Newtown Township, **Delaware County**.

Description of Action/Activity: Transfer of ownership.

WQM Permit No. 1584404, Sewage, **Nottingham Manor Mobile Home Court**, 478 West Christine Road, Nottingham, PA 19362-9701.

This proposed facility is located in West Nottingham Township, **Chester County**.

Description of Action/Activity: Permit Renewal for existing wastewater treatment spray irrigation.

WQM Permit No. 1512201, Industrial Waste, **Southeastern Chester County Refuse Authority**, P.O. Box 221, Kennett Square, PA 19348-0221.

This proposed facility is located in London Grove Township, **Chester County**.

Description of Action/Activity: Permit Renewal.

WQM Permit No. 2318401, Sewage, **Delcora**, 100 East Fifth Street, P.O. Box 999, Chester, PA 19016-0999.

This proposed facility is located in the City of Chester, **Delaware County**.

Description of Action/Activity: Upgrades to the existing pump station 3 at Delcora's Western Regional Treatment Plant.

WQM Permit No. 1504402, Sewage, Renewal, **Camp Hill Village**, P.O. Box 1045, Kimberton, PA 19442-1045.

This proposed facility is located in West Vincent Township, **Chester County**.

Description of Action/Activity: Approval for renewal of a WQM Part II Permit to continue to operate the Camp Hill Village Kimberton Hills WWTP.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0517401, **Harris Daniel N & Harris Ida F**, 5178 Cortland Road, New Paris, PA 15554.

This proposed facility is located in Lincoln Township, **Bedford County**.

Description of Proposed Action/Activity:

This permit approves the construction of sewage facilities consisting of the following treatment units for the three (3) bedroom dwelling: 1,000-gal two compartment septic tank; Polylock PL-122 effluent filter; Ecoflo EC7-600P-PACK Coco Filter; Norweco Bio-Dynamic tablet feeder; and 300-gal chlorine contact chamber.

WQM Permit No. 3800403 A-2, Sewerage, **Annville Township STP**, P.O. Box 178, Annville, PA 17003-0178.

This proposed facility is located in Annville Township, **Lebanon County**.

Description of Proposed Action/Activity:

This amendment approves the modification and operation of sewage facilities consisting of: A manual course bar screen to replace a grinder at the influent pump station.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0218405, Sewage, **Bethel Park Municipal Authority**, 3100 Piney Fork Road, South Park, PA 15219.

This proposed facility is located in Bethel Park Borough, **Allegheny County**.

Description of Proposed Action/Activity: Sewer line relocation. Relocation will consist of 375 feet of 30-inch diameter sanitary sewer line on and across Piney Fork Road.

WQM Permit No. 0418400, Sewage, SIC Code 8800, **Adcam Properties LLC**, 264 Coraopolis Road, Coraopolis, PA 15108.

This proposed facility is located in Ohioville Borough, **Beaver County**.

Description of Proposed Action/Activity: The applicant proposes to construct a 400 GPD single residence sewage treatment plant to replace a malfunctioning on-lot system at an existing 3 bedroom home in Ohioville Borough.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4374404 A-5, Sewage, **Grove City Borough Mercer County**, P.O. Box 110, Grove City, PA 16127-0110.

This existing facility is located in Grove City Borough, **Mercer County**.

Description of Proposed Action/Activity: Wastewater treatment plant expansion and rehabilitation work.

WQM Permit No. 6218401, Sewage, **Vernon Jacquell**, 4651 Golden Road, McKean, PA 16426.

This proposed facility is located in Eldred Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

V. NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Actions.

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

Southcentral Regional Office: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Phone: 717.705.4707.

NPDES

Waiver No.	Applicant Name & Address	Municipality, County	Receiving Water(s)/Use(s)
PAG133638	Conestoga Township Lancaster County 3959 Main Street Conestoga, PA 17516	Conestoga Township, Lancaster	Unnamed Tributary of Conestoga River, Unnamed Tributary to Pequea Creek, Stehman Run, Unnamed Tributary to Conestoga River, and Unnamed Tributary to Stehman Run/WWF and MF

NPDES

<i>Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG133723	Letterkenny Township Franklin County 4924 Orrstown Road Orrstown, PA 17244	Letterkenny Township, Franklin	Rocky Spring Branch/TSF and MF
PAG133747	Berwick Township Adams County 85 Municipal Road Hanover, PA 17331	Berwick Township, Adams	Unnamed Tributary to Beaver Creek, Unnamed Tributary to Pine Run, Unnamed Tributary of Pine Run, and Pine Run/WWF and MF

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES

<i>Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG136362	Franklin Borough 1125 Main Street Johnstown, PA 15909	Franklin Borough, Cambria	Clapboard Run/WWF
PAG136356	Beaver County 810 Third Street Beaver, PA 15009	Beaver County	Unnamed Tributary to Twomile Run, Brady Run, Ohio River, South Branch Brady Run, and Unnamed Tributary to Ohio River/TSF and WWF
PAG136114	Jackson Township 513 Pike Road Johnstown, PA 15909-4209	Jackson Township, Cambria	Unnamed Tributary to Hinckston Run/CWF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150082	Buchholtz Associates, Inc. 2169 East High Street Pottstown, PA 19464	Chester	Wallace Township	East Branch Brandywine Creek HQ-TSF-MF
PAD150081	Pickering Crossing, L.P. 120 Pennsylvania Avenue Malvern, PA 19355	Chester	Charlestown Township	Unnamed Tributary to Pickering and Cedar Hallow Creek EV-HQ-TSF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Carbon County Conservation District, 5664 Interchange Road, Lehighton, PA 18235.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD130008	Awesome View Properties P.O. Box 600 Lehighton, PA 18235	Carbon County	Mahoning Township	Beaver Run (HQ-CWF, MF) Lehigh River (TSF)

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390046	Salisbury Township 2900 South Pike Ave. Allentown, PA 18103	Lehigh	Salisbury Township	Little Lehigh Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450052	Kalahari Resorts, LLC 1035 Kalahari Drive P.O. Box 590 Wisconsin Dells, WI 53965	Monroe County	Pocono and Tobyhanna Townships	Swiftwater Creek (EV), UNT's to Swiftwater Creek (EV), Indian Run (EV), UNT's to Indian Run (EV)

Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480048	Colony Park Partners, LLC c/o Mr. Rudy Amelio, Jr. 1348 Hamilton Street Allentown, PA 18102	Northampton	Plainfield Township	Little Bushkill Creek (HQ-CWF, MF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Whitpain Township Montgomery County	PAC460169	Karya Properties 450 Sentry Parkway Blue Bell, PA 19422	Willow Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Merion Township Montgomery County	PAC460187	Upper Merion School District 435 Crossfield Road King of Prussia, PA 19406	Crow Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Frederick Township Montgomery County	PAC460177	Matthew Sacks 2661 Bernville Road Reading, PA 19605	Swamp Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAC510073	Pennsylvania Department of Transportation 7000 Geerdes Boulevard King of Prussia, PA 19406	Delaware Estuary/ Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Dallas Twp Luzerne County	PAC400042	WWW, LLC Gary Farber 24 Pine Ridge Rd Tunkahnock, PA 18657	Toby Creek (CWF, MF)	Luzerne County Conservation District 570-674-7991
Lehigh Twp Northampton County	PAC480048	Loretta Hricak, L & H. H., Inc 649 Hauser Dr Walnutport, PA 18088	Lehigh River UNT (CWF, MF)	Northampton County Conservation District 610-829-6276

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Tulpehocken Township Berks County Issued	PAC060123	Brian Wahlberg Camp Calvary 48 New Schaefferstown Road Bernville, PA 19506	Mill Creek & UNT Little Northkill Creek (CWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
Upper Allen Township Cumberland County Issued	PAC210069	Shepherdstown Associates LLC 555 Gettysburg Pike Suite B-220 Mechanicsburg, PA 17055	Yellow Breeches Creek (CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
Shippensburg Township Cumberland County Issued	PAC210060	Shippensburg Investors, LP 301 Oxford Valley Road Suite 1203A Yardley, PA 19067	Burd Run (CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
West Hanover Township Dauphin County Issued	PAC220058	Winslett Holdings, LLC 700 Ayers Ave Lemoyne, PA 17043	UNT Beaver Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Lower Swatara Township Dauphin County Issued	PAC220072	Timothy Clouser 250 East Park Drive Harrisburg, PA 17111	UNT Susquehanna River (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Dover Township York County Issued	PAC670144	KPH Donwood, LLC Mike Jeffers 6529 Reynolds Mill Road Seven Valleys, PA 17360	Fox Run (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
North Codorus Township York County Issued	PAC670145	Kinsley Equities III, LP Mike Jeffers 6529 Reynolds Mill Road Seven Valleys, PA 17360	WB Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

NOTICES

2873

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Dover Township York County Issued	PAC670159	Francis C. McNaughton 4400 Deer Path Rd Suite 201 Harrisburg, PA 17110	Fox Run (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Penn Township York County Issued	PAC670106	South Heights Manor, LP Joe A. Myers 160 Ram Drive Hanover, PA 17331	Plum Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
East Prospect Borough York County Issued	PAC670156	Scott Naylor 8381 Lehman Rd Dallastown, PA 17313	Cabin Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Manchester Township York County Issued	PAC670135	Kinsley Properties, Inc. Mike Jeffers 2700 Water Street York, PA 17403	Codorus Creek (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Newberry Township York County Issued	PAC670154	441 McNaughton Properties, LLC Joel McNaughton 4400 Deer Path Rd Suite 201 Harrisburg, PA 17110	Fishing Creek (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Conewago Township York County Issued	PAC670147	Bottom Line Contracting Craig E. Hasson 952 Log Cabin Road Leola, PA 17540	Little Conewago Creek (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Cecil Township	PAC630008	McConnell Trail, LLC 95 West Beau Street Suite 600 Washington, PA 15301	UNT to Millers Run (WWF); UNT to Chartiers Creek (WWF)	Washington County Conservation District 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
Cecil Township	PAC630083	Donegal Township P.O. Box 310 West Alexander, PA 15376	UNT to Middle Wheeling Creek (WWF)	Washington County Conservation District 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
Cecil Township	PAC630088	Southstar Properties, LP 168 Georgetown Road Canonsburg, PA 15317	UNT to Chartiers Creek (WWF)	Washington County Conservation District 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
City of Washington	PAC630089	Budd's Barracks 71 Murtland Avenue Washington, PA 15301	UNT to Chartiers Creek (WWF)	Washington County Conservation District 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098

Northwest Region: Waterways & Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Cranberry Township, Butler County	PAC100045	Real Estate Development Associates Mr. James W. McCarthy 550 Washington Avenue Carnegie, PA 15106	Coal Run WWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270
Farmington Township, Warren County	PAC620004	Lindell Farms LLC Rich Lindell 5207 State Highway 957 Russell, PA 16345	UNT Fairbanks Run CWF	Warren County Conservation District 4000 Conewango Avenue Warren, PA 16365 814-726-1441

General Permit Type—PAG-3

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Langhorne Borough Bucks County	PAG030073	Amazon.Com. DEDC, LLC P.O. Box 80842 Attn: Amazon.com, NA Env. Dept. Seattle, WA 98108-0842	Unnamed Tributary to Queen Anne Creek 2-E	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
City of Philadelphia Philadelphia County	PAG030075	First Transit, Inc. 110 Perimeter Park Knoxville, TN 37922	Franklin Creek 3-J	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970

General Permit Type—PAG-4

Facility Location

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Westtown Township Chester County	PAG040208	Mr. Timothy Archer 188 Sills Lane Downingtown, PA 19335	Unnamed Tributary of Chester Creek and Unnamed Tributary to Chester Creek 3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street, Norristown, PA 19401 484.250.5970

General Permit Type—PAG-9

Facility Location & County/Municipality

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
PAG093511	Mr. Donald Groff Groff's Septic and Portable Toilet Service 99 Ickes Lane Newville, PA 17241	Mr. Donald Groff Groff's Septic and Portable Toilet Service 99 Ickes Lane Newville, PA 17241	DEP—SCRO— Clean Water 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
	Cumberland County/ Upper Mifflin County	Cumberland County/ Upper Mifflin County	
PAG093553	Mr. Raymond Huey Wilt's Septic Service 3849 East Pleasant Valley Blvd Altoona, PA 16601	Mr. Raymond Huey Wilt's Septic Service 3849 East Pleasant Valley Blvd Altoona, PA 16601	DEP—SCRO— Clean Water 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
	Blair County/ Antis Township	Blair County/ Antis Township	

General Permit Type—PAG-9

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Concord Township Butler County	PAG098302	Lewis E. Stoughton 155 Bish Road Chicora, PA 16025	Lewis E. Stoughton Septage 155 Bish Road Chicora, PA 16025	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Steuben Township Crawford County	PAG098304	Ramon L. Sterling 37021 Tryonville Road Centerville, PA 16404-4547	Sterling Sanitation Service 37021 Tryonville Road Centerville, PA 16404-4547	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-10

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Forest Lake and Middletown Townships Susquehanna County	PAG102360	Williams Field Services Company, LLC 310 State Route 29 North Tunkhannock, PA 18657-7845	Stonestreet Creek— 04D	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511
Statewide	PAG109623 A-1	Williams Gas Pipeline Transco 2800 Post Oak Boulevard Level 6 Houston, TX 77056	Deep Creek & Swatara Creek	Bureau of Clean Water NPDES Permitting Division P.O. Box 8774 Harrisburg, PA 17105

General Permit Type—PAG-12

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Washington Township Schuylkill County	PAG122213	Linford Snyder 831 Greble Road Lebanon, PA 17046	Unnamed Tributary of Lower Little Swatara Creek—7-D	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511
Wayne Township, Dauphin County	PAG123842	Lauden Farms 2368 Back Road Halifax, PA 17032-9638	Watershed(s) 6-C	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Swatara Township, Lebanon County	PAG123873	Miller Troy 170 Werners Road Fredericksburg, PA 17026	Watershed(s) 7-D	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Tyrone Township, Adams County	PAG123763	Hillandale Gettysburg LP 3910 Oxford Road Gettysburg, PA 17325-7613	Watershed(s) 7-F	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Londonderry Township, Dauphin County	PAG123640	Melvin J Nissley 1612 Pecks Road Middletown, PA 17057	Watershed(s) 7-G	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Warren Township, Franklin County	PAG123539	Eldwin Martin 12950 Forge Road Mercersburg, PA 17236-9415	Watershed(s) 13-B	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-13

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Clarks Summit Borough Lackawanna County	PAG132207	Clarks Summit Borough 304 S. State Street Clarks Summit, PA 18411-1543	Unnamed Tributary to Summit Lake Creek (TSF/MF) and Unnamed Tributary to Ackerly Creek (CWF/MF)—5-A and 4-F	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511
Hamilton Township, Franklin County	PAG133739	Hamilton Township Franklin County 1270 Crottletown Road Chambersburg, PA 17201	Unnamed Tributary to Conococheague Creek, Unnamed Tributary to Rocky Spring Branch, and Back Creek in Watershed(s) 13-C	Southcentral Region: Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 Phone 717-705-4707
Lemoyne Borough Cumberland County	PAG133552	Lemoyne Borough Cumberland County 510 Herman Avenue Lemoyne, PA 17043	Unnamed Tributary to Susquehanna River and Susquehanna River—7-E and 7-C	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4800
Cumberland Township Adams County	PAG133748	Cumberland Township Adams County 1370 Fairfield Road Gettysburg, PA 17325	Unnamed Tributary to Willoughby Run, Willoughby Run, and Unnamed Stream—13-D	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4800
Strasburg Borough Lancaster County	PAG133715	Strasburg Borough Lancaster County 145 Precision Avenue Strasburg, PA 17579-9608	Unnamed Tributary to Pequea Creek, Little Beaver Creek, and Walnut Run—7-K	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4800

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOS**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Coffee Brook Holsteins 684 Church Rd Womelsdorf, PA 19567	Berks	121	375.37	Dairy	N/A	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit. 2409011, Public Water Supply.

Applicant	PA American Water 800 W. Hershey Park Drive Hershey, PA 17033
[Township or Borough]	Plain Township Luzerne County
Responsible Official	Mr. David Kaufman Vice President-Engineering
Type of Facility	Public Water Supply
Consulting Engineer	Mr. Scott Thomas, PE PA American Water Company 2699 Stafford Avenue Scranton, PA 18505

Operation Permit Issued	04/10/2018
Permit No. 2350036 , Public Water Supply.	
Applicant	Aqua PA, Inc. 1 Aqua Way White Haven, PA 18661
[Township or Borough]	South Abington Township, Lackawanna County
Responsible Official	Patrick R. Burke Aqua PA, Inc. 1 Aqua Way White Haven, PA 18661
Type of Facility	PWS
Consulting Engineer	Jonathan Morris, PE GHD 1240 North Mountain Road Harrisburg, PA 17112 (717) 541-0622
Operation Permit Issued	04/20/2018
<i>Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.</i>	
Permit No. 4418502 , Public Water Supply.	
Applicant	Pleasant View School
Municipality	Brown Township
County	Mifflin
Responsible Official	J Arlan. Kurtz, Chairman 100 Bony Brook Lane Belleville, PA 17004
Type of Facility	An anion exchange nitrate removal system will be installed for Well No. 1 in response to an exceedance of the maximum contaminant level for nitrate.
Consulting Engineer	Joshua D. Gunnett, P.E. Gwin Dobson & Foreman 3121 Fairway Drive Altoona, PA 16602
Permit to Construct Issued	4/19/2018
Permit No. 3418501 MA, Minor Amendment , Public Water Supply.	
Applicant	Mifflintown Municipal Authority
Municipality	Fermanagh Township
County	Juniata
Responsible Official	Mike Robinson, Manger P.O. Box 36 Mifflintown, PA 17059

Type of Facility Installation of a bulk water loading station, known as the Site 1 Bulk Water Loading Station, with a maximum daily withdrawal over a 24 hour period of 72,000 gallons per day (gpd) from a concrete vault enclosure along Crawford Drive.

Consulting Engineer Patrick J. Ward, P.E.
Uni-Tec Consulting Engineers, Inc.
2007 Cato Avenue
State College, PA 16801

Permit to Construct Issued 4/23/2018

Operation Permit No. 7500015 issued to: **Penn Township Municipal Authority/PTMA (PWS ID No. 7500015)**, Penn Township, **Perry County** on 4/19/2018 for facilities approved under Construction Permit No. 7500015.

Operation Permit No. 5018501 MA issued to: **Church of the Living Christ & Heritage Christian School (PWS ID No. 7500880)**, Tyrone Township, **Perry County** on 4/19/2018 for facilities approved under Construction Permit No. 5018501 MA.

Operation Permit No. 3818501 MA issued to: **Fort Indiantown Gap Community Water System (PWS ID No. 7380044)**, Union Township, **Lebanon County** on 4/23/2018 for facilities approved under Construction Permit No. 3818501 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 5317503MA—Operation—Public Water Supply.

Applicant **Coudersport Borough Authority**

Township/Borough Coudersport Borough

County **Potter County**

Responsible Official Ms. Beverly A. Morris, Manager
Coudersport Borough Authority
201 S. West Street
Coudersport, PA 16915

Type of Facility Public Water Supply

Consulting Engineer Mr. Patrick J. Ward
Uni-Tec Consulting Engineers, Inc.
2007 Cato Avenue
State College, PA 16801

Permit Issued April 23, 2018

Description of Action Authorizes operation of a potable bulk water loading station from which customers may withdraw a maximum of 80,000 gallons per day.

Permit No. MA-GWR—Operation—Public Water Supply.

Applicant **BCS Property Solutions, LLC**
Lycoming Creek Village

Township/Borough Old Lycoming Township

County **Lycoming County**

Responsible Official Mr. Chris Stanis
BCS Property Solutions, LLC
619 West Fourth Street
Williamsport, PA 17701

Type of Facility Public Water Supply-operation

Consulting Engineer Mr. John P. Hall
Hall Environmental Services
89 Kristi Road
Pennsdale, PA 17756

Permit Issued May 1, 2018

Description of Action Authorizes 4-log inactivation of viruses at Entry Point 101 for Well No. 1.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **West View Water Authority**, 210 Perry Highway, Pittsburgh, PA 15229, (**PWSID # 5020043**) Neville Township, **Allegheny County** on April 24, 2018 for the operation of facilities approved under Construction Permit # 0418503MA.

Operations Permit issued to: **The Municipal Authority of the Township of Washington**, 1390 Fayette Avenue, Belle Vernon, PA 15012, (**PWSID # 5260009**) Washington Township, **Fayette County** on April 27, 2018 for the operation of facilities approved under Construction Permit #2617517.

Operations Permit issued to: **Center Township Water Authority**, 224 Center Grange Road, Aliquippa, PA 15001, (**PWSID # 5040007**) Potter Township, **Beaver County** on April 25, 2018 for the operation of facilities approved under Construction Permit # 0418515.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 6114503-MA2, Franklin City WTP, Public Water Supply.

Applicant **General Authority of the City of Franklin**

Township or Borough Franklin City

County **Venango**

Type of Facility Public Water Supply

Consulting Engineer Olgierd K. Wodzianksi, P.E.
Wodzianski Engineering, Inc.
1322 Elk Street
Franklin, PA 16323

Permit to Construct Issued April 27, 2018

Operation Permit issued to **Slippery Rock Municipal Authority, PWSID No. 5100079**, Slippery Rock Borough, **Butler County**. Permit Number 1014506-MA1 issued April 27, 2018 for the operation of the Slippery Rock University Tank, North Side Tank, South Side Tank, and the mixing systems associated with each tank. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on April 26, 2018.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Antis Township	909 North Second Street Bellwood, PA 16617	Blair

Plan Description: Approval of a revision to the official plan of Antis Township, Blair County. The project is known as Stonebraker Property SFTF. The plan provides for the installation of a small flow treatment facility, to repair a failing on-lot sewage disposal system for a single-family dwelling, with discharge to Sugar Run. The proposed development is located along Hollen Road. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-07906-321-3s and the APS Id is 962373. Any permits must be obtained in the name of the property owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Thomas C. Styer Farm & Market, 215 Shady Lane, Muncy, Muncy Creek Township, **Lycoming County**. Gary C. Calvert, LLC, P.O. Box 504, Hollidaysburg, PA 15548, on behalf of Thomas C. Styer Farm & Market, 215 Shady Lane, Muncy, PA 17756, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standards.

CVS Store No. 1681 (Formerly Lock Haven Laundry), Bellefonte Avenue and Commerce St., City of Lock Haven, **Clinton County**. ECS Mid-Atlantic, LLC, 56 Grumbacher Road, Suite D, York, PA 17406 has submitted a Final Report concerning site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Special Industrial Area Standards.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Interstate Chemical Company, 2797 Freedland Road, City of Hermitage, **Mercer County**. Wood Environment & Infrastructure Solutions, Inc., 4600 J Barry Court, Suite 210, Canonsburg, PA 15317, on behalf of Interstate Chemical Company, 2797 Freedland Road, Hermitage, PA 16148, submitted a Risk Assessment Report concerning the remediation of site soil contaminated with 1,1,1-trichloroethane, 1,1,2,2-tetrachloroethane, cis-1,2-DCE, tetrachloroethene (PCE), trichloroethene (TCE), toluene, ethylbenzene, methylene chloride, total xylenes, naphthalene; site groundwater contaminated with furfural, methanol, 2-propanol, n-butyl alcohol, 1,1,1-trichloroethane, cis-1,2-dichloroethene, 1,1-dichloroethane, ethylbenzene, 1,1-dichloroethene, methyl tert-butyl ether (MTBE), 1,2-dichloroethane, methylene chloride, 2-butanone (MEK), tetrachloroethene (PCE), 2-hexanone, toluene, 4-methyl-2-pentanone (MIBK), trans-1,2-dichloroethene, benzene, tetrahydrofuran, chlorobenzene, trichloroethene (TCE), chloroform, vinyl chloride, total xylenes, aniline, arsenic, ethylene glycol, formaldehyde, acetone, hexane, 2-methylnaphthalene, 4-chloroaniline, bis(2-ethylhexyl)phthalate, isophorone, 3&4 methylphenol, naphthalene, di-n-butylthalate, selenium, chromium (+6), mercury; and site surface water contaminated with cis-1,2-DCE, tetrachloroethene (PCE), trichloroethene (TCE), vinyl chloride, and methylene chloride. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document

cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Conklin South 5H Range Unit 55, 3363 State Route 848, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of site soils contaminated with brine. The report documented remediation of the site to meet Statewide Health Standards and was approved by the Department on May 1, 2018.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Roxanne Todd Property, 78 Fairview Road, New Providence, PA 17560, Providence Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Ms. Roxanne Todd, 74 Fairview Road, New Providence, PA 17560, submitted a Final Report concerning soil contaminated with No. 2 fuel oil. The Final Report demonstrated

attainment of the Residential Statewide Health Standard, and was approved by the Department on April 25, 2018.

Alumax Mill Products—Linpar Release Area, 1480 Manheim Pike, Lancaster, PA 17604-3167, Manheim Township, **Lancaster County**. Tetra Tech, 661 Andersen Drive, Foster Plaza 7, Pittsburgh, PA 15220-2745, on behalf of Alumax Mill Products, 1480 Manheim Pike, Lancaster, PA 17604-3167, submitted a Cleanup Plan concerning remediation of site soil and groundwater contaminated with Linpar Cold Rolling Oil. The Plan was approved by the Department on April 25, 2018.

VF Outlet Complex—Parcel 9, 801 Hill Avenue, Wyomissing, PA 19610, Wyomissing Borough, **Berks County**. Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482, on behalf of Equus Capital Partners LTD, 3200 Center Square West, 1500 Market Street, Philadelphia, PA 19102, and VF Corporation, VF Outlet, Inc., 801 Hill Avenue, Wyomissing, PA 19601, submitted a Remedial Investigation Report, Cleanup Plan, and Final Report concerning remediation of site soil contaminated with inorganics and PAHs. The combined Final Report demonstrated attainment of the Site Specific Standard, and was approved by the Department on April 27, 2018.

Reading Equipment and Distribution, 1363 Bowmansville Road, Bowmansville, PA 17507, Brecknock Township, **Lancaster County**. Liberty Environmental, 50 North 5th Street, Reading, PA 19601, on behalf of The Reading Group, P.O. Box 650, Reading, PA 19607-0650, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on April 30, 2018.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

John Hummel Farm, 3494 Middle Road, Middleburg, Center Township, **Snyder County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Wenger Feed, Inc., P.O. Box 26, Rheems, PA 17570-0028, has submitted a Final Report concerning remediation of site soil contaminated with hydraulic fluid. The Final Report demonstrated attainment of the Statewide Health Standard requirements and was approved by the Department on April 25, 2018.

Gallaher Supply, MM215 On-ramp to I-80 Eastbound from State Route 254, Milton, Turbot Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Gallaher Supply, Inc., 82 Little Bear Road, Irvona, PA 16656, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard requirements and was approved by the Department on April 27, 2018.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Interstate Chemical Company, 2797 Freedland Road, City of Hermitage, **Mercer County**. Wood Environment & Infrastructure Solutions, Inc., 4600 J Barry Court, Suite 210, Canonsburg, PA 15317, on behalf of Interstate Chemical Company, 2797 Freedland Road, Hermitage, PA 16148, submitted a Risk Assessment Report concerning the remediation of site soil contaminated with 1,1,1-trichloroethane, 1,1,2,2-tetrachloroethane, cis-1,2-DCE, tetrachloroethene (PCE), trichloroethene (TCE),

toluene, ethylbenzene, methylene chloride, total xylenes, naphthalene; site groundwater contaminated with furfural, methanol, 2-propanol, n-butyl alcohol, 1,1,1-trichloroethane, cis-1,2-dichloroethene, 1,1-dichloroethane, ethylbenzene, 1,1-dichloroethene, methyl tert-butyl ether (MTBE), 1,2-dichloroethane, methylene chloride, 2-butanone (MEK), tetrachloroethene (PCE), 2-hexanone, toluene, 4-methyl-2-pentanone (MIBK), trans-1,2-dichloroethene, benzene, tetrahydrofuran, chlorobenzene, trichloroethene (TCE), chloroform, vinyl chloride, total xylenes, aniline, arsenic, ethylene glycol, formaldehyde, acetone, hexane, 2-methylnaphthalene, 4-chloroaniline, bis(2-ethylhexyl)phthalate, isophorone, 3&4 methylphenol, naphthalene, di-n-butylthalate, selenium, chromium (+6), mercury; and site surface water contaminated with cis-1,2-DCE, tetrachloroethene (PCE), trichloroethene (TCE), vinyl chloride, and methylene chloride. The Report was disapproved by the Department on April 23, 2018.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

Florida Transformer, LLC, dba Emerald Transformer, P.O. Box 507, Defuniak Springs, FL 32435. License No. PA-AH 0868. Effective Apr. 20, 2018.

Renewal Applications Received

Covanta Environmental Solutions Carriers II, LLC, 5300 N 33rd St., Milwaukee, WI 53209. License No. PA-AH 0742. Effective Apr. 26, 2018.

Environmental Products & Services of Vermont, Inc., P.O. Box 315, Syracuse, NY 13209. License No. PA-AH 0748. Effective Apr. 26, 2018.

Sioux Services LLC, 2912 Filbert Avenue, Reading, PA 19606. License No. PA-AH 0816. Effective Apr. 26, 2018.

Hazardous Waste Transporter License Reissued

Covanta Environmental Solutions Carriers II, LLC, 5300 N 33rd St., Milwaukee, WI 53209. License No. PA-AH 0742. Effective Apr. 26, 2018.

Environmental Products & Services of Vermont, Inc., P.O. Box 315, Syracuse, NY 13209. License No. PA-AH 0748. Effective Apr. 26, 2018.

Ken's Marine Service, Inc., P.O. Box 4001, Bayonne, NJ 07002. License No. PA-AH S154. Effective Apr. 23, 2018.

S & C Transport, Inc., P.O. Box 2459, Belleville, MI 48112. License No. PA-AH 0446. Effective Apr. 30, 2018.

Sioux Services LLC, 2912 Filbert Avenue, Reading, PA 19606. License No. PA-AH 0816. Effective Apr. 26, 2018.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act and the act of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Environmental Products & Services of Vermont, Inc., P.O. Box 315, Syracuse, NY 13209. License No. PA-HC 0238. Effective Apr. 26, 2018.

Regulated Medical and Chemotherapeutic Waste Transporter Reissued

Environmental Products & Services of Vermont, Inc., P.O. Box 315, Syracuse, NY 13209. License No. PA-HC 0238. Effective Apr. 26, 2018.

Sioux Services LLC, 2912 Filbert Avenue, Reading, PA 19606. License No. PA-HC 0258. Effective Apr. 26, 2018.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act and regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Waste Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit I.D. No. 301193. U.S. Steel Corporation, 1350 Penn Avenue, Suite 200, Pittsburgh, PA 15222. Permit renewal and major modification for the resumption of operations of the residual waste landfill located at 555 Delwar Road, West Mifflin, PA 15236, **Allegheny County**, was issued by the Regional Office on April 27, 2018.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

GP14-54-002: E. Franklin Griffiths III d/b/a Griffiths Family Funeral Services (655 East Broad Street, Tamaqua, PA 18252) on April 19, 2018 for the renewal of a human remains crematory at the site located in Tamaqua Borough, **Schuylkill County**.

GP1-40-001: Wilkes-Barre Area School District (730 South Main Street, Wilkes-Barre, PA 18711) on April 19, 2018 for the renewal of their three boilers at Coughlin Jr/Sr High School located in Wilkes-Barre, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP11-38-05024B: Pennsy Supply, Inc. (101 Paxton Street, P.O. Box 3331, Harrisburg, PA 17105) on April 27, 2018, for an existing non-road engine, under GP1, to power a shingle shredder, at the Prescott Quarry located in South Lebanon Township, **Lebanon County**. The general permit authorization was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP5-41-723: Pennsylvania General Energy Company, LLC (120 Market Street, Warren, PA 16365) on April 30, 2018, to authorize the operation of seven (7) 1,775 bhp, 4-stroke, lean-burn, natural gas-fired compressor engines, each equipped with an oxidation catalyst, three (3) natural gas-fired 333 kW microturbines, two (2) 60 MMscfd TEG dehydration units, each equipped with a flash tank, a 2.31 MMBtu/hr, natural gas-fired reboiler and an enclosed flare, eleven (11) storage tanks and a 0.75 MMBtu/hr gun barrel heater pursuant to the General Plan Approval and General Operating Permit for Natural Gas Compressor and/or Processing Facilities (BAQ-GPA/GP-5) at their COP Tract 293 Compressor Station in McHenry Township, **Lycoming County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

GP5-32-00417A: Appliance Petroleum Corporation (4150 Belden Village Ave., Canton, OH 44718) on April 25, 2018, to operate previously installed sources which include: one (1) natural gas-fired Caterpillar compressor engine, Model No. G3304NA, 4SRB, rated at 95 bhp, one (1) produced water tank, 50 bbl capacity; and one (1) waste oil tank, 50 bbl capacity at their Whitacre Compressor Station located in Rayne Township, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

GP14-42-218D: Bradford Crematory (105 Hilton St., Bradford, PA 16701) on April 27, 2018, for the authority to continue operation of a human crematory (BAQ-GPS/GP14) located at their facility in Bradford City, **McKean County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168

11-00538A: Rosebud Mining Company (301 Market Street, Kittanning, PA 16201) plan approval effective on April 9, 2018, to authorize construction and temporary

operation of sources and controls associated with a coal preparation plant at its Cresson Mine in Cresson Township, **Cambria County**.

63-00930A: Woodruff Partners, LLP—DBA Peaceful Pastures Pet Cemetery (2820 Washington Road, McMurray, PA 15317) plan approval effective on April 28, 2018, to authorize the construction and temporary operation of one (1) Matthews IEB-26 natural gas-fired animal crematory incinerator and continued temporary operation of one (1) previously installed Matthews IE43-PPII natural gas-fired animal crematory incinerator at its facility located in North Strabane Township, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

37-331C: RWE Holding Co. (535 Rundle Rd., New Castle, PA 16101), on April 30, 2018 issued a Plan Approval to construct and initially operate an additional coke drying process, two additional crushes, and two additional screeners in Taylor Township, **Lawrence County**. This is a State Only facility.

62-017Y: United Refining Co. of PA (P.O. Box 870, Warren, PA 16365), on April 26, 2018 issued a Plan Approval for the installation of a 3 kbpd Sour Tips Stripper Unit and modifications to an existing Naphtha Hydrotreater Unit for their Tier 3 Fuels Project in Warren City, **Warren County**. This is a Title V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

15-0151: Pacer Industry Inc. (200 Red Road, Coatesville, PA 19320—2765) On April 13, 2018 for an extension to increase the production of depolymerized natural rubber at an existing facility in Valley Township, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

01-05037B: Gettysburg Energy & Nutrient Recovery Facility, LLC (71 Old Mill Bottom Road North, Suite 101, Annapolis, MD 21409) on April 23, 2018, for the construction and temporary operation of an energy and nutrient recovery facility utilizing egg layer manure located in Tyrone Township, **Adams County**. The plan approval was extended, with a revised compliance schedule.

22-05024C: Penn State University/Milton S. Hershey Medical Center (500 University Drive, Hershey, PA 17033) on April 25, 2018, for the construction of a Combined Heat & Power (CHP) project at the Medical Center located in Derry Township, **Dauphin County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

18-00021B: Avery Dennison Performance Polymers (171 Draketown Road, Mill Hall, PA 17751) on April 23, 2018, for the continued temporary operation of the R-100 emulsion reactor system at their facility located in Bald Eagle Township, **Clinton County**. The plan approval has been extended to October 30, 2018.

14-00003F: Pennsylvania State University (101P Physical Plant Bldg, University Park, PA 16802) on April 20, 2018, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from April 27, 2018, to October 24, 2018, at their University Park Campus located in College Township and State College Borough, **Centre County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

32-00436A: John A. Lefdahl Funeral Home (898 Old Route 119 North, Indiana, PA 15701) plan approval extension effective on April 28, 2018, with expiration on October 28, 2018, for continued temporary operation of an animal crematory incinerator at the above referenced facility located in White Township, **Indiana County**.

30-00170A: Laurel Mountain Midstream Operating, LLC (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275) on April 25, 2018, to extend the period of temporary operation of one Caterpillar G3612 lean burn natural gas-fired compressor engine rated at 3,550 bhp at the existing Brown Compressor Station located in Greene Township, **Greene County**. The new expiration date is October 28, 2018.

PA-63-00549B: Arden Landfill, Inc. (200 Rangos Lane, Washington, PA 15301) on April 25, 2018, to extend the temporary operation period for the landfill expansion at Arden Landfill located in Chartiers Township, **Washington County**. The new expiration date is October 28, 2018.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

42-004J: American Refining Group Inc. (77 North Kendall Ave., Bradford, PA 16701) on April 30, 2018, effective April 30, 2018, has issued a plan approval extension for the installation, startup, and shakedown of the new gas fired # 6 Boiler (Source ID 035) in Bradford City, **McKean County**. This expires October 31, 2018. This is a Title V facility.

43-377A: Austin Rubber Company, LLC (93 Werner Rd, Greenville, PA 16125) on April 30, 2018, effective April 30, 2018, has issued a plan approval extension for the installation and operation of a rubber devulcanization facility in Sugar Grove Township, **Mercer County**. This expires October 31, 2018. This will be a non-Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

49-00001: Mt. Carmel Cogen, Inc. (Marion Heights Road, Marion Heights, PA 17832) on April 25, 2018 issued a Title V operating permit for their facility located in Mt. Carmel Township, **Northumberland County**. The State only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

59-00005: Dominion Transmission Inc. (5000 Dominion Boulevard, Glen Allen, VA 23060) was issued a Title V operating permit on April 13, 2018, to incorporate Reasonable Available Control Technology (RACT II) requirements of 25 Pa. Code §§ 129.96—129.100 in accordance with the minor operating permit modification requirements of 25 Pa. Code § 127.462 and for Title V operating permit renewal for operation of their Sabinsville Transmission Station located in Clymer Township, **Tioga County**. The Title V operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00009: AGC Chemicals Americas, Inc. (255 S. Bailey Road, Downingtown, PA 19335), On April 24, 2018, a renewal State-only Operating Permit is issued which includes the conditions of Plan Approval 15-0009C and 15-0009D for the two fluid bed dryers. This facility is located in Caln Township, **Chester County**.

46-00169: Constantia Colmar, Inc. (92 County Line Road, Colmar, PA 18915) located in Hatfield Township, **Montgomery County**. On April 24, 2018 a renewal of State Only (Synthetic Minor) Operating Permit No. 46-00169 is issued.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

66-00007: Airport Sand & Gravel Co., Inc. (500 Sweetland Lane, West Wyoming, PA 18644). On April 23, 2018 the Department issued a renewal State-Only Natural Minor Permit for the Airport Sand & Gravel Co., Inc. located in Nicholson Township, **Wyoming County**. The main source at this facility is a crusher. The control device are water sprays. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

17-00062: DuBois Regional Medical Center d/b/a Penn Highlands DuBois (P.O. Box 447, DuBois, PA

15801) was issued on April 24, 2018, a renewal State Only (Synthetic Minor) operating permit their facility located in City of DuBois, **Clearfield County**. The renewal operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with the applicable requirements.

14-00035: EBY Paving & Construction, Inc. (1001 East College Avenue, Bellefonte, PA 16823), on April 20, 2018, was issued a renewal State Only operating permit for their hot mix asphalt manufacturing facility located in Spring Township, **Centre County**. The renewal operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with the applicable requirements.

41-00049: Danzer Veneer Americas, Inc. (240 N. Reach Road, P.O. Box 3455, Williamsport, PA 17701) on April 20, 2018, was issued a renewal State Only operating permit for their facility in the City of Williamsport, **Lycoming County**. The renewal operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with the applicable requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

43-00010: Jamestown Coating Technologies (Jamestown Paint Co.), (108 Main St., Jamestown, PA 16134), on April 26, 2018, the Department issued the renewal of the State-Only Operating Permit to a paint manufacturing facility located in Jamestown Borough, **Mercer County**. Permitted sources at the facility include natural gas-fired boilers, storage tanks, mills, and stationary and portable mixing tanks. With PTEs for VOC (21.39 TPY) and HAP (18.39 TPY) below major source thresholds, the facility is Natural Minor for permitting purposes. As parts of the paint manufacturing process, the storage tanks, mills, and mixing tanks are subject to 40 CFR 63 Subpart CCCCXX pertaining to National Emission Standards for HAPs (NESHAP) for Area Sources: Paints and Allied Products Manufacturing. In this renewal, the reporting requirements pursuant to 25 Pa. Code Chapter 135, which include §§ 135.3 (Reporting), 135.4 (Report format), 135.5 (Recordkeeping), and 135.21 (Emission statements), are removed because the facility is Natural Minor and located in an ozone attainment area. The metal HAP standards of 40 CFR 63 Subpart CCCCXX is also removed because the particulate control device for controlling these emissions exhausts indoors.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-05004: Grove US, LLC (1565 Buchanan Trail East, P.O. Box 21, Shady Grove, PA 17256-0021) on April 26, 2018, for the hydraulic mobile crane manufacturing facil-

ity located in Antrim Township, **Franklin County**. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 28-05004F.

05-05005: Bedford Materials Co., Inc. (7676 Allegheny Road, Manns Choice, PA 15550-8967) on April 25, 2018, for the specialty materials coating facility located in Napier Township, **Bedford County**. The Title V permit underwent a minor modification to incorporate presumptive RACT II requirements for certain sources, and to impose 2.7 tpy VOC limits separately on the # 40 coater, and on the mix room operation.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

17-00003: Dominion Energy Transmission Inc. (5000 Dominion Boulevard, Glen Allen, VA 23060) was issued a revised Title V operating permit on April 24, 2018, in accordance with the minor operating permit modification requirements of 25 Pa. Code § 127.462 for incorporation of Reasonable Available Control Technology (RACT II) requirements pursuant to 25 Pa. Code §§ 129.96—129.100 for their Luther Transmission Station located in Brady Township, **Clearfield County**. The Title V operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

59-00007: NRG REMA LLC (250 Power Plant Drive, P.O. Box F, Shawville, PA 16873) on March 29, 2018, was issued a revised State Only (Synthetic Minor) permit to incorporate the updated administrative information regarding the facility mailing address, the responsible official and the permit contact for the Blossburg Generating Station, located in Covington Township, **Tioga County**. This State Only (Synthetic Minor) Permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with the applicable requirements. This notice is being published to correct the error in previous notice of action published on April 14, 2018, regarding municipality and county locations for the Blossburg Generating Station.

53-00005: Dominion Energy Transmission, Inc (5000 Dominion Boulevard, Glen Allen, VA 23060) was issued a revised Title V operating permit on April 18, 2018, for a modification to the Title V operating permit TVOP 53-00005 to change from turbochargers to a high pressure fuel injection system on Sources P101 through P104 located at the Greenlick Station facility located in Stewardship Township, **Potter County**. The revised Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

59-00005: Dominion Transmission Inc. (5000 Dominion Boulevard, Glen Allen, VA 23060) was issued a Title V operating permit on April 13, 2018, to incorporate Reasonable Available Control Technology (RACT II) requirements of 25 Pa. Code §§ 129.96—129.100 in accordance with the minor operating permit modification requirements of 25 Pa. Code § 127.462 and for Title V operating permit renewal for operation of their Sabinsville Transmission Station located in Clymer Township, **Tioga County**. The Title V operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6131.

24-00079: Ledvance LLC (835 Washington Street, Saint Marys, PA 15857-3605). The Department on April 25, 2018, issued an administrative amendment to the State Operating Permit for the electric lamp manufacturing facility to incorporate the change of responsible official and permit contact. The facility is located in Saint Marys City, **Elk County**.

43-00310: Top Gun Investment Corp. II (15 Roemer Blvd., Farrell, PA 16121-2201). The Department on April 24, 2018, issued an administrative amendment to the Title V Operating Permit for the NLMK Pennsylvania Corp. Farrell Plant to incorporate the change of responsible official and permit contact for the facility located in Farrell City, **Mercer County**.

<i>Date</i>	<i>Source</i>	<i>PM₁₀ (tons)</i>	<i>SO_x (tons)</i>	<i>NO_x (tons)</i>	<i>VOC (tons)</i>	<i>CO (tons)</i>
04/26/2018	Welding process	0.0021	-	-	-	-
06/17/2014	NG and electric Evaporator units	.03	0.002	0.07	0.30	0.06
Total Reported Increases		0.0321	0.002	0.07	0.30	0.06
Allowable		0.6 ton/source 3 tons/facility	1.6 ton/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

30841316 and NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Bailey Mine & Prep Plant in Richhill Township, **Greene County** and related NPDES Permit for installation of three degas boreholes. Surface Acres Proposed

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief or Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6340.

Wire Weld Inc. (12069 East Main Road, North East, PA 16428) at their facility in North East Township, **Erie County**. The authorized De minimis emission increase concerns a welding operation. The facility currently operates under SOOP 25-00970.

The welding operation is exempt from plan approval as it complies with 25 Pa. Code § 127.449. The Department hereby approves the De minimis emission increases. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This is the second De minimis emission increase which has occurred since their current State Only Operating Permit (25-00970) was renewed on June 3, 2014.

25.7. No additional discharges. The application was considered administratively complete on May 2, 2017. Application received March 7, 2017. Permit issued April 25, 2018.

30841316 and NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Bailey Mine & Prep Plant in Richhill Township, **Greene County** and related NPDES Permit for installation of the 7L Powerline and Waterline. Surface Acres Proposed 17.5. No additional discharges. The application was considered administratively complete on December 11, 2017. Application received June 29, 2017. Permit issued April 25, 2018.

30841316 and NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Bailey Mine & Prep Plant in Richhill and Aleppo Townships, **Greene County** and related NPDES permit for development mining. Underground Acres Proposed 2,510.0, Subsidence Control Plan Acres Proposed 2,510.0. No additional discharges. The application was considered administratively complete on January 24, 2017. Application received September 9, 2016. Permit issued April 25, 2018.

32733708 and NPDES No. PA0215503. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Greenwich No. 1 Coal Refuse Disposal Area in Green Township, **Indiana County**, Susquehanna Township, **Cambria County**. No additional discharges. The application was considered

administratively complete on September 1, 2015. Application received January 9, 2015. Permit issued April 24, 2018.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17080116 and NPDES PA0256978. Forcey Coal, Inc. (475 Banion Road, Madera, PA 16661). Revision on an existing bituminous surface coal mine revising the permit boundary and add 1.0 acre to the existing 42.0 acres permit to construct and maintain two long term water treatment facilities. Included is a 100-foot road variance on SR 0053. The permit is located in Bigler Township, **Clearfield County** affecting 43.0 acres. Receiving streams: Unnamed Tributary to Clearfield Creek classified as CWF and Clearfield Creek classified as WWF. There are no potable water supply intakes within 10 miles downstream. Application received: April 10, 2017. Permit issued: April 11, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

03090102 and NPDES Permit No. PA0251623. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Permit renewal issued for continued mining of an existing bituminous surface mine, located in Plumcreek Township, **Armstrong County**, affecting 25.5 acres. Receiving streams: Plum Creek, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: October 28, 2016. Renewal application issued: April 23, 2018.

26870107 and NPDES Permit No. PA0589802. David L. Patterson, Jr. (12 Short Cut Road, Smithfield, PA 15478). Permit renewal issued for reclamation only to an existing bituminous surface mine, located in Nicholson Township, **Fayette County**, affecting 100.2 acres. Receiving streams: Unnamed tributaries to Jacobs Creek. Application received: January 19, 2018. Renewal permit issued: April 24, 2018.

03070102 and NPDES Permit No. PA0251151. State Industries, Inc. (P.O. Box 1022, Kittanning, PA 16201). Permit renewal issued for continued mining to an existing bituminous surface mine, located in Washington Township, **Armstrong County**, affecting 413.0 acres. Receiving streams: unnamed tributaries to Limestone Run. Application received: August 1, 2018. Renewal permit issued: April 27, 2018.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

08120301 and NPDES PA0257885. Glenn O. Hawbaker, Inc. (1952 Waddle Road, Suite 203, State College, PA 16803). Renewal for an existing NPDES on an existing large noncoal surface mining site located in Burlington Township, **Bradford County** affecting 41.6 acres. Receiving stream(s): Sugar Creek classified for the following use(s): WWF. Application received: December 4, 2017. Permit issued: April 17, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. PAM113015R. Adam Wilber, (22 Imex Drive, Hallstead, PA 18822), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58132801 in Liberty Township, **Susquehanna County**, receiving stream: no discharge to unnamed tributary to

DuBois Creek. Application received: March 12, 2018. Renewal issued: April 30, 2018.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

53184101. Valley Rock Solutions LLC (P.O. Box 246, Macungie, PA 18062). Blasting for Sweden Valley Well Pad 104 located in Summit Township, **Potter County** with an expiration date of April 17, 2019. Permit issued: April 23, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

63184001. Kesco, Inc. (215 South Main Street, Suite 3, Zelenople, PA 16063). Blasting Activity Permit for construction located in Union Township, **Washington County** with an expiration date of April 30, 2020. Blasting permit issued: April 25, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58184101. DW Drilling & Blasting, (2042-B S. Brentwood Boulevard, Suite 115, Springfield, MO 65804) construction blasting for Moore S Pad and tank farm in Jessup Township, **Susquehanna County** with an expiration date of April 10, 2019. Permit issued: April 24, 2018.

Permit No. 23184101. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Crane Track in Thornbury Township, **Delaware County** with an expiration date of May 1, 2019. Permit issued: April 25, 2018.

Permit No. 40184103. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Eagle Rock Resort in Hazle, Bear Creek and Black Creek Townships, **Luzerne County** and North Union Township, Schuylkill County with an expiration date of April 30, 2020. Permit issued: April 25, 2018.

Permit No. 46184103. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Women's Health Center in Upper Merion Township, **Montgomery County** with an expiration date of April 19, 2019. Permit issued: April 25, 2018.

Permit No. 66184101. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Hayduk Site Development in Lemon Township, **Wyoming County** with an expiration date of April 30, 2020. Permit issued: April 25, 2018.

Permit No. 67184102. Brubacher Excavating, Inc., (825 Reading Road, Bowmansville, PA 17507), construction blasting for Goodman Logistics in Newberry and Fairview Townships, **York County** with an expiration date of April 12, 2019. Permit issued: April 25, 2018.

Permit No. 67184103. M & J Explosives, LLC, (P.O. Box 1248, Carlisle, PA 17013), construction blasting for

Rutter 7 in Manchester Township, **York County** with an expiration date of April 18, 2019. Permit issued: April 25, 2018.

Permit No. 36184114. Maurer & Scott Sales, Inc., (122 Thomas Street, Coopersburg, PA 18036), construction blasting for Atlantic Sunrise Spread 7 in Drumore and Conestoga Townships, Lancaster County and South Londonderry Township, **Lebanon County** with an expiration date of April 30, 2019. Permit issued: April 26, 2018.

Permit No. 36184115. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for MJ Mull dwelling in Pequea Township, **Lancaster County** with an expiration date of May 31, 2018. Permit issued: April 26, 2018.

Permit No. 46184104. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Founders Reserve in Upper Providence Township, **Montgomery County** with an expiration date of May 1, 2019. Permit issued: April 26, 2018.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501–508 and 701–704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E09-1017. Richland Township, 1328 California Road, Suite A, Quakertown, PA 18951, Richland Township, **Bucks County**; ACOE Philadelphia District.

Giving its consent to 5th Street Trail to the construction of an 8-foot wide pedestrian walking trail over Beaver Run and four wetland crossings. The proposed project will have 19 linear feet of permanent waterway impact and 1,935 square feet of permanent wetland impact and 4,416 square feet of temporary wetland impact.

The site is approximately at South 5th Street. The trail begins about 0.3 mile from the end of South 5th Street (Quakertown Latitude: 40°25'55"; Longitude: -75°20'21").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E23-540. Township of Ridley, 100 E. MacDade Boulevard, Folsom, PA 19033, Ridley Township, **Delaware County**, ACOE Philadelphia District.

To remove the dilapidated bridge and to construct and maintain a Conspan bridge across Stony Creek (WWF-MF) having an approximate waterway opening of 90 feet by 6.0 high and measuring approximately 28-feet in length associated with the Township's Bridge Replacement Project. The lower chord of the bridge is above the 100-year floodway elevation.

The site is located at S. Swarthmore Avenue over Stony Creek (Bridgeport, PA USGS Quadrangle, Latitude: 39.873789; Longitude: -75.317719).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E35-448A. Kenneth Powell, 1305 Justice Boulevard, Clarks Summit, PA 18411. Archbald Borough, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To amend Permit No. E35-448 to authorize 1.14 acre of additional permanent wetland impacts within the Lackawanna River Watershed (HQ-CWF, MF) for the construction and maintenance of four wooden boardwalks spanning wetlands and the placement of fill in wetlands.

The activities are associated with the construction of a golf course at the Highlands at Archbald Residential Subdivision. The permittee is required to provide an additional 2.9 acres of replacement wetlands.

E35-448 authorized the filling of 1.54 acre of isolated wetlands and the construction and maintenance of a 36-inch diameter sewer line crossing 100 feet of wetlands. The activities were also associated with the Highlands at Archbald Residential Subdivision. The permittee was required to provide 2.7 acres of replacement wetlands.

The project is located approximately 2,000 feet east of the intersection of Eynon Jermyn Road and Columbus Drive (Carbondale, PA Quadrangle Latitude: 41°30'29.9"; Longitude: -75°33'42.4"). Subbasin: 5A.

E48-442. Georgeanne Pasch-Clamp & Richard Clamp, 4 Cambridge Drive, Rockaway, NJ 07866. Lower Mount Bethel Township, **Northampton County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a 190-square foot boat dock and a 120-foot-long concrete boat launching ramp in the Delaware River and its floodway (CWF) (Scenic).

The project is located approximately 600 feet south of the intersection of Brush Drive and Delhaven Road. (Bangor, PA Quadrangle Latitude: 40° 46' 46.48"; Longitude: -75° 7' 49.35") Subbasin: 1F.

Northwest Region: Waterways & Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E42-377, National Fuel Gas Supply Corporation, 1100 State Street, Erie, PA 16501. YM28 and FM120 Modernization Project, in Wetmore, Hamlin and Sergeant Townships, **McKean County**, ACOE Pittsburgh District. The proposed project starts at 41.686186, -78.752681 Kane, PA Quadrangle N: 41°41'10.271"; W: -78°45'9.65" and ends at Wellendorf Storage Line (D6) Wildwood Fire Tower, PA Quadrangle N: 41°37'14.25"; W: -78°28'54.55".

To construct, operate, and maintain the YM28 and FM120 Modernization Project (Project) consisting of approximately 14.4 miles of 12-inch pipeline and appurtenant structures and the installation via insertion of a 6-inch pipeline into an existing 12-inch pipeline for 5.8 miles in Wetmore, Hamlin, and Sergeant Townships, McKean County. Line YM28 starts at 41.686243, -78.752580 Kane, PA Quadrangle and ends at the Wellendorf (D6) storage line at 41.702593, -78.500189 Wildwood Fire Tower, PA Quadrangle. Line FM120 starts at 41.620563, -78.481665 Wildwood Fire Tower, PA Quadrangle and ends at Wellendorf (D6) Storage line at N41.702413, -78.500072 Wildwood Fire Tower, PA Quadrangle.

The Project includes 55 pipeline and temporary equipment crossings of wetlands and 17 equipment crossings of wetlands, resulting in a total of 4.90 acres of wetland disturbance within the proposed permanent ROW, 0.19 acre of which consists of permanent wetland vegetation conversion with no proposed permanent loss of wetland area.

The Project also includes 30 pipeline and equipment crossings of streams and floodways of West Branch Clarion River and tributaries, County Line Run and tributaries, Doe Run and tributaries, Glad Run and tributaries, Gum Boot Run and tributaries, Lanigan Brook and tributaries, Sevenmile Run and tributaries, Sicily Run and tributaries, Buck Run and tributaries, Martin Run and tributaries, Windfall Run and tributaries, Warner Brook and tributaries, and Wellendorf Branch and tributaries resulting in a total of 2,542 linear feet of

channel impact with a total of 0.36 acre of temporary impact. Of the 30 crossings, 14 will be installed by dry crossing methods, 14 by insertion of a 6-inch pipe into an existing 12-inch pipeline, and 2 locations where the pipeline will be installed within the 50 ft assumed floodway of small tributaries but will not cross the stream channel.

To mitigate for Project impacts, the permittee shall achieve enhancement of a minimum of 0.19 acre of PFO wetland by planting 0.38 acre of existing, degraded PEM wetlands located in State Game Lands 062 (SGL062) (Lewis Run, PA Quadrangle N:41°47'16.85"; W:78°38'22.26") utilizing native trees/shrubs to include: Black Spruce (*Picea mariana*), Balsam Fir (*Abies balsamia*), Swamp White Oak (*Quercus bicolor*), Red Oiser Dogwood (*Cornus Stonoifera*), Silky Dogwood (*Cornus ammonium*), Silky Willow (*Salix sericea*), Arrowwood (*Viburnum dentatum*) to improve habitat for game and non-game species in coordination with PGC to provide the most benefit to wildlife.

401 Water Quality Certification for this project was requested as part of the FERC authorization process [Docket No. CP14-74-000 filed March 10, 2017]. The Department granted the Conditional 401 Water Quality Certification, WQ06-001, on November 11, 2017.

Water Obstructions and Encroachment General Permit GP112417605 was also issued for this project on May 1, 2018.

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA.

E5829-127: Harford Township, Bluestone Pipeline Company of Pennsylvania, LLC, 333 Technology Drive, Suite 255, Canonsburg, PA 15317; Harford Township, Susquehanna County, ACOE Baltimore District.

To construct, operate, and maintain:

1) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 1,041 square feet (0.02 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 47' 52" N, Longitude: 75° 44' 37" W),

2) a 20-inch diameter steel natural gas pipeline and a temporary timber bridge crossing temporarily impacting 53 lineal feet of East Branch Martins Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 47' 54" N, Longitude: 75° 44' 38" W),

3) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 24,326 square feet (0.54 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 47' 52" N, Longitude: 75° 44' 37" W),

4) a 20-inch diameter steel natural gas pipeline and a temporary timber bridge crossing temporarily impacting 62 lineal feet of East Branch Martins Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 48' 02" N, Longitude: 75° 44' 36" W),

5) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 1,416 square feet (0.03 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 48' 05" N, Longitude: 75° 44' 35" W),

6) a 20-inch diameter steel natural gas pipeline and a temporary timber bridge crossing temporarily impacting 6 lineal feet of East Branch Martins Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 48' 05" N, Longitude: 75° 44' 35" W),

7) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 2,796 square feet (0.06 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 48' 06" N, Longitude: 75° 44' 35" W),

8) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 707 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 48' 20" N, Longitude: 75° 44' 26" W).

The natural gas pipeline project consists of constructing a 20-inch diameter steel natural gas pipeline approximately 0.65 mile long in Harford Township, Susquehanna County. The project will result in 121 lineal feet of temporary stream impacts, and 30,286 square feet (0.70 acre) of temporary wetland impacts to provide safe reliable conveyance of Marcellus Shale natural gas to market.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

D06-187EA. Joseph Atkinson, Manager, Global Advanced Metals USA, Inc., 650 County Line Road, P.O. Box 1608, Boyertown, PA 19512-1608, Colebrookdale Township, **Berks County**, USACOE Philadelphia District.

Project proposes to abandon the Cabot Mill Dam in place and return its contributory flow to the historic channel to restore approximately 500 feet of stream channel to a free-flowing condition. The project is located across Swamp Creek (TSF, MF) (Sassamansville, PA Quadrangle, Latitude: 40.3476; Longitude: -75.6166).

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-2 # ESX18-005-0002
Applicant Name XTO Energy Inc
Contact Person Melissa Breitenbach
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Armstrong County
Township(s) Freeport Borough
Receiving Stream(s) and Classification(s) UNTs to Buffalo Creek (TSF) & Buffalo Creek (TSF)

ESCGP-2 # ESX17-005-0011
Applicant Name Snyder Bros, Inc
Contact Person Carl Rose
Address 90 Glade Drive
City, State, Zip Kittaning, PA 16201
County Armstrong County
Township(s) East Franklin Township
Receiving Stream(s) and Classification(s) Trib 47106 to Limestone Run (WWF)

ESCGP-2 # ESX18-059-0008
Applicant Name Cone Gathering, LLC
Contact Person Carol Phillips
Address 1000 Consol Energy Drive
City, State, Zip Canonsburg, PA 15317
County Greene County
Township(s) Richhill Township
Receiving Stream(s) and Classification(s) UNTs to South Fork Dunkard Fork (TSF) & South Fork Dunkard Fork (TSF)

ESCGP-2 # ESX18-125-0002
Applicant Name Columbia Gas Transmission, LLC
Contact Person William Timmermeyer
Address 1700 MacCorkle Avenue
City, State, Zip Charleston, WV 25314
County Washington County
Township(s) Donegal Township
Receiving Stream(s) and Classification(s) UNTs to Dutch Fork (HQ-WWF)

ESCGP-2 # ESX11-003-0007 Renewal
Applicant Name Range Resources—Appalachia, LLC
Contact Person Karl Matz
Address 3000 Town Center Boulevard
City, State, Zip Canonsburg, PA 15317
County Allegheny County
Township(s) Findlay Township
Receiving Stream(s) and Classification(s) UNT to Potato Garden Run (WWF) & Potato Garden Run (WWF)

ESCGP-2 # ESX12-125-0125 Renewal
Applicant Name Range Resources—Appalachia, LLC
Contact Person Karl Matz
Address 3000 Town Center Boulevard
City, State, Zip Canonsburg, PA 15317
County Washington County
Township(s) Buffalo Township
Receiving Stream(s) and Classification(s) Buffalo Creek (HQ-WWF)

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

McKean County Conservation District 17137 Route 6, Smethport, PA 16749, 814-887-4001.

<i>ESCP Number</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESG00083170001	National Fuel Gas Supply Corp Wayne Graham 1100 State Street Erie, PA 16501	McKean	Hamlin, Wetmore, Sergeant, Jones, Shippen Townships	Glade Run HQ-CWF UNT Glade Run HQ-CWF Lanigan Brook CWF UNT Lanigan Brook CWF West Branch Clarion River CWF UNT West Branch Clarion River CWF UNT Windfall Run HQ-CWF Sicily Run CWF UNT Sevenmile Run HQ-CWF Sevenmile Run HQ-CWF UNT Martin Run HQ-CWF Warner Brook HQ-CWF Gum Boot Run HQ-CWF UNT Buck Run CWF UNT Doe Run HQ-CWF Doe Run HQ-CWF UNT County Line Run HQ-CWF County Line Run HQ-CWF Wellendorf Branch HQ-CWF East Branch Clarion River HQ-CWF

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESG18-019-0007—Rhodaberger Meter Site
Applicant Pine Run Midstream LLC
Contact Mr. Scott Sweder
Address 1000 Commerce Drive, Park Place One, Suite 400
City Pittsburgh State PA Zip Code 15275
County Butler Township(s) Clearfield
Receiving Stream(s) and Classification(s) UNT to Sarver Run/Sarver Run—Rough Creek

ESCGP-2 # ESX18-019-0008—W-70 NIBA S008 TAP
Applicant Pine Run Midstream, LLC
Contact Mr. Scott Sweder
Address 1000 Commerce Drive, Park Place One, Suite 400
City Pittsburgh State PA Zip Code 15275
County Butler Township(s) Jefferson
Receiving Stream(s) and Classification(s) UNT to Davis Run

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESG29-105-18-0001
Applicant Name JKLM Energy LLC
Contact Person Scott Blauvelt
Address 2200 Georgetowne Drive, Suite 500
City, State, Zip Sewickley, PA 15143
County Potter
Township(s) Ulysses
Receiving Stream(s) and Classification(s) UNTs to Cushing Hollow (HQ-CWF);
Secondary—Cushing Hollow (HQ-CWF)

ESCGP-2 # ESX29-015-18-0007
Applicant Name Chief Oil & Gas LLC
Contact Person Jeffrey Deegan
Address 1720 Sycamore Road
City, State, Zip Montoursville, PA 17754
County Bradford
Township(s) West Burlington
Receiving Stream(s) and Classification(s) Preacher Brook (CWF, MF), North Branch Towanda Creek (CWF, MF);
Secondary—Towanda Creek

ESCGP-2 # ESG29-105-18-0002
Applicant Name JKLM Energy LLC
Contact Person Scott Blauvelt
Address 2200 Georgetowne Drive, Suite 500
City, State, Zip Sewickley, PA 15143
County Potter
Township(s) Hector
Receiving Stream(s) and Classification(s) (1) UNT to California Creek (HQ-CWF), and (2) UNTs to Lehman Hollow (HQ-CWF).
Secondary—(1) California Creek (HQ-CWF), and (2) Lehman Hollow (HQ-CWF)

ESCGP-2 # ESG29-081-18-0010
Applicant Name Pennsylvania General Energy Company LLC
Contact Person Doug Kuntz
Address 120 Market Street
City, State, Zip Warren, PA 16365
County Lycoming
Township(s) Plunketts Creek

Receiving Stream(s) and Classification(s) UNT to Little Bear Creek (EV), Little Bear Creek (EV);
Secondary—Little Bear Creek (EV), Loyalsock Creek (EV)

SPECIAL NOTICES

Plan Revision Approval under the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101

Northwest Region: Waste Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

The Jefferson County Municipal Waste Plan Revision was approved on April 25, 2018, in accordance with the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101. The Revision was submitted to the Department of Environmental Protection (Department) on March 8, 2018.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984.

Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

The plan revision is a public document and may be viewed at the Department Regional Office previously noted.

Questions concerning the approval should be directed to Regina Schweinsberg, Regional Recycling Coordinator, Waste Management Program at (814) 332-6981 or rschweinsb@pa.gov, or the previous Regional Office address.

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of April 2018 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons to perform radon-related activities in this Commonwealth. The period of certification is 2 years. (For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Kevin Adams	208 Latimer Avenue Strabane, PA 15363	Testing
Thomas d'Arcy Radon Testing Systems	P.O. Box 243 Newtown, PA 18940	Testing
Clifford Ardinger	101 Bertley Ridge Drive Coraopolis, PA 15108	Testing
Allan Berger	153 Parry Road Moscow, PA 18444	Testing
Paul Bukeavich	318 Ridge Street Hanover Township, PA 18706	Testing
Frank Carey	6 Patrick Road Jenkins Township, PA 18640	Testing
Robert Dennill	411 Bianca Circle Downingtown, PA 19335	Testing
Eagle Home Inspections, LLC	543 Twele Road Greenock, PA 15047	Testing
Nathan Feldwieser	14501 George Carter Way Suite 110 Chantilly, VA 20151	Testing
Michael Foglia	2427 Anneto Drive Pottstown, PA 19464	Testing
Matthew Fritz	17 Pembroke Lane Annville, PA 17003	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Frank Glantz	P.O. Box 866 Lemont, PA 16851	Mitigation
Dewey Kerns	P.O. Box 263 Effort, PA 18330	Testing
Mark Kenschak	14501 George Carter Way Suite 110 Chantilly, VA 20151	Testing
Scott Latosky	722 Sue Street Houtzdale, PA 16651	Testing
Eric Levine	110 Music Center Drive East Stroudsburg, PA 18301	Testing
Joseph Liotta, IV	1589 Chalk Avenue Blue Bell, PA 19422	Mitigation
Michael Lisk	508 Boquet Street Carnegie, PA 15106	Testing
Jill McNabb Pillar to Post	217 Lewis Circle Easton, PA 18045	Testing
Stephen Mento	25 Fox Farm Lane Downingtown, PA 19335	Testing
Cristopher Murphy WIN-Murrysville	106 Larchwood Drive Turtle Creek, PA 15145	Testing
Curtis Niles Armored Home Inspections, LLC	1451 North Hanover Street Pottstown, PA 19464	Testing
Gary Olinchak	512 Smiley Street Crum Lynne, PA 19022	Mitigation
Lisa Roddis	P.O. Box 862 Hockessin, DE 19707	Testing
Lucas Sargent	P.O. Box 514 Tioga, PA 16946	Testing
Gregory Sinn	331 East Union Street Tamaqua, PA 18252	Mitigation
Larry Smith	191 Route 715 Brodheadsville, PA 18322	Testing
S.W.A.T. Environmental of Pittsburgh	201 Penn Center Boulevard Suite 400 Pittsburgh, PA 15235	Mitigation

[Pa.B. Doc. No. 18-740. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Final Beneficiary Mitigation Plan Relating to the Volkswagen Settlement

The Commonwealth was certified as a Beneficiary of the Environmental Mitigation Trust Agreement for State Beneficiaries (State Trust Agreement), in the case *In Re: Volkswagen "Clean Diesel" Marketing, Sales Practices, and Products Liability Litigation*. The State Trust Agreement became effective when the United States Department of Justice filed it with the United States District Court for the Northern District of California on October 2, 2017. The State Trust Agreement, along with an Environmental Mitigation Trust Agreement for Indian Tribe Beneficiaries (Indian Tribe Trust Agreement), established \$2.925 billion in environmental mitigation trust funds (state and Indian Tribe Mitigation Trusts) to be divided primarily among the participating states and Indian Tribes. The Common-

wealth is currently allocated \$118.5 million of the State Mitigation Trust to fund eligible projects that reduce oxides of nitrogen (NO_x), including the costs of Eligible Mitigation Action Administrative Expenditures relating to those projects for the Commonwealth or the applicants.

The Department of Environmental Protection (Department) has been designated the Lead Agency to implement the State Trust Agreement for the Commonwealth. The Department developed a draft Beneficiary Mitigation Plan under the Federal Consent Decree and provided a 45-day public comment period for the draft Beneficiary Mitigation Plan in 2017. Additionally, the Department held six listening sessions throughout this Commonwealth and conducted a public webinar. The final Beneficiary Mitigation Plan sets forth the Commonwealth's overall structure for use of the mitigation funds, as well as information about the specific project types eligible for funding under the State Trust Agreement. This notice announces the availability of the final Beneficiary Mitigation Plan.

The Commonwealth's final Beneficiary Mitigation Plan is available on the Department's web site at www.dep.pa.gov/drivePAforward. It is also available upon request by calling (717) 787-9702.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-741. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Growing Greener Plus Grant Programs

The Department of Environmental Protection (Department) announces the availability of grant funding in the nineteenth year of the Commonwealth's Growing Greener Plus Grant Program (Growing Greener). Growing Greener Plus refers to four grant programs: Growing Greener; 319 Nonpoint Source (NPS); Surface Mining Conservation and Reclamation Act Bond Forfeiture; and Abandoned Mine Drainage (AMD) Set Aside grants.

The Growing Greener Program will be providing an increased emphasis on supporting project implementation within the Chesapeake Bay (Bay) Watershed. Project support within the Bay will focus on: activities that address NPS pollution loadings coming from agriculture, stream channel degradation, AMD and urban runoff; projects that directly address sources of impairment specific to the receiving waterbody of the project; and projects implementing any of the following Best Management Practices—riparian forest buffers, streambank stabilization, wetland creation/restoration/enhancement, animal heavy use area protection and other related practices. In addition to projects addressing an individual site, the Department will accept projects funding regional or State-wide initiatives to enhance local watershed restoration and protection. Additional considerations will be given for all Growing Greener applications that are proposing: projects that address the Commonwealth Investment Criteria that increase job opportunities and foster sustainable businesses; projects in designated environmental justice communities and projects in approved Act 47 financially distressed municipalities; projects proposing to continue watershed based plan implementation; and projects proposed to accomplish or comply with minimum control measures in regulated municipal separate storm sewer systems communities.

The NPS program will give first priority to applications that propose to address nonpoint source pollution originating from agriculture, stormwater runoff, stream channel degradation and sources of pollutants originating from abandoned mines and where the proposed project is identified in a Section 319 Watershed Implementation Plan (WIP). Preference will be given to those projects that most effectively address the impairments of concern in an approved WIP in a cost-effective way. The second priority will be projects that address NPSs of pollution to restore or protect water quality on a Statewide or regional basis.

Projects funded by the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19b) primary focus on the design, construction and/or rehabilitation of treatment facilities on legacy AMD discharge sites; however, grants may also be awarded for bond forfeited land reclamation projects. Preference will be given to

projects most likely to significantly address the impacts of AMD discharges in a cost-effective way.

The AMD Set Aside program requires that eligible projects must be located in Qualified Hydrologic Units (QHUC) (formerly called Qualified Hydrologic Units Plans) or in areas where QHUCs are being developed. The primary focus is abatement of AMD or treatment of AMD, or both, through treatment facility system construction. Priority will be given to projects supportive of goals established in the appropriate QHUC.

The Department is authorized to allocate these grants to a variety of eligible applicants including: counties, authorities and municipalities; county conservation districts; incorporated watershed associations recognized by the Department who promote local watershed conservation efforts; councils of governments; and other authorized organizations involved in the restoration and protection of the environment in this Commonwealth.

To access the application or obtain more information concerning Growing Greener, visit the Growing Greener web site at www.dep.pa.gov (search: Growing Greener). Persons can send e-mails to GrowingGreener@pa.gov or contact the Grants Center at (717) 705-5400.

All four of these grant programs can be applied for by means of the Commonwealth's Electronic Single Application web site. Applications may be submitted on or after May 14, 2018, and will be accepted until July 13, 2018. Late submissions will not be considered. Faxes and e-mails will not be accepted.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-742. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Nutrient Credit Trading Program; Actions

The Department of Environmental Protection (Department) has approved a 1-year administrative extension from October 1, 2018, to September 30, 2019, of the following previously approved certifications of pollutant reduction activities to generate nitrogen (N) and phosphorus (P) credits under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed) that were set to expire on September 30, 2018. Proposed pollutant reduction activities include manure gasification or conversion technology and the following agriculture best management practices (BMP): continuous no-till planting methods (CNT); planting cover crops; conservation tillage; grass buffers; off-stream watering with fencing; and horse pasture management. These certification administrative extension approvals authorize the generation of N or P credits, or both, for use by facilities with National Pollutant Discharge Elimination System permits in the compliance year in which the credits are generated. This approval is valid until September 30, 2019, provided the pollution reduction activities are implemented, maintained and verified in accordance with the plans contained in the original approved certification requests.

<i>Cert. ID</i>	<i>Generator</i>	<i>Site Contact Name</i>	<i>BMP Name</i>	<i>N Credits</i>	<i>P Credits</i>	<i>Cert. Letter</i>	<i>Cert. Exp.</i>
338	GETTYSBURG ENERGY & NUTRIENT RECOVERY, LLC	Thompson	Poultry Litter Combustion/ Gasification	1,051,570	58,853	1/23/17	9/30/19
298	LYCOMING COUNTY	Barbour	Off-Stream Watering with Fencing, Off-Stream Watering without Fencing, Precision Grazing, Riparian Forest Buffer	229	0	7/26/16	9/30/19
219	LYCOMING COUNTY	Bischcroft	CNT, Conservation Tillage, Cover Crops	12,363	0	9/15/15	9/30/19
300	LYCOMING COUNTY	Bosch	CNT, Conservation Tillage, Cover Crops	646	0	7/26/16	9/30/19
299	LYCOMING COUNTY	Brown, Er.	Off-Stream Watering with Fencing, Off-Stream Watering without Fencing, Precision Grazing, Riparian Forest Buffer	227	0		9/30/19
301	LYCOMING COUNTY	Brown, Ev.	Off-Stream Watering with Fencing, Off-Stream Watering without Fencing, Precision Grazing, Riparian Forest Buffer	206	0	7/26/16	9/30/19
302	LYCOMING COUNTY	Fogelman	CNT, Conservation Tillage, Cover Crops	368	0	7/26/16	9/30/19
316	LYCOMING COUNTY	Gavitt	CNT, Conservation Tillage, Cover Crops, Off-Stream Watering with Fencing, Riparian Forest Buffer, Rotational Grazing	332	0	7/26/16	9/30/19
303	LYCOMING COUNTY	Harvey	CNT, Cover Crops	243	0	7/26/16	9/30/19
317	LYCOMING COUNTY	Jarrett	CNT, Conservation Tillage, Cover Crops	377	0	7/26/16	9/30/19
318	LYCOMING COUNTY	Knepp	CNT, Conservation Tillage, Cover Crops	179	0	7/26/16	9/30/19
308	LYCOMING COUNTY	Koons	CNT, Conservation Tillage, Cover Crops	172	0	7/26/16	9/30/19
218	LYCOMING COUNTY	Lambert	CNT, Conservation Tillage, Cover Crops	5,853	0	9/15/15	9/30/19
309	LYCOMING COUNTY	Mowery	CNT, Conservation Tillage, Cover Crops	546	0	7/26/16	9/30/19
320	LYCOMING COUNTY	Plaxton	Off-Stream Watering with Fencing, Riparian Forest Buffer	7	0	7/26/16	9/30/19
310	LYCOMING COUNTY	Reitz	Horse Pasture Management, Off-Stream Watering with Fencing, Precision Grazing	1,410	0	7/26/16	9/30/19
241	LYCOMING COUNTY	Rogers	CNT, Conservation Tillage, Cover Crops	85	0	9/15/15	9/30/19
243	LYCOMING COUNTY	Schrack	CNT, Conservation Tillage, Cover Crops, Riparian Forest Buffer	11,000	0	9/15/15	9/30/19
321	LYCOMING COUNTY	Sherman	CNT, Cover Crops, Off-Stream Watering with Fencing, Precision Grazing, Riparian Forest Buffer	90	0	7/26/16	9/30/19

<i>Cert. ID</i>	<i>Generator</i>	<i>Site Contact Name</i>	<i>BMP Name</i>	<i>N Credits</i>	<i>P Credits</i>	<i>Cert. Letter</i>	<i>Cert. Exp.</i>
312	LYCOMING COUNTY	Styer	CNT, Conservation Tillage, Cover Crops	57	0	7/26/16	9/30/19
304	LYCOMING COUNTY	Tebbs	CNT, Conservation Tillage, Cover Crops	2,194	0	7/26/16	9/30/19
313	LYCOMING COUNTY	Ulmer	CNT, Conservation Tillage, Cover Crops	3,551	0	7/26/16	9/30/19
314	LYCOMING COUNTY	Vandine	CNT, Cover Crops	122	0	7/26/16	9/30/19
315	LYCOMING COUNTY	Worthington	CNT, Cover Crops, Off-Stream Watering with Fencing, Riparian Forest Buffer, Rotational Grazing	223	0	7/26/16	9/30/19
305	RED BARN	Hughes (Client 535, Chickies Creek Farm)	Poultry Litter Export	46,260	5,783	10/14/16	9/30/19
306	RED BARN	Hughes (Client 289, Lime Valley Farms)	Poultry Litter Export	12,226	1,528	10/14/16	9/30/19
307	RED BARN	Hughes (Client 221, Five Springs Farm)	Poultry Litter Export	5,208	651	10/14/16	9/30/19

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For further information about this action or the Nutrient Credit Trading Program, contact the Division of Operations, Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 787-6744, RA-EPPANutrientTrad@pa.gov or visit the Department's web site at www.dep.pa.gov/nutrient_trading.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-743. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
AFP Surgery Center	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Center for the Surgical Arts	28 Pa. Code § 51.3(a) (relating to notification)

<i>Facility Name</i>	<i>Regulation</i>
St. Luke's Anderson Ambulatory Surgical Center	28 Pa. Code § 551.21(d)(3) (relating to criteria for ambulatory surgery)
Children's Surgery Center of Lehigh Valley, LLC	28 Pa. Code § 551.22(3)(ii) (relating to criteria for performance of ambulatory surgery on pediatric patients)
	28 Pa. Code § 553.31(a)
Phoenixville Hospital Ambulatory Surgical Center—Limerick	28 Pa. Code § 553.31
	28 Pa. Code § 559.2 (relating to director of nursing)
Phoenixville Hospital Ambulatory Surgical Center—Main Line	28 Pa. Code § 553.31
	28 Pa. Code § 559.2
Mid-Atlantic Gastrointestinal Center	28 Pa. Code § 553.31(a)
Mid-Atlantic Gastrointestinal Center II	28 Pa. Code § 553.31(a)

The following ASF is requesting an exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that ASFs must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition (Guidelines)*. The following list includes the citation to the section under the *Guidelines* to which the ASF is seeking exceptions, as well as the publication year of the applicable *Guidelines*.

<i>Facility Name</i>	<i>Guidelines Section and Relating to</i>
Asplundh Surgical Center	3.7-7.2.2.1 (relating to corridor widths)

All previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-744. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospital has filed a request for exception under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following request for exception relates to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals), with the exception of 28 Pa. Code § 153.1 (relating to minimum standards) which are listed separately in this notice.

<i>Facility Name</i>	<i>Regulation</i>
Nazareth Hospital	28 Pa. Code § 107.61 (relating to written orders)

The following hospitals are requesting exceptions under 28 Pa. Code § 153.1. Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition (Guidelines)*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>Guidelines Section</i>
Children's Hospital of Pittsburgh of UPMC	2.1-2.2.5.1(1) (relating to hand-washing station in the patient rooms (location))
	2.1-2.2.5.3 (relating to hand-washing station in the patient rooms)
Jefferson Hospital	2.2-3.4.6.16 (relating to facilities for processing ultrasound probes)

<i>Facility Name</i>	<i>Guidelines Section</i>
Jefferson Hospital (1010 Higbee Drive, Bethel Park)	2.2-3.4.5.4 (relating to patient toilet rooms)
	2.2-3.4.6.16 (relating to facilities for processing ultrasound probes)
	3.1-3.8.2 (relating to toilet room(s) for patient use)
	3.1-3.9.8.1 (relating to changing rooms or booths)
Jefferson Hospital (1200 Brooks Lane, Jefferson Hills)	3.1-7.2.2.2(1) (relating to ceiling heights)
Jefferson Hospital (1st Floor, 3722 Brownsville Road, Pittsburgh)	2.2-3.4.1.2 (relating to location)
	3.1-7.2.2.2(1) (relating to ceiling heights)
Jefferson Hospital (2nd Floor, 3722 Brownsville Road, Pittsburgh)	3.1-7.2.2.2(1) (relating to ceiling heights)
Jefferson Hospital (Suite 140, 1200 Brooks Lane, Jefferson Hills)	2.2-3.4.1.2 (relating to location)
Jefferson Hospital (Suite 220, 495 East Waterfront Drive, Homestead)	2.2-3.4.1.2 (relating to location)
	3.1-7.2.2.2(1) (relating to ceiling heights)
Jefferson Hospital (Suite G40, 1200 Brooks Lane, Jefferson Hills)	2.2-3.4.1.2 (relating to location)
	3.1-7.2.2.2(1) (relating to ceiling heights)
Jefferson Hospital (Suite G60, 1200 Brooks Lane, Jefferson Hills)	2.2-3.4.1.2 (relating to location)
	3.1-7.2.2.2(1) (relating to ceiling heights)
Saint Vincent Hospital	2.2-2.2.2.1(1) (relating to capacity)
UPMC East	2.1-2.6.8.1 (relating to ice making equipment)
	2.2-3.3.4.4(1)(b)(ii) (relating to phase II recovery room(s) or area)
	2.2-3.3.4.6(3) (relating to support areas for pre- and postoperative patient care areas (clinical sinks))
	2.2-3.3.4.6(4) (relating to support areas for pre- and postoperative patient care areas (provisions for cleaning bedpans))
	2.2-3.3.4.7 (relating to support areas for staff)
	2.2-3.6.6.10(1) (relating to soiled workrooms)
	2.2-3.6.6.10(1) (relating to soiled holding rooms)
	2.2-3.6.6.7(1) (relating to pre-procedure patient care area (beds or stretchers))
	2.2-3.6.6.7(2) (relating to pre-procedure patient care area (visual privacy))

All previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-745. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long term-care nursing facility is seeking an exception to 28 Pa. Code § 205.20(a) (relating to resident bedrooms):

Crosslands
P.O. Box 100 Route 926
Kennett Square, PA 19348
FAC ID # 551202

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(j) and (k) (relating to electric requirements for existing and new construction):

WillowBrooke Court Skilled Care Center at Brittany
Pointe Estates
1001 Valley Forge Road
Lansdale, PA 19446
FAC ID # 740902

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Laurel Ridge Center
75 Hickle Street
Uniontown, PA 15401
FAC ID # 381002

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-746. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Program; Medical Marijuana Advisory Board's Report and the Secretary of Health's Decision to Effectuate the Recommendations

Notice is hereby given, under section 1202 of the Medical Marijuana Act (act) (35 P.S. § 10231.1202) of the

decision by the Secretary of Health (Secretary) to effectuate the recommendations of the Medical Marijuana Advisory Board (Board) as set forth in the Board's Report, adopted at a public meeting on April 9, 2018, under section 1201(j)(6) of the act (35 P.S. § 10231.1201(j)(6)).

The following is a list of the recommendations of the Board along with the Secretary's rationale as to whether or not to effectuate each recommendation.

Recommendation # 1: The Medical Subcommittee and the Regulatory Subcommittee recommended that the Medical Marijuana Program (Program) not expand the types of medical professionals who can issue certifications to patients. The Medical Subcommittee and the Regulatory Subcommittee further recommended that the Program continue to accept input from the patient and provider communities and consider adding additional medical professionals in the future. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees with the Board's recommendation to add no additional medical professionals at this time. Because the Program is in its infancy, more time is required to assess the need to expand the types of medical professionals who may issue patient certifications.

Recommendation # 2: The Medical Subcommittee recommended that no medical conditions be removed from the list of serious medical conditions. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees with the Board's recommendation to remove no serious medical conditions from the act. Because the Program is in its infancy, more time is required to assess the need to remove medical conditions from the list of serious medical conditions as defined in the act.

Recommendation # 3: The Medical Subcommittee and the Patient/Caregiver Subcommittee recommended that "Severe chronic or intractable pain in which conventional therapeutic intervention and opiate therapy is contraindicated or ineffective" be changed to "Severe chronic or intractable pain." The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. The Secretary agrees that broadening this condition will provide an opportunity of relief for more persons who would benefit from the use of medical marijuana to treat their severe chronic or intractable pain.

Recommendation # 4: The Medical Subcommittee recommended that a process be established for a subcommittee of the Board to review and approve additional serious medical conditions on a continuous basis. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. The Secretary agrees that as more information is obtained through research under Chapter 20 of the act (35 P.S. §§ 2001—2003) concerning the efficacy and utility of medical marijuana as medication for the serious medical conditions as defined by the act, it may be appropriate to add to the list of serious medical conditions to provide relief to patients and access to a drug that may be the only course of treatment or palliative care available.

Recommendation # 5: The Medical Subcommittee recommended that patients under 18 years of age be certi-

fied by a practitioner who is board eligible/certified in pediatrics or pediatric specialties, neurology with special qualifications in child neurology, child and adolescent psychiatry or adolescent medicine (whether through pediatrics, internal medicine or family practice). The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations, but on a delayed basis. Because of the potential effects of medical marijuana use on a developing brain, a practitioner with specialized knowledge relating to minor patients is preferred; however, the number of registered practitioners meeting these qualifications and accepting new patients is, at present, too limited to effectuate this requirement without delaying much needed medicine to a vulnerable population of patients. Therefore, the provision will not become effective until there are a sufficient number of practitioners who meet these qualifications and who are registered with the Department of Health (Department) to provide certification services to patients under 18 years of age.

Recommendation # 6: The Medical Subcommittee recommended that more research be done on the use of medical marijuana for addiction treatment. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. The Secretary agrees that encouraging permittees to conduct research on the use of medical marijuana for addiction treatment is a top priority, particularly in light of the current opioid crisis. Research under Chapter 20 of the act will be designed to study the efficacy and utility of medical marijuana as medication for the serious medical conditions as defined by the act.

Recommendation # 7: The Patient/Caregiver Subcommittee recommended that the medical condition of "Cancer" be revised to "Cancer; including remission therapy." The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. The Secretary agrees that patients who are in remission should have the same access to medical marijuana as those patients who are currently being treated for cancer.

Recommendation # 8: The Patient/Caregiver Subcommittee recommended that the medical condition of "Neurodegenerative Diseases" be added to the list of serious medical conditions. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. The Secretary agrees that persons with this condition could benefit from the use of medical marijuana as medical treatment or palliative care.

Recommendation # 9: The Patient/Caregiver Subcommittee recommended that the medical condition of "Damage to the nervous tissue of the spinal cord with objective neurological indication of intractable spasticity" be changed to "Damage to the nervous tissue of the CNS (brain-spinal cord) with objective neurological indication of intractable spasticity, and other associated neuropathies." The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by

amending the existing temporary regulations. The Secretary agrees that broadening this condition will include additional persons who could benefit from the use of medical marijuana as medical treatment or palliative care.

Recommendation # 10: The Patient/Caregiver Subcommittee recommended adding the medical condition of "terminally ill," meaning a medical prognosis of life expectancy of approximately 1 year or less if the illness runs its normal course. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. The Secretary agrees that terminally ill persons would benefit from the use of medical marijuana as palliative care.

Recommendation # 11: The Patient/Caregiver Subcommittee recommended adding the medical condition of "Dyskinetic and Spastic Movement Disorders." The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. The Secretary agrees that persons with this condition would benefit from the use of medical marijuana as medical treatment or palliative care.

Recommendation # 12: The Patient/Caregiver Subcommittee recommended that the Department encourage Clinical Registrants under Chapter 20 of the act to study the medical benefits of cannabis for individuals with autoimmune diseases. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board. A Clinical Registrant, in conjunction with an academic clinical research center, conducting research under Chapter 20 of the act will be strongly encouraged to study the medical benefits of medical marijuana for patients with autoimmune diseases. The Department will be reviewing the research being conducted by clinical registrants prior to the start of the research.

Recommendation # 13: The Patient/Caregiver Subcommittee recommended adding the serious medical condition of "Addiction substitute therapy—opioid reduction." The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. The Secretary recognizes the need for research in this area and that conventional therapies should be used unless those therapies are contraindicated or ineffective, or adjunctive therapy is indicated in combination with primary therapeutic interventions.

Recommendation # 14: The Medical Subcommittee, Patient/Caregiver Subcommittee and Regulatory Subcommittee recommended that the Program expand the form of medical marijuana permitted under the act of April 17, 2016 (P.L. 84, No. 16) to include dry leaf or plant form for administration by vaporization. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. Adding dry leaf and plant form, for administration by vaporization, to the forms permitted under the act will provide patients with greater access to medical marijuana because this

form is the least costly. In addition, administration by vaporization is an avenue that allows patients to receive the benefit of medical marijuana much faster than other forms of administration, and the patient can better manage the dosage.

Recommendation # 15: The Regulatory Subcommittee recommended that the Program make no changes to the act concerning the number of growers/processors and dispensaries at present. The Program should assess the numbers as the Program expands. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. Amending the existing temporary regulations will allow for the issuance of additional permits as the Program expands and will give the Secretary, at least for the next 2 years while the temporary regulations are in place, greater flexibility to meet the need for Program expansion, particularly in response to a court order.

Recommendation # 16: The Patient/Caregiver Subcommittee recommended allowing dispensaries to purchase vaporizing devices and other ancillary products from sources other than grower/processor permittees. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees with the Board's recommendation. No further action needs to be taken to implement this recommendation; the temporary regulations currently provide for dispensaries, with the prior written approval of the Department, to sell, offer for sale or provide at a facility, instruments, devices and services related to the use of medical marijuana products. Allowing dispensaries to purchase these products from sources other than grower/processor permittees will increase competition and presumably lower prices. Also, growers/processors are in the business of growing and processing medical marijuana, not necessarily ancillary or other medical marijuana-related products. For the sake of efficiency and economy in the Program, growers/processors should focus on their primary function.

Recommendation # 17: The Patient/Caregiver Subcommittee recommended that the certification to use medical marijuana be modified to limit the practitioner's ability to specify medical marijuana form and dosing. The Board rejected the recommendation.

Secretary's Rationale: The Secretary agrees with the Board's recommendation that allowing a practitioner's ability to specify medical marijuana form and dosing should not be limited. It is within the practitioner's scope of practice to make these determinations regarding their patients, and the Department should not interfere with a licensed health care professional's exercise of his own professional judgment.

Recommendation # 18: The Patient/Caregiver Subcommittee recommended establishing a default time period of 1 year on a patient's certification. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees with this recommendation to the extent that a patient may incur additional identification card application fees during a 12-month period, because of a new or revised patient certification, which can be costly for a patient. The temporary regulations will be amended to effectuate this recommendation.

Recommendation # 19: The Medical Subcommittee and Patient/Caregiver Subcommittee recommended that prac-

tioners have the option to opt-out of the public registry. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. The Secretary recognizes that physicians who might otherwise register as practitioners have declined to do so because of concerns that their practices might be negatively impacted. Lack of available practitioners could negatively impact patients with serious medical conditions who are in need of this important medical option. The temporary regulations will be amended to clarify that the practitioner registry is available to registered patients and caregivers who are utilizing it to obtain medical marijuana.

Recommendation # 20: The Medical Subcommittee, Patient/Caregiver Subcommittee and Regulatory Subcommittee recommended permitting medical marijuana to be dispensed in dry leaf or plant form, for administration by vaporization. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. See the rationale given for Recommendation # 14.

Recommendation # 21: The Medical Subcommittee, Patient/Caregiver Subcommittee and Regulatory Subcommittee recommended permitting medical marijuana to be dispensed in dry leaf or plant form for administration by vaporization. The Board adopted the recommendation.

Secretary's Rationale: The Secretary agrees and will effectuate this recommendation from the Board by amending the existing temporary regulations. See the rationale given for Recommendation # 14.

Interested persons are invited to submit written comments, suggestions or objections regarding this notice to John J. Collins, Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3047, RA-DHMedMarijuana@pa.gov.

Persons with a disability who wish to submit comments, suggestions or objections regarding this notice or who require an alternative format of this notice (for example, large print, audiotape or Braille) may do so by using the previously listed contact information. Speech and/or hearing-impaired persons may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-747. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Newborn Hearing Screening Program; Change in Reporting Requirements

The Infant Hearing Education, Assessment, Reporting and Referral (IHEARR) Act (11 P.S. §§ 876-1—876-9) requires facilities to report, in a manner prescribed by the Department of Health (Department), the number of newborns and infants screened for hearing and the results of the screening to the Newborn Hearing Screening Program, overseen by the Department's Division of Newborn Screening and Genetics.

The purpose of this notice is to announce a change in the method of reporting monthly aggregate data. As of July 1, 2018, the submission of monthly hearing screening aggregate reports mailed, faxed or e-mailed paper forms will be discontinued for all submitters utilizing iCMS to report hearing screening data.

Midwives who have obtained exemption from iCMS reporting based on Internet availability will still be required to submit a monthly aggregate report.

For additional information, contact Stacey Gustin, Program Manager, Division of Newborn Screening and Genetics, (717) 783-8143 or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-748. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Rare Disease Advisory Council Meeting

The Department of Health will hold a public meeting of the Rare Disease Advisory Council on Wednesday, May 16, 2018, from 10 a.m. to 3 p.m. This meeting will be held at the Dixon University Center, 2986 North Second Street, Administrative Building, Conference Room A/B, Harrisburg, PA 17110-1201. The purpose of this meeting is to receive the reports of subcommittees, to continue discussions of the committee work and discuss promoting awareness of rare diseases and funding for treatment and research.

For additional information or for persons with a disability and who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact the Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 787-6214, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-749. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$50 Cash Bla\$t Instant Lottery Game 1344

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$50 Cash Bla\$t (hereinafter referred to as “\$50 Cash Bla\$t”). The game number is PA-1344.

2. *Price:* The price of a \$50 Cash Bla\$t instant lottery game ticket is \$2.

3. *Play Symbols:* Each \$50 Cash Bla\$t instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), and 20 (TWENT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and a \$50 Burst (WIN50) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: FREE (TICKET), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), 25⁰⁰ (TWY FIV), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$50,000 (FTY THO).

5. *Prizes:* The prizes that can be won in this game are: FREE \$2 TICKET, \$2, \$4, \$5, \$10, \$25, \$50, \$100, \$500 and \$50,000. A player can win up to 8 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 13,200,000 tickets will be printed for the \$50 Cash Bla\$t instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$50,000 (FTY THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is \$50 Burst (WIN50) symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that \$50 Burst (WIN50) symbol, on a single ticket, shall be entitled to a prize of \$50.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the “prize” area under the

matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of FREE (TICKET) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of one \$50 Cash Bla\$t instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 13,200,000 Tickets:</i>
FREE	FREE \$2 TICKET	8.33	1,584,000
\$2	\$2	25	528,000
\$2 × 2	\$4	150	88,000
\$4	\$4	300	44,000
\$5	\$5	44.12	299,200
\$2 × 5	\$10	1,500	8,800
\$5 × 2	\$10	300	44,000
(\$4 × 2) + \$2	\$10	750	17,600
\$10	\$10	750	17,600
\$10 × 5	\$50	1,500	8,800
(\$10 × 2) + (\$5 × 6)	\$50	1,500	8,800
\$50 w/ \$50 BURST	\$50	68.18	193,600
\$50	\$50	1,500	8,800
(\$25 × 2) + (\$10 × 4) + (\$5 × 2)	\$100	40,000	330
(\$50 w/ \$50 BURST) × 2	\$100	24,000	550
\$100	\$100	60,000	220
\$100 × 5	\$500	2,640,000	5
(((\$50 w/ \$50 BURST) × 6) + (100 × 2)	\$500	2,640,000	5
(\$100 × 4) + (((\$50 w/ \$50 BURST) × 2)	\$500	2,640,000	5
\$500	\$500	2,640,000	5
\$50,000	\$50,000	2,640,000	5

Reveal a "\$50 BURST" (WIN50) symbol, win \$50 instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$50 Cash Bla\$t instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described

in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles

the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of \$50 Cash Bla\$t, prize money from winning \$50 Cash Bla\$t instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$50 Cash Bla\$t instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$50 Cash Bla\$t or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-750. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$300,000 Nest Egg® Instant Lottery Game 1342

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$300,000 Nest Egg® (hereinafter “\$300,000 Nest Egg®”). The game number is PA-1342.

2. *Price:* The price of a \$300,000 Nest Egg® instant lottery game ticket is \$10.

3. *Play Symbols:* Each \$300,000 Nest Egg® instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “FAST CASH” area. The “FAST CASH” play area is played separately. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27

(TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THY TWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THY TWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY). Safe (SAFE) symbol and an Egg (WINALL) symbol. The play symbols and their captions located in the “FAST CASH” area are: Chest (TRY AGAIN) symbol, Star (NO BONUS) symbol, Gold Bar (TRY AGAIN) symbol, Key (NO BONUS) symbol, Pot of Gold (TRY AGAIN) symbol, Wallet (NO BONUS) symbol, Cash (TRY AGAIN) symbol and a Coins (COINS) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$200 (TWO HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO) and \$300,000 (THRHUNTHO). The prize symbols and their captions located in the “FAST CASH” area are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$200 (TWO HUN), and \$500 (FIV HUN).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$15, \$20, \$30, \$50, \$100, \$150, \$200, \$400, \$500, \$1,000, \$10,000 and \$300,000. The prizes that can be won in the “FAST CASH” area are: \$10, \$15, \$20, \$30, \$50, \$100, \$150, \$200 and \$500. A player can win up to 16 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 9,600,000 tickets will be printed for the \$300,000 Nest Egg® instant game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$300,000 (THRHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Safe (SAFE) symbol, and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is an Egg (WINALL) symbol, and a prize symbol of \$100 (ONE HUN) appears in five of the "prize" areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol, and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which a Coins (COINS) symbol appears in the "FAST CASH" area and a prize symbol of \$500 (FIV HUN) appears in the "prize" area to the right of that Coins (COINS) symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is an Egg (WINALL) symbol, and a prize symbol of \$100 appears in three of the "prize" areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the "prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is an Egg (WINALL) symbol, and a prize symbol of \$50⁰⁰ (FIFTY) appears in four of the "prize" areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the "prize" areas and a prize symbol of \$100 (ONE HUN) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol, and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$400.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is an Egg (WINALL) symbol, and a prize symbol of \$30⁰⁰ (THIRTY) appears in ten of the "prize" areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol, and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$200.

(p) Holders of tickets upon which a Coins (COINS) symbol appears in the "FAST CASH" area and a prize

symbol of \$200 (TWO HUN) appears in the "prize" area to the right of that Coins (COINS) symbol, on a single ticket, shall be entitled to a prize of \$200.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is an Egg (WINALL) symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the "prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$150 (ONEHUNFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$150.

(s) Holders of tickets upon which a Coins (COINS) symbol appears in the "FAST CASH" area and a prize symbol of \$150 (ONEHUNFTY) appears in the "prize" area to the right of that Coins (COINS) symbol, on a single ticket, shall be entitled to a prize of \$150.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is an Egg (WINALL) symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in all fifteen of the "prize" areas, on a single ticket, shall be entitled to a prize of \$150.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(w) Holders of tickets upon which a Coins (COINS) symbol appears in the "FAST CASH" area and a prize symbol of \$100 (ONE HUN) appears in the "prize" area to the right of that Coins (COINS) symbol, on a single ticket, shall be entitled to a prize of \$100.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "prize" area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$50.

(z) Holders of tickets upon which a Coins (COINS) symbol appears in the "FAST CASH" area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "prize" area to the right of that Coins (COINS) symbol, on a single ticket, shall be entitled to a prize of \$50.

(aa) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(bb) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE)

symbol, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$30.

(cc) Holders of tickets upon which a Coins (COINS) symbol appears in the “FAST CASH” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area to the right of that Coins (COINS) symbol, on a single ticket, shall be entitled to a prize of \$30.

(dd) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(ee) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Safe (SAFE) symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(ff) Holders of tickets upon which a Coins (COINS) symbol appears in the “FAST CASH” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area to the right of that Coins (COINS) symbol, on a single ticket, shall be entitled to a prize of \$20.

(gg) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(hh) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Safe (SAFE) symbol, and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$15.

(ii) Holders of tickets upon which a Coins (COINS) symbol appears in the “FAST CASH” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area to the right of that Coins (COINS) symbol, on a single ticket, shall be entitled to a prize of \$15.

(jj) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$10⁰⁰ (TEN DOLLARS) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(kk) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Safe (SAFE) symbol, and a prize symbol of \$10⁰⁰ (TEN DOLLARS) appears in the “prize” area under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(ll) Holders of tickets upon which a Coins (COINS) symbol appears in the “FAST CASH” area and a prize symbol of \$10⁰⁰ (TEN DOLLARS) appears in the “prize” area to the right of that Coins (COINS) symbol, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>FAST CASH:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets</i>
	\$10 w/ COINS	\$10	20	480,000
\$10 w/ SAFE		\$10	40	240,000
\$10		\$10	30	320,000
	\$15 w/ COINS	\$15	60	160,000
\$15 w/ SAFE		\$15	30	320,000
\$15		\$15	60	160,000
\$10 × 2		\$20	120	80,000
\$10 w/ SAFE	\$10 w/ COINS	\$20	85.71	112,000
\$20 w/ SAFE		\$20	60	160,000
\$20		\$20	120	80,000
\$15	\$15 w/ COINS	\$30	200	48,000
(\$15 w/ SAFE) × 2		\$30	600	16,000
\$30 w/ SAFE		\$30	50	192,000
\$30		\$30	600	16,000
\$10 × 2	\$30 w/ COINS	\$50	300	32,000
(\$15 × 2) + \$10	\$10 w/ COINS	\$50	300	32,000
(((\$20 w/ SAFE) × 2) + \$10		\$50	300	32,000
\$50 w/ SAFE		\$50	300	32,000
\$50		\$50	300	32,000
\$10 × 10		\$100	600	16,000

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>FAST CASH:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets</i>
\$20 × 5		\$100	600	16,000
\$50	\$50 w/ COINS	\$100	600	16,000
(\$10 w/ SAFE) × 10		\$100	600	16,000
\$100 w/ SAFE		\$100	600	16,000
\$100		\$100	600	16,000
EGG w/ (\$10 × 15)		\$150	425.53	22,560
\$50 × 3		\$150	6,316	1,520
(\$30 w/ SAFE) + (\$50 × 2)	\$20 w/ COINS	\$150	6,316	1,520
(\$50 w/ SAFE) × 3		\$150	6,667	1,440
	\$150 w/ COINS	\$150	6,667	1,440
\$150		\$150	6,316	1,520
EGG w/ ((\$20 × 5) + (\$10 × 10))		\$200	2,400	4,000
EGG w/ (\$10 × 15)	\$50 w/ COINS	\$200	2,400	4,000
\$100 × 2		\$200	6,000	1,600
\$10 × 10	\$100 w/ COINS	\$200	1,714	5,600
\$200 w/ SAFE		\$200	12,000	800
\$200		\$200	12,000	800
EGG w/ ((\$30 × 10) + (\$20 × 5))		\$400	12,000	800
EGG w/ ((\$20 × 5) + (\$10 × 10))	\$200 w/ COINS	\$400	12,000	800
\$50 × 8		\$400	60,000	160
\$100 × 3	\$100 w/ COINS	\$400	60,000	160
(\$30 × 10) + (\$20 × 5)		\$400	60,000	160
(\$200 w/ SAFE) × 2		\$400	24,000	400
\$400 w/ SAFE		\$400	24,000	400
\$400		\$400	60,000	160
EGG w/ ((\$50 × 4) + (\$20 × 10) + \$100)		\$500	8,000	1,200
EGG w/ ((\$100 × 3) + (\$50 × 2) + (\$10 × 10))		\$500	8,000	1,200
\$100 × 5		\$500	120,000	80
\$50 × 10		\$500	120,000	80
(\$30 × 10) + \$100	\$100 w/ COINS	\$500	24,000	400
(((\$100 w/ SAFE) × 3) + \$100)	\$100 w/ COINS	\$500	12,000	800
	\$500 w/ COINS	\$500	40,000	240
\$500 w/ SAFE		\$500	60,000	160
\$500		\$500	120,000	80
EGG w/ ((\$100 × 5) + (\$50 × 10))		\$1,000	24,000	400
\$100 × 10		\$1,000	120,000	80
\$500 × 2		\$1,000	120,000	80
\$500	\$500 w/ COINS	\$1,000	30,000	320
(\$200 w/ SAFE) × 5		\$1,000	40,000	240
\$1,000 w/ SAFE		\$1,000	120,000	80
\$1,000		\$1,000	120,000	80
\$1,000 × 10		\$10,000	960,000	10

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>FAST CASH:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets</i>
\$10,000		\$10,000	960,000	10
\$300,000		\$300,000	960,000	10

Reveal a "SAFE" (SAFE) symbol, win prize shown under that symbol automatically.

Reveal an "EGG" (WINALL) symbol, win all 15 prizes shown!

FAST CASH: Reveal a "COINS" (COINS) symbol, win prize shown to the right of that symbol. FAST CASH is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$300,000 Nest Egg® instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of \$300,000 Nest Egg®, prize money from winning \$300,000 Nest Egg® instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$300,000 Nest Egg® instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote

\$300,000 Nest Egg® or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-751. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$3,000,000 Pennsylvania Club Instant Lottery Game 1341

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$3,000,000 Pennsylvania Club (hereinafter "\$3,000,000 Pennsylvania Club"). The game number is PA-1341.

2. *Price:* The price of a \$3,000,000 Pennsylvania Club instant lottery game ticket is \$30.

3. *Play Symbols:* Each \$3,000,000 Pennsylvania Club instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area, a "YOUR NUMBERS" area and five "BONUS" spots. The "BONUS" spots are played separately. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), PA (PA) symbol, KEYSTONE (WINALL) symbol and a CLUB (\$3MIL) symbol. The play

symbols and their captions located in the "BONUS" spots are: Diamond (NO BONUS) symbol, Gold Bar (TRY AGAIN) symbol, BELL (NO BONUS) symbol, Chest (TRY AGAIN) symbol, Pot of Gold (NO BONUS) symbol, Star (TRY AGAIN) symbol, Horseshoe (NO BONUS) symbol, Crown (TRY AGAIN) symbol, Lock (NO BONUS) symbol, \$50 (WIN50) symbol, \$100 (WIN100) symbol, \$300 (WIN300) symbol and a \$500 (WIN500) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO), \$25,000 (TWYFIVTHO), \$250,000 (TWHNFYTH) and \$3MILL (THR MIL).

5. *Prizes:* The prizes that can be won in this game are: \$30, \$40, \$50, \$100, \$200, \$300, \$500, \$1,000, \$5,000, \$25,000, \$250,000 and \$3,000,000. The prizes that can be won in the "BONUS" spots are: \$50, \$100, \$300 and \$500. A player can win up to 30 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 6,000,000 tickets will be printed for the \$3,000,000 Pennsylvania Club instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a CLUB (\$3MIL) symbol, and a prize symbol of \$3MILL (THR MIL) appears in the "prize" area under that CLUB (\$3MIL) symbol, on a single ticket, shall be entitled to a prize of \$3,000,000. This prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$250,000 (TWHNFYTH) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$250,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$25,000 (TWYFIVTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a PA (PA) symbol, and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under that PA (PA) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a KEYSTONE (WINALL) symbol, and a prize symbol of \$100 (ONE HUN) appears in all twenty-five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$2,500.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under

the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a PA (PA) symbol, and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that PA (PA) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a KEYSTONE (WINALL) symbol, and a prize symbol of \$40⁰⁰ (FORTY) appears in all twenty-five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a KEYSTONE (WINALL) symbol, and a prize symbol of \$30⁰⁰ (THIRTY) appears in all twenty-five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$750.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a PA (PA) symbol, and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that PA (PA) symbol, on a single ticket, shall be entitled to a prize of \$500.

(m) Holders of tickets upon which a prize symbol of \$500 (WIN500) appears in any one of the "BONUS" spots, on a single ticket, shall be entitled to a prize of \$500.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$300 (THR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$300.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a PA (PA) symbol, and a prize symbol of \$300 (THR HUN) appears in the "prize" area under that PA (PA) symbol, on a single ticket, shall be entitled to a prize of \$300.

(p) Holders of tickets upon which a \$300 (WIN300) symbol appears in any one of the "BONUS" spots, on a single ticket, shall be entitled to a prize of \$300.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a PA (PA) symbol, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that PA (PA) symbol, on a single ticket, shall be entitled to a prize of \$100.

(t) Holders of tickets upon which a \$100 (WIN100) symbol appears in any one of the "BONUS" spots, on a single ticket, shall be entitled to a prize of \$100.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50.00 (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a PA (PA) symbol, and a prize symbol of \$50.00 (FIFTY) appears in the “prize” area under that PA (PA) symbol, on a single ticket, shall be entitled to a prize of \$50.

(w) Holders of tickets upon which a \$50 (WIN50) symbol appears in any one of the “BONUS” spots, on a single ticket, shall be entitled to a prize of \$50.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40.00 (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(y) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a PA (PA) symbol, and a prize symbol of \$40.00 (FORTY) appears in the “prize” area under that PA (PA) symbol, on a single ticket, shall be entitled to a prize of \$40.

(z) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30.00 (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(aa) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a PA (PA) symbol, and a prize symbol of \$30.00 (THIRTY) appears in the “prize” area under that PA (PA) symbol, on a single ticket, shall be entitled to a prize of \$30.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Bonus:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$30 w/ PA		\$30	15	400,000
\$30		\$30	25	240,000
\$40 w/ PA		\$40	18.75	320,000
\$40		\$40	30	200,000
	\$50 w/ \$50 SYMBOL	\$50	30	200,000
\$50 w/ PA		\$50	30	200,000
\$50		\$50	30	200,000
\$50 × 2		\$100	300	20,000
\$50	\$50 w/ \$50 SYMBOL	\$100	300	20,000
	(\$50 w/ \$50 SYMBOL) × 2	\$100	300	20,000
	\$100 w/ \$100 SYMBOL	\$100	300	20,000
\$50 w/ PA	\$50 w/ \$50 SYMBOL	\$100	100	60,000
\$100 w/ PA		\$100	150	40,000
\$100		\$100	300	20,000
\$30 × 10		\$300	800	7,500
\$50 × 5	\$50 w/ \$50 SYMBOL	\$300	800	7,500
\$50 × 4	\$100 w/ \$100 SYMBOL	\$300	800	7,500
\$100 × 2	(\$50 w/ \$50 SYMBOL) × 2	\$300	800	7,500
\$200	\$100 w/ \$100 SYMBOL	\$300	666.67	9,000
	\$300 w/ \$300 SYMBOL	\$300	705.88	8,500
\$300 w/ PA		\$300	800	7,500
\$300		\$300	800	7,500
\$50 × 10		\$500	12,000	500
\$30 × 10	(\$100 w/ \$100 SYMBOL) × 2	\$500	6,000	1,000
\$40 × 10	\$100 w/ \$100 SYMBOL	\$500	6,000	1,000
\$40 × 5	\$300 w/ \$300 SYMBOL	\$500	6,000	1,000
\$50 × 9	\$50 w/ \$50 SYMBOL	\$500	6,000	1,000
\$50 × 8	\$100 w/ \$100 SYMBOL	\$500	12,000	500

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Bonus:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$50 × 7	(\$100 w/ \$100 SYMBOL) + (\$50 w/ \$50 SYMBOL)	\$500	6,000	1,000
\$50 × 2	(\$300 w/ \$300 SYMBOL) + (\$100 w/ \$100 SYMBOL)	\$500	6,000	1,000
\$100 × 2	\$300 w/ \$300 SYMBOL	\$500	6,000	1,000
\$300	(\$100 w/ \$100 SYMBOL) × 2	\$500	12,000	500
	\$500 w/ \$500 SYMBOL	\$500	12,000	500
(\$100 w/ PA) × 4	\$100 w/ \$100 SYMBOL	\$500	12,000	500
\$500 w/ PA		\$500	2,400	2,500
\$500		\$500	12,000	500
KEYSTONE w/ (\$40 × 25)		\$1,000	8,000	750
KEYSTONE w/ (\$30 × 25)	(\$50 w/ \$50 SYMBOL) × 5	\$1,000	8,000	750
KEYSTONE w/ (\$30 × 25)	(((\$100 w/ \$100 SYMBOL) × 2) + (\$50 w/ \$50 SYMBOL))	\$1,000	8,000	750
\$100 × 10		\$1,000	24,000	250
\$50 × 10	(\$100 w/ \$100 SYMBOL) × 5	\$1,000	24,000	250
\$100 × 5	(\$100 w/ \$100 SYMBOL) × 5	\$1,000	24,000	250
\$100 × 2	(\$500 w/ \$500 SYMBOL) + (\$300 w/ \$300 SYMBOL)	\$1,000	24,000	250
\$500 + \$300	(\$100 w/ \$100 SYMBOL) × 2	\$1,000	12,000	500
\$500	\$500 w/ \$500 SYMBOL	\$1,000	12,000	500
	(\$500 w/ \$500 SYMBOL) × 2	\$1,000	24,000	250
(\$300 w/ PA) × 3	\$100 w/ \$100 SYMBOL	\$1,000	12,000	500
\$1,000 w/ PA		\$1,000	12,000	500
\$1,000		\$1,000	24,000	250
KEYSTONE w/ (\$100 × 25)	(\$500 w/ \$500 SYMBOL) × 5	\$5,000	1,200,000	5
\$100 × 25	(\$500 w/ \$500 SYMBOL) × 5	\$5,000	1,200,000	5
\$5,000 w/ PA		\$5,000	1,200,000	5
\$5,000		\$5,000	1,200,000	5
\$5,000 × 5		\$25,000	1,200,000	5
\$25,000		\$25,000	1,200,000	5
\$25,000 × 10		\$250,000	1,200,000	5
\$250,000		\$250,000	1,200,000	5
\$3,000,000 w/ CLUB		\$3,000,000	1,200,000	5

Reveal a "PA" (PA) symbol, win prize shown under that symbol automatically.

Reveal a "KEYSTONE" (WINALL) symbol, win all 25 prizes shown.

Reveal a "CLUB" (\$3MIL) symbol, win \$3 Million instantly!

BONUS: Reveal a "\$50" (WIN50) symbol, \$100 (WIN100) symbol, \$300 (WIN300) symbol or a "\$500" (WIN500) symbol in any BONUS spot, win that prize instantly. Bonus spots are played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Program:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$3,000,000 Pennsylvania Club instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described

in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles

the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of \$3,000,000 Pennsylvania Club, prize money from winning \$3,000,000 Pennsylvania Club instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$3,000,000 Pennsylvania Club instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$3,000,000 Pennsylvania Club or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-752. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Funky 5s Instant Lottery Game 1343

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Funky 5s (hereinafter “Funky 5s”). The game number is PA-1343.

2. *Price:* The price of a Funky 5s instant lottery game ticket is \$5.

3. *Play Symbols:* Each Funky 5s instant lottery game ticket will contain one play area and five “BONUS” areas. The play symbols and their captions located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTW), 23 (TWYTHR), 24 (TWYFOR), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 5 (FIVE) symbol, 5X (5TIMES) symbol and a FUNKY (WINALL) symbol. The play symbols and their captions located in

the “BONUS” area are: Music Note (TRY AGAIN) symbol, Purse (NO BONUS) symbol, Chest (TRY AGAIN) symbol, Safe (NO BONUS) symbol, Bar (TRY AGAIN) symbol, Bow Tie (NO BONUS) symbol, Sunglasses (TRY AGAIN) symbol, Coins (TRY AGAIN) symbol, Key (NO BONUS) symbol, Star (TRY AGAIN) symbol, \$5 (WIN5) symbol, \$15 (WIN15) symbol, \$25 (WIN25) symbol, \$50 (WIN50) symbol and a \$500 (WIN500) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the play area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTN), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$75⁰⁰ (SVY FIV), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$25, \$40, \$50, \$75, \$100, \$200, \$500, \$1,000, \$5,000 and \$100,000. The prizes that can be won in the “BONUS” areas are: \$5, \$15, \$25, \$50 and \$500. The player can win up to 17 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 12,000,000 tickets will be printed for the Funky 5s instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “Prize” area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$5,000 (FIV THO) appears in the “Prize” area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which a 5X (5TIMES) symbol appears in the play area, and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area to the right of that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which a FUNKY (WINALL) symbol appears in the play area, and a prize symbol of \$200 (TWO HUN) appears in two of the “Prize” areas, a prize symbol of \$100 (ONE HUN) appears in five of the “Prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which a 5X (5TIMES) symbol appears in the play area, and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area to the right of that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which a \$500 (WIN500) symbol appears in any of the “BONUS” areas, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which a FUNKY (WINALL) symbol appears in the play area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the "Prize" areas, a prize symbol of \$100 (ONE HUN) appears in one of the "Prize" areas and a prize symbol of \$200 (TWO HUN) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which a FUNKY (WINALL) symbol appears in the play area, and a prize symbol of \$200 (TWO HUN) appears in two of the "Prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$200 (TWO HUN) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which a 5X (5TIMES) symbol appears in the play area, and a prize symbol of \$40⁰⁰ (FORTY) appears in the "Prize" area to the right of that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which a FUNKY (WINALL) symbol appears in the play area, and a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the "Prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(n) Holders of tickets upon which a FUNKY (WINALL) symbol appears in the play area, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in ten of the "Prize" areas, a prize symbol of \$100 (ONE HUN) appears in one of the "Prize" areas and a prize symbol of \$25⁰⁰ (TWY FIV) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$175.

(o) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which a 5X (5TIMES) symbol appears in the play area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area to the right of that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which a FUNKY (WINALL) symbol appears in the play area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the "Prize" areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the "Prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in eight of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which a FUNKY (WINALL) symbol appears in the play area, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in eight of the "Prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$75⁰⁰ (SVY FIV) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$75.

(t) Holders of tickets upon which a FUNKY (WINALL) symbol appears in the play area, and a prize symbol of

\$5⁰⁰ (FIV DOL) appears in all twelve of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$60.

(u) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$50.

(v) Holders of tickets upon which a 5X (5TIMES) symbol appears in the play area, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area to the right of that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(w) Holders of tickets upon which a \$50 (WIN50) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$50.

(x) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$40⁰⁰ (FORTY) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$40.

(y) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$25.

(z) Holders of tickets upon which a 5X (5TIMES) symbol appears in the play area, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "Prize" area to the right of that 5X (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$25.

(aa) Holders of tickets upon which a \$25 (WIN25) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$25.

(bb) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(cc) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$15.

(dd) Holders of tickets upon which a \$15 (WIN15) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$15.

(ee) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(ff) Holders of tickets upon which a 5 (FIVE) symbol appears in the play area, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "Prize" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$5.

(gg) Holders of tickets upon which a \$5 (WIN5) symbol appears in any of the "BONUS" areas, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

NOTICES

2913

<i>Reveal A "5" (FIVE) Symbol, Win Prize Shown To The Right Of That Symbol. Win With:</i>	<i>FUNKY 5S BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets</i>
	\$5	\$5	20	600,000
\$5		\$5	20	600,000
\$5 × 2		\$10	120	100,000
\$5	\$5	\$10	100	120,000
	\$5 × 2	\$10	85.71	140,000
\$10		\$10	60	200,000
\$5 × 3		\$15	75	160,000
\$5 × 2	\$5	\$15	150	80,000
\$10 + \$5		\$15	120	100,000
\$10	\$5	\$15	150	80,000
	\$15	\$15	200	60,000
\$15		\$15	300	40,000
\$5 × 4		\$20	600	20,000
\$10 × 2		\$20	600	20,000
\$5	\$15	\$20	600	20,000
	\$15 + \$5	\$20	600	20,000
\$20		\$20	600	20,000
\$10	\$15	\$25	600	20,000
	\$5 × 5	\$25	600	20,000
	\$25	\$25	600	20,000
\$5 w/ 5X		\$25	150	80,000
\$25		\$25	600	20,000
\$5 × 3	\$25	\$40	600	20,000
\$5 × 8		\$40	600	20,000
\$10 × 4		\$40	600	20,000
\$20 × 2		\$40	600	20,000
	\$25 + \$15	\$40	600	20,000
\$5 w/ 5X	\$15	\$40	600	20,000
\$40		\$40	600	20,000
\$5 × 10		\$50	800	15,000
(\$10 × 4) + (\$5 × 2)		\$50	800	15,000
	\$50	\$50	1,200	10,000
\$5 w/ 5X	\$5 × 5	\$50	1,200	10,000
\$10 w/ 5X		\$50	2,400	5,000
\$50		\$50	2,400	5,000
FUNKY w/ (\$5 × 12)	\$15	\$75	1,200	10,000
\$20 × 3	\$15	\$75	4,000	3,000
	\$50 + \$25	\$75	4,000	3,000
(\$10 w/ 5X) + (\$5 × 2)	\$5 × 3	\$75	4,000	3,000
\$75		\$75	6,000	2,000
FUNKY w/ ((\$10 × 8) + (\$5 × 4))		\$100	1,500	8,000
FUNKY w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))		\$100	1,714	7,000
FUNKY w/ (\$5 × 12)	\$25 + \$15	\$100	1,714	7,000
\$10 × 10		\$100	6,000	2,000
	\$50 + \$25 + \$15 + (\$5 × 2)	\$100	6,000	2,000
\$20 w/ 5X		\$100	6,000	2,000

<i>Reveal A "5" (FIVE) Symbol, Win Prize Shown To The Right Of That Symbol. Win With:</i>	<i>FUNKY 5S BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets</i>
\$100		\$100	6,000	2,000
FUNKY w/ ((\$50 × 2) + (\$10 × 10))		\$200	6,000	2,000
FUNKY w/ ((\$5 × 10) + \$100 + \$25)	\$5 × 5	\$200	8,000	1,500
FUNKY w/ ((\$10 × 8) + (\$5 × 4))	\$25 × 4	\$200	12,000	1,000
\$50 × 4		\$200	24,000	500
	\$50 × 4	\$200	24,000	500
\$20 w/ 5X	\$50 × 2	\$200	24,000	500
\$40 w/ 5X		\$200	24,000	500
\$200		\$200	24,000	500
FUNKY w/ ((\$200 × 2) + (\$10 × 10))		\$500	24,000	500
FUNKY w/ ((\$20 × 10) + \$200 + \$100)		\$500	24,000	500
\$50 × 10		\$500	24,000	500
	\$500	\$500	24,000	500
\$100 w/ 5X		\$500	24,000	500
\$500		\$500	24,000	500
FUNKY w/ ((\$200 × 2) + (\$100 × 5) + (\$20 × 5))		\$1,000	1,200,000	10
\$100 × 10		\$1,000	1,200,000	10
	\$500 × 2	\$1,000	1,200,000	10
\$200 w/ 5X		\$1,000	1,200,000	10
\$1,000		\$1,000	1,200,000	10
\$500 × 10		\$5,000	1,200,000	10
\$5,000		\$5,000	1,200,000	10
\$100,000		\$100,000	1,200,000	10

Reveal a "5X" (5TIMES) symbol, win 5 times the prize shown to the right of that symbol.

Reveal a "FUNKY" (WINALL) symbol, win all 12 prizes shown!

FUNKY 5s BONUS: Reveal a "\$5" (WIN5), "\$15" (WIN15), "\$25" (WIN 25), "\$50" (WIN50) or "\$500" (WIN500) symbol in any BONUS spot, win that amount instantly! BONUS is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Funky 5s instant lottery game tickets.

11. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of

at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

12. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Funky 5s, prize money from winning Funky 5s instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Funky 5s instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

13. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State

Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

14. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Funky 5s or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-753. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Money Mania Instant Lottery Game 1345

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Money Mania (hereinafter “Money Mania”). The game number is PA-1345.

2. *Price:* The price of a Money Mania instant lottery game ticket is \$1.

3. *Play Symbols:* Each Money Mania instant lottery game ticket will contain one play area and a separate “BONUS” area containing one play symbol. The “BONUS” box area is played separately. The play symbols and their captions located in the play area are: X (XXXX) symbol and a Money Bag (MNYBAG) symbol. The play symbols and their captions located in the “BONUS” box area are: Diamond (NO BONUS) symbol, Piggy Bank (TRY AGAIN) symbol, Crown (NO BONUS) symbol, Stack of Coins (TRY AGAIN) symbol, Ring (NO BONUS) symbol, Gemstone (TRY AGAIN) symbol, and a Cash (WIN10) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the play area are: FREE (TICKET), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$2, \$3, \$5, \$10, \$20, \$30, \$40, \$50, \$100, \$500 and \$5,000. A player can win up to 2 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 12,000,000 tickets will be printed for the Money Mania instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$5,000 (FIV THO) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diago-

nal and a prize symbol of \$500 (FIV HUN) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$100 (ONE HUN) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$50.

(e) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$40⁰⁰ (FORTY) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$40.

(f) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$30.

(g) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$10.

(i) Holders of tickets with a Cash (WIN10) symbol appearing in the “BONUS” box, on a single ticket, shall be entitled to a prize of \$10.

(j) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$5.

(k) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$3⁰⁰ (THR DOL) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$3.

(l) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$2.

(m) Holders of tickets with three matching Money Bag (MNYBAG) symbols appearing in a row, column or diagonal and a prize symbol of FREE (TICKET) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of one Money Mania instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal Three "Money Bag" (MNYBAG) Symbols In A Row, Column Or Diagonal, Win Prize Shown In the Prize Box. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 12,000,000 Tickets</i>
FREE	FREE \$1 TICKET	9.68	1,240,000
\$2	\$2	23.08	520,000
\$3	\$3	33.33	360,000
\$5	\$5	60	200,000
\$10 w/ CASH	\$10	150	80,000
\$10	\$10	150	80,000
\$10 + (\$10 w/ CASH)	\$20	600	20,000
\$20	\$20	600	20,000
\$20 + (\$10 w/ CASH)	\$30	1,500	8,000
\$30	\$30	3,000	4,000
\$30 + (\$10 w/ CASH)	\$40	3,000	4,000
\$40	\$40	3,000	4,000
\$40 + (\$10 w/ CASH)	\$50	6,000	2,000
\$50	\$50	6,000	2,000
\$100	\$100	12,000	1,000
\$500	\$500	600,000	20
\$5,000	\$5,000	1,200,000	10

Reveal a "CASH" (WIN10) symbol in the BONUS box, win \$10 automatically!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Money Mania instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Money Mania, prize money from winning Money Mania instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Money Mania instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the

prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Money Mania or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-754. Filed for public inspection May 11, 2018, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Commission Meeting

The State Transportation Commission will hold a meeting on Thursday, May 17, 2018, from 10 a.m. to 12 p.m. at the Holiday Inn Williamsport, 100 Pine Street, Williamsport, PA 17701. For more information, contact Ellen E. Sweeney, PhD, (717) 787-2913, ellsweeney@pa.gov.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 18-755. Filed for public inspection May 11, 2018, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Friends of York County Family Farms v. Department of Environmental Protection and Hillandale Gettysburg, LP, Permittee; EHB Doc. No. 2018-042-L

Friends of York County Family Farms has appealed the issuance by the Department of Environmental Protection of an NPDES General Permit (PAG-12) to Hillandale Gettysburg, LP for its concentrated animal feeding operation located in York County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 18-756. Filed for public inspection May 11, 2018, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Marjorie Hudson, Lorne Swope, Delores Steiner, Linda Harr and Sara Hutzell v. Department of Environmental Protection and Country View Family Farms, LLC, Permittee; EHB Doc. No. 2018-039-L

Marjorie Hudson, Lorne Swope, Delores Steiner, Linda Harr and Sara Hutzell have appealed the issuance by the Department of Environmental Protection of a renewal of an NPDES General Permit (PAG-12) to Country View Family Farms, LLC for its concentrated animal feeding operation located in Ayr Township, Fulton County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code

§ 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 18-757. Filed for public inspection May 11, 2018, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Montgomery Township Friends of Family Farms v. Department of Environmental Protection and Herbruck Poultry Ranch, Inc., Permittee; EHB Doc. No. 2018-041-R

Montgomery Township Friends of Family Farms has appealed the issuance by the Department of Environmental Protection of an NPDES General Permit (2018 PAG-12) to Herbruck Poultry Ranch, Inc. for its concentrated animal feeding operation located in Montgomery Township, Franklin County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 18-758. Filed for public inspection May 11, 2018, 9:00 a.m.]

FISH AND BOAT COMMISSION**Additions to List of Class A Wild Trout Waters**

The Fish and Boat Commission (Commission) approved the addition of 38 stream sections to its list of Class A Wild Trout Streams as set forth at 48 Pa.B. 1069 (February 17, 2018). Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource and to conserve that resource and the angling that it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 18-759. Filed for public inspection May 11, 2018, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Additions and Revisions

The Fish and Boat Commission (Commission) approved the addition of 99 new waters to its list of wild trout streams and the revision of the section limits of 1 water already on the list as published at 48 Pa.B. 1065 (February 17, 2018). Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams. The Commission's Fisheries Management Division maintains the complete list of wild trout streams, and it is available on the Commission's web site at <http://www.fishandboat.com/Fish/PennsylvaniaFishes/Trout/Pages/TroutWaterClassifications.aspx>.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 18-760. Filed for public inspection May 11, 2018, 9:00 a.m.]

FISH AND BOAT COMMISSION

Special Regulation Designations

The Fish and Boat Commission (Commission) took the following actions with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65 (relating to special fishing regulations), effective January 1, 2019:

58 Pa. Code § 65.11. Panfish enhancement

The Commission removed the designation as a "panfish enhancement" water from the following water:

County	Water	Species
Montour	Lake Chillisquaque	Crappie and sunfish

The Commission designated the following water as a "panfish enhancement" water:

County	Water	Species
Mercer	Shenango River Lake	Crappie

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 18-761. Filed for public inspection May 11, 2018, 9:00 a.m.]

FISH AND BOAT COMMISSION

Temporary Change to Fishing Regulations; Lake Williams, York County

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), has taken immediate action to temporarily modify fishing regulations at Lake Williams, York

County, in anticipation of a drawdown of the lake. The Executive Director is lifting all seasons, sizes and creel limits for all species, effective May 2, 2018. The Executive Director has found that this action is necessary and appropriate for the management of fish and to conserve and preserve fishing opportunities at this lake.

The Executive Director will cause these temporary modifications to fishing regulations to be posted in the vicinity of the lake, and the modified regulations will be fully effective and enforceable when posted. These temporary modifications will remain in effect until the lake is closed to public use.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 18-762. Filed for public inspection May 11, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control of Medco Containment Life Insurance Company

Cigna Corporation, a Delaware corporation, and Halfmoon Parent, Inc., a Delaware corporation wholly-owned by Cigna Corporation, have filed an application to acquire control of Medco Containment Life Insurance Company, a Pennsylvania domiciled life insurance company and indirect wholly-owned subsidiary of Express Scripts Holding Company, Inc. The filing was received on April 20, 2018, and was made under the requirements of Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1413).

Persons wishing to comment on this acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@pa.gov. Comments received will be part of the public record regarding the filing and will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-763. Filed for public inspection May 11, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Export List of Insurance Coverages; Request for Comments

The Insurance Commissioner (Commissioner) published a notice at 48 Pa.B. 1405 (March 3, 2018) soliciting comments to the export list published at 47 Pa.B. 2854 (May 13, 2017). Consideration was given to all comments received.

The Commissioner proposes to amend the May 13, 2017, list as follows:

Add:

- Vacant Properties (excluding 1—4 family unit residential dwellings and individually owned residential units in larger residential buildings)

Persons wishing to comment on the Commissioner's proposal are invited to submit a written statement within 15 days from the date of this publication. Each written statement must include sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Office of Corporate and Financial Regulation, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@pa.gov. Formal notification of any changes will be published in the *Pennsylvania Bulletin* after the 15-day comment period, or a notice will be published stating that the May 13, 2017, list remains in effect.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-764. Filed for public inspection May 11, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to Administrative Rules of Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Frederick Mutual Insurance Company; Melissa D. Fitzgerald; File No. 18-116-222035; Doc. No. P18-04-013; June 7, 2018, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to

participate in the hearing, should contact Joseph Korman at (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-765. Filed for public inspection May 11, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Pro Forma Change in Intermediate Ownership and Control

A-2018-3001452. PEG Bandwidth PA, LLC. Application of PEG Bandwidth PA, LLC for approval of a pro forma change in intermediate ownership and control.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 29, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: PEG Bandwidth PA, LLC

Through and By Counsel: Anthony C. DeCusatis, Esquire, Catherine G. Vasudevan, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-766. Filed for public inspection May 11, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed in the event that there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by May 29, 2018. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for *amendment* to the certificate of public convenience approving the operation of motor vehicles as *common carriers* for transportation of *persons* as described under the application.

A-2018-3001416. Wywest Transport, LLC (310B Friendship Avenue, Hellam, York County, PA 17406) persons in paratransit service in wheelchair and stretcher vans, limited to persons whose physical limitations or personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Adams, Cumberland and Franklin, to points in Pennsylvania, and return.

Application of the following for approval of the *beginning* of the exercise of the right and privilege of operating motor vehicles as *common carriers* for the transportation of *household goods* in use as described under the application.

A-2018-3000445. S&P Network, LLC (3596 North 4th Street, Harrisburg, PA 17110) between points in Pennsylvania. *Attorney:* Karen O. Moury, 213 Market Street, 8th Floor, Harrisburg, PA 17101.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-767. Filed for public inspection May 11, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due May 29, 2018, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. BSL Trucking, LLC; Docket No. C-2018-3000421

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to BSL Trucking, LLC, (respondent) is under suspension effective February 27, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 136 Annette Drive, New Castle, PA 16101.

3. That respondent was issued a Certificate of Public Convenience by this Commission on March 31, 2015, at A-8917446.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8917446 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 3/26/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. BSL Trucking, LLC; Docket No. C-2018-3000440

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to BSL Trucking, LLC, (respondent) is under suspension effective February 27, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 136 Annette Drive, New Castle, PA 16101.
3. That respondent was issued a Certificate of Public Convenience by this Commission on March 31, 2015, at A-8917446.
4. That respondent has failed to maintain evidence of Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8917446 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the

statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 3/26/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of

insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Five A's Hauling, LLC; Docket No. C-2018-3000538

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Five A's Hauling, LLC, (respondent) is under suspension effective March 05, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 231 Lake Drive, Dingmans Ferry, PA 18328.
3. That respondent was issued a Certificate of Public Convenience by this Commission on May 15, 2017, at A-8919842.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8919842 for failure to maintain evidence of current insurance on file with the

Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 3/26/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days

of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. North Country Hauling, LLC; Docket No. C-2018-3000603

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to North Country Hauling, LLC, (respondent) is under suspension effective March 12, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 1622 Lick Run Road, Williamsport, PA 17701.

3. That respondent was issued a Certificate of Public Convenience by this Commission on July 06, 2017, at A-8920023.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8920023 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 3/26/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If

your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-768. Filed for public inspection May 11, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2018-3001586. United Telephone Company of Pennsylvania, d/b/a Century Link and Onvoy, LLC. Joint petition of United Telephone Company of Pennsylvania, d/b/a Century Link and Onvoy, LLC for approval of an interconnection agreement and carrier partner for interconnected VOIP amendment under section 252(e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania, d/b/a Century Link and Onvoy, LLC, by their counsel, filed on May 1, 2018, at the Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement and carrier partner for interconnected VOIP amendment under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of United Telephone Company of Pennsylvania, d/b/a Century Link and Onvoy, LLC joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-769. Filed for public inspection May 11, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Wastewater Service

A-2018-3001536. Allied Utility Services, Inc. Application of Allied Utility Services, Inc. for approval to supply wastewater collection, treatment and disposal service to the public in Ridings at Parkland—Phase 2 Residential Subdivision within the Township of North Whitehall, Lehigh County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 29, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Allied Utility Services, Inc.

Through and By Counsel: Charles E. Thomas, Jr., Esquire, Charles E. Thomas, III, Esquire, Thomas,

Niesen and Thomas, LLC, 212 Locust Street, Suite 302, Harrisburg, PA 17101; H. James Wilson, Jr., President, Allied Utility Services, Inc., P.O. Box 1488, Skippack, PA 19474

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-770. Filed for public inspection May 11, 2018, 9:00 a.m.]

STATE BOARD OF CERTIFIED REAL ESTATE APPRAISERS

Bureau of Professional and Occupational Affairs v. Michael R. Hamilton; Doc. No. 1858-70-16

On January 5, 2018, Michael R. Hamilton, license No. LAT000448, of Philadelphia, Philadelphia County, had his appraiser license suspended for a minimum of 4 years and was assessed a civil penalty in the amount of \$500 based on a felony conviction.

Individuals may obtain a copy of the order by writing to Jacqueline A. Wolfgang, Board Counsel, State Board of Certified Real Estate Appraisers, P.O. Box 69523, Harrisburg, PA 17106-9523.

D. THOMAS SMITH,
Chairperson

[Pa.B. Doc. No. 18-771. Filed for public inspection May 11, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Jaclyn Proitte Ruyak, LPN; File No. 16-51-05369; Doc. No. 2067-51-16

On December 26, 2017, Jaclyn Proitte Ruyak, LPN, license No. PN262816, last known of Reading, Berks County, had her practical nurse license revoked based on her felony convictions and crime of moral turpitude and her failure to report her criminal convictions to the State Board of Nursing (Board).

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-772. Filed for public inspection May 11, 2018, 9:00 a.m.]

