

# NOTICES

## DEPARTMENT OF AGRICULTURE

### Action of Controlled Plant and Noxious Weed Committee; Establishment of Controlled Plant List and Addition of Hemp to Controlled Plant List

A special meeting of the Controlled Plant and Noxious Weed Committee (Committee) was convened on March 21, 2019, in Room 309, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

A Sunshine Notice regarding the special meeting was published at 49 Pa.B. 1032 (March 9, 2019).

The purpose of the special meeting of the Committee was to establish a Controlled Plant List and consider adding hemp to that list, as authorized under 3 Pa.C.S. § 1511(b)(3)(ii) (relating to designation of noxious weeds and controlled plants).

A quorum of the Committee was present at the special meeting. After a presentation by the Department of Agriculture and a discussion of the Committee, the Committee voted to approve the following motion:

Pursuant to the authority of this Committee, set forth at section 1511(b) of the act related to Controlled Plants and Noxious Weeds, I make a motion to create a controlled plant list and place on that list hemp and the definition of hemp which shall be, "The plant *Cannabis sativa L.* and any viable part of that plant, with a delta-9 tetrahydrocannabinol concentration of not more than 0.3% on a dry weight basis."

Under the authority and requirements of section 1511(b)(3)(iv), the Department hereby publishes the Controlled Plant List, with the addition of hemp to that list.

The addition of hemp to the Controlled Plant List will become effective 60 days from publication of this notice.

RUSSELL C. REDDING,  
Secretary

[Pa.B. Doc. No. 19-489. Filed for public inspection April 5, 2019, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Controlled Plant and Noxious Weed Committee Meeting

The Department of Agriculture (Department) announces a public meeting of the Controlled Plant and Noxious Weed Committee (Committee), established by 3 Pa.C.S. § 1511 (relating to designation of noxious weeds and controlled plants). The meeting will be held at 1 p.m. on April 25, 2019, in Susquehanna Room A, Department of Environmental Protection Southcentral Regional Office Building, 909 Elmerton Avenue, Harrisburg, PA 17110.

The purpose of the meeting is to consider addition of four plants to the noxious weed list and to consider a change of noxious weed class for one plant. If time permits, these five plants will be considered at this meeting:

- European frogbit (*Hydrocharis morsus-ranae*)
- Hydrilla (*Hydrilla verticillata*)—consider change from Class A to Class B
- European water chestnut (*Trapa natans*)
- Water primrose (*Ludwigia grandiflora ssp. hexapetala*)
- Tree-of-heaven (*Ailanthus altissima*)

Public comment will be accepted either in person at the meeting or in writing prior to the meeting. Written comments may be sent to RA-plant@pa.gov or the Department of Agriculture, Bureau of Plant Industry Noxious Weed Program, 2301 North Cameron Street, Harrisburg, PA 17110. Written comments must be received by April 25, 2019. Written comments will become a part of the record, with the same force as if presented during the meeting.

The meeting agenda is as follows: presentation of background information on plants for consideration; public comment period; Committee discussion; Committee action on plants under consideration; and new business.

Individuals with questions regarding this meeting should contact the Department at (717) 787-4843.

RUSSELL C. REDDING,  
Secretary

[Pa.B. Doc. No. 19-490. Filed for public inspection April 5, 2019, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending March 26, 2019.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

## BANKING INSTITUTIONS

## Branch Applications

## De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i>                      | <i>Location of Branch</i>                                    | <i>Action</i> |
|-------------|--|--|---------------|
| 03-21-2019  | Somerset Trust Company<br>Somerset<br>Somerset County      | 5256 US 30, Unit FC-05<br>Greensburg<br>Westmoreland County  | Approved      |
| 03-21-2019  | Noah Bank<br>Elkins Park<br>Montgomery County              | 350 North Broadway, Unit 352<br>Jericho<br>Nassau County, NY | Approved      |
| 03-22-2019  | Republic First Bank<br>Philadelphia<br>Philadelphia County | 1544 Route 38<br>Lumberton<br>Burlington County, NJ          | Opened        |
| 03-26-2019  | Pennian Bank<br>Mifflintown<br>Juniata County              | 559 North 12th Street<br>Lemoyne<br>Cumberland County        | Filed         |

## Branch Relocations

| <i>Date</i> | <i>Name and Location of Applicant</i>          | <i>Location of Branch</i>   | <i>Action</i> |
|-------------|--|---|---------------|
| 03-21-2019  | Mid Penn Bank<br>Millersburg<br>Dauphin County | <i>To:</i> 5049 Jonestown Road<br>Harrisburg<br>Dauphin County<br><br><i>From:</i> 5500 Allentown Boulevard<br>Harrisburg<br>Dauphin County | Approved      |

## CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 19-491. Filed for public inspection April 5, 2019, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

## Application of Danielle Mogush for Reinstatement of Teaching Certificates; Doc. No. RE-19-01

## Notice of Opportunity for Hearing and Invitation to Protest

Under the Educator Discipline Act (act) (24 P.S. §§ 2070.1a—2070.18c), the Professional Standards and Practices Commission (Commission) will consider the application of Danielle Mogush for reinstatement of her teaching certificates.

Danielle Mogush filed an application for reinstatement of her teaching certificates under section 16 of the act (24 P.S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to applications) and 22 Pa. Code § 233.123 (relating to reinstatements). Danielle Mogush waived her right to a hearing.

In accordance with the act, 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 22 Pa. Code § 233.123(d), the Commission will act upon the application without hearing, unless within

30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Commission, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protests and requests for hearing shall be filed with Shane Crosby, Executive Director, Professional Standards and Practices Commission, 333 Market Street, Harrisburg, PA 17126-0333, on or before 4 p.m. on the due date prescribed by this notice.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Kyle Shemory at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

PEDRO A. RIVERA,  
*Secretary*

[Pa.B. Doc. No. 19-492. Filed for public inspection April 5, 2019, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

#### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i>                            |
|-----------------|-------------------------|--|
| Section I       | NPDES                   | Renewals   |
| Section II      | NPDES                   | New or Amendment   |
| Section III     | WQM                     | Industrial, Sewage or Animal Waste; Discharge into Groundwater |
| Section IV      | NPDES                   | MS4 Individual Permit  |
| Section V       | NPDES                   | MS4 Permit Waiver  |
| Section VI      | NPDES                   | Individual Permit Stormwater Construction                      |
| Section VII     | NPDES                   | NOI for Coverage under NPDES General Permits                   |

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### I. NPDES Renewal Applications.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>  | <i>County &amp;<br/>Municipality</i>    | <i>Stream Name<br/>(Watershed No.)</i>                   | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|---|---|--|----------------------------|
| PA0061603<br>(Sewage)       | Eagle Lake Community<br>Association WWTP<br>Off Route 435, Eagle Lake<br>Campground<br>approximately 1 mile from<br>entrance gate | Lackawanna County<br>Covington Township | Unnamed Tributary to<br>Tamarack Creek (EV, MF)<br>(2-A) | Yes                        |

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i>  | <i>Stream Name<br/>(Watershed No.)</i>                               | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|---------------------------------------|--|----------------------------|
| PA0032140<br>(Sewage)       | Lackawanna State Park<br>RR 1 Box 230<br>Dalton, PA 18414-9753                     | Lackawanna County<br>Benton Township  | South Branch<br>Tunkhannock Creek (TSF)<br>(4-F)                     | Yes                        |
| PA0062367<br>(Sewage)       | Lakeview Estates<br>Homeowners Association<br>P.O. Box 687<br>Moscow, PA 18444     | Wayne County<br>Lehigh Township       | Unnamed Tributary of<br>Lehigh River (EV)<br>(2-A)                   | Yes                        |
| PA0029220<br>(Sewage)       | Kettle/Snydersville Diner<br>P.O. Box 30<br>Stroudsburg, PA 18360-0030             | Monroe County<br>Hamilton Township    | Kettle Creek (HQ-CWF)<br>(1-E)                                       | Yes                        |
| PA0052591<br>(Sewage)       | Becker/Walnutport MHP<br>901 S Best Avenue<br>Walnutport, PA 18088-9121            | Northampton County<br>Lehigh Township | Bertsch Creek (CWF)<br>(2-C)   | Yes                        |
| PA0060721<br>(Sewage)       | Pocono Plateau Treatment Plant<br>304 Pocono Plateau Road<br>Cresco, PA 18326-7888 | Monroe County<br>Barrett Township     | Unnamed Tributary to<br>Taylor Creek<br>(EV (existing use))<br>(1-C) | Yes                        |

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i>    | <i>Stream Name<br/>(Watershed #)</i> | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|---|--------------------------------------|----------------------------|
| PA0035326<br>(SEW)          | Pequea Valley School District<br>High School/Middle School<br>166 S. New Holland Rd<br>P.O. Box 130<br>Kinzers, PA 17535   | Lancaster County/<br>Leacock Township   | Pequea Creek (7K)                    | Y                          |
| PA0038318<br>(SEW)          | Pequea Valley School District<br>Salisbury Elementary School<br>166 S. New Holland Rd<br>P.O. Box 130<br>Kinzers, PA 17535 | Lancaster County/<br>Salisbury Township | Pequea Creek (7K)                    | Y                          |

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i>  | <i>Stream Name<br/>(Watershed No.)</i>              | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|---------------------------------------|---|----------------------------|
| PA0111716<br>(Sewage)       | Wonderview Sanitary Facilities Inc.<br>Wastewater Treatment Plant<br>88 Dutch Hill Road<br>Bloomsburg, PA 17815-9567 | Columbia County<br>Main Township      | Susquehanna River<br>(WWF, MF)<br>(5-D)             | Yes                        |
| PA0022195<br>(Sewage)       | Catawissa Borough<br>Wastewater Treatment Plant<br>307 Main Street<br>Catawissa, PA 17820-1315                       | Columbia County<br>Catawissa Borough  | Catawissa Creek<br>(5-E)                            | Yes                        |
| PA0110272<br>(Sewage)       | Cogan Valley MHP<br>480 Route 973 West<br>Cogan Station, PA 17728  | Lycoming County<br>Hepburn Township   | Lycoming Creek<br>(10-A)                            | Yes                        |
| PAS604803<br>(Storm Water)  | Burns Salvage & Excavating<br>101 Valley View Road<br>Bellefonte, PA 16823-8705                                      | Centre County<br>Benner Township      | Buffalo Run<br>(9-C)                                | Yes                        |
| PA0111538<br>(Sewage)       | Pine Valley Mobile Home Park<br>215 West Church Road<br>Suite 105<br>King Of Prussia, PA 19406-3209                  | Union County West<br>Buffalo Township | North Branch Buffalo<br>Creek<br>(HQ-CWF)<br>(10-C) | Yes                        |

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i> | <i>Stream Name<br/>(Watershed No.)</i>               | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|--------------------------------------|--|----------------------------|
| PA0255521<br>(Sewage)       | Dollar General Store<br>Hookstown<br>400 Penn Center Boulevard<br>Suite 1000<br>Pittsburgh, PA 15235 | Beaver County<br>Greene Township     | Unnamed Tributary of<br>Mill Creek (TSF)<br>(20-D)   | Yes                        |
| PA0097489<br>(Sewage)       | Sharp Paving STP<br>P.O. Box 156<br>Shelocta, PA 15774-0156  | Indiana County<br>Armstrong Township | Curry Run<br>(17-E)                                  | Yes                        |
| PA0039489<br>(Sewage)       | Garrett Borough STP<br>P.O. Box 218<br>307 Municipal Road<br>Garrett, PA 15542-0218                  | Somerset County<br>Garrett Borough   | Casselman River (WWF)<br>(19-F)                      | Yes                        |
| PA0021971<br>(Industrial)   | East Dunkard Water Authority<br>P.O. Box 241<br>2790 South Eighty-Eight Road<br>Dilliner, PA 15327   | Greene County<br>Dunkard Township    | Monongahela River<br>(19-G)                          | Yes                        |
| PA0095265<br>(Industrial)   | Heilwood WTP<br>602 Kolter Drive<br>Indiana, PA 15701-3570   | Indiana County<br>Pine Township      | Unnamed Tributary to<br>Yellow Creek (CWF)<br>(18-D) | No                         |

## **II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.*

**PA0054305**, Storm Water, SIC Code 5171, **Sunoco Partners Marketing & Terminals, LP**, 4041 Market Street, Upper Chichester, PA 19014. Facility Name: Sunoco Partners Marketing & Terminals Exton. This existing facility is located in 623 East Lincoln Highway, Exton, PA 19341, in West Whiteland Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Stormwater.

The receiving stream(s), Unnamed Tributary to Valley Creek (CWF, MF), is located in State Water Plan watershed 3-H and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

| <i>Parameters</i>                           | <i>Mass Units (lbs/day)</i> |                           |                | <i>Concentrations (mg/L)</i> |                | <i>Instant.<br/>Maximum</i> |
|---|-----------------------------|---------------------------|----------------|------------------------------|----------------|-----------------------------|
|   | <i>Average<br/>Monthly</i>  | <i>Average<br/>Weekly</i> | <i>Minimum</i> | <i>Average<br/>Monthly</i>   | <i>Maximum</i> |                             |
| Flow (MGD)                                  | Report                      | XXX                       | XXX            | XXX                          | XXX            | XXX                         |
| Total Suspended Solids                      | XXX                         | XXX                       | XXX            | XXX                          | XXX            | Report                      |
| Oil and Grease                              | XXX                         | XXX                       | XXX            | 15                           | XXX            | 30                          |
| Total Recoverable Petroleum<br>Hydrocarbons | XXX                         | XXX                       | XXX            | 15                           | XXX            | 30                          |
| Diesel Range Organics                       | XXX                         | XXX                       | XXX            | XXX                          | XXX            | Report                      |

In addition, the permit contains the following major special conditions:

- I. Stormwater Outfalls and Authorized Non-Stormwater Discharges
- II. Best Management Practices (BMPs)
- III. Routine Inspections
- IV. Preparedness, Prevention and Contingency (PPC) Plan
- V. Stormwater Monitoring Requirements
- VI. Other Requirements
  - A. Acquire Necessary Property Rights
  - B. Sludge Disposal Requirement
  - C. WQM Permits Superseded by NPDES Permit
  - D. BAT/BCT Reopener

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0055263**, Sewage, SIC Code 4952, **Executive Center Condo Association**, 350 S Main Street, Suite 211, Doylestown, PA 18901. Facility Name: Executive Center Condo Association STP. This existing facility is located in Plumstead Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF Sewage.

The receiving stream(s), Unnamed Tributary of North Branch Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .001 MGD.—Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>Instant. Maximum</i> |
|---|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Maximum</i> |                         |
| Flow (MGD)  | Report                      | XXX                   | XXX            | XXX                          | XXX            | XXX                     |
| pH (S.U.)   | XXX                         | XXX                   | 6.0            | XXX                          | XXX            | 9.0                     |
| Dissolved Oxygen  | XXX                         | XXX                   | Inst Min       | XXX                          | XXX            | XXX                     |
|   |                             |                       | 2.0            |                              |                |                         |
| Total Residual Chlorine (TRC)                               | XXX                         | XXX                   | Inst Min       | 1.2                          | XXX            | 2.5                     |
|   |                             |                       | XXX            |                              |                |                         |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                         | XXX                   | XXX            | 20                           | XXX            | 40                      |
| Nov 1 - Apr 30  |                             |                       |                |                              |                |                         |
| May 1 - Oct 31  | XXX                         | XXX                   | XXX            | 10                           | XXX            | 20                      |
| Total Suspended Solids                                      | XXX                         | XXX                   | XXX            | 10                           | XXX            | 20                      |
| Fecal Coliform (No./100 ml)                                 | XXX                         | XXX                   | XXX            | 200                          | XXX            | 1,000                   |
|   |                             |                       |                | Geo Mean                     |                |                         |
| Ammonia-Nitrogen  | XXX                         | XXX                   | XXX            | 9.0                          | XXX            | 18                      |
| Nov 1 - Apr 30  |                             |                       |                |                              |                |                         |
| May 1 - Oct 31  | XXX                         | XXX                   | XXX            | 3.0                          | XXX            | 6                       |
| Total Phosphorus  | XXX                         | XXX                   | XXX            | Report                       | XXX            | XXX                     |

In addition, the permit contains the following major special conditions:

- AMR Reporting
- No Stormwater
- Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP
- Minimize Chlorine Usage
- Small Stream Discharge
- Notification of Designated Operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0244503**, Sewage, SIC Code 8811, **Meyer Dean L**, P.O. Box 71, Wagontown, PA 19376-0071. Facility Name: Meyer SRSTP. This existing facility is located in West Caln Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to West Branch Brandywine Creek, is located in State Water Plan watershed 3-H and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>Instant. Maximum</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------------------|
|                   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Annual Average</i>        | <i>Maximum</i> |                         |
| Flow (MGD)        | Report                      | XXX                   | XXX            | XXX                          | XXX            | XXX                     |
| pH (S.U.)         | XXX                         | XXX                   | 6.0            | XXX                          | XXX            | 9.0                     |
|                   |                             |                       | Inst Min       |                              |                |                         |

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                | <i>Instant. Maximum</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                 | <i>Annual Average</i>        | <i>Maximum</i> |                         |
| Dissolved Oxygen  | XXX                         | XXX                   | 6.0<br>Inst Min | XXX                          | XXX            | XXX                     |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                         | XXX                   | XXX             | 20.0                         | XXX            | 40                      |
| Total Suspended Solids                                      | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20                      |
| Fecal Coliform (No./100 ml)                                 | XXX                         | XXX                   | XXX             | 200                          | XXX            | XXX                     |
| Ammonia-Nitrogen  | XXX                         | XXX                   | XXX             | 9.0                          | XXX            | 18                      |

In addition, the permit contains the following major special conditions:

- AMMR to DEP
- No stormwater
- Property Rights
- Sledge Removal
- Abandon STP when municipal sewers available
- Maintenance
- AMR submittal

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0053074**, Sewage, SIC Code 6512, **Piper Group Inc.**, P.O. Box 320, Pipersville, PA 18947-0320. Facility Name: Valley Green Center STP. This existing facility is located in Whitemarsh Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Sandy Run, is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0083 MGD.—Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                | <i>Instant. Maximum</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                 | <i>Average Monthly</i>       | <i>Maximum</i> |                         |
| Flow (MGD)  | Report                      | Report<br>Daily Max   | XXX             | XXX                          | XXX            | XXX                     |
| pH (S.U.)   | XXX                         | XXX                   | 6.0<br>Inst Min | XXX                          | XXX            | 9.0                     |
| Dissolved Oxygen  | XXX                         | XXX                   | 5.0<br>Inst Min | XXX                          | XXX            | XXX                     |
| Total Residual Chlorine (TRC)                               | XXX                         | XXX                   | XXX             | 0.5                          | XXX            | 1.2                     |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                         | XXX                   | XXX             | 20                           | XXX            | 40                      |
| Nov 1 - Apr 30  |                             |                       |                 |                              |                |                         |
| May 1 - Oct 31  | XXX                         | XXX                   | XXX             | 10                           | XXX            | 20                      |
| Total Suspended Solids                                      | XXX                         | XXX                   | XXX             | 30                           | XXX            | 60                      |
| Fecal Coliform (No./100 ml)                                 | XXX                         | XXX                   | XXX             | 200                          | XXX            | 1,000                   |
|   |                             |                       |                 | Geo Mean                     |                |                         |
| Nitrate-Nitrite as N  | XXX                         | XXX                   | XXX             | Report                       | XXX            | Report                  |
| Ammonia-Nitrogen  | XXX                         | XXX                   | XXX             | 6.0                          | XXX            | 12                      |
| Nov 1 - Apr 30  |                             |                       |                 |                              |                |                         |
| May 1 - Oct 31  | XXX                         | XXX                   | XXX             | 2.0                          | XXX            | 4                       |
| Total Phosphorus  | XXX                         | XXX                   | XXX             | Report                       | XXX            | XXX                     |

In addition, the permit contains the following major special conditions:

- No stormwater to sanitary sewers
- Necessary property rights
- Proper sludge disposal
- Abandon STP if public sewers become available
- TRC minimization
- Notification of designation of responsible operator
- Twice per month sampling

- Fecal coliform reporting
- Remedial measures if public nuisance
- Operations and maintenance plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0011428**, Storm Water, SIC Code 5171, **Pbf Logistics Products Terminal LLC**, 3rd Street and Billingsport Road, Paulsboro, NJ 08066. Facility Name: Pbf Logistics Products Terminals LLC. This existing facility is located in Philadelphia City, **Philadelphia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Stormwater.

The receiving stream(s), Schuylkill River, is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on stormwater.

| Parameters                               | Mass Units (lbs/day) |                  | Minimum         | Concentrations (mg/L) |         | Instant. Maximum |
|--|----------------------|------------------|-----------------|-----------------------|---------|------------------|
|  | Average Monthly      | Average Weekly   |                 | Average Monthly       | Maximum |                  |
| Flow (MGD)                               | Report               | Report           | XXX             | XXX                   | XXX     | XXX              |
| Total Recoverable Petroleum Hydrocarbons | XXX                  | Daily Max<br>XXX | XXX             | 15                    | XXX     | 30               |
| Benzene                                  | XXX                  | XXX              | XXX             | XXX                   | XXX     | Report           |
| MTBE                                     | XXX                  | XXX              | XXX             | XXX                   | XXX     | Report           |
| TSS                                      | XXX                  | XXX              | XXX             | XXX                   | XXX     | XXX              |
| pH (S.U.)                                | XXX                  | XXX              | 6.0<br>Inst Min | XXX                   | XXX     | 9.0<br>IMAX      |

In addition, the permit contains the following major special conditions:

- I.
  - A. Property Rights
  - B. Sludge Disposal
  - C. BAT/BCT
- II. Stormwater Requirements
- III. Petroleum Marketing Terminal

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0081116**, Sewage, SIC Code 8211, **Solanco School District**, 121 S Hess Street, Quarryville, PA 17566-1225. Facility Name: Southern Lancaster County High School. This existing facility is located in East Drumore Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Stewart Run, is located in State Water Plan watershed 7-K and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .02 MGD.—Limits.

| Parameters  | Mass Units (lbs/day) |                  | Instantaneous Minimum | Concentrations (mg/L) |         | Instant. Maximum |
|---|----------------------|------------------|-----------------------|-----------------------|---------|------------------|
|   | Average Monthly      | Average Weekly   |                       | Average Monthly       | Maximum |                  |
| Flow (MGD)  | Report               | Report           | XXX                   | XXX                   | XXX     | XXX              |
| pH (S.U.)   | XXX                  | Daily Max<br>XXX | 6.0                   | XXX                   | XXX     | 9.0              |
| Dissolved Oxygen  | XXX                  | XXX              | 5.0                   | XXX                   | XXX     | XXX              |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                  | XXX              | XXX                   | 10.0                  | XXX     | 20               |
| Total Suspended Solids                                      | XXX                  | XXX              | XXX                   | 10.0                  | XXX     | 20               |



| <i>Parameters</i>                                    | <i>Mass Units (lbs/day)</i> |                       | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>Instant. Maximum</i> |
|--|-----------------------------|-----------------------|------------------------------|------------------------------|----------------|-------------------------|
|  | <i>Average Monthly</i>      | <i>Average Weekly</i> |                              | <i>Average Monthly</i>       | <i>Maximum</i> |                         |
| Fecal Coliform (No./100 ml)<br>Oct 1 - Apr 30        | XXX                         | XXX                   | XXX                          | 2,000<br>Geo Mean            | XXX            | 10,000                  |
| May 1 - Sep 30                                       | XXX                         | XXX                   | XXX                          | 200<br>Geo Mean              | XXX            | 1,000                   |
| Ultraviolet light intensity<br>(mW/cm <sup>2</sup> ) | XXX                         | XXX                   | Report                       | XXX                          | XXX            | XXX                     |
| Ammonia-Nitrogen (lbs/mo)<br>Nov 1 - Apr 30          | Report<br>Total Mo          | XXX                   | XXX                          | 9.0                          | XXX            | 18                      |
| May 1 - Oct 31                                       | Report<br>Total Mo          | XXX                   | XXX                          | 3.0                          | XXX            | 6                       |

The proposed effluent limits for Outfall 001 are based on a design flow of .02 MGD.—Limits.

| <i>Parameters</i>       | <i>Mass Units (lbs/day)</i> |                       | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>Instant. Maximum</i> |
|-------------------------|-----------------------------|-----------------------|------------------------------|------------------------------|----------------|-------------------------|
|                         | <i>Average Monthly</i>      | <i>Average Weekly</i> |                              | <i>Average Monthly</i>       | <i>Maximum</i> |                         |
| Nitrate-Nitrite as N    | Report<br>Annl Avg          | XXX                   | XXX                          | Report<br>Annl Avg           | XXX            | XXX                     |
| Total Nitrogen          | Report<br>Annl Avg          | XXX                   | XXX                          | Report<br>Annl Avg           | XXX            | XXX                     |
| Total Kjeldahl Nitrogen | Report<br>Annl Avg          | XXX                   | XXX                          | Report<br>Annl Avg           | XXX            | XXX                     |
| Total Phosphorus        | Report<br>Annl Avg          | XXX                   | XXX                          | Report<br>Annl Avg           | XXX            | XXX                     |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0022233**, Sewage, SIC Code 4952, **Arendtsville Borough Municipal Authority Adams County**, 1 Chestnut Street, Arendtsville, PA 17303. Facility Name: Arendtsville STP. This existing facility is located in Arendtsville Borough, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Conewago Creek, is located in State Water Plan watershed 7-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .14 MGD.—Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                       | <i>Instant. Maximum</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|-----------------------|-------------------------|
|   | <i>Average Monthly</i>      | <i>Weekly Average</i> |                 | <i>Average Monthly</i>       | <i>Weekly Average</i> |                         |
| Flow (MGD)  | Report                      | Report<br>Daily Max   | XXX             | XXX                          | XXX                   | XXX                     |
| pH (S.U.)   | XXX                         | XXX                   | 6.0<br>Inst Min | XXX                          | XXX                   | 9.0                     |
| Dissolved Oxygen  | XXX                         | XXX                   | 5.0<br>Inst Min | XXX                          | XXX                   | XXX                     |
| Total Residual Chlorine (TRC)   | XXX                         | XXX                   | XXX             | 0.4                          | XXX                   | 1.0                     |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )<br>Nov 1 - Apr 30 | 29                          | 46.5                  | XXX             | 25                           | 40                    | 50                      |
| May 1 - Oct 31  | 23                          | 35                    | XXX             | 20                           | 30                    | 40                      |
| Biochemical Oxygen Demand (BOD <sub>5</sub> )<br>Raw Sewage Influent          | Report                      | Report<br>Daily Max   | XXX             | Report                       | XXX                   | XXX                     |
| Total Suspended Solids  | 35                          | 52.5                  | XXX             | 30                           | 45                    | 60                      |
| Total Suspended Solids<br>Raw Sewage Influent                                 | Report                      | Report<br>Daily Max   | XXX             | Report                       | XXX                   | XXX                     |
| Fecal Coliform (No./100 ml)<br>Oct 1 - Apr 30                                 | XXX                         | XXX                   | XXX             | 2,000<br>Geo Mean            | XXX                   | 10,000                  |
| May 1 - Sep 30  | XXX                         | XXX                   | XXX             | 200<br>Geo Mean              | XXX                   | 1,000                   |

| <i>Parameters</i>                  | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                       | <i>Instant. Maximum</i> |
|------------------------------------|-----------------------------|-----------------------|----------------|------------------------------|-----------------------|-------------------------|
|                                    | <i>Average Monthly</i>      | <i>Weekly Average</i> |                | <i>Average Monthly</i>       | <i>Weekly Average</i> |                         |
| Ammonia-Nitrogen<br>Nov 1 - Apr 30 | 21                          | XXX                   | XXX            | 18                           | XXX                   | 36                      |
| May 1 - Oct 31                     | 7.0                         | XXX                   | XXX            | 6.0                          | XXX                   | 12                      |
| Total Phosphorus                   | 2.3                         | XXX                   | XXX            | 2.0                          | XXX                   | 4                       |
| Copper, Total                      | Report                      | Report<br>Daily Max   | XXX            | Report                       | Report<br>Daily Max   | XXX                     |
| Bromide                            | Report                      | Report<br>Daily Max   | XXX            | Report                       | Report<br>Daily Max   | XXX                     |

The proposed effluent limits for Outfall 001 are based on a design flow of .14 MGD.—Limits.

| <i>Parameters</i>                               | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                       | <i>Instant. Maximum</i> |
|---|-----------------------------|-----------------------|----------------|------------------------------|-----------------------|-------------------------|
|   | <i>Average Monthly</i>      | <i>Weekly Average</i> |                | <i>Average Monthly</i>       | <i>Weekly Average</i> |                         |
| Nitrate-Nitrite as N                            | XXX                         | XXX                   | XXX            | Report<br>Annl Avg           | XXX                   | XXX                     |
| Nitrate-Nitrite as N (Total Load, lbs) (lbs)    | Report<br>Annl Avg          | XXX                   | XXX            | XXX                          | XXX                   | XXX                     |
| Total Nitrogen                                  | XXX                         | XXX                   | XXX            | Report<br>Annl Avg           | XXX                   | XXX                     |
| Total Nitrogen (Total Load, lbs) (lbs)          | Report<br>Annl Avg          | XXX                   | XXX            | XXX                          | XXX                   | XXX                     |
| Total Kjeldahl Nitrogen                         | XXX                         | XXX                   | XXX            | Report<br>Annl Avg           | XXX                   | XXX                     |
| Total Kjeldahl Nitrogen (Total Load, lbs) (lbs) | Report<br>Annl Avg          | XXX                   | XXX            | XXX                          | XXX                   | XXX                     |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0084565**, Sewage, SIC Code 4952, **York Water Co.**, 130 E Market Street, York, PA 17401-1219. Facility Name: East Prospect STP. This existing facility is located in Lower Windsor Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Cabin Creek, is located in State Water Plan watershed 7-I and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0875 MGD.—Interim Limits.

| <i>Parameters</i>  | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                       | <i>Instant. Maximum</i> |
|--|-----------------------------|-----------------------|-----------------|------------------------------|-----------------------|-------------------------|
|  | <i>Average Monthly</i>      | <i>Weekly Average</i> |                 | <i>Average Monthly</i>       | <i>Weekly Average</i> |                         |
| Flow (MGD)   | Report                      | Report<br>Daily Max   | XXX             | XXX                          | XXX                   | XXX                     |
| pH (S.U.)  | XXX                         | XXX                   | 6.0<br>InstMin  | XXX                          | XXX                   | 9.0                     |
| Dissolved Oxygen   | XXX                         | XXX                   | 5.0<br>Inst Min | XXX                          | XXX                   | XXX                     |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )          | 18.0                        | 29.0                  | XXX             | 25.0                         | 40.0                  | 50                      |
| Biochemical Oxygen Demand (BOD <sub>5</sub> )<br>Raw Sewage Influent | Report                      | Report<br>Daily Max   | XXX             | Report                       | XXX                   | XXX                     |
| Total Suspended Solids<br>Raw Sewage Influent                        | Report                      | Report<br>Daily Max   | XXX             | Report                       | XXX                   | XXX                     |
| Total Suspended Solids   | 22.0                        | 33.0                  | XXX             | 30.0                         | 45.0                  | 60                      |
| Fecal Coliform (No./100 ml)<br>Oct 1 - Apr 30                        | XXX                         | XXX                   | XXX             | 2,000<br>Geo Mean            | XXX                   | 10,000                  |
| May 1 - Sep 30   | XXX                         | XXX                   | XXX             | 200<br>Geo Mean              | XXX                   | 1,000                   |
| Ultraviolet light intensity (mW/cm <sup>2</sup> )                    | XXX                         | XXX                   | XXX             | Report                       | XXX                   | Report                  |
| Nitrate-Nitrite as N   | XXX                         | XXX                   | XXX             | Report                       | XXX                   | XXX                     |
| Nitrate-Nitrite as N (Total Load, lbs) (lbs)                         | Report<br>Total Mo          | XXX                   | XXX             | XXX                          | XXX                   | XXX                     |

| <i>Parameters</i>                         | <i>Mass Units (lbs/day)</i> |                       |                | <i>Concentrations (mg/L)</i> |                       | <i>Instant. Maximum</i> |
|---|-----------------------------|-----------------------|----------------|------------------------------|-----------------------|-------------------------|
|   | <i>Average Monthly</i>      | <i>Weekly Average</i> | <i>Minimum</i> | <i>Average Monthly</i>       | <i>Weekly Average</i> |                         |
| Total Nitrogen                            | XXX                         | XXX                   | XXX            | Report                       | XXX                   | XXX                     |
| Total Nitrogen (Total Load, lbs)          | Report                      | XXX                   | XXX            | XXX                          | XXX                   | XXX                     |
| Ammonia-Nitrogen                          | Total Mo                    |                       |                |                              |                       |                         |
| Nov 1 - Apr 30                            | Report                      | XXX                   | XXX            | Report                       | XXX                   | XXX                     |
| May 1 - Oct 31                            | 6.9                         | XXX                   | XXX            | 9.5                          | XXX                   | 19                      |
| Ammonia-Nitrogen (Total Load, lbs)        | Report                      | XXX                   | XXX            | XXX                          | XXX                   | XXX                     |
| Total Kjeldahl Nitrogen                   | Total Mo                    |                       |                |                              |                       |                         |
| Total Kjeldahl Nitrogen (Total Load, lbs) | Report                      | XXX                   | XXX            | Report                       | XXX                   | XXX                     |
| Total Phosphorus                          | Report                      | XXX                   | XXX            | Report                       | XXX                   | XXX                     |
| Total Phosphorus (Total Load, lbs)        | Report                      | XXX                   | XXX            | XXX                          | XXX                   | XXX                     |
|   | Total Mo                    |                       |                |                              |                       |                         |

The proposed effluent limits for Outfall 001 are based on a design flow of .175 MGD.—Final Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       |                | <i>Concentrations (mg/L)</i> |                       | <i>Instant. Maximum</i> |
|---|-----------------------------|-----------------------|----------------|------------------------------|-----------------------|-------------------------|
|   | <i>Average Monthly</i>      | <i>Weekly Average</i> | <i>Minimum</i> | <i>Average Monthly</i>       | <i>Weekly Average</i> |                         |
| Flow (MGD)  | Report                      | Report                | XXX            | XXX                          | XXX                   | XXX                     |
| pH (S.U.)   | XXX                         | XXX                   | 6.0            | XXX                          | XXX                   | 9.0                     |
| Dissolved Oxygen  | XXX                         | XXX                   | 5.0            | XXX                          | XXX                   | XXX                     |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | 36.0                        | 58.0                  | Inst Min       | 25.0                         | 40.0                  | 50                      |
| Biochemical Oxygen Demand (BOD <sub>5</sub> )               | Report                      | Report                | XXX            | Report                       | XXX                   | XXX                     |
| Raw Sewage Influent   |                             | Daily Max             |                |                              |                       |                         |
| Total Suspended Solids                                      | Report                      | Report                | XXX            | Report                       | XXX                   | XXX                     |
| Raw Sewage Influent   |                             | Daily Max             |                |                              |                       |                         |
| Total Suspended Solids                                      | 43.0                        | 65.0                  | XXX            | 30.0                         | 45.0                  | 60                      |
| Fecal Coliform (No./100 ml)                                 | XXX                         | XXX                   | XXX            | 2,000                        | XXX                   | 10,000                  |
| Oct 1 - Apr 30  |                             |                       |                | Geo Mean                     |                       |                         |
| May 1 - Sep 30  | XXX                         | XXX                   | XXX            | 200                          | XXX                   | 1,000                   |
| Ultraviolet light intensity (mW/cm <sup>2</sup> )           | XXX                         | XXX                   | XXX            | Geo Mean                     |                       |                         |
| Nitrate-Nitrite as N  | XXX                         | XXX                   | XXX            | Report                       | XXX                   | XXX                     |
| Nitrate-Nitrite as N (Total Load, lbs)                      | Report                      | XXX                   | XXX            | XXX                          | XXX                   | XXX                     |
| Total Nitrogen  | Total Mo                    |                       |                |                              |                       |                         |
| Total Nitrogen (Total Load, lbs)                            | Report                      | XXX                   | XXX            | Report                       | XXX                   | XXX                     |
| Ammonia-Nitrogen  | Report                      | XXX                   | XXX            | Report                       | XXX                   | XXX                     |
| Nov 1 - Apr 30  |                             |                       |                |                              |                       |                         |
| May 1 - Oct 31  | 12.4                        | XXX                   | XXX            | 8.5                          | XXX                   | 17                      |
| Ammonia-Nitrogen (Total Load, lbs)                          | Report                      | XXX                   | XXX            | XXX                          | XXX                   | XXX                     |
| Total Kjeldahl Nitrogen                                     | Total Mo                    |                       |                |                              |                       |                         |
| Total Kjeldahl Nitrogen (Total Load, lbs)                   | Report                      | XXX                   | XXX            | Report                       | XXX                   | XXX                     |
| Total Phosphorus  | Report                      | XXX                   | XXX            | Report                       | XXX                   | XXX                     |
| Total Phosphorus (Total Load, lbs)                          | Report                      | XXX                   | XXX            | XXX                          | XXX                   | XXX                     |
|   | Total Mo                    |                       |                |                              |                       |                         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0044911**, Industrial, SIC Code 2023, **Land O Lakes Inc.**, 405 Park Drive, Carlisle, PA 17015-9270. Facility Name: Land O Lakes. This existing facility is located in South Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for an NPDES permit amendment for an existing discharge of treated Industrial Waste. The amendment is to include stormwater requirements in the existing permit.

The receiving stream(s), Mountain Creek, is located in State Water Plan watershed 7-E and is classified for Migratory Fishes, High Quality—Cold Water, Trout Stocking, and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .95 MGD.—Limits.

| <i>Parameters</i>                             | <i>Mass Units (lbs/day)</i> |                      |                              | <i>Concentrations (mg/L)</i> |                      |                         |
|---|-----------------------------|----------------------|------------------------------|------------------------------|----------------------|-------------------------|
|   | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Minimum</i>               | <i>Average Monthly</i>       | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
| Flow (MGD)                                    | Report                      | Report               | XXX                          | XXX                          | XXX                  | XXX                     |
| pH (S.U.)                                     | XXX                         | XXX                  | 6.0                          | XXX                          | XXX                  | 9.0                     |
| Dissolved Oxygen                              | XXX                         | XXX                  | Inst Min<br>5.0<br>Daily Min | XXX                          | XXX                  | XXX                     |
| Temperature (deg F) (°F)                      |                             |                      |                              |                              |                      |                         |
| Aug 1 - Jun 30                                | XXX                         | XXX                  | XXX                          | Report                       | 110                  | XXX                     |
| Jul 1 - 31                                    | XXX                         | XXX                  | XXX                          | Report                       | 91                   | XXX                     |
| Carbonaceous Biochemical Oxygen Demand        | 79                          | 158                  | XXX                          | 10.0                         | 20.0                 | 25                      |
| Biochemical Oxygen Demand Industrial Influent | Report                      | Report               | XXX                          | Report                       | Report               | XXX                     |
| Total Suspended Solids Industrial Influent    | Report                      | Report               | XXX                          | Report                       | Report               | XXX                     |
| Total Suspended Solids                        | 79                          | 158                  | XXX                          | 10.0                         | 20.0                 | 25                      |
| Nitrate-Nitrite as N                          | XXX                         | Report               | XXX                          | XXX                          | Report               | XXX                     |
| Total Nitrogen                                | XXX                         | Report               | XXX                          | XXX                          | Report               | XXX                     |
| Ammonia-Nitrogen                              |                             |                      |                              |                              |                      |                         |
| Nov 1 - Apr 30                                | 35                          | 71                   | XXX                          | 4.5                          | 9.0                  | 11                      |
| May 1 - Oct 31                                | 11                          | 23                   | XXX                          | 1.5                          | 3.0                  | 3.7                     |
| Total Kjeldahl Nitrogen                       | XXX                         | Report               | XXX                          | XXX                          | Report               | XXX                     |
| Total Phosphorus                              | 7.5                         | 15                   | XXX                          | 1.0                          | 2.0                  | 2.5                     |

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

| <i>Parameters</i>         | <i>Mass Units (lbs/day)</i> |                       |                | <i>Concentrations (mg/L)</i> |                      |                         |
|---------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
|                           | <i>Average Monthly</i>      | <i>Average Weekly</i> | <i>Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
| pH (S.U.)                 | XXX                         | XXX                   | XXX            | XXX                          | Report               | XXX                     |
| Biochemical Oxygen Demand | XXX                         | XXX                   | XXX            | XXX                          | Report               | XXX                     |
| Chemical Oxygen Demand    | XXX                         | XXX                   | XXX            | XXX                          | Report               | XXX                     |
| Total Suspended Solids    | XXX                         | XXX                   | XXX            | XXX                          | Report               | XXX                     |
| Oil and Grease            | XXX                         | XXX                   | XXX            | XXX                          | Report               | XXX                     |
| Nitrate-Nitrite as N      | XXX                         | XXX                   | XXX            | XXX                          | Report               | XXX                     |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0009440**, Industrial, SIC Code 4941, **PA American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436. Facility Name: Silver Springs Water Treatment Plant. This existing facility is located in Silver Spring Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                      |                 | <i>Concentrations (mg/L)</i> |                      |                         |
|-------------------------------|-----------------------------|----------------------|-----------------|------------------------------|----------------------|-------------------------|
|                               | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Minimum</i>  | <i>Average Monthly</i>       | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
| Flow (MGD)                    | Report                      | Report               | XXX             | XXX                          | XXX                  | XXX                     |
| pH (S.U.)                     | XXX                         | XXX                  | 6.0             | XXX                          | XXX                  | 9.0                     |
| Total Residual Chlorine (TRC) | XXX                         | XXX                  | Inst Min<br>XXX | 0.5                          | XXX                  | 1.6                     |
| Total Suspended Solids        | Report                      | Report               | XXX             | 30.0                         | 60.0                 | 75                      |
| Aluminum, Total               | Report                      | Report               | XXX             | 4.0                          | 8.0                  | 10                      |
| Iron, Total                   | Report                      | Report               | XXX             | 2.0                          | 4.0                  | 5                       |
| Manganese, Total              | Report                      | Report               | XXX             | 1.0                          | 2.0                  | 2.5                     |

The proposed effluent limits for Outfall 002 are based on a design flow of .391 MGD.—Limits.

| Parameters                    | Mass Units (lbs/day) |               | Minimum  | Concentrations (mg/L) |               | Instant. Maximum |
|-------------------------------|----------------------|---------------|----------|-----------------------|---------------|------------------|
|                               | Average Monthly      | Daily Maximum |          | Average Monthly       | Daily Maximum |                  |
| Flow (MGD)                    | Report               | Report        | XXX      | XXX                   | XXX           | XXX              |
| pH (S.U.)                     | XXX                  | XXX           | 6.0      | XXX                   | XXX           | 9.0              |
| Total Residual Chlorine (TRC) | XXX                  | XXX           | Inst Min | 0.5                   | XXX           | 1.6              |
| Total Suspended Solids        | Report               | Report        | XXX      | 30.0                  | 60.0          | 75               |
| Aluminum, Total               | Report               | Report        | XXX      | 4.0                   | 8.0           | 10               |
| Iron, Total                   | Report               | Report        | XXX      | 2.0                   | 4.0           | 5                |
| Manganese, Total              | Report               | Report        | XXX      | 1.0                   | 2.0           | 2.5              |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3636.*

**PA0233021**, Sewage, SIC Code 4952, **Judson Mantz & Lynn Chaplin**, 2447 Valley View Road, Bellefonte, PA 16823. Facility Name: Judson Mantz & Lynn Chaplin. This proposed facility is located in Benner Township, **Centre County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary of Buffalo Run, is located in State Water Plan watershed 9-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters                                    | Mass Units (lbs/day) |                | Minimum | Concentrations (mg/L) |         | Instant. Maximum |
|---|----------------------|----------------|---------|-----------------------|---------|------------------|
|   | Average Monthly      | Average Weekly |         | Average Monthly       | Maximum |                  |
| Flow (MGD)                                    | Report               | XXX            | XXX     | XXX                   | XXX     | XXX              |
| Total Residual Chlorine (TRC)                 | XXX                  | XXX            | XXX     | Report                | XXX     | XXX              |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                  | XXX            | XXX     | 10.0                  | XXX     | 20               |
| Total Suspended Solids                        | XXX                  | XXX            | XXX     | 10.0                  | XXX     | 20               |
| Fecal Coliform (No./100 ml)                   | XXX                  | XXX            | XXX     | 200<br>Geo Mean       | XXX     | 1,000            |

Sludge use and disposal description and location(s): Septic tank hauler.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

EPA waiver is in effect.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.*

**PA0094226**, Industrial, SIC Code 4941, **Wilksburg-Penn Joint Water Authority**, 2200 Robinson Boulevard, Wilksburg, PA 15221-1112. Facility Name: Wilksburg-Penn Joint Water Authority. This existing facility is located in Penn Hills Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge from the water treatment plant's flocculation/clarification basin supernatant, filter backwash and plant leakage, and clarifier blowdown basin supernatant.

The receiving stream, Allegheny River (WWF), is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.65 MGD.—Limits.

| Parameters | Mass Units (lbs/day) |                  | Minimum   | Concentrations (mg/L) |               | Instant. Maximum |
|------------|----------------------|------------------|-----------|-----------------------|---------------|------------------|
|            | Average Monthly      | Average Weekly   |           | Average Monthly       | Daily Maximum |                  |
| Flow (MGD) | Report               | Report           | XXX       | XXX                   | XXX           | XXX              |
| pH (S.U.)  | XXX                  | Daily Max<br>XXX | 6.0       | XXX                   | 9.0           | XXX              |
|            |                      |                  | Daily Min |                       |               |                  |

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>Instant. Maximum</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
|                               | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Daily Maximum</i> |                         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                   | XXX            | 0.5                          | 1.0                  | XXX                     |
| Total Suspended Solids        | XXX                         | XXX                   | XXX            | 30.0                         | 60.0                 | XXX                     |
| Aluminum, Total               | XXX                         | XXX                   | XXX            | 4.0                          | 8.0                  | XXX                     |
| Antimony, Total (ug/L)        | XXX                         | XXX                   | XXX            | Report                       | Report               | XXX                     |
| Iron, Total                   | XXX                         | XXX                   | XXX            | 2.0                          | 4.0                  | XXX                     |
| Manganese, Total              | XXX                         | XXX                   | XXX            | 1.0                          | 2.0                  | XXX                     |
| Thallium, Total (ug/L)        | XXX                         | XXX                   | XXX            | 2.4                          | 3.8                  | XXX                     |

The proposed effluent limits for Outfall 101 are based on a design flow of 0.445 MGD.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>Instant. Maximum</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
|                               | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Daily Maximum</i> |                         |
| Flow (MGD)                    |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | Report                      | Report Daily Max      | XXX            | XXX                          | XXX                  | XXX                     |
| pH (S.U.)                     |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | 6.0 Daily Min  | XXX                          | 9.0                  | XXX                     |
| Total Residual Chlorine (TRC) |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 0.5                          | 1.0                  | XXX                     |
| Total Suspended Solids        |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 30.0                         | 60.0                 | XXX                     |
| Aluminum, Total               |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 4.0                          | 8.0                  | XXX                     |
| Iron, Total                   |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 2.0                          | 4.0                  | XXX                     |
| Manganese, Total              |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 1.0                          | 2.0                  | XXX                     |
| Thallium, Total (ug/L)        |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 8.3                          | 13.0                 | XXX                     |

The proposed effluent limits for Outfall 201 are based on a design flow of 0.049 MGD.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>Instant. Maximum</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------------|-------------------------|
|                               | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Daily Maximum</i> |                         |
| Flow (MGD)                    |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | Report                      | Report Daily Max      | XXX            | XXX                          | XXX                  | XXX                     |
| pH (S.U.)                     |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | 6.0 Daily Min  | XXX                          | 9.0                  | XXX                     |
| Total Residual Chlorine (TRC) |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 0.5                          | 1.0                  | XXX                     |
| Total Suspended Solids        |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 30.0                         | 60.0                 | XXX                     |
| Aluminum, Total               |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 4.0                          | 8.0                  | XXX                     |
| Iron, Total                   |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 2.0                          | 4.0                  | XXX                     |
| Manganese, Total              |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | 1.0                          | 2.0                  | XXX                     |
| Thallium, Total (ug/L)        |                             |                       |                |                              |                      |                         |
| Internal Monitoring Point     | XXX                         | XXX                   | XXX            | Report                       | Report               | XXX                     |

*Note:* Effluent limitations and monitoring requirements for Total Thallium and Total Antimony were proposed due to the applicant's failure to achieve the Department's minimum quantification limits in the permit application. During the 30-day public comment period, the Department will allow Wilkesburg-Penn Joint Water Authority to conduct additional effluent monitoring to achieve the Department's minimum quantification limits. If additional samples are not detected at the quantification limits, the proposed effluent limits and monitoring requirements may be removed from the final permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0097462**, Industrial, SIC Code 4952, **Indiana County Municipal Service Authority**, 602 Kolter Drive, Indiana, PA 15701-3570. Facility Name: ICMSA—Cherry Tree Water Treatment Plant. This existing facility is located in Susquehanna Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Peg Run, is located in State Water Plan watershed 8-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.003 MGD.—Limits.

| Parameters                    | Mass Units (lbs/day) |               |               | Concentrations (mg/L) |               |                  |
|-------------------------------|----------------------|---------------|---------------|-----------------------|---------------|------------------|
|                               | Average Monthly      | Daily Maximum | Daily Minimum | Average Monthly       | Daily Maximum | Instant. Maximum |
| Flow (MGD)                    | Report               | Report        | XXX           | XXX                   | XXX           | XXX              |
| pH (S.U.)                     | XXX                  | XXX           | 6.0           | XXX                   | 9.0           | XXX              |
| Total Residual Chlorine (TRC) | XXX                  | XXX           | XXX           | 0.5                   | 1.0           | XXX              |
| Total Suspended Solids        | XXX                  | XXX           | XXX           | 30.0                  | 60.0          | XXX              |
| Aluminum, Total               | XXX                  | XXX           | XXX           | 4.0                   | 8.0           | XXX              |
| Iron, Total                   | XXX                  | XXX           | XXX           | 2.0                   | 4.0           | XXX              |
| Manganese, Total              | XXX                  | XXX           | XXX           | 1.0                   | 2.0           | XXX              |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0091782**, Sewage, SIC Code 4952, **West Hills Area WPCA**, 257 Linde Road, Kittanning, PA 16201-4719. Facility Name: West Hills Area WPCA STP. This existing facility is located in North Buffalo Township, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Allegheny River, is located in State Water Plan watershed 17-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.3 MGD.—Limits.

| Parameters  | Mass Units (lbs/day) |                |                 | Concentrations (mg/L) |                |                  |
|---|----------------------|----------------|-----------------|-----------------------|----------------|------------------|
|   | Average Monthly      | Weekly Average | Average Monthly | Average Monthly       | Weekly Average | Instant. Maximum |
| Flow (MGD)  | Report               | Report         | XXX             | XXX                   | XXX            | XXX              |
| pH (S.U.)   | XXX                  | XXX            | 6.0             | XXX                   | XXX            | 9.0              |
| Dissolved Oxygen  | XXX                  | XXX            | 4.0             | XXX                   | XXX            | XXX              |
| Total Residual Chlorine (TRC)                               | XXX                  | XXX            | XXX             | 0.5                   | XXX            | 1.6              |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | 271                  | 406            | XXX             | 25.0                  | 37.5           | 50               |
| Biochemical Oxygen Demand (BOD <sub>5</sub> )               | Report               | Report         | Report          | Report                | XXX            | XXX              |
| Raw Sewage Influent   |                      |                |                 | Wkly Avg              |                |                  |
| Total Suspended Solids                                      | 325                  | 488            | XXX             | 30.0                  | 45.0           | 60               |
| Total Suspended Solids                                      | Report               | Report         | XXX             | Report                | Report         | XXX              |
| Raw Sewage Influent   |                      |                |                 |                       |                |                  |
| Fecal Coliform (No./100 ml)                                 | XXX                  | XXX            | XXX             | 2,000                 | XXX            | 10,000           |
| Oct 1 - Apr 30  |                      |                |                 | Geo Mean              |                |                  |
| May 1 - Sep 30  | XXX                  | XXX            | XXX             | 200                   | XXX            | 1,000            |
| Ammonia-Nitrogen  | 271                  | XXX            | XXX             | Geo Mean              | XXX            | 50               |
|   |                      |                |                 | 25.0                  |                |                  |

The proposed effluent limits for Outfall 001 are based on a design flow of 1.3 MGD.—Limits.

| Parameters       | Mass Units (lbs/day) |                |                 | Concentrations (mg/L) |                |                  |
|------------------|----------------------|----------------|-----------------|-----------------------|----------------|------------------|
|                  | Average Monthly      | Weekly Average | Average Monthly | Average Monthly       | Weekly Average | Instant. Maximum |
| Total Nitrogen   | XXX                  | Report         | XXX             | XXX                   | Report         | XXX              |
| Total Phosphorus | XXX                  | Daily Max      | XXX             | XXX                   | Daily Max      | XXX              |
|                  |                      | Report         |                 |                       | Report         |                  |
|                  |                      | Daily Max      |                 |                       | Daily Max      |                  |

Sludge use and disposal description and location(s): dewatered sludge is disposed at Seneca Landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0272001**, Sewage, SIC Code 8800, **Jerry Park**, 10518 Scandia Road, Russell, PA 16345. Facility Name: Jerry Park SRSTP. This proposed facility is located in Elk Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Fishburn Run, is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

| Parameters                                    | Mass Units (lbs/day) |                | Minimum         | Concentrations (mg/L) |         | Instant. Maximum |
|---|----------------------|----------------|-----------------|-----------------------|---------|------------------|
|   | Average Monthly      | Average Weekly |                 | Annual Average        | Maximum |                  |
| Flow (MGD)                                    | Report Annl Avg      | XXX            | XXX             | XXX                   | XXX     | XXX              |
| pH (S.U.)                                     | XXX                  | XXX            | 6.0<br>Inst Min | XXX                   | XXX     | 9.0              |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                  | XXX            | XXX             | 10.0                  | XXX     | 20               |
| Total Suspended Solids                        | XXX                  | XXX            | XXX             | 10.0                  | XXX     | 20               |
| Fecal Coliform (No./100 ml)                   | XXX                  | XXX            | XXX             | 200                   | XXX     | XXX              |

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by PADEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

**PA0272078**, Sewage, SIC Code 8800, **Patricia and William Menz**, 10644 Station Road, North East, PA 16428. Facility Name: Patricia & William Menz SRSTP. This proposed facility is located in Greenfield Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an unnamed tributary to the West Branch French Creek, located in State Water Plan watershed 16-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

| Parameters                                    | Mass Units (lbs/day) |                | Minimum          | Concentrations (mg/L) |                  | Instant. Maximum |
|---|----------------------|----------------|------------------|-----------------------|------------------|------------------|
|   | Average Monthly      | Average Weekly |                  | Annual Average        | Maximum          |                  |
| Flow (MGD)                                    | Report Annl Avg      | XXX            | XXX              | XXX                   | XXX              | XXX              |
| pH (S.U.)                                     | XXX                  | XXX            | 6.0<br>Daily Min | XXX                   | 9.0<br>Daily Max | XXX              |
| Total Residual Chlorine (TRC)                 | XXX                  | XXX            | XXX              | Report                | XXX              | XXX              |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                  | XXX            | XXX              | 10.0                  | XXX              | 20.0             |
| Total Suspended Solids                        | XXX                  | XXX            | XXX              | 10.0                  | XXX              | 20.0             |
| Fecal Coliform (No./100 ml)                   | XXX                  | XXX            | XXX              | 200                   | XXX              | 1,000            |

Sewage sludge is temporally stored in the treatment facility.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

**III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.**

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 5684404 A-4**, Sewage, **Somerset Borough Municipal Authority Somerset County**, P.O. Box 71, Somerset, PA 15501-0071.



This existing facility is located in Somerset Township, **Somerset County**.

Description of Proposed Action/Activity: Replacement of existing sewage influent pumps.

**WQM Permit No. 8806-S A-1**, Sewage, **Upper Yoder Township Cambria County**, 4th Floor Public Sfty Bldg, Johnstown, PA 15901.

This existing facility is located in West Taylor Township, **Cambria County**.

Description of Proposed Action/Activity: Replacement of Girard Street Pump Station with a new submersible type pump station.

**WQM Permit No. 0216408 A-1**, Sewage, **Pleasant Hills Borough Allegheny County**, 410 E Bruceton Road, Pleasant Hills, PA 15236-4504.

This existing facility is located in Pleasant Hills Borough, **Allegheny County**.

Description of Proposed Action/Activity: Replacement of the existing Tassel Lane Pump Station and force main with a new submersible type pump station and new 4-inch diameter force main approximately 720 feet in length.

**WQM Permit No. 6319200**, Industrial, **Pennsylvania Transformer Technology, Inc.**, 30 Curry Avenue, Canonsburg, PA 15317-0440.

This proposed facility is located in Cecil Township and Canonsburg Borough, **Washington County**.

Description of Proposed Action/Activity: Construction and operation of a treatment system to treat groundwater and storm water from existing onsite storm sewers.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 1091402 A-1**, Sewage, **Pittsburgh District Church of the Nazarene**, 177 North Road, Butler, PA 16001-0281.

This existing facility is located in Franklin Township, **Butler County**.

Description of Proposed Action/Activity: Amendment to install aerobic sludge tank at existing wastewater treatment plant.

---

#### **IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).**

---

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.*

**PAI130040, Northampton Township MS4**, 55 Township Road, Richboro, PA 18954. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Northampton Township, **Bucks County**. The receiving stream(s), Ironworks Creek (WWF, MF), Mill Creek (WWF, MF), Little Neshaminy Creek (WWF, MF), Pine Run (WWF, MF), and Unnamed Tributary to Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

*Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.*

**PAI132239, MS4, Lehigh County**, 17 S 7th Street, Allentown, PA 18101-2400. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Allentown City, **Lehigh County**. The receiving stream(s), Little Lehigh Creek (HQ-CWF, MF), Trout Creek (CWF, MF), Cedar Creek (HQ-CWF, MF), Unnamed Tributary of Schaefer Run (HQ-CWF, MF), Lehigh River (WWF, MF), and Jordan Creek (TSF, MF), is located in State Water Plan watershed 2-C and is classified for Migratory Fishes, Cold Water Fishes, Warm Water Fishes, High Quality—Cold Water, Trout Stocking, and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

---

**VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.**


---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------|----------------------------|
| PAD230032               | 390 East Chester Pike<br>Investors, LLC<br>416 Bethlehem Pike<br>Fort Washington, PA 19034-3418 | Delaware      | Ridley Township     | Stoney Creek<br>WWF-MF     |

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>                                     | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i>     |
|-------------------------|---|---------------|---------------------|--------------------------------|
| PAD450081               | Cornerstone Community Church<br>388 Polk Twp Rd<br>Kunkletown, PA 18058 | Monroe        | Polk Twp            | Pohopoco Creek<br>(HQ-CWF, MF) |

*Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>                            | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i>                                    |
|-------------------------|--|---------------|---------------------|---|
| PAD480086               | Werner Enterprises Inc<br>14507 Frontier Rd<br>Omaha, NE 68138 | Northampton   | Palmer Twp          | Shoeneck Creek<br>(WWF, MF)<br>Bushkill Creek<br>(HQ-CWF, MF) |
| PAD480085               | City of Bethlehem<br>10 E Church St<br>Bethlehem, PA 18018     | Northampton   | City of Bethlehem   | Monocacy Creek<br>(HQ-CWF, MF)                                |

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

| <i>NPDES Permit No.</i>    | <i>Applicant Name &amp; Address</i>   | <i>County</i>     | <i>Municipality</i> | <i>Receiving Water/Use</i>                      | <i>DEP Protocol (Y/N)</i> |
|----------------------------|---|-------------------|---------------------|---|---------------------------|
| PAS603508<br>(Storm Water) | Cumberland Scrap Metal Recyclers<br>P.O. Box 307<br>Carlisle, PA 17013-0307 | Cumberland County | Middlesex Township  | Unnamed Tributary to Letort Spring Run<br>(7-B) | Yes                       |

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.*

| <i>Permit #</i> | <i>Applicant Name &amp; Address</i>                        | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i>                           |
|-----------------|--|---------------|---------------------|--|
| PAD380008       | Steven J. Spohn<br>324 Liberty Street<br>Ephrata, PA 17522 | Lebanon       | Heidelberg Township | Segloch Run<br>(EV, MF)<br>Middle Creek<br>(WWF, MF) |

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.*

| <i>NPDES Permit No.</i>                             | <i>Applicant Name &amp; Address</i>                                    | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|---|--|---------------|---------------------|----------------------------|
| PAD140047<br>previously<br>PAI041408014R<br>Renewal | Glenn O. Hawbaker, Inc.<br>1952 Waddle Road<br>State College, PA 16803 | Centre        | Patton Twp          | UNT to Spring Creek<br>CWF |

**VII. List of NOIs for NPDES and/or Other General Permit Types.**

PAG-12 CAFOs

**MS4 PAG-13 Notices of Intent Received.**

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>          | <i>Waiver Application Submitted (Y/N)</i> | <i>Pollutant Reduction Plan Submitted (Y/N)</i> |
|-------------------------|--|--------------------------------------|---|---|
| PAG136406               | Union Township<br>3904 Finleyville Elrama Road<br>Finleyville, PA 15332-3011 | Union Township,<br>Washington County | N   | Y   |

**STATE CONSERVATION COMMISSION  
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS  
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.shtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

| <i>Agricultural Operation Name and Address</i>                      | <i>County</i> | <i>Total Acres</i> | <i>AEU's</i> | <i>Animal Type</i>    | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>New or Renewal</i> |
|---|---------------|--------------------|--------------|-----------------------|---|-----------------------|
| Leslie Burkholder<br>52 Burkholder Lane<br>Fredericksburg, PA 17026 | Lebanon       | 118.3              | 261.12       | Layers Steer<br>Swine | WWF   | Renewal               |

**PUBLIC WATER SUPPLY (PWS) PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the

name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### SAFE DRINKING WATER

#### Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 0619503**, Public Water Supply.

|                       |  |
|-----------------------|--|
| Applicant             | <b>Perry Township Municipal Authority</b>  |
| Municipality          | Shoemakersville Borough  |
| County                | <b>Berks</b>   |
| Responsible Official  | Donald Mast, Chairman<br>P.O. Box 308<br>Shoemakersville, PA 19555   |
| Type of Facility      | Public Water Supply  |
| Consulting Engineer   | William W. Witman, PE<br>Envirotech & Associates Inc<br>519 Reading Avenue<br>West Reading, PA 19611   |
| Application Received: | 2/4/2019   |
| Description of Action | Proposed to construct a new booster pumping station near the Charles Estates, at the intersection of Luisa Court and Main Street. The permittee has also proposed to install liquid chlorine injection equipment in order to boost the chlorine residual throughout the distribution system. |

**Permit No. 3119503 MA, Minor Amendment**, Public Water Supply.

|                       |   |
|-----------------------|---|
| Applicant             | <b>Mapleton Municipal Water Authority</b>   |
| Municipality          | Union Township  |
| County                | <b>Huntingdon</b>   |
| Responsible Official  | Michael Corbin, Chairman<br>P.O. Box 306<br>Mapleton Depot, PA 17052  |
| Type of Facility      | Public Water Supply   |
| Consulting Engineer   | Garret J. Hargenrader, PE<br>Gwin, Dobson & Foreman, Inc.<br>3121 Fairway Drive<br>Altoona, PA 16602                            |
| Application Received: | 3/6/2019  |
| Description of Action | Proposed to operate existing Tank Nos. 1 and 2 simultaneously and modify the piping configuration to plumb the tanks in series. |

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 2719501**, Public Water Supply.

|                           |   |
|---------------------------|---|
| Applicant                 | <b>Forest Area School District</b>  |
| Township or Borough       | Hickory Township  |
| County                    | <b>Forest County</b>  |
| Responsible Official      | Amanda Hetrick, Superintendent  |
| Type of Facility          | Public Water Supply   |
| Consulting Engineer       | Marty English, PE<br>The EADS Group<br>15392 Route 322<br>Clarion, PA 16214 |
| Application Received Date | March 19, 2019  |
| Description of Action     | Install chemical injection system to assist with corrosion protection.      |

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

### PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may

request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Winifred Linton Property**, 505 Donegal Springs Road, Mount Joy, PA 17552, Mount Joy Borough, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Winifred Linton, 505 Donegal Springs Road, Mount Joy, PA 17522, submitted a Notice of Intent to Remediate site soil contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site will continue to be used for residential purposes. The Notice of Intent to Remediate was published in the *LNP* on March 12, 2019.

**Charles Kerst Property**, 1411 Long Lane, Columbia, PA 17512, East Donegal Township, **Lancaster County**. Liberty Environmental, Inc., 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of Charles Kerst, 1411 Long Lane, Columbia, PA 17512, submitted a Notice of Intent to Remediate soil contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is to be used for residential purposes. The Notice of Intent to Remediate was published in the *LNP* on February 11, 2019.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Calex Express**, 58 Pittston Avenue, Yatesville Borough, **Luzerne County**. Geological & Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651, on behalf of Calex Express, 58 Pittston Avenue, Pittston, PA 18640, submitted a Notice of Intent to Remediate. Soil contamination was caused by releases from an aboveground storage tank that contained diesel. Future use of the site will be non-residential. The Notice of Intent to Remediate was published in *The Citizens Voice* on March 13, 2019.

**Jairdullo Property**, 3341 Sherwood Road, Palmer Township, **Northampton County**. JMT Industrial & Environmental Contracting, 710 Uhler Road, Easton, PA 18045, on behalf of Vincent and Sharon Jairdullo, 3341 Sherwood Road, Easton, PA 18045, submitted a Notice of Intent to Remediate. Soil contamination was caused by releases from an underground storage tank that contained heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Morning Call* on March 11, 2019.

**Dorney Park and Wildwater Kingdom**, 3830 Dorney Park Road, South Whitehall Township, **Lehigh County**. Barry Isett & Associates, 85 South Route 100, Allentown, PA 18106, on behalf of Dorney Park and Wildwater Kingdom, 3830 Dorney Park Road, Allentown, PA 18104, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an aboveground storage tank at a greenhouse. Future use of the site will be non-residential. Statewide Health remediation standards are planned for this site. The Notice of Intent to Remediate was published in *The Morning Call* on March 15, 2019.

**Dingmans Best Fuel Station**, 1596 Dingmans Turnpike, Delaware Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Dingmans Fuel Transfer Corporation, P.O. Box 686, Dingmans Ferry, PA 18328, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of diesel. Future use of the site will be residential. Statewide Health remediation standards are planned for this site. The Notice of Intent to Remediate was published in *The News Eagle* on January 19, 2019.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application(s) Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Permit Application No. 301256. MC Project Company, LLC**, 600 Hamilton Street, Allentown, PA 18101. A permit reissuance to transfer the permit for the Martins Creek SES Basin 1 facility located in Lower Mount Bethel Township, **Northampton County** from Martins Creek, LLC to MC Project Company, LLC. The application was received on March 18, 2019 and deemed administratively complete by the Regional Office on March 22, 2019.

**Permit Application No. 301257. MC OpCo, LLC**, 600 Hamilton Street, Allentown, PA 18101. A permit reissuance to transfer the permit for the Martins Creek SES Basin 4 facility located in Lower Mount Bethel Township, **Northampton County** from Martins Creek, LLC to MC OpCo, LLC. The application was received on March 18, 2019 and deemed administratively complete by the Regional Office on March 22, 2019.

Comments concerning the application should be directed to Roger Bellas, Environmental Program Manager, Waste Management Program, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### AIR QUALITY PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to

make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**40-00007C: Bemis Company, Inc.** (20 Jaycee Drive, West Hazleton, PA 18202) for installation of one (1) regenerative thermal oxidizer (RTO) at their Bemis Performance packaging facility in West Hazleton Borough, **Luzerne County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) intends to issue a Plan Approval for Bemis Company, Inc. (20 Jaycee Drive, West Hazleton, PA 18202) for their Bemis Performance packaging facility in West Hazleton Borough, Luzerne County. This Plan Approval No. 40-00007C will be incorporated into a Title V Permit through an administrative amendment at a later date.

Plan Approval No. 40-00007C is for the installation of one (1) new regenerative thermal oxidizer (RTO) to replace three (3) existing catalytic oxidizers to control VOC emissions at their facility. A VOC destruction removal efficiency (DRE) of 98% will be required for this control device. The VOC emissions for this source is less than 1.0 ton/year. The Plan Approval will contain additional recordkeeping, testing and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 40-00007. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 40-00007C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

**54-00022D: Hydro Extrusions USA LLC** (53 Pottsville Street, Cressona, PA 17929) For installing a

new automotive press line at the site located in Cressona Borough, **Schuylkill County**.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue a plan approval to Hydro Extrusions USA, LLC to install a new automotive press line with log furnace and three age ovens at their facility located in Cressona Borough, Schuylkill County. The facility currently has a Title V Operating Permit No. 54-00022. Plan approval 54-00022D will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval 54-00022D is for the installation of a new automotive press line which includes one log furnace, one extrusion press, three age ovens, one cooling tower and associated ancillary equipment. Total facility emissions shall not exceed the following limits during any consecutive a 12-month rolling period in tons per year: NO<sub>x</sub> 99.9, CO 99.9, VOC 49.9, PM<sub>10</sub>/PM<sub>2.5</sub> 99.9, and SO<sub>2</sub> 99.9. The facility is subject to 40 CFR Part 63 Subpart RRR requirements. Hydro Extrusions USA LLC is a major facility for HAPs emissions and is subject to Title V permitting requirements and is located in Cressona Borough, Schuylkill County. The plan approval will include all appropriate monitoring, record keeping, and reporting requirements designed to keep the equipment operating within all applicable air quality requirements. Further details on the conditions and the reasons for their inclusion are available upon request.

Copies of the applications, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. The submittal of written comment must contain the name, address and telephone number of the commentator, identification of the proposed Permit No. 54-00022D and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, Chief, New Source Review Section, 2 Public Square, Wilkes-Barre, PA 18711, or 570-826-2511.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**20-194F: Lord Corporation** (601 South Street, Saegertown, PA 16433) for installation of a curative production line at their facility in Saegertown Borough, **Crawford County**. This is a Title V facility.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to

issue Plan Approval 20-194F to Lord Corporation for installation of a curative production line at their facility in Saegertown Borough, Crawford County. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 20-194F is for the installation of a CM-100 curative manufacturing line, to consist of four (4) batch reactors, a plate and frame filter press and associated wash process, and associated storage vessels for process intermediates. Particulate emissions from the proposed filter press will be controlled by a proposed dust collector. VOC emissions from the filter press and wash process will be controlled by an existing regenerative thermal oxidizer (Source ID C106). NO<sub>x</sub> emissions from proposed batch reactor RS-34 will be controlled by two (2) existing scrubbers (Source IDs C8280A and C8280B). Based on the information provided by the applicant and DEP's own analysis, total potential emissions from the subject source(s) will be 8.45 tons of particulate matter less than 2.5 microns (PM<sub>2.5</sub>), 4.9 tons of volatile organic compounds (VOC), and 0.12 ton of nitrogen oxides (NO<sub>x</sub>). The Plan Approval will contain testing, monitoring, reporting, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Additionally, the Plan Approval will contain applicable provisions of 40 CFR 63 Subpart FFFF (National Emission Standards for Hazardous Air Pollutants: Miscellaneous Organic Chemical Manufacturing). Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the following address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 20-194F and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426.*

**NOTICE OF INTENT TO REISSUE A PLANTWIDE APPLICABILITY LIMITATION (PAL) FOR NITROGEN OXIDES (NO<sub>x</sub>) AND SULFUR OXIDES (SO<sub>x</sub>).**

Applicant: Naval Surface Warfare Center, Philadelphia Division (NSWCPD).

Plant Location: 901 Admiral Peary Way, Philadelphia, PA 19112-1403.

Source Description: Research, development, testing and evaluation facility.

AMS 14347: AMS is proposing to issue a PAL Permit to NSWCPD for the following pollutants:

- Nonattainment New Source Review (NNSR) PAL for Nitrogen Oxides (NO<sub>x</sub>) for 240.4 tons per rolling 12-month period.
- Attainment New Source Review/Pollution of Significant Deterioration (PSD) NO<sub>x</sub> for 240.4 tons per rolling 12-month period.
- Attainment New Source Review/Pollution of Significant Deterioration (PSD) PAL for Sulfur Oxides (SO<sub>x</sub>) for 54.3 tons per rolling 12-month.

The proposed PAL Permit, if finally approved, will also be incorporated into a revised operating permit for the facility. Therefore, this notice serves as the public's only opportunity under Title V to provide comments on record for this proposed permit action.

Copies of all documents and information concerning this permit are available for review in the offices of Air Management Services, 321 University Ave., Philadelphia, PA 19104-4543 during normal business hours. Persons wishing to review these documents should contact Debra Williams (215-685-7572) at the previously listed address.

Persons wishing to file protest, comments or to request a public hearing on the previously listed permit must submit the protest, comments, or request for a public hearing to within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

#### OPERATING PERMITS

##### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-00066: Exelon Generation Co/Fairless Hills Generation Station** (990 Steel Road, Fairless Hills, PA 19030) located in Falls Township, **Bucks County**. This action is a renewal of the Title V Operating Permit. Based on its potential-to-emit volatile organic compounds (VOC) and oxides of nitrogen (NO<sub>x</sub>) the facility is a Title V facility. The renewed permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-05034: Texas Eastern Transmission LP/Bechtelsville** (467 Forgedale Road, Barton, PA 19504) to issue a Title V Operating Permit for the natural gas compressor station located in Washington Township, **Berks County**. The actual emissions from the facility in 2017 year are estimated at 265.1 tpy of NO<sub>x</sub>, 60.9 tpy of CO, 1.3 tpy of PM<sub>10</sub>, 2.4 tpy of SO<sub>x</sub>, 45.7 tpy of VOC, 3.4 tpy of Formaldehyde and 6.0 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart GG—Standards of Performance for Stationary Gas Turbines, 40 CFR 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, RACT 1 requirements, Presumptive RACT 2 requirements and Case-by-Case RACT 2 requirements.

##### **Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**23-00088: Southco, Inc.** (210 North Brinton Lake Road, Concordville, PA 19331) for operations at the manufacturing facility located in Concordville Township, **Delaware County**. The renewal permit is for a non-Title V (State Only) facility. The facility is categorized as a Natural Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00106: Univar USA Inc.** (200 Dean Sievers Place, Morrisville, PA 19067) submitted a renewal for a Non-Title V Facility, State-Only, Synthetic Minor Permit in Falls Township, **Bucks County**. Univar USA Inc is a chemical and allied products merchant wholesaler. The sources of emissions include: a boiler, diesel fire pump, emergency generators, storage tanks and transfer stations. The facility voluntarily took a total VOC HAP and total NO<sub>x</sub> emission limit of 24.9 tons per year and a 9.9-tons per year limit on individual HAPs calculated on a 12-month rolling sum. Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

**09-00064: CRC Industries, Inc.** (885 Louis Drive, Warminster, PA 18974) is a non-Title V, Synthetic Minor facility in Warminster Township, **Bucks County**. This action is a renewal of the State Only Operating Permit. CRC Industries, Inc. manufactures specialty chemicals used in the automotive, marine, electrical and industrial maintenance markets. The main emissions for this facility are volatile organic compounds, of which the facility is limited to less than 24.5 tons per year of emissions, and hazardous air pollutants, of which the facility is limited to less than 10 tons per year for any single hazardous air pollutant and less than 25 tons per year for all of the hazardous air pollutants combined. The requirements from 40 CFR Part 60, Subpart JJJJ apply to a natural gas fired emergency generator. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

**09-00084: Grandview Hospital** (700 Lawn Ave., Sellersville, PA 18960) located in West Rockhill Township,



**Bucks County.** This action is a renewal of the State Only Operating Permit. The permit was initially issued on 1/30/2004 and was subsequently renewed on 1/30/2009 and again on 5/14/2014. The permit is for the operation of four (4) dual fuel-fired (i.e., natural gas and ultra-low sulfur diesel fuel oil (ULSD)) boilers, two (2) 750-kW diesel-fired emergency generators, two (2) 600-kW diesel-fired emergency generators. The permit will include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

**46-00255: Schumacher & Benner Crematory** (359 King Street, Pottstown, PA 19464) for a non-Title V Facility, State-Only Natural Minor Operating Permit in Pottstown Borough, **Montgomery County**. This renewed operating permit reflects the continued operation of Source ID 101 (Human Crematory Unit). The potential to emit of the permitted source is: less than 1.0 TPY for NO<sub>x</sub>, SO<sub>x</sub>, and VOC; 1.53 TPY for PM; and 2.19 TPY for CO. Emissions of PM from the Crematory are expected to be less than 0.08 grain per dry standard cubic feet, corrected to 7 percent O<sub>2</sub>. Emissions of SO<sub>x</sub> from the Crematory are expected to be less than 500 ppmv. The permit will continue to contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

**09-00120: BASF Corporation** (6450 Bristol Pike, Levittown, PA 19057) is a non-Title V, Natural Minor facility located in Bristol Township, **Bucks County**. The Natural Minor Operating Permit No. 09-00120 is being renewed for another five (5) year term. The facility makes various products for commercial coatings of buildings and treatment of concrete and cement surfaces. Emissions are mostly PM, resulting from handling of dry ingredients and dry product material, while some liquid ingredients and liquid products result in VOC. Both the PM and VOC emissions can have a small percent of HAP emissions, including manganese and acetaldehyde, making the facility subject to 40 CFR Part 63, Subpart VVVVVV. The operating permit will continue to contain monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality regulations and requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**35-00028: Moses Taylor Hospital** (700 Quincy Avenue, Scranton, PA 18510-1724). The Department intends to issue a renewal (Natural Minor) permit to operate a General Medical and Surgical Hospital in Scranton, **Lackawanna County**. The primary sources consist of three (3) boilers. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), particulate matter (PM<sub>10</sub>), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**54-00059: Magdalene Crematory** (P.O. Box 215, Ringtown, PA 17967-0215). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the human crematory facility located in Ringtown, PA, **Schuylkill County**. The primary sources consist of two

(2) crematory incinerators. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**58-00002: Diaz Manufacturing Co., LLC** (747 Grow Avenue, Montrose, PA 18801). The Department intends to issue a renewal State-Only (Natural Minor) Permit for wood window and door manufacturing in Bridgewater Township, **Susquehanna County**. The sources consist of a wood fired boiler and wood working equipment with a dual multi-clone and baghouse as the control devices. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**66-00006: Geary Enterprises Concrete** (316 Post Hill Road, Falls, PA 18515-7897). The Department intends to issue a renewal State-Only (Natural Minor) Permit for crushed and broken stone mining and quarrying operations in Falls Township, **Wyoming County**. The primary sources consist of crushers, screens, and conveyors. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**39-00103: Bosch Rexroth Corporation** (2315 City Line Road, Bethlehem, PA 18017-2131). The Department intends to issue a renewal State-Only Synthetic Minor Permit for Bosch, located in the City of Bethlehem, **Lehigh County**. Operations performed at this facility include the manufacturing, machining, and servicing of metal parts. The source is considered a minor emission source of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**07-05025: Sunoco Partners Marketing Terminal LP/Altoona Terminal** (101 West Third Street, Williamsport, PA 17701) for a bulk petroleum fuel storage and loading terminal in Allegheny Township, **Blair County**. The facility 2017 actual air emissions were 1.31 ton of VOC, and 0.11 ton of total HAPs. This is for renewal of the existing State-only permit. The Operating Permit will include emission limits and work practice standards along

with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 63 Subpart JJJJJ-National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, and 40 CFR Part 63 Subpart BBBBBB-National Emissions Standards for Hazardous Air Pollutants for Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities.

**67-03056: SKF USA, Inc.** (20 Industrial Drive, Hanover, PA 17331) for operation of the spherical roller bearing manufacturing facility in Hanover Borough, **York County**. The potential facility emissions are 15.03 tons of CO, 5.62 tons of NO<sub>x</sub>, 0.6 ton of PM<sub>10</sub>, 1.9 ton of SO<sub>x</sub>, 22.5 tons of VOC, and 0.09 ton of total HAPs. This is for renewal of the existing state-only permit. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 63 Subpart ZZZZ-National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines Area Sources.

**36-05076: Penn Medicine—Lancaster General Hospital** (555 North Duke Street, Lancaster, PA 17604) to issue a State-Only Operating Permit for the operation of their medical and surgical hospital in the City of Lancaster, **Lancaster County**. The facility's actual emissions for 2018 were reported to be 14.67 tpy CO, 25.37 tpy NO<sub>x</sub>, 3.78 tpy PM<sub>10</sub> & PM<sub>2.5</sub>, 0.76 tpy SO<sub>x</sub>, & 7.45 tpy VOC. This is for renewal of the existing State-only permit. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines and 40 CFR 60, Subpart KKKK—Standards of Performance for Stationary Combustion Turbines.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**08-00050: Eureka Resources, LLC** (451 Pine Street, Williamsport, PA 17701) to issue an initial State Only Operating Permit for their Standing Stone Facility located in Standing Stone Township, **Bradford County**. The facility is currently operating under Plan Approval 08-00050B. The facility's main sources include wastewater treatment and salt extraction processes. The facility has potential emissions of 9.0 tons per year (TPY) of NO<sub>x</sub>, 4.5 TPY of CO, 14.0 TPY of SO<sub>x</sub>, 2.1 TPY of PM, 14.1 TPY of VOCs, 8.8 TPY of HAPs and 8,211 TPY of greenhouse gas (as carbon dioxide equivalent). The proposed operating permit incorporates the applicable terms and conditions of Plan Approval 08-00050B. The emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code

Chapters 121—145 and 40 CFR Part 63 Subpart ZZZZ. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, PE, Facilities Permitting Chief—Telephone: 412-442-4336.*

**04-00483: Danzer Veneer Americas, Inc.** (119 Aid Drive, Darlington, PA 16115) Natural Minor Operating Permit is for a facility that processes wood veneer and is located in Darlington Township, **Beaver County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an Air Quality Operating Permit for the previously-mentioned facility. Sources of emissions consist of one 8.75 MMBtu/hr boiler controlled by a multicyclone system, woodworking operations controlled by a baghouse, and one parts washer. Facility-wide potential emissions are projected to be 0.51 TPY VOC, 14.6 TPY NO<sub>x</sub>, 17.8 TPY CO, 0.0 TPY HAP, 0.0 TPY single HAP, 2.47 TPY PM<sub>10</sub>, 1.46 TPY PM<sub>2.5</sub>, 0.743 TPY SO<sub>x</sub>, and 5,798 TPY CO<sub>2e</sub>. Actual annual emissions at the facility are projected to be 0.19 TPY VOC, 5.4 TPY NO<sub>x</sub>, 6.6 TPY CO, 0.0 TPY HAP, 0.0 TPY single HAP, 0.91 TPY PM<sub>10</sub>, 0.54 TPY PM<sub>2.5</sub>, 0.27 TPY SO<sub>x</sub>, and 2,129 TPY CO<sub>2e</sub>. At a minimum, the facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes material throughput limits, operation requirements, monitoring requirements, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Bradley Spayd, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (04-00483) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Bradley Spayd, Air Quality Engineering Specialist, at the previously listed address. For additional information concerning the permit or the issuance procedure, contact Bradley Spayd at the previously listed address or phone at (412) 442-5227.

All comments must be received prior to the close of business 30 days after the date of this publication.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**10-00171: Butler Color Press** (119 Bonnie Dr., Butler, PA 16002), the Department intends to issue the renewal of the State-Only Operating Permit of a commercial printing facility located in Summit Township, **Butler County**. Permitted sources at the facility are two lithographic printing presses, clean-up solvent usage, four parts washers, and space heaters. To be Synthetic Minor, the facility is subject to elective restrictions of 49 TPY VOC, 9.5 TPY any single HAP, and 24.5 TPY total HAPs on a 12-month rolling basis. In this renewal, 25 Pa. Code § 129.67b is incorporated and applies to the lithographic printing presses, clean-up solvent usage, and parts washers. Previously an insignificant activity, the parts washers are reclassified as a permitted source because its cleaning operations are subject to § 129.67b. Other permit changes include the update of source test submittals based on Source Testing Section's latest instructions and the removal of sources no longer operated. A compliance schedule is also added to bring the facility into compliance with the stack test requirements for its lithographic printing presses.

**16-00148: RV Burns Crematorium** (638 Wood Street, Clarion, PA 16214-1341), the Department intends to issue the Natural Minor Operating Permit to operate a human cremator in Clarion Borough, **Clarion County**. The facility's primary emission source is a cremator installed in October 2006. The conditions of the previous plan approval were incorporated into the permit. The cremator is fired with natural gas and is controlled by an afterburner rated at 1.5 MMBtu/hr. Particulate matter from the exhaust is restricted to 0.06 grain per dry standard cubic foot, corrected to 7% oxygen. The potential CO, particulate, NO<sub>x</sub>, VOC, and SO<sub>x</sub> emissions are: 3.3 TPY, 2.3 TPY, 1.0 TPY, 1.0 TPY, and 0.8 TPY, respectively.

**25-00648: NEPA Energy LP** (10915 Ackerman Rd, North East, PA 16428). The Department is providing notice that they intend to renew a State Only Natural Minor Operating Permit for operation of the facility located in North East Township, **Erie County**. The facility produces steam for the nearby Welch's facility, located at 139 South Lake St, North East, PA 16428. The facility's primary emission sources include the two 99 MMBtu/hr boilers and a parts cleaner. The potential emissions of the primary pollutants from the facility are as follows: 61.95 TPY (tons per year) NO<sub>x</sub>, 65.12 TPY CO, 5.14 TPY VOC, 1.65 TPY total HAPs, 1.66 TPY filterable PM<sub>10</sub> and PM<sub>2.5</sub>, and 0.52 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The boilers are subject to 40 CFR 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**43-00251: Component InterTechnologies, Inc.**, (2426 Perry Highway, Hadley, PA 16130), The Department intends to renew a State Only Operating Permit for the facility located in Perry Township, **Mercer County**. The facility is a Natural Minor. The primary sources at the facility include several natural gas fueled space heaters used for building heat, a natural gas fueled emergency generator, 3 cold cleaning parts washers, and a vapor degreaser which uses N-Propyl Bromide as a solvent. The potential emissions from the facility for all

criteria pollutants are less than the Title V thresholds. The emergency generator is subject to 40 CFR Part 63 Subpart ZZZZ, the NESHAP for RICE. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Received*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**30080703 and NPDES No. PA0235831. Contura Freeport, LLC**, (158 Portal Road, P.O. Box 1020,

Waynesburg, PA 15370). To renew the permit for the Freeport Coal Refuse Disposal Area No. 1 in Jefferson Township, **Greene County** and related NPDES permit. No additional discharges. The application was considered administratively complete on March 19, 2019. Application received: August 3, 2018.

**63131302 and NPDES No. PA0001147. Consol Mining Company LLC**, (1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317). To renew the permit for the Montour # 4 Mine-Hahn Treatment Facility in Cecil Township, **Washington County** and related NPDES permit. No additional discharges. The application was considered administratively complete on March 20, 2019. Application received: October 26, 2018.

**63981301 and NPDES No. PA0215171. The Ohio County Coal Company**, (46226 National Road, St. Clairsville, OH 43950). To renew the permit for the Ohio County Mine in West Finley Township, **Washington County** and related NPDES permit. No additional discharges. The application was considered administratively complete on March 20, 2019. Application received: November 9, 2018.

**56981301 and NPDES No. PA0215121. Quecreek Mining, Inc.**, (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). To renew the permit for the Quecreek No. 1 Mine in Lincoln and Somerset Townships, **Somerset County** and related NPDES permit. No additional discharges. The application was considered administratively complete on March 20, 2019. Application received: September 28, 2018.

**56071301 and NPDES No. PA0235814. RoxCoal, Inc.**, (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). To renew the permit for the Horning Deep Mine in Stonycreek Township, **Somerset County** and related NPDES permit. No additional discharges. The application was considered administratively complete on March 21, 2019. Application received: November 9, 2018.

**56961301 and NPDES No. PA0214736. RoxCoal, Inc.**, (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). To revise the permit for the Sarah Mine in Jenner Township and Jennerstown Borough, **Somerset County** and related NPDES permit for a land use change from pastureland to wildlife habitat and residential/commercial, cropland to pastureland and forestland to pastureland. No additional discharges. The application was considered administratively complete on March 21, 2019. Application received: February 7, 2019.

**56021301 and NPDES No. PA0235547. Elk Lick Energy, Inc.**, (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). To renew the permit for the Roytown Mine in Lincoln Township, **Somerset County** and related NPDES permit. No additional discharges. The application was considered administratively complete on March 22, 2019. Application received: September 28, 2018.

**32901602 and NPDES No. PA1213993. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To renew the permit for the I-22 Tipple in Burrell Township, **Indiana County** and related NPDES permit. No additional discharges. The application was considered administratively complete on March 22, 2019. Application received: December 10, 2018.

**03871303 and NPDES No. PA0213667. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To revise the permit for the Darmac No. 2 Deep Mine in Plumcreek Township, **Armstrong County** and Washington Township, **Indiana County** and related NPDES permit to add acres to the underground permit and subsidence control plan area to the Darmac No. 2 Deep Mine from the adjacent Dutch Run underground permit and subsidence control plan area. Underground Acres Proposed 276.0, Subsidence Control Plan Acres Proposed 276.0. No additional discharges. The application was considered administratively complete on March 22, 2019. Application received: December 24, 2018.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 56940101. Rosebud Mining Co.**, 301 Market Street, Kittanning, PA 16201, permit renewal for reclamation only of a bituminous surface and auger mine in Brothersvalley Township, **Somerset County**, affecting 205.9 acres. Receiving streams: unnamed tributaries to/and Buffalo Creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 18, 2019.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**17714022 and NPDES PA0611034. A. W. Long** (127 Logan Street, Philipsburg, PA 16866). Permit renewal for continued operation and restoration of a bituminous surface coal mine located in Morris Township, **Clearfield County** affecting 149.6 acres. Receiving stream(s): Hawk Run to Moshannon Creek and Moshannon Creek classified for the following use(s): TSF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: March 13, 2019.

**17030113 and NPDES PA0243591. Rob Holland Enterprises** (52 Holland Lane, Curwensville, PA 16833). Permit renewal for continued operation and restoration of a bituminous surface coal mine located in Lawrence Township, **Clearfield County** affecting 47.9 acres. Receiving stream(s): Unnamed Tributary to Montgomery Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: March 18, 2019.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**30080201 and NPDES Permit No. PA0251470. Shannopin Materials, LLC**, (966 Crafts Run Road, Madsville, WV 26541). Renewal application for continued mining to an existing bituminous surface mine, located in Monongahela Township, **Greene County**, affecting 19.6 acres. Receiving streams: unnamed tributaries to Monongahela River, classified for the following use: WWF. Dunkard Valley Joint Municipal Water Authority and South Western PA Water Authority are potable water supply intakes within 10 miles downstream from the point of discharge. Renewal application received: March 18, 2019.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

| <i>Parameter</i>                     | <i>30-day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instantaneous<br/>Maximum</i> |
|--------------------------------------|---------------------------|--------------------------|----------------------------------|
| Suspended solids                     | 10 to 35 mg/l             | 20 to 70 mg/l            | 25 to 90 mg/l                    |
| Alkalinity exceeding acidity*<br>pH* |                           |                          | greater than 6.0; less than 9.0  |

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 58190804 and NPDES Permit No. PA0226009. Stanley L. Colwell**, (1030 Wagner Road, New Milford, PA 18834), commencement, operation and restoration of a bluestone quarry operation and NPDES permit for discharge of treated mine drainage in New Milford Township, **Susquehanna County** affecting 5.0 acres, receiving stream: Beaver Creek and Salt Lick Creek, classified for the following uses: high-quality cold water fishes and migratory fishes. Application received: March 13, 2019.

*Noncoal Applications Withdrawn*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 64172501 and NPDES Permit No. PA0225797. Rock Lake, Inc.**, (3230 Creamton Drive, Lake Como, PA 18437), commencement, operation and restoration of a bluestone quarry operation and NPDES permit for discharge of treated mine drainage in Lebanon Township, **Wayne County** affecting 5.0 acres, receiving stream: unnamed tributary to West Branch Dyberry Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: November 15, 2017. Application withdrawn: March 22, 2019.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i>                 | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instantaneous<br/>Maximum</i> |
|----------------------------------|---------------------------|--------------------------|----------------------------------|
| Iron (Total)                     | 3.0 mg/l                  | 6.0 mg/l                 | 7.0 mg/l                         |
| Manganese (Total)                | 2.0 mg/l                  | 4.0 mg/l                 | 5.0 mg/l                         |
| Suspended solids                 | 35 mg/l                   | 70 mg/l                  | 90 mg/l                          |
| pH*                              |                           |                          | greater than 6.0; less than 9.0  |
| Alkalinity greater than acidity* |                           |                          |                                  |

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal NPDES Draft Permits*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**NPDES No. PA0215490 (Mining Permit No. 17743702), Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). A revision to the NPDES and mining activity permit for the Lady Jane Plant in Huston Township, **Clearfield County**. Surface Acres Affected 107.3. Outfall 002 discharges surface runoff and leachate. DEP is issuing a department-initiated amendment. The permit is being amended to remove the selenium monitoring from Outfall 002 based on DMR data because there is no reasonable potential for the discharge of selenium to cause an excursion above the water quality criterion. Monitoring for selenium is also being removed from Outfall 005 because Outfall 005 has not been constructed and Outfall 002 is representative of Outfall 005. The facility discharges to a TMDL impacted stream therefore the EPA Waiver is not in effect. Receiving stream: Moose Run, classified for the following use: CWF. Bennett Branch, Sinnemahoning Creek Watershed TMDL. The application was considered administratively complete on January 17, 2018. Application received: January 17, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

#### *Outfall 002 discharges to: Moose Run.*

The proposed effluent limits for *Outfall 002* (Lat: 41° 11' 56.2" Long: -78° 33' 4.1") are:

| <i>Parameter</i>                              |          | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Instant.<br/>Maximum</i> | <i>Daily<br/>Maximum</i> |
|---|----------|----------------|---------------------------|-----------------------------|--------------------------|
| Flow  | (mgd)    | -              | -                         | -                           | Report                   |
| pH  | (S.U.)   | 6.0            | -                         | 9.0<br>Max                  | -                        |
| Iron  | (mg/l)   | -              | 1.5                       | 3.0                         | 3.8                      |
| Manganese                                     | (mg/l)   | -              | 1.0                       | 2.0                         | 2.5                      |
| Aluminum                                      | (mg/l)   | -              | 0.75                      | 0.75                        | -                        |
| Total Suspended Solids                        | (mg/l)   | -              | 35.0                      | 70.0                        | 90.0                     |
| Sulfate                                       | (mg/l)   | -              | -                         | -                           | Report                   |
| Osmotic Pressure                              | (mos/kg) | -              | -                         | -                           | Report                   |
| Chloride                                      | (mg/l)   | -              | -                         | -                           | Report                   |
| Sulfate                                       | (mg/l)   | -              | -                         | -                           | Report                   |
| Total Dissolved Solids                        | (mg/l)   | -              | -                         | -                           | Report                   |
| Alkalinity, total (as CaCO <sub>3</sub> )     | (mg/l)   | -              | -                         | -                           | Report                   |
| Acidity, total (as CaCO <sub>3</sub> )        | (mg/l)   | -              | -                         | -                           | Report                   |
| Alkalinity Net, total (as CaCO <sub>3</sub> ) | (mg/l)   | 0.0            | -                         | -                           | -                        |

Outfall 005 discharges to: Unnamed Tributary to Moose Run.

The proposed effluent limits for Outfall 005 (Lat: 41° 12' 18.7" Long: -78° 33' 37") are:

| Parameter                                     | Mass Units (lb/day) | Mass Units (lb/day) |               | Mass Units (lb/day) |                | Instant. Maximum |
|---|---------------------|---------------------|---------------|---------------------|----------------|------------------|
|   |                     | Average Monthly     | Maximum Daily | Minimum             | 30-Day Average |                  |
| Flow  | (mgd)               | -                   | -             | -                   | -              | Report           |
| pH  | (S.U.)              | -                   | -             | 6.0                 | -              | -                |
| Iron  | (mg/l)              | -                   | -             | -                   | 1.5            | 3.8              |
| Manganese                                     | (mg/l)              | -                   | -             | -                   | 1.0            | 2.5              |
| Aluminum                                      | (mg/l)              | -                   | -             | -                   | 0.75           | 0.75             |
| Total Suspended Solids                        | (mg/l)              | -                   | -             | -                   | 35.0           | 90.0             |
| Sulfate                                       | (mg/l)              | -                   | -             | -                   | -              | Report           |
| Osmotic Pressure                              | (mos/kg)            | -                   | -             | -                   | 73.87          | 147.74           |
| Chloride                                      | (mg/l)              | -                   | -             | -                   | -              | Report           |
| Bromide                                       | (mg/l)              | -                   | -             | -                   | -              | Report           |
| Total Dissolved Solids                        | (mg/l)              | 5,000               | -             | -                   | -              | Report           |
|   |                     | Annual Average      |               |                     |                |                  |
| Alkalinity, total (as CaCO <sub>3</sub> )     | (mg/l)              | -                   | -             | -                   | -              | Report           |
| Acidity, total (as CaCO <sub>3</sub> )        | (mg/l)              | -                   | -             | -                   | -              | Report           |
| Alkalinity Net, total (as CaCO <sub>3</sub> ) | (mg/l)              | -                   | -             | 0.0                 | -              | -                |

EPA waiver not in effect.

**NPDES No. PA0213721 (Mining Permit No. 56841608), PBS Coals, Inc.**, (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). A revision to the NPDES and mining activity permit for the Cambria Fuel Preparation Plant in Stonycreek Township, **Somerset County**. This is a DEP initiated amendment being issued to remove silver and copper monitoring from Outfall 001, because the permittee has demonstrated that it is not present in the discharge or receiving stream. Surface Acres Affected 56. Receiving stream: Schrock Run, classified for the following use: CWF. Kiskiminetas-Conemaugh River Watershed TMDL. The application was considered administratively complete on June 14, 2018. Application received: June 14, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Schrock Run.

The proposed effluent limits for Outfall 001 (Lat: 39° 59' 54" Long: 78° 57' 14") are:

| Parameter                              |          | Minimum | 30-Day Average | Daily Maximum | Instant. Maximum |
|--|----------|---------|----------------|---------------|------------------|
| Flow                                   | (mgd)    | -       | -              | -             | Report           |
| Iron                                   | (mg/l)   | -       | 1.5            | 3.0           | 3.8              |
| Suspended Solids <sup>1</sup>          | (mg/l)   | -       | 35             | 70            | 90               |
| Manganese                              | (mg/l)   | -       | 1.0            | 2.0           | 2.5              |
| Aluminum                               | (mg/l)   | -       | 0.75           | 0.75          | 0.75             |
| Sulfate                                | (mg/l)   | -       | -              | -             | Report           |
| Total Dissolved Solids                 | (mg/l)   | -       | -              | -             | Report           |
| Chloride                               | (mg/l)   | -       | -              | -             | Report           |
| pH                                     | (mg/l)   | 6.0     | -              | -             | 9.0              |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l)   | -       | -              | -             | Report           |
| Acidity, Total as CaCO <sub>3</sub>    | (mg/l)   | -       | -              | -             | Report           |
| Alkalinity, Net                        | (mg/l)   | 0       | -              | -             | -                |
| Osmotic Pressure                       | (mOs/kg) | -       | 50             | 100           | -                |

EPA waiver not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

**NPDES No. PA0269174 (Mining Permit No. 56120116), LCT Energy, LP**, 938 Mount Airy Drive, Suite 200, Johnstown, PA 15904, renewal of an NPDES permit for a bituminous surface mine in Stonycreek Township and Indian Lake Borough, **Somerset County**, affecting 82.5 acres. Receiving stream: unnamed tributary to Boone Run, classified for the following use: cold water fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: January 18, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfalls discharge to unnamed tributary to Boone Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 001                 | N                        |
| 002                 | N                        |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Outfalls: 001 and 002</i><br><i>Parameter</i> | <i>30-Day</i><br><i>Average</i> | <i>Daily</i><br><i>Maximum</i> | <i>Instant.</i><br><i>Maximum</i> |
|--|---------------------------------|--------------------------------|-----------------------------------|
| Iron (mg/l)                                      | 1.5                             | 3.0                            | 3.7                               |
| Manganese (mg/l)                                 | 1.0                             | 2.0                            | 2.5                               |
| Aluminum (mg/l)                                  | 0.75                            | 0.75                           | 0.75                              |
| Total Suspended Solids (mg/l)                    | 35.0                            | 70.0                           | 90.0                              |
| Osmotic Pressure (milliosmoles/kg)               |                                 |                                | Report                            |
| Sulfate  |                                 |                                | Report                            |
| Temperature (°C)                                 |                                 |                                | Report                            |
| Flow (mgd)                                       |                                 |                                | Report                            |

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

The following stormwater outfalls discharge to unnamed tributary to Boone Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 003                 | N                        |
| 004                 | N                        |
| 005                 | N                        |
| 006                 | N                        |
| 007                 | N                        |

| <i>Outfalls: 003, 004, 005, 006, 007</i><br><i>Parameter</i> | <i>30-Day</i><br><i>Average</i> | <i>Daily</i><br><i>Maximum</i> | <i>Instant.</i><br><i>Maximum</i> |
|--|---------------------------------|--------------------------------|-----------------------------------|
| Iron (mg/l)  | 1.5                             | 3.0                            | 3.7                               |
| Manganese (mg/l)   | 1.0                             | 2.0                            | 2.5                               |
| Aluminum (mg/l)  | 0.75                            | 0.75                           | 0.75                              |
| Total Suspended Solids (mg/l)                                | 35.0                            | 70.0                           | 90.0                              |
| Sulfate  |                                 |                                | Report                            |
| Temperature (°C)   |                                 |                                | Report                            |
| Flow (mgd)   |                                 |                                | Report                            |

Specific Conductance (µmohs/cm)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**NPDES No. PA0119334 (Mining Permit No. 17793044), River Hill Coal Company, Inc.,** P.O. Box 141, Kylertown, PA 16847 renewal of an NPDES permit for bituminous surface coal mining in Karthaus Township, **Clearfield County**, affecting 28.9 acres. Receiving stream(s): Saltlick Run classified for the following use(s): HQ-CWF, MF. Application received: November 21, 2018.

The following outfall discharges to Saltlick Run:

| <i>Outfall No.</i> | <i>New Outfall (Y/N)</i> |
|--------------------|--------------------------|
| 002                | N                        |

The proposed effluent limits for the previously listed outfall are as follows:

| <i>Parameter</i>              | <i>Minimum</i> | <i>30-Day</i><br><i>Average</i> | <i>Daily</i><br><i>Maximum</i> | <i>Instant.</i><br><i>Maximum</i> |
|-------------------------------|----------------|---------------------------------|--------------------------------|-----------------------------------|
| pH <sup>1</sup> (S.U.)        | 6.0            |                                 |                                | 9.0                               |
| Iron (mg/l)                   |                | 3.0                             | 6.0                            | 9.0                               |
| Total Suspended Solids (mg/l) |                | 35.0                            | 70.0                           | 90.0                              |

<sup>1</sup> The parameter is applicable at all times.

### FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33

U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person



commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E19-325. Levi Beiler**, 428 A Washingtonville Road, Bloomsburg, PA 17815. Beiler Bridge Crossing, in Madison Township, **Columbia County**, ACOE Baltimore District (Millville, PA Quadrangle; Latitude: 41° 4' 21.5"; Latitude 76° 36' 44.7").

The applicant is proposing to construct a 16 feet wide by 40 feet long bridge structure on concrete abutments to facilitate livestock and equipment across Mud Creek, which is designated as a Warm Water Fishery. Approaches are intended to be installed during construction and will disturb an area 16 feet wide by 100 feet long on both left and right sides of the stream channel. The approaches are proposed to be stabilized with stone. This project is located 2.25 miles west on SR 0254 from the intersection of SR 0044 and SR 0254 in Jerseytown.

*Southwest Region: Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

**E32052-525, Urban Outfitters, Inc.**, 500 South Broad Street, Philadelphia, PA 19112, White Township, **Indiana County**; Pittsburgh ACOE District.

The applicant is proposing to:

1. Construct, and maintain three (3) 36" HDPE storm water pipe crossings under an unnamed tributary (UNT) to Cherry Run (CWF),
2. Construct, and maintain one (1) 6" PVC sanitary pipe crossing under a UNT to Cherry Run (CWF),
3. Fill in 933 LF of a UNT to Cherry Run (CWF),
4. Fill in 0.58 acre of PFO wetland,
5. Mitigation includes the construction of 1.50 acre of PSS and PFO wetland within the Windy Ridge Business and Technology Park.

For the purpose of constructing a 958,000 square foot warehouse with associated parking lots, utilities, access

drives and stormwater facilities. The project will cumulatively result in approximately 930 LF of permanent impact and 330 LF of temporary impact to a UNT to Cherry Run (CWF), and approximately 0.6 acre of permanent impact to PSS and PFO wetlands. The project site is located approximately 1,350 feet southeast of the intersection of Oakland Avenue (PA 286) and Fenton Road (Indiana, PA USGS topographic quadrangle; N: 40°, 35', 31"; W: -79°, 11', 4"; Sub-basin 18D; USACE Pittsburgh District), in White Township, Indiana County.

**E65052-996, North Huntingdon Township**, 11279 Center Highway, North Huntingdon Township, **Westmoreland County**; Pittsburgh ACOE District.

The applicant is proposing to:

Construct and maintain a 300 foot long enclosure of UNT to Brush Creek (TSF), utilizing a 48" HDPE pipe, for the purpose of creating a fill site for North Huntingdon Public Works. The project will permanently impact 300 LF of UNT to Brush Creek. Mitigation will include the installation of end walls and an R-6 rip-rap apron to minimize downstream erosion.

The project site is located at 12319 Route 30, North Huntingdon, PA 15642 (Irwin, PA USGS topographic quadrangle; N: 40° 20' 20"; W: -79° 44' 17"; Sub-basin 19A; USACE Pittsburgh District), in North Huntingdon Township, Westmoreland County.

*District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**E4129-125. ARD Operating LLC**, 33 West Third Street, Suite 300, Williamsport, PA 17701. Duncan to Wallis Run (Temporary Above Ground Waterline) in Cascade Township, **Lycoming County**, ACOE Baltimore District (Barbours & Bodines, PA Quadrangles N: 41° 28' 6" W: -76° 51' 54").

ARD has applied for an Individual—Joint Permit to construct, operate and maintain temporary above ground water (TAGWL). The temporary waterline will be located within existing natural gas pipeline ROW, existing access road ROW, along existing State forest land road and on private camp roads. The purpose of this project is to provide a temporary means of water conveyance between the Duncan Pad and the Wallis Run Impoundment for use during drilling activities. A temporary 12-inch line will be placed on existing ground surface except where it crosses roadways/driveways where either a boring or an open trench crossing will be required. Approximately 38,360 LF (7.3 miles) of TAGWL is proposed.

A total of six (6) temporary stream impacts are proposed to Salt Run, UNT 34 Salt Run, UNT 35 Salt Run, EB Wallis Run, UNT 2 WB Wallis Run and UNT 5 WB Wallis Run. Project watercourse impacts shall include and be limited to a total of X LF (X SF) of temporary stream impacts. No permanent stream impacts are proposed.

A total of six (6) temporary floodway impacts are proposed to Salt Run, UNT 34 Salt Run, UNT 35 Salt Run, EB Wallis Run, UNT 2 WB Wallis Run and UNT 5 WB Wallis Run. Project watercourse impacts shall include and be limited to a total of 6,782 SF (0.156 ac) of temporary floodway impacts. No permanent floodway impacts are proposed.

A total of twenty-five (25) temporary wetland impacts are proposed. Project wetland impacts shall include and be limited to a total of 31,492 SF (0.723 acre) of temporary wetland impacts. No permanent wetlands impacts are proposed.

## STREAM IMPACT TABLE:

| <i>Resource Name</i>   | <i>Municipality</i> | <i>Activity</i>        | <i>Chapter 93</i> | <i>Listed Trout</i> | <i>Impact Area Temp. (SF)</i> | <i>Impact Length Temp. (LF)</i> | <i>Impact Area Perm. (SF)</i> | <i>Impact Length Perm. (LF)</i> | <i>Lat. Long.</i>      |
|------------------------|---------------------|------------------------|-------------------|---------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|------------------------|
| Salt Run               | Cascade             | TAGWL Over 36" Culvert | HQ-CWF, EV        | Wild                | 30                            | 10                              |                               |                                 | 41.469050<br>76.879049 |
| UNT 34 Salt Run        | Cascade             | TAGWL Temp. Bridge     | HQ-CWF, EV        | Wild                | 176                           | 10                              |                               |                                 | 41.460475<br>76.892494 |
| UNT 35 Salt Run        | Cascade             | TAGWL Over 36" Culvert | HQ-CWF, EV        | Wild                | 161                           | 10                              |                               |                                 | 41.458705<br>76.895236 |
| East Branch Wallis Run | Cascade             | TAGWL Temp. Bridge     | HQ-CWF, EV        | Wild                | 186                           | 10                              |                               |                                 | 41.445048<br>76.857569 |
| UNT 2 WB Wallis Run    | Cascade             | TAGWL Temp. Bridge     | HQ-CWF, EV        | Wild                | 139                           | 10                              |                               |                                 | 41.455655<br>76.865927 |
| TOTAL                  |                     |                        |                   |                     | 801                           | 60                              |                               |                                 |                        |

## WETLAND IMPACT TABLE:

| <i>Resource Name</i> | <i>Municipality</i> | <i>Activity</i>      | <i>Chapter 93</i> | <i>Listed Trout</i> | <i>Impact Area Temp. (SF)</i> | <i>Impact Length Temp. (LF)</i> | <i>Impact Area Perm. (SF)</i> | <i>Impact Length Perm. (LF)</i> | <i>Lat. Long.</i>      |
|----------------------|---------------------|----------------------|-------------------|---------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|------------------------|
| Wetland 3            | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 922                           | 93                              |                               |                                 | 41.455<br>77.865       |
| Wetland 6            | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 167                           | 17                              |                               |                                 | 41.455812<br>76.865944 |
| Wetland 7            | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 98                            | 49                              |                               |                                 | 41.470521<br>76.870153 |
| Wetland 14           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 1,048                         | 210                             |                               |                                 | 41.469174<br>76.875306 |
| Wetland 19           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 485                           | 97                              |                               |                                 | 41.469123<br>76.879178 |
| Wetland 26           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 224                           | 65                              |                               |                                 | 41.468674<br>76.858847 |
| Wetland 30           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 8,320                         | 1,109                           |                               |                                 | 41.465807<br>76.863149 |
| Wetland 35           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 63                            | 5                               |                               |                                 | 41.463200<br>76.886173 |
| Wetland 36           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 927                           | 46                              |                               |                                 | 41.463283<br>76.887087 |
| Wetland 37           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 635                           | 54                              |                               |                                 | 41.463257<br>76.888262 |
| Wetland 38           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 2,795                         | 280                             |                               |                                 | 41.461451<br>76.892364 |
| Wetland 40           | Cascade             | TAGWL Timber Matting | PFO; EV           | Wild                | 1,010                         | 101                             |                               |                                 | 41.458661<br>76.896048 |
| Wetland 41           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 927                           | 93                              |                               |                                 | 41.458296<br>76.897048 |
| Wetland 43           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 3,626                         | 363                             |                               |                                 | 41.456974<br>76.901499 |
| Wetland 50           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 802                           | 5                               |                               |                                 | 41.461893<br>76.866061 |
| Wetland 51           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 2,374                         | 238                             |                               |                                 | 41.459441<br>76.865381 |
| Wetland 52           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 86                            | 43                              |                               |                                 | 41.458837<br>76.865239 |
| Wetland 54           | Cascade             | TAGWL Timber Matting | PEM; EV           | Wild                | 12                            | 22                              |                               |                                 | 41.457593<br>76.866298 |

| <i>Resource Name</i> | <i>Municipality</i> | <i>Activity</i>         | <i>Chapter 93</i> | <i>Listed Trout</i> | <i>Impact Area Temp. (SF)</i> | <i>Impact Length Temp. (LF)</i> | <i>Impact Area Perm. (SF)</i> | <i>Impact Length Perm. (LF)</i> | <i>Lat. Long.</i>      |
|----------------------|---------------------|-------------------------|-------------------|---------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|------------------------|
| Wetland 55           | Cascade             | TAGWL<br>Timber Matting | PFO;<br>EV        | Wild                | 2,390                         | 239                             |                               |                                 | 41.456745<br>76.866446 |
| Wetland 56           | Cascade             | TAGWL<br>Timber Matting | PEM;<br>EV        | Wild                | 3,165                         | 317                             |                               |                                 | 41.450304<br>76.866923 |
| Wetland 57           | Cascade             | TAGWL<br>Timber Matting | PEM;<br>EV        | Wild                | 222                           | 23                              |                               |                                 | 41.448926<br>76.866037 |
| Wetland 58           | Cascade             | TAGWL<br>Timber Matting | PEM;<br>EV        | Wild                | 107                           | 11                              |                               |                                 | 41.448343<br>76.865606 |
| Wetland 59           | Cascade             | TAGWL<br>Timber Matting | PEM;<br>EV        | Wild                | 86                            | 9                               |                               |                                 | 41.444809<br>76.859887 |
| Wetland 62           | Cascade             | TAGWL<br>Timber Matting | PEM;<br>EV        | Wild                | 461                           | 46                              |                               |                                 | 41.444955<br>76.857247 |
| Wetland 64           | Cascade             | TAGWL<br>Timber Matting | PEM;<br>EV        | Wild                | 540                           | 54                              |                               |                                 | 41.446994<br>76.844767 |
| TOTAL                |                     |                         |                   |                     | 31,492                        | 3,589                           |                               |                                 |                        |

**FLOODWAY IMPACT TABLE:**

| <i>Resource Name</i>      | <i>Municipality</i> | <i>Activity</i>           | <i>Listed Trout</i> | <i>Impact Area Temp. (SF)</i> | <i>Impact Length Temp. (LF)</i> | <i>Impact Area Perm. (SF)</i> | <i>Impact Length Perm. (LF)</i> | <i>Lat. Long.</i>      |
|---------------------------|---------------------|---------------------------|---------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|------------------------|
| Salt Run                  | Cascade             | TAGWL<br>Over 36" Culvert | Wild                | 843                           |                                 |                               |                                 | 41.469050<br>76.879049 |
| UNT 34<br>Salt Run        | Cascade             | TAGWL<br>Temp. Bridge     | Wild                | 2,758                         |                                 |                               |                                 | 41.460475<br>76.892494 |
| UNT 35<br>Salt Run        | ascade              | TAGWL<br>Over 36" Culvert | Wild                | 794                           |                                 |                               |                                 | 41.458705<br>76.895236 |
| East Branch<br>Wallis Run | Cascade             | TAGWL<br>Temp. Bridge     | Wild                | 786                           |                                 |                               |                                 | 41.445048<br>76.857569 |
| UNT 2 WB<br>Wallis Run    | Cascade             | TAGWL<br>Temp. Bridge     | Wild                | 980                           |                                 |                               |                                 | 41.455655<br>76.865927 |
| UNT 5 WB<br>Wallis Run    | Cascade             | TAGWL<br>Temp. Bridge     | Wild                | 621                           |                                 |                               |                                 | 41.449728<br>76.866625 |
| TOTAL                     |                     |                           |                     | 6,782                         |                                 |                               |                                 |                        |

**E4129-123: Seneca Resources Corporation, LLC**, 51 Zents Boulevard, Brookville, PA 15825, Lewis Township, Lycoming County, ACOE Baltimore District.

To construct, operate and maintain the Hagerman Run Retaining Wall Project. This project was completed under Emergency Permit EP4129-18-003, and consisted of installation and repairs of an existing retaining wall. The project resulted in 190.0 linear feet of permanent stream impacts to Hagerman Run (HQ-CWF), 290.0 linear feet of temporary stream impacts to Hagerman Run (HQ-CWF), 142 square feet of permanent floodway impacts, and 2,791 square feet of temporary floodway impacts (Trout Run, PA Quadrangle, Latitude: N 41° 25' 06.54", Longitude: W 77° 02' 48.12") all for the purpose of repairing a retaining wall for Marcellus Shale development.

**WATER QUALITY CERTIFICATIONS REQUESTS**

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQ6206219-001, USDA-NRCS**, 359 East Park Drive, Suite 2, Harrisburg, PA 17111-2747. Sekerak Wetland Reserve Easement, in Columbus Twp, **Warren County**, ACOE Pittsburgh District (Pittsburgh, PA Quadrangle N: 41° 55' 11"; W: -79° 36' 31").

One ditch plug will be built within a manmade ditch which was constructed to drain hydrology from the site to Hare Creek. The ditch plug will disrupt hydrology flow off the easement. Hydrology will be restored on-site and will restore the native hydrophytic vegetation and plant community to the site. Reed canary grass currently dominates the site and the restoration will diminish its persistence on site. A shallow pothole will be constructed during the restoration of the site to promote habitat diversity and create a microhabitat for local wildlife to utilize.

## ACTIONS

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**
**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i>                            |
|-----------------|-------------------------|--|
| Section I       | NPDES                   | Renewals   |
| Section II      | NPDES                   | New or Amendment   |
| Section III     | WQM                     | Industrial, Sewage or Animal Wastes; Discharges to Groundwater |
| Section IV      | NPDES                   | MS4 Individual Permit  |
| Section V       | NPDES                   | MS4 Permit Waiver  |
| Section VI      | NPDES                   | Individual Permit Stormwater Construction                      |
| Section VII     | NPDES                   | NOI for Coverage under NPDES General Permits                   |

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. NPDES Renewal Permit Actions.**

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>                                 | <i>County &amp;<br/>Municipality</i>        | <i>Stream Name<br/>(Watershed No.)</i>       | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|---|--|----------------------------|
| PAS802209<br>(Stormwater)   | Werner Transportation<br>5422 Oakview Drive<br>Allentown, PA 18104 | Lehigh County<br>Upper Macungie<br>Township | Unnamed Tributary<br>to Cedar Creek<br>(02C) | Yes                        |

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>  | <i>County &amp;<br/>Municipality</i> | <i>Stream Name<br/>(Watershed #)</i>   | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|---|--------------------------------------|--|----------------------------|
| PA0087173<br>SEW            | Highpoint Baptist Chapel<br>P.O. Box 188<br>Geigertown, PA 19523-0188     | Robeson Twp.<br>Berks County         | Hay Creek<br>Watershed(s) 3-C          | Y                          |
| PA0247596<br>IW             | Ephrata Well No 4 WTP<br>124 South State Street<br>Ephrata, PA 17522-2611 | Ephrata Twp.<br>Lancaster County     | Cocalico Creek<br>Watershed(s) 7-J     | Y                          |
| PA0082333<br>SEW            | Conestoga Hills Community LLC<br>P.O. Box 375<br>Gap, PA 17527            | Conestoga Twp.<br>Lancaster County   | UNT to Stehman Run<br>Watershed(s) 7-J | Y                          |

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>  | <i>County &amp;<br/>Municipality</i>    | <i>Stream Name<br/>(Watershed #)</i>            | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|---|---|---|----------------------------|
| PA0041505<br>SEW            | Hereford Estates MHP<br>3613 Seisholtzville Rd.<br>Hereford, PA 18056-1542          | Hereford Twp.<br>Berks County           | Perkiomen Creek<br>Watershed(s) 3-E             | N                          |
| PA0086525<br>SEW            | Kingsgate Subdivision WWTP<br>449 Bucks Hill Rd.<br>Mohrsville, PA 19541-9340       | Centre Twp.<br>Berks County             | UNT to Irish Creek<br>Watershed(s) 3-B          | Y                          |
| PA0084751<br>SEW            | Doubling Gap Center STP<br>1550 Doubling Gap Rd.<br>Newville, PA 17241-9757         | Lower Mifflin Twp.<br>Cumberland County | Doubling Gap Creek<br>Watershed(s) 7-B          | Y                          |
| PA0052400<br>SEW            | Irish Creek Village<br>552 Irish Creek Road<br>Mohrsville, PA 19541-9333            | Centre Twp.<br>Berks County             | Irish Creek Watershed(s)<br>3-B                 | N                          |
| PA0020648<br>SEW            | Port Royal STP<br>804 W 8th Street<br>Port Royal, PA 17082-9400                     | Port Royal Boro.<br>Juniata County      | Juniata River<br>Watershed(s) 12-A              | Y                          |
| PA0084484<br>SEW            | Salisbury Township Rosehill STP<br>5581 Old Philadelphia Pike<br>Gap, PA 17527-9791 | Salisbury Township<br>Lancaster County  | Pequea Creek in<br>Watershed(s) 7-K             | Y                          |
| PA0247898<br>SEW            | Commerce Commons<br>103 Fite Way<br>Suite D<br>Quarryville, PA 17566-0673           | East Drumore Twp.<br>Lancaster County   | South Fork Big Beaver<br>Creek Watershed(s) 7-K | N                          |

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i>       | <i>Stream Name<br/>(Watershed No.)</i>     | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|--|--|----------------------------|
| PA0228508<br>(Sewage)       | Huston Township<br>Julian WWTP<br>P.O. Box 40<br>Julian, PA 16844-0040                                     | Centre County<br>Huston Township           | Bald Eagle Creek<br>(9-C)                  | Yes                        |
| PA0114308<br>(Sewage)       | Sandburr Creekside<br>Development Sanitary Sewer STP<br>2028 State Route 487<br>Orangeville, PA 17859-9029 | Columbia County<br>Orange Township         | Fishing Creek<br>(5-C)                     | Yes                        |
| PAS204803<br>(Storm Water)  | SMC Powder Metallurgy Division<br>1251 Route 6 W<br>Galeton, PA 16922-9125                                 | Potter County<br>Pike Township             | Pine Creek<br>(9-A)                        | Yes                        |
| PA0009385<br>(Industrial)   | ConAgra Milton Plant<br>30 Marr Street<br>Milton, PA 17847-1519  | Northumberland<br>County<br>Milton Borough | West Branch<br>Susquehanna River<br>(10-D) | Yes                        |
| PA0111635<br>(Industrial)   | Spring Township Municipal<br>Authority Water System<br>P.O. Box 133<br>Beaver Springs, PA 17812-0133       | Snyder County<br>Beaver Township           | Kern Run<br>(6-A)                          | Yes                        |

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i>       | <i>Stream Name<br/>(Watershed No.)</i>   | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|--|--|----------------------------|
| PA0205664<br>(Sewage)       | Forest Brook MHP<br>320 Sunset Drive<br>Baden, PA 15005-2441                   | Beaver County<br>New Sewickley<br>Township | Pine Run<br>(20-G)   | Yes                        |
| PA0203661<br>(Industrial)   | Reaxis Inc.<br>P.O. Box 279<br>941 Robinson Highway<br>McDonald, PA 15057-0279 | Washington County<br>Robinson Township     | Unnamed Tributary to<br>Robinson Run and<br>Unnamed Tributary of<br>Robinson Run<br>(20-F) | Yes                        |

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

| <i>NPDES No.<br/>(Type)</i> | <i>Facility Name &amp; Address</i>   | <i>County &amp;<br/>Municipality</i>    | <i>Stream Name<br/>(Watershed #)</i> | <i>EPA Waived<br/>Y/N?</i> |
|-----------------------------|--|---|--------------------------------------|----------------------------|
| PA0222429<br>(Sewage)       | Pilot Travel Center 081<br>5508 Lonas Drive<br>Knoxville, TN 37909-3221        | Butler County<br>Muddycreek<br>Township | Muddy Creek<br>(WWF)<br>(20-C)       | Yes                        |
| PA0014427<br>(Industrial)   | Allegheny National Fish Hatchery<br>6616 Hemlock Road<br>Warren, PA 16365-8055 | Warren County<br>Glade Township         | Allegheny River<br>(WWF)<br>(16-B)   | Yes                        |
| PA0272574<br>(Sewage)       | Ashley & Jason Steighner SRSTP<br>121 Caldwell Drive<br>Butler, PA 16002       | Butler County<br>Jefferson Township     | Thorn Creek<br>(CWF)<br>(20-C)       | Yes                        |

## II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

**NPDES Permit No. PA0232343**, Industrial, SIC Code 4953, **PA Waste LLC**, 175 Bustleton Pike, Feasterville, PA 19053-6456.

This proposed facility is located in Boggs Township, **Clearfield County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated industrial waste and stormwater.

**NPDES Permit No. PA0044661**, Sewage, SIC Code 4952, **Lewisburg Area Joint Sewer Authority Union County**, P.O. Box 305, Lewisburg, PA 17837-0305.

This existing facility is located in East Buffalo Township, **Union County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

**NPDES Permit No. PA0232653**, Industrial, SIC Code 4953, **PA Waste LLC**, 175 Bustleton Pike, Feasterville, PA 19053.

This proposed facility is located in Boggs Township, **Clearfield County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated industrial waste.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**NPDES Permit No. PA0271861**, Sewage, SIC Code 8800, **Robert Mallery**, 945 Margaretta Avenue, Pittsburgh, PA 15234.

This proposed facility is located in Freehold Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**NPDES Permit No. PA0271853**, Sewage, SIC Code 4952, 8800, **Tyler Laird**, 2490 Route 957, Russell, PA 16345-2606.

This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**WQM Permit No. 1618412**, Sewage, **Edward W Dunkerley Jr.**, 7621 Stewart Sharon Road, Masury, OH 16214.

This proposed facility is located in Highland Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**NPDES Permit No. PA0271829**, Sewage, SIC Code 4952, 7033, **Shelby & William Knight**, 321 Peaceful Valley Road, West Sunbury, PA 16061.

This proposed facility is located in Washington Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

## III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 4807405A-1**, Sewage, SIC Code 6515, **Hickory Hills Mobile Home Community**, 121 Hickory Hills Drive, Bath, PA 18014.

This existing facility is located in Moore Township, **Northampton County**.

Description of Proposed Action/Activity: The project is for the construction of a new 30,000 gpd treatment train at the wastewater treatment plant, including: a packaged aeration tank, clarifier, and sludge holding tank along with other associated appurtenances. Currently, there are two 30,000 gpd treatment trains at the facility. After construction is completed, one of the existing 30,000 gpd treatment trains will be cleaned out and abandoned. The capacity of the WWTP remains unchanged as a result of this project.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 6218410**, Sewage, **Robert Mallery**, 945 Margareta Avenue, Pittsburgh, PA 15234.

This proposed facility is located in Freehold Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 1618412**, Sewage, **Edward W Dunkerley Jr.**, 7621 Stewart Sharon Road, Masury, OH 16214.

This proposed facility is located in Highland Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 6218409**, Sewage, **Tyler Laird**, 2490 Route 957, Russell, PA 16345-2606.

This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 1018409**, Sewage, **Shelby & William Knight**, 321 Peaceful Valley Road, West Sunbury, PA 16061.

This proposed facility is located in Washington Township, **Butler County**.

Description of Proposed Action/Activity: Small flow treatment facility for Peaceful Valley Campground.

**QM Permit No. 4300404 A-2**, Sewage, **Jamestown Borough Municipal Authority Mercer County**, P.O. Box 188, Jamestown, PA 16134-0188.

This existing facility is located in Jamestown Borough, **Mercer County**.

Description of Proposed Action/Activity: Improvements to Jamestown wastewater treatment plant and replacement of Liberty Street pump station.

**IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484-250-5970.*

| <i>NPDES Permit No.</i> | <i>Permittee Name &amp; Address</i>   | <i>Municipality, County</i>                | <i>Receiving Water(s)/Use(s)</i>  | <i>TMDL Plan Submitted (Y/N)</i> | <i>Pollutant Reduction Plan Submitted (Y/N)</i> |
|-------------------------|---|--|---|----------------------------------|---|
| PAI130007               | Richland Township<br>1328 California Road<br>Suite A<br>Quakertown, PA 18951-4517       | Richland Township<br>Bucks County          | Tohickon Creek,<br>Unnamed Tributary<br>to Unami Creek,<br>Beaver Run, and<br>Morgan Creek/<br>HQ-TSF, TSE, and<br>MF | N                                | Y   |
| PAI130540               | Trumbauersville Borough<br>1 Evergreen Drive<br>Drawer 100<br>Trumbauersville, PA 18970 | Trumbauersville<br>Borough<br>Bucks County | Unnamed Tributary<br>to Unami<br>Creek/HQ-TSF and<br>MF   | N                                | Y   |

*Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.*

| <i>NPDES Permit No.</i> | <i>Permittee Name &amp; Address</i>                                | <i>Municipality, County</i>  | <i>Receiving Water(s)/Use(s)</i>  | <i>TMDL Plan Submitted (Y/N)</i> | <i>Pollutant Reduction Plan Submitted (Y/N)</i> |
|-------------------------|--|------------------------------|---|----------------------------------|---|
| PAI132261               | Fairview Township<br>65 Shady Tree Drive<br>Mountain Top, PA 18707 | Fairview Township<br>Luzerne | Solomon Creek<br>(HQ-CWF/MF)<br>Big Wapwallopen<br>Creek, Bow Creek,<br>and Tributary 28250<br>to Bow Creek<br>(CWF/MF) | N                                | Y   |

**V. NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Actions.**

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the MS4s instead of NPDES permit coverage.

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

| <i>NPDES Waiver No.</i> | <i>Applicant Name &amp; Address</i>                                     | <i>Municipality, County</i> | <i>Receiving Water(s)/Use(s)</i>   |
|-------------------------|---|-----------------------------|--|
| PAG136287               | City of Clairton<br>551 Ravensburg Boulevard<br>Clairton, PA 15025-1243 | Clairton City Allegheny     | Unnamed Tributary to Monongahela River, Monongahela River and Peters Creek/WWF & TSF |

**VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.**

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>                              | <i>County</i> | <i>Municipality</i>    | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|------------------------|----------------------------|
| PAD150115               | Michael Taylor<br>811 Lisadell Drive<br>Kennett Square, PA 19348 | Chester       | West Bradford Township | Broad Run<br>EV-MF         |

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>County</i> | <i>Municipality</i>      | <i>Receiving Water/Use</i>                  |
|-------------------------|---|---------------|--------------------------|---|
| PAD390106               | Sustainable Energy Fund<br>4110 Independence Drive<br>Schnecksville, PA 18078         | Lehigh        | North Whitehall Township | Coplay Creek—<br>CWF, MF                    |
| PAD390112               | Howard Land Company—<br>Saratoga Chase, LLC<br>203 Emmaus Ave.<br>Allentown, PA 18101 | Lehigh        | Weisenberg Township      | Schaefer Run—<br>HQ-CWF, MF, EV<br>Wetlands |

*Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>County</i> | <i>Municipality</i>     | <i>Receiving Water/Use</i>               |
|-------------------------|---|---------------|-------------------------|--|
| PAD480072               | Ron Del Development Company<br>c/o Mr. Ron DelSerro<br>3242 Farmersville Road<br>Bethlehem, PA 18020    | Northampton   | Lower Nazareth Township | UNT to Monocacy<br>Creek<br>(HQ-CWF, MF) |
| PAD480075               | Wind Gap Investors, LLC<br>c/o Mr. Robert Nasuti<br>14 Balligomingo Road<br>Conshohocken, PA 19428-0992 | Northampton   | Plainfield Township     | Little Bushkill Creek<br>(HQ-CWF, MF)    |
| PAD480071               | Divinity Group, LLC<br>c/o Mr. Prasad Chalikonda<br>152 Wedgewood Road<br>Bethlehem, PA 18018-3777      | Northampton   | Hanover Township        | UNT to Monocacy<br>Creek<br>(HQ-CWF, MF) |

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>                                | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|----------------------------|
| PAD140036               | Grace Hills Church, Inc.<br>P.O. Box 186<br>Port Matilda, PA 16870 | Centre        | Patton Twp          | UNT Buffalo Run<br>HQ-CWF  |



*Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.*

*Individual Permit Type—PAD*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i>   |
|-------------------------|---|---------------|---------------------|--|
| PAD680005               | Attention: Patrick M. Webb<br>Bureau of Abandoned Mine Reclamation Cambria Office<br>286 Industrial Park Road<br>Ebensburg, PA 15931-4119<br>814-472-1800 | Elk County    | Jay Township        | Cherry Run (HQ),<br>Unnamed Tributary to Cherry Run (CWF),<br>Cherry Run (CWF) |

**VII. Approvals to Use NPDES and/or Other General Permits.**

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

**List of NPDES and/or Other General Permit Types.**

|             |   |
|-------------|---|
| PAG-1       | General Permit for Discharges from Stripper Oil Well Facilities   |
| PAG-2       | General Permit for Discharges of Stormwater Associated With Construction Activities   |
| PAG-3       | General Permit for Discharges of Stormwater From Industrial Activities  |
| PAG-4       | General Permit for Discharges from Small Flow Treatment Facilities  |
| PAG-5       | General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems   |
| PAG-6       | General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)  |
| PAG-7       | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application  |
| PAG-8       | General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site |
| PAG-8 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage   |
| PAG-9       | General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site   |
| PAG-9 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage   |
| PAG-10      | General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines   |
| PAG-11      | General Permit for Discharges from Aquatic Animal Production Facilities   |
| PAG-12      | Concentrated Animal Feeding Operations (CAFOs)  |
| PAG-13      | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)   |
| PAG-14      | (To Be Announced)   |
| PAG-15      | General Permit for Discharges from the Application of Pesticides  |

*General Permit Type—PAG-02*

*Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

| <i>Facility Location &amp; Municipality</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving Water/Use</i>                | <i>Contact Office &amp; Phone No.</i>   |
|---|-------------------|--|---|---|
| Doylestown Township<br>Bucks County         | PAC090253         | Zaveta Custom Homes, LLC<br>4030 Skyron Drive<br>Suite G<br>Doylestown, PA 18902 | Neshaminy Creek<br>TSF-MF                 | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Buckingham Township<br>Bucks County         | PAC090255         | Kim Daria Corsini<br>4344 Township Line Road<br>Wycombe, PA 18980                | Unnamed Tributary to Mill Creek<br>WWF-MF | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Newtown Township<br>Bucks County            | PAC090249         | Michael D. D'Arcangelo<br>1149 Winchester Lane<br>Newtown, PA 18940-3302         | Newtown Creek<br>WWF-MF                   | Southeast Regional Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |

| <i>Facility Location &amp; Municipality</i>   | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving Water/Use</i>                        | <i>Contact Office &amp; Phone No.</i>  |
|---|-------------------|--|---|--|
| Franconia Township<br>Montgomery County       | PAC460301         | B&H Investments, LP<br>180 Schoolhouse Road<br>Souderton, PA 18964-2414                    | Unnamed Tributary<br>to Skippack Creek<br>TSF-MF  | Southeast Regional<br>Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Lower Merion<br>Township<br>Montgomery County | PAC460318         | Philadelphia Country Club<br>1601 Spring Mill Road<br>Gladwyne, PA 19035                   | Sawmill Run WWF                                   | Southeast Regional<br>Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| Plymouth Township<br>Montgomery County        | PAC460285         | Lilvin Enterprises LLC<br>1299 W James Street<br>Norristown, PA 19401-3626                 | Plymouth Creek<br>WWF-MF                          | Southeast Regional<br>Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |
| City of Philadelphia<br>Philadelphia County   | PAC510101         | Lidl US Operations, LLC<br>2005 Market Street<br>Suite 1010<br>Philadelphia, PA 19103-7068 | Unnamed Tributary<br>to Pennypack Creek<br>TSF-MF | Southeast Regional<br>Office<br>2 East Main Street<br>Norristown, PA 19401<br>484-250-5900 |

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lackawanna County Conservation District, 1038 Montdale Road, Scott Township, PA 18447.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>                   | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i>    |
|-------------------------|---|---------------|---------------------|-------------------------------|
| PAC350062               | John Giambra<br>108 Washam Rd<br>Mooreville, NC 28117 | Lackawanna    | Old Forge Boro      | Lackawanna River<br>(CWF, MF) |

*Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.*

| <i>NPDES Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------|----------------------------|
| PAC390070               | Allentown (Walbert Ave) DG, LLC<br>361 Summit Blvd<br>Ste 110<br>Birmingham, AL 35243 | Lehigh        | S Whitehall Twp     | Jordan Creek<br>(TSF, MF)  |
| PAC390074               | Ard Maccommons, LLC<br>310 Yorktown Plaza<br>Elkins Park, PA 19027                    | Lehigh        | Whitehall Twp       | Lehigh River<br>(TSF, MF)  |

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.*

| <i>Facility Location:<br/>Municipality &amp; County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>                                    | <i>Receiving Water/Use</i>              | <i>Contact Office &amp; Phone No.</i>  |
|---|-------------------|--|---|--|
| Conewago Township<br>Adams County<br>Issued             | PAC010087         | Precision Cut Industries, Inc.<br>115 Ram Drive<br>Hanover, PA 17331   | UNT Plum Creek<br>(WWF)                 | Adams County<br>Conservation District<br>670 Old Harrisburg<br>Road<br>Suite 201<br>Gettysburg, PA<br>17325-3404<br>717.334.0636 |
| Oxford Township<br>Adams County<br>Issued               | PAC010093         | New Age Associates, Inc.<br>126 Onyx Road<br>New Oxford, PA 17350-8456 | South Branch<br>Conewago Creek<br>(WWF) | Adams County<br>Conservation District<br>670 Old Harrisburg<br>Road<br>Suite 201<br>Gettysburg, PA<br>17325-3404<br>717.334.0636 |

## NOTICES

1709

| <i>Facility Location:<br/>Municipality &amp;<br/>County</i>            | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving<br/>Water/Use</i>                       | <i>Contact Office &amp;<br/>Phone No.</i>   |
|--|-------------------|--|--|---|
| Allegheny Township<br>Frankstown<br>Township<br>Blair County<br>Issued | PAC070044         | Garvey Manor Nursing Home<br>1037 South Logan Boulevard<br>Hollidaysburg, PA 16648 | Brush Run<br>(WWF)                                   | Blair County<br>Conservation District<br>1407 Blair Street<br>Hollidaysburg, PA<br>16648<br>814.696.0877,<br>ext. 5               |
| Southampton<br>Township<br>Cumberland County<br>Issued                 | PAC210119         | Interstate Investors, LLC<br>P.O. Box 5<br>Walnut Bottom, PA 17266-0005            | Burd Run<br>(CWF)                                    | Cumberland County<br>Conservation District<br>310 Allen Road<br>Suite 301<br>Carlisle, PA<br>17013-9101<br>717.240.7812           |
| East Hempfield<br>Township<br>Lancaster County<br>Issued               | PAC360365         | KRM-Stony Battery LLC<br>165-J Log Canoe Circle<br>Stevensville, MD 21666          | UNT Chiques Creek<br>(WWF-MF)                        | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |
| Penn Township<br>Lancaster County<br>Issued                            | PAC360831         | Kreider Farms<br>1461 Lancaster Avenue<br>Manheim, PA 17545                        | UNT Lititz Run<br>(WWF, MF)                          | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |
| Warwick Township<br>Lancaster County<br>Issued                         | PAC360364         | David King<br>60 South Groffdale Road<br>Leola, PA 17540                           | Lititz Run<br>(WWF)                                  | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |
| Rapho Township<br>Lancaster County<br>Issued                           | PAC360352         | Lancaster Dutch<br>Hospitality LLC<br>503 Bedford Place<br>Lititz, PA 17543        | UNT Chiques Creek<br>(WWF)<br>Chiques Creek<br>(WWF) | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |
| Warwick Township<br>Lancaster County<br>Issued                         | PAC360070         | Lititz Reserve LLC<br>474 Mount Sidney Road<br>Lancaster, PA 17602                 | Lititz Run<br>(WWF)                                  | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |
| Manor Township<br>Lancaster County<br>Issued                           | PAC360351         | Alecxi County Holdings LLC<br>2372 Franklin Road<br>Columbia, PA 17512             | UNT Little<br>Conestoga Creek<br>(WWF-MF)            | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |

| <i>Facility Location:<br/>Municipality &amp;<br/>County</i>   | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>                                    | <i>Receiving<br/>Water/Use</i>                               | <i>Contact Office &amp;<br/>Phone No.</i>   |
|---|-------------------|--|--|---|
| Manheim Township<br>Lancaster County<br>Issued                | PAC360361         | Costello Builders Inc.<br>P.O. Box 95<br>East Petersburg, PA 17520     | Little Conestoga<br>Creek<br>(TSF)                           | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |
| Manheim Township<br>Lancaster County<br>Issued                | PAC360375         | Simeral Construction Company<br>129 Airport Road<br>Lititz, PA 17543   | Little Conestoga<br>Creek<br>(WWF, MF)                       | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |
| Manheim Township<br>Lancaster County<br>Issued                | PAC360373         | Alecxi County Holdings LLC<br>2372 Franklin Road<br>Columbia, PA 17512 | Landis Run<br>(WWF)<br>UNT Conestoga<br>River<br>(WWF)       | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |
| Upper Leacock<br>Township<br>Lancaster County<br>Issued       | PAC360277         | Market Square South, LLC<br>529 East Main Street<br>Lititz, PA 17543   | UNT Conestoga<br>River<br>(WWF)                              | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA<br>17601-3149<br>717.299.5361, ext. 5 |
| Union Township<br>Lebanon County<br>Issued                    | PAC380108         | Jim Knopa<br>707 Eagleview Boulevard<br>Exton, PA 19341                | UNT Swatara Creek<br>(WWF, MF)<br>UNT Qureg Run<br>(WWF, MF) | Lebanon County<br>Conservation District<br>2120 Cornwall Road<br>Lebanon, PA<br>17042-9788<br>717.277.5275                        |
| West Manheim<br>Township<br>York County<br>Issued             | PAC670186         | Lexington, LLC<br>330 Dubs Church Road<br>Hanover, PA 17331            | UNT Furnace Creek<br>(WWF)                                   | York County<br>Conservation District<br>118 Pleasant Acres<br>Road<br>York, PA 17402<br>717-840-7430                              |
| Dover Township<br>York County<br>Issued                       | PAC670217         | Baker Price Development, LLC<br>3690 Wingfield Drive<br>York, PA 17406 | UNT Fox Run<br>(TSF)   | York County<br>Conservation District<br>118 Pleasant Acres<br>Road<br>York, PA 17402<br>717-840-7430                              |
| Windsor Township<br>Red Lion Borough<br>York County<br>Issued | PAC670278         | Rexroth Equities, LP<br>P.O. Box 98<br>Dallastown, PA 17313            | Fishing Creek<br>(TSF)<br>Pine Run<br>(CWF)                  | York County<br>Conservation District<br>118 Pleasant Acres<br>Road<br>York, PA 17402<br>717-840-7430                              |

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

| <i>Facility Location &amp;<br/>Municipality</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>                              | <i>Receiving<br/>Water/Use</i> | <i>Contact Office &amp;<br/>Phone No.</i>   |
|---|-------------------|--|--------------------------------|---|
| Spring Twp<br>Centre Cnty                       | PAC140062         | Chamberson, LP<br>629 East Rolling Drive<br>Bellefonte, PA 16823 | UNT to Logan<br>Branch CWF     | Centre County<br>Conservation District<br>414 Holmes Ave<br>Ste 4<br>Bellefonte, PA 16823<br>(814) 355-6817 |

NOTICES

1711

| <i>Facility Location &amp; Municipality</i> | <i>Permit No.</i>                                     | <i>Applicant Name &amp; Address</i>                                   | <i>Receiving Water/Use</i>  | <i>Contact Office &amp; Phone No.</i>   |
|---|---|---|-----------------------------|---|
| Spring Twp<br>Centre Cnty                   | PAC140074<br>Renewal<br>Previously<br>PAG02001412006R | Graymont (PA) Inc.<br>194 Match Factory Place<br>Bellefonte, PA 16823 | Buffalo Run CWF             | Clearfield County<br>Conservation District<br>511 Spruce St<br>Ste 6<br>Clearfield, PA 16830<br>(814) 765-2629            |
| Spring Twp<br>Centre Cnty                   | PAC140069   | Weis Markets<br>1000 S. Second Street<br>Sunbury, PA 17801            | UNT Spring Creek<br>CWF, MF | Clinton County<br>Conservation District<br>45 Cooperation Ln<br>Mill Hall, PA 17751<br>(570) 726-3798                     |
| Fairfield Twp<br>Lycoming Cnty              | PAC410040<br>Previously<br>PAG02004112022             | Steve Krouse<br>99 Grey Fox Drive<br>Montoursville, PA 17754          | Twin Run WWF                | Lycoming County<br>Conservation District<br>542 County Farm Rd<br>Ste 202<br>Montoursville, PA<br>17754<br>(570) 433-3003 |

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

| <i>Facility Location and Municipality</i> | <i>Permit No.</i> | <i>Applicant Name and Address</i>  | <i>Receiving Water/Use</i>             | <i>Contact Office and Phone No.</i>  |
|---|-------------------|--|--|--|
| Findlay Township                          | PAC020001         | Pittsburgh International Airport<br>Fourth Floor—Mezzanine<br>P.O. Box 12370<br>Pittsburgh, PA 15231 | Montour Run<br>(TSF)                   | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| Marshall Township                         | PAC020252         | Spang Road Development, LLC<br>1158 Dutilh Road<br>Mars, PA 16046                                    | UNT to Big<br>Sewickley Creek<br>(TSF) | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| North Fayette<br>Township                 | PAC020318         | Mr. Leon Chiri<br>13 West Allegheny Road<br>Imperial, PA 15126                                       | North Branch<br>(WWF)                  | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| Richland Township                         | PAC020359         | Field Brook Farms, LP<br>1700 North Highland Road<br>Pittsburgh, PA 15241                            | UNT to Deer Creek<br>(CWF)             | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| Harmar Township                           | PAC020334         | International Associates of<br>SMART Workers<br>1200 Gulf Lab Road<br>Pittsburgh, PA 15238           | Deer Creek<br>(WWF)                    | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |

| <i>Facility Location and Municipality</i> | <i>Permit No.</i> | <i>Applicant Name and Address</i>  | <i>Receiving Water/Use</i>            | <i>Contact Office and Phone No.</i>  |
|---|-------------------|--|---------------------------------------|--|
| Ross Township                             | PAC020308         | Ross Park Development<br>3413 Babcock Boulevard<br>Pittsburgh, PA 15237        | Little Pine Creek<br>(TSF)            | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| North Fayette<br>Township                 | PAC020318         | Mr. Leon Chiri<br>13 West Allegheny Road<br>Imperial, PA 15126                 | North Branch<br>Robinson Run<br>(WWF) | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| Findlay Township                          | PAC020328         | Maronda Homes, Inc.<br>11 Timberglen Drive<br>Imperial, PA 15126               | UNT to Potato<br>Garden Run<br>(WWF)  | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| Marshall Township                         | PAC020336         | Columbia Gas of Pennsylvania<br>2021 West State Street<br>New Castle, PA 16101 | Brush Creek<br>(WWF)                  | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| Baldwin Borough                           | PAC020357         | Michael Brothers Hauling, Inc.<br>901 Horning Road<br>Pittsburgh, PA 15236     | Lick Run<br>(TSF)                     | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| Pine Township                             | PAC020374         | Trinity Place, LLC<br>109 Gateway Avenue<br>Suite 202<br>Wexford, PA 15090     | Run Basin<br>(CWF)                    | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |
| Collier Township                          | PAC020349         | Sheetz, Inc.<br>817 Brookfield Drive<br>Seven Fields, PA 16046                 | Chartiers Creek<br>(WWF)              | Allegheny County<br>Conservation District<br>River Walk Corporate<br>Centre<br>33 Terminal Way<br>Suite 325b<br>Pittsburgh, PA 15219<br>(412) 241-7645 |

| <i>Facility Location and Municipality</i>   | <i>Permit No.</i> | <i>Applicant Name and Address</i>   | <i>Receiving Water/Use</i>           | <i>Contact Office and Phone No.</i>  |
|---|-------------------|---|--------------------------------------|--|
| Robinson Township<br>(Washington County);<br>Findlay Township<br>(Allegheny County) | PAC630123         | Golden Triangle<br>Construction Company<br>8555 Old Steubenville Pike<br>Imperial, PA 15126 | UNT to Saint<br>Patrick Run<br>(WWF) | Washington County<br>Conservation District<br>50 Old Hickory Ridge<br>Road<br>Suite 1<br>Washington, PA<br>15301<br>(724) 705-7098 |

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

| <i>Facility Location:<br/>Municipality &amp;<br/>County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving<br/>Water/Use</i> | <i>Contact Office &amp;<br/>Phone No.</i>  |
|---|-------------------|--|--------------------------------|--|
| Summit Township<br>Erie County                              | PAC250060         | Quality Mold, Inc<br>8130 Hawthorne Circle<br>Erie, PA 16509   | UNT Walnut Creek<br>CWF; MF    | Erie County<br>Conservation District<br>1927 Wager Road<br>Erie, PA 16509<br>814-825-6403      |
| Summit Township<br>Erie County                              | PAC250074         | Scott's Development Company<br>8040 Peach Street<br>Erie, PA 16509   | Walnut Creek<br>CWF; MF        | Erie County<br>Conservation District<br>1927 Wager Road<br>Erie, PA 16509<br>814-825-6403      |
| Forward Township<br>Butler County                           | PAC100134         | Manor Development Group II<br>Mr. Dominic Gigliotti<br>11279 Perry Highway<br>Suite 509<br>Wexford, PA 15090 | Connoquenessing<br>Creek WWF   | Butler County<br>Conservation District<br>122 McCune Drive<br>Butler, PA 16001<br>724-284-5270 |

*General Permit Type—PAG-03*

| <i>Facility Location<br/>Municipality &amp;<br/>County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>Receiving<br/>Water/Use</i>                            | <i>Contact Office &amp;<br/>Phone No.</i>   |
|--|-------------------|---|---|---|
| Monroe Township<br>Snyder County                           | PAG034858         | Sunbury Generation LP<br>P.O. Box 517<br>2384 North Old Trail Road<br>Shamokin Dam, PA 17876-0517 | Rolling Green Run<br>and Susquehanna<br>River—6-A and 6-B | DEP Northcentral<br>Regional Office<br>Clean Water Program<br>208 W Third Street<br>Suite 101<br>Williamsport, PA<br>17701-6448<br>570.327.3636 |
| Pine Township<br>Columbia County                           | PAG034857         | White Pines Corporation<br>2650 Audubon Road<br>Audubon, PA 19403                                 | Unnamed Tributary<br>of Laurel Run—10-D                   | DEP Northcentral<br>Regional Office<br>Clean Water Program<br>208 W Third Street<br>Suite 101<br>Williamsport, PA<br>17701-6448<br>570.327.3636 |
| Canton Township<br>Washington County                       | PAG036249         | West Penn Wire Corp<br>2833 W Chestnut Street<br>Washington, PA 15301-2543                        | Unnamed Tributary<br>of Chartiers Creek<br>(WWF)—20-F     | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000                 |
| Bullskin Township<br>Fayette County                        | PAG036248         | North Fayette Supply LLC<br>415 Unity Center Road<br>Pittsburgh, PA 15239-3409                    | Unnamed Tributary<br>to Mounts<br>Creek—19-D              | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000                 |

*General Permit Type—PAG-05*

| <i>Facility Location<br/>Municipality &amp;<br/>County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>Receiving<br/>Water/Use</i>                      | <i>Contact Office &amp;<br/>Phone No.</i>   |
|--|-------------------|---|---|---|
| West Chillisquaque<br>Township<br>Northumberland<br>County | PAG054842         | PPL Electric<br>Utilities Corporation<br>1639 Church Road<br>Allentown, PA 18104-9342 | Unnamed Tributary<br>to Chillisquaque<br>Creek—10-D | DEP Northcentral<br>Regional Office<br>Clean Water Program<br>208 W Third Street<br>Suite 101<br>Williamsport, PA<br>17701-6448<br>570.327.3636 |
| McKeesport City<br>Allegheny County                        | PAG056263 A-1     | Duquesne Light Co.<br>2859 Oxford Boulevard<br>Allison Park, PA 15101-2452            | Youghiogheny River<br>(WWF)—19-D                    | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000                 |

*General Permit Type—PAG-06*

| <i>Facility Location<br/>Municipality &amp;<br/>County</i> | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Receiving Water/Use</i>                           | <i>Contact Office &amp;<br/>Phone No.</i>   |
|--|-------------------|--|--|---|
| Coraopolis Borough<br>Allegheny County                     | PAG066135         | Coraopolis Water & Sewer<br>Authority Allegheny County<br>1012 5th Avenue<br>Coraopolis, PA 15108-1804 | Ohio River<br>(WWF)—20-G                             | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000 |
| Turtle Creek Borough<br>Allegheny County                   | PAG066118         | Turtle Creek Borough<br>Allegheny County<br>125 Monroeville Avenue<br>Turtle Creek, PA 15145-1862      | Thompson Run<br>(WWF),<br>Turtle Creek<br>(WWF)—19-A | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000 |
| Millvale Borough<br>Allegheny County                       | PAG066106         | Girtys Run Joint<br>Sewer Authority<br>2236 Babcock Boulevard<br>Pittsburgh, PA 15237-3218             | Girtys Run<br>(WWF)—18-A                             | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000 |
| Rankin Borough<br>Allegheny County                         | PAG066105         | Rankin Borough<br>Allegheny County<br>320 Hawkins Avenue<br>Braddock, PA 15104-2119                    | Monongahela River<br>(WWF)—19-A                      | DEP Southwest<br>Regional Office<br>Clean Water Program<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>412.442.4000 |

*General Permit Type—PAG-8*

| <i>Facility Location &amp;<br/>County/Municipality</i>  | <i>Permit No.</i> | <i>Applicant Name &amp; Address</i>  | <i>Site Name &amp;<br/>Location</i> | <i>Contact Office &amp;<br/>Phone No.</i>   |
|---|-------------------|--|-------------------------------------|---|
| Mount Wolf Sewage<br>Treatment Plant<br>175 Chestnut Street<br>Mt. Wolf, PA 17347<br>East Manchester<br>Township<br>York County | PAG083529         | Northeastern York County<br>Sewer Authority<br>200 North Main Street<br>Mt. Wolf, PA 17347 | Same As Facility                    | DEP—SCRO—<br>Clean Water Program<br>909 Elmerton Avenue<br>Harrisburg, PA<br>17110-8200<br>717-705-4707 |



*General Permit Type—PAG-10*

*Facility Location  
Municipality &  
County*

Franklin Township  
Greene County

*Permit No.*  
PAG106217

*Applicant Name & Address*  
Equitrans Midstream Corp  
2200 Energy Drive  
Canonsburg, PA 15317

*Receiving Water/Use*  
Unnamed Tributary  
of Smith Creek  
(WWF) and  
Unnamed Tributary  
to Smith Creek  
(WWF)—19-B

*Contact Office &  
Phone No.*  
DEP Southwest  
Regional Office  
Clean Water Program  
400 Waterfront Drive  
Pittsburgh, PA  
15222-4745  
412.442.4000

*General Permit Type—PAG-13*

*Facility Location  
Municipality &  
County*

East Rockhill  
Township  
Bucks County

*Permit No.*  
PAG130162

*Applicant Name & Address*  
East Rockhill Township  
1622 Ridge Road  
Perkasie, PA 18944-2227

*Receiving Water/Use*  
East Branch  
Perkiomen Creek  
and Threemile Run  
2-D and 3-E

*Contact Office &  
Phone No.*  
DEP Southeast  
Regional Office  
Clean Water Program  
2 E Main Street  
Norristown, PA 19401  
484.250.5970

Forest Hills Borough  
Allegheny County

*Permit No.*  
PAG136239

*Applicant Name & Address*  
Borough of Forest Hills  
2071 Ardmore Boulevard  
Pittsburgh, PA 15221-4644

*Receiving Water/Use*  
Unnamed  
Tributaries of Turtle  
Creek 19-A  
WWF

*Contact Office &  
Phone No.*  
DEP Southwest  
Regional Office  
Clean Water Program  
400 Waterfront Drive  
Pittsburgh, PA  
15222-4745  
412.442.4000

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. 4619503**, Public Water Supply.

|                            |   |
|----------------------------|---|
| Applicant                  | <b>Perkiomen View Hotel</b><br>532 Gravel Pike<br>Collegeville, PA 19426      |
| Township                   | Perkiomen   |
| County                     | <b>Montgomery</b>   |
| Type of Facility           | PWS   |
| Consulting Engineer        | Suburban Water Technology, Inc.<br>1697 Swamp Pike<br>Gilbertsville, PA 19525 |
| Permit to Construct Issued | March 25, 2019  |

**Operations Permit # 0918504** issued to: **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, **PWS ID # 1460073**, Middletown Township, **Bucks County** on March 19, 2019 for the operation of Neshaminy WTP high lift pump No. 3 approved under construction permit # 0918504.

**Operations Permit # 4617518** issued to: **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, **PWS ID # 1460069**, Perkiomen Township, **Montgomery County** on March 19, 2019 for the operation of repainted Cranberry Water Storage Tank, approved under construction permit # 4617518.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Operation Permit No. 7500880** issued to: **Church of the Living Christ & Heritage Christian School (PWS ID No. 7500880)**, Tyrone Township, **Perry County** on 3/25/2019 for facilities approved under Construction Permit No. 7500880.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Operation Permit** issued to **Erie City Water Authority, PWSID No. 6250028**, City of Erie, **Erie County**. Permit Number 2591502-T1 issued March 21, 2019 for the operation of the Zebra Mussel control system. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on March 20, 2019.

**Operation Permit** issued to **Erie City Water Authority, PWSID No. 6250028**, City of Erie, **Erie County**. Permit Number 7068-T1 issued March 21, 2019 for the operation of the 12 MGD high service pump at Sigsbee Reservoir Pump Station. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on March 20, 2019.

**Operation Permit** issued to **Erie City Water Authority, PWSID No. 6250028**, City of Erie, **Erie County**. Permit Number 2510505 issued March 21, 2019 for the operation of the Richard S. Wasielewski WTP. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on January 17, 2019.

**Operation Permit** issued to **Greenville Municipal Water Authority, PWSID No. 6430037**, Greenville Borough, **Mercer County**. Permit Number 2884-MA2 issued March 26, 2019 for the operation of the recently lined/replaced water mains and appurtenances. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on March 11, 2019.

#### SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Plan Location:*

| <i>Borough or Township</i> | <i>Borough or Township Address</i>             | <i>County</i> |
|----------------------------|--|---------------|
| North Newton Township      | 528 Oakville Road<br>Shippensburg, PA<br>17257 | Cumberland    |

*Plan Description:* Approval of a revision to the official plan of North Newton Township, Cumberland County. The project is known as Clarence Zimmerman. The plan provides for a Small Flow Treatment Facility to serve an existing single family dwelling with 2 new proposed bedrooms. The proposed development is located at 88 Wildwood Lane. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-21921-148-3S and the APS Id is 985134. Any required NPDES Permits or WQM permits must be obtained in the name of the property owner.

#### BIOSOLIDS INDIVIDUAL PERMITS

(PABIG, SSN AND PABIS)

The Department of Environmental Protection (Department) has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Person aggrieved by these actions may appeal under section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30 days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717-787-3483) for more information

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**NPDES Permit No. PABIG 3501**, Sewerage, **Smith's Disposal Facility, LLC, Adams County**, Straban Township. Smith's Sanitary Septic Services, LLC, 1234 Baltimore Street, Hanover, PA 17331 has applied to have their biosolids (residential septage) approved for beneficial use by land application.

#### LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors,

a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Bethlehem Commerce Center Site—Lot 54**, 1405 Easton Road, Bethlehem City, **Northampton County**. HDR, 1720 Spillman Drive, Suite 280, Bethlehem, PA 18015, on behalf of Lehigh Valley Industrial Park, 1720 Spillman Drive, Suite 150, Bethlehem, PA 18015, submitted a cleanup plan concerning remediation of site soils contaminated with historical fill. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Dorney Park and Wildwater Kingdom**, 3830 Dorney Park Road, South Whitehall Township, **Lehigh County**. Barry Isett & Associates, 85 South Route 100, Allentown, PA 18106, on behalf of Dorney Park and Wildwater Kingdom, 3830 Dorney Park Road, Allentown, PA 18104, submitted a Final Report concerning remediation of a release of heating oil to soil at a greenhouse. The report is intended to document remediation of the site to meet Statewide Health Standards.

**Dingmans Best Fuel Station**, 1596 Dingmans Turnpike, Delaware Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Dingmans Fuel Transfer Corporation, P.O. Box 686, Dingmans Ferry, PA 18328, submitted a Final Report concerning remediation of a release of diesel to soil. The report is intended to document remediation of the site to meet Statewide Health Standards.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Speedway # 6719**, 1070 Lincoln Highway, Chambersburg, PA 17201, Chambersburg Borough, **Franklin County**. EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18014, on behalf of Speedway LLC, 500 Speedway Drive, Enon, OH 45323, submitted a Final Report concerning site soil contaminated with unleaded

gasoline. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

**Charles Kerst Property**, 1411 Long Lane, Columbia, PA 17512, East Donegal Township, **Lancaster County**. Liberty Environmental, Inc., 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of Charles Kerst, 1411 Long Lane, Columbia, PA 17512, submitted a Final Report site soil contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard.

**Martin Electric Plants**, 280 Pleasant Valley Road, Ephrata, PA 17522, West Earl Township, **Lancaster County**. ARRO Consulting, Inc., 108 West Airport Road, Lititz, PA 17543, on behalf of IPR, LLC, 10 Miller Road, Akron, PA 17501, submitted a Remedial Investigation Report concerning remediation of site soil contaminated with lead and arsenic. The report is intended to document remediation of the site to meet the Nonresidential Statewide Health and Site Specific Standards.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Torpedo Specialty Wire, Inc.**, 7065 State Route 27, Pittsfield Township, **Warren County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Torpedo Specialty Wire, Inc., P.O. Box 21, Red Oak, NC 26868, submitted a Remedial Investigation Report/Cleanup Plan/Risk Assessment Report concerning the remediation of site soil contaminated with benzene, ethylbenzene, xylenes (total), carbon tetrachloride, chloroform, 1,1-dichloroethane, 1,2-dichloroethane, 1,1-dichloroethene, tetrachloroethene (PCE), 1,1,1-trichloroethane, 1,1,2-trichloroethane, trichloroethene (TCE), vinyl chloride, benzaldehyde, cadmium, chromium (total), copper, lead, mercury, nickel, zinc, trichlorofluoromethane, naphthalene and site groundwater contaminated with acetone, benzene, chloroethane, chloroform, 1,1-dichloroethane, 1,2-dichloroethene, 1,1-dichloroethene, cis-1,2-dichloroethene, trans-1,2-dichloroethene, methylene chloride, 1,1,1-trichloroethane, 1,1,2-trichloroethane, trichloroethene, vinyl chloride, di-n-butyl phthalate, bis[2-ethylhexyl]phthalate, pyrene, caprolactam, barium, chromium, copper, nickel, and zinc. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Marathon New Castle Site (MPC No. 3670)**, 718 East Washington Street, City of New Castle, **Lawrence County**. Arcadis US, Inc., 6041 Wallace Road Extension, Suite 300, Wexford, PA 15090, on behalf of Marathon Petroleum Company, LP, 539 South Main Street, Findlay, OH 45840, submitted a Cleanup Plan concerning the remediation of site soils and site groundwater contaminated benzene, toluene, ethylbenzene, xylenes, cumene, naphthalene, 1-methylnaphthalene, 2-methylnaphthalene, 1,2,4-trimethylbenzene (TMB), 1,3,5-TMB, 1,2-dibromoethane, 1,2-dichloroethane, anthracene, acenaphthene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(g,h,i)perylene, chrysene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, acenaphthylene, fluoranthene, fluorene, phenanthrene, pyrene, and lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

### PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Prescott Quarry**, 200 Prescott Road, Lebanon, PA 17042, South Lebanon Township, **Lebanon County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17603, on behalf of Pennsy Supply, Inc.,

200 Prescott Road, Lebanon, PA 17042, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Nonresidential Statewide Health Standard and was approved by the Department on March 21, 2019.

**WHTM-TV**, 3235 Hoffman Street, Harrisburg, PA 17110, City of Harrisburg, **Dauphin County**. Environmental Products & Services of Vermont, Inc., 1539 Bobali Drive, Harrisburg, PA 17104, on behalf of Alexander Building Construction Company, submitted a Final Report concerning remediation of site soil contaminated with transmission fluid and motor oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on March 20, 2019.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Stewart Silk Mill**, 620 Coal Street, Easton City, **Northampton County**. Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite A-23, Allentown, PA 18106, on behalf of TCH Realty & Development Company, 900 South Avenue, Suite 300, Staten Island, NY 10314, submitted a combined Remedial Investigation Report, Risk Assessment, and Cleanup Plan concerning remediation of soil at this former industrial and manufacturing site was contaminated with metals, volatile organic compounds, semi-volatile organic compounds, and polychlorinated biphenyls. The report was intended to document plans to remediate the site to meet Site-Specific Standards but was disapproved by the Department on March 20, 2019.

**Trehab Associates**, 36 Public Avenue, Montrose Borough, **Susquehanna County**. Hydrocon Services, 1119 Longbrook Road, Lutherville, MD 21093, on behalf of Trehab Associates Inc., 36 Public Avenue, Montrose, PA 18801, submitted a final report concerning remediation of site soil and groundwater contaminated with heating oil from an underground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on March 25, 2019.

### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Determination of Applicability for General Permit Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.*

**General Permit No. WMGR096SE010. Philadelphia Regional Port Authority**, 3460 N. Delaware Avenue, Philadelphia, PA 19134. This application is for the determination of applicability (DOA) under General Permit No. WMGR096 for the beneficial use of regulated fill material, as defined in Department of Environmental Protection (DEP) Document No. 258-2182-2773 (Management of Fill) to be used as construction material at the South Port Facility, located at 51 Mustin Street (Navy Yard) in the City and **County of Philadelphia**. The application for determination of applicability was issued by the Southeast Regional Office on March 8, 2019.

Persons interested in reviewing the general permit may contact the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984.

## AIR QUALITY

---

### General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**GP3-09-0159: The H&K Group** (2001 Ridge Road, Sellersville, PA 18960) On March 21, 2019, for a Portable Nonmetallic Mineral Processing Plant, Manufacturer: Astec, Model No. 3600, Max. Throughput: 380 tons/hr, located in West Rockhill Township, **Bucks County**.

**GP9-09-0086: The H&K Group** (2001 Ridge Road, Sellersville, PA 18960) On March 21, 2019, for One (1) Diesel or No. 2 Fuel-Fired Internal Combustion Engine, Manufacturer: Cummins, Model No. QSL8.9 Capacity: 380 bhp, located in West Rockhill Township, **Bucks County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**GP3-08-124: Duffy, Inc.** (P.O. Box 374, 1 Delta Drive, Smethport, PA 16749) on March 14, 2019, to authorize the operation of a 2008 vintage Kolberg-Pioneer Fast Track model FT2650 portable crushing plant pursuant to the General Plan Approval and/or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at the Cornelius Quarry # 3 located in Roulette Township, **Potter County**.

**GP11-08-124: Duffy, Inc.** (P.O. Box 374, 1 Delta Drive, Smethport, PA 16749) on March 14, 2019 to authorize the operation of a 2006 vintage 275 brake-horsepower Caterpillar C9 FT2650 diesel engine pursuant to the General Plan Approval and General Operating Permit for Nonroad Engines (BAQ-GPA/GP-11) at the Cornelius Quarry # 3 located in Roulette Township, **Potter County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.*

**GP3-26-00565B: Steve Patterson Excavating** (170 Yasenosky Road, Smithfield, PA 15478) on March 20, 2019, to authorize to continue operation of one (1) Crusher rated at 250 tph; one (1) Grinder rated at 250 tph; two (2) Vibratory Screens each rated at 250 tph; one (1) Shredder Screen rated at 250 tph; and twelve (12) Conveyors at their Non-Metallic Mineral Crushing Plant located at Rose Surface Mine in Dunbar Township, **Fayette County**.

**GP3-63-00970D: Neiswonger Construction, Inc.** (17592 Route 322, Strattanville, PA 16258) on March 18, 2019 to allow the operation of a portable nonmetallic mineral processing plant consisting of three (3) crushers each rated at 200 tph, one (1) radial stacker, two (2) vibratory screen, and associated conveyors located in Deemston Borough, **Washington County**.

**GP11-63-00970A: Neiswonger Construction, Inc.** (17592 Route 322, Strattanville, PA 16258) on March 18, 2019 to allow the installation and operation of four (4) nonroad diesel-fired engines rated at 275 bhp, 448 bhp, 190 bhp and 300 bhp in conjunction with a portable nonmetallic mineral processing plant located in Deemston Borough, **Washington County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**GP1-20-294C: International Waxes, Titusville** (1001 E Spring St., Titusville, PA 16354) on March 19, 2019, for the authority to continue operation of an existing 23.45 MMBtu/hr natural gas-fired boiler (BAQ-GPS/GP1) located at their facility in Titusville City, **Crawford County**.

---

### Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

---

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**21-05028C: Fry Communications, Inc., Building 3** (101 Fry Drive, Mechanicsburg, PA 17050) on March 20, 2019, for the installation of a new 75" Manroland Lithoman IV 4-80 745 lithographic printing press at the printing facility located in Mechanicsburg Borough, **Cumberland County**. The printing press includes an integral dryer and afterburner for the control of VOC emissions.

**21-05067A: Carlisle Syntec, Divison Carlisle Construction Materials, LLC** (P.O. Box 7000, Carlisle, PA 17013) on March 20, 2019, for the installation of a Dubois Primer Coater Station at the facility located in Carlisle Borough, **Cumberland County**. The primer coater station will apply adhesive primer to rolls of sheet roofing.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**16-132N: Clarion Boards, Inc.** (143 Fiberboard Rd., P.O. Box 340, Shippensburg, PA 16254), on March 20, 2019 issued a Plan Approval for the proposed facility VOC limit to become a synthetic minor VOC facility in Paint Township, **Clarion County**. This is a Title V facility.

**43-290D: NLMK PA-Sharon Coating LLC** (277 N Sharpville Ave., Sharon, PA 16146), on March 19, 2019 issued a Plan Approval for operational changes and an increase in facility wide CO Emission limit in Sharon City, **Mercer County**. This is a State Only facility.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.*

**23-0038F: Delcora** (P.O. Box 999, 100 E 5th St., Chester, PA 19016-0999) On March 20, 2019, for their plan approval to add controls consisting of a quench, a multi-venturi scrubber, wet electrostatic precipitator and regenerative thermal oxidizer to each of their two multiple hearth incinerators located in Chester City, **Delaware County**.

**23-0009J: The Boeing Co** (P.O. Box 16858, MC P01-29, Philadelphia, PA 19142-0858) On March 20, 2019, for the installation and operation of two (2) new dual fuel (natural gas/No. 2 fuel oil) boilers, and the removal of two (2) existing boilers at their facility located in Ridley Township, **Delaware County**.

**46-0036K: Div AR Prop LP** (1041 US Highway 202/206, Bridgewater, NJ 08807-1291) On March 21, 2019, extended for the increase the permitted operating hours for four (4) existing electric generating engines and the modification of these engines with the installation of oxidation catalyst to reduce CO and VOC emissions at their facility located in Worcester Township, **Montgomery County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-03102B: The City of Reading** (815 Washington Street, Reading, PA 19601) on March 19, 2019, for upgrades to the Reading Waste Water Treatment Plant on Fritz Island located in the City of Reading, **Berks County**. The plan approval was extended.

**28-05002O: Letterkenny Army Depot—US Department of Defense** (One Overcash Avenue, Chambersburg, PA 17201) on March 19, 2019, for the construction of a new surface coating booth at the Letterkenny Army Depot in Greene/Letterkenny Townships, **Franklin County**. The plan approval was extended.

**36-03207A: R. E. Ebersole, Inc.** (236 Governor Stable Road, Bainbridge, PA 17502) on March 21, 2019, for an existing 16.752 MMBtu/hr, # 2 oil fired, boiler at the rendering facility located in Conoy Township, **Lancaster County**. The plan approval was extended, with a compliance schedule.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.*

**14-00704B: Buckeye Pipeline Company LP** (469 Moon Clinton Road, Coraopolis, PA 15108-3833) plan approval modification issuance effective March 12, 2019, to modify the Plan Approval to initiate the period of temporary operation for their Midland Breakout Station/Midland Terminal located in Midland and Industry Borough, **Beaver County**.

**65-00634A: Dominion Energy Transmission, Inc.** (5000 Dominion Boulevard, 2NE, Glen Allen, VA 23060) on March 22, 2019, to allow continued temporary operation of the sources authorized under PA-65-00634A at the JB Tonkin Compressor Station located in Murrysville Borough, **Westmoreland County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**10-333D: Penn United Technology Inc.** (795 N. Pike Road, Cabot, PA 16023) on March 19, 2019, effective March 31, 2019, has issued a plan approval extension for construction of a batch vapor degreasing unit using trichloroethylene solvent in Jefferson Township, **Butler County**. This is a State Only facility. This will expire on September 30, 2019.

**20-037B: US Bronze Foundry & Machine Inc.** (18649 Brakeshoe Rd., P.O. Box 458, Meadville, PA 16335) on March 19, 2019, effective March 31, 2019, has issued a plan approval extension to construct, modify or operate two (2) 2,000 lb. capacity electric induction furnaces, two (2) 80 lb. aluminum/bronze crucible furnaces, grinding operations, a sand handling system, and a rotary drop media surface abrader in Woodcock Township, **Crawford County**. This will expire September 30, 2019. This is a State Only facility.

**24-131R: SGL Carbon LLC** (900 Theresia St., P.O. Box 1030, Saint Mary's, PA 15857) on March 25, 2019, effective March 31, 2019, has issued a plan approval extension for the construction of a new Chemical Vapor Deposition Reactor (# 16) and scrubber located in Building 500 CVD Operations in the City of St. Mary's, **Elk County**. This is a State Only facility. This will expire on September 30, 2019.

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**46-00298: GlaxoSmithKline, LLC East** (709 Swedeland Road, King of Prussia, PA 19406) On March 20, 2019, for operation of boilers and generators at the Pharmaceutical Preparation and Manufacturing Plant located in Upper Merion Township, **Montgomery County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**54-00041: Silberline Manufacturing Company** (130 Lincoln Drive, Tamaqua, PA 18252-4321) The Department issued, on 3/20/19, a Title V Operating Permit renewal for operation of a pigment manufacturing facility in Rush Township, **Susquehanna County**. The proposed Title V Operating Permit includes all applicable emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements. Presumptive RACT II conditions are included while case-by-case RACT II will be incorporated into the permit through a permit modification.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**25-00923: Erie Power, LLC** (10915 Ackerman Lane, North East, PA 16428-3828). On March 25, 2019, the Department issued the renewal of the Title V Operating Permit for the cogeneration facility located in North East Township, **Erie County**. The facility's primary emission sources include the two (2) existing 35 MW natural gas-fired combustion turbines and miscellaneous natural gas usage. The potential emissions, after permit limitations, of the major pollutants from the facility are as follows: 244.56 TPY (tons per year) NO<sub>x</sub>, 223.55 TPY CO, 33.74 TPY VOC, 6.31 TPY total HAPs (hazardous air pollutants), 43.05 TPY PM<sub>10</sub> and PM<sub>2.5</sub>, and 5.22 TPY SO<sub>x</sub>; thus, the facility is subject to Title V requirements for potential emissions of NO<sub>x</sub> and CO in excess of 100 TPY. The turbines are subject to 40 CFR 60 Subpart GG Performance Standards for Stationary Gas Turbines and presumptive RACT under 25 Pa. Code § 129.97(g)(2) relating to NO<sub>x</sub> emissions. The turbines are also subject to CSAPR (Cross State Air Pollution Rule) requirements of 40 CFR Part 97, Subparts AAAAA, CCCCC, and EEEEE. A 5.5 MMBtu/hr space heating source is subject to presumptive RACT under 25 Pa. Code § 129.97(c)(3) relating to work practices. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-00115: Draper DBS, Inc.** (1803 North 5th Street, Perkasio, PA 18944). On March 20, 2019, for renewal of a State Only, Synthetic Minor Operating Permit for their custom wood cabinetry design, manufacturing, and finishing facility in East Rockhill Township, **Bucks County**.

**23-00058: Haverford College** (370 Lancaster Ave., Haverford, PA 19041) On March 20, 2019, for a State Only, Synthetic Minor Operating Permit for the operation of sources at a College in Haverford Township, **Delaware County**.

**09-00118: Associated Rubber Incorporated,** (115 S. 6th Street, Quakertown, PA 18951) On March 25, 2019, for the renewal of a Non-Title V Facility, State-Only, Natural Minor Operating Permit in Quakertown Borough, **Bucks County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**40-00104: Brdaric Excavating, Inc.** (500 Main Street, Swoyersville, PA 18704). On March 25, 2019 the Department issued a renewal State-Only Natural Minor Permit for Brdaric Buck Mountain Quarry located in Kingston Township, **Luzerne County**. This quarry operates a rock crushing plant. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP)

and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**52-00002: Eureka Stone Quarry, Inc.** (P.O. Box 249, Chalfont, PA 18914-0249). On March 19, 2019 the Department issued a renewal State-Only Synthetic Minor Permit for their Milford Plant located in Milford Borough, **Pikes County**. The source is considered a minor emission source of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**14-00040: Dominion Transmission, Inc.** (925 White Oaks Boulevard, Bridgeport, WV 26330-6919) on March 19, 2019, an operating permit renewal for their Centre Compressor Station located in Spring Township, **Centre County**. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit renewal to ensure the facility complies with all applicable Federal and State air quality regulations.

**59-00006: Dominion Transmission, Inc.** (925 White Oaks Boulevard, Bridgeport, WV 26330-6919) on March 18, 2019, an operating permit renewal for their Boom Compressor Station located in Lawrence Township, **Tioga County**. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit renewal to ensure the facility complies with all applicable Federal and State air quality regulations.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**63-00969: MarkWest Liberty Midstream & Resources, LLC** (Between PA 18 & Cross Creek Road) Synthetic Minor Operating Permit on March 18, 2019, the Department of Environmental Protection (DEP) authorized an initial synthetic minor state-only operating permit for a natural gas compressor station located in Smith Township, **Washington County**. The facility was previously operating under a GP-5. The synthetic minor state-only operating permit was required per a consent decree between the company, the EPA, and the Department to account for pigging operations. The permit includes emission limits, operating requirements, monitoring requirements, and recordkeeping requirements for the site.

**63-00895: Ensinger, Inc.** (365 Meadowlands Boulevard, Washington, PA 15301) Natural Minor Operating Permit on March 19, 2019, the Department of Environmental Protection (DEP) authorized a renewed natural minor State-Only operating permit for a thermoset plastic manufacturing plant and located in North Strabane Township, **Washington County**. The permit includes

operating requirements, monitoring requirements, and recordkeeping requirements for the site.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matt Williams, Facilities Permitting Chief, Telephone: 814-332-6940.*

**25-01043: Barrel O' Fun Snack Foods Company East** (821 Route 97, Waterford, PA 16441), on March 20, 2019, the Department issued the new State-Only Operating Permit of a snack food manufacturing facility located in Waterford Township, **Erie County** that produces potato chips, corn puffs, and popcorn. Issued in 2014, Plan Approval 25-1043A initially authorized operations of six (6) fryers, a corn puff line, a corn popper, and a hot water maker at the facility. In January 2019, a RFD was approved authorizing the operation of a seventh (7th) fryer. As PM control, each kettle fryer is equipped with a high efficiency oil mist eliminator. Requirements of the plan approval are incorporated into the operating permit. Emission limits established are adjusted to account for the 7th fryer. A recordkeeping requirement is also added to demonstrate compliance with these emission limits. Conditions on source test submittals are updated based on Source Testing Section's latest guidelines. With PTEs of 11.0 TPY NO<sub>x</sub>, 9.22 TPY CO, 5.5 TPY PM, 3.15 TPY VOC, and 0.07 TPY SO<sub>x</sub>, the facility is Natural Minor for permitting purposes.

**42-00181: Lewis Run Gas Plant LLC** (4613 East 91st Street, Tulsa, OK 74137) The Department on March 19, 2019 issued a renewal of the Natural Minor Operating Permit to operate the natural gas processing plant in Bradford Township, **McKean County**. The facility's primary emission sources include a dehydration unit, combustion emissions for the dehydration unit, a fractionation skid with an associated combustion heater, an inlet compressor (rated at 700 HP), a 265 HP refrigeration compressor, potential equipment leaks, product storage tanks and loading, and an emergency natural gas generator. The inlet compressor and refrigeration compressor are 4 stroke rich burn engines equipped with catalytic converters. These two engines are subject to 40 CFR 63 Subpart ZZZZ—NESHAPs for Stationary Reciprocating Internal Combustion Units. The dehydration unit is subject to 40 CFR 63 Subpart HH—NESHAPs from Oil and Natural Gas Production Facilities. The emergency engine is subject to 40 CFR 60 Subpart JJJJ. Actual emissions from the facility are less than the Title V emission thresholds. The conditions of the previous plan approvals and operating permits were incorporated into the renewal permit.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**15-00015: Arkema Company, Inc.** (610 Bolmar Street, West Chester, PA 19382) On March 20, 2019, located in West Chester Borough, **Chester County**, opened for cause of the Title V Operating Permit. A revised testing requirement was added to the permit. The permit contains all applicable requirements including monitoring, recordkeeping and reporting.

**46-00041: Graphic Packaging International, Inc.** (1035 Longford Road, Phoenixville, PA 19460) On March 20, 2019, for a change in company name from Graphic Packaging International, Inc. to Graphic Packaging International, LLC, and incorporates terms and conditions from Plan Approval No. 46-0041F for the installation of a new non-heatset, sheetfed, offset lithographic printing press for their facility located in Upper Providence Township, **Montgomery County**. This action is an Administrative Amendment of the Title V Operating Permit performed under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**63-00147: International Paper Company/Eighty-Four Container Plant** (10 Wilson Road, Eighty-Four, PA 15330) on March 18, 2019, the Department amended the facility's State-Only Operating Permit for a change in Permit Contact. This was a correction from an amendment processed on March 11, 2019, that erroneously changed the Responsible Official. The company operates a corrugated box manufacturing facility located in North Strabane Township, **Washington County**.

**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**28-05002: US Department of Defense—Letterkenny Army Depot** (One Overcash Avenue, Chambersburg, PA 17201). Pursuant to 25 Pa. Code § 127.449(i), this *PA Bulletin* Notice is for de minimis emission increases of 0.000001 TPY PM<sub>10</sub> resulting from the installation of a central vacuum system in the paint shop building (Bldg. 3382) of the ammunition storage area to collect sanding waste from the sanding of missile containers at the Letterkenny Army Depot located in Greene/Letterkenny Townships, **Franklin County**. This is the first de minimis emissions increase at the facility during the term of the current operating permit.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.*

**04-00704: Buckeye Pipe Line Company, LP** (469 Moon Clinton Road, Coraopolis, PA 15108) on September 21, 2018, pursuant to 25 Pa. Code § 127.449, for de minimis emissions increase of up to 0.00015 ton of VOC and HAPs per year, resulting from the use of an existing 1,000-gallon horizontal tank to store methanol at its Midland Breakout Station located in Industry Borough, **Beaver County**. To date, no other de minimis emissions increases have occurred at the facility during the term of its current State Only Operating Permit (OP-04-00704).



## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).**

### Coal Permits Issued

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**17743702 and NPDES No. PA0215490. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Lady Jane Plant in Huston Township, **Clearfield County**. No additional discharges. The application was considered administratively complete on May 20, 2015. Application received: January 27, 2015. Permit issued: March 25, 2019.

**56841608 and NPDES No. PA0213721 and GP12-56841608-R15. PBS Coals, Inc.**, (P.O. Box 260, Friedens, PA 15541). To renew the permit for the Cambria Fuel Prep Plant in Stonycreek Township, **Somerset County** to include renewal of Air Quality GPA/GP12 authorization. Approval is authorized under General Permit BAQ-GPA/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-56841608-R15. The application was considered administratively complete on January 5, 2017. Application received: May 16, 2016. Permit issued: March 25, 2019.

### Noncoal Permits Issued

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**53080806. Samuel A. Treat** (326 Burrows Road, Coudersport, PA 16915). Final bond release for small industrial minerals surface mine located in Allegany Township, **Potter County**. Restoration of 1.0 acre completed. Receiving stream(s): unnamed tributary to Peet Brook. Application received on January 16, 2019. Final bond release approved: March 19, 2019.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**GP11262518-001. Iron Mountain US, LLC** (1 Pilarsky Way, Aliquippa, PA 15001-5958). Approval for culvert replacement authorized under Chapter 105 General Permit GP11262518-001 and is required to meet all applicable limitations, terms and conditions of authorization GP11262518-001, located in Dunbar Township, **Fayette County**. Registration received: October 18, 2018. Coverage authorized: March 14, 2019. Noncoal Permit 26990301 reissued: March 14, 2019.

**03020402 and NPDES Permit No. PA0250406. Allegheny Mineral Corporation** (P.O. Box 1022, Kittanning, PA 16201). Permit issued for commencement, operation and restoration of a large noncoal surface mine, located in West Franklin Township, **Armstrong County**, affecting 160.8 acres. Receiving streams: unnamed tributary and Buffalo Creek. Application received: October 22, 2018. Permit issued: March 21, 2019.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 4873M6C. Kinsley Construction, Inc.**, (P.O. Box 3886, York, PA 17405), correction to an existing quarry operation to include placement of fill for mine reclamation and decrease the permit acres from 77.0 acres to 56.2 acres in West Manchester Township, **York County**, receiving stream: Codorus Creek. Application received: December 19, 2016.

**Permit No. PAM112058C. Kinsley Construction, Inc.**, (P.O. Box 3886, York, PA 17405), correction of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 4873SM6 in West Manchester Township, **York County**, receiving stream: Codorus Creek. Application received: April 4, 2018. Correction issued: March 21, 2019.

**Permit No. PAM111102R. White Stone Quarry, LLC**, (601 Salem Road, Archbald, PA 18403), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 35110301 in Jefferson Township and Archbald Borough, **Lackawanna County**. Receiving stream: no discharge to Indian Cave Creek. Application received: January 29, 2019. Renewal issued: March 22, 2019.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

### Blasting Permits Issued

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**14194102. Douglas Explosives Inc.** (2052 Philipsburg Bigler Highway, Philipsburg, PA 16866). Blasting for residential development located in Harris Township, **Centre County** with an expiration date of April 1, 2020. Permit issued: March 20, 2019.

**53194001. SA Exploration** (13645 North Promenade Boulevard, Stafford, TX 77477). Blasting for seismic exploration located in Stewardson Township, **Potter County** and Chapman Township, **Clinton County** with an expiration date of March 7, 2020. Permit issued: March 18, 2019.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 38194104. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blast-

ing for Scenic Ridge Phase 111 in West Cornwall Township, **Lebanon County** with an expiration date of February 28, 2020. Permit issued: March 19, 2019.

### PRIMACY BOND FORFEITURE PROJECT

*Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931-4119, Telephone (814) 472-1908.*

|                                 |  |
|---------------------------------|--|
| Primacy Bond Forfeiture Project | PBF 56703124.2   |
| Location                        | Stonycreek Township<br>Somerset County Pennsylvania            |
| Description                     | Flight 93—Iron Sludge<br>Handling Facility                     |
| Contractor                      | Earth Shapers, LLC<br>2502 Cardiff Road<br>Ebensburg, PA 15931 |
| Amount                          | \$139,012.00   |
| Date of Award                   | March 20, 2019   |

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

---

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

---

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E15-887: Woodbine Partners, L.P.**, 120 Pennsylvania Avenue, Malvern, PA 19335, Borough of Downingtown, **Chester County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities within the floodway/floodplain of the Parke Run Creek (WWF, MF) associated with the Woodbine Apartments Project:

1. To construct and maintain a pedestrian timber bridge for an 8-foot wide and measuring approximately 100 feet in length above the floodway elevation associated with the subdivision.
2. Realigned, regrade, and stabilize about 110 feet of stream to align with extended Woodbine Road culvert.
3. To extend and maintain the existing culverts along the Country Club Drive (about 7.5 feet extension to total length of 37.5 feet), and along Woodbine Road (about 83 feet extension to total length of 115 feet).
4. To construct and maintain five stormwater outfall structures along the stream, and sanitary sewer main relocation.

The site is located at the southeast corner of the intersection of Woodbine Road and Lancaster Avenue (USGS Downingtown, PA Quadrangle, Latitude: 40.014626; Longitude: -75.684885).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E40022-814. Paul Rollman, Jr. & Lorraine Elias**, 15 First Street, Harveys Lake, PA 18612, Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 2,150 sq. ft., pile-supported dock and boathouse within the basin of Harveys Lake (HQ-CWF). The project is located at Pole # 27 along Lakeside Drive (S.R. 415) (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 39"; Longitude: -76° 2' 2"). Sub-basin 5B.

**E45-617. Brodhead Creek Regional Authority**, 410 Mill Creek Road, East Stroudsburg, PA 18301-1126. Stroud Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a concrete pad that's approximately 17-feet wide by 34-feet long which contains a new emergency generator and electrical equipment for the Brodhead Creek Regional Authority Water Treatment

Plant within the 100-year floodplain of the Brodhead Creek (HQ-CWF, MF). The project is located at 410 Mill Creek Road in Stroud Township, Monroe County (East Stroudsburg, PA Quadrangle; Latitude: 41° 1' 2.77"; Longitude: -75° 12' 8.72"). Sub-basin 1E.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

**E02-1720, Hampton Township**, 3101 McCully Road, Allison Park, PA 15101, Hampton Township, **Allegheny County**, Pittsburgh ACOE District.

Has been given consent to:

1. Construct and maintain stream bank protection along approximately 95' of Gourdhead Run (TSF);

2. Excavate material from 0.39-acre of floodway and floodplain, and to reduce the height and slope of both stream banks, along 510 linear feet of this same reach of Gourdhead Run;

3. Construct and maintain two pedestrian bridges and scour protection across and along a combined total of 66 linear feet of Gourdhead Run, at the upstream and downstream limits of this same reach of Gourdhead Run;

4. Construct and maintain a gravel walking trail along the perimeter of the project area; and

5. Construct mitigation within the floodplain of Gourdhead Run as required by a previously issued permit, permit number E02-1633.

For the purpose of creating a pedestrian walking trail and the Gourdhead Run floodplain detention project, near the intersection of Duncan Avenue and State Route 8 (Glenshaw, PA USGS topographic quadrangle; Lat: 40° 33' 35"; Long: -79° 57' 36"; Sub-basin: 18A, Pittsburgh Corps District) in the Township of Hampton, Allegheny County.

*District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA.*

**E5829-134: Franklin and Liberty Townships, SWN Production Company, LLC**; 10000 Energy Drive, Spring, TX 77389; Franklin and Liberty Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 51 lineal feet of an unnamed tributary to Silver Creek (EV, CWF-MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 31", Longitude: -75° 52' 18"),

2) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 12,168 square feet (0.28 acre) of a palustrine emergent wetlands (PEM) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 32", Longitude: -75° 52' 17"),

3) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 50 lineal feet of an unnamed tributary to Silver Creek (EV, CWF-MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 44", Longitude: -75° 51' 52"),

4) a 12-inch diameter steel natural gas gathering pipeline impacting 2 lineal feet of an unnamed tributary to Silver Creek (EV, CWF-MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 49", Longitude: -75° 51' 48"),

5) a 12-inch diameter steel natural gas gathering pipeline impacting 5 lineal feet of an unnamed tributary to Silver Creek (EV, CWF-MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 50", Longitude: -75° 51' 47"),

6) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 98 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) and palustrine scrub-shrub wetlands (PSS) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 50", Longitude: -75° 51' 46"),

7) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 933 square feet (0.01 acre) of a palustrine forested wetlands (PFO) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 53", Longitude: -75° 51' 38"),

8) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 260 square feet (0.01 acre) of a palustrine forested wetlands (PFO) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 55", Longitude: -75° 51' 38"),

9) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat impacting 884 square feet (0.01 acre) of a palustrine forested wetlands (PFO) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 59", Longitude: -75° 51' 38"),

10) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge impacting 359 square feet of floodway to an unnamed tributary to Silver Creek (CWF, MF) (Franklin Forks, PA Quadrangle; Latitude: 41° 55' 31", Longitude: -75° 51' 39").

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.*

ESCGP-3 # ESG30700719-001  
 Applicant Name PennEnergy Resources, LLC  
 Contact Person Scott Sweder  
 Address 1000 Commerce Drive, Park Place One, Suite 400  
 City, State, Zip Pittsburgh, PA 15275  
 County Beaver  
 Township(s) New Sewickley Twp  
 Receiving Stream(s) and Classification(s) Unnamed Tributaries to Brush Creek, Brush Creek, Connoquenessing Creek, Beaver River (WWF)

ESCGP-3 # ESG30706318-001  
 Applicant Name Mountain Gathering, LLC  
 Contact Person Dewey Chalos  
 Address 190 Thorn Hill Road  
 City, State, Zip Warrendale, PA 15086  
 County Indiana  
 Township(s) Center  
 Receiving Stream(s) and Classification(s) Unnamed tributaries to Two Lick Creek, Two Lick Creek, Laurel Run, Cherry Run (CWF, siltation impaired), Blacklick Creek (TSF, siltation impaired)

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

ESCGP-3 # ESG32908118-002  
 Applicant Name SWN Production Co LLC  
 Contact Person Nicki Atkinson  
 Address 917 State Route 92 North  
 City, State, Zip Tunkhannock, PA 18657  
 County Lycoming  
 Township(s) Pine Twp.  
 Receiving Stream(s) and Classification(s) Primary Watershed(s): UNT to Blacks Creek (EV)  
 Secondary Watershed(s): Blockhouse Creek (EV)

ESCGP-3 # ESG32911719-001  
 Applicant Name Rockdale Marcellus LLC  
 Contact Person Sean Wainwright  
 Address 4600 J Barry Court, Suite 120  
 City, State, Zip Canonsburg, PA 15317  
 County Tioga  
 Township(s) Liberty Twp.  
 Receiving Stream(s) and Classification(s) Primary Watershed(s): Roaring Branch (EV)  
 Secondary Watershed(s): Roaring Branch (EV)

ESCGP-3 # ESG32903319-001  
 Applicant Name Range Resources—Appalachia, LLC  
 Contact Person Karl Matz  
 Address 3000 Town Center Blvd.  
 City, State, Zip Canonsburg, PA 15317-5839  
 County Clearfield  
 Township(s) Morris Twp  
 Receiving Stream(s) and Classification(s) Primary Watershed(s): UNTs to Hawk Run (EV)  
 Secondary Watershed(s): Hawk Run (EV)

ESCGP-3 # ESG32908119-002  
 Applicant Name ARD Operating, LLC  
 Contact Person Stephen Barondeau  
 Address 33 West Third Street, Suite 300  
 City, State, Zip Williamsport, PA 17701  
 County Lycoming  
 Township(s) Cascade Twp.  
 Receiving Stream(s) and Classification(s) West Branch Wallis Run (HQ-CWF, EV), UNT to West Branch Wallis Run (HQ-CWF, EV)  
 Secondary Receiving Waters: Wallis Run (HQ-CWF, EV)

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

**The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Getty 69218**, 51-12152, 8005 Ogontz Ave., **City of Philadelphia**. Envirotrac Ltd., 3070 Bristol Pike, Building 1, Suite 221, Bensalem, PA 19020, on behalf of LUKOIL North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site specific standards.

**Amoco Gentle Touch**, 23-29806, 306 E. Lancaster Ave., Radnor Township, **Delaware County**. Comstock Environmental Services LLC, P.O. Box 509, Lafayette Hill, PA 19444, on behalf of 1747 Springhouse Rd., Chester Springs, PA 19425 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

**Amoco Sta 447**, 23-04437, 2 S. Pennell Rd., Middletown Township, **Delaware County**. Resource Control Consultants Group, Ltd., P.O. Box 180, Moorestown, NJ

08057, on behalf of ARFA Real Estate, 4350 Haddonfield Road, Suite 200, Pennsauken, NJ 08109 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site specific standards.

**Bob & Weezies Gas Sta.**, 51-43435, 3842 Lancaster Ave., **City of Philadelphia**. Bison Environmental, LLC, 89 Jennifer Lane, Burlington, NJ 08016, on behalf of 3842 Partners LP, 3000 Chestnut Street, Unit 42613, Philadelphia, PA 19101 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the site specific standard.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Former Manheim Texaco**, Storage Tank Primary Facility ID # 36-08714, 216 North Main Street, Manheim, PA 17547, Manheim Borough, **Lancaster County**, Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Atlas Petro, 7078 Peachtree Industrial Boulevard, Suite 800, Peachtree Corners, GA submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard and the Site-Specific Standard.

**Rutter's Store No. 24**, Storage Tank Primary Facility ID # 67-38001, 2600 Delta Road, Brogue, PA 17309, Chanceford Township, **York County**, United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, Suite C, York, PA 17404 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Five Gables Amoco**, Storage Tank Primary Facility ID # 05-11046, 5869 Business 220, Bedford, PA 15522, Bedford Township, **Bedford County**, Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Bedford Valley Petroleum, Bedford, PA submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of

studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Neshaminy Manor Whse**, 09-43458, 1265 Almshouse Rd., Doylestown Township, **Bucks County**. Pine Run Construction, 4125 Landisville Rd, Doylestown, PA 18902, on behalf of Neshaminy Manor Warehouse, 1265 Almshouse Road, Doylestown, PA submitted a SCR 310(b) concerning remediation of soil contaminated with diesel and unleaded gasoline. The SCR310(b) demonstrated attainment of residential Statewide health standards and was approved by the DEP on March 19, 2019.

**Avis Rent A Car**, 51-02335, Avis Rent A Car System, LLC, 6625 Norwitch Drive, **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500 Exton, PA 19341, on behalf of Avis Rent A Car Budget Facility, LLC, 6 Sylvan Way, Parsipanny, NJ 07054, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet site specific standards and was approved by the DEP on March 25, 2019.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Former Roberts Oil**, Storage Tank ID # 40-29639, 370 Main Street, Luzerne Borough, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Kamus Construction, 57 Walnut Street, Forty Fort, PA 18704 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Completion Report demonstrated attainment of the Non-Residential Statewide Health Standards for soil and groundwater and was approved by DEP on March 22, 2019.

**Fast Fill**, Storage Tank ID # 13-07749, 24 Blakeslee Boulevard Drive (Route 443), Lehighon Borough, **Carbon County**. Synergy Environmental, 15 Railroad Plaza, First Floor, Royersford, PA 19468, on behalf of Vista Fuels LLC, RR1, Box 58-16, Andreas, PA 18221 has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The combined Site Characterization Report and Remedial Action Plan was not acceptable to meet Residential Statewide Health Standards and was disapproved by DEP on March 25, 2019.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Former Longstown Exxon 18**, Storage Tank Primary Facility ID # 67-17543, 2905 E. Prospect Road, York, PA 17402, Windsor Township, **York County**, Buchart Horn, The Russel E. Horn Building, 445 West Philadelphia Street, P.O. Box 15040, York, PA 17405, on behalf of Shipley Energy, 415 Norway Street, York, PA 17403, submitted a Remedial Action Completion Report concerning remediation of soil with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 20, 2019.

**Speedway 6769**, Storage Tank Primary Facility ID # 38-22672, 1082 Heidelberg Avenue, Shaefferstown, PA 17088, Heidelberg Township, **Lebanon County**, EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18017-9010, on behalf of Speedway LLC, 500 Speedway Dr., Enon, OH 45323-1056 submitted a Remedial Action Completion Report concerning remediation of soil con-

taminated with Unleaded Gasoline and Diesel Fuel constituents. The Remedial Action Completion Report demonstrated attainment of the Residential Used Aquifer Statewide Health Standard and was approved by the Department on March 22, 2019.

**Rutter's Store No. 16**, Storage Tank Primary Facility ID # 67-26955, 4430 West Main Street, York, PA 17408, West Manchester Township, **York County**, United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, Suite C, York, PA 17404 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Plan was not acceptable to meet the Statewide Health Standard and was disapproved by the Department on March 25, 2019.

**Mechanicsburg North Terminal**, Storage Tank Primary Facility ID # 21-00827, 125 Texaco Road, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**, Groundwater Services International, Inc., 443 McCormick Road, Mechanicsburg, PA 17055, on behalf of Lucknow Highspire Terminals, LLC, P.O. Box 2621, Harrisburg, PA 17105 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, isopropylbenzene (cumene), fluorene, and phenanthrene. The report is intended to document remediation of the site to meet the Non-Residential, Site-Specific Standard. The Remedial Action Completion Report did not demonstrate attainment of the Site-Specific Standard and was disapproved by the Department on March 26, 2019.

---

**SPECIAL NOTICES**

---

**SEWAGE FACILITIES ACT PLAN APPROVAL**

---

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

---

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

*Plan Location:*

| <i>Borough or Township</i>              | <i>Borough or Township Address</i>  | <i>County</i> |
|---|---|---------------|
| Shinglehouse Borough<br>Sharon Township | P.O. Box 106<br>Shinglehouse, PA 16748<br>1972 State Route 44 South<br>Shinglehouse, PA 16748 | Potter        |

*Plan Description:* The approved plan calls for Shinglehouse Borough, whose public sewage facilities also serve a small portion of Sharon Township, to upgrade their existing wastewater treatment plant and change their wastewater treatment process to the use of an MLE Oxidation Ditch. The proposed project is to be completed in phases, within the next ten years, and is estimated to cost approximately \$2,795,000. Shinglehouse Borough intends to utilize PENNVEST, RUS, and other funding/grant options to finance the project. The Department of Environmental Protection's review of the sewage facilities update has not identified any significant environmental impacts resulting from the proposed plan. Any required NPDES Permits or WQM Permits must be obtained in the name of Shinglehouse Borough.

*Plan Location:*

| <i>Borough or Township</i> | <i>Borough or Township Address</i>    | <i>County</i> |
|----------------------------|---------------------------------------|---------------|
| Rush Township              | P.O. Box 152<br>Philipsburg, PA 16866 | Centre        |

*Plan Description:* The submitted plan was denied since it was administratively incomplete. The submitted plan calls for the creation of a new collection and conveyance system that will tie into the Osceola Rush Decatur (ORD) Sewer Authority system. The proposed collection system is to serve a portion of the Route 350 Corridor, from Glass City to the Twigg Settlement and is to be permitted, constructed, owned and operated by the ORD Sewer Authority.

### **Proposed State Water Quality Certification**

#### **Required by Section 401 of the Clean Water Act and General Permit Registration Package for the Supply Header Project Amendment # 2**

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, P.E., 412.442.4149.*

**WQ05-014-A2, Dominion Energy Transmission, Inc. (DETI) (Applicant)**, 5000 Dominion Boulevard, Glen Allen, VA 23060. Supply Header Project Second Amendment (Project), in the City of Murrysville and Salem Township, **Westmoreland County**, Pittsburgh ACOE District. The second project amendment includes changes along the 3.9 mile pipeline route, which starts northwest of Delmont (Slickville, PA Quadrangle; N: 40° 25' 22.66"; W: 79° 35' 32.22") and extends northwest to DETI's existing JB Tonkin Compressor Station (Murrysville, PA Quadrangle; N: 40° 27' 46.96"; W: 79° 38' 25.88").

The previously referenced information relates to a second amendment to the Supply Header Project (Project) which was previously reviewed under DEP File No. WQ05-014, the history of which is detailed as follows:

#### **Initial State Water Quality Certification for Project**

On September 18, 2015, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP15-555-000). The FERC final Environmental Impacts Statement for the Project, which was issued on July 21, 2017, may be viewed on FERC's website at [www.ferc.gov](http://www.ferc.gov) (search eLibrary; Advanced Search; Access Number 20170721-3017).

On April 4, 2017, Applicant requested a State water quality certification from the Department of Environmental Protection (Department), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in this Commonwealth through compliance with State water quality standards and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

On November 21, 2017, State water quality certification was granted.

The previously approved Project (DEP File # WQ05-014) was described as follows:

The Project includes approximately 3.9 miles of 30-inch diameter natural gas pipeline loop (TL-636) adjacent to the Applicant's existing LN-25 pipeline (E65-800) in Westmoreland County. The project also includes modifications to the existing JB Tonkin Compressor Station in Westmoreland County and modifications to the existing Crayne Compressor Station in Greene County. The Project will require approximately 81.1 acres of earth disturbance, impacts to 1,143 linear feet of unnamed tributaries

to Turtle Creek (TSF), Kemerer Hollow (HQ-CWF) and its unnamed tributaries, Steels Run (HQ-CWF) and its unnamed tributaries, and Haymakers Run (HQ-CWF) and its unnamed tributaries, 0.31 acre of floodway, 0.40 acre of temporary wetland impacts (0.2 acre PEM/0.2 acre PFO), and 0.67 acre of permanent wetland impacts (0.23 acre PFO/0.44 acre PEM).

By order issued October 13, 2017, in Docket No. CP15-555-000 (Order), the Federal Energy Regulatory Commission (FERC) authorized Dominion Energy Transmission, Inc. to construct and operate its proposed Project subject to conditions specified in the Order. The Project includes the construction of pipeline, compression, and ancillary facilities.

#### **State Water Quality Certification for First Amendment**

FERC issued a notice to proceed for mechanized tree clearing and site grading at the JB Tonkin Compressor Station on February 12, 2018 (FERC Accession Number 20180212-3034). DETI intends to submit a variance to the FERC requesting the additional workspace included in this modification when all permit modification approvals have been received.

On March 29, 2018, Applicant requested a State water quality certification from the Department of Environmental Protection (Department), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the project amendment will protect water quality in this Commonwealth through compliance with State water quality standards and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

On September 26, 2018, State Water Quality Certification was granted for this project amendment. The previously approved Project Amendment (DEP File No. Q05-014-A1) was described as follows:

The Project Amendment included the addition of 2.74 acres of temporary workspace north of the existing JB Tonkin compressor Station in Murrysville Borough, Westmoreland County, (Murrysville, PA Quadrangle; N: 40° 27' 51.13"; W: 79° 38' 26.47"). The area has been surveyed for wetlands and waterbodies and no features were identified. Therefore, no additional direct stream or wetland impacts are proposed. UNT to Haymakers Run (HQ-CWF) is adjacent to the site but will not be impacted by the additional temporary workspace as long as all required Erosion and Sedimentation controls are properly implemented.

#### **Current Request for Multiple Authorizations for Second Project Amendment**

On November 1, 2018, Applicant requested a State water quality certification from the Department of Environmental Protection (Department), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of this Second Project Amendment will protect water quality in this Commonwealth through compliance with State water quality standards and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

In addition, the Applicant submitted a General Permit Registration Package, seeking acknowledgement from the Department, of the Applicant's use of General Permits No. 5, 7 and 8 [GP056505218-001, GP076505218-001, GP086505218-001], to construct and maintain several

utility line stream crossings, minor road crossings and temporary road crossings, respectively, in accordance with the Departments Chapter 105 rules and regulations.

On March 21, 2019, the Department received an application for an ESCGP-3 Permit [File No. ESG 00 129 17 0001 (1)], after it was deemed to be complete by the Westmoreland Conservation District.

The Second Project Amendment, as proposed, includes a new access road, pipeline center line adjustments, and adjusted construction workspace in various locations. These proposed changes will result in the following adjustments to the project's overall, cumulative impacts: 0.66 acre of permanent wetland impacts (net decrease of 0.01 acre), including conversion impacts to 0.16 acre of PFO wetland (net decrease of 0.07 acre), 0.43 acre of temporary wetland impacts (net increase of 0.03 acre), 889 linear feet (lf) of permanent impacts to watercourses from pipeline utility line crossings (net decrease of 34 lf), 1,648 lf of temporary impacts to watercourses from pipeline utility line crossings (net decrease of 78 lf), and 220 linear feet (lf) of permanent impacts to watercourses from access road crossings (net decrease of 18 lf).

The Department is proposing to issue a State water quality certification to Applicant for the Project that will require compliance with the following State water quality permitting programs, criteria and conditions established pursuant to State law to ensure the Project does not violate applicable State water quality standards set forth in 25 Pa. Code Chapter 93:

1. *Discharge Permit*—Applicant shall obtain and comply with a Department National Pollutant Discharge Elimination System (NPDES) permit for the discharge of water from the hydrostatic testing of the pipeline pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), and all applicable implementing regulations (25 Pa. Code Chapter 92a).

2. *Erosion and Sediment Control Permit*—Applicant shall obtain and comply with the Department's Chapter 102 Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment issued pursuant to Pennsylvania's Clean Streams Law and Storm Water Management Act (32 P.S. §§ 680.1—680.17), and all applicable implementing regulations (25 Pa. Code Chapter 102).

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Department Chapter 105 Water Obstruction and Encroachment Permits for the construction, operation and maintenance of all water obstructions and encroachments associated with the project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 673.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.), and all applicable implementing regulations (25 Pa. Code Chapter 105).

4. *Water Quality Monitoring*—The Department retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Applicant.

5. *Operation*—Applicant shall at all times properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this State Water Quality Certification and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate

laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

6. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of the Department to determine compliance with this State Water Quality Certification, including all required State water quality permits and State water quality standards. A copy of this certification shall be available for inspection by the Department during such inspections of the Project.

7. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project which is affected by this State Water Quality Certification, Applicant shall serve a copy of this certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the Department Regional Office of such intent. Notice to the Department shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of certification responsibility, coverage, and liability between them.

8. *Correspondence*—All correspondence with and submittals to the Department concerning this State Water Quality Certification shall be addressed to: Department of Environmental Protection, Program Manager, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222.

9. *Reservation of Rights*—The Department may suspend or revoke this State Water Quality Certification if it determines that Applicant has not complied with the terms and conditions of this certification. The Department may require additional measures to achieve compliance with applicable law, subject to Applicant's applicable procedural and substantive rights.

10. *Other Laws*—Nothing in this State Water Quality Certification shall be construed to preclude the institution of any legal action or relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable Federal or State law or regulation.

11. *Severability*—The provisions of this State Water Quality Certification are severable and should any provision of this certification be declared invalid or unenforceable, the remainder of the certification shall not be affected thereby.

Prior to issuance of the final State water quality certification, the Department will consider all relevant and timely comments, suggestions or objections submitted to the Department within 30 days of this notice. Comments should be directed to Dana Drake, P.E., Waterways and Wetlands Program Manager at the previously listed address or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD). Comments must be submitted in writing and contain the name, address and telephone number of the person commenting and a concise statement of comments, objections or suggestions on this proposal. No comments submitted by facsimile will be accepted.

[Pa.B. Doc. No. 19-493. Filed for public inspection April 5, 2019, 9:00 a.m.]



## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Interstate Pollution Transport Reduction; Final 2019 Ozone Season Nitrogen Oxide Emission Limits for Nonelectric Generating Units

The Department of Environmental Protection (Department) is providing notice for the final Nonelectric Generating Unit (non-EGU) 2019 Ozone Season Nitrogen Oxide (NO<sub>x</sub>) emission limitations established in accordance with 25 Pa. Code § 145.8(d) (relating to transition to CAIR NO<sub>x</sub> trading programs).

Notice of the proposed NO<sub>x</sub> emission limitations was published at 49 Pa.B. 779 (February 16, 2019) to allow for a 17-day public comment period, which closed on March 4, 2019. The Department received two comments during the public comment period. The two comments indicated NO<sub>x</sub> emission errors in Table 1 of the proposed notice. The Department has corrected the errors in Table 1. The Department provided each of the affected companies with the updated non-EGU NO<sub>x</sub> emission limits by e-mail. The corrections are finalized in Table 1 as follows.

In Table 1 as follows, which lists non-EGU 2019 ozone season NO<sub>x</sub> emission limits, PH Glatfelter's facility name has changed since the 2018 ozone season non-EGU NO<sub>x</sub> emission limits notice to Pixelle Specialty Solutions. Additionally, two new units, referred to as units 38 and 39, update and replace previous units 34 and 35 in Table 1 for this same facility.

United Refining Boiler No. 4 has been removed from Table 1. The boiler is no longer operational and has been permanently out of service at the facility since February 2018.

Actual Statewide NO<sub>x</sub> emissions in 2018 from non-EGUs were 815 tons. That is 2,623 tons below the 3,438-ton NO<sub>x</sub> State Implementation Plan call budget. Actual NO<sub>x</sub> emissions from all the non-EGUs are expected to be similar in 2019, and thus, the Statewide budget is not expected to be exceeded. Owners of affected units do not need to obtain and surrender NO<sub>x</sub> allowances if the total emissions from the affected non-EGUs remain below 3,438 tons for the ozone season.

The NO<sub>x</sub> emission cap provides 181 tons of emissions for non-EGUs and the other units that need to address their emissions through accounting adjustments, including units that previously participated in the NO<sub>x</sub> Budget Trading Program. The Department may use a portion of

the 181 tons of the budgeted NO<sub>x</sub> emissions, if necessary, to address mistakes or miscalculations. This year, the Department is not using any of the 181 tons of NO<sub>x</sub> for accounting adjustments or to make corrections.

The following "Final Non-EGU 2019 Ozone Season NO<sub>x</sub> Emission Limits" table lists the following: the facility name, ORIS code, the unit ID for each non-EGU unit, the 2018 NO<sub>x</sub> mass or the 2018 Ozone Season emissions, the 2018 heat input for the 2018 Ozone Season, the county location of the facility, the calculated 2019 rate and the 2019 Ozone Season (OS) limit.

Questions concerning this notice should be directed to Randy Bordner at [ranbordner@pa.gov](mailto:ranbordner@pa.gov) or (717) 772-3921. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

Persons aggrieved by this action may appeal the action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501–508 (relating to Administrative Agency Law). The Board's address is Environmental Hearing Board, Rachel Carson State Office Building, Second Floor, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457.

TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

A notice of appeal form and the Board's rules of practice and procedure may be obtained at <http://ehb.courtapps.com> or by contacting the Secretary to the Board at (717) 787-3483. The notice of appeal form and the Board's rules are also available in Braille and on audiotape from the Secretary to the Board.

Important legal rights are at stake. Individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information. Individuals do not need a lawyer to file a notice of appeal with the Board.

For individuals who wish to challenge this action, their appeal must be filed with and received by the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

**Table 1: Final Non-EGU 2019 Ozone Season NO<sub>x</sub> Emission Limits**

| Facility Name                    | ORIS Code | Unit ID | 2018 NO <sub>x</sub> Mass (Tons) | Heat Input MMBtu | County       | 2019 Rate (lbs/MMBtu) | 2019 OS Limit (Tons NO <sub>x</sub> ) |
|----------------------------------|-----------|---------|----------------------------------|------------------|--------------|-----------------------|---------------------------------------|
| Armagh Compressor Station        | 880071    | 31301   | 0                                | 0                | Indiana      | 0.26                  | 0                                     |
| Bernville Station                | 880049    | 32001   | 0.001                            | 2                | Berks        | 0.26                  | 0                                     |
| Domtar Paper Company, LLC        | 54638     | 40      | 19.688                           | 847,059.7        | Elk          | 0.26                  | 109                                   |
| Domtar Paper Company, LLC        | 54638     | 41      | 19.524                           | 832,941.6        | Elk          | 0.26                  | 107                                   |
| Entriiken Compressor Station     | 880072    | 31601   | 0                                | 0                | Huntingdon   | 0.26                  | 0                                     |
| Honeywell Resins & Chemicals LLC | 880007    | 52      | 28.39                            | 718,832.6        | Philadelphia | 0.26                  | 92                                    |

| <i>Facility Name</i>                      | <i>ORIS Code</i> | <i>Unit ID</i> | <i>2018 NO<sub>x</sub> Mass (Tons)</i> | <i>Heat Input MMBtu</i> | <i>County</i> | <i>2019 Rate (lbs/MMBtu)</i> | <i>2019 OS Limit (Tons NO<sub>x</sub>)</i> |
|---|------------------|----------------|--|-------------------------|---------------|------------------------------|--|
| Kimberly-Clark Tissue Company             | 50410            | 34             | 30.544                                 | 40,715                  | Delaware      | 0.26                         | 5  |
| Kimberly-Clark Tissue Company             | 50410            | 35             | 87.858                                 | 1,936,177               | Delaware      | 0.26                         | 249  |
| Marcus Hook 50, LP                        | 50074            | 1              | 0.286                                  | 1,086.425               | Delaware      | 0.26                         | 0  |
| Merck & Company—West Point                | 52149            | 39             | 10.444                                 | 254,945                 | Montgomery    | 0.26                         | 33   |
| Merck & Company—West Point                | 52149            | 40             | 16.98                                  | 1,357,289               | Montgomery    | 0.26                         | 174  |
| Philadelphia Refinery                     | 52106            | 150137         | 19.381                                 | 1,105,539               | Philadelphia  | 0.26                         | 142  |
| Philadelphia Refinery                     | 52106            | 150138         | 0                                      | 0                       | Philadelphia  | 0.26                         | 0  |
| Philadelphia Refinery                     | 52106            | 150139         | 16.44                                  | 936,041.4               | Philadelphia  | 0.26                         | 120  |
| Philadelphia Refinery                     | 52106            | 150140         | 21.467                                 | 1,222,834               | Philadelphia  | 0.26                         | 157  |
| Philadelphia Refinery                     | 52106            | 150145         | 1.122                                  | 477,908.7               | Philadelphia  | 0.26                         | 61   |
| Pixelle Specialty Solutions               | 50397            | 36             | 99.358                                 | 1,335,896               | York          | 0.26                         | 172  |
| Pixelle Specialty Solutions               | 50397            | 38             | 9.644                                  | 661,593.3               | York          | 0.26                         | 85   |
| Pixelle Specialty Solutions               | 50397            | 39             | 8.229                                  | 520,691                 | York          | 0.26                         | 67   |
| Procter & Gamble Paper Products           | 50463            | 328001         | 115.91                                 | 1,913,920               | Wyoming       | 0.26                         | 246  |
| Procter & Gamble Paper Products           | 50463            | 328002         | 8                                      | 2,083,315               | Wyoming       | 0.26                         | 268  |
| SPMT Marcus Hook Industrial Complex       | 880107           | AB01           | 9.274                                  | 722,806.7               | Delaware      | 0.26                         | 93   |
| SPMT Marcus Hook Industrial Complex       | 880107           | AB02           | 0                                      | 0                       | Delaware      | 0.26                         | 0  |
| SPMT Marcus Hook Industrial Complex       | 880107           | AB03           | 4.497                                  | 401,233.9               | Delaware      | 0.26                         | 52   |
| SPMT Marcus Hook Industrial Complex       | 880107           | AB04           | 3.835                                  | 478,862.9               | Delaware      | 0.26                         | 62   |
| Shermans Dale Station                     | 880050           | 31801          | 0.005                                  | 15                      | Perry         | 0.26                         | 0  |
| Trainer Refinery                          | 880025           | 34             | 1.638                                  | 752,321.4               | Delaware      | 0.26                         | 97   |
| Trainer Refinery                          | 880025           | 35             | 1.736                                  | 787,319.6               | Delaware      | 0.26                         | 101  |
| Trainer Refinery                          | 880025           | 53             | 0.695                                  | 691,033.7               | Delaware      | 0.26                         | 89   |
| US Steel (Clairton Coke)                  | 50729            | CLBLR1         | 160.38                                 | 1,571,902               | Allegheny     | 0.26                         | 202  |
| US Steel (Clairton Coke)                  | 50729            | CLBLR2         | 65.853                                 | 914,749.9               | Allegheny     | 0.26                         | 118  |
| US Steel (Edgar Thomson)                  | 50732            | ETBLR1         | 14.116                                 | 1,026,710               | Allegheny     | 0.26                         | 132  |
| US Steel (Edgar Thomson)                  | 50732            | ETBLR2         | 17.339                                 | 1,263,783               | Allegheny     | 0.26                         | 162  |
| US Steel (Edgar Thomson)                  | 50732            | ETBLR3         | 16.279                                 | 1,687,667               | Allegheny     | 0.26                         | 217  |
| Veolia Energy Philadelphia—Edison Station | 880006           | 1              | 0.09                                   | 580                     | Philadelphia  | 0.26                         | 0  |
| Veolia Energy Philadelphia—Edison Station | 880006           | 2              | 0                                      | 0                       | Philadelphia  | 0.26                         | 0  |

| <i>Facility Name</i>                      | <i>ORIS Code</i> | <i>Unit ID</i> | <i>2018 NO<sub>x</sub> Mass (Tons)</i> | <i>Heat Input MMBtu</i> | <i>County</i> | <i>2019 Rate (lbs/MMBtu)</i> | <i>2019 OS Limit (Tons NO<sub>x</sub>)</i> |
|---|------------------|----------------|--|-------------------------|---------------|------------------------------|--|
| Veolia Energy Philadelphia—Edison Station | 880006           | 3              | 4.073                                  | 32,559.1                | Philadelphia  | 0.26                         | 4  |
| Veolia Energy Philadelphia—Edison Station | 880006           | 4              | 0.276                                  | 1,572.3                 | Philadelphia  | 0.26                         | 0  |
| Veolia Energy Philadelphia—Schuylkill     | 50607            | 23             | 0                                      | 0                       | Philadelphia  | 0.26                         | 0  |
| Veolia Energy Philadelphia—Schuylkill     | 50607            | 24             | 0                                      | 0                       | Philadelphia  | 0.26                         | 0  |
| Veolia Energy Philadelphia—Schuylkill     | 50607            | 26             | 1.22                                   | 91,074.19               | Philadelphia  | 0.26                         | 12   |
| Veolia Energy Philadelphia—Schuylkill     | 50607            | RSB1           | 0.204                                  | 41,512.01               | Philadelphia  | 0.26                         | 5  |
| Veolia Energy Philadelphia—Schuylkill     | 50607            | RSB2           | 0.241                                  | 42,191.63               | Philadelphia  | 0.26                         | 5  |
| Totals                                    |                  |                | 815.017                                | 26,754,681              |               |                              | 3,438                                      |

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-494. Filed for public inspection April 5, 2019, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Laboratory Accreditation Advisory Committee Meeting Cancellation

The May 1, 2019, meeting of the Laboratory Accreditation Advisory Committee is cancelled. The next meeting is scheduled for Wednesday, September 4, 2019, at 9 a.m. at the Department of Environmental Protection, Bureau of Laboratories Building, 2575 Interstate Drive, Harrisburg, PA 17110.

Questions concerning the September 4, 2019, meeting should be directed to Aaren S. Alger at [aaalger@pa.gov](mailto:aaalger@pa.gov) or (717) 346-7200. The agenda and meeting materials for future meetings will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at <http://www.dep.pa.gov> (select "Public Participation," then "Advisory Committees," then "Lab Accreditation Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aaren Alger at (717) 346-8212 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-495. Filed for public inspection April 5, 2019, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Notice for Extension of Public Comment Period for PFAS Public Input

The Department of Environmental Protection (Department) announces that the public comment period for PFAS Public Input has been extended through Wednesday, May 1, 2019. The PFAS Action Team will accept public comments through the Department's eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). All comments must include the originator's name and address.

Questions regarding this comment period should be directed to the Policy Office at [RA-EPThePolicyOffice@pa.gov](mailto:RA-EPThePolicyOffice@pa.gov) or (717) 783-8727. When submitting questions by e-mail, use "PFAS Comment Period" in the subject line.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-496. Filed for public inspection April 5, 2019, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Recycling Grant Award under the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101; Corrected Applicant Name**

The Department of Environmental Protection awards grants to municipalities for recycling programs under section 902 of the Municipal Waste Planning, Recycling and Waste Reduction Act (act) (53 P.S. § 4000.902). These awards were previously published at 48 Pa.B. 6930 (October 27, 2018), but contained an incorrect applicant name for one of the awards. The following award indicates the corrected applicant name.

Grant funds are used to develop and implement recycling programs. Municipalities and counties are eligible for up to 90% funding of approved recycling program costs. Municipalities considered financially distressed by the Department of Community and Economic Development under the Municipalities Financial Recovery Act (53 P.S. §§ 11701.101—11701.712), also known as the Financially Distressed Municipalities Act, are eligible for 100% of approved costs. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of the act (53 P.S. §§ 4000.701 and 4000.702) and the availability of moneys in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Mark Vottero, Recycling Grants Coordinator, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472.

| <i>Municipality/County</i> |                                | <i>Project</i>             | <i>Award</i> |
|----------------------------|--------------------------------|----------------------------|--------------|
| <i>Northcentral Region</i> |                                |                            |              |
| 152                        | Potter County<br>Potter County | Drop-off Recycling Program | \$79,155     |

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-497. Filed for public inspection April 5, 2019, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Water Resources Advisory Committee Meeting**

The Water Resources Advisory Committee (Committee) will hold an additional meeting on Thursday, April 18, 2019. The meeting will begin at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The next regular committee meeting is scheduled for Thursday, May 23, 2019, at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the Committee meetings can be directed to Diane Wilson, Bureau of Clean Water at diawilson@pa.gov or (717) 787-3730. The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at <http://www.dep.pa.gov> (select "Public Participation," then "Advisory Committees," then "Water Advisory Committees," then "Water Resources Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-3730 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 19-498. Filed for public inspection April 5, 2019, 9:00 a.m.]

**DEPARTMENT OF HEALTH**

**Division of Human Immunodeficiency Virus (HIV) Disease Stakeholder Engagement Townhall Meeting**

The Department of Health (Department), Division of HIV Disease, in order to carry out its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resource Emergency Act of 1990 (42 U.S.C.A. § 300ff-26), will hold a public meeting on Tuesday, April 23, 2019, from 2:30 p.m. to 6:30 p.m. at the Omni William Penn Hotel, 530 William Penn Place, Pittsburgh, PA 15219.

This meeting is one of a series of stakeholder engagement meetings being held by the Department that will do the following: (1) allow the Department and the HIV Planning Group (HPG) to interact with a greater number of providers and consumers of HIV prevention and care services and learn more about specific HIV-related needs and organizations in this Commonwealth; (2) provide an opportunity to explain the Integrated HIV Prevention and Care Project (IHPCP) and the work of the HPG to wider and more diverse audiences across this Commonwealth; and (3) record stakeholder and consumer feedback on the IHPCP and current community needs.

For additional information or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Kyle Fait, Special Pharmaceutical Benefits Program, Bureau of Communicable Diseases, Department of Health, Room 611, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 260-8929, or for speech and/or hearing-impaired persons, call the Pennsylvania

AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 19-499. Filed for public inspection April 5, 2019, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Renal Disease Advisory Committee Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P.L. 419, No. 140) (35 P.S. § 6204), will hold its quarterly public meeting on Friday, April 19, 2019, from 10 a.m. to 1 p.m. The purpose of the meeting is to discuss new and ongoing issues relating to treatment of chronic renal disease and the Department of Health's programs related to care and treatment. The meeting will be held in Conference Room 907, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Tara Trego, Director, Division of Child and Adult Health Services, 7th Floor East, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 19-500. Filed for public inspection April 5, 2019, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Transportation Advisory Committee Meeting

The Transportation Advisory Committee will hold a meeting on Thursday, April 11, 2019, from 10 a.m. to 12 p.m. in Conference Room 8N1, Commonwealth Keystone Building, Harrisburg, PA. For more information contact the Office of the State Transportation Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

LESLIE S. RICHARDS,  
*Secretary*

[Pa.B. Doc. No. 19-501. Filed for public inspection April 5, 2019, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, March 21, 2019, and announced the following:

*Action Taken—Regulation Approved:*

Pennsylvania Gaming Control Board # 125-204: Four Card Prime and Cajun Stud; Table Game Rules of Play (amends 58 Pa. Code §§ 682a and 683a)

Environmental Quality Board # 7-523: Noncoal Mining Program Fees (amends §§ 77.1 and 77.106 of 25 Pa. Code Chapter 77)

### Approval Order

Public Meeting Held  
March 21, 2019

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Pennsylvania Gaming Control Board  
Four Card Prime and Cajun Stud;  
Table Game Rules of Play  
Regulation No. 125-204 (# 3164)*

On March 1, 2017, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Gaming Control Board (Board). This rulemaking amends 58 Pa. Code §§ 682a and 683a. The proposed regulation was published in the March 11, 2017 *Pennsylvania Bulletin* with a public comment period ending on April 10, 2017. The final-form regulation was submitted to the Commission on February 15, 2019.

This rulemaking will add two new table games, Four Card Prime and Cajun Stud, to the complement of games available for patron play in the Commonwealth.

We have determined this regulation is consistent with the statutory authority of the Board (4 Pa.C.S. §§ 1202(b)(30) and 13A02(1) and (2)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

Public Meeting Held  
March 21, 2019

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Environmental Quality Board  
Noncoal Mining Program Fees  
Regulation No. 7-523 (# 3190)*

On January 17, 2018, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (EQB). This rulemaking amends §§ 77.1 and 77.106 of 25 Pa. Code Chapter 77. The proposed regulation was published in the February 3, 2018 *Pennsylvania Bulletin* with a public comment period ending on March 5, 2018. The final-form regulation was submitted to the Commission on February 15, 2019.

This final-form rulemaking increases permit application fees and annual administration fees to support the noncoal mining program.

We have determined this regulation is consistent with the statutory authority of the EQB (52 P.S. §§ 3207(a) and 3311(a) and 35 P.S. § 691.6) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 19-502. Filed for public inspection April 5, 2019, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

| <i>Final-Form<br/>Reg. No.</i> | <i>Agency/Title</i>   | <i>Received</i> | <i>Public<br/>Meeting</i> |
|--------------------------------|---|-----------------|---------------------------|
| 57-315                         | Pennsylvania Public Utility Commission<br>Standards and Billing Practices for Residential<br>Public Utility Service | 3/18/19         | 4/18/19                   |

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 19-503. Filed for public inspection April 5, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### **Alleged Violation of Insurance Laws; Doung T. King and Adoniram Insurance Agency, Inc.; Doc. No. SC19-03-016**

Notice is hereby given of the Order to Show Cause issued on March 27, 2019, by the Deputy Insurance Commissioner in the previously-referenced matter. Violation of the following is alleged: sections 611-A(4), (7) and (20) and 674-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(4), (7) and (20) and 310.74).

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 19-504. Filed for public inspection April 5, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### **Autism Spectrum Disorders Coverage—Maximum Benefit Adjustment; Notice 2019-01**

Section 635.2 of The Insurance Company Law of 1921 (40 P.S. § 764h) requires:

After December 30, 2011, the Insurance Commissioner shall, on or before April 1 of each calendar year, publish in the *Pennsylvania Bulletin* an adjustment to the maximum benefit equal to the change in the United States Department of Labor Consumer Price Index for All Urban Consumers (CPI-U) in the preceding year, and the published adjusted maximum benefit shall be applicable to the following calendar years to health insurance policies issued or renewed in those calendar years.

The CPI-U change for the year preceding December 30, 2018, was an increase of 1.9%. Accordingly, the maximum benefit, previously adjusted to \$40,501 per year, is hereby adjusted to \$41,271 for policies issued or renewed in calendar year 2020.

Questions regarding this notice may be directed to the Bureau of Life, Accident and Health, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, [ra-rateform@pa.gov](mailto:ra-rateform@pa.gov).

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 19-505. Filed for public inspection April 5, 2019, 9:00 a.m.]

## INSURANCE DEPARTMENT

### MedAmerica Insurance Company; Rate Increase Filing for Several Individual LTC Forms (MILL-131786278)

MedAmerica Insurance Company is requesting approval to increase the premium an aggregate 36.1% on 260 policyholders with the following individual LTC policy form numbers: 14515-PA and 14785-PA. The increase will average 36.1% but individual policyholders can receive increases ranging from 0% to 66.7%.

Unless formal administrative action is taken prior to June 20, 2019, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 19-506. Filed for public inspection April 5, 2019, 9:00 a.m.]

## MILK MARKETING BOARD

### Proposed Amendments to 7 Pa. Code Chapter 143; Transactions Between Dealers and Producers; Public Hearing

The Milk Marketing Board (Board) will conduct a public hearing on May 1, 2019, at 1:15 p.m. in Room 309, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and comments regarding proposed amendments to 7 Pa. Code Chapter 143 (relating to transactions between dealers and producers). The proposed amendments relate to cooperatives providing a line item on monthly statements to their dairy farmer members listing the amount of the Board over-order premium paid, under sections 301, 307 and 608 of the Milk Marketing Law (31 P.S. §§ 700j-301, 700j-307 and 700j-608).

Interested persons wishing to offer testimony or comments shall provide to the Board notification of their wish to participate either electronically to [deberly@pa.gov](mailto:deberly@pa.gov) or by filing at the Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110 by 2 p.m. on April 19, 2019.

A draft of the proposed amendments will be available on the Board's web site at <https://www.mmb.pa.gov/Public%20Hearings/Pages/default.aspx> on or before April 12, 2019.

TIM MOYER,  
Secretary

[Pa.B. Doc. No. 19-507. Filed for public inspection April 5, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by April 22, 2019. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

#### Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

**A-2019-3008492. Kingdom Care Transportation, LLC** (1242 Pratt Street, Philadelphia, PA 19124) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the City and County of Philadelphia, to points in Pennsylvania, and return.

**A-2019-3008337. Tejeddine Direct Care Services, LLC** (1003 Cottman Avenue, Floor 1, Philadelphia, Philadelphia County, PA 19111) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, in wheelchairs from points in the City and County of Philadelphia, to points in the Counties of Bucks, Chester, Delaware, Lehigh, Montgomery and Northampton. *Attorney:* Michael V. Di Girolamo, Esquire, Timoney Knox, LLP, 400 Maryland Drive, P.O. Box 7544, Fort Washington, PA 19034-7544.

#### Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

**A-2019-3008590. Adamo Limousine, Ltd.** (2222 Sullivan Trail, Easton, PA 18040) discontinuance to transport, as a common carrier at A-00115789, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Lehigh, Northampton and Montgomery, to points in Pennsylvania, and return.

**A-2019-3008591. Adamo Limousine, Ltd.** (2222 Sullivan Trail, Easton, PA 18040) discontinuance to transport, as common carrier at A-00115789, by motor vehicle, persons in limousine service, between points in those portions of the Counties of Berks, Chester, Lehigh, Montgomery, Northampton and Philadelphia, which are within an airline distance of 40 statute miles of the limits of the Township of Doylestown, Bucks County, and from said points, to the Philadelphia International Airport, and vice versa.

**A-2019-3008721. King's Coach Luxury Transportation, LLC** (137 King Street, East Stroudsburg, PA 18301) for the discontinuance of service and cancellation of its certificate, as a common carrier, by motor vehicle, authorizing the transportation of persons, in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Wyoming, Luzerne, Lackawanna, Susquehanna, Bradford and Sullivan, to points in Pennsylvania, and return; excluding service under the jurisdiction of the Philadelphia Parking Authority.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 19-508. Filed for public inspection April 5, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due April 22, 2019, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Two Sisters Logistics, LLC; Docket No. C-2019-3008403

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Two Sisters Logistics, LLC, (respondent) is under suspension effective February 28, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at P.O. Box 2548, Hazleton, PA 18201.
3. That respondent was issued a Certificate of Public Convenience by this Commission on September 12, 2018, at A-8921014.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8921014 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 3/12/2019

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.



Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions, you may call 717-783-3847.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 19-509. Filed for public inspection April 5, 2019, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer by Sale; Abandonment of Service; Abandonment of all Electric Distribution Service; Right to Initiate and Provide Service; Other Approvals

**A-2019-3008827 and A-2019-3008828. PPL Electric Utilities Corporation and Citizens' Electric Company of Lewisburg, PA.** Joint application of PPL Electric Utilities Corporation and Citizens' Electric Company of Lewisburg, PA for all of the necessary authority, approvals and certificates of public convenience for: (1) the transfer by sale of facilities, rights-of-way, easements, agreements, customer lists and other property in West Chillisquaque Township, Northumberland County by Citizens' to PPL Electric; (2) Citizens' abandonment of service to all of its customers in West Chillisquaque Township, Northumberland County; (3) Citizens' abandonment of all electric distribution service in West Chillisquaque Township, Northumberland County; (4) PPL Electric's right to initiate and provide service in the portions of West Chillisquaque Township, Northumberland County currently served by Citizens'; and (5) any other approvals necessary to complete the contemplated transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, April 22, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicants:* PPL Electric Utilities Corporation; Citizens' Electric Company of Lewisburg, PA

*Through and By Counsel for PPL Electric Utilities Corporation:* David B. MacGregor, Esquire, Devin T. Ryan, Esquire, Garrett P. Lent, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601; Kimberly A. Klock, Esquire, Michael J. Shafer, Esquire, PPL Services Corporation, Office of General Counsel, Two North Ninth Street, Allentown, PA 18101

*Through and By Counsel for Citizens' Electric Company:* Pamela C. Polacek, Esquire, Adeolu A. Bakare, Esquire, McNees Wallace & Nurick, LLC, 100 Pine Street, P.O. Box 1166, Harrisburg, PA 17108-1166

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 19-510. Filed for public inspection April 5, 2019, 9:00 a.m.]

# PENNSYLVANIA PUBLIC UTILITY COMMISSION

## Transmission Lines; Prehearing Conference

**A-2019-3008589. Duquesne Light Company.** Application of Duquesne Light Company filed under 52 Pa. Code Chapter 57, Subchapter G (relating to Commission review of siting and construction of electric transmission lines) for approval of the siting and construction of the 138 kV transmission lines associated with the Brunot Island-Crescent Project in the City of Pittsburgh, McKees Rocks Borough, Kennedy Township, Robinson Township, Moon Township and Crescent Township, Allegheny County.

**A-2019-3008652. Duquesne Light Company.** Application of Duquesne Light Company under 15 Pa.C.S. § 1511(c) (relating to additional powers of certain public utility corporations) for a finding and determination that the service to be furnished by the applicant through its proposed exercise of the power of eminent domain to acquire a certain portion of the lands of George N. Schaefer of Moon Township, Allegheny County for the siting and construction of transmission lines associated with the proposed Brunot Island—Crescent Project is necessary or proper for the service, accommodation, convenience or safety of the public.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 29, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Pennsylvania Public Utility Commission’s (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant’s business address.

*Applicant:* Duquesne Light Company  
*Through and By Counsel:* Anthony D. Kanagy, Esquire, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601

### Prehearing Conference

An initial prehearing conference on the previously-captioned cases will be held as follows:

|                   |  |
|-------------------|--|
| <i>Date:</i>      | Thursday, June 6, 2019   |
| <i>Time:</i>      | 10 a.m.  |
| <i>Location:</i>  | 2nd Floor Hearing Room<br>Piatt Place<br>Suite 220<br>301 Fifth Avenue<br>Pittsburgh, PA 15222   |
| <i>Presiding:</i> | Administrative Law Judge Mary D. Long<br>Piatt Place<br>Suite 220<br>301 Fifth Avenue<br>Pittsburgh, PA 15222<br>(412) 565-3550<br>Fax: 412-565-5692 |

Persons with a disability who wish to attend the hearing should contact the Scheduling Office at the Commission at least 5 business days prior to the hearing.

For persons who require an interpreter to participate in the hearing, the Commission will make every reasonable effort to have an interpreter present. Call the Scheduling Office at the Commission at least 10 business days prior to the hearing.

- Scheduling Office: (717) 787-1399
- Pennsylvania AT&T Relay Service number for persons who are deaf or hearing-impaired: (800) 654-5988

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 19-511. Filed for public inspection April 5, 2019, 9:00 a.m.]



