

PENNSYLVANIA BULLETIN

Volume 50

Number 26

Saturday, June 27, 2020 • Harrisburg, PA

Pages 3097—3192

Agencies in this issue

The Courts
Department of Banking and Securities
Department of Environmental Protection
Department of General Services
Department of Health
Department of Human Services
Department of Labor and Industry
Department of Revenue
Fish and Boat Commission
Housing Finance Agency
Insurance Department
Milk Marketing Board
Pennsylvania Public Utility Commission
State Tax Equalization Board

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 547, June 2020

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2020 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

LOCAL COURT RULES

Adams County

Rule of criminal procedure 507; administrative order Number 7 of 2020 3106

MINOR COURT CIVIL RULES

Proposed amendment of Pa.R.C.P.M.D.J. Nos. 301, 302 and 321 and proposed adoption of Pa.R.C.P.M.D.J. No. 350 3104

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications 3110

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Agricultural Advisory Board virtual meeting 3170

Applications, actions and special notices 3111

Draft 2020 Integrated Water Quality Monitoring and Assessment Report; available for public comment 3170

New general permit for the reclamation of forfeited noncoal mines (GP-106) 3171

Planning grant award under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988 3171

Proposed State Implementation Plan revision; certification of the Commonwealth's submittal of all case-by-case reasonably available control technology determinations and averaging plans to the United States Environmental Protection Agency for the 1997 and 2008 8-hour ozone national ambient air quality standard; virtual public hearing 3172

Small Business Compliance Advisory Committee virtual meeting 3173

Statewide Water Resources Committee and Regional Committees; virtual meetings scheduled for 2020 . 3173

Technical Advisory Committee on Diesel Powered Equipment; conference call 3174

DEPARTMENT OF GENERAL SERVICES

Notices

Exempt machinery and equipment steel products . . . 3174

DEPARTMENT OF HEALTH

Notices

Ambulatory surgical facilities; requests for exceptions 3176

Health Research Advisory Committee virtual meeting 3176

Hospitals; requests for exceptions 3177

Newborn Screening and Follow-Up Technical Advisory Board virtual meeting 3178

Renal Disease Advisory Committee virtual meeting . . 3178

DEPARTMENT OF HUMAN SERVICES

Notices

Nursing Facility Assessment Program for fiscal year 2020-2021 3178

Payment for nursing facility services provided by county and nonpublic nursing facilities; notice of change in methods and standards of setting payment rates; budget adjustment factor 3179

Payments to nonpublic and county nursing facilities; proposed rates for Sate fiscal year 2020-2021 . . 3181

Statewide Quality Care Assessment Program for fiscal year 2020-2021 3182

DEPARTMENT OF LABOR AND INDUSTRY

Proposed Rulemaking

Unemployment compensation; employee provisions . . 3108

DEPARTMENT OF REVENUE

Notices

Retail Incentive Program and related retailer incentive programs and promotions for fiscal year 2020-2021 3182

FISH AND BOAT COMMISSION

Notices

Approved courses of instruction in boating safety education 3187

HOUSING FINANCE AGENCY

Notices

Homeowner's Emergency Mortgage Assistance Program; period of high unemployment 3187

INSURANCE DEPARTMENT

Notices

Acceptance of non-essential filings; notice 2020-17 . . 3188

Notice regarding coronavirus (COVID-19) surprise bills; notice 2020-19 3189

Pennsylvania Compensation Rating Bureau; workers' compensation rate and rule filing 3189

MILK MARKETING BOARD

Notices

Hearing and presubmission schedule; all milk marketing areas; over-price premium cross section . . . 3189

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Pipeline assets 3190

Service of notice of motor carrier applications 3190

Telecommunications services 3191

STATE TAX EQUALIZATION BOARD

Notices

2019 common level ratio 3191

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the Pennsylvania Bulletin

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2020.

4 Pa. Code (Administration)

Adopted Rules

1 902

Statements of Policy

9 328, 546, 915, 1118, 1551

7 Pa. Code (Agriculture)

Adopted Rules

150 1836

25 Pa. Code (Environmental Protection)

Adopted Rules

86 1508

87 1508

88 1508

89 1508

90 1508

806 1931

Proposed Rules

121 2633

129 2633

250 1011

28 Pa. Code (Health and Safety)

Adopted Rules

26 1352

31 Pa. Code (Insurance)

Proposed Rules

168 798

34 Pa. Code (Labor and Industry)

Adopted Rules

91 792

93 792

95 792

Proposed Rules

65 3108

40 Pa. Code (Liquor)

Proposed Rules

5 1650

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

35 1838

43b 1354

Proposed Rules

25 1364

29 2743

39 668

52 Pa. Code (Public Utilities)

Adopted Rules

77 469

Statements of Policy

41 1695

69 1652

55 Pa. Code (Human Services)

Statements of Policy

41 1695

58 Pa. Code (Recreation)

Adopted Rules

63 1526

69 1527

119 1246

135 2257

139 2258

141 2264, 2265, 2268, 2269, 2272

147 2273, 2274, 2276

Proposed Rules

63 1247

131 1549

135 1372, 1549, 2279

139 1373

141 1379, 1380, 1384, 1385

147 1387, 1390

61 Pa. Code (Revenue)

Adopted Rules

876 1528

67 Pa. Code (Transportation)

Adopted Rules

601 545

Proposed Rules

55 2746

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules

6 2174

7 2012

204 Pa. Code (Judicial System General Provisions)

Adopted Rules

27 1344

33 1108

71 641, 1239, 2012, 2386

73 2386

81 3011

82 2077, 2174

83 197, 2013

85 647

89 2387, 2388

91 647

93 647, 648, 651, 2388

Proposed Rules

83 642, 2631

85 642

89 642

91 642

93 642

207 Pa. Code (Judicial Conduct)

Adopted Rules

33 7, 197, 1239

210 Pa. Code (Appellate Procedure)

Adopted Rules

1505, 535
 3 505
 5 505
 7 505
 9505, 535
 11 535
 13505, 535
 15 505
 16 505
 17505, 535
 19 505
 23 535
 27 505
 33505, 535
 37 651
 63 2013
 69 657

Proposed Rules

3 303
 19 304

225 Pa. Code (Rules of Evidence)

Adopted Rules

Article IX 2837

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules

200198, 306
 400 199
 1000 199
 Part II 306

237 Pa. Code (Juvenile Rules)

Adopted Rules

13 2389

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules

200 2252
 300 2252
 400 2252
 500 2252

Proposed Rules

300 3104

249 Pa. Code (Philadelphia Rules)

Unclassified788, 1503

252 Pa. Code (Allegheny County Rules)

Unclassified 307

255 Pa. Code (Local Court Rules)

Unclassified 199, 200, 667, 790, 904, 912, 913,
 914, 1114, 1115, 1116, 1350, 1503, 1504, 1505, 1506, 1647,
 1648, 1827, 1829, 2014, 2018, 2019, 2736, 2925, 3011,
 3106

THE COURTS

Title 246—MINOR COURT CIVIL RULES

PART I. GENERAL

[246 PA. CODE CH. 300]

Proposed Amendment of Pa.R.C.P.M.D.J. Nos. 301, 302 and 321 and Proposed Adoption of Pa.R.C.P.M.D.J. No. 350

The Minor Court Rules Committee is considering proposing to the Supreme Court of Pennsylvania the amendment of Pa.R.C.P.M.D.J. Nos. 301, 302, and 321 and the adoption of Pa.R.C.P.M.D.J. No. 350. This proposal provides procedural rules for actions under 75 Pa.C.S. § 3369(j)(4), relating to violations issued via automated work zone speed enforcement systems for the reasons set forth in the accompanying Publication Report. Pursuant to Pa.R.J.A. No. 103(a)(1), the proposal is being published in the *Pennsylvania Bulletin* for comments, suggestions, or objections prior to submission to the Supreme Court.

Any reports, notes, or comments in the proposal have been inserted by the Committee for the convenience of those using the rules. They neither will constitute a part of the rules nor be officially adopted by the Supreme Court.

The Committee invites all interested persons to submit comments, suggestions, or objections in writing to:

Pamela S. Walker, Counsel
Minor Court Rules Committee
Supreme Court of Pennsylvania
Pennsylvania Judicial Center
PO Box 62635
Harrisburg, PA 17106-2635
FAX: 717-231-9546
minorrules@pacourts.us

All communications in reference to the proposal should be received by August 4, 2020. E-mail is the preferred method for submitting comments, suggestions, or objections; any e-mailed submission need not be reproduced and resubmitted via mail. The Committee will acknowledge receipt of all submissions.

By the *Minor Court Rules Committee*

HONORABLE MARGARET A. HUNSICKER,
Chair

Annex A

TITLE 246. MINOR COURT CIVIL RULES

PART I. GENERAL

CHAPTER 300. CIVIL ACTION

Rule 301. Definition. Scope.

A. As used in this chapter,¹ “action” means a civil action brought before a magisterial district judge.

B. Civil action includes any action within the jurisdiction of a magisterial district judge except an action by a landlord against a tenant for the recovery of the possession of real property.

C. As used in this chapter, “complaint” or Civil Action shall include, where applicable, the attached and completed Civil Action Hearing Notice form.

¹ Rules in 300 Series.

Official Note: Civil action includes actions formerly denominated “assumpsit” or “trespass” (**commonly called contract and tort cases, respectively**) and civil claims for fines and penalties. See [**Section 1515(a)(3) of the Judicial Code,**] 42 Pa.C.S. § 1515(a)(3) prescribing the jurisdiction of magisterial district judges.

The rules in this chapter will apply to all civil actions before magisterial district judges except an action by a landlord against a tenant for the recovery of possession of real property which are governed by Chapter 500 of these rules.

Except as provided in Rule 350, the rules in this chapter apply to actions filed pursuant to 75 Pa.C.S. § 3369(j)(4), relating to automated work zone speed enforcement violations.

Statutes authorizing a civil fine or penalty include [**the following:** (1) **Section 10.1 of the Act of April 27, 1927, P.L. 465, No. 299, added by section 2 of the Act of December 21, 1988, P.L. 1315, No. 168, 35 P.S. § 1230.1 relating to clean indoor air; and Sections 617.1 and 817-A of the Act of July 31, 1968, P.L. 805, No. 247, as added by sections 62 and 77 of the Act of December 21, 1988, P.L. 1329, No. 170,**] 53 P.S. §§ 10617.1, 10817-A relating to violations of zoning and joint municipal zoning ordinances.

Rule 302. Venue.

* * * * *

Official Note: This rule [**replaces the temporary venue provisions of § 14 of the Schedule to Article V, Pennsylvania Constitution, 1968. It**] combines, with some minor changes, the Pennsylvania Rules of Civil Procedure relating to venue. See:

- (1) Individuals: Pa.R.C.P. No. 1006(a).
- (2) Partnerships: Pa.R.C.P. No. 2130(a).
- (3) Corporations: Pa.R.C.P. No. 2179(a).
- (4) Insurance Policies: Pa.R.C.P. No. 2179(b).
- (5) Unincorporated Associations: Pa.R.C.P. No. 2156(a).
- (6) Political Subdivisions: Pa.R.C.P. No. 2103(b).

This rule is not intended to repeal special statutory venue provisions [**not included therein (see Rule 382(3))**], such as: (1) venue provisions [**of the Goods and Services Installment Sales Act, Act of October 28, 1966, P.L. 7, Art. XII, § 1205, 69 P.S. § 2205, nor is it intended to contravene the special**] **for actions involving installment sales of goods and services, 12 Pa.C.S. § 6307;** (2) venue provisions [**of § 811**] of the Fair Debt Collection Practices Act, 15 U.S.C. 1692i, pertaining to actions brought by debt collectors against consumers; and (3) **venue provisions for appeals from automated work zone speed enforcement violations, 75 Pa.C.S. § 3369(j)(4). See Rule 382(1).**

For a definition of “transaction or occurrence” see *Craig v. W.J. Thiele & Sons, Inc.*, [**395 Pa. 129,**] 149 A.2d 35 (Pa. 1959).

Subdivision G is intended to take care of indistinct, “center line” or other confusing boundaries in the respects mentioned. When a complaint is transferred under subdivision H, it is treated as if originally filed in the transferee court on the date first filed in a court. If

service of the complaint has already been made, no new service may be necessary, but the transferee court must set a new date, time and place for the new hearing and notify the parties thereof. It is the intent of this rule that cases may be transferred to any Pennsylvania court with appropriate jurisdiction and venue, including the Philadelphia Municipal Court. Likewise, nothing in this rule prohibits a court other than a magisterial district court from transferring a case to a magisterial district court with proper jurisdiction and venue, in accordance with the procedural rules of the transferring court. The jurisdictional limits of the magisterial district courts and the Philadelphia Municipal Court are governed by [**Sections 1515 and 1123 of the Judicial Code, respectively.**] 42 Pa.C.S. §§ 1515 and 1123, **respectively.**

There are no costs for transfer of the complaint and no additional filing costs when a case is transferred from one magisterial district court to another magisterial district court. There are no additional filing costs when a case is transferred from the Philadelphia Municipal Court to a magisterial district court.

There may be additional service costs when a case is transferred.

Rule 321. Hearings and Evidence.

The magisterial district judge shall be bound by the rules of evidence, except that a bill, estimate, receipt or statement of account which appears to have been made in the regular course of business may be introduced in evidence by any party without affidavit or other evidence of its truth, accuracy or authenticity.

Official Note: The exception to the rules of evidence provided by this rule was inserted because the Pennsylvania statutes making certain business entries admissible in evidence [(see the **Judicial Code, § 6108, 42 Pa.C.S. § 6108**)] apparently do not apply to bills, receipts and the like which are made in the regular course of business but are not made as “records.” **See 42 Pa.C.S. § 6108.** The fact that this exception permits the introduction of these items of evidence without affidavit or other evidence of their truth, accuracy or authenticity does not, of course, preclude the introduction of evidence contradicting them. The exception was deemed necessary because the items of evidence made admissible thereby are probably the proofs most commonly used in minor judiciary proceedings. **See Rule 350D(2) for additional exceptions applicable to appeals from automated work zone speed enforcement violations.**

SATISFACTION OF MONEY JUDGMENTS

(*Editor’s Note:* The following rule is proposed to be added and printed in regular type to enhance readability.)

Rule 350. Automated Work Zone Speed Enforcement Violation Appeals.

A. As used in this Rule:

(1) “Defendant” means the owner of a vehicle who has requested the appeal of a determination by a hearing officer pursuant to 75 Pa.C.S. § 3369(j)(4).

(2) “Plaintiff” means the Pennsylvania Department of Transportation, the Pennsylvania Turnpike Commission, or the system administrator designated by those agencies pursuant to 75 Pa.C.S. § 3369(h)(3)(i).

B. *Venue.* An action filed pursuant to this rule shall only be filed in the magisterial district court in the magisterial district where the violation of 75 Pa.C.S. § 3369(c) occurred.

C. *Complaint.* Upon receipt of a written request from a defendant to appeal a determination by a hearing officer pursuant to 75 Pa.C.S. § 3369(j)(4), the plaintiff shall file a complaint in the form set forth in Rule 304.

D.(1) *Hearing.* The proceeding shall be conducted *de novo* in accordance with these rules as if the action was initially commenced in a magisterial district court.

(2) *Evidence.* The hearing is subject to the standards of evidence set forth in Rule 321, except that photographs, videos, vehicle titles, police reports, and records of the Pennsylvania Department of Transportation may also be entered as evidence by any party without affidavit or other evidence of their truth, accuracy, or authenticity.

Official Note: 75 Pa.C.S. § 3369 establishes a program to provide for automated speed enforcement systems in active work zones on certain highways under the jurisdiction of the Pennsylvania Department of Transportation and the Pennsylvania Turnpike Commission. This rule was adopted to address the provisions of the statute that permits a *de novo* appeal to a magisterial district court from a decision of a hearing officer following an administrative hearing to contest an alleged violation of 75 Pa.C.S. § 3369(c). Because these actions are *de novo* appeals, they shall proceed as any other civil action commenced in a magisterial district court except as provided by this rule.

Photographs, videos, vehicle titles, police reports, and records of the Pennsylvania Department of Transportation were added to the existing business record exceptions in Rule 321 because they are the proofs most likely to be used to support the permitted defenses to 75 Pa.C.S. § 3369(c).

Any civil fines payable pursuant to 75 Pa.C.S. § 3369(e) shall be made to the plaintiff and not to the magisterial district court. *See* Rule 323.

Publication Report

Proposed Amendment of Pa.R.C.P.M.D.J. Nos. 301, 302, and 321 and Proposed Pa.R.C.P.M.D.J. No. 350

The Minor Court Rules Committee (“Committee”) is considering proposing to the Supreme Court of Pennsylvania the amendment of Pa.R.C.P.M.D.J. Nos. 301, 302, and 321 and the adoption of Pa.R.C.P.M.D.J. No. 350. This proposal would establish procedural rules for actions under 75 Pa.C.S. § 3369(j)(4), relating to violations issued via automated work zone speed enforcement systems (“AWZSES”).

On October 19, 2018, the Governor signed into law Act 86 of 2018 (“Act”), which authorized the use of AWZSES in active work zones along the Pennsylvania Turnpike and “[f]ederal aid highways only under the jurisdiction of [PennDOT].” *See* 75 Pa.C.S. § 3369(a). The Act established civil penalties for a speeding offense in a highway work zone captured by an automated work zone speed enforcement system. When the AWZSES captures a speeding violation in an active work zone, a system administrator (*i.e.*, agency vendor) will prepare and send a violation notice to the registered vehicle owner identified by the system. *See id.* § 3369(d). The vehicle owner may request a hearing before a hearing officer to contest the alleged violation. *See id.* § 3369(j)(1). The Act provides that a vehicle owner may appeal the hearing officer’s decision to a magisterial district judge:

If the owner requests in writing that the decision of the hearing officer be appealed, the system administrator shall file the notice of violation and supporting documents with the office of the magisterial district

judge for the magisterial district where the violation occurred, and the magisterial district judge shall hear and decide the matter *de novo*.

See *id.* § 3369(j)(4).

The Pennsylvania Department of Transportation (“PennDot”) and the Pennsylvania Turnpike Commission (“PTC”) are moving forward with implementation of AWZSES. In anticipation of appeals from hearing officer determinations filed pursuant to 75 Pa.C.S. § 3369(j)(4), the Committee is considering proposing to the Supreme Court of Pennsylvania changes to the Rules of Civil Procedure before Magisterial District Judges to (1) clarify that Pa.R.C.P.M.D.J. Nos. 301–382 apply to AWZSES violation appeals; and (2) provide venue and evidentiary exceptions for these actions.

In Rule 301, which sets forth the scope Rules 301–382, the Committee proposes adding a paragraph to the Note to explain that the rules apply to actions filed pursuant to 75 Pa.C.S. § 3369(j)(4), relating to automated work zone speed enforcement violations. The Committee also proposes amending the last paragraph of the Note to delete a repealed statute. Next, the Committee proposes amending the Note to Rule 302 to include actions under the Act to the list of actions with special venue provisions, as well as other amendments to enhance readability. In the Note to Rule 321, the Committee proposes adding a cross-reference to proposed new Rule 350D(2), which provides additional exceptions to existing business records exceptions. Finally, the Committee proposes new Rule 350, which contains the special venue rule and evidentiary exceptions, as well as clarifies the nature of the parties and proceeding.

[Pa.B. Doc. No. 20-808. Filed for public inspection June 26, 2020, 9:00 a.m.]

Title 255—LOCAL COURT RULES

ADAMS COUNTY

Rule of Criminal Procedure 507; Administrative Order Number 7 of 2020

Order of Court

And Now, this 15th day of June, 2020, the Court hereby amends Rule 507 of the Adams County Rules of Criminal Procedure as follows:

Rule 507. Approval of Certain Police Complaints by Attorney for the Commonwealth.

The District Attorney of Adams County having filed a certification pursuant to Pa.R.Crim.P. 507, criminal complaints and arrest warrant affidavits by police officers charging any of the following felony or misdemeanor crimes:

[**A. 18 Pa.C.S. Section 3121—Rape (graded as a felony of the first degree)**

B. 18 Pa.C.S. Section 3122.1—Statutory Sexual Assault (graded as a felony of the second degree)

C. 18 Pa.C.S. Section 3123—Involuntary Deviate Sexual Intercourse (graded as a felony of the first degree)

D. 18 Pa.C.S. Section 3124.1—Sexual Assault (graded as a felony of the second degree)

E. 18 Pa.C.S. Section 3125—Aggravated Indecent Assault (graded as a felony of the second degree)]

A. Corrupt Organizations in violation of 18 Pa.C.S. § 911

B. Criminal Homicide in violation of 18 Pa.C.S. § 2501

C. Murder in violation of 18 Pa.C.S. § 2502

D. Voluntary Manslaughter in violation of 18 Pa.C.S. § 2503

E. Involuntary Manslaughter in violation of 18 Pa.C.S. § 2504

F. Causing or Aiding Suicide in violation of 18 Pa.C.S. § 2505

G. Drug Delivery Resulting in Death in violation of 18 Pa.C.S. § 2506

H. Criminal Homicide of Law Enforcement Officer in violation 18 Pa.C.S. § 2507

I. Criminal Homicide of Unborn Child in violation of 18 Pa.C.S. § 2603

J. Murder of Unborn Child in violation of 18 Pa.C.S. § 2604

K. Voluntary Manslaughter of Unborn Child in violation of 18 Pa.C.S. § 2605

L. Aggravated Assault of Unborn Child in violation of 18 Pa.C.S. § 2606

M. Strangulation in violation of 18 Pa.C.S. § 2718

N. Rape in violation of 18 Pa.C.S. § 3121

O. Statutory Sexual Assault in violation of 18 Pa.C.S. § 3122.1

P. Involuntary Deviate Sexual Intercourse in violation of 18 Pa.C.S. § 3123

Q. Sexual Assault in violation of 18 Pa.C.S. § 3124.1

R. Institutional Sexual Assault in violation of 18 Pa.C.S. § 3124.2

S. Aggravated Indecent Assault in violation of 18 Pa.C.S. § 3125 (graded as a felony of the second degree or higher)

T. Arson and Related Offenses in violation of 18 Pa.C.S. § 3301

U. Dealing in the Proceeds of Illegal Activity in violation of 18 Pa.C.S. § 5111

V. Homicide by Vehicle in violation of 75 Pa.C.S. § 3732

W. Homicide by Vehicle While Driving Under the Influence in violation of 75 Pa.C.S. § 3735

X. Aggravated Assault by Vehicle While Driving Under the Influence in violation of 75 Pa.C.S. § 3735.1

Y. Criminal Attempt, Criminal Solicitation, or Criminal Conspiracy to commit any of the above offenses

shall not hereafter be accepted by a judicial officer unless the complaint and affidavit has the approval of an attorney for the Commonwealth prior to filing.

This rule shall become effective after all the provisions of the Pennsylvania Rules of Judicial Administration 103 are met, to include the following:

a. A certified copy of this Order shall be submitted to the Criminal Procedural Rules Committee for review.

b. Upon receipt of a statement from the Criminal Procedural Rules Committee that the local rule is not inconsistent with any general rule of the Supreme Court, two (2) certified copies of this Order together with a computer diskette that complies with the requirement of 1 Pa. Code § 13.11(b), or other compliant format, containing the text of the local rule(s) adopted hereby shall be distributed to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

c. One copy of this Order shall be forwarded to the Administrative Office of the Pennsylvania Courts via e-mail to adminrules@pacourts.us;

d. A copy of the proposed local rule(s) shall be published on the 51st Judicial District website;

e. This Order shall be filed in the Office of the Prothonotary of Adams County and a copy thereof shall be filed with the Adams County Clerk of Courts and the Adams County Law Library for inspection and copying;

f. The effective date of the local rule(s) shall be 30 days after publication in the *Pennsylvania Bulletin*.

By the Court

MICHAEL A. GEORGE,
President Judge

[Pa.B. Doc. No. 20-809. Filed for public inspection June 26, 2020, 9:00 a.m.]

PROPOSED RULEMAKING

DEPARTMENT OF LABOR AND INDUSTRY

[34 PA. CODE CH. 65]

Unemployment Compensation; Employee Provisions

The Department of Labor and Industry (Department), Office of Unemployment Compensation Benefits Policy, proposes to amend §§ 65.11, 65.43 and 65.154 (relating to active search for work; claims for compensation—when to file; and payments), as set forth in Annex A.

Statutory Authority

This proposed rulemaking is authorized under the authority of section 201(a) of the Pennsylvania Unemployment Compensation Law (UC Law) (43 P.S. § 761(a)) which authorizes the Department to promulgate and amend rules and regulations necessary to administer the UC Law.

Background

The Department is currently undergoing a significant upgrade to its information technology system for administration of the Unemployment Compensation (UC) program. The Pennsylvania UC Claims System is replacing the 40-plus year-old legacy system (legacy) currently used to administer UC benefits and appeals. Legacy is comprised of multiple systems and logins used to perform day-to-day job functions. This mainframe technology has now become outdated. As a result, it is more expensive and less efficient to use. Further, the legacy technology has not kept up with the needs of the Commonwealth. In contrast, the Pennsylvania UC Claims System is a single, integrated benefits system that requires fewer logins and will enhance customer service, improve business processes, and increase system integrity and reliability while meeting business needs, and complying with Federal and State law.

Purpose

This proposed rulemaking amends the Department's existing UC regulations in §§ 65.11, 65.43 and 65.154. These proposed amendments will allow for the implementation of the Pennsylvania UC Claims System and will align the regulations with Federal law, State law and current practice.

Summary of Proposed Rulemaking

§ 65.11. Active search for work

The Department is proposing to amend § 65.11(f)(4) to reflect current practices relative to work search requirements. Currently, this section requires a claimant whose labor market is located outside of Pennsylvania to register with the employment service that serves his or her labor market and with the Pennsylvania CareerLink® System. After section § 65.11(f)(4) was promulgated, the United States Department of Labor advised Pennsylvania that requiring claimants whose labor markets are located outside of the Commonwealth to register with the Pennsylvania CareerLink® system conflicted with 26 U.S.C.A. § 3304(a)(9)(A) of the Federal Unemployment Tax Act (FUTA) and 20 CFR Part 604.3(b) (relating to able and available requirement—general principles) of the Regulations for Eligibility for Unemployment Compensation (Federal Regulations). Section 3304(a)(9)(A) of FUTA re-

quires state law to ensure that “compensation shall not be denied or reduced to an individual solely because he files a claim in another State. . . or because he resides in another State. . . at the time he files a claim for unemployment compensation.” 20 CFR Part 604.3(b) establishes that a state must limit its implementation of the able and available requirement (of which work registration is a part) to a “geographical scope.” On August 25, 2018, the Secretary of the Department (Secretary) published a notice in the *Pennsylvania Bulletin* waiving the requirement in subsection (f)(4) to register with the Pennsylvania CareerLink® system. The proposed amendment to subsection (f)(4), removing this requirement, is to reflect the waiver already noted by the Secretary. These claimants are still required to register for employment search services with the employment service that serves his or her labor market.

§ 65.43. Claims for compensation—when to file

The Department is proposing to amend § 65.43 by deleting the entirety of this section, which requires biweekly claims filing. The Department proposes to add the language: “A claimant shall file a claim for compensation for a week no later than the last day of the second week after the end of the week claimed.” The addition of this language will allow claimants to file claims for compensation on a weekly basis, while still authorizing claimants to file on a biweekly basis if they so choose. Currently, claimants file their claims for compensation on a biweekly schedule, that is, two weeks at a time. With the implementation of the new Pennsylvania UC Claims System, Pennsylvania will allow claimants to file claims for compensation on a weekly basis. This proposed amendment gives claimants greater flexibility and reflects modern practice throughout the country, aligning Pennsylvania with practices in most other states. The proposed amendments in this section delete the language mandating and providing for biweekly filing.

§ 65.154. Payments

Under § 65.154, the number of dependent allowances a claimant may receive is limited to the maximum number of weeks for which the claimant may receive full UC benefits. This section reflects that rule but is outdated and thus, must be amended. The proposed amendments in this section are necessary to reflect the current maximum number of weeks of benefits allowable under the UC Law for both regular UC Benefits and Extended UC Benefits. Currently, sections 404(c) and 405-A of the UC Law (43 P.S. §§ 804(c) and 815) allow for a maximum of 26 weeks of regular UC Benefits, and a maximum of 13 weeks of Extended UC Benefits. The proposed amendments in this section remove the outdated references to both 30 weeks of regular UC benefits and 9 weeks of extended UC benefits, and state that the number of payments is equal to “the number of weeks that the claimant is entitled to benefits” under sections 404(e)(3) and 405-A of the UC Law.

Compliance with Executive Order 1996-1, Regulatory Review and Promulgation

The Department provided a summary of the proposed amendments to 11 valued stakeholders, allowing them to provide comments. The following stakeholders were contacted: Geoffrey Moomaw, Pennsylvania AFL-CIO, Pennsylvania Chamber of Business and Industry, Mon Valley Unemployed Committee, National Federation of Independent Businesses, Heiss Gibbons and Company, Inc., Com-

munity Legal Services, Inc., Philadelphia Unemployed Project, Friends of Farmworkers, Inc., Pennsylvania Building Trades and Philadelphia Legal Assistance.

The Department also discussed this proposed rulemaking with the majority and minority executive directors for the House and Senate Labor and Industry committees, and representatives from the Pennsylvania Chamber of Business and Industry. The Department did not receive any substantive comments regarding the proposed regulatory package.

Affected Persons

This proposed rulemaking will affect all claimants who file for UC benefits under the UC Law.

Fiscal Impact

This proposed rulemaking does not have any appreciable fiscal impact.

Public Comment

Interested parties are invited to submit written comments, objections or suggestions about this proposed rulemaking to Becky Keen, Office of UC Benefits Policy, Department of Labor and Industry, 6th Floor, Labor and Industry Building, 651 Boas Street, Harrisburg, PA 17120, (717) 787-6021, rekeen@pa.gov within 30 days following publication in the *Pennsylvania Bulletin*.

Reporting, Recordkeeping and Paperwork Requirements

This proposed rulemaking will not require the creation of new forms or reporting requirements.

Sunset Date

A sunset date is not appropriate for this proposed rulemaking. However, the Department will continue to monitor its effectiveness.

Effective Date

Sections 65.11(f)(4) and 65.154 will become effective upon final-form publication in the *Pennsylvania Bulletin*.

Section 65.43 will become effective upon the date of publication of a notice in the *Pennsylvania Bulletin*, announcing the date of implementation of the Pennsylvania UC Claims System. The notice in the *Pennsylvania Bulletin* shall specify the applicability of the amendments to § 65.43.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on June 16, 2020, the Department submitted a copy of this proposed rulemaking and a copy of a Regulatory Analysis Form to the Independent Regulatory Review Commission (IRRC) and to the Chairpersons of the Senate Committee on Labor and Industry and the House Labor and Industry Committee. A copy of this material is available to the public upon request.

Under section 5(g) of the Regulatory Review Act, IRRC may convey comments, recommendations or objections to the proposed rulemaking within 30 days of the close of the public comment period. The comments, recommendations or objections must specify the regulatory review criteria in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b) which have not been met. The Regulatory Review Act specifies detailed procedures for review prior to final publication of the rulemaking by the Department, the General Assembly and the Governor.

W. GERARD OLEKSIK,
Secretary

Fiscal Note: 12-111. No fiscal impact; (8) recommends adoption.

Annex A

TITLE 34. LABOR AND INDUSTRY

PART II. BUREAU OF EMPLOYMENT SECURITY

Subpart A. UNEMPLOYMENT COMPENSATION

CHAPTER 65. EMPLOYEE PROVISIONS

Subchapter B. PREREQUISITES FOR ELIGIBILITY

ACTIVE SEARCH FOR WORK

§ 65.11. Active search for work.

* * * * *

(f) *Alternative requirements and waiver.*

* * * * *

(4) For purposes of subsection (c), if a claimant's labor market is located outside of this Commonwealth the claimant shall register for employment search services with the employment service that serves the claimant's labor market [**in addition to registering with the Pennsylvania CareerLink® system**].

* * * * *

Subchapter C. APPLICATION PROCEDURE

APPLICATION FOR BENEFITS AND CLAIMS FOR COMPENSATION

§ 65.43. Claims for compensation—when to file.

[(a) **Claims for compensation shall be filed bi-weekly in accordance with this subsection.**

(1) **The Department will establish a schedule of consecutive 2-week periods for each claimant, and may revise a claimant's schedule as necessary.**

(2) **At the end of each 2-week period for a claimant, the claimant may file claims for compensations for both of the weeks or a claim for compensation for one of the weeks. The claims or claim shall be filed no later than the last day of the week immediately following the 2-week period.**

(b) **Notwithstanding the provisions of subsection (a), the Department may allow a claimant to file a claim for compensation for the first week of a 2-week period before the 2-week period has ended. The claim shall be filed no later than the last day of the 2-week period.]**

A claimant shall file a claim for compensation for a week no later than the last day of the second week after the end of the week claimed.

Subchapter H. ALLOWANCES FOR DEPENDENTS

§ 65.154. Payments.

Dependent's allowance shall be paid for valid claim weeks whether full or partial weekly benefit amount is payable. The number of payments shall be limited to [**30 under section 404(e)(3) of the law (43 P.S. § 804(e)(3)), and the number of payments shall be limited to nine under section 405A of the Law (43 P.S. § 815)] **the number of weeks that the claimant is entitled to benefits under sections 404(e)(3) and 405A of the law (43 P.S. §§ 804(e)(3) and 815, respectively.****

[Pa.B. Doc. No. 20-810. Filed for public inspection June 26, 2020, 9:00 a.m.]

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending June 16, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
06-10-2020	CNB Financial Corporation Clearfield Clearfield County Application for approval to acquire 100% of Bank of Akron, Akron, NY.	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
06-10-2020	CNB Bank Clearfield Clearfield County Application for approval to merge Bank of Akron, Akron, NY, with and into CNB Bank, Clearfield, PA.	Approved

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-10-2020	Univest Bank and Trust Co. Souderton Montgomery County	1103 Rocky Drive West Lawn Berks County	Approved
06-11-2020	Huntingdon Valley Bank Huntingdon Valley Montgomery County	990 Spring Garden Street Philadelphia Philadelphia County	Approved
06-11-2020	Fleetwood Bank Fleetwood Berks County	61 Kings Plaza Oley Berks County	Filed
06-15-2020	Compass Savings Bank Wilmerding Allegheny County	87 Rocky Road Irwin Westmoreland County	Filed

CREDIT UNIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-12-2020	Hidden River Credit Union Pottsville Schuylkill County	29 East Pottsville Street Pine Grove Schuylkill County	Approved

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-811. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PAS232202 (Storm Water)	Lehigh Surfaces 4645 Commonwealth Drive Emmaus, PA 18049	Lehigh County Macungie Borough	Unnamed Tributary to Swabia Creek (HQ-CWF, MF) (2-C)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0032115 (Sewage)	PA DCNR—Ricketts Glen State Park 695 State Route 487 Benton, PA 17814	Luzerne County Fairmount Township	Unnamed Tributary of Kitchen Creek (HQ-CWF, MF) (5-C)	Yes
PA0065081 (Sewage)	Theresa Ecklof SRSTP 118 Whispering Acres Lane Wind Gap, PA 18091	Northampton County Bushkill Township	Unnamed Tributary of Bushkill Creek (EV (existing use)) (1-F)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0261408 (Sewage)	Garner Res 311 Hoy Road Carlisle, PA 17013-8540	Cumberland County North Middleton Township	Wertz Run (WWF) (7-B)	Yes
PA0081744 (IW)	York County Solid Waste and Refuse Authority—York County Sanitary Landfill 2700 Black Bridge Road York, PA 17406	York County Hopewell Township	UNT Ebaugh's Creek & UNT Rambo Run (7-I)	Yes

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636, Email: RA-EPNPDES_NCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0228184 (Sewage)	J & D Campground 973 Southern Drive Catawissa, PA 17820-8409	Columbia County Franklin Township	Roaring Creek (TSF) (5-E)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0096059 (Industrial)	ATI Powder Metals 1001 Robb Hill Road Oakdale, PA 15071-3200	Allegheny County North Fayette Township	Unnamed Tributary to Robinson Run (WWF) (20-F)	Yes
PA0001465 (Industrial)	Ceramic Color and Chemicals Mfg. Co. P.O. Box 297 New Brighton, PA 15066-0297	Beaver County New Brighton Borough	Blockhouse Run (WWF) (20-B)	Yes
PA0092517 (Sewage)	Allegheny Plaza 33 S Service Road Jericho, NY 11753-1006	Westmoreland County Allegheny Township	Unnamed Tributary to Pine Run (WWF) (18-B)	Yes
PA0094790 (Sewage)	Pleasant View MHP 110 Fremont Avenue Portage, PA 15946-1105	Cambria County Adams Township	Unnamed tributary of Sandy Run (CWF) (18-E)	Yes

Northwest Regional Office: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0028134 (Industrial)	PA American Water Kittanning 852 Wesley Drive Mechanicsburg, PA 17055-4436	Armstrong County Rayburn Township	Allegheny River (17-E)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0222712 (Sewage)	Sykesville Borough STP 21 E Main Street Sykesville, PA 15865-1196	Jefferson County Sykesville Borough	Stump Creek (CWF) (17-D)	Yes
PA0272914 (Sewage)	Donna & William Despain SRSTP 106 Wasser Road Greenville, PA 16125-8010	Mercer County Hempfield Township	Unnamed Tributary of Little Shenango River (TSF) (20-A)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PA0026964, Sewage, SIC Code 4952, **Lower Perkiomen Valley Region Sewer Authority**, P.O. Box 297, 101 Station Avenue, Oaks, PA 19456-0297. Facility Name: Oaks WWTP. This existing facility is located in Upper Providence Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving streams, Perkiomen Creek (WWF, MF) and Schuylkill River (WWF, MF), are located in State Water Plan watershed 3-D and 3-E and are classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 14.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 14.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 14.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	Report	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Nov 1 - Apr 30	2,668	4,002	XXX	22.5	33.7 Wkly Avg	45
May 1 - Oct 31	2,135	3,202	XXX	18	27 Wkly Avg	36
Raw Sewage Influent Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
	3,565	5,348	XXX	30	45 Wkly Avg	60

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000	2,000	2,500
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	960	XXX	XXX	8.1	XXX	16.2
May 1 - Oct 31	854	XXX	XXX	7.2	XXX	14.4
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Cadmium, Total	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	0.044	0.069	0.11
Sulfate, Total	XXX	XXX	XXX	Report	XXX	XXX
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX
Phenolics, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on an average flow of stormwater.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

Sludge use and disposal description and locations: Sludge is disposed primarily by land application at various farm fields and landfill disposal is used as an alternative.

In addition, the permit contains the following major special conditions:

- A. No Stormwater to Sanitary Sewers
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Chlorine Optimization
- E. Notification of Responsible Operator
- F. Fecal Coliform Reporting
- G. Operations and Maintenance Plan
- H. Pretreatment Program Implementation
- I. Solids Management

- J. WET Requirement
- K. Stormwater Requirements
- L. PCB PMP and Monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

NPDES Permit No. PA0020435, Sewage, **Aqua Pennsylvania Wastewater Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010-3489, White Haven Borough, **Luzerne County**.

The following notice reflects changes to the notice published in the July 27, 2019 Volume 49 Issue 30 edition of the *Pennsylvania Bulletin*: Revised proposed copper limits.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0023183, Sewage, SIC Code 4952, **Mount Holly Springs Borough Authority**, 200 Harmon Street, Mount Holly Springs, PA 17065-1339. Facility Name: Mt Holly Springs STP. This existing facility is located in Mount Holly Springs Borough, **Cumberland County**.

Description of Existing Activity: The application is for an NPDES permit amendment for an existing discharge of treated sewage.

The receiving stream(s), Mountain Creek (TSF), is located in State Water Plan watershed 7-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV intensity (µw/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅						
Nov 1 - Apr 30	145	233	XXX	25.0	40.0	50
May 1 - Oct 31	116	Wkly Avg 175	XXX	20.0	30.0	40
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	175	262	XXX	30.0	45.0	60
		Wkly Avg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	43.7	XXX	XXX	7.5	XXX	15
May 1 - Oct 31	14.5	XXX	XXX	2.5	XXX	5.0
Total Phosphorus	11	XXX	XXX	2.0	XXX	4.0
Copper, Total	XXX	Report	XXX	XXX	Report	XXX
					Daily Max	

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual	Monthly	Monthly Average	Maximum	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen ³	Report	10,959	XXX	XXX	XXX	XXX
Net Total Phosphorus ³	Report	1,461	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0088307, Sewage, SIC Code 7992, **Snyders LLP**, 501 Conodoguinet Avenue, Carlisle, PA 17015-8972. Facility Name: Eagles Crossing Golf Course. This existing facility is located in North Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Conodoguinet Creek (WWF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0035 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.5	1.6	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	10,000	XXX
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	Daily Max 1,000	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	Daily Max XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0035 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	Report	XXX	XXX	Report	XXX
Total Nitrogen	XXX	Daily Max	XXX	XXX	Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	Report	XXX	XXX	Report	XXX
Total Phosphorus	XXX	Daily Max	XXX	XXX	Daily Max	XXX
		Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	

Sludge use and disposal description and location(s): Sludge is hauled off site via a local septic hauler (i.e., Advanced Septic) for ultimate treatment and disposal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083470, Sewage, SIC Code 4952, **Paradise Township Sewer Authority**, 2 Township Drive, P.O. Box 40, Paradise, PA 17562. Facility Name: Paradise Township Sewer Authority WWTP. This existing facility is located in Paradise Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Pequea Creek (WWF, MF), is located in State Water Plan watershed 7-K and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.50	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	25	40	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)					Wkly Avg	
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	30	Daily Max 45	XXX	30	45	60
					Wkly Avg	
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	Daily Max XXX	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	23	XXX	XXX	23	XXX	46
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	2.0	XXX	XXX	2.0	XXX	XXX
Total Phosphorus	XXX	731	XXX	XXX	XXX	XXX
		Total Annual				
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .22 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.50	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	45	73	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)					Wkly Avg	
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids		Daily Max				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	55	82	XXX	30	45	60
Total Dissolved Solids	XXX	XXX	XXX	Report	Wkly Avg Report	XX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	82	XXX	XXX	45	XXX	90
May 1 - Oct 31	27	XXX	XXX	15	XXX	30
Total Phosphorus	0.9	XXX	XXX	0.5	XXX	1.0
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

<i>Parameter</i>	<i>Mass Units (lbs)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	XXX	7,306	XXX	XXX	XXX
Net Total Phosphorus	XXX	368	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0038326, Sewage, SIC Code 8211, **Pequea Valley School District**, 166 South New Holland Road, P.O. Box 130, Kinzers, PA 17535-0130. Facility Name: Intermediate and High School WWTP. This existing facility is located in Leacock Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Pequea Creek (WWF, MF), is located in State Water Plan watershed 7-K and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0208 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report
TKN (lbs/mo)	Report Total Mo	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite (lbs/mo)	Report Total Mo	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Nitrogen (lbs/mo)	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Total Phosphorus (lbs/mo)	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Total Phosphorus (lbs/year)	XXX	633	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0038318, Sewage, SIC Code 8211, **Pequea Valley School District**, 166 South New Holland Road, P.O. Box 130, Kinzers, PA 17535-0130. Facility Name: Salisbury Elementary WWTP. This existing facility is located in Salisbury Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Pequea Creek (WWF, MF), is located in State Water Plan watershed 7-K and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .009 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report
TKN (lbs/mo)	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Nitrate-Nitrite (lbs/mo)	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Total Nitrogen (lbs/mo)	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Total Phosphorus (lbs/mo)	Report	XXX	XXX	Report	XXX	XXX
	Total Mo					
Total Phosphorus (lbs/year)	XXX	274	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0267121, Sewage, SIC Code 8811, **George Bosnell III**, 580 Thomastown Road, Tyrone, PA 16686-8336. Facility Name: Bosnell Residence. This proposed facility is located in Snyder Township, **Blair County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Little Juniata River (TSF, MF), is located in State Water Plan watershed 11-A and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Semi-Annual Average	Maximum	
Flow (MGD)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0266817, Sewage, SIC Code 4952, **Fayette Township Juniata County**, 181 Bunkertown Road, McAlisterville, PA 17049. Facility Name: Oakland Mills STP. This proposed facility is located in Fayette Township, **Juniata County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Lost Creek (CWF, MF), is located in State Water Plan watershed 12-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00765 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Monthly Average	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1.6	2.6	XXX	25.0	40.0	50
Total Suspended Solids	1.9	2.9	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	0.0	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	1.6	XXX	XXX	25.0	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	0.0	XXX	XXX	XXX	XXX	XXX

Sludge use and disposal description and location(s): Offsite disposal at another treatment facility.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

PA0255696, Sewage, SIC Code 4952, **Cecil Township Municipal Authority**, 375 Southpointe Boulevard, Suite 350, Canonsburg, PA 15317-8587. Facility Name: Village of Lawrence STP. This proposed facility is located in Cecil Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.33 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.33 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	65.0	110.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml) Oct 1 - Apr 30	80.0	120.0	XXX	30.0	45.0	60
May 1 - Sep 30	XXX	XXX	XXX	2,000 Geo Mean 200 Geo Mean	XXX	10,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	65.0	XXX	XXX	25.0	XXX	50

Sludge use and disposal description and location(s): The waste sludge will be stored in an aerated sludge holding tank and later hauled to the applicants existing Millers Run STP for disposal, NPDES Permit No. PA0252603.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0219088, Industrial, SIC Code 4953, **AK Steel Corp**, P.O. Box 823, Butler, PA 16003. Facility Name: AK Steel Corp Bridgeville Plant. This proposed facility is located in Collier Township, **Allegheny County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial waste.

The receiving stream(s), Painters Run (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point (IMP) 101 are based on a design flow of 0.074 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Inst. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Antimony, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Mercury, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Nickel, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Silver, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Vanadium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Phenol	XXX	XXX	XXX	Report	Report	XXX
Acrolein (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Acrylonitrile (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Aniline	XXX	XXX	XXX	Report	Report	XXX
a-Terpineol	XXX	XXX	XXX	Report	Report	XXX
1,3-Dichloropropylene (ug/L)	XXX	XXX	XXX	Report	Report	XXX
1,4-Dioxane (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Benzoic Acid	XXX	XXX	XXX	Report	Report	XXX
Carbon Tetrachloride (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
Chlorodibromomethane (ug/L)	XXX	XXX	XXX	Report	Report	XXX
1,1,2,2-Tetrachloroethane (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Naphthalene	XXX	XXX	XXX	Report	Report	XXX
p-Cresol	XXX	XXX	XXX	Report	Report	XXX
Pyridine	XXX	XXX	XXX	Report	Report	XXX
Trichloroethylene (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Vinyl Chloride (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Radium-226 (pCi/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for IMP 101 are based on a design flow of 0.074 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Inst. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	56.0	220.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	27.0	88.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	4.90	10.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Antimony, Total (ug/L)	XXX	XXX	XXX	8.30	12.95	XXX
Arsenic, Total (ug/L)	XXX	XXX	XXX	14.82	23.13	XXX
Cadmium, Total (ug/L)	XXX	XXX	XXX	0.40	0.63	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	15.41	24.04	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	13.30	20.75	XXX
Cyanide, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

Parameters	Mass Units (lbs/day)		Inst. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Iron, Total	XXX	XXX	XXX	1.60	2.49	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	4.72	7.36	XXX
Mercury, Total (ug/L)	XXX	XXX	XXX	0.07	0.12	XXX
Nickel, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	7.40	11.54	XXX
Silver, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Vanadium, Total (ug/L)	XXX	XXX	XXX	148.2	231.3	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Phenol	XXX	XXX	XXX	0.029	0.048	XXX
Acrolein (ug/L)	XXX	XXX	XXX	3.0	3.0	XXX
Acrylonitrile (ug/L)	XXX	XXX	XXX	0.31	0.49	XXX
Aniline	XXX	XXX	XXX	0.015	0.024	XXX
a-Terpineol	XXX	XXX	XXX	0.019	0.042	XXX
1,3-Dichloropropylene (ug/L)	XXX	XXX	XXX	Report	Report	XXX
1,4-Dioxane (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Benzoic Acid	XXX	XXX	XXX	0.073	0.119	XXX
Carbon Tetrachloride (ug/L)	XXX	XXX	XXX	0.88	1.37	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
Chlorodibromomethane (ug/L)	XXX	XXX	XXX	Report	Report	XXX
1,1,2,2-Tetrachloroethane (ug/L)	XXX	XXX	XXX	0.60	0.94	XXX
Naphthalene	XXX	XXX	XXX	0.022	0.059	XXX
p-Cresol	XXX	XXX	XXX	0.015	0.024	XXX
Pyridine	XXX	XXX	XXX	0.025	0.072	XXX
Trichloroethylene (ug/L)	XXX	XXX	XXX	13.0	20.28	XXX
Vinyl Chloride (ug/L)	XXX	XXX	XXX	0.15	0.24	XXX
Radium-226 (pCi/L)	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- If applicable, the permittee shall obtain a Water Quality Management (WQM) permit from DEP for construction of treatment facilities and complete construction in accordance with the WQM permit application prior to commencing discharges authorized by this permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Northwest Regional Office: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814.332.6942, Email: RA-EPNPDES_NWRO@pa.gov.

PA0288144, Sewage, SIC Code 4952, 8800, **Kristine & Vincent Balinski**, 3578 Reichert Road, Erie, PA 16509. Facility Name: Kristine & Vincent Balinski SRSTP. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Elk Creek, is located in State Water Plan watershed 15-A and classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge is disposed off-site.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288411, Sewage, SIC Code 8800, **David M. Carroll Jr.**, 9705 Bliley Road, Waterford, PA 16441-7309. Facility Name: David M. Carroll Jr SRSTP. This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to East Branch LeBoeuf Creek (TSF), is located in State Water Plan watershed 16-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 4601405, Sewage, Amendment, **Montgomery Township Municipal Sewer Authority**, 1001 Stump Road, Montgomeryville, PA 18936.

This proposed facility is located in Montgomery Township, **Montgomery County**.

Description of Action/Activity: Change from liquid sodium hypochlorite to gaseous chlorine.

WQM Permit No. WQG02091421, Sewage, Amendment, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Doylestown Township, **Bucks County**.

Description of Action/Activity: Addition of a small grinder pump station in the collection system.

WQM Permit No. 0920404, Sewage, **Warminster Municipal Authority**, 415 Gibson Avenue, P.O. Box 2279, Doylestown, PA 18974.

This proposed facility is located in Warminster Township, **Bucks County**.

Description of Action/Activity: Replace 2 existing pumps and associated valves and piping.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

WQM Permit No. 5489403A-1, Sewage, **Schuylkill Haven Borough Municipal Authority**, 333 Center Avenue, Schuylkill Haven, PA 17972.

This existing facility is located in Schuylkill Haven Borough, **Schuylkill County**.

Description of Proposed Action/Activity: The project is for upgrades to the wastewater treatment plant, including the installation of a new automatic influent screen and replacement of the following: influent and return activated sludge pumps, aeration system for the aeration tanks and aerobic digesters, media within the final filter, and several components of the primary clarifier. The existing belt filter press will be replaced with a screw press.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No. 0610401, Amendment, Sewerage, **Spring Township**, 2850 Windmill Road, Sinking Spring, PA 19608-1668.

This proposed facility is located in Spring Township, **Berks County**.

Description of Proposed Action/Activity: Seeking permit approval for addition of third clarifier to WWTP No. 3.

WQM Permit No. 2817403, Amendment, Sewerage, **Hamilton Township Municipal Authority**, 127 Crottlestown Road, Chambersburg, PA 17202.

This proposed facility is located in Hamilton Township, **Franklin County**.

Description of Proposed Action/Activity: Seeking permit approval for Pump Station # 14 improvements.

WQM Permit No. 0708404, Amendment, Sewerage, **Altoona Water Authority**, 900 Chestnut Avenue, Altoona, PA 16601, **Blair County**.

Description of Proposed Action/Activity: Seeking permit approval for the Pleasant Valley South Jaggard Street Pump Station project.

WQM Permit No. 0600408, A1, Upper Bern Township, 25 North Fifth Street, P.O. Box 185, Shartlesville, PA 19554.

This proposed facility is located in Upper Bern Township, **Berks County**.

Description of Proposed Action/Activity: Seeking permit approval for the North Sewer Service Area Pump Replacement.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 6520402, Sewage, **Westmoreland County Municipal Authority**, P.O. Box 730, Greensburg, PA 15601.

This proposed facility is located in Hempfield Township, **Westmoreland County**.

Description of Proposed Action/Activity: The applicant proposes to increase capacity of the Fort Allen Interceptor in the Fort Allen portion of Hempfield Township. The work involves installation of 6,600 LF of 18-inch parallel pipe and 950 LF of replacement/relocation 15-inch pipe.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6120401, Sewage, **Franklin City General Authority**, 430 13th Street, Franklin, PA 16323-1317.

This proposed facility is located in Franklin City, **Venango County**.

Description of Proposed Action/Activity: Replacement and rehabilitation of public sanitary sewer system.

WQM Permit No. WQG028320 A-1, Sewage, **Breakneck Creek Region Authority**, 1166 Mars Evans City Road, Mars, PA 16046-2216.

This existing facility is located in Adams Township, **Butler County**.

Description of Proposed Action/Activity: Sewer extension and improvements to Denny Road Pump Station.

IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PAI130523, MS4, **East Bradford Township**, 666 Copeland School Road, West Chester, PA 19380-1822. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in East Bradford Township, **Chester County**. The receiving streams, East Branch Brandywine Creek (WWF, MF), Unnamed Tributary to Plum Run (WWF, MF), Blackhorse Run (TSF, MF), Broad Run (HQ-CWF, MF), Unnamed Tributary to Taylor Run (TSF, MF), and Brandywine Creek (WWF, MF), are located in State Water Plan watershed 3-H and are classified for Migratory Fishes, High Quality—Cold Water, Warm Water Fishes, Trout Stocking, and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan with the application to reduce pollutant loads to impaired waters:

- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

PAI132247, MS4, **Washington Township Northampton County**, 1021 Washington Boulevard, Bangor, PA 18031. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Washington Township, **Northampton County**. The receiving streams, Waltz Creek (HQ-CWF, MF), Martins Creek (TSF, MF), Unnamed Tributary to Martins Creek (TSF, MF), Unnamed Tributary to Waltz Creek (HQ-CWF, MF), and Greenwalk Creek (CWF, MF), is located in State Water Plan watershed 1-F and is classified for Cold Water Fishes, Migratory Fishes, High Quality—Cold Water, Trout Stocking, and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be

extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD510060	Richmond Square Associates 1218 Green Street Philadelphia, PA 19123	Philadelphia	City of Philadelphia	Delaware River WWF
PAD510062	SYSCO Philadelphia Ms. Dale Lipa 600 Packer Avenue Philadelphia, PA 19148	Philadelphia	City of Philadelphia	Delaware (via CCS) WWF-MF
PAD150124 A-1	Progressum Terra, LLC 4310 Whitehorse Road Malvern, PA 19355	Chester	Charlestown Township	Unnamed Tributary to Pickering Creek HQ-TSF

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347, 570-629-3060.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD450073	Monroe-Pike Land, LLC 507 Seven Bridges Road East Stroudsburg, PA 18301	Monroe	Hamilton Township	Appenzell Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD050009	Nelson R Horst 7372 Chaneyville Road Clearville, PA 15535	Bedford	Monroe Township	UNTs Bushy Fork (HQ-CWF, MF)
PAD210052	Falling Springs Investors, LLC 5 South Hanover Street Carlisle, PA 17013	Cumberland	South Middleton Township	Letort Spring Run (EV)
PAD060038	FirstEnergy/Mid-Atlantic Interstate Transmission 2800 Pottsville Pike P.O. Box 16001 Reading, PA 19612	Berks	Jefferson Township Penn Township Bern Township Ontelaunee Township Muhlenberg Township	Northkill Creek (CWF, MF) Tulpehocken Creek (WWF, MF) Licking Creek (TSF, MF) Plum Creek (WWF, MF) Schuylkill River (WWF, MF) Maiden Creek (WWF, MF) Laurel Run (WWF, MF)
PAD060041	PA DCNR 843 Park Road Elverson, PA 19520	Berks	Union Township	French Creek (EV, MF)

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

CAFO Notices of Intent Received.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

NPDES Permit No. PAG123901, CAFO, BP Shirey Turkey Farm Inc. CAFO, 6359 Boyertown Pike, Douglassville, PA 19518-8832.

This proposed facility is located in Amity Township, **Berks County**.

Description of size and scope of proposed operation/activity: Poultry (Turkeys): 372.85 AEUs.

The receiving stream, Unnamed Tributary to Monocacy Creek (WWF, MF), is in watershed 3-D and classified for: Migratory Fishes and Warm Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS**

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Josh Daniels Just-A-Mere Farm 3746 Mahantango Creek Road Dalmatia, PA 17017	Northumberland	324.2	86.38	Ducks, Steers	NA	Renewal
Curtis Lehman 514 Bricker Road Bernville, PA 19506	Berks	201.58	487.90	Broilers	NA	Renewal
Bruce King Farm 1417 Peters Rd Troy, PA 16947	Bradford	405.8	910.53	Swine/ Dairy	NA	Renewal
Stoner’s Hijos Hill, Inc. 7678 Oellig Road Mercersburg, PA 17236	Franklin	1,410.6	1,557.70	Dairy	NA	Renewal
Keystone Dairy Ventures, LLC Matt Young 324 Balance Meeting Road Peach Bottom, PA 17563	Lancaster	712.6	1,727.33	Dairy	HQ-CWF	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 4420503, Public Water Supply.
 Applicant **The Municipal Authority of the Borough of Lewistown**
 Municipality Armagh Township
 County **Mifflin**
 Responsible Official Craig Bubb
 Superintendent
 70 Chestnut Street
 Lewistown, PA 17004-2216
 Type of Facility Public Water Supply
 Consulting Engineer Patrick J. Ward, P.E.
 Uni-Tec Consulting Engineers,
 Inc.
 2007 Cato Avenue
 State College, PA 16801
 Application Received: 5/20/2020
 Description of Action Addition of zinc orthophosphate for corrosion control.

Permit No. 0620510, Public Water Supply.
 Applicant **Niagara Bottling LLC**
 Municipality Hamburg Borough

County **Berks**
 Responsible Official Dana Alvarado
 Quality Assurance—Compliance
 Administrative Asso
 1440 Bridgegate Drive
 Diamond Bar, CA 91765
 Type of Facility Public Water Supply
 Consulting Engineer Holly R. Evans, P.E.
 Evans Engineering Inc.
 2793 Old Post Road
 Harrisburg, PA 17110
 Application Received: 6/3/2020
 Description of Action Removal of 1-gallon bottling line.
Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.
Permit No. 6020501, Public Water Supply.
 Applicant **PA American—West Milton**
 Township or Borough White Deer/Kelly Township
 County **Union**
 Responsible Official Ewoud Hulstein
 Type of Facility Public Water
 Supply—Construction
 Consulting Engineer Mr. Garrett J. Hargenrader, P.E.
 Gwin, Dobson, & Foreman, Inc.
 3121 Fairway Drive
 Altoona, PA 16602
 Application Received Date May 22, 2020
 Description of Action West Milton booster pump station and waterline. Planning to construct a booster-pump Station and all the require appurtenances, which will consist of 4 pumps rated at 700 gpm at 130 ft. total dynamic head, appx. 2,100 ft. of 12" diameter discharge line.
Permit No. 4920507, Public Water Supply.
 Applicant **PA American—West Milton**
 Township or Borough West Chillisquaque Township
 County **Northumberland**
 Responsible Official Ewoud Hulstein
 Type of Facility Public Water
 Supply—Construction
 Consulting Engineer Mr. Garrett J. Hargenrader, P.E.
 Gwin, Dobson, & Foreman, Inc.
 3121 Fairway Drive
 Altoona, PA 16602
 Application Received Date May 22, 2020
 Description of Action Montandon booster pump station. Planning the construction of a booster-pump station and all the require appurtenances, which will consist of 3 pumps rated at 500 gpm at 150 ft. TDH and the demolition of the existing station located in West Chillsquaque Township.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0220512, Public Water Supply.

Applicant **Pennsylvania American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Township or Borough Elizabeth Township

County **Allegheny**

Responsible Official Bruce Aiton
VP of Engineering

Type of Facility Water system

Consulting Engineer Gwin, Dobson and Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602

Application Received Date May 20, 2020

Description of Action Renovation of the Mill Hill booster station.

Permit No. 0420504, Public Water Supply.

Applicant **Municipal Water Authority of Aliquippa**
160 Hopewell Avenue
Aliquippa, PA 15001

Township or Borough City of Aliquippa

County **Beaver**

Responsible Official Robert Bible
General Manager

Type of Facility Water system

Consulting Engineer Lennon, Smith, Souleret Engineering, Inc.
846 Fourth Avenue
Coraopolis, PA 15108

Application Received Date June 1, 2020

Description of Action Construction of a new water filtration plant.

Permit No. 6520504, Public Water Supply.

Applicant **Latrobe Municipal Authority**
104 Guerrier Street
Latrobe, PA 15650

Township or Borough Unity Township

County **Westmoreland**

Responsible Official Terri Hauser
Authority Manager

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering Company, Inc.
1004 Ligonier Street
Box 853
Latrobe, PA 15650

Application Received Date June 2, 2020

Description of Action Installation of chlorine booster stations and mixing systems at the St. Mary's and Manito water storage tanks.

Central Office: Bureau Director, Bureau of Safe Drinking Water, P.O. Box 8467, Harrisburg, PA 17105-8467.

Permit No. 9996627, Public Water Supply.

Applicant **Aqua Hydrate**

Township or Borough Mineral Wells, Texas

Responsible Official Raz Inserra

Type of Facility Out of State Bottled Water System

Application Received Date June 4, 2020

Description of Action Application for new out of state bottled water system to sell high pH (9+) water using the city of Mineral Wells Municipal Drinking Water as the source.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 1120505MA, Minor Amendment.

Applicant **Municipal Authority of the Borough of Portage**
606 Cambria Street
Portage, PA 15946

Township or Borough Portage Township

County **Cambria**

Responsible Official Brent Kinley
Chairman

Type of Facility Water system

Consulting Engineer The EADS Group, Inc.
227 Franklin Street
Suite 300
Johnstown, PA 15901

Application Received Date May 11, 2020

Description of Action Installation of tube settlers as additional mixing within the clarifiers at the Benscreek and Martindale water treatment plants.

Application No. 2620503MA, Minor Amendment.

Applicant **Pennsylvania American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Township or Borough Brownsville Borough

County **Fayette**

Responsible Official Bruce Aiton
VP of Engineering

Type of Facility Water system

Consulting Engineer Gwin, Dobson and Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602

Application Received Date May 22, 2020

Description of Action Improvements to the chemical feed room at the Brownsville water treatment plant.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401.

WA-09-963A, Water Allocations: **Northampton Bucks County Municipal Authority**, 815 Bustleton Pike, Richboro, PA 18954, Northampton Township, **Bucks County**. Subsidiary water allocation renewal and add the system that is buying water and the system that is selling water.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date.

During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

1022 Lancaster Avenue, 1022 Lancaster Avenue, Easttown Township, **Chester County**. Gilbert J. Marshall, PG, Marshall Geoscience, Inc., 170 1st Avenue, Collegeville, PA 19426 on behalf of Stacey Ballard, Ernest C. Eadeh Revocable Deed of Trust, 511 Old Lancaster Road, Suite 8, Berwyn, PA 19312 submitted a Notice of Intent to Remediate. The primary constituents of concern in soil are benzene, ethylbenzene, isopropyl benzene, MTBE, naphthalene, toluene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The proposed future use of the property will continue to be commercial. The proposed cleanup standard for the site is the residential Statewide Health Standard. The Notice of Intent to Remediate was published in the *Daily Local News* on May 21, 2020.

Schea Residence, 8 Holland Drive, Chalfont Borough, **Bucks County**. Richard D. Trimpi, PG, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, PA Fire Claims, P.O. Box 106110, Atlanta, GA 30348-6110 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with the release of benzene; ethylbenzene; isopropyl benzene; toluene; MTBE; naphthalene; 1,2,4-trimethylbenzene; and 1,3,5-trimethylbenzene. The intended future use of the site is residential. The proposed cleanup standard for the site is the residential Statewide Health Standard. The Notice of Intent to Remediate was published in *The Bucks County Courier Times* on May 7, 2020.

719 West Cypress Street, 719 West Cypress Street, Kennett Township, **Chester County**. Henry Bienkowski, PG, Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Robert T. Purcell, III, 2675 Windwood Place, Cape Coral, FL 33991 submitted a Notice of Intent to Remediate. Soil has been contaminated with the release of gasoline (BTEX, cumene, MTBE, naphthalene, 1,2,4-TMB & 1,3,5-TMB, EDB, EDC and lead. The current and proposed future use of the property is expected to be residential and non-residential. The proposed cleanup standard for the site is the residential Statewide Health Standard. The Notice of Intent to Remediate was published in *The Daily Local News* on May 7, 2020.

Ponds and Gardens, 200 Limekiln Pike, Cheltenham Township, **Montgomery County**. Philip Donmoyer, PG, ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406 on behalf of Greg Baltz, Grindstone Properties LP, 1259 Cox Road, Rydal, PA 19046 submitted a Notice of Intent to Remediate. Arsenic impacted the soil. The

future use of the site will be for residential purposes. The proposed cleanup standard for the site is the residential Statewide Health Standard. The Notice of Intent to Remediate was published in *The Times Chronicle Newspaper* on May 19, 2020.

Proposed AutoZone Store, 6301 North Broad Street, City of Philadelphia, **Philadelphia County**. James M. Conner, PG, AEI Consultants, 20 Gibson Place, Suite 310, Freehold, NJ 07728 on behalf of Bill Roundtree, AZ Broad Street, LLC, 20 South Olive Street, Suite 202, Media, PA 19063 submitted a Notice of Intent to Remediate. Groundwater and soil were contaminated with gasoline constituents including benzene, toluene, ethylbenzene, total xylenes. The property is currently used for auto sales. The proposed cleanup standard for the site is under the Special Industrial Area provision. The Notice of Intent to Remediate was published in *The Philadelphia Tribune* on May 22, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Former Rynek Rope, 991 Bushkill Drive, Easton, PA 18042, Easton City, **Northampton County**. United Environmental, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Lafayette College, 1001 Bushkill Drive, Easton, PA 18042, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of # 6 heating oil from an underground storage tank. Future use of the site will be non-residential. The Notice of Intent to Remediate was published in *The Morning Call* on June 8, 2020.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Issued, under the Solid Waste Management Act of July 7, 1980, P.L. 35 P.S. §§ 6018.101—6018.1003, the Municipal Waste Planning, Recycling and Waste Reduction Act 53 P.S. §§ 4000.101—4000.1904 and regulations to operate a Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

Permit Application ID No. 101689. Valley Waste Services, Inc., 261 Wallace Road, Beaver Falls, PA 15010. A Solid Waste Management permit application was received for a 10-year permit renewal for the Valley Waste Transfer Facility, located in Chippewa Township, **Beaver County**. The permit renewal was issued in the Regional Office on June 15, 2020.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00022A: Ardent Mills, LLC, 4888 S Delaware Dr., Martins Creek, PA 18063, for the installation and opera-

tion of three new baghouse filters to control particulate emissions from the existing facility located in Lower Mount Bethel Township, **Northampton County**.

45-00031A: Ardent Mills, LLC, 258 Harvest Lane, Pocono Summit, PA 18344, for the replacement of an existing baghouse filter with a new higher capacity baghouse filter to control particulate emissions from wheat receiving area at the existing facility located in Tobyhanna & Pocono Twp., Pocono Borough, **Monroe County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

07-03068A: Altoona Water Authority—Westerly WWTF (144 Treatment Plant Road, Duncansville, PA 16635) for the construction of two (2) new digester gas fired boilers and one candlestick flare at the wastewater treatment facility in Allegheny Township, **Blair County**. The digester gas boilers will be controlled by low NO_x burners and flue gas recirculation (FGR). The expected facility potential emissions as a result of the changes proposed are: NO_x—27.73 tpy, CO—99.97 tpy, PM₁₀—3.76 tpy, SO₂—6.6 tpy, VOCs—1.3 tpy and HAPs—0.92 tpy. The facility will be a State Only facility upon completion of the project. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval may be incorporated into an Operating Permit pursuant to the provisions of 25 Pa. Code Chapter 127.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

42-249A: Highland Field Services LLC—Seven Mile Minerals (135 Allegany Drive, Kane, PA 16735), for the proposed construction of an evaporator to process 7,500 bpd of feedwater and condense evaporated vapor for reuse in gas well development. The facility is located in Sergeant Township, **McKean County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only operating permit at a later date.

Plan approval No 42-249A is for the proposed construction of an evaporator to process 7,500 bpd of feedwater and condense evaporated vapor for reuse in gas well development. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Source 201 (Evaporator)
 - The NO_x emissions from combustion shall not exceed 95 ppmvd at 3% O₂ (0.116 lb/MMBtu) and 58.79 tpy (based on a 12-month rolling total).
 - The CO emissions from combustion shall not exceed 65 ppmvd at 3% O₂ (0.048 lb/MMBtu) and 24.49 tpy (based on a 12-month rolling total).
 - The VOC emissions from combustion shall not exceed 0.0021 lb/MMBtu and 1.07 tpy (based on a 12-month rolling total).
 - The VOC concentration of the fluids being evaporated shall not exceed 2.61 mg/L and VOC emissions from evaporation shall not exceed 2.70 tpy (based on a 12-month rolling total).
 - The PM₁₀ emissions from combustion/evaporation shall not exceed 0.18 lb/MMBtu and 92.01 tpy (based on a 12-month rolling total).
 - The PM_{2.5} emissions from combustion/evaporation shall not exceed 0.18 lb/MMBtu and 92.01 tpy (based on a 12-month rolling total).
 - The SO_x emissions from combustion shall not exceed 0.0034 lb/MMBtu and 1.73 tpy (based on a 12-month rolling total).
 - Subject to 40 CFR 60 Subpart Db.
 - The facility shall not process more than an average daily throughput of 7,500 barrels of produced fluids. Compliance will be shown through a monthly average of the daily throughputs.
 - Initial stack test for NO_x, CO, & PM with a subsequent testing every 5 years.
 - The facility shall conduct weekly waste water sampling for organic compounds (for the pollutants in the Bureau of Laboratory Suites for VOAWW and WSOL) to show compliance with the VOC concentration limit. After 6 months of average samples results in concentrations less than 50% of the limit (2.61 mg/l), the facility may conduct sampling on a monthly basis. If an average monthly result exceeds 50% of the limit, the facility will resume weekly sampling.
 - The facility shall limit the average VOC concentration of the produced water to 2.61 mg/l on a 12-month rolling average and the average HAP concentration of the produced water to 0.902 mg/l on a 12-month rolling average.
 - The facility shall sample each new waste stream prior to accepting for treatment. A new waste stream is considered a stream outside the northern tier of Pennsylvania (counties characterized as "dry" gas). The sampling shall be for the pollutants in the Bureau of Laboratory Suites for VOAWW and WSOL. Each new waste stream will be sampled for four (4) consecutive loads. If the variation is less than +10% for total VOCs, no further sampling will be required. The facility shall use either the weighted average of

the four samples or the highest concentration from the four samples for determining VOC emissions.

- Produced water from wells with methanol injection will be segregated and not sent to the evaporator.
- The owner or operator shall maintain the following records:
- The location of the combustion unit.
- Either the summary for each complete test report or the results of each periodic monitoring.
- The emissions calculations for the combustion unit in accordance with 25 Pa. Code § 135.5.
- Not subject to 40 CFR 63 Subpart JJJJJ because it is a gas-fired boiler.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [42-249A], a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335, Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the previously listed public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State Only Operating Permits or §§ 127.521 to 127.524 for Title V operating permits.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Plan Approval for installation of air pollution sources at the following facility:

IP19-000139: Marriott Old City, 1 Dock St., Philadelphia, PA 19106, for the installation of boilers and emer-

gency generator at a hotel, in the City of Philadelphia, **Philadelphia County**. The following significant stationary air emission sources are part of the Plan Approval: four (4) boilers firing natural gas each rated 2 MMBtu/hr, four (4) boilers firing natural gas each rated less than 1 MMBtu/hr, and one emergency generator firing diesel fuel rated 538 HP. The potential emission increases from the installation are as follows: (1) 9.31 tons per year (tpy) of Nitrogen Oxides (NO_x), (2) 5.26 tpy of Carbon Monoxide (CO), (3) 0.69 tpy of Particulate Matter (PM), and (4) 0.28 tpy of Volatile Organic Compound (VOC). The plan approval will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

The plan approval will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed plan approval must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the plan approval or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

38-05022: Weaber, Inc., 1231 Mount Wilson Road, Lebanon, PA 17042, to issue a Title V Operating Permit for the lumber processing facility located in South Annville Township, **Lebanon County**. This is for renewal of the Title V permit. The actual emissions from the facility in 2019 year were estimated at 60.7 tpy of CO, 22.3 tpy of NO_x, 8.3 tpy of PM₁₀, 7.5 tpy of PM_{2.5}, 2.8 tpy of SO_x, 1.7 tpy of VOCs and 1.9 tpy of Hydrochloric Acid. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63 Subpart JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources and 40 CFR Part 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00270: Timberlane, Inc. (150 Demorah Drive, Montgomeryville, PA 18936) for the operation of a spray booth operation located in Montgomeryville Township, **Montgomery County**. The renewal permit is for a non-Title V (State Only) facility. The facility elects to limit VOC emissions to less than 25 tons per year; therefore, the facility is considered a Synthetic Minor. There are no changes to sources operating at the plant since the last permit action and there are no new applicable State or Federal requirements at this time. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00167: Parkhouse Nursing and Rehabilitation Center (1600 Black Rock Rd., Royersford, PA 19468) located in Upper Providence Township, **Montgomery County**. Parkhouse is a long-term care and rehabilitation facility which operates two boilers, two generators and various other insignificant sources. The primary pollutant is nitrogen oxides (NO_x), for which Parkhouse has taken a voluntary limit to not exceed 25 tons per year NO_x emissions to maintain a Synthetic Minor classification. Changes from the previous permit include: removal of Boiler # 1 (Source 035) and one oil fired space heater, deactivation of Boiler # 2 (Source 036), installation of 14.25 MMBtu Boiler # 3 (Source 038) and five (5) commercial dryers, and the use of an 8.4 MMBtu Temporary Boiler (Source 037). The renewed permit will include testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, State and Federal air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

39-00025: Luicana Industries, Inc., Macungie Facility (230 E Philadelphia Ave., Boyertown, PA 19512). The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the manufacture of Plastics and Plumbing Fixtures located in Macungie Borough, **Lehigh County**. The primary sources consist of Gelcoat Spraying and Marble Casting. The control devices are spraybooths. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

36-03075: City of Lancaster AWWTP (1220 New Danville Pike, Lancaster, PA 17603-9603) for operation of the wastewater treatment facility in Lancaster Township, **Lancaster County**. This is for renewal of the State-Only

Permit. Potential emissions from the facility are estimated to be 0.1 tpy PM₁₀, 10.8 tpy of VOCs, 2.6 tpy of a single HAP (dichloromethane), and 5.6 tpy of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00466: NSPC LLC (P.O. Box 311, Zelienople, PA 16063). In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department is providing notice of intent to issue a natural minor State Only Operating Permit for the operation of an animal crematory located in New Sewickley Township, **Beaver County**. NSPC operates one propane-fired Industrial Equipment and Engineering Company Model IE-43 crematory incinerator with a 344,000 Btu/hr primary chamber and a 658,000 Btu/hr secondary chamber. This facility has the potential to emit 0.28 tpy PM, 1.64 tpy CO, 0.41 tpy SO_x, 0.49 tpy NO_x, and 0.49 tpy VOC. The facility is limited to 0.1 gr/dcsf particulate matter corrected to 12% CO₂ and 500 ppmv sulfur oxides. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (04-00466) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

03-00133: Penn Mag, Inc. (719 Tarrtown Road, Adrian, PA 16210). The Department intends to renew the

State Only Operating Permit for the foundry facility located in East Franklin Township, **Armstrong County**. The primary sources at the facility include a natural gas fueled 200,000 Btu/hr. rotating cylindrical dryer, a conical ball mill, and material transfer processes. The facility is a Natural Minor. Emissions are estimated to be less than 1.0 tpy PM₁₀ and 0.5 tpy NO_x. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

03-00182: Peoples Gas Company LLC Fisher Station (375 N Shore Drive, Suite 600, Pittsburgh, PA 15212). The Department intends to issue a State Only Operating Permit for compression and transfer of natural gas located in Redbank Township, **Armstrong County**. The subject facility consists of two natural gas compressor engines (1-600 hp and 1-66 hp). The reported 2019 Annual Emission Summary (TPY) for the Fisher Station is: 4.84 CO, 7.23 NO_x, 6.69 VOC, 1.05 HAPs, 0.12 PM, 0.007 SO_x, 182.8 Methane, and 1,461.38 Carbon Dioxide. The facility is a natural minor and is subject to State Regulations and Federal Regulations (40 CFR Part 63 ZZZZ). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

16-00162: Neiswonger Construction, Mascharka Plant (17592 Route 322, Strattanville, PA 16258). The Department is providing notice that they intend to issue a new State Only Operating Permit for the limestone processing plant located in Richland Township, **Clarion County**. The facility consists of the limestone processing plant (crushers, conveyors, screening, hoppers, storage, loading/unloading, roadways) and a 500 hp diesel engine used to drive the 300 tph impact crusher. The potential emissions of the major pollutants from the facility are as follows: PM₁₀: 11.16 TPY, PM_{2.5}: 0.16 TPY, NO_x + NMHC: 5.59 TPY, SO_x: 2.07 TPY, and CO: 0.99 TPY; thus, the facility is a natural minor. The engine is subject to 40 CFR Part 60, Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, as well as General Permit GP9 conditions. The facility is subject to 40 CFR 60 Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants, as well as General Permit GP3 conditions. The permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

20-00037: US Bronze Foundry & Machine, Inc. (P.O. Box 458, Meadville, PA 16335). The Department intends to renew the State Only Operating Permit for the foundry facility located in Woodcock Township, **Crawford County**. The primary sources at the facility include natural gas combustion for building heat; 2 natural gas fueled mold & core drying ovens; 12 electric induction furnaces; 2 natural gas fueled aluminum melting furnaces; 2 paint booths; a sand handling system; a parts washer; and an emergency generator. The facility is a Natural Minor. Potential emissions are less than the Title V thresholds. The facility is subject to the following subparts of 40 CFR Part 63: Subpart ZZZZ, National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines; Subpart ZZZZZ, National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources; and Subpart ZZZZZZ, National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Aluminum, Copper, and Other Nonferrous

Foundries. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

63091301 and NPDES Permit No. PA0236004. Tunnel Ridge, LLC, 2596 Battle Run Road, Triadelphia, WV 26059, to revise the permit and related NPDES permit for the Tunnel Ridge Mine in Donegal and West Finley Townships, **Washington County**, affecting 5,304.27 proposed underground acres and 5,304.27 proposed subsidence control plan acres. No additional discharges. The application was considered administratively complete on May 27, 2020. Application received: April 30, 2020.

11051301 and NPDES Permit No. PA0235652. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, to revise the permit and related NPDES permit for the Cresson Mine in Cresson and Munster Townships, **Cambria County**, affecting 2,890.0 proposed underground acres and 2,890.0 proposed subsidence control plan acres. No additional discharges. The application was considered administratively complete on June 2, 2020. Application received: May 5, 2020.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

17900104. RES Coal LLC, 224 Grange Hall Road, Armagh, PA 15920, permit renewal for reclamation only of a bituminous surface and auger mine located in Brady and Bell Townships, **Clearfield County** affecting 537.6 acres. Receiving stream(s): Buck Run and Beech Run classified for the following use(s): HQ-CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: June 8, 2020.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

03100101. Bedrock Mines LP, 111 Freeport Road, Aspinwall, PA 15215-2943. Renewal application received for reclamation only to an existing surface mine located in North Buffalo Township, **Armstrong County**, affecting 33.3 acres. Receiving stream(s): unnamed tributaries to Nicholson Run classified for the following use(s): WWF. Application received: June 8, 2020.

26140101 and NPDES No. PA0252085. T & B Excavating, Inc., 3336 Old McClellandtown Road, McClellandtown, PA 15458-1410. Renewal application received for continued mining to an existing surface mine located in German Township, **Fayette County**, affecting 59.0 acres. Receiving stream(s): unnamed tributaries Dunlap Creek and unnamed tributaries to North Branch of Browns Run classified for the following use(s): WWF. Application received: June 5, 2020

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Wigfield).

Permit 44200801. Samuel P. Hostetler, 55 Hooley Lane, Reedsville, PA 17084, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Brown Township, **Mifflin County**, affecting 5.0 acres. Receiving stream(s): unnamed tributary Kishacoquillas Creek. Application received: June 3, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 06100301C and NPDES Permit No. PA0224898. New Enterprise Stone & Lime Co., Inc. (3912 Brumbaugh Road, New Enterprise, PA 16664), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Ontelaunee Township, **Berks County** affecting 377.6 acres. Receiving streams: Maiden Creek and Schuylkill River, classified for the following uses: warm water and migratory fishes. Application received: May 26, 2020.

Permit No. 52980301C6 and NPDES Permit No. PA0223905. ER Linde Construction Corp. (239 Golf Hill Road, Honesdale, PA 18431), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Lackawaxen Township, **Pike County** affecting 14.83 acres. Receiving stream: Little Blooming Grove Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: May 26, 2020.

Permit No. 6277SM1A1C15 and NPDES Permit No. PA0595080. Compass Quarries, Inc., d/b/a Allan Myers Materials (638 Lancaster Avenue, Malvern, PA 19355), correction to an existing quarry to increase the mining area from 86.5 to 99.5 acres, revise the reclamation plan to include mine reclamation fill and to renew the NPDES Permit in Paradise Township, **Lancaster County** affecting 157.1 acres. Receiving stream: Londonland Run, classified for the following uses: cold water and migratory fishes. Application received: May 26, 2020.

Permit No. 7775SM12C10 and NPDES Permit No. PA0223575. Highway Materials, Inc. (409 Stenton Avenue, Flourtown, PA 19031), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Alsace Township, **Berks County** affecting 223.1 acres. Receiving streams: unnamed tributary to Bernhart Creek and unnamed tributary to Laurel Run, classified for the following use: warm water fishes. Application received: June 4, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Wigfield).

NPDES No. PA0213004 (Mining Permit No. 32950201), Cambria Reclamation Corporation, 2929 Allen Parkway, Suite 3275, Houston, TX 77019, renewal of an NPDES permit for coal refuse reprocessing mine in White and Rayne Townships, **Indiana County**, affecting 256 acres. Receiving stream(s): unnamed tributary to McKee Run, classified for the following use(s): cold water fishes. This receiving stream is included in the Crooked Creek TMDL. Application received: June 1, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributary to McKee Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	SWO
002	N	SWO
003	N	SWO

<i>Outfalls: 001—003 (All Weather) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	22.0	44.0	57.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

NPDES No. PA0213039 (Mining Permit No. 32950202), Cambria Reclamation Corporation, 2929 Allen Parkway, Suite 220, Houston, TX 77019, renewal of an NPDES permit for a refuse reprocessing surface mine in Center Township, **Indiana County**, affecting 197.0 acres. Receiving stream(s): unnamed tributaries to/and Yellow Creek, classified for the following use(s): cold water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: June 1, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributary to Yellow Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
004	N
005	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001—005 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l) 1.5	3.0	3.7	
Manganese (mg/l)	1.0	2.0	2.5

<i>Outfalls: 001—005 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

NPDES No. PA0615129 (Mining Permit No. 63813210), Pennsylvania Coal Reclamation, Inc., P.O. Box 136, 619 Millers Run Road, Cuddy, PA 15031, renewal of NPDES permit for one stormwater outfall in Deemston Borough, **Washington County**, affecting 53.3 acres. Receiving stream(s): Ten Mile Creek, classified for the following use(s): TSF. The first downstream potable water supply intake from the point of discharge is Tri County Joint Municipal Authority. Application received: May 11, 2018.

The following outfalls drain to Ten Mile Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
003	N	SWO

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/L)	1.5	3.0	3.7
Total Manganese (mg/L)	2.0	4.0	5.0
Total Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35	70	90
Flow (gpm)		Monitor and Report	
Sulfates (mg/L)		Monitor and Report	
Temperature (°C)		Monitor and Report	
Total Dissolved Solids (mg/L)		Monitor and Report	
Specific Conductivity (µmhos/cm)		Monitor and Report	

Alkalinity must be greater than acidity at all times.
pH must be between 6.0 and 9.0 at all times.

NPDES No. PA0250759 (Mining Permit No. 30050103), Duquesne Light Company, 1800 Seymour Street, Pittsburgh, PA 15233-1134, NPDES permit renewal at a surface coal mine in Monongahela Township, **Greene County**, affecting 37.0 acres. Receiving stream(s): Monongahela River, classified for the following use(s): WWF. The receiving stream is subject to a Total Maximum Daily Load for non-mining related parameters. The first downstream potable water supply intake from the point of discharge is Masontown Borough (PWS 5260013). Application received: January 10, 2020.

The following stormwater outfall discharges to the Monongahela River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Stormwater Outfall

The proposed effluent limits for the previously listed outfalls are as follows:

<i>(Dry Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	3.0	6.0	7.0
Total Manganese (mg/l)	2.0	4.0	5.0
Total Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/l)		Report	
Specific Conductivity (umhos/cm)		Report	
Osmotic Pressure (mOsm/kg)		Report	

pH between 6.0 and 9.0 Standard Units; Alkalinity > Acidity; Measure flow and temperature.

<i>(<10-yr/24-hr Precip. Event) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	N/A	N/A	7.0
Total Manganese (mg/l)	N/A	N/A	5.0
Total Aluminum (mg/l)	N/A	N/A	1.9
Total Settleable Solids (ml/l)	N/A	N/A	0.5
Sulfate (mg/l)		Report	
Specific Conductivity (umhos/cm)		Report	
Osmotic Pressure (mOsm/kg)		Report	

pH between 6.0 and 9.0 Standard Units; Alkalinity > Acidity; Measure flow and temperature.

NPDES No. PA0278441 (GFCC No. 65-18-02), Gary Gioia Coal Company, 319 Karen Drive, Elizabeth, PA 15037, new NPDES permit for a Government Financed Construction Contract (GFCC) reclamation project located in South Huntingdon Township, **Westmoreland County**, affecting 28 acres. Receiving stream(s): Unnamed tributary to Youghiogheny River, classified for the following use(s): WWF. The first downstream potable water supply intake from the point of discharge is located in McKeesport, PA. Application received: February 21, 2020.

The following outfalls drain to the UNTs to Youghiogheny River.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	Y	SWO
002	Y	MDT

The proposed effluent limits for the previously listed outfalls at all times are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/L)	3.0	6.0	7.0
Total Manganese (mg/L)	1.0	2.0	2.5
Total Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35	70	90
Sulfates (mg/L)		Monitor and Report	
Specific Conductivity (µmhos/cm)		Monitor and Report	
Alkalinity must be greater than acidity at all times.			
pH must be between 6.0 and 9.0 at all times.			

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E4601220-032, PECO Energy Company, 2301 Market Street, N3-3, Philadelphia, PA 19103, Lower Merion Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain 590 LF of a 2-inch diameter steel gas main along Conshohocken State Road and crosses below a UNT to the Schuylkill River (WWF-MF) associated with the gas service connection to the existing gas meter of the National Register eligible Llewellyn/Inspiration Farm (farmhouse).

The site is located at 701 Conshohocken State Road (Valley Forge, PA USGS Quadrangle, Latitude: 40.050138; Longitude: -75.403517) in Lower Merion Township, Montgomery County.

Permit No. E4601120-033, Pennsylvania Department of Transportation, Engineering District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Franconia and Hatfield Townships, **Montgomery County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation (PennDOT District 6-0) is proposing to construct a new roadway connection associated with the Sumneytown Pike/S.R. 309 Connector Project: Section HT2 and is part of the overall S.R. Connector Project which includes Section HAT completed in 2012 and future construction of HT3 in Bucks County. Section HT2 water obstruction and encroachment activities are as follows:

- To construct and maintain a 48-inch culvert extension carrying an unnamed tributary to Skippack Creek (TSF-MF, SCT2) and to perform stream relocation and restoration at the confluence (SCT2E) upstream of pro-

posed culvert extension. This activity also includes the placement of fill and perform grading to construct new roadway and embankment, placement of riprap rock aprons, construct and maintain three 18-inch outfalls, and the construction and maintenance of regenerative step pools associated with the outfall of a stormwater facility. A total of 189 linear feet (1,706 square feet, 0.040 acre) permanent watercourse impact, 209 linear feet (1,541 square feet, 0.035 acre) of temporary water course impact, 11,788 square feet (0.275 acre) of permanent floodway impact, and 10,176 square feet (0.234 acre) of temporary floodway impact are proposed as a result of these activities. Impacts to a wetland area (PEM, Wetland 3A) include 8.4 square feet of permanent wetland impact due to proposed stream relocation and 478 square feet (0.011 acre) of temporary wetland impact due to construction access and the placement of clay blocks (USGS PA Telford Quadrangle—Latitude 40.277159 N, Longitude 75.75.332107 W).

2. To place fill, riprap, and perform grading to facilitate the construction and maintenance of a stormwater facility within the floodway of an unnamed tributary to Skippack Creek (TSF-MF, SCT2) resulting in 2,612 square feet (0.060 acre) of permanent floodway impact and 3,841 square feet (0.088 acre) of temporary floodway impact due to construction access (USGS PA Telford Quadrangle—Latitude 40.278917 N, Longitude 75.75.330894 W).

3. To temporarily disturb 22 square feet of floodway associated with an unnamed tributary to Skippack Creek (TSF, SCT2) due to construction access for a proposed stormwater facility (USGS PA Telford Quadrangle—Latitude 40.250209, Longitude 75.329335 W).

4. To place fill and perform grading within wetland areas (PEM, wetland 5 and 5a) associated with the roadway construction and proposed stormwater facilities resulting in 4,398.2 square feet (0.101 acre) of permanent wetland impact and 772.2 square feet (0.017 acre) of temporary wetland impact. This activity also includes the placement of riprap (USGS PA Telford Quadrangle—Latitude 40.291107 N, Longitude 75.317485 W).

5. To remove an existing 125-foot long, 60-inch RCP stream enclosure carrying an unnamed tributary to Skippack Creek (TSF, SCT3, Culvert # 1), and in its place, construct and maintain a 77-foot long, 7-foot by 7-foot precast concrete box culvert resulting in 35 linear feet (306 square feet, 0.007 acre) of permanent watercourse impact and 422 linear feet (3,348 square feet, 0.077 acre) of temporary watercourse impact due to dewatering operations. Other impacts associated with this activity are 464 square feet (0.011 acre) of permanent floodway impact due to placement of riprap with 8,133 square feet (0.187 acre) of temporary floodway impact and 680 square feet (0.016 acre) of temporary wetland impact (PFO, wetland 6) due to construction access. This activity also includes the placement of riprap associated with an 18-inch outfall adjacent to culvert outlet (USGS PA Telford Quadrangle—Latitude 40.294352 N, Longitude 75.313755 W).

6. To place fill and perform grading associated with roadway construction within the floodway of an unnamed tributary to Skippack Creek (TSF, SCT3) resulting in 15,364 square feet (0.354 acre) of permanent floodway impact and 4,781 square feet (0.110 acre) of temporary floodway impact (USGS PA Telford Quadrangle—Latitude 40.295136 N, Longitude 75.312633 W).

7. To construct a 24-inch outfall within the floodway of an unnamed tributary to Skippack Creek (TSF, SCT3) resulting in 11.8 linear feet (141 square feet, 0.003 acre) of

permanent watercourse impact, 18 linear feet (236 square feet, 0.005 acre) of temporary watercourse impact, 136 square feet (0.003 acre) of permanent floodway impact and 222 square feet (0.005 acre) of temporary wetland impact (PEM/PFO, Wetland 7) (USGS PA Telford Quadrangle—Latitude 40.295019 N, Longitude 75.312622 W).

8. To relocate and restore an unnamed tributary to Skippack Creek (TSF, SCT3) as a result of the replacement an existing 54-inch RCP culvert (Culvert # 2) resulting in 68.5 linear feet (388 square feet, 0.009 acre) of permanent watercourse impact, 106 linear feet (1,268 square feet, 0.029 acre) of temporary watercourse impact due to access and dewatering operations, 324 square feet (0.008 acre) of permanent floodway impact, and 1,086 square feet (0.025 acre) of temporary floodway impact (USGS PA Telford Quadrangle—Latitude 40.295251 N, Longitude 75.312344 W).

9. To remove an existing 82-foot long, 54-inch RCP culvert carrying an unnamed tributary to Skippack Creek (TSF, SCT3, Culvert # 2) and in its place, construct and maintain a 74-foot long, 7-foot by 7-foot precast concrete box culvert associated with the stream relocation previously listed. This activity will result in 85.2 linear feet (884 square feet, 0.020 acre) of permanent watercourse impact and 121.7 linear feet (1,076 square feet, 0.025 acre) of temporary watercourse impact due to access and dewatering operations. Additional impacts include 722 square feet (0.016 acre) of permanent floodway impact due to the placement of riprap and construction of roadway with 3,450 square feet (0.079 acre) of temporary floodway impact due to construction access. This activity also includes the construction and maintenance of a 36-inch outfall (USGS PA Telford Quadrangle—Latitude 40.295620 N, Longitude 75.312298 W).

10. To construct and maintain a 24-inch outfall and place fill associated with roadway construction activities within an unnamed tributary to Skippack Creek (TSF, SCT3B) resulting in 12.4 linear feet (98 square feet, 0.002 acre) of permanent watercourse impact, 0.8 linear feet (7.7 square feet) of temporary watercourse impact, 212 square feet (0.004 acre) of permanent floodway impact, and 159 square feet (0.003 acre) of temporary floodway impact (USGS PA Telford Quadrangle—Latitude 40.299612 N, Longitude 75.309780 W).

A mitigation site for total wetland impact (HAT and HT2) was constructed during the first phase in 2012 (HAT, DEP Permit No. E46-1005) with continued monitoring and maintenance. This project is located from its intersection with Allentown to Township Line Roads in Franconia and Hatfield Townships, Montgomery County.

Permit No. E5101220-023, JPC Group, Inc., 228 Blackwood Barnsboro Road, Blackwood, NJ 08012, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To construct, replace, and maintain the following activities in and along the Schuylkill River (Tidal, CWF, MF) near its confluence with the Delaware River associated with inshore timber bulkheads project rehabilitation on either side of the outshore Pier 3 waterfront:

Details of the work are outlined as follows:

A. Timber Low-Deck Pier Aprons Between Piers 2 & 3, and Piers 3 & 4, from the Outshore Seawall to the Inshore Timber Bulkhead Cutoff Wall:

1. Remove earthen fill overburden down to the timber deck elevation, from the outshore seawall, to the inshore timber bulkhead cutoff wall.

2. Slope soil back to match inshore grade.
3. Sawcut and remove existing concrete seawall.
4. Remove existing timber low deck and timber piles.
5. Drive new steel pipe piles and fill with concrete.
6. Install new steel combination wall inshore of the existing timber cutoff wall.
7. Backfill behind and grade down to existing ground level. Backfill to be placed above mean high water line/high tide line.
8. Install precast concrete beams in the upriver/downriver direction.
9. Install precast concrete planks in the inshore/outshore direction.
10. Place timber crane matting to protect concrete surface.
11. Install new fender system and mooring bollards.

B. Pier 3:

1. Remove earthen fill overburden down to the timber deck elevation, from the outshore seawall, to the inshore timber bulkhead cutoff wall.
2. Slope soil back to match inshore grade.
3. Sawcut and remove existing concrete seawall.
4. Install new steel combination wall inshore of the existing timber cutoff wall.
5. Backfill behind and grade down to existing ground level. Backfill to be placed below mean high water line/high tide line consisting of 18,700 square feet, or 693 cubic yards, of material.
6. Remove the existing timber low deck and timber piles.
7. Drive new steel pipe piles and fill with concrete.
8. Install precast concrete beams in the upriver/downriver direction.
9. Install precast concrete planks in the inshore/outshore direction.
10. Place timber crane matting to protect concrete surface.
11. Excavate the 414-foot long low deck finger pier section of Pier 3 that has silted in, consisting of approximately 20,230 square feet of material.
12. Install six breasting/mooring clusters to match the fender lines of the demolished finger pier, consisting of six 14-inch H-piles each for a total of 36 piles.
13. Install two turning dolphin clusters at the outshore corners of the demolished finger pier, consisting of ten 14-inch H-piles each for a total of 20 piles.
14. Install five pile bents between each pair of clusters.
15. Install fender system. The project proposes the installation of a total of 510 18-inch concrete-filled pipe piles installed with a vibratory hammer and finished with an impact hammer. The removal of the 414-foot long

section of Pier 3 is proposed as compensation for the 18,600 square feet of intertidal/subtidal fill that is proposed for the rehabilitation of the collapsed inshore section of Pier 3. To offset the filling of 18,600 square feet of tidal waters, the applicant proposes to remove the approximately 20,230 square-foot partially-collapsed outshore Pier 3 finger pier and replace it with mooring dolphins.

The site is located near the intersection South 26th Street and Penrose Ferry Road, west of the Navy Yard (Philadelphia, PA-NJ USGS map; Lat: 39.895319; -75.198601) in the City and County of Philadelphia.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E5802120-023. Pa Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Oakland Township, **Susquehanna County**, Army Corps of Engineers, Baltimore District.

To remove the existing structure and to construct and maintain a 31.5-foot single span bridge carrying S.R. 1010 across Lewis Creek (CWF, MF) having a 97.5-foot span and a 15.5-foot underclearance. The project also includes 0.04 acre of PSS/PEM wetland impacts.

The project is located along S.R. 1010 Sec 501, Segment 0010, Offset 0112 approximately 0.02-mile northwest of the S.R. 1010/1021 intersection (Great Bend, PA Quadrangle, Latitude: 41.939275; Longitude: -75.626138;) in Oakland Township, Susquehanna County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0603220-021. Longswamp Township, 1112 State Street, Mertztown, PA 19539, in Longswamp Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To (1) construct and maintain a 481 linear foot 18-inch HDPE stream enclosure within a UNT to Little Lehigh Creek (HQ-CWF) and (2) construct and maintain a 84 linear foot 24-inch HDPE stream enclosure and relocation of a UNT of Little Lehigh Creek (HQ-CWF) for the purpose of improving drainage and reduce flooding. The project is located along Fairchild Street (Latitude 40.501400, Longitude -75.617797) in Longswamp Township, Berks County.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1404220-021: Wildlife for Everyone Endowment Foundation, 341 Science Park, State College, PA 16801, Tom Ridge Tract, Miles Township, **Centre County**, U.S. Army Corps of Engineers Baltimore District (Julian Quadrangle; Latitude 40° 50' 23"; -77° 59' 30").

The applicant proposes to construct and maintain handicap accessibility site improvements along Bald Eagle Creek (TSF) to include a road, parking lot, pavilion, restroom, elevated trail, at-grade trail, observation blinds and stream access. The project proposes the following permanent aquatic resource impacts: .01-acre direct wetland impact, .24 acre indirect aerial wetland impact, 92 SF direct watercourse impact, and .28 acre direct floodway impact.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E4306220-021, Tri County Landfill Inc., 159 TCI Park Drive, Grove City, PA 16127. Tri County Existing

Landfill Upgrade, in Liberty and Pine Townships, **Mer-
cer County**, ACOE Pittsburgh District (Mercer, PA Quad-
rangle N: 41.144669; W: -80.133222).

Tri County Landfill Inc. proposes to upgrade and expand the current landfill to bring it up to environmental standards. The landfill is located approximately 0.64 mile south of the intersection of TCI Park Drive and State Route 208. The expansion of the landfill will permanently impact 5.95 acres of PEM, PSS, PFO, and POW wetlands consisting of 2.96 acres of PFO wetland, 2.08 acres of PSS wetlands, 0.9 acre of PEM wetland and .002 acre of POW wetland. The project will also temporarily impact 0.19 acre of wetlands these impacts consisting of 0.05 acre of PSS wetland, 0.014 acre of PEM wetland and 0.11 acre of POW wetland. To mitigate for these impacts, the applicant will be required to create a minimum of 5.95 acres of functional wetlands. The applicant is proposing to conduct the mitigation onsite located at 41.145790, -80.127685.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

D23-036EA. Patricia DiFabio, General Manager, Green Country Village Home Owners Association, 323 Earles Lane, Newtown Square, PA 19073, Newtown and Radnor Townships, **Delaware County**, USACOE Philadelphia District.

Project proposes to breach Earles Lake Dam for the purpose of eliminating a threat to public safety and restoring approximately 550 feet of stream to a free-flowing condition. The proposed restoration project includes breaching the dam to adequately pass the 100-year flood and removing sediment from the floodway to establish a stream channel through the former impoundment. The project is located across Saw Mill Run (CWF, MF) (Valley Forge, PA Quadrangle, Latitude: 40.0085; Longitude: -75.3918).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	PDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0244465 (Storm Water)	Royersford PA Bulk Petroleum Storage Plant P.O. Box 699 Royersford, PA 19468-0699	Montgomery County Limerick Township	Unnamed Tributary to Mingo Creek (WWF, MF) 3-D	Yes

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0036102 (Sewage)	Heidelberg Heights P.O. Box 3348 Allentown, PA 18106-0348	Lehigh County Heidelberg Township	Unnamed Tributary to Mill Creek (CWF, MF) (2-C)	Yes
PA0060755 (Sewage)	Wyoming County Housing Authority—Meshoppen Townhouse Apartments 133 S J Bailey Road Nicholson, PA 18446	Wyoming County Meshoppen Township	Little Meshoppen Creek (CWF) (4-G)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0081884 Sewage Issued	Cuttin Co. 25 Sandoe Road Gettysburg, PA 17325-7561	Adams County Straban Township	Unnamed Tributary to Beaverdam Creek (WWF) in Watershed(s) 7-F	Yes

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0112950 (Sewage)	Sunoco 2342 2014 Milta Hill Road Romansville, PA 19320-4789	Northumberland County Lower Mahanoy Township	Fidlers Run (WWF) (6-B)	Yes
PA0208825 (Sewage)	Austin Borough Sewer System STP P.O. Box 297 Austin, PA 16720-0297	Potter County Portage Township	Freeman Run (HQ-CWF) (8-A)	Yes
PA0209261 (Sewage)	Liberty Township Mooresburg Village Sanitary STP 197 Mooresburg Road Danville, PA 17821-7030	Montour County Liberty Township	Mausers Creek (CWF) (5-E)	No
PA0233871 (Sewage)	Scott Davies Development 112 Whites Church Road Bloomsburg, PA 17815-7155	Columbia County Mount Pleasant Township	Unnamed Tributary to Fishing Creek (CWF) (5-C)	Yes
PA0113719 (Sewage)	Mt. Pleasant Mills Wastewater Treatment Plant P.O. Box 27 Mt Pleasant, PA 17853-0027	Snyder County Perry Township	North Branch Mahantango Creek (TSF) (6-C)	Yes
PA0112810 (Sewage)	Kipps Run MHP 46 Stacy Drive Barto, PA 19504-8886	Northumberland County Riverside Borough	Kipps Run (CWF) (5-E)	Yes
PA0007854 (Industrial)	Milton Water System 105 Sodom Road Milton, PA 17847-9232	Northumberland County Milton Borough	West Branch Susquehanna River (WWF, MF) (10-D)	Yes
PA0233587 (Industrial)	Emporium Hardwoods Operating Co. LLC 15970 Route 120 Emporium, PA 15834-3756	Cameron County Shippen Township	Driftwood Branch Sinnemahoning Creek (TSF, MF) (8-A)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0113484 (Sewage)	Robinson Mobile Home Park 16064 Route 6 Mansfield, PA 16933-9199	Tioga County Richmond Township	Unnamed Tributary to North Elk Run (CWF) (4-A)	Yes
PA0020583 (Sewage)	Middleburg Municipal Authority Wastewater Treatment Plant 13 N Main Street Middleburg, PA 17842-1082	Snyder County Middleburg Borough	Middle Creek (TSF) (6-A)	No
PA0233692 (Sewage)	South Creek Township WWTP P.O. Box 60 Gillett, PA 16925-0060	Bradford County South Creek Township	South Creek (CWF) (4-B)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0031330 (Sewage)	Cox Donahey Elementary School 112 Thornton Road Brownsville, PA 15417	Fayette County Redstone Township	Unnamed Tributary of Dunlap Creek (WWF) (19-C)	Yes
PA0093874 (Sewage)	Ruebel STP 102 Mill Street Saltsburg, PA 15681-8993	Westmoreland County Loyalhanna Township	Unnamed Tributary of Kiskiminetas River (WWF) (18-C)	Yes
PA0094960 (Sewage)	Barnes Apartments STP Route 519 Eighty-Four, PA 15330	Washington County Somerset Township	Little Chartiers Creek (HQ-WWF) (20-F)	Yes
PA0205257 (Sewage)	Greensboro Monongahela Township Joint Sewer Authority STP Stony Hill Road Greensboro, PA 15338	Greene County Monongahela Township	Monongahela River (WWF) (19-G)	Yes
PA0205800 (Industrial)	Southwestern PA Water Authority WTP 1442 Jefferson Street P.O. Box 187 Jefferson, PA 15344-4159	Greene County Cumberland Township	Monongahela River (WWF) (19-B)	Yes
PA0217468 (Industrial)	Beaver Falls Muni. Auth. 1425 Eighth Avenue Beaver Falls, PA 15010	Beaver County Eastvale Borough	Beaver River (WWF) (20-B)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0272922 (Sewage)	Stanton SRSTP 4848 Route 957 Russell, PA 16345-2038	Warren County Farmington Township	Unnamed Tributary to the Rhine Run (CWF) (16-B)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit PA0050105, Sewage, **Lower Frederick Township Montgomery County**, 53 Spring Mount Road, Schwenksville, PA 19473-1738.

This existing facility is located in Lower Frederick Township, **Montgomery County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0219258, Sewage, SIC Code 4952, **Mechling Shakley Veterans Center Inc.**, 1431 State Route 268, Cowansville, PA 16218.

This existing facility is located in Sugarcreek Township, **Armstrong County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit Amendment for an existing discharge of treated sewage.

NPDES Permit No. PA0288322, Sewage, SIC Code 8800, **Kenneth Graber**, 8925 Day Lilly Court, Fairfax, VA 22031-1464.

This proposed facility is located at 155 Mohawk Trail in Slippery Rock Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288152, Sewage, SIC Code 8800, **Blue Key Properties Group, LLC**, 207 Center Oak Drive, Cranberry Twp, PA 16066.

This proposed facility is located in Muddycreek Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

WQM Permit No. 6195411 A2, Sewerage, SIC Code (8412) **Gifford Pinchot St Park**, 2200 Rosstown Road, Lewisberry, PA 17339-9787. This proposed facility is located in Warrington Township, **York County**.

Description of Proposed Action/Activity:

This amendment approves the modification of sewage facilities consisting of the following upgrades to the existing sewage treatment plant:

New Fine Screen: The applicant proposes the installation of a Vertical Auger Monster (Model ALV1801-285) with a JWC Motor Controller (Model PC2251SV) at the facility's headworks.

Modification to Existing Disinfection System: Proposed changes to the existing chlorine disinfection system are threefold: the sidewall depth of the existing tank will be increased by 12" to increase contact time, a new chlorine contact inlet baffle will be installed to promote mixing, and tablet feeder based dechlorination system will be constructed.

WQM Permit No. 3419402, Sewerage, SIC Code (4952, 8211) **East Juniata High School**, 32944 Route 35 N., McAlisterville, PA 17049-8109. This proposed facility is located in Fayette Township, **Juniata County**.

Description of Proposed Action/Activity:

This amendment approves the modification of sewage facilities consisting of:

The replacement of the existing UV disinfection system with a UV Pure Hallett 1,000W UV disinfection system rated for a maximum flow of 64 gpm. A globe valve will be installed on the discharge side of the existing UV pumps to throttle the effluent flow from the pumps such that the UV system will not be hydraulically overloaded.

WQM Permit No. 6718408, Sewerage, SIC Code (4952) **Peach Bottom Inn Motel**, 6085 Delta Road, Delta, PA 17314-9209. This proposed facility is located in Peach Bottom Township, **York County**.

Description of Proposed Action/Activity:

This permit approves the modification of sewage facilities consisting of:

1. Re-rating of the design annual average flow from 0.013 mgd to 0.0074 mgd and the organic design capacity from 31.9 lbs BOD₅/day to 35.2 lbs BOD₅/day. The application also establishes 0.0101 mgd as the STP's maximum monthly average flow, 0.0184 mgd as the STP's maximum daily flow, 0.0245 mgd as the STP's peak hourly flow, and 0.0310 mgd as the STP's peak instantaneous flow.

2. Modification to the existing influent distribution box.

3. Replacement of the existing blowers with two (2) Dresser Roots Model 45 URAI rotary blowers rated for 277 cfm at 2,950 RPM (each).

4. Introduction of DelPAC XG to facilitate phosphorus precipitation.

5. Installation of a clarifier effluent trough and flume.

6. Replacement of the existing disinfection system with two (2) new Hallett Model 30 UV disinfection units rated for 28 gpm of flow (each).

7. Replacement of the existing UV feed pumps with two (2) EBARA Fluid Handling Optima submersible pumps rated for 23.8 gpm at 15.74' TDH.

8. Installation of an effluent electromagnetic flow meter on the downstream side of the UV units.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

WQM Permit No. 1720401, Sewage, SIC Code 4952, **Cleaver Ryan**, 391 Dale Road, Woodland, PA 16881-8435.

This existing facility is located in Bradford Township, **Clearfield County**.

Description of Proposed Action/Activity: New permit for existing SFTF.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1020407, Sewage, SIC Code 8800, **Kenneth Graber**, 8925 Day Lilly Court, Fairfax, VA 22031-1464.

This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1020405, Sewage, SIC Code 8800, **Blue Key Properties Group LLC**, 207 Center Oak Drive, Cranberry Twp, PA 16066.

This proposed facility is located in Muddycreek Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Phone: 484-250-5970.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI130027	Valley Township 890 West Lincoln Highway P.O. Box 467 Coatesville, PA 19320-0467	Valley Township Chester County	West Branch Brandywine Creek, Sucker Run, and Unnamed Tributary to West Branch Brandywine Creek/TSF, WWF, and MF	Y	N

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI134807	The Pennsylvania State University 139J Physical Plant Building University Park, PA 16802	State College Borough Centre County	Unnamed Tributary to Slab Cabin Run ("Thompson Run")/ HQ-CWF, MF	N	Y
PAI134804	State College Borough 243 S Allen Street State College, PA 16801-4806	State College Borough Centre County	Slab Cabin Run, Unnamed Tributary of Slab Cabin Run ("Thompson Run"), Unnamed Tributary of Slab Cabin Run ("Walnut Spring"), Unnamed Tributary of Spring Creek ("Big Hollow")/ HQ-CWF, CWF, MF	N	Y
PAI134805	Ferguson Township 3147 Research Drive State College, PA 16801-2752	Ferguson Township Centre County	Slab Cabin Run, Unnamed Tributaries of Slab Cabin Run, Unnamed Tributary of Spring Creek ("Big Hollow"), Unnamed Tributary of Big Hollow, Unnamed Tributary of Beaver Branch/ HQ-CWF, CWF, MF	N	Y
PAI134803	College Township 1481 E College Avenue State College, PA 16801-6815	College Township Centre County	Slab Cabin Run, Spring Creek, Unnamed Tributary to Slab Cabin Run ("Thompson Run")/ HQ-CWF, CWF, MF	N	Y

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI134802	Patton Township 100 Patton Plaza State College, PA 16803-2304	Patton Township Centre County	Buffalo Run, Unnamed Tributaries to Buffalo Run, Unnamed Tributaries to Spring Creek/HQ-CWF, CWF, MF	N	Y
PAI134801	Harris Township P.O. Box 20 Boalsburg, PA 16827-0020	Harris Township Centre County	Spring Creek/ HQ-CWF and MF	N	Y

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150163	West Chester Gun Club 200 East Boot Road West Chester, PA 19380	Chester	West Whiteland Township	Broad Run HQ-CWF-MF
PAD150147	Vantage Point Retirement Living, Inc. 411 Eagle View Boulevard Suite 114 Exton, PA 19341-1167	Chester	Upper Uwchlan Township	Unnamed Tributary to Pickering Creek HQ-TSF
PAD460049	Toll PA XIV, L.P. 250 Gibraltar Road Horsham, PA 19044	Montgomery	Upper Dublin Township	Unnamed Tributary to Wissahickon Creek

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390147 Authorization/ Issuance	U-Haul Company of Northeast Pennsylvania 231 Mundy St. Wilkes-Barre, PA 18702	Lehigh	Lower Macungie Township	Spring Creek (HQCWF, MF)
PAD480111 Authorization/ Issuance	Washington Township c/o Gail Putvinski 1021 Washington Boulevard Bangor, PA 18013-9415	Northampton	Washington Township	Waltz Creek (HQCWF, MF); EV Wetlands
PAD480118 Authorization/ Issuance	Bethlehem Township c/o Richard Kanaskie 4225 Easton Avenue Bethlehem, PA 18020-1429	Northampton	Bethlehem Township	Monocacy Creek (HQ-CWF, MF)
PAD520025 Authorization/ Issuance	PPL Electric Utilities Corporation Two North Ninth Street GENN4 Allentown, PA 18101-1139	Pike Wayne Monroe	Barrett Township Greene Township Dreher Township	Leavitt Branch (HQCWF, MF), Wallenpaupack Creek (HQ-CWF, MF), Middle Branch Brodhead Creek (HQCWF, MF), Mill Creek (HQ-CWF, MF), Freeling Run (HQ-CWF, MF),

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
				Spruce Mountain Run (HQ-CWF, MF), Griscom Creek (HQCWF, MF), UNT to Freeling Run (EV, MF), UNT to Manny Run (EV, MF), Wallenpaupack Creek (EV, MF), Taylor Creek (EV, MF), EV Wetlands

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD060025 Issued	The Highlands at Wyomissing 2000 Cambridge Avenue Wyomissing, PA 19610	Berks	Wyomissing Borough	Wyomissing Creek (HQ-CWF, MF) UNT Wyomissing Creek (HQ-CWF, MF)

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Erie County Conservation District, 1927 Wager Road, Erie, PA 16509, 814-825-6403.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD250008	Citadel Development Company 4644 West 12th Street Erie, PA 16505	Erie	Millcreek Township	UNT Thomas Run HQ; WWF; MF

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC150213	Sadsbury Associates, LP Attn: Randy White P.O. Box 544 West Chester, PA 19381	Sadsbury Township Chester County	Unnamed Tributary to Buck Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150138	Applecross Club Operations, LLC Attn: Bob Levy 723 Talamore Drive Ambler, PA 19002	East Brandywine Township Chester County	Beaver Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC150217	Joseph & Diane Walton 150 Ladderback Lane Devon, PA 19333	Easttown Township Chester County	Darby Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230146	Swarthmore College 500 College Avenue Swarthmore, PA 19081	Swarthmore Borough Delaware County	Crum Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230156	Overbrook Golf Club P.O. Box 140 Bryn Mawr, PA 19010-0140	Radnor Township Delaware County	Darby Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC460476	Derstine Properties LLC 2700 Clemens Road Hatfield, PA 19440-0902	Hatfield Township Montgomery County	Unnamed Tributary of the Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC460478	Brixmor Plymouth Square LLC One Fayette Street Suite 150 Conshohocken, PA 19428	Plymouth Township Montgomery County	Plymouth Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC460446	CNS Properties II LLC 119 Summit Drive Phoenixville, PA 19460	Upper Providence Township Montgomery County	Unnamed Tributary of Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC460449	Toll Brothers, Inc. 250 Gibraltar Road Horsham, PA 19044	Upper Merion Township Montgomery County	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC460457	Upper Merion Township 175 West Valley Forge Road King of Prussia, PA 19406	Upper Merion Township Montgomery County	Crow Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC460014	Walnut Creek Acquisitions LP 404 Sumneytown Pike North Wales, PA 19454	Limerick Township Montgomery County	Mingo Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

3151

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC460052	The Hill at Whitemarsh 4000 Fox Hound Drive Lafayette Hill, PA 19444	Whitemarsh Township Montgomery County	Wissahickon Creek TSF*MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC460406	Little Round Industries 2800 Richmond Road Hatfield, PA 19440	Hatfield Township Montgomery County	West Branch WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC460410	North Penn School District 401 East Hancock Street Lansdale, PA 19446-3960	Lansdale Borough Montgomery County	Wissahickon Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC460439	Lower Salford Township 379 Main Street Harleysville, PA 19438	Lower Salford Township Montgomery County	West Branch Skippack Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES</i>						
<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>	
PAC350085 Authorization/ Issuance	Birchwood Estates Realty, LLC 211 Amity Avenue Old Forge, PA 18518-1034	Lackawanna	Old Forge Borough	St. Johns Creek (CWF, MF)	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086	

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES</i>						
<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>	
PAC360419 Issued	Amos Martin 1614 Division Highway Ephrata, PA 17522	Lancaster	Ephrata Township	Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5	
PAC360525 Issued	Erwin Horning 151 South Farmersville Road Leola, PA 17540	Lancaster	West Earl Township	Groff Creek (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5	
PAC360502 Issued	Stoltzfus Truck Brokerage Inc. 30 Slaymaker Hill Road Kinzers, PA 17535	Lancaster	Paradise Township	Londonland Tributary to Eshleman Run (CWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5	

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC360521 Issued	Stump's Quality Decks 2458 Division Highway Ephrata, PA 17522	Lancaster	Earl Township	UNT Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360509 Issued	Shannan Messner 255 Elsie Lane Denver, PA 17517	Lancaster	Brecknock Township	Muddy Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC380150 Issued	Burnell T. Martin 86 Maple Lane Jonestown, PA 17038	Lebanon	Union Township	UNT Swatara Creek (WWF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380177 Issued	Bryant Bernhardt P.O. Box 647 Springtown, PA 18081	Lebanon	Cornwall Borough	UNT Snitz Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380168 Issued	Grosfillex, Inc. P.O. Box 647 Springtown, PA 18081	Lebanon	North Lebanon Township	UNT Quittapahilla Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380170 Issued	Zimmerman Family Properties, LL C 564 Horseshoe Pike Lebanon, PA 17042	Lebanon	North Lebanon Township	Tulpehocken Creek (CWF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC670259 Issued	Jackson Township 439 Roths Church Road Spring Grove, PA 17362	York	Jackson Township	UNT Codorus Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC080017 A-1	Towanda Municipal Authority 724 Main St Towanda, PA 18848	North Towanda Twp Bradford County	Susquehanna River WWF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd Ste E Towanda, PA 18848 (570) 265-5539, X 6

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location and Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC020539	Allegheny County Department of Public Works County Office Building 542 Forbes Avenue Room 501 Pittsburgh, PA 15219-2907	South Park Township	Catfish Run (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010

NOTICES

3153

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location and Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC020584	Columbia Gas of Pennsylvania, Inc. 4000 Energy Drive Bridgeville, PA 15017	Sewickley Borough Sewickley Heights Borough	Ohio River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020519	West Penn Allegheny Health Systems, Inc. 120 Fifth Avenue, Pittsburgh, PA 15222	Municipality of Monroeville	UNT to Turtle Creek (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020554	Peoples Natural Gas, LLC 375 North Shore Drive Pittsburgh, PA 15212-5866	Elizabeth Township	UNT to Youghiogeny River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020560	Continental Development 395 East Waterfront Drive Homestead, PA 15210-5005	City of Pittsburgh	Allegheny River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020548	Columbia Gas of Pennsylvania 1700 MacCorkle Avenue SE Charleston, WV 25314	City of Clairton	UNT to Youghiogeny River	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020555	Howard W. and Mary Anne D. Hanna 1001 West Waldheim Road Pittsburgh, PA 15215	Fox Chapel Borough	Allegheny River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020092 A1	Chapman Business Properties, LP 100 Leetsdale Industrial Park Leetsdale, PA 15056	Leetsdale Borough	Ohio River (WWF-N)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020542	Riverview Senior Housing 2121 Old Gatesburgh Road State College, PA 16803	Harrison Township	Lower Allegheny River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020469	Upper Allegheny Joint Sanitary Authority 320 Fourth Avenue P.O. Box 431 Tarentum, PA 15084-0431	Harrison Township	Little Bull Creek (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020507 A1	SunCap Property Group 6101 Carnegie Boulevard Suite 180 Charlotte, NC 28209	Findlay Township	UNT to Montour Run (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010

NOTICES

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location and Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC020572	1501 Penn Owner, LLC 216 45th Street Suite 1200 New York, NY 10017	City of Pittsburgh	Allegheny River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020580	O'Harrow Construction Company 4547 Ann Arbor Road Jackson, MS 49202	Findlay Township	Potato Garden Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020563	Allegheny County Airport Authority (ACAA) Landslide Terminal Fourth Floor Mezzanine P.O. Box 12370 Pittsburgh, PA 15231-0370	West Mifflin Borough	UNT to Lewis Run (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020569	Century Equities, Inc. 1233 Main Street Suite 1500 Wheeling, WV 26003	Franklin Park Borough	UNT to Pine Creek (CWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020567	Amsdell Companies, LLC 20445 Emerald Parkway Drive Cleveland, OH 44135	Municipality of Monroeville	UNT to Pine Creek (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020279	Imperial Land Corporation 1009 Beaver Grate Road Suite 210 Moon, PA 15108	Findlay Township	Potato Garden Run (WWF) Patricks Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC110064	The City of Johnstown 401 Main Street Johnstown, PA 15901	City of Johnstown	Little Conemaugh River (WWF) Stonycreek River (WWF)	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
PAC560037	Somerset County Commissioners 300 North Center Avenue Suite 500 Somerset, PA 15501	Somerset Township	Somerset Lake—East Branch of Coxes Creek (WWF)	Somerset County Conservation District Somerset County Ag Center 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC100162	Cambridge Healthcare Solutions PA LP 8391 Old Courthouse Road Suite 210 Vienna, VA 22812	Center Township Butler County	UNT Sullivan Run CWF, UNT Crooked Run WWF	Department of Environmental Protection 230 Chestnut Street Meadville, PA 16335 814-332-6984

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC250100	West Ridge Realty LLC 3030 Loveland Avenue Erie, PA 16506	Millcreek Township Erie County	UNT Lake Erie WWF-MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC320040	Indiana University of Pennsylvania 1011 South Drive Indiana, PA 15704	Indiana Borough Indiana County	Whites Run CWF	Indiana County Conservation District 280 Indian Springs Road Suite 124 Indiana, PA 15701 724-471-4751
PAC420014	Highland Field Services LLC 51 Zents Boulevard Brookville, PA 15825	Hamlin Township & Sergeant Township McKean County	Marvin Creek CWF, UNT Marvin Creek CWF	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
PAC420015	Borough of Smethport Authority 201 West Main Street Smethport, PA 16749	Smethport Borough McKean County	Hamlin Lake CWF, Marvin Creek CWF	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
PAC160029	Josh Lesniak 19821 Paint Boulevard Shippenville, PA 16254	Clarion Township Clarion County	UNT Little Piney Creek CWF	Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214
PAC250101	David Thornton P.O. Box 569 North East, PA 16428	North East Township Erie County	UNT Sixteenmile Creek WWF; MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC250090	O'Reilly Automotive Stores Inc. 233 South Patterson Springfield, MO 65802	Harborcreek Township Erie County	Five Mile Creek WWF; MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403

General Permit Type—PAG-03

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>Permit No.</i>	<i>Facility Location: Municipality & County</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG032269 (Storm Water)	PFNonwovens LLC 101 Green Mountain Road Hazleton, PA 18202	Luzerne County Hazle Township	Tomhicken Creek (CWF, MF) (5-E)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG033625 Issued	Moses B Glick LLC 58 Hartz Road Fleetwood, PA 19522	Alsace Township Berks County	Laurel Run in Watershed(s) 3-C	Clean Water Program 717-705-4812

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717)

787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 3390076-E1, Public Water Supply.

Applicant **Lehigh County Authority**
P.O. Box 3348
Allentown, PA 18106-3348

Township and County Upper Milford Township
Lehigh County

Responsible Official Liesel M. Gross
Lehigh County Authority
1053 Spruce Street
P.O. Box 3348
Allentown, PA 18106-3348

Type of Facility Public Water Supply

Consulting Engineer Amy Kunkel, P.E.
Lehigh County Authority
1053 Spruce Street
Allentown, PA 18106

Operation Permit Issued June 4, 2020

Permit No. 4020502MA, Public Water Supply.

Applicant **Can Do, Inc.**
1 South Church Street
Hazleton, PA 18201

Township and County Hazleton
Luzerne County

Responsible Official Mr. W. Kevin O'Donnell
Can Do, Inc.
1 South Church Street
Hazleton, PA 18201

Type of Facility PWS

Consulting Engineer Mr. Jason G. Saylor, P.E.
Utility Service Company, Inc.
1230 Peachtree Street
Atlanta, GA 30309

Permit Issue Date June 5, 2020

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0618521, Public Water Supply.

Applicant **Teen Challenge Training Center**

Municipality Tulpehocken Township

County **Berks**

Responsible Official Jim West
Director of Operations
P.O. Box 98
Rehrersburg, PA 19550

Type of Facility The Teen Challenge Training Center (Teen Challenge) has submitted a PWS permit application for the approval to modify the existing water treatment system. Teen Challenge has proposed to install a new greensand filtration system for manganese removal, chlorine contact piping for 4-log treatment of viruses at Entry Point 101, a centralized softening system, new VFD controlled constant pressure pumps, and blow off hydrants.

Consulting Engineer Paul Lutzkanin, P.E.
Steckbeck Engineering & Surveying Inc.
279 North Zinns Mill Road
Lebanon, PA 17042

Permit to Construct Issued April 10, 2020

Permit No. 0620504 MA, Minor Amendment, Public Water Supply.

Applicant **Borough of Fleetwood**

Municipality Fleetwood Borough

County **Berks**

Responsible Official Craig Conrad Public Works Director
110 West Arch Street
Suite 104
Fleetwood, PA 19522

Type of Facility Replacement of existing 4" and 6" transite distribution water-line (located along sections of West Main St., East Pine Street, West Arch St., West Washington St., West Race St., Green St., South Franklin St., and West Cedar St.) with 6" ductile iron pipe.

Consulting Engineer Bradley D. Smith, P.E.
ARRO Consulting, Inc.
50 Berkshire Court
Wyomissing, PA 19610

Permit to Construct Issued April 30, 2020

Permit No. 0120502 MA, Minor Amendment, Public Water Supply.

Applicant **Bonneauville Municipal Water Authority**
 Municipality Bonneauville Borough
 County **Adams**
 Responsible Official Wesley Chrismer
 Assistant Borough Manager
 86 West Hanover Street
 Gettysburg, PA 17325

Type of Facility Recoating of the interior surface of the existing 100,000-gallon Elm Avenue Storage Tank.

Consulting Engineer Jason G. Saylor, P.E.
 Utility Service Company Inc.
 1230 Peachtree Street NE
 Atlanta, GA 30309

Permit to Construct Issued March 25, 2020

Permit No. 0619519, Public Water Supply.

Applicant **Dew Fresh Inc.**
 Municipality Windor Township
 County **Berks**
 Responsible Official Mark Gaspari
 President
 670 Clauss Road
 Lenhartsville, PA 19534

Type of Facility The installation of cation exchange for hardness removal, anion exchange for nitrate removal, carbon filtration, cartridge filtration, and ultraviolet disinfection for Wells No. 6-01 and 6-02.

Consulting Engineer Katherine E. Cirone, P.E.
 Liberty Environmental Inc.
 315 West James Street
 Suite 205
 Lancaster, PA 17603

Permit to Construct Issued June 15, 2020

Permit No. 6719520, Public Water Supply.

Applicant **West Manchester Township Authority**
 Municipality West Manchester Township
 County **York**
 Responsible Official James Bentzel
 Chairman
 2115 Log Cabin Road
 York, PA 17408

Type of Facility Removal and cessation of the addition of hydrofluosilicic acid at each entry point.

Consulting Engineer Diana M. Young, P.E.
 Buchart-Horn, Inc.
 445 West Philadelphia Street
 York, PA 17401

Permit to Construct Issued June 15, 2020

Permit No. 0519506, Public Water Supply.

Applicant **Bedford Township Municipal Authority**
 Municipality Bedford Township
 County **Bedford**
 Responsible Official Eric Zembower
 Chairman
 P.O. Box 371
 Bedford, PA 15522

Type of Facility Construction of a new 0.503 MG glass-fused finished water storage tank, installation of a trihalomethane removal aeration system within the new tank, replacement of existing distribution waterlines, and installation of new distribution waterlines.

Consulting Engineer Timothy A. Cooper, P.E.
 Stiffler McGraw & Associates Inc.
 19 N Juniata Street
 Hollidaysburg, PA 16648

Permit to Construct Issued May 6, 2020

Permit No. 0619520, Public Water Supply.

Applicant **Reading Area Water Authority**
 Municipality Bethel Township
 County **Berks**
 Responsible Official William Murray
 Executive Director
 1801 Kutztown Road
 Reading, PA 19604

Type of Facility New source (Well No. 2) and finished water storage tank.

Consulting Engineer Brian Hassinger, P.E.
 SSM Group, Inc.
 1047 North Park Road
 Reading, PA 19610-0307

Permit to Construct Issued June 11, 2020

Permit No. 0719508, Public Water Supply.

Applicant **Altoona Water Authority**
 Municipality Antis Township
 County **Blair**
 Responsible Official Mark A. Perry
 General Manager
 900 Chestnut Avenue
 Altoona, PA 16601

Type of Facility Replacement of the existing ozone generation and feed systems at the Tipton, Plane Nine, and Mill Run Water Treatment Plants.

Consulting Engineer James F. Potopa, P.E.
Gwin, Dobson & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602-4496

Permit to Construct May 21, 2020
Issued

Permit No. 0720501 MA, Minor Amendment, Public Water Supply.

Applicant **Williamsburg Municipal Authority**

Municipality Woodbury Township

County **Blair**

Responsible Official Edgar C. Patterson
Chairman
305 East 2nd St.
Williamsburg, PA 16693

Type of Facility Installation of pitless adapters in Well Nos. 1 & 2.

Consulting Engineer John C. Clabaugh, P.E.
Stiffler, McGraw and Associates, Inc.
1731 N Juniata Street
Hollidaysburg, PA 16648

Permit to Construct March 18, 2020
Issued

Permit No. 2120502 MA, Minor Amendment, Public Water Supply.

Applicant **Southampton Manor Mobile Home Park**

Municipality Southampton Township

County **Cumberland**

Responsible Official William Hooke
322 South Hanover Street
Carlisle, PA 17013

Type of Facility This permit approves installation of an online free chlorine residual analyzer and an emergency generator with automatic transfer switch.

Consulting Engineer Max E. Stoner, P.E.
Glance Associates, Inc.
3705 Trindle Rd
Camp Hill, PA 17011

Permit to Construct May 7, 2020
Issued

Permit No. 6720509 MA, Minor Amendment, Public Water Supply.

Applicant **West Cocalico Township Authority**

Municipality West Cocalico Township

County **Lancaster**

Responsible Official Carolyn Hildebrand
Manager
P.O. Box 95
Reunholds, PA 17569

Type of Facility This permit authorizes rehabilitation of the permittee's existing 150,000-gallon Tank No. 1 welded steel finished water standpipe.

Consulting Engineer Dan Hopkins, P.E.
Entech Engineering
201 Penn Street
Reading, PA 19603

Permit to Construct May 21, 2020
Issued

Permit No. 0620506 MA, Minor Amendment, Public Water Supply.

Applicant **Fork & Ale, Inc.**

Municipality Union Township

County **Berks**

Responsible Official Melissas Fry
Owner
181 East Main Street
Douglassville, PA 19518

Type of Facility This permit approves installation of a contact tank for 4-log treatment of viruses at an existing transient noncommunity system.

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Associates, Inc.
18 South George Street
York, PA 17401

Permit to Construct May 20, 2020
Issued

Permit No. 4420502 MA, Minor Amendment, Public Water Supply.

Applicant **Municipal Authority of the Borough of Lewistown**

Municipality Armagh Township

County **Mifflin**

Responsible Official Craig Bubb
Superintendent
70 Chestnut Street
Lewistown, PA 17004-2216

Type of Facility Rehabilitation of Chlorine Contact Tank Nos. 1 and 2

Consulting Engineer Jason G. Saylor, P.E.
Utility Service Group, Inc.
535 Courtney Hodges Boulevard
Perry, GA 31069

Permit to Construct June 2, 2020
Issued

Permit No. 3620511 MA, Minor Amendment, Public Water Supply.

Applicant **Penny Farm Mobile Home Park**

Municipality Drumore Township

County **Lancaster**

Responsible Official Lee E. Mummau
Owner
7971 Bennett Branch Road
Mt. Airy, MD 21771

Type of Facility Well operation modifications

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Associates,
Inc.
18 South George Street
York, PA 17401

Permit to Construct May 28, 2020
Issued

Operation Permit No. 0618510 MA issued to: **Mt Penn Borough Municipal Authority (PWS ID No. 3060082)**, Mount Penn Borough, **Berks County** on June 4, 2020 for facilities approved under Construction Permit No. 0618510 MA.

Operation Permit No. 3619502 issued to: **Sunny Crest Homes Inc. (PWS ID No. 7360061)**, Caernarvon Township, **Lancaster County** on June 4, 2020 for facilities approved under Construction Permit No. 3619502.

Operation Permit No. 3119503 MA issued to: **Mapleton Municipal Water Authority (PWS ID No. 4310015)**, Union Township, **Huntingdon County** on May 28, 2020 for facilities approved under Construction Permit No. 3119503 MA.

Operation Permit No. 3620501 MA issued to: **Little Britain MHP (PWS ID No. 7360104)**, Little Britain Township, **Lancaster County** on June 12, 2020 for facilities approved under Construction Permit No. 3620501 MA.

Operation Permit No. 2819512 issued to: **Mercersburg Sportsman Association (PWS ID No. 7280961)**, Peters Township, **Franklin County** on June 12, 2020 for facilities approved under Construction Permit No. 2819512.

Operation Permit No. 0519508 issued to: **Evitts Creek Water Company (PWS ID No. 4050028)**, Cumberland Valley Township, **Bedford County** on March 17, 2020 for facilities approved under Construction Permit No. 0519508.

Operation Permit No. 6719509 MA issued to: **Delta Borough Municipal Authority (PWS ID No. 7670070)**, Delta Borough, **York County** on June 4, 2020 for facilities approved under Construction Permit No. 6719509 MA.

Operation Permit No. 0620508 MA issued to: **Pennsylvania American Water Company (PWS ID No. 3060069)**, Sinking Spring Borough, **Berks County** on June 15, 2020 for facilities approved under Construction Permit No. 0620508 MA.

Operation Permit No. 3619520 issued to: **Pilgrim's Oak Golf Course LLP (PWS ID No. 7360677)**, Drumore Township, **Lancaster County** on June 5, 2020 for facilities approved under Construction Permit No. 3619520.

Operation Permit No. 0619514 MA issued to: **Kutztown Borough (PWS ID No. 3060041)**, Kutztown Borough, **Berks County** on April 10, 2020 for facilities approved under Construction Permit No. 0619514 MA.

Operation Permit No. 0619515 issued to: **Birdsboro Municipal Authority (PWS ID No. 3060010)**, Birdsboro Borough, **Berks County** on May 13, 2020 for facilities approved under Construction Permit No. 0619515.

Operation Permit No. 0619513 issued to: **Speedway, LLC (PWS ID No. 3060962)**, Richmond Township, **Berks County** on April 10, 2020 for facilities at Speedway # 6753 approved under Construction Permit No. 0619513.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Operations Permit issued to: **Aqua Pennsylvania**, Treasure Lake, 665 South Dock Street, Sharon, PA 16146, **PWSID No. 6170048**, Sandy Township, **Clearfield County** on June 12, 2020, for the operation of facilities approved under construction **permit # 1786503**. This permit designates Well N-14, with associated Entry Point No. 103, as a reserve source.

Permit No. 1720501, Construction. Public Water Supply.

Applicant	DCNR-Bureau of State Parks 400 Market Street 8th Floor P.O. Box 8451 Harrisburg, PA 17105
Borough or Township	Pine Township
County	Clearfield County
Type of Facility	Public Water Supply
Consulting Engineer	Shawn Beeler, P.E. DCNR-Bureau of State Parks 400 Market Street 8th Floor P.O. Box 8451 Harrisburg, PA 17105
Permit Issued	June 15, 2020

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 5610506A2, Major Amendment. Public Water Supply.

Applicant	Central City Water Authority 314 Central Avenue Suite 203 Central City, PA 15926
Borough or Township	Shade Township
County	Somerset
Type of Facility	Water system
Consulting Engineer	The EADS Group, Inc. 450 Aberdeen Drive Somerset, PA 15501
Permit Issued	June 3, 2020

Permit No. 2603501-A2, Major Amendment. Public Water Supply.

Applicant	National Pike Water Authority P.O. Box 10 Markleysburg, PA 15459
Borough or Township	Henry Clay Township
County	Fayette
Type of Facility	Water system
Consulting Engineer	McMillen Engineering 115 Wayland Smith Drive Uniontown, PA 15401
Permit Issued	May 27, 2020

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Northwest Region: Clean Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Cranberry Township	3726 State Route 257 P.O. Box 378 Seneca, PA 16346	Venango

Plan Description: Cranberry Venango County General Authority submitted an Act 537 Official Sewage Facilities Plan (Plan) on behalf of Cranberry Township that proposed construction of a new sewage treatment plant tributary to Sage Run. Sewage from the Cranberry Township service area is currently being treated at the City of Oil City's (City) Wastewater Treatment Plant (WWTP), with the Plan proposing disconnection of all the existing Cranberry Township service area from the City's WWTP and connection to the new Cranberry Township sewage treatment plant. The Plan was disapproved because of the following reasons: The Plan failed to adequately address the estimated cost of constructing and operating the proposed project, therefore raising unresolved concerns about the Plan's ability to be implemented. The Plan failed to adequately address questions and concerns raised by public comments to the Plan and did not adequately address the financial impact to the City. The Plan did not show that the proposed project conforms to any comprehensive water quality management and pollution control program. The Plan failed to adequately address how Chapter 93 antidegradation requirements would be met on the receiving water, Sage Run, with the addition of the proposed effluent dominated discharge outfall. The Plan's implementation would affect the sewage facilities of Oil City, and Oil City had not revised their Official Plan to include disconnection of Cranberry Township's flows. In addition, the proposal did not promote intermunicipal cooperation in the implementation and administration of the Plan. Oil City has objected to this Plan as removal of Cranberry Township's customers would allegedly render Oil City's sewer system unsustainable.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and re-

ports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

403 Collingdale Avenue, 403 Collingdale Avenue, Collingdale Borough, **Delaware County**. Henry G. Bienkowski, Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Alvin Bunch, Just Oil LLC, 4201 Brown Street, Philadelphia, PA 19104 submitted a 90-day Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Evans Coal & Fuel Oil, 223 East Water Street, Coaldale, PA 18218, Coaldale Borough, **Schuylkill County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Evans Coal & Fuel Oil, 309 West Holland Street, Summit Hill, PA 18250, submitted a Final Report concerning remediation of soil contaminated by heating oil that was released from the loading rack of an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Former Rynek Rope, 991 Bushkill Drive, Easton, PA 18042, Easton City, **Northampton County**. United Environmental, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Lafayette College, 1001 Bushkill Drive, Easton, PA 18042, submitted a Final Report concerning remediation of soil contaminated by a release of # 6 heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Logan Pointe Redevelopment Area, Southeast Corner of 11th Street and West Loudon Street, City of Philadelphia, **Philadelphia County**. Jeffery A. Smith, Langan Engineering and Environmental Services, Inc., 1818 Market Street, Suite 3300, Philadelphia, PA 19103 on behalf of Liz Gabor, The Goldenberg Group, 630 Sentry Parkway, Suite 300, Blue Bell, PA 19422 submitted a Baseline Investigation Work Plan concerning the remediation of site soil contaminated with arsenic, lead and vanadium. The Special Industrial Area Report was approved by the Department on June 5, 2020.

2400 West Darby Road, 2400 West Darby Road, Haverford Township, **Delaware County**. Gilbert Marshall PG, Marshall Geoscience Inc., 170 1st Street Avenue, Collingdale, PA 19426 on behalf of Robert Brotzman, Blackwater Falls Trust, 1540 Collingswood Avenue, Marco Island, FL 34145-5835 submitted a Final Report

concerning the remediation of site soil contaminated with No. 2 fuel oil and used motor oil. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on May 14, 2020.

Harriet Henry, 1036 Yeadon Avenue, Yeadon Borough, **Delaware County**. Geoffrey Kristof, Aquaterra Technologies, 901 South Bolmar Street, Suite A, West Chester, PA 19381 on behalf of Harriet Henry, 1036 Yeadon Avenue, Yeadon, PA 19050 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 heating oil. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on June 4, 2020.

Bristol Croydon Property, 3111 State Road, Bristol Township, **Bucks County**. Christopher Zieger, Dynamic Earth LLC, 790 Newtown Yardley Road, Newtown, PA 18940 on behalf of Ian Katz, Esq., Croydon State, LLC, c/o Redwood Real Estate Group, 227 East 56th Street, Suite 401, New York, NY 10022 submitted a Final Report concerning the remediation of site groundwater and soil contaminated with petroleum products and metals. The Report was reviewed by the Department which issued a technical deficiency letter on June 9, 2020.

4801 Jefferson Street, 4801 Jefferson Street, City of Philadelphia, **Philadelphia County**. Juddson Herr, Langan Engineering and Environmental Services, Inc., 2700 Kelly Road, Warrington, PA 18976 on behalf of Marlin E. Thomas, Supra Enterprises Limited Liability Company, 5070 Parkside Avenue, Suite 3200, Philadelphia, PA 19131 submitted a Baseline Investigation Work Plan concerning the remediation of site soil and groundwater contaminated with antimony, arsenic, lead, mercury and naphthalene, benzo perylene. The Special Industrial Area Report was approved by the Department on June 8, 2020.

6 Plumridge Way, 6 Plumridge Way, Bristol Township, **Bucks County**. Richard Werner, P.G., Environmental Consultant Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Michael and Jessica Parell, 6 Plumridge Way, Levittown, PA 19056 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on June 9, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Loomis 2H/3H, 1310 Bomboy Road, Lawton, PA 18828, Rush Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company LLC, 1000 Energy Drive, Spring, TX 77389, submitted a Final Report concerning remediation of soil contaminated by an improperly closed drill cuttings pit. The report documented remediation of the site to meet a combination of Background and Statewide Health Standards. and was approved by DEP on June 15, 2020.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

S & C Transport, Inc., P.O. Box 2459, Belleville, MI 48112. License No. **PA-AH 0446**. Effective May 26, 2020.

Duquesne Light Company, 2645 New Beaver Avenue, Pittsburgh, PA 15233. License No. **PA-AH 0462**. Effective June 16, 2020.

Earth Technology II, LLC, P.O. Box 338, North Haven, CT 06473. License No. **PA-AH 0691**. Effective June 1, 2020.

Covanta Environmental Solutions Carriers II, LLC, 5300 N 33rd St., Milwaukee, WI 53209. License No. **PA-AH0742**. Effective June 1, 2020.

Environmental Products & Services of Vermont, Inc., P.O. Box 315, Syracuse, NY 13209. License No. **PA-AH0748**. Effective June 15, 2020.

IWT Transport, Inc., 306 Ramapo Valley Road, Oakland, NJ 07346. License No. **PA-AH 0798**. Effective May 26, 2020.

Entegra Energy Solutions, LLC, P.O. Box 1087, Bridgeport, WV 26330. License No. **PA-AH 0869**. Effective June 16, 2020.

Ken's Marine Service, Inc., P.O. Box 4001, Bayonne, NJ 07002. License No. **PA-AH S154**. Effective May 26, 2020.

Transporter Licenses Reissued

S & C Transport, Inc., P.O. Box 2459, Belleville, MI 48112. License No. **PA-AH 0446**. Effective May 26, 2020.

Duquesne Light Company, 2645 New Beaver Avenue, Pittsburgh, PA 15233. License No. **PA-AH 0462**. Effective Jun 16, 2020.

Earth Technology II, LLC, P.O. Box 338, North Haven, CT 06473. License No. **PA-AH 0691**. Effective June 1, 2020.

Covanta Environmental Solutions Carriers II, LLC, 5300 N 33rd St., Milwaukee, WI 53209. License No. **PA-AH0742**. Effective June 1, 2020.

Environmental Products & Services of Vermont, Inc., P.O. Box 315, Syracuse, NY 13209. License No. **PA-AH0748**. Effective June 15, 2020.

IWT Transport, Inc., 306 Ramapo Valley Road, Oakland, NJ 07346. License No. **PA-AH 0798**. Effective May 26, 2020.

Entegra Energy Solutions, LLC, P.O. Box 1087, Bridgeport, WV 26330. License No. **PA-AH 0869**. Effective June 16, 2020.

Ken's Marine Service, Inc., P.O. Box 4001, Bayonne, NJ 07002. License No. **PA-AH S154**. Effective May 26, 2020.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License reissued under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Environmental Waste Minimization, Inc., 14 Brick Kiln Court, Northampton, PA 18067. License No. **PA-HC 0219**. Effective June 15, 2020.

Environmental Products & Services of Vermont, Inc., P.O. Box 315, Syracuse, NY 13209. License No. **PA-HC0238**. Effective June 15, 2020.

Transporter License Reissued

Environmental Waste Minimization, Inc., 14 Brick Kiln Court, Northampton, PA 18067. License No. **PA-HC 0219**. Effective June 15, 2020.

Environmental Products & Services of Vermont, Inc., P.O. Box 315, Syracuse, NY 13209. License No. **PA-HC0238**. Effective June 15, 2020.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP2-46-0001: Oehlert Brothers, Inc. (P.O. Box 699, Royersford, PA 19468-0699) on June 11, 2020 for use of the General Plan Approval to operate Tank 3 as a gasoline storage tank (No. BAQ-GPA/GP-2) at your facility located in Limerick Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP3-66-012: Meshoppen Stone, Inc. (P.O. Box 127, Meshoppen, PA 18630) on June 16, 2020 for the construction and operation of a Portable Crushing Operation with watersprays located at the Fike Quarry site located in Mehoppenny and Windham Twps., **Wyoming County**.

GP9-66-012: Meshoppen Stone, Inc. (P.O. Box 127, Meshoppen, PA 18630) on June 16, 2020 for the installation and operation of IC engines located at the Fike Quarry site located in Mehoppenny and Windham Twps., **Wyoming County**

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP14-28-03001: Kelso-Cornelius Funeral Home, Ltd. (725 Norland Avenue, Chambersburg, PA 17201) on

June 12, 2020, for an existing human crematory at the funeral home located in Chambersburg Borough, **Franklin County**. The general permit authorization was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager; (570) 327-3648.

AG1-53-00001A: Comtech Industries, Inc. (1300 Ashwood Dr., Ste. 1301, Canonsburg, PA 15317) on June 4, 2020, for the construction and operation of Novatherm Mobile Boiler Room PowerPOD equipped with an Oilon GP 700M III, natural gas-fired, low NO_x burner and flue gas recirculation pursuant to the General Plan Approval and/or General Operating Permit (BAQ-GPA/GP-1) Small Gas and No. 2 Oil Fired Combustion Units at JKLM's Reese Hollow 115 Pad located in Eulalia Township, **Potter County**.

GP3-14-048: R.S. Services (119 Falls Road, Beech Creek, PA 16822) on June 12, 2020, for the authorization to relocate and operate a 2008 KPI model FT4240 crusher, a 2011 McCloskey model C44 crusher, a 2012 McCloskey model R155 screener, a 2007 Extec S5 screener, and a 2018 McCloskey J45 crusher non-metallic mineral processing plants pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) to the Hanson Aggregates (PA) Curtin Gap Quarry located in Marion Township, **Centre County**.

GP11-14-048: R.S. Services (119 Falls Road, Beech Creek, PA 16822) on June 12, 2020, for authorization to relocate and operate a 2007 model year 345 bhp Cummins QSL9-G3 diesel-fired engine, a 2011 model year 440 bhp Caterpillar C-13 diesel-fired engine, a 2010 model year 129.4 bhp Caterpillar C4.4 diesel-fired engine, a 2007 model year 100.4 bhp Deutz BF4M2010 diesel-fired engine, and a 2016 model year 374 bhp Caterpillar C-9 diesel-fired engine as nonroad engines to power portable non-metallic mineral processing plants pursuant to the General Plan Approval and/or General Operating Permit for Nonroad Engines (BAQ-GPA/GP-11) to the Hanson Aggregates (PA) Curtin Gap Quarry located in Marion Township, **Centre County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager; (570) 327-3648.

18-00005E: Dominion Transmission, Inc. (5000 Dominion Boulevard, Glen Allen, VA 23060) on June 11, 2020, for the temporary operation of a 11,015 brake-horsepower (bhp) natural gas-fired turbine/compressor engine (Source P111) and a 791 bhp natural gas-fired emergency generator (Source P203) at their Finnefrock Compressor Station located in Leidy Township, **Clinton County**. The plan approval has been extended to January 4, 2021.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00018: RR Donnelley (100 American Drive, Quakertown, PA 18592) on June 8, 2020 for renewal of a non-Title V (State Only) operating permit. The facility is located in Richland Township, **Bucks County**.

46-00180: Transicoil LLC (9 Iron Bridge Dr., Collegeville, PA 19426) on June 10, 2020 for renewal of a State-Only Operating Permit for a plant that manufactures capacitor, resistor, coil, transformer, and other inductors. This facility is located in Perkiomen Township, **Montgomery County**.

46-00137: Oehlert Brothers, Inc. (P.O. Box 699, Royersford, PA 19468) on June 10, 2020 for renewal of a State Only, Natural Minor Operating Permit. The facility is located in Limerick Township, **Montgomery County**.

46-00158: Colorcon, Inc. (415 Moyer Boulevard, West Point, PA 19486) on June 11, 2020 for a renewal of State Only (Natural Minor) Operating Permit. The facility is located in Upper Gwynedd Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

21-03006: Nestle Purina Petcare Co. (6509 Brandy Lane, Mechanicsburg, PA 17050-2817) on June 11, 2020, for the pet food manufacturing facility in Hampden Township, **Cumberland County**. The State-only permit was renewed.

36-05165: J.L. Clark, LLC (303 North Plum Street, Lancaster, PA 17602-2401) on June 9, 2020, for an initial State Only Operating Permit for the metal can manufacturing facility located in Lancaster City, **Lancaster County**.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00086: Energy Harbor Nuclear Corporation (P.O. Box 4, Route 168, Shippingport, PA 15077-0004). In accordance with 25 Pa. Code § 127.431, the Department of Environmental Protection (DEP) is providing notice that on June 12, 2020, DEP issued a renewed, synthetic minor, State Only Operating Permit to Energy Harbor Nuclear Corporation for the operation of an emergency power generation plant at a nuclear power station, known as the Beaver Valley Power Station, located in Shippingport Borough, **Beaver County**.

The power station has two, 2,900 MW heat input, nominal 921 and 905 MW electrical output, nuclear, pressure water reactors. Air emissions at the station result from support equipment and activities. The emergency power generation plant, itself, contains two, 47.2 MMBtu/Hr, distillate oil-fired auxiliary boilers and five emergency diesel engines rated at 3,950-bhp or larger. The station also contains several other emergency diesel engines of 690-bhp, or smaller, a shot blast unit controlled by a baghouse, and a paint shop.

No emission or equipment changes have been approved by this action. Emission sources at the facility are subject to 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, reporting and recordkeeping requirements for the facility. The emission restriction, monitoring, recordkeeping, reporting and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Part 60, Subpart IIII, 40 CFR Part 63, Subpart ZZZZ, and 25 Pa. Code Article III, Chapters 121—145.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

20-00040: Advanced Cast Products, Inc. (18771 Mill St., Meadville, PA 16335-3644). On June 9, 2020, the Department issued the new State Only Synthetic Minor Operating Permit for the iron foundry located in Vernon Township, **Crawford County**. The facility's primary emission sources include the casting processes, natural gas-fired process heaters, miscellaneous natural gas usage, degreasing units, and non-emergency generators. The potential emissions, after permit limitations, of the major pollutants from the facility are as follows: 28.56 TPY (tons per year) NO_x, 82.88 TPY CO, 4.41 TPY VOC, 1.19 TPY total HAPs (hazardous air pollutants), 62.78 TPY PM₁₀, 45.86 TPY PM_{2.5}, and 5.03 TPY SO_x. The facility is a synthetic minor and has taken a voluntary throughput limit of 30,000 TPY of metal processed in Sources 103 and 103A at the facility so as to not exceed 100 tons per year of CO emissions. The facility is subject to 40 CFR 63 Subpart ZZZZZ, NESHAP for Iron and Steel Foundries Area Sources. The engines are subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-00954: National Fuel Gas Supply Corp., Summit Compressor Station (520 Robison Road West, Erie, PA 16509). On June 9, 2020, the Department issued the renewal of the State-Only Operating Permit of a natural gas compressor station located in Summit Township, **Erie County**. Permitted air contamination sources are two natural gas-fired compressor engines, a natural gas-fired emergency generator engine, a natural gas dehydration unit, a parts washer, various combustion sources, and miscellaneous sources of fugitive emissions. To be Synthetic Minor, the facility has a NO_x elective restriction of 99.9 tons in any 12-month rolling period. In this renewal, tanks and vessels, pneumatic devices, venting and blowdowns, fugitive emission components, and pigging

operations are added as permitted sources for emissions inventory purposes. A detailed source test submittal procedure based on Source Testing Section's latest instructions is added. A reporting requirement intended for compliance demonstration with the NO_x elective restriction is revised to agree with a current recordkeeping requirement.

25-01030: Burton Funeral Home and Crematory, Inc., Ericson Memorial Studios (3803 West 26th St., Erie, PA 16502). On April 1, 2020, the Department issued the initial State-Only Operating Permit of a funeral home and crematory located in Millcreek Township, **Erie County**. Permitted air contamination source at the facility is a crematory used for cremating animal remains. Requirements of PA 25-1030A, which authorized the crematory and its operation, are incorporated as conditions of the operating permit. With respect to PA 25-1030A, a requirement is added on use of opacity monitoring devices to monitor visible emissions. The facility is Natural Minor for permitting purposes.

33-00211: Alliance Petroleum Co. LLC/State Game Lands 195 Compressor Station (101 McQuiston Dr., Jackson Center, PA 16133). On June 16, 2020, the Department issued a new State Only Operating Permit for the natural gas compressor station located in Gaskill Township, **Jefferson County**. The facility consists of the previously exempted natural gas RICE (95-bhp 4SRB) and a produced water storage tank. Other sources of emissions result from pneumatic devices, venting/blowdowns, and fugitives. The potential emissions of the major pollutants from the facility are as follows: PM₁₀ and PM_{2.5}: 0.06 TPY, NO_x: 19.30 TPY, SO_x: 0.002 TPY, CO: 1.46 TPY, and VOC: 0.64 TPY; thus, the facility is a natural minor. The engine is subject to 40 CFR Part 63, Subpart ZZZZ, NESHAP for stationary RICE. The permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

42-00196: KC Midstream Solutions, LLC (424 S. 27th St., Suite 304, Pittsburgh, PA 15203). On June 15, 2020, the Department issued a renewal to the State Only Operating Permit for the Swamp Angel Compressor Station located in Lafayette Township, **McKean County**. The facility is a Natural Minor. Actual Reported Emissions for the calendar year 2019 are as follows: 11.73 tons CO; 7.86 tons NO_x; 0.0485 ton Particulate Matter; 0.0116 ton SO_x; 2.753 tons VOC; and 0.7679 ton all combined HAPs. The primary sources at the facility include natural gas fueled heaters and reboilers with a combined rating of 1.5 million Btu/hr., a natural gas fueled 1,265 hp compressor engine, a natural gas fueled 840 hp compressor engine, and a TEG dehydration unit. The facility is subject to the following Federal standards: 40 CFR Part 60 Subpart KKK, Standards of Performance for Equipment Leaks of VOC From Onshore Natural Gas Processing Plants; 40 CFR Part 63 Subpart HH, National Emission Standards for Hazardous Air Pollutants from Oil and Natural Gas Production Facilities; and 40 CFR Part 63 Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on 6/9/2020 a renewal for a Natural Minor State Only Operating Permit for the following facility:

OP19-000011: Falls Center Condominium Association (3300 Henry Avenue, Philadelphia, PA 19129) on June 9, 2020, was issued a State Only (Natural Minor) permit renewal for the operation of air emission sources in a residential, office, and retail campus facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are five (5) boilers firing natural gas, of which one (1) rated 4.7 MMBtu/hr and four (4) rated less than 2 MMBtu/hr each, and three (3) emergency generators firing diesel fuel, of which two (2) rated 664 kW each and one (1) rated 283 kW.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00707: Colona Transfer, LP (P.O. Box 311, Portersville, PA 16051). On June 10, 2020, the Department issued a modification of State Only Operating Permit for the operation of a bulk materials transfer and shipping terminal located in the borough of Monaca, **Beaver County**. The facility contains air contamination sources consisting of material storage piles, barge, railcar, and truck loading/unloading operations, coal conveyor belts, and plant roads. Air pollution prevention equipment includes water sprays for loading/unloading operations and a water truck for plant roads. The facility is subject to the applicable requirements of Title 25 Pa. Code Chapters 121—145. The proposed operating permit includes emission limitations, as well as monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00096: Suburban Heating Oil Partners/Telford (3115 State Road, Telford, PA 18969), on June 11, 2020 for operation of a fuel oil, gasoline and diesel fuel storage and loading facility located in West Rockhill Township, **Bucks County**. The operating permit was revoked because of the permanent shutdown of gasoline storage tank 003A (Source ID 102) and the re-use of gasoline storage tank 007A (Source ID 103) to store heating oil at the facility. The remaining exempt source shall operate in accordance with the requirements of Chapter 127.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

Permit No. 17100102. King Coal Sales, Inc., P.O. Box 712, Philipsburg, PA 16866, permit renewal for reclamation only of a bituminous surface coal mine located in Cooper Township, **Clearfield County** affecting 61.0 acres. Receiving stream(s): Moshannon Creek classified for the following use(s): TSF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: March 11, 2020. Permit issued: June 9, 2020.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814.472.1900, (Contact: Melanie Wigfield).

Permit No. 31200801. Alan H. Book, 18270 Shade Valley Road, Blairs Mills, PA 17213, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Tell Township, **Huntingdon County**, affecting 5.0 acres. Receiving stream(s): unnamed tributary to Trough Spring Branch. Application received: March 23, 2020. Permit issued: June 12, 2020.

Permit No. PAM420001-GP104. Alan H. Book, 18270 Shade Valley Road, Blairs Mills, PA 17213. Coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP104) on Noncoal Permit No. 31200801 located in Tell Township, **Huntingdon County**. Receiving stream: unnamed tributary to Trough Spring Branch classified for the following uses: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: March 23, 2020. Permit issued: June 12, 2020.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

Permit No. 12200801. Solveson Contracting, Inc., 340 Catlin Hollow, Emporium, PA 15834, commencement, operation, and restoration of a small industrial mineral (sandstone) operation in Shippen Township, **Cameron County** affecting 5.0 acres. Receiving stream(s): Un-

named Tributary to Bell Run and Beldin Hollow to East Branch Hicks Run. Application received: February 20, 2020. Permit issued: June 9, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

Permit No. 08204106. M & J Explosives, LLC, P.O. Box 1248, Carlisle, PA 17013, blasting for well pad located in Overton Township, **Bradford County** with an expiration date of May 22, 2021. Permit issued: June 2, 2020.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

Permit No. 30204101. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141. Blasting Activity Permit for the construction of the Penn Mech CNX 87 well pad located in Richhill Township, **Greene County** with an expiration date of December 31, 2020. Permit issued: June 9, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570.621.3118. (Contact: Theresa Reilly-Flannery).

Permit No. 58204104. John H. Brainard (P.O. Box 66, Clifford, PA 18413), construction blasting for Fred Conrad Quarry reclamation in Lenox Township, **Susquehanna County** with an expiration date of December 31, 2020. Permit issued: June 9, 2020.

Permit No. 15204101. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Frazer Lanes in East Whiteland Township, **Chester County** with an expiration date of June 2, 2021. Permit issued: June 11, 2020.

Permit No. 58204105. Holbert Explosives, Inc. (237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435), construction blasting for Summers Glen in Herrick Township, **Susquehanna County** with an expiration date of June 5, 2021. Permit issued: June 15, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341). Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative

Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E0901220-021, Gateway to New Hope, LLC, The Riverhouse at Odette's, 274 South River Road, New Hope, PA 18938, New Hope Borough, **Bucks County**, ACOE Philadelphia District.

To amend and maintain the existing Permit No. E09-990 to include the following within the 100-year floodplain of the Delaware River (WWF, MF) associated with The Riverhouse at Odette's:

1. Realign two outfall structures at north and south bridges as proposed by DCNR.
2. Propose six new utility crossings to serve The Riverhouse at Odette's.

The site is located at about 2,000 feet southeast of South Main Street (S.R. 32) and Windy Bush Road (Lambertville, PA USGS Quadrangle, Latitude 40.3536; Longitude -74.9486) in New Hope Borough, Bucks County. Amendment issued June 12, 2020.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

Permit No. E4104220-022. Jersey Shore Borough, 232 Smith Street, Jersey Shore, PA 17740, **Lycoming County**, ACOE District (Jersey Shore; Porter, PA Quadrangle N: 41.202976 ; W: -77.279698).

To construct, operate and maintain a total of 110 feet of 18-inch storm sewer system for the purpose of transporting stormwater along High Street and into Nichols Run a High Quality Cold Water Fishery and Migratory Fish or

HQ-CWF, MF waterway. This permit authorizes the construction of a stormwater conveyance system that ends at Nichols Run. The outlet structure is along Nichols Run, HQ-CWF, MF, Latitude: 41° 12' 08.8", Longitude: 77° 16' 55.4". An inlet, structure # 10, Latitude: 41° 12' 08.9", Longitude: 77° 16' 55.0". This project ends along High Street Latitude: 41° 12' 08.8", Longitude: 77° 16' 55.4" and starts along High Street at Latitude: 41° 12' 09.0", Longitude: 77° 16' 54.3". This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Permit No. EA4104220-021: PA Game Commission, Plunketts Creek Township, **Lycoming County,** US Army Corps of Engineers Baltimore District (Barbours Quadrangle; Latitude 41° 25' 0.3" N; 76° 48' 23.2" W).

The PA Game Commission will restore the Plunketts Creek floodplain at the former pheasant propagation farm on State Games Lands # 134 by removing a 2,200-foot long/4.5-acre earthen berm along the watercourse. The project will require excavation and removal of approximately 22,860 cubic yards of material, re-grading the stream banks to a stable slope, and establishment of a 150-foot-wide riparian buffer. The excavated material will be wasted on PA Game Commission property outside of the FEMA floodplain and will require approval of an Individual NPDES Permit. There are no wetland impacts, 8.9 acres of temporary floodplain disturbance, and 165 linear feet of temporary stream channel impact to remove a gabion basket wall. Plunketts Creek has an existing use of exceptional value and is a naturally reproducing trout stream.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG291219001-01
Applicant Name Seneca Resources Co, LLC
Contact Person Cindy Jones
Address 51 Zents Blvd
City, State, Zip Brookville, PA 15825-2701
County Cameron
Township(s) Shippen
Receiving Stream(s) and Classification(s) Right Branch
Cooks Run (EV, MF)
Secondary: Cooks Run (EV, MF)

ESCGP-3 # ESG294120010-00
Applicant Name ARD Operating, LLC
Contact Person Jennifer McCarthy
Address 500 Dallas Street, Ste 2930
City, State, Zip Houston, TX 77002-4701
County Lycoming
Township(s) Cascade
Receiving Stream(s) and Classification(s) Slacks Run
(HQ-CWF)
Secondary (CWF)

Northwest Region: Oil and Gas Management, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6860. Contact Mary Slye, Clerical Supervisor, 814-332-6325.

ESCGP-3 # ESG081619001-00—Burns Farms—Windy
Oakland Proposed 10" Pipeline Project
Applicant Name Stonehenge Laurel Gathering LLC
Contact Person Pat Redalen
Address 11400 Westmoor Circle, Suite 200A
City, State, Zip Westminster CO 80021
County Clarion
Township(s) Perry and Licking Townships
Receiving Stream(s) and Classification(s) UNT to Clarion
River (CWF), UNT to Allegheny River (WWF), Dunlap
Creek (WWF) and Secondary Water Allegheny River
(WWF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and

summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984. The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Uni Mart 94345, Storage Tank ID # 45-37983, 3197 Route 115, Effort, PA 18330, Chestnuthill Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Malik Azhar, 3197 Route 115, Effort, PA 18330, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and gasoline contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

Park Station, Storage Tank Facility ID # 29-60120, 29558 Great Cove Rd, Fort Littleton, PA 17223-9636, Dublin Township, **Fulton County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823 on behalf of Park Station, 29558 Great Cove Rd, Fort Littleton, PA 17223-9636 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the Site-Specific Standard and the Statewide Health Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Kehm Oil Co., Primary Facility ID # 02-81563, 1600 Oakdale Rd., Oakdale, PA 15071, Oakdale Borough, **Allegheny County**. CORE Environmental Services Inc., 3960 William Flinn Hwy., Ste. 100, Allison Park, PA 15101, on behalf of George Kehm, Kehm Oil Co., P.O. Box 130, Oakdale, PA 15071, submitted a Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the site-specific standard.

Kudlas Service Center, Primary Facility ID # 02-80216, 2733 S. Park Rd., Bethel Park, PA 15102, Bethel Park Borough, **Allegheny County**. DMS Environmental Services, LLC, 103 S. Spring St., Bellefonte, PA 16823, on behalf of Henry Kudla, 2733 S. Park Rd., Bethel Park, PA 15102 submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the site-specific standard.

CORRECTIVE ACTION UNDER ACT 32, 1989 PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Allentown Sunoco, Storage Tank ID # 39-23145, 2255 Lehigh Street, Allentown, PA 18103, Allentown City, **Lehigh County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of HSR, Inc., 101 Parsons Lane, Newtown, PA 18940, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil contaminated with petroleum. The report was not acceptable to meet Statewide Health Standards and was disapproved by DEP on June 11, 2020.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

SuperValu Maintenance Garage, Primary Facility ID # 65-11809, 400 Paintersville Rd., New Stanton, PA 15672, New Stanton Borough, **Westmoreland County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of SuperValu Inc., P.O. Box 1000, New

Stanton, PA 15672, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health standards and was approved on June 8, 2020.

Tower Vue Service, Primary Facility ID # 02-07068, 2890 Custer Ave., Pittsburgh, PA 15227, Baldwin Borough, **Allegheny County**. Flynn Environmental Inc., 5640 Whipple Ave. NW, N. Canton, OH 44750, on behalf of Tower Vue Service, 2890 Custer Ave., Pittsburgh, PA 15227, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health standards and was approved on June 8, 2020.

Former Jacobs Petroleum/Ganocy's Exxon, Primary Facility ID # 30-27061, State Rt. 88 at Kovach Rd., Greensboro, PA 15338, Monongahela Township, **Greene County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of Steve Stuck, Jacobs Petroleum Products, Inc., 424 S. Washington Rd., Waynesburg, PA 15370, submitted a Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health standards and was approved on June 8, 2020.

7 Eleven Store No. 40273, Primary Facility ID # 56-81235, 169 N. Plaza Access Rd., Somerset, PA 15501, Somerset Borough, **Somerset County**. AECOM Inc., 3200 Hackberry Rd., Irving, TX 75063, on behalf of Jose Rios, 7 Eleven Inc., P.O. Box 711 (0148), Dallas, TX 75221, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health and site-specific standards and was approved on June 8, 2020.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Country Fair 3, Storage Tank Facility ID # 25-91608, 347 East 12th Street, City of Erie, **Erie County**. ATC Group Services, LLC, 270 William Pitt Way, Pittsburgh,

PA 15238, on behalf of Country Fair, Inc., 2251 East 30th Street, Erie, PA 16510, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, MTBE, cumene, naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved by DEP on June 10, 2020.

SPECIAL NOTICES

WATER MANAGEMENT

Proposed Total Maximum Daily Loads (TMDLs) for the Peters Creek Watershed in Lancaster County.

Central Office: Bureau Director, Water Supply and Wastewater Management, P.O. Box 8467, Harrisburg, PA 17105-8467.

The Department of Environmental Protection will accept comments on the proposed TMDLs developed for the **Peters Creek Watershed in Lancaster County**. The TMDLs were established in accordance with the requirements of Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included impaired stream segments in the watershed. The listings of these segments were due to aquatic life use impairments caused by excessive siltation from agriculture.

There currently are no State or Federal in-stream numerical water quality criteria for sediment. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL document sets allowable loadings of sediment in the Peters Creek Watershed. Nonpoint source load allocations were made for cropland, hay/pasture land and streambank source sectors present in the watershed. Data used in establishing these TMDLs were generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment loadings within the watershed, the prescribed "TMDL" values, and % reductions needed under annual average conditions.

<i>Summary of "TMDL"—Based Load Reductions (expressed as annual average values) in the Peters Creek Watershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>"TMDL" (lbs/yr)</i>	<i>% Reduction</i>
Peters Creek	Sediment	3,582,763	1,926,780	46

The proposed TMDL document can be viewed at <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/PetersCreekTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by contacting Scott Heidel, Water Program Specialist, Bureau of Clean Water, Pennsylvania Department of Environmental Protection, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105, Phone: 717-772-5647, E-mail: scheidel@pa.gov.

Written comments will be accepted at the previously listed address. Comment submissions must be post-marked within 30 days after publication of this notice in the June 27, 2020 issue of the *PA Bulletin*. The Depart-

ment will consider all written comments submitted within the deadline prior to submitting the final TMDL to EPA for approval.

Proposed Total Maximum Daily Loads (TMDLs) for the Pine Creek Watershed in Berks and Chester Counties.

Central Office: Bureau Director, Water Supply and Wastewater Management, P.O. Box 8467, Harrisburg, PA 17105-8467.

The Department of Environmental Protection will accept comments on the proposed TMDLs developed for the Pine Creek Watershed in Berks and Chester Counties. The TMDLs were established in accordance with the

requirements of Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included impaired stream segments in the watershed. The listings of these segments were due to aquatic life use impairments caused by excessive siltation from agriculture.

There currently are no State or Federal in-stream numerical water quality criteria for sediment. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL document sets allowable loadings of sedi-

ment in the Pine Creek Watershed. Nonpoint source load allocations were made for cropland, hay/pasture land and streambank source sectors present in the watershed. Data used in establishing these TMDLs were generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment loadings within the watershed, the prescribed "TMDL" values, and % reductions needed under annual average conditions.

<i>Summary of "TMDL"—Based Load Reductions (expressed as annual average values) in the Pine Creek Watershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>"TMDL" (lbs/yr)</i>	<i>% Reduction</i>
Pine Creek	Sediment	1,036,197	593,566	43

The proposed TMDL document can be viewed at <http://www.dep.state.pa.us/dep/deputate/watermgmt/wqp/wqstandards/tmdl/PineCreekTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by contacting Scott Heidel, Water Program Specialist, Bureau of Clean Water, Pennsylvania Department of Environmental Protection, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105, Phone: 717-772-5647, E-mail: scheidel@pa.gov.

Written comments will be accepted at the previously listed address. Comment submissions must be post-marked within 30 days after publication of this notice in the June 27, 2020 issue of the *PA Bulletin*. The Department will consider all written comments submitted within the deadline prior to submitting the final TMDL to EPA for approval.

[Pa.B. Doc. No. 20-812. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Agricultural Advisory Board Virtual Meeting

The Agricultural Advisory Board (Board) has scheduled a meeting for Wednesday, July 1, 2020, beginning at 9 a.m. In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), this meeting will be held as a virtual meeting. Individuals wishing to join the meeting may do so remotely. Information will be provided on the Board's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Jay Braund at jbraund@pa.gov or (717) 772-5636.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Water Advisory Committees," then "Agricultural Advisory Board").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the July 1, 2020, meeting can be directed to Jay Braund at jbraund@pa.gov or (717) 772-5636.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-5636 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-813. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft 2020 Integrated Water Quality Monitoring and Assessment Report; Available for Public Comment

The Department of Environmental Protection (Department) is providing for public comment its draft 2020 Integrated Water Quality Monitoring and Assessment Report (Integrated Report). The Integrated Report includes both a narrative description of the status of the Commonwealth's water quality and the Commonwealth's water quality management programs (formerly the Federal Clean Water Act section 305(b) Report) and waterbody-specific lists depicting the status of Commonwealth surface waters as required by section 303(d) of the Federal Clean Water Act (33 U.S.C.A. § 1313(d)).

Section 303(d) of the Federal Clean Water Act and 40 CFR Part 130 (relating to water quality planning and management) require states to identify waters which do not meet applicable water quality standards, even after the appropriate pollution control technology has been applied to point sources and required best management practices are in place for nonpoint sources. The Integrated Report establishes five categories for listing waterbodies. Waterbodies that do not meet water quality

standards and that require a Total Maximum Daily Load (TMDL) are placed on Category 5 of the Integrated Report waterbody list.

In addition to comments of a general nature on the Integrated Report, the Department is seeking comment on the waters listed as high priorities for TMDL development and the waters selected to be restored through alternatives to TMDLs (Category 5alt). The draft 2020 Integrated Report continues the new digital and fully interactive format with some enhancements such as a general overview of statistics, better search functionality, video tutorials and direct links to TMDL reports through the mapping interface.

Waterbody assessment and compilation of the Integrated Report is an ongoing process. The Department will continue to verify the quality of data used in this process and, as needed, will publish supplements to the Integrated Report for public review and comment.

The draft 2020 Integrated Report is available at www.ahs.dep.pa.gov/eComment.

The Department invites interested persons to submit written comments on the draft 2020 Integrated Report through Tuesday, August 11, 2020. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Integrated Report" as the subject line in written communication.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Water Quality Division at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TTD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-814. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

New General Permit for the Reclamation of Forfeited Noncoal Mines (GP-106)

The Department of Environmental Protection (Department) has issued a new general permit that authorizes the extraction of noncoal minerals to facilitate the reclamation of sites that have previously been forfeited prior to reclamation.

The Department is authorized under section 26(b) the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. § 3326(b)) and 25 Pa. Code Chapter 77, Subchapter J (relating to general permits) to initiate and issue general permits for any category of noncoal surface mining activities if the Department determines the activities in the category are similar in nature, the activities in

the category can be adequately regulated utilizing standardized specifications and conditions, and the activities in the category, in the opinion of the Department, are more appropriately regulated under a general permit than under individual permits.

Notice of the availability of the draft General Permit 106 (GP-106) was published at 49 Pa.B. 1854 (April 13, 2019). A 30-day comment period was provided. The Department received comments from one individual during the comment period, but no substantive changes were made to the final GP-106.

Registration and Information Requirements

The new GP-106 will become effective on June 27, 2020. To qualify for coverage under this general permit, a licensed mine operator must submit a complete Notice of Intent (NOI) form (5600-PM-BMP0454) to the appropriate District Mining Office with jurisdiction in the area of the proposed project. A fee of \$725 will be required for coverage under this general permit upon submission of the NOI. If approved, the operator will receive written notice of coverage under this general permit effective for 2 years (unless an extension is granted).

To access the general permit and related documents, visit www.depgreenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "Mining Programs," then "GP-106 (Draft) General Permit for the Reclamation of Forfeited Noncoal Mines 5600-PM-BMP0454").

Questions regarding the GP-106 can be directed to Eric Oliver, Bureau of Mining Programs, Office of Active and Abandoned Mine Operations, at eoliver@pa.gov or (814) 342-8200.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-815. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Planning Grant Award under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection announces the following grant to Beaver County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards

are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at mvottero@pa.gov or (717) 772-5719.

Act 101, Section 901 Planning Grant

Region	County	Applicant	Project	Grant
South-west	Beaver	Beaver County	Feasibility Study	\$72,000

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-816. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Proposed State Implementation Plan Revision; Certification of the Commonwealth's Submittal of All Case-By-Case Reasonably Available Control Technology Determinations and Averaging Plans to the United States Environmental Protection Agency for the 1997 and 2008 8-Hour Ozone National Ambient Air Quality Standard; Virtual Public Hearing

The Department of Environmental Protection (Department) is proposing to submit a State Implementation Plan (SIP) revision to the United States Environmental Protection Agency (EPA) as required under sections 172(c)(1), 182(b)(2)(C) and (f) and 184(b)(1)(B) of the Clean Air Act (CAA) (42 U.S.C.A. §§ 7502(c)(1), 7511a(b)(2) and (f) and 7511c(b)(1)(B)). This proposed SIP revision would certify that the Department has submitted all of the Commonwealth's case-by-case reasonably available control technology (RACT) permits and averaging plans (determination) to the EPA by May 9, 2020, consistent with the EPA's conditional SIP approval of certain provisions of the Commonwealth's RACT II Rule. 84 FR 20274 and 29290 (May 9, 2019). The EPA must issue full approval of the Commonwealth's RACT II Rule as a SIP revision for the Commonwealth to satisfy its RACT obligations under the CAA and implementing rule for the 1997 and 2008 ozone National Ambient Air Quality Standard (see 80 FR 12264 (March 6, 2015)).

This notice rescinds and replaces the Department's previous notice published at 50 Pa.B. 1908 (March 28, 2020).

On April 23, 2016, the Environmental Quality Board promulgated a final rule entitled "Additional RACT Requirements for Major Sources of NO_x and VOCs" at 46 Pa.B. 2036 (April 23, 2016) (RACT II Rule), which the Department submitted to the EPA for approval as a revision to the Commonwealth's SIP. The EPA published a final rule on May 9, 2019, entitled "Approval and Promulgation of Air Quality Implementation Plans; Pennsylvania; Regulatory Amendments Addressing Reasonably

Available Control Technology Under the 1997 and 2008 8-Hour Ozone National Ambient Air Quality Standards" (see 84 FR 20274), conditionally approving certain provisions of the Commonwealth's RACT II Rule (RACT II Conditional Approval). The RACT II Conditional Approval required the Commonwealth to submit all determinations to the EPA by May 9, 2020 (see 84 FR 20274 and 20290).

The Department is proposing to certify that additional enforceable measures in the RACT permits submitted to the EPA meet the requirements specified by the EPA in the RACT II Conditional Approval. Through this proposed SIP revision, the Department would certify that it has submitted the following on or before May 9, 2020:

1. All facility-wide or system-wide averaging plans approved by the Department under 25 Pa. Code § 129.98 (relating to facility-wide or system-wide NO_x emissions averaging plan general requirements) including but not limited to terms and conditions that ensure the enforceability of the averaging plan as a practical matter

2. All source-specific RACT determinations approved by the Department under 25 Pa. Code § 129.99 (relating to alternative RACT proposal and petition for alternative compliance schedule), including alternative compliance schedules approved under §§ 129.97(k) (relating to presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule) and 129.99(i); the source-specific RACT determinations submitted to the EPA for approval into the SIP include terms and conditions to ensure the enforceability of the source-specific RACT emission limitation as a practical matter.

This proposed certification SIP revision includes a list of RACT permits containing additional enforceable measures in Table 1. Commonwealth of Pennsylvania Case-by-Case RACT Plans Submitted to EPA to Address Obligations of EPA's Conditional Approval Final Rule (see 84 FR 20274) at www.ahs.dep.pa.gov/eComment, is herein referred to as Table 1. Table 1 includes the Department Region Number or Local Agency, the Permit/Plan Approval Number, the Facility Name, the Permit Issuance Date, the *Pa Bulletin* Intent to Issue with 30-day Public Comment Period or Allegheny County Health Department (ACHD) Comment Period, including the subheadings *Pa Bulletin* Date or ACHD Comment Period, and *Pa Bulletin* Page Number or ACHD Public Notice Number and lastly the headings SIP Package Sent to the EPA for Final Approval Date and ACHD Hearing Date.

Philadelphia Air Management Services (AMS) and the ACHD are separate delegated local air pollution control agencies under section 12 of the Air Pollution Control Act (35 P.S. § 4012). Each agency makes their own case-by-case RACT determinations. Table 1 includes a final list of the local air pollution control agencies' RACT permits containing additional enforceable measures. The Department reviewed and submitted the AMS and ACHD RACT permits to the EPA on behalf of AMS and ACHD as revisions to the Commonwealth's SIP on the dates listed in Table 1.

The Department is seeking public comment on this proposed SIP revision, which would certify that the additional enforceable measures in the RACT permits submitted to the EPA address the requirements in the EPA's May 9, 2019, RACT II Conditional Approval. The Department is only taking comments on this proposed SIP revision and supporting documentation. This request for comment is not intended for permit-specific comments and the Department will not consider comments on any specific permit. Permits for individual facilities through-

out this Commonwealth were already subject to an appropriate public comment period.

The proposed SIP revision is available on the Department's web site at www.ahs.dep.pa.gov/eComment or by contacting Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702.

In accordance with Governor Tom Wolf's emergency disaster declaration on March 6, 2020, and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Department will offer a virtual public hearing to receive comments on the proposed SIP revision on Thursday, July 30, 2020, at 1 p.m. Persons wishing to join the hearing may do so remotely. Information will be provided on the Bureau of Air Quality's webpage at www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx.

Persons wishing to present testimony should contact Amanda Rodriguez, P.O. Box 8468, Harrisburg, PA 17105, amarodrigu@pa.gov or (717) 787-9702 to reserve a time. Witnesses will be limited to 10 minutes and should provide two written copies of their testimony.

If by 12 p.m. on Monday, July 27, 2020, no person has expressed an interest in testifying, the hearing will be cancelled. If the hearing is cancelled, the Department will provide public notice on the Bureau of Air Quality's webpage at www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx. Persons may also contact the Department to find out if the hearing is cancelled by contacting Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Amanda Rodriguez at (717) 787-9702 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

The Department must receive comments no later than Friday, July 31, 2020. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "CTG RACT Certification SIP" as the subject line in written communication.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-817. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Small Business Compliance Advisory Committee Virtual Meeting

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Small Business Compliance Advisory Committee (Committee) meeting scheduled for 10 a.m. on Wednesday, July 22, 2020, will be held as a virtual meeting. Individuals wishing to join the meeting may do so remotely. Information will be

provided on the Committee's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Lucas Hershey at luchershey@pa.gov or (717) 787-7019.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Air Advisory Committees," then "Small Business Compliance").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the July 22, 2020, meeting can be directed to Lucas Hershey at luchershey@pa.gov or (717) 787-7019.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Lucas Hershey at (717) 787-7019 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-818. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Statewide Water Resources Committee and Regional Committees; Virtual Meetings Scheduled for 2020

The Statewide Water Resources Committee and the six regional committees associated with the State Water Plan update being coordinated by the Department of Environmental Protection (Department) have scheduled meetings for the remainder of 2020. In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), these will be held as virtual meetings.

Individuals wishing to join a meeting may do so remotely. Information will be provided on each Committee's webpage. Individuals interested in providing public comments during a meeting must sign up prior to the start of each meeting by contacting Mark Matlock at marmatlock@pa.gov or (717) 783-2285.

Information on how to join each meeting, as well as the schedule, agenda and meeting materials, will be available on each Committee's webpage, found on the Department's web site at www.dep.pa.gov (select "Businesses," then "Water," then "Division of Planning and Conservation," then "State Water Plan," then "Committees" icon found at the top of the page).

Individuals are encouraged to visit each Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions can be directed to Mark Matlock, Office of Water Resources Planning, at marmatlock@pa.gov or (717) 783-2285.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-2285, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Following is a list of virtual meetings that have been scheduled.

Delaware Water Resources Regional Committee

The Delaware Water Resources Regional Committee will hold a virtual meeting/conference call at 9 a.m. on the following dates:

July 14, 2020
October 13, 2020

Lower Susquehanna Water Resources Regional Committee

The Lower Susquehanna Water Resources Regional Committee will hold a virtual meeting/conference call at 9 a.m. on the following dates:

July 15, 2020
October 14, 2020

Potomac Water Resources Regional Committee

The Potomac Water Resources Regional Committee will hold a virtual meeting/conference call at 1 p.m. on the following dates:

July 16, 2020
October 15, 2020

Ohio Water Resources Regional Committee

The Ohio Water Resources Regional Committee will hold a virtual meeting/conference call at 1 p.m. on the following dates:

July 28, 2020
October 27, 2020

Great Lakes Water Resources Regional Committee

The Great Lakes Water Resources Regional Committee will hold a virtual meeting/conference call at 9 a.m. on the following dates:

July 29, 2020
October 28, 2020

Upper/Middle Susquehanna Water Resources Regional Committee

The Upper/Middle Susquehanna Water Resources Regional Committee will hold a virtual meeting/conference call at 9:30 a.m. on the following dates:

July 30, 2020
October 29, 2020

Statewide Water Resources Committee

The Statewide Water Resources Committee will hold a virtual meeting/conference call at 9 a.m. on the following dates:

August 19, 2020
November 12, 2020

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-819. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Technical Advisory Committee on Diesel Powered Equipment; Conference Call

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Technical Advisory Committee on Diesel Powered Equipment (Committee) meeting scheduled at 10 a.m. on Wednesday, July 8, 2020, will be held as a conference call only. Individuals wishing to join the call may do so. Information will be provided on the Committee's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Margaret Scheloske at mscheloske@pa.gov or (724) 404-3143.

The agenda and meeting materials, as well as call-in information, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Mining Advisory Committees" then "Technical Advisory Committee on Diesel Powered Equipment," then "2020").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the July 8, 2020, meeting can be directed to Margaret Scheloske at mscheloske@pa.gov or (724) 404-3143.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Margaret Scheloske at (724) 404-3143 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-820. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Exempt Machinery and Equipment Steel Products

The following is an updated list of exempt machinery and equipment steel products authorized under section 4(b) of the Steel Products Procurement Act (73 P.S. § 1884(b)). There is a 30-day comment period beginning on the date of this publication during which the public may submit comments in writing, as to the domestic availability of a steel product on the list, to the Deputy Secretary for Public Works, Department of General Services, 18th and Herr Streets, Harrisburg, PA 17125, ra-steel@pa.gov. The comments must be supported with a mill certification indicating that the steel was melted in

the United States or an executed Steel Origin Certification form (found on the Department of General Services web site at www.dgs.state.pa.us) indicating the disputed product is produced domestically. See 4 Pa. Code Chapter 67a (relating to steel products procurement—statement of policy). Any “(NEW)” after a listing indicates a steel product that was not produced in the United States in sufficient quantities to meet the requirements of the contract during 2019.

Exempt Machinery and Equipment Steel Products

Air Conditioning Units
 Air Duct Housing with Sample Tubes
 Air Handling Units
 Anchor Bolt
 Audio RA Station
 Annunciator Panel
 AV Rack Kit
 Back Box
 Backflow Preventer
 Battery Cabinet
 Blank Filler Plate for Fiber
 Blank Metal Door
 Blank Plate for Outer Door
 Bottom Dead Front Panel
 Bridge for Cameras
 Butterfly Valves
 Cabinet
 Cardcage
 Cast Steel Gate Valve
 CCTV Power Supply
 Ceiling Flange
 Central Control Unit
 Centrifugal Pumps
 Channel Video
 Circulating Pump
 Closers
 Color Monitor
 Combination Round Head Steel Zinc-Plated Toggle Bolts
 Condensing Boilers (NEW)
 Conduit Fittings
 Control Module Plate
 Control Panel
 Control Valve
 Data Converter Unit
 Deck Inserts
 Deck and Rub Rail Fasteners
 Dielectric Nipples (NEW)
 Digital Communicators
 Digital Record
 Door Protection
 Door Trim/Handles
 Drinking Fountain
 Drip Pan ELL
 Drop-In Anchors
 Dry Tape Transformer
 Drywall Screws
 Dual Interface Module
 Duct Detector with Relay
 Duct Housing
 Ductless Split System
 DVR Rack
 Electric Traction Elevators
 Electric Water Cooler
 Elevator Controller
 Elevator Hoistway
 Encl. for Annunciator
 Exit Devices
 Exp Cage
 Fence System Nuts and Bolts
 Fire Alarm NAC Extender
 Fire Alarm Peripherals
 Fixed Door Station
 Flexible Drops
 Full Blank Plate
 Galvanized Carriage Bolts
 Garage Door Tracking
 Gas Furnace
 Gas Piping Butt Weld Tees
 Generator
 Globe Valve (Steam)
 Hand Dryer
 Hanger Mounting Plates
 Hangermates
 Hangers Supports
 Horn/Strobe
 Inclined Platform Wheelchair Lifts
 Inner and Outer Door
 Inner Door Blank Plate
 Interface Module
 Lag Bolts
 Large Remote Cab
 Lighting Fixtures, Interior/Recessed
 Lighting Fixtures, Surface Wrap
 Lighting Fixtures, Track Head
 Lock Cylinders
 Locknuts
 Locksets
 Low Temp. Detection Thermostats
 Lubrication Unit
 Machine Screws
 Main Control Board
 Mega Press Fittings, Mega Press XL and G Fittings (NEW)
 Metal Lockers
 Manual Pull Station
 Med. Enclosure
 Middle Dead Front
 Mini-Interface Module
 Monitor Mount
 Monitor Wall Brk
 Mounting Plate
 Network Fiber Switch
 Overhead Door
 Overhead Stops
 Patient Wandering Alarm
 Pipe Clamps
 Pivots
 Power Supply
 Pull Station Box
 RA Annunciator Pnl
 Rack Mount Card Cage
 Rack Mount Kit
 Radiant Panels
 Reader Interface
 Relay Module
 Remote Chiller
 Round Head Machine Screw
 Safety Relief Valve
 Sampling Tube
 Screw Air Compressor (NEW)
 Security Panel
 Security Unit
 Security/CCTV Camera Housing
 Self-Turn/Self Tapping Screw
 Shower/Eye Washers
 Signal Extender Module
 Single Blank
 Smoke Detector Wire
 Speaker
 Speaker/Strobe
 Split HVAC System
 Split Ring Hangers

Split Rings
 Split System Air Conditioning
 SSD-C Remote Display with Control
 SSD-C-REM Rem Display
 Stainless Flat Bars
 Stainless Steel Cable
 Strobe
 Submersible Pump
 Sump Pump
 Surface Mount Speaker
 Surface Station Box
 Surge Arrester
 Surge Protector
 T8 Light Troffer
 Tamper Proof Screws and Nuts
 Threaded Rod Hanger
 Tie Wire 21 Gauge
 Tie Wire Anchor

Toggle Wing
 Transformer
 Turbine Pumps
 Uninterruptible Power Supply
 VRV Fan Coils/Cond. Units
 Wall Mounted Boiler
 Wall Mounted Fountain
 Water Coolers
 Water Fountain Mounting Frame
 Water Heater
 Wing Toggle

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 20-821. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Ambulatory Care Specialists of Cranberry, LLC	28 Pa. Code § 569.35(7) (relating to general safety precautions)
King of Prussia Surgery Center	28 Pa. Code § 569.35(7)
Lifeline Valley Access Center	28 Pa. Code § 551.21(d)(1)—(3) (relating to criteria for ambulatory surgery)
North Pointe Surgery Center—Lebanon	28 Pa. Code § 551.21(d)(1)
Orthopaedic Surgery Center at Bryn Mawr Hospital	28 Pa. Code § 551.21(d)(1)
Southwestern Ambulatory Surgery Center, LLC	28 Pa. Code § 555.32(a) (relating to administration of anesthesia)

These previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-822. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Health Research Advisory Committee Virtual Meeting

The Department of Health's Health Research Advisory Committee (Committee), established by section 903(b) of the Tobacco Settlement Act (35 P.S. § 5701.903(b)), will hold a public meeting on Tuesday, July 14, 2020, from 11 a.m. to 12:30 p.m. The meeting will be held virtually by means of Skype at +1 267-332-8737 with Conference ID: 202216276.

The purpose of the meeting is to review the work of the Committee and to continue the planning process to establish the health research priorities for the State Fiscal Year 2021-2022.

For additional information or persons with disabilities who wish to attend the meeting and require an auxiliary aid, service or other accommodation, contact Penny E. Harris, MEd, CAC, LPC, Director, Health Research Office, or Pamela Brown, Management Technician, Health Research Office, (717) 231-2825, ra-healthresearch@pa.gov, by mail to the Health and Welfare Building, Room 833, 625 Forster Street, Harrisburg, PA 17120-0701, or

for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Check the Department of Health, Health Research Office CURE Health Research Advisory Committee web site at <https://www.health.pa.gov/topics/Research/CURE/Pages/Committee.aspx> for any changes to this public meeting.

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-823. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Butler Memorial Hospital	28 Pa. Code § 105.11(b) (relating to access)
Lecom Health Corry Memorial Hospital	28 Pa. Code § 51.23 (relating to positron emission tomography)
Penn Presbyterian Medical Center	28 Pa. Code § 107.62(a) and (b) (relating to oral orders)
Saint Christopher's Hospital for Children	28 Pa. Code § 111.27(b) (relating to nutritional aspects of patient care)
	28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards)
	28 Pa. Code § 127.32 (relating to written orders)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Millcreek Community Hospital	2.2-2.12.4.3 (relating to seclusion room)	18
Penn Highlands Dubois	2.1-3.8.12.1 (relating to general)	18-O
	2.1-3.8.12.3(1) and (2) (relating to soiled holding room)	18-O
	2.2-3.4.1.3(1)(d) (relating to radiation protection)	18
UPMC Susquehanna Soldiers & Sailors	2.2-2.6.2.2(2) and (3)(d) (relating to space requirements)	18
	2.2-2.6.2.6(1)(a) and (b) (relating to toilet rooms)	18
UPMC East	2.2-3.2.8.1(1) (relating to support areas for the observation unit)	18

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by "-O."

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-824. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Newborn Screening and Follow-Up Technical Advisory Board Virtual Meeting

The Newborn Screening and Follow-Up Technical Advisory Board, established under the Newborn Child Testing Act (35 P.S. §§ 621—625), will hold a public meeting on Thursday, July 16, 2020, from 10 a.m. until 1 p.m. The meeting will be conducted as a teleconference Skype meeting. The dial-in number is (267) 332-8737 and the conference access ID is 418967885#.

The agenda will include discussions about the Newborn Screening Senate Bill 983 and House Bill 730; updates regarding Newborn Screening Advocacy; updates from the Bureau of Family Health (Bureau); and updates from the Hemoglobinopathy, Lysosomal Storage Disorders/X-ALD, Cystic Fibrosis, Ethics and Critical Congenital Heart Defects subcommittees. The Bureau will present data for each subcommittee update and for severe combined immunodeficiency disorder.

For additional information or for persons with a disability who wish to attend the meeting and require auxiliary aid, service or other accommodation to do so, contact Stacey Gustin, Director, Division of Newborn Screening and Genetics, at (717) 783-8143. Speech and/or hearing-impaired persons should use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-825. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Renal Disease Advisory Committee Virtual Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P.L. 419, No. 140) (35 P.S. § 6204), will hold its quarterly public meeting on Friday, July 17, 2020, from 10 a.m. to 12 p.m. by means of Skype conference call. The purpose of the meeting is to discuss new and ongoing issues relating to treatment of chronic renal disease and the Department of Health's programs related to care and treatment. To join the call, dial +1 (267) 332-8737 and, when prompted, enter the following conference code: 836810316#.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Tara Trego, Director, Bureau of Family Health, 7th Floor East, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-826. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Nursing Facility Assessment Program for Fiscal Year 2020-2021

This notice announces the proposed assessment amount, the proposed assessment methodology and the estimated aggregate impact on nursing facilities that will be subject to the assessment under the Nursing Facility Assessment Program (Assessment Program) beginning in Fiscal Year (FY) 2020-2021.

Background

Article VIII-A of the Human Services Code (code) (62 P.S. §§ 801-A—815-A) authorizes the Department of Human Services (Department) to impose an annual monetary assessment on nonpublic and county nursing facilities in this Commonwealth each fiscal year until June 30, 2022. See 62 P.S. §§ 803-A and 815-A.

Under Article VIII-A of the code, the Department may impose the assessment only to the extent that the assessment revenues qualify as the State share of Medical Assistance (MA) Program expenditures eligible for Federal financial participation (FFP). To ensure receipt of FFP, Article VIII-A of the code requires the Department to seek a waiver from the Centers for Medicare & Medicaid Services, if necessary, to implement the Assessment Program. See 62 P.S. § 812-A.

For each fiscal year that the Assessment Program is implemented, the Secretary of the Department (Secretary) determines the aggregate amount of the assessment and the annual assessment rates in consultation with the Secretary of the Budget. See 62 P.S. § 804-A. The annual assessment rates must be sufficient to generate at least \$50 million in additional revenue, but not more than the maximum aggregate assessment amount that qualifies for FFP. See 62 P.S. § 804-A.

Before imposing an annual assessment for a fiscal year, the Secretary must publish a notice in the *Pennsylvania Bulletin*. The notice must specify the amount of the assessment being proposed, explain the proposed assessment methodology, identify the estimated assessment amount and aggregate impact on nursing facilities subject to the assessment and provide interested persons a 30-day period to comment. See 62 P.S. § 805-A.

This notice announces the assessment amounts, rates and methodology that the Department is proposing to implement in FY 2020-2021 and the estimated aggregate impact on nursing facilities that will be subject to the assessment in FY 2020-2021.

Proposed Assessment Methodology and Rates

During FY 2020-2021, the Department is proposing to use the same methodology that was used in FY 2019-2020, but the proposed rates will represent a uniform decrease in the rates for both tiers by \$0.03 from last year's rates. The Department is proposing to calculate the annual assessment amount for each nonexempt nursing facility by multiplying its assessment rate by the facility's historical non-Medicare resident days for Calendar Year (CY) 2018. The Department intends to continue its policy of annually updating the basis of the assessment to the most current year for which complete data is available. The Department will continue to collect the annual assessment amount in four equal quarterly installments.

For FY 2020-2021, the assessment will be imposed on all licensed nursing facilities in this Commonwealth

except the following nursing facilities, which will be exempt from the Assessment Program:

- (1) State-owned and operated nursing facilities.
- (2) Veteran's Administration nursing facilities.
- (3) Nursing facilities that provide nursing facility services free of charge to all residents.
- (4) Newly licensed nursing facilities that have not been licensed and operated by the current or previous owner until the nursing facility's days are included in the data used as the basis of the assessment. A nursing facility that changes ownership is not considered a newly licensed nursing facility for assessment purposes.

For FY 2020-2021, the Department is proposing to continue to assess nonexempt nursing facilities at two rates. The Department is proposing to assess a rate of \$7.27 to the following five categories of nursing facilities:

- County nursing facilities.
- Nursing facilities that have 44 or fewer licensed beds.
- Certain continuing care retirement community (CCRC) nursing facilities (see 40 Pa.B. 7297 (December 18, 2010)).
- Nursing facilities with an MA occupancy rate of at least 94% based on CY 2018 resident days as of November 19, 2019. For the purpose of qualifying for the lower assessment rate, a nursing facility's MA occupancy rate will be calculated as follows: $\text{MA Occupancy Rate} = \frac{\text{Sum of Total PA MA Days from the CY 2018 resident days data}}{\text{sum of Total Resident Days from the CY 2018 resident days data}}$, rounded to two decimals.
- Nursing facilities with at least 125,000 MA days and with an overall occupancy rate of 90% or higher based on the CY 2018 resident days as of November 19, 2019. For the purpose of qualifying for the lower assessment rate, a nursing facility's overall occupancy rate will be calculated as follows: $\text{Overall Occupancy Rate} = \frac{\text{Sum of Total Resident Days from CY 2018 resident days as of November 19, 2019}}{\text{number of licensed beds as of November 18, 2019} \times 365}$, rounded to two decimals.

For all other nonexempt facilities, including nursing facilities that began participation in a CCRC on or after July 1, 2010, the Department is proposing to assess these facilities at a rate of \$31.36.

Aggregate Assessment Amounts and Fiscal Impact

The Department estimates that if the proposed assessment rates are implemented the annual aggregate assessment fees for nonexempt nursing facilities will total \$488.748 million. The Department will use the State revenue derived from the assessment fees and any associated FFP to support payments to qualified MA nursing facility providers in accordance with applicable laws and regulations.

Public Comment

Interested persons are invited to submit written comments regarding this proposed assessment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Danielle Cyphert, P.O. Box 8025, Harrisburg, PA 17105-8025, RA-NFcomments@pa.gov. Comments must be submitted within 30 days of publication of this notice. See 62 P.S. § 805-A. After considering the comments, the Secretary will publish a second notice announcing the final assessment rates for FY 2020-2021.

The Department will not begin collecting assessment fees until after the publication of the final assessment rate notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1396. (1) General Fund; (2) Implementing Year 2019-20 is \$0; (3) 1st Succeeding Year 2020-21 is \$488,728,000; 2nd Succeeding Year 2021-22 through 5th Succeeding Year 2024-25 are \$0; (4) 2018-19 Program—\$693,000,000; 2017-18 Program—\$0; 2016-17 Program—\$0; (7) Community HealthChoices; (8) recommends adoption. Funds have been included in the budget as assessment revenue will be used to support payments to qualified MA nursing facility providers.

[Pa.B. Doc. No. 20-827. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by County and Nonpublic Nursing Facilities; Notice of Change in Methods and Standards of Setting Payment Rates; Budget Adjustment Factor

The Department of Human Services (Department) is announcing its intent to amend the Commonwealth's Title XIX State Plan to update the Medical Assistance (MA) payment methodology and standards for payment of MA nursing facility services in Fiscal Year (FY) 2020-2021 to authorize the continued use of a budget adjustment factor (BAF) in setting payment rates for nursing facility services.

Background

Since 1996, the Department has used a case-mix prospective payment methodology to set per diem rate payments for MA nursing facility providers. One of the reasons the Department adopted this payment methodology was that the prior retrospective cost-based payment system had proven to be "highly inflationary" and change was necessary to curb an "explosive growth of nursing facility expenditures." See 25 Pa.B. 4477 (October 14, 1995). In 2006, the Department noted that "since the case-mix payment system was implemented in 1996, MA nursing facility payment rates have risen more than 56% and, since 2000, have increased by 27.4% overall. During this same period, expenditures for MA nursing facility services have grown to nearly \$3 billion and expenditures for MA services to the elderly and [people with disabilities] now consume approximately 70% of the \$14 billion MA Program budget." See 36 Pa.B. 3207 (June 24, 2006).

Realizing that the MA Program could not continue to sustain the pace at which long-term care expenditures were growing, the Department amended the Commonwealth's Title XIX State Plan and issued regulations changing the case-mix payment methodology effective July 1, 2005, to include use of a BAF in annual rate-setting. See 35 Pa.B. 6232 (November 12, 2005). Application of a BAF was continued in 2007, 2008, 2011, 2013, 2016 and again in 2019. See the act of June 30, 2007

(P.L. 49, No. 16), the act of July 4, 2008 (P.L. 557, No. 44), the act of June 30, 2011 (P.L. 89, No. 22), the act of July 9, 2013 (P.L. 369, No. 55), the act of July 8, 2016 (P.L. 480, No. 76) and the act of June 28, 2019 (P.L. 168, No. 19). The BAF limits the estimated Statewide day-weighted average payment rate for MA nursing facility services for county and nonpublic nursing facilities in effect for the fiscal year to the amount permitted by the funds appropriated by the General Appropriations Act for the fiscal year.

Since the implementation of the BAF, case-mix per diem rates have increased on an annual average basis by \$2.51 per day and in the aggregate by 22.63% overall from FY 2004-2005 through estimated payment rates for FY 2019-2020. In contrast, had the BAF not been used, rates would have increased on an annual average basis by \$5.41 per day and overall by 48.89%, well in excess of either the Consumer Price Index or the Centers for Medicare & Medicaid Services' (CMS) Nursing Home without Capital Market Basket Index.

Further, during the years that the BAF has been in place, the Department has not uncovered any evidence that the quality of care in this Commonwealth's MA nursing facilities has been adversely impacted by use of the BAF. To the contrary, MA nursing facility providers continue to deliver a high quality of care. The Department does not expect the quality of care to decline in FY 2020-2021, and will continue enforcement and monitoring activities to ensure that is the case.

In short, use of the BAF has served to conserve taxpayer funds while assuring, and continuing to assure, that fee-for-service payments to nursing facilities under the MA Program are consistent with efficiency and economy and at the same time sufficient to assure access to quality care. The General Assembly has authorized the BAF through June 30, 2022. 62 P.S. § 443.1(7)(iv).

Proposed BAF Methodology for FY 2020-2021

In 2019 CMS approved a State Plan Amendment to continue use of the BAF through June 30, 2022. The Department will apply a BAF and make adjustments to nonpublic nursing facility and county nursing facility payment rates in FY 2020-2021. As in prior years, the BAF will limit the estimated Statewide day-weighted average payment rate for MA nursing facility services for county and nonpublic nursing facilities so that the average payment rate in effect for the fiscal year is limited to the amount permitted by the funds appropriated by the General Appropriations Act for the fiscal year.

Nonpublic Nursing Facilities

From July 1, 2005, through June 30, 2011, the Department calculated one BAF each rate-setting year and applied that BAF to the nursing facility payment rates in effect for the rate-setting year. For FY 2011-2012, the nursing facility industry requested, and the Department responded by calculating a BAF each quarter of the fiscal year for nonpublic nursing facilities instead of calculating one BAF for the fiscal year. For FYs 2012-2013 through 2016-2017, the Department returned to formulas similar to the formula used in FYs 2009-2010 and 2010-2011 which allowed for an adjustment in the fourth quarter if certain conditions were met. See 39 Pa.B. 4958 (August 15, 2009). For FYs 2017-2018 through 2019-2020 the Department calculated a quarterly BAF for nonpublic nursing facilities using a formula similar to the formula used in FY 2011-2012. The Department is proposing to continue the quarterly BAF in FY 2020-2021 for non-

public nursing facilities using the same formula used in FYs 2017-2018 through 2019-2020. The formula is as follows.

Nonpublic Nursing Facilities' BAF Determination

Quarterly BAF Formula—Prior to establishing the MA nonpublic nursing facility quarterly rates for the 2020-2021 rate year, the Department will use the following formula to determine the Quarterly BAF:

Annual target rate divided by the weighted average quarterly rate at 100% equals the Quarterly BAF.

If the Quarterly BAF as calculated is greater than 1.0, the Quarterly BAF will equal 1.0.

Terms Related to the BAF Determination

The following words and terms, when used in the 2020-2021 BAF determinations; have the following meaning, unless the context clearly indicates otherwise:

Annual target rate—The base rate multiplied by one plus the percentage rate of change permitted by the funds appropriated by the General Appropriations Act for the applicable rate year.

Base days—The source of days for the day-weighted calculation used in determining the base rate and the weighted-average quarterly rates at 100%. The base days are the sum of each nonpublic nursing facility's paid facility days, therapeutic leave days and 1/3 of the hospital bed reserve days for dates of service for the quarter beginning six months prior to the quarterly rate for which the BAF is being calculated.

Base rate—The base rate is the prior year's annual target rate.

Quarterly BAF—The BAF applied to each nonpublic nursing facility's quarterly rate, as calculated for the quarter.

Weighted-average quarterly rate at 100%—The Statewide day-weighted average of the nonpublic nursing facilities' quarterly rates, as applicable, determined in accordance with 55 Pa. Code Chapter 1187 (relating to nursing facility services), calculated using base days, prior to application of a BAF.

County Nursing Facilities

The Department will continue to calculate and apply the BAF to county nursing facility payment rates as it has in prior rate-setting years. Specifically, the Department will adjust each county nursing facility's per diem rate by multiplying the rate by a BAF. A county nursing facility's per diem rate for an MA resident will be the facility's July 1, 2019, per diem rate as calculated under 55 Pa. Code Chapter 1189, Subchapter D (relating to rate setting) and 55 Pa. Code § 1189.91(b) (relating to per diem rates for county nursing facilities) multiplied by the county BAF.

Fiscal Impact

No fiscal impact is anticipated as a result of these changes through June 30, 2021. The amount of funding available for this program is dependent upon the funds appropriated by the General Assembly in the forthcoming fiscal year. Therefore, until a budget bill is passed and enacted, any estimated fiscal impact associated with this notice is based on the funding levels in the General Appropriation Act of 2019.

Public Comment

Interested persons are invited to submit written comments regarding the BAF formula to the Department of

Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Danielle Cyphert, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-NFcomments@pa.gov. Comments received within 30 days will be reviewed and considered.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1395. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 20-828. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payments to Nonpublic and County Nursing Facilities; Proposed Rates for State Fiscal Year 2020-2021

This notice announces the Department of Human Services (Department) proposed annual case-mix per diem payment rates for State Fiscal Year (FY) 2020-2021 for nonpublic and county nursing facilities that participate in the Medical Assistance (MA) Program.

Nonpublic Nursing Facility Per Diem Rates

As required by the case-mix payment methodology in 55 Pa. Code Chapter 1187, Subchapter G (relating to rate setting), the Department intends to set an annual MA per diem rate for each nonpublic nursing facility provider. Each facility's annual per diem rate will have four components: resident care; other resident related; administrative; and capital. For each quarter of FY 2020-2021, the Department will adjust the resident care component of each facility's rate by multiplying the resident care component by the facility's MA case-mix index for the appropriate picture date.

Additionally, the Human Services Code authorizes a budget adjustment factor (BAF) until June 30, 2022. 62 P.S. § 443.1(7)(iv).

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS) to include the BAF formula which the Department will use in FY 2020-2021.

A detailed description of the BAF formula for FY 2020-2021 is in the notice, Payment for Nursing Facility Services Provided by County and Nonpublic Nursing Facilities; Notice of Change in Methods and Standards of Setting Payment Rates; Budget Adjustment Factor published at 50 Pa.B. 3179 (June 27, 2020). Under the proposed formula, the BAF will limit the estimated Statewide day-weighted average payment rate for MA nursing facility services for nonpublic nursing facilities so that the average payment rate in effect for the fiscal year is limited to the amount permitted by the funds appropriated by the General Appropriations Act for the fiscal year. A BAF will be calculated each quarter of FY 2020-2021 for nonpublic nursing facilities.

Finally, in calculating the proposed rates, the Department assumed that the General Appropriation Act of 2020

will include the same level of funding that was in the General Appropriation Act of 2019 and that CMS will approve the SPA including the BAF formula for nonpublic nursing facilities.

County Nursing Facility Per Diem Rates

As required by the rate methodology in 55 Pa. Code Chapter 1189, Subchapter D (relating to rate setting), the Department intends to set an annual MA per diem rate for each county nursing facility provider. As specified in 55 Pa. Code § 1189.91(b) (relating to per diem rates for county nursing facilities), for each rate year beginning on or after July 1, 2007, the per diem rate paid to a county nursing facility for a rate year will be the facility's prior rate year per diem multiplied by a BAF determined in accordance with the formula in the Commonwealth's approved State Plan. The Department will submit a SPA to CMS to include the BAF formula, which the Department will use for county nursing facilities in FY 2020-2021. Again, in calculating the proposed rates, the Department assumed that the General Appropriation Act of 2020 will include the same level of funding that was in the General Appropriation Act of 2019 and that CMS will approve the SPA, including the BAF formula for county nursing facilities.

The proposed annual per diem rates for FY 2020-2021, the July Quarterly BAF that will be applied to nonpublic nursing facility rates and the annual BAF that will be applied to county nursing facilities are available on the Department's web site at <https://www.dhs.pa.gov/providers/Providers/Pages/Rates-Nursing%20Facilities.aspx> and at local county assistance offices throughout this Commonwealth or by contacting Montrell Fletcher, Department of Human Services, Office of Long-Term Living at (717) 775-8015.

Fiscal Impact

If the proposed payment rates are adopted as final, there is no fiscal impact for per diem rate payments for nonpublic and county nursing facilities for FY 2020-2021. The amount of funding available for this program is dependent upon the funds appropriated by the General Assembly in the forthcoming fiscal year. Therefore, until a budget bill is passed and enacted, any estimated fiscal impact associated with this notice is based on the funding levels in the General Appropriation Act of 2019.

Public Comment

Interested persons are invited to submit written comments regarding the proposed annual rates for FY 2020-2021 to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Danielle Cyphert, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-NFcomments@pa.gov. Comments received within 30 days will be reviewed and considered.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1394. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 20-829. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Statewide Quality Care Assessment Program for Fiscal Year 2020-2021

This notice announces a proposed adjustment to the assessment percentage and the estimated aggregate impact on hospitals subject to the assessment under the Statewide Quality Care Assessment Program for Fiscal Year (FY) 2020-2021.

Background

Article VIII-G of the Human Services Code (code)¹ authorizes the Department of Human Services (Department) to implement the Statewide Quality Care Assessment Program beginning July 1, 2010, and ending June 30, 2023. Under Article VIII-G, the Department will impose a monetary assessment on all licensed hospitals in this Commonwealth other than certain exempt hospitals.² See 62 P.S. §§ 801-G—816-G. For State FY 2020-2021 through 2022-2023, the code specifies that the assessment will equal 3.32% of the net inpatient revenue and 1.73% of the net outpatient revenue of the covered hospitals. See 62 P.S. § 803-G(b)(5). Assessment revenue is deposited in a restricted account. See P.S. § 805-G(a).

The code allows the Secretary of the Department (Secretary) to adjust the assessment percentage for inpatient services and outpatient services. Before adjusting the assessment percentage, the Secretary must publish a notice in the *Pennsylvania Bulletin* that specifies the proposed assessment percentage and identifies the aggregate impact on covered hospitals subject to the assessment and allow interested parties a 30-day period in which to comment. See 62 P.S. § 803-G(c).

Proposed FY 2020-2021 Assessment Rate and Estimated Impact on Hospitals

The Department anticipates a positive balance for FY 2019-2020 in the restricted account due to the availability of additional Federal funding. The Secretary is exercising her authority under the code to reduce the assessment percentage rate for FY 2020-2021. The Secretary is proposing to adjust the assessment percentage rate under the Statewide Quality Care Assessment Program to 3.05% of net inpatient revenue and 1.59% of the net outpatient revenue of the covered hospitals. The Department estimates that if this proposed assessment rate is implemented, the annual aggregate assessment fees for the nonexempt hospitals will total \$925.165 million.

FY 2021-2022 and FY 2022-2023 Assessment Rate and Estimated Impact on Hospitals

For FY 2021-2022 and FY 2022-2023, the assessment percentage rate under the Statewide Quality Care Assessment Program will return to 3.32% of the net inpatient revenue and 1.73% of the net outpatient revenue of the covered hospitals as established under the code. The Department estimates the annual aggregate assessment

¹ Article VIII-G was added to the code by the act of July 9, 2010 (P.L. 336, No. 49), re-enacted by the act of July 9, 2013 (P.L. 369, No. 55), amended and extended by the act of December 28, 2015 (P.L. 500, No. 92), and re-enacted by the act of June 22, 2018 (P.L. 258, No. 40).

² Under the code, the following hospitals are exempt from the assessment: (1) Federal veterans' affairs hospitals; (2) Hospitals that provide care, including inpatient hospital services, to all patients free of charge; (3) Private psychiatric hospitals; (4) State-owned psychiatric hospitals; (5) Critical access hospitals; (6) Long-term acute care hospitals; and (7) Free-standing acute care hospitals organized primarily for the treatment of and research on cancer in which at least 30% of the inpatient admissions had cancer as the principal diagnosis based on Pennsylvania Health Care Cost Containment Council calendar year 2014 inpatient discharge data. 62 P.S. § 801-G.

fees for the nonexempt hospitals for FY 2021-2022 and FY 2022-2023 to total \$1,005.766 million.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final assessment percentage rate.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1397. (1) General Fund; (2) Implementing Year 2020-21 is \$925,165,000; (3) 1st Succeeding Year 2021-22 through 3rd Succeeding Year 2023-24 are \$1,005,000,000; 4th Succeeding Year 2024-25 through 5th Succeeding Year 2025-26 are \$0; (4) 2018-19 Program—\$334,085,000; 2017-18 Program—\$342,544,000; 2016-17 Program—\$477,690,000; (7) Medical Assistance—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget as assessment revenue will be used to support Medical Assistance payments to hospitals for inpatient services.

[Pa.B. Doc. No. 20-830. Filed for public inspection June 26, 2020, 9:00 a.m.]

DEPARTMENT OF REVENUE

Retail Incentive Program and Related Retailer Incentive Programs and Promotions for Fiscal Year 2020-2021

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), and under Title 4, Amusements, (4 Pa.C.S. §§ 501—505) the Secretary of Revenue hereby provides public notice of the Retail Incentive Program and Related Retailer Incentive Programs and Promotions (collectively referred to as “the Program”) for fiscal year 2020-2021.

This notice describes the Program, including incentives, bonuses, and promotions available to Retailers throughout fiscal year 2020-2021.

1. *Effective Date:* The Retail Incentive Program and related retailer incentive programs and promotions described herein are effective as of July 1, 2020.

2. *Purpose:* The Pennsylvania Lottery (hereinafter referred to as “Lottery”), hereby gives notice of the Retail Incentive Program, as provided for in 4 Pa.C.S. § 504, and of related retailer incentive programs, as provided for in 61 Pa. Code § 803.11 (relating to the powers and duties of the Secretary of Revenue), 61 Pa. Code § 819.222(b) (relating to incentives for the sale of instant tickets), 61 Pa. Code § 875.17 (relating to the sale of terminal based tickets), 61 Pa. Code § 874.17 (relating to the sale of raffle lottery games), 61 Pa. Code § 876.18 (relating to the sale of iLottery games) in order to detail programs planned by the Lottery for the fiscal year beginning July 1, 2020 and ending June 30, 2021. The Retail Incentive Program and the related retailer incen-

tive programs and promotions, as described in this notice were developed to create a comprehensive, compensation package for Lottery Retailers and to reward them for helping the Lottery achieve its goals. Changes or additions to the Retail Incentive Program will be communicated through an amended notice published in the *Pennsylvania Bulletin*. Changes or additions related to the retailer incentive programs and promotions as described in this notice will be communicated through the usual methods of communication.

3. Definitions:

(a) *Agent or Lottery Sales Agent or Retailer*: A person licensed under section 305 of the State Lottery Law. For the purposes of this notice each separate Retail Location with a separate Lottery license shall be considered a separate Retailer in all respects.

(b) *Fiscal Year*: For the purposes of this notice only, the accounting year used by the Lottery beginning on July 1, 2020 and ending on June 30, 2021.

(c) *Lottery or Pennsylvania Lottery*: The Lottery established under the State Lottery Law.

(d) *Traditional Lottery Products*: For the purposes of this notice, traditional lottery products are limited to instant lottery games, terminal-based lottery games, Fast Play games, raffle lottery games and Webcash sold by a lottery Retailer at a physical Retail Location.

(e) *Retailer in Good Standing*: To be a Retailer in Good Standing, the Retailer must meet all of the following requirements:

(1) Must be an active Retailer permitted to sell Lottery tickets.

(2) Must be an active Retailer on the first day of the Quarter and the last day of the Quarter.

(f) *Secretary*: The Secretary of Revenue of the Commonwealth.

(g) *Standard Retailer Commission*: The amount of compensation provided to Retailers for selling Lottery products, as set forth in the State Lottery Law and the corresponding regulations. The current commission is defined in 61 Pa. Code § 805.10 (relating to compensation).

(h) *State Lottery Law*: The Act of August 26, 1971 (P.L. 351, No. 91), known as the State Lottery Law (72 P.S. §§ 3761-101—3761-314).

(i) *Quarter*: A Quarter is a period of time during the year which consists of three consecutive months and which are consistent with the descriptions below.

(1) First quarter is the period of time beginning on July 1 and ending on September 30.

(2) Second quarter is the period of time beginning on October 1 and ending on December 31.

(3) Third quarter is the period of time beginning on January 1 and ending on March 31.

(4) Fourth quarter is the period of time beginning on April 1 and ending on June 30.

(j) *Retail Location*: Physical location of a Retailer, including a physical address or other designation used by the Lottery to determine the physical location of a Retailer.

4. *Program Goals*: The Lottery seeks to attain the following business goals through the operation of the Program:

(a) *Adoption of Lottery Best Practices*: The Lottery has identified certain best practices as described in section 5, below, and desires to encourage the adoption of these best practices by all Retailers.

(b) *Increasing Retailer Sales*: Traditional Lottery Products can only be sold at physical, Retail Locations and the Lottery desires to award Retailers who increase their sales for the benefit of older Pennsylvanians through the Retail Incentive Program, retailer incentive programs and promotions.

(c) *Encouraging Retailers to Engage in Specific Best Practices*: The Lottery has undertaken to establish the Lottery Best Practices Initiatives as identified in section 9, below, in select Retail Locations throughout the Commonwealth that elect to do so through the Program.

(d) *Rewarding Retailers*: The Lottery has established an aggressive bonus program under the Sales Growth Incentive Program as described in section 8, below, for Retailers who increase their sales proportionately with the overall increase in sales goals the Lottery has established for fiscal year 2020-2021.

5. Lottery Best Practices:

(a) Lottery has identified the following ten best practices that Lottery Retailers are encouraged to adopt and adhere to in order to maximize Lottery sales and player engagement with Traditional Lottery Products at Retail Locations.

(1) *Ask for the Sale*: Retailers can maximize their Traditional Lottery Product sales and player engagement by encouraging customers to buy Traditional Lottery Products.

(2) *Keep Lottery Fresh and Clean*: Retailers can maximize their sales of Traditional Lottery Products and player engagement by maintaining and keeping clean the area of their establishment in which Traditional Lottery Products are sold and displayed.

(3) *Know Lottery Products*: Retailers can maximize their Traditional Lottery Product sales and player engagement by being knowledgeable about the wide variety of Traditional Lottery Products.

(4) *Pay Winning Tickets*: Retailers can maximize their Traditional Lottery Product sales and player engagement by paying winning Lottery tickets of \$2,500, or less, that players present at their Retail Locations.

(5) *Post Winning Tickets*: Retailers can maximize their Traditional Lottery Product sales and player engagement by posting winning tickets sold at their Retail Locations.

(6) *Maintain Inventory*: Retailers can maximize their Traditional Lottery Product sales and player engagement by maintaining their inventory of Traditional Lottery Products, specifically scratch-off tickets, and by introducing new Traditional Lottery Products promptly upon issuance.

(7) *Post Jackpot Amounts*: Retailers can maximize their Traditional Lottery Product sales and player engagement by posting jackpot amounts prominently in places where they are highly visible to customers.

(8) *Make Lottery Visible*: Retailers can maximize their Traditional Lottery Product sales and player engagement by making Traditional Lottery Products easily visible in their Retail Locations.

(9) *Display Indoor Signs*: Retailers can maximize their Traditional Lottery Product sales and player engagement by posting Lottery signs and advertisements inside of their Retail Locations.

(10) *Display Outdoor Signs*: Retailers can maximize their Traditional Lottery Product sales and player engagement by posting Lottery signs and advertisements outside of their Retail Locations.

(b) To meet the goals of the Lottery and to encourage the Lottery Best Practices described in section 5(a), above, the Lottery provides each Retailer with Lottery-owned equipment and advertising materials based upon the individual retail environment.

6. Program Requirements:

(a) Unless otherwise stated in this notice, to participate in the Program, the Retailer must be a Retailer in Good Standing.

(b) The determination of a Retailer's eligibility for participation will be made at the end of each Quarter of the Program for the fiscal year beginning on July 1, 2020 and ending on June 30, 2021.

(1) The determination will be made based on the information in the Lottery's financial accounting system for the Retailer and the status of the Retailer's license as of September 30, 2020 for the first quarter.

(2) The determination will be made based on the information in the Lottery's financial accounting system for the Retailer and the status of the Retailer's license as of December 31, 2020 for the second quarter.

(3) The determination will be made based on the information in the Lottery's financial accounting system for the Retailer and the status of the Retailer's license as of March 31, 2021 for the third quarter.

(4) The determination will be made based on the information in the Lottery's financial accounting system for the Retailer and the status of the Retailer's license as of June 30, 2021 for the fourth quarter.

(c) A Retailer may be eligible to participate in and receive the incentives provided in section 8, below, for each Quarter in which the Retailer satisfies the eligibility requirements of this section and the requirements of section 8.

(d) A Retailer may be eligible to participate in and receive the incentives provided in section 9, below, one time during the Fiscal Year if the Retailer satisfies the eligibility requirements of this section and the requirements of section 9 and is approved for participation.

(e) A Retailer is only eligible for participation in the Program for those Quarters in which the Retailer remains eligible for the entire Quarter. Failure to maintain the requirements of a Retailer in Good Standing for any reason for any Quarter shall preclude the Retailer from receiving any payment or payments that the Retailer would otherwise be entitled to for that Quarter.

(f) The final determination of a Retailer's eligibility will be made by the Secretary, whose judgment will be final and binding.

7. How to Enroll:

(a) Licensed Retailers are automatically enrolled in the Sales Growth Incentive Program as described in section 8, below, and the Quarterly Retailer Incentive Promotions as described under section 10 of this notice.

(b) Retailers who do not wish to participate in the Sales Growth Incentive Program must sign a form indicating that the Retailer understands and acknowledges that the Retailer will not receive incentives as described under section 8 of this notice.

(c) Participation in the Lottery Best Practices Initiatives is voluntary on the part of each Retailer and requires the Retailer to opt-in as described in this notice.

(d) Retailers who wish to enroll in one or more of the Lottery Best Practices Initiatives are responsible for:

(1) Reading and understanding this notice;

(2) Reading any Lottery materials describing the Lottery Best Practices Initiatives; and

(3) Communicating interest in participation in one or more of the Lottery Best Practices Initiatives to the Lottery through their Lottery Sales Representative or by emailing the Lottery at PALotteryRetailIncentive@pa.gov.

8. *Sales Growth Incentive Program*: Retailers may qualify for a Sales Growth Incentive, in addition to the Standard Retailer Commission, by meeting the requirements of this section.

(a) The Lottery will establish a sales baseline for each Retailer.

(1) For a Retailer existing in fiscal year 2019-2020, the Lottery will establish a sales baseline for each Retailer based on that Retailer's fiscal year 2019-2020 sales for each Quarter that the Retailer is eligible for the Sales Growth Incentive Program under sections 6 and 7 of this notice.

(2) If the Retail Location was not licensed as a Retailer in fiscal year 2019-2020, the Lottery will establish a sales baseline for that Retailer for each Quarter that the Retailer is eligible for the Sales Growth Incentive Program under sections 6 and 7 of this notice. The Lottery may consider any relevant factors to determine the sales baseline.

(3) If the Retailer was not a licensed Retailer for the entirety of any Quarter in fiscal year 2019-2020, the Lottery will establish a sales baseline for that Retailer for the corresponding Quarter based on sales at the Retail Location for the same Quarter in fiscal year 2019-2020.

(b) Sales baseline figures may account for periods in which the Retailer did not have Traditional Lottery Product sales but met the definition of Retailer in Good Standing.

(c) Each Retailer shall be provided with their sales baseline figures and sales goals by the Lottery in writing.

(d) A Retailer who exceeds their prior year sales figure by at least 4%, but not more than 7.99%, for any Quarter in the Fiscal Year to which this notice applies, shall be awarded an additional 0.75% incentive above the Standard Retailer Commission. For example, assuming that the Retailer has met all other requirements of this notice, a Retailer with a sales baseline of \$100,000 for a Quarter, who raises their sales by 4% to \$104,000, shall be entitled to the Sales Growth Incentive of 0.75% in addition to the Standard Retailer Commission and will be entitled to a Sales Growth Incentive payment of \$780. With the Standard Retailer Commission of \$5,200 on sales of \$104,000, the Retailer would receive a total payment of \$5,980 for that Quarter.

(e) A Retailer who exceeds their sales baseline figure for any Quarter by at least 8% shall be awarded an additional 1.50% incentive above the Standard Retailer Commission. For example, assuming that the Retailer has met all other requirements of this notice, a Retailer with a sales baseline of \$100,000 for a Quarter, who raises their sales by 8% to \$108,000, shall be entitled to a 1.50% incentive in addition to the Standard Retailer Commission and will be entitled to Sales Growth Incentive

payment of \$1,620. With the Standard Retailer Commission of \$5,400 on sales of \$108,000, the Retailer would receive a total payment of \$7,020 for that Quarter.

(f) A Retailer shall not receive an incentive above 1.50% for any Quarter under section 8 of this notice.

9. *Lottery Best Practices Initiatives:*

(a) *Qualifying Retailers:* In order to participate in one or more of the Lottery Best Practices Initiatives as described below, the Retailer must meet the eligibility requirements as set forth in section 6 of this notice. Only Retailers who agree to participate and are approved by the Lottery shall be eligible for the Lottery Best Practices Initiatives. Retailers that are engaging in the best practices or who have already received Lottery-owned equipment or materials listed below are not eligible to participate in the applicable initiatives unless they are increasing their level of engagement relative to a specific initiative.

(b) *Levels of Participation:* Consistent with the Lottery's objectives, qualifying Retailers will fall into one of three levels for participation in the Lottery Best Practices Initiatives, as follows:

(1) *Level 1 Retailer:* A Retailer that has a Quarterly average of \$100,000 or more in sales of Traditional Lottery Products for the fiscal year beginning on July 1, 2019 and ending on June 30, 2020.

(2) *Level 2 Retailer:* A Retailer that has a Quarterly average of less than \$100,000 in sales of Traditional Lottery Products for the fiscal year beginning on July 1, 2019 and ending on June 30, 2020.

(3) *Level 3 Retailer:* A Retailer that meets all of the following criteria:

(i) The prospective Retailer submitted a complete application to become a Lottery Retailer during fiscal year 2020-2021, in addition to any other forms and agreements that must be completed by prospective Retailers.

(ii) The proposed Retail Location was not a licensed Retailer in fiscal year 2019-2020.

(iii) The application is approved by the Lottery in fiscal year 2020-2021.

(c) *Enrollment in the Lottery Best Practices Initiatives:* A Retailer who wants to participate in one or more of the Lottery Best Practices Initiatives must opt-in by April 1, 2021.

(d) *Schedule for Delivery of Materials and Equipment:* For each Retailer that has opted-in to one or more of the Lottery Best Practices Initiatives and has been approved for participation, the Lottery will determine when the materials or Lottery-owned equipment, as applicable, for each of the Lottery Best Practices Initiatives will be delivered. Delivery and installation dates will be scheduled at the Lottery's discretion.

(e) *Lottery Best Practices Initiatives:*

(1) The following Lottery Best Practices Initiatives are available to Level 1 Retailers upon approval for participation by the Lottery:

(i) *Increased Counter Facings Initiative:*

(A) Level 1 Retailers are required to increase their counter facings by 12 and agree to maintain the display in such a way as to prevent anything from impeding the view of the increased facings.

(B) Level 1 Retailers are eligible to receive a one-time payment of \$500 following agreement and approval to participate in the Increased Counter Facings Initiative for Level 1 Retailers.

(ii) *Designated Lottery Space Initiative:*

(A) Level 1 Retailers that agree to participate in the Designated Lottery Space Initiative must create and maintain a physical location within the Retail Location designated for customers to play the lottery and agree to install and maintain the Lottery-owned equipment.

(B) Level 1 Retailers are eligible to receive a one-time payment of \$350 following agreement and approval to participate in the Designated Lottery Space Initiative for Level 1 Retailers.

(iii) *Winner Awareness Area Initiative:*

(A) Level 1 Retailers that agree to participate in the Winner Awareness Area Initiative must create and maintain a physical location within the Retail Location, of a minimum of 6 square feet, designated to display winning tickets paid by the Retailer and must update the area with tickets paid by the Retailer on a monthly basis.

(B) The Lottery will provide the Retailer with the materials necessary to display winning tickets.

(C) Level 1 Retailers are eligible to receive a one-time payment of \$350 following agreement and approval to participate in the Winner Awareness Initiative for Level 1 Retailers.

(iv) *Signage Initiative:*

(A) Level 1 Retailers that agree to participate in the Signage Initiative must increase and maintain the amount of Lottery provided indoor and outdoor signage displayed at the Retail Location above the amount the Retailer displays prior to agreeing to participate in the Signage Initiative.

(B) Level 1 Retailers are eligible to receive a one-time payment of \$350 following agreement and approval to participate in the Signage Initiative for Level 1 Retailers.

(v) *Second-Chance Drawing Initiative:*

(A) A Level 1 Retailer that agrees to participate in the Second-Chance Drawing Initiative must conduct a Second-Chance Drawing during the Fiscal Year.

(B) To conduct a Second-Chance Drawing, Level 1 Retailers must conduct a drawing for Lottery players in which they randomly select one or more winners. The Retailer shall receive at least \$100 worth of Lottery coupons or promotional tickets to support the drawing.

(C) Level 1 Retailers that agree to participate in the Second-Chance Drawing Initiative must also supply a prize, not otherwise prohibited by law that matches or exceeds the monetary value of the Lottery coupons or promotional tickets provided to support the drawing. The prize supplied by the Retailer may be made using money, merchandise or any other item of value provided by the Retailer.

(D) Level 1 Retailers are eligible to receive the Lottery coupons or promotional tickets following agreement and approval to participate in the Second-Chance Drawing Initiative for Level 1 Retailers.

(E) Level 1 Retailers that participate in the Second-Chance Drawing Initiative are responsible for developing and communicating the rules for the Second-Chance Drawings conducted by the Retailer. Retailers who participate in the Second-Chance Drawing Initiative are responsible for implementing and adhering to the rules that they develop for the Second-Chance Drawings they conduct. The Lottery does not administer and is not responsible for the conduct or the outcome of the Second-Chance Drawings as described in this notice.

(F) The Lottery will only support one Second-Chance Drawing for each qualifying and approved Level 1 Retailer.

(vi) *All-In Initiative:*

(A) Level 1 Retailers that agree to participate in the All-In Initiative must conduct each of the Lottery Best Practices Initiatives as described in section 9(e)(1)(i)—(v) for Level 1 Retailers.

(B) Level 1 Retailers are eligible to receive a one-time payment of \$1,550 as well as the Lottery coupons or promotional tickets used to support the Second-Chance Drawing Initiative, following agreement and approval to participate in the All-In Initiative for Level 1 Retailers.

(2) The following Lottery Best Practices Initiatives are available to Level 2 Retailers upon approval by the Lottery:

(i) *Ask for the Sale Initiative:*

(A) A Level 2 Retailer that agrees to participate in the Ask for the Sale Initiative must conduct an Ask for the Sale promotion at the Retail Location once during the Fiscal Year.

(B) To conduct an Ask for the Sale promotion, the Level 2 Retailer must agree to ask every customer to purchase a Lottery ticket during the agreed upon time frame and must display Lottery provided materials advertising the promotion.

(C) Level 2 Retailers shall receive up to \$100 worth of Lottery coupons or promotional tickets to support the promotion by awarding any player not asked to purchase a Lottery ticket, a Lottery coupon or promotional ticket.

(D) Level 2 Retailers who opt-in to the Second-Chance Drawing Initiative as described in section 9(e)(2) are not eligible for the Ask for the Sale Initiative.

(ii) *Second-Chance Drawing Initiative:*

(A) Level 2 Retailers that agree to participate in the Second-Chance Drawing Initiative must conduct a Second-Chance Drawing during the Fiscal Year.

(B) To conduct a Second-Chance Drawing, Retailers must conduct a drawing for Lottery players in which they randomly select one or more winners. The Retailer shall receive at least \$100 worth of Lottery coupons or promotional tickets to support the drawing.

(C) Level 2 Retailers are eligible to receive Lottery coupons or promotional tickets following agreement and approval to participate in the Second-Chance Drawing Initiative for Level 2 Retailers.

(D) Level 2 Retailers who participate in the Second-Chance Drawing Initiative are responsible for developing and communicating the rules for the Second-Chance Drawings conducted by the Retailer. Retailers who participate in the Second-Chance Drawing Initiative are responsible for implementing and adhering to the rules that they develop for the Second-Chance Drawings they conduct. The Lottery does not administer and is not

responsible for the conduct or the outcome of the Second-Chance Drawings as described in this notice.

(E) Level 2 Retailers are not eligible to participate in the Second-Chance Drawing Initiative if the same Retailer opted-in and was approved for the Ask for the Sale Initiative as described in this notice.

(F) The Lottery will only support one Second-Chance Drawing for each qualifying and approved Level 2 Retailer.

(3) Level 3 Retailers are eligible for the Prospective Social Environment Retail Recruitment Initiative as described below, upon approval of the Lottery:

(i) Level 3 Retailers that agree to participate in the Prospective Social Environment Retail Recruitment Initiative must meet the requirements of a Level 3 Retailer as described in section 9(b)(3).

(ii) Level 3 Retailers that agree to participate in the Prospective Social Environment Retail Recruitment Initiative must agree to the installation of Lottery-owned equipment, as recommended by the Lottery for the specific Retail Location. Required Lottery-owned equipment includes, but is not limited to, at least two monitors for the display of certain terminal-based Lottery games, commonly referred to as monitor games.

(iii) Level 3 Retailers that agree to participate in the Prospective Social Environment Retail Recruitment Initiative must be a Retailer in Good Standing for 6 months following the installation of the Lottery-owned equipment.

(iv) Level 3 Retailers that agree to participate in the Prospective Social Environment Retail Recruitment Initiative must keep the Lottery-owned equipment installed and operational for 6 months following the installation of the Lottery-owned equipment.

(v) Level 3 Retailers are eligible to receive a one-time payment of \$500 for each monitor installed, following agreement and approval to participate in the Prospective Social Environment Retail Recruitment Initiative.

(vi) All Lottery-owned equipment to be installed shall be determined by the Lottery. Level 3 Retailers may request certain equipment be placed in their Retail Location. The ultimate decision as to the type of Lottery-owned equipment, number of monitors, and the like, that will be placed in a Retail Location is at the sole discretion of the Lottery.

(vii) Level 3 Retailers who agree to participate in the Prospective Social Environment Retail Recruitment Initiative must acknowledge and agree to the terms of the Prospective Social Environment Retail Recruitment Initiative. The Lottery is authorized to deduct \$500 for each monitor installed from the Retailer's bank account as part of the Retailer's weekly settlement process if the Retailer fails to have the Lottery-owned equipment installed and operational for a period of 6 months from the date of installation or if the Retailer fails to maintain its status as a Retailer in Good Standing.

(f) If a Level 2 Retailer reaches the thresholds of a Level 1 Retailer in Traditional Lottery Product sales for either the first or second quarter during the Fiscal Year, the Retailer may apply for the respective Lottery Best Practices Initiatives for the newly achieved Retailer level. If approved by the Lottery for participation in the specific Lottery Best Practices Initiatives, the Retailer shall be entitled to the same cash payment, if any, associated with the specific Lottery Best Practices Initiatives participated in by the Retailer.

10. *Quarterly Retailer Incentive Promotions:*

(a) The Lottery will conduct Quarterly incentive promotions that provide Retailers with an opportunity to earn a reward by conducting various promotions related to the sale of Traditional Lottery Products.

(b) The Lottery will advise Retailers of the Quarterly incentive promotions through Lottery sales-terminal messages, information provided by Lottery Sales Representatives and information provided on the Retailer's Corner of the Lottery website, <https://www.palottery.state.pa.us/About-PA-Lottery/For-Retailers.aspx>.

(c) The rewards to Retailers issued through the Quarterly incentive promotions may include, but are not limited to, bonus commissions and entries into drawings.

11. *Funds for the Retail Incentive Program:* For fiscal year 2020-2021, the Pennsylvania Lottery caps expenditures of the Sales Growth Incentive Program as described in section 8, above, the Lottery Best Practices Initiatives as described in section 9, above, and the Quarterly Retailer Incentive Promotions as described in section 10, above, to the statutory requirement of 0.5% of the sale of Traditional Lottery Products at Retail Locations within fiscal year 2019-2020 as required pursuant to 4 Pa.C.S. § 504(b).

12. *Nonlapse:* Amounts remaining in the Retail Incentive Program at the end of the Fiscal Year shall not lapse, but shall be used to fund retail sales initiatives including, but not limited to, new equipment, signage, training, coupons, consumer and agent in-store promotions and sales makeovers that are designed to improve in-store merchandising, foot traffic and sales as determined by the Lottery.

13. *Retailer Incentive Programs and Promotions:*

(a) The Pennsylvania Lottery is authorized to offer retailer incentive programs and promotions pursuant to 61 Pa. Code § 811.41. Any expenditures for the Program incurred by the Lottery that exceed the limit set forth at 4 Pa.C.S. § 504(b) in section 11, above, will be attributed to retailer incentive programs and promotions authorized pursuant to 61 Pa. Code § 811.41.

(b) The Retail Incentive Program will run concurrently and in conjunction with the retailer incentive programs and promotions described in this notice.

14. *Payments:* Payments due to Retailers pursuant to the requirements of the Retail Incentive Program and the related retailer incentive programs and promotions described in this notice will be credited to the Retailer at a time or times determined by the Lottery.

15. *Applicability:* This notice applies only to the Retail Incentive Program for the fiscal year beginning on July 1, 2020 and ending on June 30, 2021 and the related retailer incentive programs and promotions described in this notice. Additional related retailer incentive programs, promotions and customer referral programs may be conducted throughout the Fiscal Year pursuant to the State Lottery Law and corresponding regulations and will be communicated through normal methods of communication.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 20-831. Filed for public inspection June 26, 2020, 9:00 a.m.]

FISH AND BOAT COMMISSION

Approved Courses of Instruction in Boating Safety Education

Section 91.6(a)(1) of 58 Pa. Code (relating to Boating Safety Education Certificates) defines a Boating Safety Education Certificate for residents of this Commonwealth as a document issued by the Fish and Boat Commission (Commission) certifying that the person named on the certificate has established proof of competency through the successful completion of a course approved in accordance with 58 Pa. Code § 91.7 (relating to criteria for courses of instruction in boating safety education). Under 58 Pa. Code § 91.7, the Executive Director of the Commission may approve, by notice, boating safety education courses that meet the course criteria established under that section, and will publish a list of approved boating safety education courses in the *Pennsylvania Bulletin* on an annual basis or more frequently as required. The Executive Director has approved the following courses in boating safety education for Commonwealth residents, effective July 1, 2020:

- Fish and Boat Commission (classroom course)
- United States Coast Guard Auxiliary (classroom course)
- United States Power Squadrons (classroom course)
- United States Sailing Association (classroom course)
- Kalkomey Enterprises, Inc., d/b/a Boat Ed (correspondence course)
- BoaterExam America, Inc. (Internet course)
- Kalkomey Enterprises, Inc., d/b/a Boat Ed (Internet course)

For nonresidents, a Boating Safety Education Certificate is a certificate, card or other official document that indicates on the certificate, card or other document successful completion of a course approved by the National Association of State Boating Law Administrators.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 20-832. Filed for public inspection June 26, 2020, 9:00 a.m.]

HOUSING FINANCE AGENCY

Homeowner's Emergency Mortgage Assistance Program; Period of High Unemployment

On May 22, 2020, it was announced by the Department of Labor and Industry that seasonably adjusted unemployment rate in this Commonwealth for April 2020 was 15.1%. It was also announced on that date that the March 2020 unemployment rate was 5.8%. The latest unemployment data reported for February 2020 was 4.7%. Thus the average unemployment rate for the 3-month period of February, March and April is 8.53%.

Section 405-C(f.1) of the Housing Finance Agency Law (act) (35 P.S. § 1680.405c) provides as follows:

Section 405-C

* * * * *

(f.1) The twenty-four (24) month limit on assistance available under this act established in subsection (f) and referenced in sections 401-C(a)(5), 403-C(f) and 404-C(a)(5) and (12) shall increase to thirty-six (36) months if during the month the homeowner submits an application for assistance the average rate of total unemployment in the Commonwealth, as seasonally adjusted, for the period consisting of the most recent three (3) months for which such data for the Commonwealth is published before the close of such month equals or exceeds six and one-half (6.5) percent.

* * * * *

Similarly, section 406-C(2.1) of the act (35 P.S. § 1680.406c) provides as follows:

Section 406-C

* * * * *

(2.1) The forty (40) percent ratio established under paragraphs (1) and (2) shall be reduced to thirty-five (35) percent if during the month the homeowner submits an application for assistance the average rate of total unemployment in the Commonwealth, as seasonally adjusted, for the period consisting of the most recent three (3) months for which such data for the Commonwealth is published before the close of such month equals or exceeds six and one-half (6.5) percent.

* * * * *

In furtherance of the statutory provisions, the Housing Finance Agency's (Agency) published Guidelines for the Homeowner's Emergency Mortgage Assistance Program (Program) (12 Pa. Code §§ 31.201—31.211 (relating to policy statement on Homeowner's Emergency Mortgage Assistance Program)) provide in 12 Pa. Code § 31.210 (relating to periods of high unemployment) as follows:

§ 31.210. Periods of high unemployment.

(a) *Months of assistance available.* The 24 month limit on mortgage assistance available under § 31.203(d), and the 24 month periods referred to in §§ 31.202(d)(1), 31.203(a)(3)(ii), 31.204(c)(2) and 31.206(a) and (d)(2) shall increase to 36 months if during the month the homeowner submits an application for assistance the Agency has determined that a period of high unemployment exists.

(b) *Housing expense formula.* The 40% ratio referred to in §§ 31.204(c) and (e) and 31.205(c)(3) (relating to agency review; and financial hardship due to circumstances beyond the homeowner's control) shall be reduced to 35% if during the month the homeowner submits an application for assistance the Agency has determined that a period of high unemployment exists.

(c) *Definition; declaration.* There shall be a "period of high unemployment" if the average rate of unemployment in this Commonwealth equals or exceeds 6.5%. This determination will be made by the Agency on a monthly basis based upon seasonally adjusted unemployment figures for the most recent 3 months for which the data for this Commonwealth is published. If the Agency determines that a period of high unemployment exists, the Agency will immediately publish a notice to that effect in the *Pennsylvania Bulletin* consistent with this section.

Consequently, the Agency has determined that a period of high unemployment exists with respect to applications received for the Program during the month of May 2020

and that the 36-month and 35% figures shall be applicable with respect to the applications.

The Agency will continue to monitor unemployment figures on a monthly basis. If, based upon unemployment data published in June of 2020 for the month of May 2020, the average unemployment rate for the 3-month period of March, April and May 2020 remains at or above 6.5%, the 36-month and 35% figures shall continue to apply with respect to applications received during the month of June and for each month thereafter until the 3-month calculation produces an average result of less than 6.5% at which point the Agency will publish a new notice to inform the public that the Commonwealth is no longer in a period of high unemployment and that the 36-month and 35% figures are changed to 24 months and 40%, respectively.

ROBIN L. WIESSMANN,
Executive Director

[Pa.B. Doc. No. 20-833. Filed for public inspection June 26, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Acceptance of Non-Essential Filings; Notice 2020-17

This notice is being issued to all licensed insurance companies in this Commonwealth to provide clarity on the Insurance Department's (Department) acceptance and review of filings made by regulated entities. This notice supersedes Notice 2020-05. On March 19, 2020, the Department issued Notice 2020-05 which stated that due to the Department's transition from at-office work to tele-work the Department was requesting that all licensed entities review current and proposed filings and to only submit filings which were necessary or essential.

The Department has completed its transition from at-office work to tele-work and has full operational capabilities to review all filings, whether essential or non-essential. As such, the Department advises licensed entities that have current or proposed filings to submit these filings to the Department in the ordinary course. The Department will review these filings in the ordinary course under statutory and regulatory guidelines and timeframes.

Due to the transition to tele-work the Department advises all entities wishing to make a filing to do so electronically. Financial analysis filings should be forwarded by means of e-mail to the assigned financial analyst with copies to the supervisor and to Kim Rankin at krankin@pa.gov and may be in Word, Excel or PDF format. Licensing filings should be directed to Karen Feather at kfeather@pa.gov. Product filings, including rate and form filings, should be made through the National Association of Insurance Commissioners' System for Electronic Rate and Forms Filing. Effective August 1, 2020, all Property and Casualty form, rate, rule, rate/rule and statistical filings must be made electronically. Questions concerning property and casualty product filings should be referred to the director of P&C Product Regulation, Mark Lersch at mlersch@pa.gov. Questions concerning life, accident and health product filings should be referred to the director of L, A, & H Product Regulation, Tracie Gray at tgray@pa.gov.

If a particular filing is to be accompanied by a filing fee, include a copy of the check along with the electronic filing. The hardcopy of the original filing and the filing fee should be mailed to the same address as ordinarily mailed to. However, note that the check may not be deposited immediately.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-834. Filed for public inspection June 26, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Notice Regarding Coronavirus (COVID-19) Surprise Bills; Notice 2020-19

In the March 21, 2020, *Pennsylvania Bulletin* published at 50 Pa.B. 1788 (March 21, 2020), the Insurance Department (Department), in collaboration with the Department of Health, issued a notice (Notice 2020-03) to assist individuals and entities regulated by the Department addressing health insurance related services that may arise in the context of the ongoing novel coronavirus (COVID-19) pandemic. Notice 2020-03, among other issues, urged health insurers to assist insureds “to avoid balance billing and surprise balance bills.” Notice 2020-03 also reminded health insurers that their networks need to have sufficient health care providers “with the appropriate training and experience to meet the particular health care needs of its insureds.” More generally, Notice 2020-03 encouraged health insurers “to make all necessary and useful information available on their websites and staff their consumer assistance lines” so as to make accurate and useful information readily available to insureds.

This notice encourages health insurers to continue all of these efforts in the context of two billing issues that recently have come to the Department’s attention. First, the Department is aware that some providers, including dental providers, are billing consumers a fee to cover the cost of personal protective equipment and supplies, as well as other infection control measures, that the providers have implemented in response to the COVID-19 pandemic. Second, the Department is aware that some laboratories or other testing services are charging amounts that are well in excess of their costs. Even if the charges are publicly posted, the amount may be considered improper price gouging.

Where the provider engaged in either of these billing practices is in a health insurer’s network, the Department urges the health insurer to examine its contractual arrangement with the provider and take such action as may be appropriate to address the issue in accordance with the contractual obligations of the provider. Where the provider engaged in either of these billing practices is not in a health insurer’s network, or where any action taken does not result in a resolution that avoids imposing costs on insureds, the health insurer may wish to consider making a referral to the Office of Attorney General at pricegouging@attorneygeneral.gov.

Finally, the Department encourages health insurers to include information on their web sites and through their consumer assistance lines or other consumer communication tools so that consumers may be alert to these inappropriate billing practices and may know how to

lodge a complaint with the insurer or the Office of Attorney General at <https://www.attorneygeneral.gov/submit-a-complaint/>.

Any questions regarding this Bulletin may be addressed to the Office of the Commissioner, Insurance Department, 1326 Strawberry Square, Harrisburg, PA 17120, ra-in-commissioner@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-835. Filed for public inspection June 26, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Pennsylvania Compensation Rating Bureau; Workers’ Compensation Rate and Rule Filing

On June 11, 2020, the Insurance Department (Department) received a rate and rule filing from the Pennsylvania Compensation Rating Bureau (Bureau) impacting the classification of temporary workers. The filing was submitted in accordance with section 705 of the Workers’ Compensation Act (77 P.S. § 1035.5).

The filing proposes an April 1, 2021, effective date and proposes to create a new methodology for the classification of temporary workers. Specifically, the proposed filing would eliminate the current 37 temporary staffing class codes and would create 296 new temporary staffing codes.

The entire April 1, 2021, filing is available for review on the Bureau’s web site at www.pcrb.com (select “Filings,” then “Filing No. 311—Proposed Effective April 1, 2021”).

Interested parties are invited to submit written comments, suggestions or objections to Eric Zhou, Insurance Department, Office of Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, gzhou@pa.gov, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-836. Filed for public inspection June 26, 2020, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule; All Milk Marketing Areas; Over-Price Premium Cross Section

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), that the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on August 5, 2020, at 10 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning the composition of the over-price premium cross section.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 12 p.m. on July 6, 2020, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 12 p.m. on July 6, 2020, notification of their desire to be included as a party. Parties shall indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@state.pa.us.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. Copies of the filings will be available on the Board web site at <http://www.mmb.pa.gov/Public%20Hearings/>.

1. By 2 p.m. on July 9, 2020, the petitioner shall file with the Board, in person or by mail, one original and four copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the petitioner, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a written report or written testimony explaining the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on July 23, 2020, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on July 30, 2020, parties shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents, or records in other proceedings before the Board, or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, five copies shall be provided for Board use and one copy shall be provided to each interested party.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to chardbarge@pa.gov and received in the Board office by 12 p.m. on July 24, 2020.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

CAROL A. HARDBARGER,
Secretary

[Pa.B. Doc. No. 20-837. Filed for public inspection June 26, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Pipeline Assets

A-2020-30120391. UGI Utilities, Inc.—Gas Division.
Application of UGI Utilities, Inc.—Gas Division for approval to acquire certain pipeline assets located in Coolbaugh and Tobyhanna Townships, Monroe County from Ameresco Select, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 13, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: UGI Utilities, Inc.—Gas Division

Through and By Counsel: Danielle Jouenne, Esquire, Tamara R. Bernstein, Esquire, UGI Corporation, 460 North Gulph Road, King of Prussia, PA 19406

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-838. Filed for public inspection June 26, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by July 13, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.

A-2020-3019789. Piccolo's Friendly Movers, LLC
(420 Sterling Drive, Red Lion, York County, PA 17356) for

the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2020-3020366. Adil Zayyoun (5838 Darlington Road, Pittsburgh, Allegheny County, PA 15217) for the discontinuance and cancellation of his right to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in Allegheny County, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-839. Filed for public inspection June 26, 2020, 9:00 a.m.]

**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**

Telecommunications Services

A-2019-3015183. Armstrong Telecommunications, Inc. Application of Armstrong Telecommunications, Inc. for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territory of Venus Telephone Corporation.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, July 13, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Armstrong Telecommunications, Inc.

Through and By Counsel: Jerry Weikle, Weikle & Co., 151 Spring Street NW, Concord, NC 28025

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-840. Filed for public inspection June 26, 2020, 9:00 a.m.]

STATE TAX EQUALIZATION BOARD

2019 Common Level Ratio

The State Tax Equalization Board (Board) has established a Common Level Ratio (CLR) for each county in this Commonwealth for the calendar year 2019. The Board is governed by sections 1500—1521 of the Community and Economic Development Enhancement Act (act) (71 P.S. §§ 1709.1500—1709.1521).

The act requires the Board to use statistically acceptable techniques, to make the methodology for computing ratios public and to certify, prior to July 1, the ratio to the Chief Assessor of each county annually.

The statistically acceptable technique which the Board used for the 2019 CLR is to determine the arithmetic median of the individual sales ratios for every valid sale received from the county for the calendar year 2019.

The methodology used is to include every valid sale as verified by the county assessor. The Board has defined high and low limits by computing outliers based on an interquartile range (IQR-factor of 3) to establish an upper and lower boundary. This outlier trimming is based on standards recommended by the International Association of Assessing Officers (IAAO). After the boundary limits are defined, the Board has utilized the remaining valid sales, rejecting those sales which exceed the limits. The resulting arithmetic median ratio is the ratio which the Board is certifying as the CLR for each county for 2019.

The CLRs for 2019 are listed as follows.

2019 Common Level Ratios

<i>County</i>	<i>CLR</i>
*Adams	104.5
*Allegheny	87.5
Armstrong	27.6
Beaver	18.1
*Bedford	81.7
*Berks	56.3
*Blair	96.2
Bradford	25.9
*Bucks	8.9
*Butler	8.6
*Cambria	18.8
Cameron	28.4
Carbon	33.8
Centre	24.2
*Chester	47.0
*Clarion	34.3
Clearfield	12.2
*Clinton	78.3
Columbia	21.0
Crawford	26.0
*Cumberland	92.3
*Dauphin	63.5
*Delaware	50.0
Elk	27.0
*Erie	86.2
*Fayette	58.8
*Forest	18.0
*Franklin	11.0
*Fulton	32.5
*Greene	52.3
Huntingdon	18.0
*Indiana	98.6

<i>County</i>	<i>CLR</i>
*Jefferson	32.1
*Juniata	12.5
*Lackawanna	9.3
*Lancaster	83.4
*Lawrence	73.6
*Lebanon	87.7
*Lehigh	78.3
*Luzerne	94.9
*Lycoming	65.0
*McKean	84.4
Mercer	16.4
Mifflin	35.0
^Monroe	14.8
*Montgomery	46.9
*Montour	63.2
Northampton	27.2
*Northumberland	14.4
*Perry	87.4
*Philadelphia	94.3
Pike	16.8
*Potter	25.3

<i>County</i>	<i>CLR</i>
Schuylkill	32.7
*Snyder	14.1
Somerset	29.0
*Sullivan	59.7
Susquehanna	25.7
*Tioga	60.1
*Union	65.7
*Venango	75.7
Warren	22.7
*Washington	85.4
*Wayne	81.4
*Westmoreland	13.1
Wyoming	16.4
*York	80.4

*Counties with a predetermined assessment ratio of 100%

^Countywide reassessment for 2020

Monroe County—use 100%

PETER BARSZ,
Chairperson

[Pa.B. Doc. No. 20-841. Filed for public inspection June 26, 2020, 9:00 a.m.]