

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on application received for the week ending July 13, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-02-2021	Somerset Trust Company Somerset Somerset County	100 Maple Avenue E Vienna Fairfax County, VA	Filed
07-08-2021	Huntingdon Valley Bank Doylestown Bucks County	2444 South Broad Street Philadelphia Philadelphia County	Opened
07-13-2021	Republic First Bank Philadelphia Philadelphia County	212 East Lancaster Avenue Wayne Delaware County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-07-2021	Wayne Bank Honesdale Wayne County	<i>To:</i> 223-225 Main Street Penn Yan Yates County, NY <i>From:</i> 100 Main Street Penn Yan Yates County, NY	Approved

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-30-2021	Community Bank Carmichaels Greene County	426 34th Street Bellaire Belmont County, OH	Closed
06-30-2021	Community Bank Carmichaels Greene County	744 Charles Street Wellsburg Brooke County, WV	Closed
06-30-2021	Community Bank Carmichaels Greene County	235 West Main Street Monongahela Washington County	Closed
06-30-2021	Community Bank Carmichaels Greene County	101 Independence Street Perryopolis Fayette County	Closed
06-30-2021	Community Bank Carmichaels Greene County	3241 West Roy Furman Highway Rogersville Greene County	Closed
06-30-2021	Community Bank Carmichaels Greene County	325 Southpointe Boulevard Canonsburg Washington County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 21-1159. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of August 2021

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of August 2021, is 4 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 1.93 to which was added 2.50 percentage

points for a total of 4.43 that by law is rounded off to the nearest quarter at 4 1/2%.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 21-1160. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Public WebEx Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a public Webex meeting on July 28, 2021, at 10 a.m. The public WebEx meeting can be accessed through a link found on the Council's web site prior to the public Webex meeting at www.dcnr.pa.gov/cnrac.

Questions concerning this public WebEx meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. For public comment to be considered at the public Webex meeting, follow instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 21-1161. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of

Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0294202	Industrial Waste Individual WQM Permit	Amendment	West Penn Power Co. 800 Cabin Hill Drive Greensburg, PA 15601-1650	Frazer Township Allegheny County	SWRO
2021806	Joint DEP/PFBC Pesticides Permit	New	Jason Dubeansky 15778 S Mosiertown Road Meadville, PA 16335-9706	Hayfield Township Crawford County	NWRO
2521809	Joint DEP/PFBC Pesticides Permit	New	Michael Kuzma 26470 Old Valley Road Union City, PA 16438-3362	Bloomfield Township Crawford County	NWRO
2521810	Joint DEP/PFBC Pesticides Permit	New	North East Borough Erie County 31 West Main Street North East, PA 16428	North East Borough Erie County	NWRO
6321802	Joint DEP/PFBC Pesticides Permit	New	Peters Township School District 631 E McMurray Road Canonsburg, PA 15317-3497	Peters Township Washington County	SWRO
PAI134813	MS4 Individual NPDES Permit	Transfer	Williamsport Sanitary Authority & Loyalsock Township Joint Client 253 W 4th Street Williamsport, PA 17701-6113	Williamsport City Lycoming County	NCRO
NOEXSC148	No Exposure Certification	Renewal	Multi Color Corp 405 Willow Springs Lane York, PA 17406-6047	East Manchester Township York County	SCRO
NOEXSC367	No Exposure Certification	New	Shaffer Trucking Inc. 400 NW 56th Street Lincoln, NE 68528-8842	Silver Spring Township Cumberland County	SCRO
NOEXSW045	No Exposure Certification	New	Johnstown Specialty Castings Inc. 545 Central Avenue Johnstown, PA 15902-2600	Johnstown City Cambria County	SWRO
PAG033628	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	DAK Americas LLC 7621 Little Avenue Suite 500 Charlotte, NC 28226-8162	Muhlenberg Township Berks County	SCRO
PAG033656	PAG-03 NPDES General Permit for Industrial Stormwater	New	Old Dominion Freight Line Inc. 500 Old Dominion Way Thomasville, NC 27360-8923	Reading City Berks County	SCRO
PAG036301	PAG-03 NPDES General Permit for Industrial Stormwater	New	SPM Oil & Gas PC LLC 20 Miller Business Park Drive Burgettstown, PA 15021-2374	Hanover Township Washington County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAR508306	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Waste Management of PA Inc. 18380 Paint Boulevard Shippenville, PA 16254-4130	Paint Township Clarion County	NWRO
0995418	Sewage Land Application Individual WQM Permit	Renewal	Buckingham Township Bucks County P.O. Box 413 Buckingham, PA 18912-0413	Buckingham Township Bucks County	SERO
0217409	Sewage Treatment Facilities Individual WQM Permit	Amendment	Allegheny CC 250 Country Club Road Sewickley, PA 15143-9449	Sewickley Heights Borough Allegheny County	SWRO
0421403	Sewage Treatment Facilities Individual WQM Permit	New	Gearhart Dean A 573 E Portersville Road Portersville, PA 16051-2117	Marion Township Beaver County	SWRO
0421404	Sewage Treatment Facilities Individual WQM Permit	New	George Janet Ann 225 Sunridge Drive Freedom, PA 15042-2641	New Sewickley Township Beaver County	SWRO
0690411	Sewage Treatment Facilities Individual WQM Permit	Amendment	Wyomissing Valley Joint Municipal Authority Berks County 701 Old Wyomissing Road Reading, PA 19611-1513	Reading City Berks County	SCRO
1021402	Sewage Treatment Facilities Individual WQM Permit	Transfer	Freeland Barry E Jr 112 Lilac Lane Valencia, PA 16059-2214	Middlesex Township Butler County	NWRO
2521418	Sewage Treatment Facilities Individual WQM Permit	New	Linda & Regis Fitzgibbon 14463 Gourley Road Waterford, PA 16441-9331	Le Boeuf Township Erie County	NWRO
6421401	Sewage Treatment Facilities Individual WQM Permit	New	Haines Nancy 377 Neville Road SR 3007 Moscow, PA 18444	Salem Township Wayne County	NERO
6521402	Sewage Treatment Facilities Individual WQM Permit	New	Pritchard Paul W 606 Surrey Lane Lutz, FL 33549-5682	Rostraver Township Westmoreland County	SWRO
0621404	Sewer Extensions and Pump Stations Individual WQM Permit	New	Upper Tulpehocken Township Berks County 6501 Old Route 22 Bernville, PA 19506	Strausstown Borough Berks County	SCRO
PA0289124	Single Residence STP Individual NPDES Permit	Transfer	Freeland Barry E Jr 112 Lilac Lane Valencia, PA 16059-2214	Middlesex Township Butler County	NWRO
WQG02152115	WQG-02 WQM General Permit	New	Spring City Borough Chester County 6 S Church Street Spring City, PA 19475-1876	Spring City Borough Chester County	SERO
WQG02672102	WQG-02 WQM General Permit	New	Northeastern York County Sewer Authority P.O. Box 516 Mount Wolf, PA 17347-0516	East Manchester Township York County	SCRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northeast Regional Office

PA0063428, Sewage, SIC Code 4952, 7999, **Tuthill Corp Blue Mountain Ski Area**, P.O. Box 216, Palmerton, PA 18071-0216. Facility Name: Blue Mountain Ski Area. This existing facility is located in Lower Towamensing Township, **Carbon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Aquashicola Creek (TSF, MF), is located in State Water Plan watershed 2-B and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.06 MGD (Tier One).

(From Permit Effective Date to Completion of Construction).

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	XXX	Inst Min XXX	25.0	XXX	50.0
Raw Sewage Influent CBOD ₅ Minimum % Removal (%)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	85	XXX	XXX	XXX	XXX	XXX
Fecal Coliform (No./100 ml)	Min Mo Avg	XXX	XXX	30.0	XXX	60.0
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nitrate as N	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
				Avg Qrtly		

The proposed effluent limits for Outfall 002 are based on a design flow of 0.06 MGD & 0.28 MGD.

(From Permit Effective Date to One Year After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.0	XXX	2.2

The proposed effluent limits for Outfall 002 are based on a design flow of 0.06 MGD & 0.28 MGD.

(From One Year After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 002 are based on a design flow of 0.28 MGD (Tier Two).

(From Completion of Construction to Permit Expiration Date).

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	63.0	XXX	Inst Min XXX	25.0	XXX	50.0
Raw Sewage Influent CBOD ₅ Minimum % Removal (%)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	85	XXX	XXX	XXX	XXX	XXX
	Min Mo Avg	XXX	XXX	29.8	XXX	60.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Oct 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Sep 30	2.8	XXX	XXX	1.2	XXX	XXX
Total Nitrogen						
Oct 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Sep 30	48.1	XXX	XXX	20.6	XXX	XXX
Nitrate as N						
Oct 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Sep 30	41.8	XXX	XXX	17.9	XXX	XXX
Total Phosphorus						
Oct 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Sep 30	4.6	XXX	XXX	2.0	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Avg Qrtly Report Avg Qrtly	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Effluent Limitations Schedule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0272833, Industrial Waste, SIC Code 2421, **Collins Pine Company**, P.O. Box 807, Kane, PA 16735-0807. Facility Name: Kane Hardwood McKean County. This existing facility is located in Kane Borough, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste and stormwater.

The receiving stream(s), Unnamed Tributaries of West Run (HQ-CWF), is located in State Water Plan watershed 16-F and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 002 and 006—008 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min			
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
				SEMI AVG		
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 108 are based on a design flow of 0.00012 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Internal Monitoring Point						
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Internal Monitoring Point			Daily Min		Daily Max	
Temperature (°F)	XXX	XXX	XXX	Report	XXX	XXX
Internal Monitoring Point				Daily Max		

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0220736, Sewage, SIC Code 4941, 4952, **Flying W Ranch, Inc.**, 685 Flying W Ranch Road, Tionesta, PA 16353-8009. Facility Name: Flying W Ranch. This existing facility is located in Kingsley Township, **Forest County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to the Church Run (CWF), is located in State Water Plan watershed 16-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	20.0	XXX	40
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	15.0	XXX	30
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289337, Sewage, SIC Code 8800, **Lisa Mailliard**, P.O. Box 405, Cochranon, PA 16314-0405. Facility Name: Lisa Mailliard SRSTP. This proposed facility is located in Fairfield Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), French Creek (WWF), is located in State Water Plan watershed 16-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289345, Sewage, SIC Code 8800, **Angela & James Maher**, 1313 Denniston Avenue, Pittsburgh, PA 15217. Facility Name: Angela & James Maher SRSTP. This proposed facility is located in Pittsfield Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Gar Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289370, Sewage, SIC Code 8800, **Robert A Griffith Estate**, 10644 Silverthorn Road, Edinboro, PA 16412-9720. Facility Name: Griffith Estate SRSTP. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Walnut Creek (HQ-CWF, MF), is located in State Water Plan watershed 15-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289388, Sewage, SIC Code 8800, **Candice & James Lambka**, 1294 Wetmore Road, Kane, PA 16735-2342. Facility Name: Candice & James Lambka SRSTP. This proposed facility is located in Hamilton Township, **McKean County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Two Mile Run (HQ-CWF), is located in State Water Plan watershed 16-F and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289396, Sewage, SIC Code 8800, **Sandra & William Tracy**, 43224 Gilson Ridge Road, Titusville, PA 16354-4506. Facility Name: Sandra & William Tracy SRSTP. This proposed facility is located in Oil Creek Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of McLaughlin Creek (CWF), is located in State Water Plan watershed 16-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289400, Sewage, SIC Code 8800, **Heather Ainsley Kerr & Jesse Kerr**, 65 Hamburg Road, Transfer, PA 16154-2507. Facility Name: Heather Ainsley Kerr & Jesse Kerr SRSTP. This proposed facility is located in Pymatuning Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Big Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289639, Sewage, SIC Code 4952, 8800, **Linda & Regis Fitzgibbon**, 14463 Gourley Road, Waterford, PA 16441-9331. Facility Name: Linda & Regis Fitzgibbon SRSTP. This proposed facility is located in Le Boeuf Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to French Creek (WWF), is located in State Water Plan watershed 16-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0267449, Sewage, SIC Code, **Long Seth D**, 301 Mine Bank Road, Wellsville, PA 17365-9512. Facility Name: Seth Long Res. This proposed facility is located in Washington Township, **York County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of North Branch Bermudian Creek (WWF, MF), is located in State Water Plan watershed 7-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0267473, Sewage, SIC Code 8800, **Estate of Arbutus Metcalfe**, 11790 Punch Bowl Road, Mercersburg, PA 17236-9780. Facility Name: Lot 6B of Estate of Arbutus Metcalfe. This proposed facility is located in Montgomery Township, **Franklin County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Licking Creek (TSF, MF), is located in State Water Plan watershed 13-C and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Application No. PA0233544, Concentrated Animal Feeding Operation (CAFO), **Joel D Knoebel** (Cleveland Pork CAFO), 110 Center School Road, Elysburg, PA 17824-9142.

Joel D Knoebel has submitted an application for an Individual NPDES permit for a renewal/expansion of an CAFO known as Cleveland Pork CAFO, located in Cleveland Township, **Columbia County**.

The CAFO is situated near Unnamed Tributary to Mugser Run (HQ-CWF, MF) in Watershed 5-E, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO will be designed to maintain an animal population of approximately 1,387.18 animal equivalent units (AEUs) consisting of 9,160 Swine Grow Finish. Liquid Swine Manure will be stored in two concrete swine slatted floor underbarn manure storages (one existing, one proposed) prior to being exported offsite. Prior to operation of the proposed manure storage facility, the design engineer will be required to submit certification that the facility was constructed in accordance with appropriate PA Technical Guide Standards. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling Hans Shollenberger the DEP CAFO permit writer at 717-705-4947.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA0281816, Concentrated Animal Feeding Operation (CAFO), **Harold E Merkey** (Merkey Hog Farm CAFO), 2904 Sunnyside Road, Manheim, PA 17545-8333.

Harold E Merkey has submitted an application for an Individual NPDES permit for a new CAFO known as Merkey Hog Farm CAFO, located in Rapho Township, **Lancaster County**.

The CAFO is situated near Brubaker Run (TSF, MF) in Watershed 7-G, which is classified for Migratory Fishes and Trout Stocking. The CAFO is designed to maintain an animal population of approximately 408.85 animal equivalent units (AEUs) consisting of 2,200 Swine Grow Finish, 21 Beef Finishing, 15 Beef Cow, 37 Beef Calf, 2 Light Horse Mature, 32 Miniature Horse Mature, and 35 Layer, Breeder Hen. Swine Manure is stored in a concrete slatted floor underbarn manure storage. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0261092, Sewage, SIC Code 6514, **Carla C & Graham T Snyder**, 1144 Picketown Road, Harrisburg, PA 17112-9057. Facility Name: Snyder Res. This existing facility is located in West Hanover Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Beaver Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0266175, Sewage, SIC Code 8811, **Nathan Pompei**, 99 Rattlesnake Hill Road, Boyertown, PA 19512. Facility Name: Pompei Residence. This existing facility is located in Douglass Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Annual Average</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Routine pumping of septic tanks
- Submission of Annual Maintenance Reports

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0267465, Sewage, SIC Code 8800, **Estate of Arbutus Metcalfe**, 11790 Punch Bowl Road, Mercersburg, PA 17236-9780. Facility Name: Lot 6A of the Estate of Arbutus Metcalfe. This proposed facility is located in Montgomery Township, **Franklin County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Licking Creek (TSF, MF), is located in State Water Plan watershed 13-C and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0026085, Sewage, SIC Code 4952, **Upper Merion Sanitary and Stormwater Authority**, 175 W Valley Forge Road, King of Prussia, PA 19406-1851. Facility Name: U Merion-Matsunk STP. This existing facility is located in Upper Merion Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total	1.69	2.24 Daily Max	XXX	0.0295	0.0391 Daily Max	0.0738

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	1,434	2,180	XXX	25.0	38.0	50
May 1 - Oct 31	1,033	1,549	XXX	18.0	Wkly Avg 27.0	36
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	Wkly Avg XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1,721	2,582	XXX	30.0	45.0	60
Raw Sewage Influent	Report	XXX	XXX	Report	Wkly Avg XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	1,033	XXX	XXX	18.0	XXX	36
May 1 - Oct 31	344	XXX	XXX	6.0	XXX	12
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	Report Avg Qrtly	XXX	XXX	1,000.0	XXX	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc) Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc) Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosages
- Notification of designation of responsible operator
- Implementation of O&M plan
- Hauled-in waste restriction
- Seasonal fecal coliform
- POTW pretreatment program implementation
- Solids management for non-lagoon system
- WQBELs for toxic pollutants
- Corrosion control feasibility study
- WETT
- Requirements applicable to stormwater outfalls
- Schuylkill River PCB PMP implementation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0026131, Sewage, SIC Code 4952, **Upper Merion Sanitary and Stormwater Authority**, 175 W Valley Forge Road, King of Prussia, PA 19406-1851. Facility Name: Upper Merion Municipal Authority Sewer System & STP Trout Run. This existing facility is located in Upper Merion Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Schuylkill River (WWF, MF) and Trout Creek (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 6.0 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 6.0 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total	1.33	1.56 Daily Max	XXX	0.0266	0.0312 Daily Max	0.0312

The proposed effluent limits for Outfall 002 are based on a design flow of 6.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Total Dissolved Solids	Report Avg Qrtly	XXX	XXX	1,000.0 Avg Qrtly	XXX	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc) Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc) Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 6.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 6.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,251	2,000	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX Wkly Avg	XXX
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	1,500	2,250	XXX	30.0	45.0 Wkly Avg	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	1,000	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	750	XXX	XXX	15.0	XXX	30
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosages
- Notification of designation of responsible operator
- Implementation of O&M Plan
- Hauled-in waste restriction
- Seasonal fecal coliform
- POTW pretreatment program implementation
- Solids management for non-lagoon system
- WQBELs for toxic pollutants
- Corrosion control feasibility study
- WETT
- Requirements applicable to stormwater outfalls
- Schuylkill River PCB PMP implementation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0096342, Sewage, SIC Code 4952, **Fairchance-Georges Joint Municipal Sewer Authority**, 141 Big Six Road, Smithfield, PA 15478-1601. Facility Name: Fairchance-Georges STP. This existing facility is located in Georges Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Georges Creek (WWF), is located in State Water Plan watershed 19-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Cyanide, Free	Report	Report	XXX	Report	Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Cyanide, Free	0.05	0.08	XXX	0.004	0.006	0.010
Zinc, Total	1.84	1.94	XXX	0.14	0.15	0.15

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	250	375	XXX	20.0	30.0	40
May 1 - Oct 31	125	185	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	310	475	XXX	25.0	38.0	50
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	43	XXX	XXX	3.5	XXX	7
May 1 - Oct 31	25	XXX	XXX	2.0	XXX	4
Boron, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Copper, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Iron, Dissolved	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

PAI136106, MS4, Chippewa Township Beaver County, 2811 Darlington Road, Beaver Falls, PA 15010-1027.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Chippewa Township, **Beaver County**. The receiving stream(s), Unnamed Tributary to North Branch Brady Run (TSF), Unnamed Tributary to Wallace Run (WWF), Walnut Bottom Run (WWF), Wallace Run (WWF), Unnamed Tributary of North Fork Little Beaver Creek (HQ-CWF), and Brady Run (TSF), is located in State Water Plan watershed 20-B and is classified for Warm Water Fishes, Trout Stocking, and High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

PA0254908, Sewage, SIC Code 8811, Timothy Kish, 286 S Peninsula Drive, Central City, PA 15926-9207. Facility Name: Peninsula Dr., Lot 217. This existing facility is located in Indian Lake Borough, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Rhoads Creek (CWF), is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD230055	New	1200 Calcon Hook Investment, LLC 416 Bethlehem Pike Fort Washington, PA 19034	Darby Township Delaware County	SERO
PAD150229	New	611 E. Nield Street, LLC 120 Pennsylvania Avenue Malvern, PA 19355	West Chester Borough Chester County	SERO
PA400002D	New	PPL Electric Utilities Corporation 1639 Church Rd GENN 4 Allentown, PA 18104-9342	Sugarloaf Township Luzerne County	NERO
PAD350024	New	PPL Electric Utilities Corporation c/o Luke Portieles 2 North 9th Street GENN 4 Allentown, PA 18101-7874	Fell, Greenfield Benton North Abington Scott Townships Blakely Archbald Boroughs City of Carbondale Lackawanna County	NERO
PAD450137	New	Tobyhanna Army Depot 1 Hap Arnold Blvd Coolbaugh Township, PA 18466	Coolbaugh Township Monroe County	NERO
PAD450145	New	First Energy 2800 Pottsville Pk Reading, PA 19612	Hamilton Township Ross Township Monroe County	NERO
PAD350026	New	NP Covington Township, LLC 12977 N. Outer 40 Road Ste 203 St. Louis, MO 63141-8655	Covington Township Lackawanna County	NERO
PAD400043	New	PPL Electric Utilities Corporation—Luke Portieles 2 North 9th Street GENN4 Allentown, PA 18101-1139	Salem Township Briar Creek Borough Berwick Township Luzerne County Columbia County	NERO
PAD580009	New	520 SR 370 LLC 520 SR 370 Union Dale, PA 18470	Ararat Township Susquehanna County	NERO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD520034	New	PennDOT Engineering District 4-0 55 Keystone Industrial Park Dunmore, PA 18512	Blooming Grove Township Palmyra Township Pike County	NERO
PAD210075	New	Dickinson College 5 North Orange Street Carlisle, PA 17013	South Middleton Township Cumberland County	SCRO
PAD060054	New	Spring Township 2850 Windmill Road Sinking Spring, PA 19608	Spring Township Cumberland County	SCRO
PAD020041	Individual NPDES	Riverfront 47, LP 535 Smithfield Street Suite 715 Pittsburgh, PA 15222	Sharpsburg Borough Allegheny County	Allegheny County Conservation District Suite 119 317 East Carson Street Pittsburgh, PA 15219 412-291-8015
PAD300019	Individual NPDES	Peoples Natural Gas Co., LLC 195 Donohoe Road Greensburg, PA 15601	Franklin Township Gilmore Township Jackson Township Perry Township Wayne Township Whiteley Township Greene County	Greene County Conservation District Suite 204 22 West High Street Waynesburg, PA 15370 724-852-5278
PAD250004A2	Major Amendment	Scott's Development Company 2225 Downs Drive Erie, PA 16509	Erie City Erie County	NWRO

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Walton Farms, LLC 42 Walton Drive Cochranville, PA 19330	Chester	1061	1,666.13	Dairy	NA	New

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Mason's Chrome View LTD 86 Chrome Road Nottingham, PA 19362	Chester	757.5 (398.3 PA acres; 359.2 MD acres)	1,116.1	Dairy	EV (Barren Brook)	New
Mattern Farms (Dennis & Aaron Mattern) 197 Mattern Hill Road Dornsife, PA 17823	Schuylkill/ Northumberland	286.6	348.38	Poultry (Layers) & Beef	NA	Renewal
Sweigart Farms Kenton Sweigart 620 Greider Road Mount Joy, PA 17552	Lancaster	575.4	1,652.64	Dairy/ Swine/ Pullets	NA	Renewal
Mason Dixon Farms 1800 Mason Dixon Road Gettysburg, PA 17325	Adams	487.5	3,446.00	Dairy Cows	NA	Renewal
Penn England Farm 10341 Fox Run Road Williamsburg, PA 16693	Blair, Huntingdon	3,480.8	4,253.75	Dairy	Clover Creek, Fox Run, New Creek, Piney Creek—All HQ	Renewal
Hard Earned Acres 1317 Ritner Highway Shippensburg, PA 17257	Cumberland	1,098.1	1,423.5	Milking and Dry Cows & Replacement Heifers	N/A	Renewal
Hess Agrimarketing LLC 218 Rock Point Road Marietta, PA 17547	Lancaster	Hess Agri- marketing, LLC	Hess Agri- marketing, LLC	Hess Agri- marketing, LLC	Hess Agri- marketing, LLC	Hess Agri- marketing, LLC
Graywood Farms LLC Byron Graybeal 225 Mason Dixon Road Peach Bottom, PA 17563	Lancaster	834.1	1852.05	Dairy	HQ	Renewal
Kucharski Farms 9351 SR 414 Liberty, PA 16930	Tioga	424.6	773.03	Swine/ Dairy	HQ	Renewal
Jeff Zuck 135 Fox Road Lebanon, PA 17042	Lebanon	187.8	481.37	Dairy/ Poultry	NA	Renewal
Paul Ebersol Farm 4970 Sunset Pike Chambersburg, PA 17201	Franklin	213.3	128.15	Ducks	None	Renewal
Rodney Lane 1982 Harrison Fox Hill Rd Harrison Valley, PA 16927	Potter	856	779.49	Beef, Hog	None	Renewal
McClellan Farms, Inc.— Matt McClellan 443 Coolbaugh Hill Road Granville Summit, PA 16926	Bradford	291.8	509.69	Swine Grow Finish: 10—28 wks	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the

application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration

of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No.4121503, Major, Public Water Supply.

Applicant	Montgomery Water Authority
Township or Borough	Montgomery Township
County	Lycoming
Responsible Official	John R. Segursky, P.E.
Type of Facility	Public Water Supply
Consulting Engineer	Edward Brown Larson Design Group 1000 Commerce Park Drive Suite 201 Williamsport, PA 17701
Application Received Date	July 13, 2021
Description of Action	The MWA Timber Run Water Service project proposes to repurpose an existing water-storage tank at the Lycoming County Resource Management Services (LCRMS) landfill to meet the potable water and fire suppression demands in the expanded distribution area.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An

acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

900 13th Avenue, 900 13th Avenue, Bethlehem, PA 18018, Bethlehem City, **Lehigh County**. American Analytical & Environmental, 738 Front Street, Catasauqua, PA 18032, on behalf Edwards-Harter Realty Partnership, 900 13th Avenue, Bethlehem, PA 18018, submitted a Notice of Intent to Remediate. Soil was contaminated by heating oil from an underground storage tank. Future use of the site will be non-residential. The Notice of Intent to Remediate was published in *The Lehigh Valley Press* on June 30, 2021.

**DETERMINATION OF APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Application for Determination of Applicability Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

General Permit Application No. WMGR081SE012. People Advancing Reintegration, Inc. (d/b/a PAR Recycling Works), 2024 West Hunting Park Avenue, Philadelphia PA 19140-2814. This general permit application for a determination of applicability (DOA) under General Permit No. WMGR081 to process waste electronics at the People Advancing Reintegration, Inc. (d/b/a PAR-Recycle Works) facility located in the City and County of Philadelphia. The application for determination of applicability was accepted as administratively complete by the Southeast Regional Office on July 6, 2021.

Comments concerning the application should be directed to the Pennsylvania Department of Environmental Protection (DEP) Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania Hamilton Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit Application No. WMGR028-NE011. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664. An application for determination of applicability for the beneficial use of asphalt plant baghouse fines as a soil additive at the Laflin Asphalt Plant located in Plains Township, Luzerne County. The application for determination of applicability was received by the Regional Office on May 12, 2021 and deemed administratively complete on July 12, 2021.

Comments concerning the application should be directed to Roger Bellas, Environmental Program Manager, Waste Management Program, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Application Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 301220. Clean Earth of Philadelphia, LLC, 3201 South 61st Street, Philadelphia PA 19153-3502. This application under the Solid Waste Permit No. 301220 is for the renewal of the thermal desorption facility permit for treating hydrocarbon contaminated soils to generate a reusable fill material at Clean Earth of Philadelphia, LLC, a residual waste processing facility, located in the City and County of Philadelphia. The application was received by the Southeast Regional Office on July 8, 2021.

Comments concerning the application should be directed to the Pennsylvania Department of Environmental Protection (DEP) Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania Hamilton Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

**PLAN APPROVAL AND OPERATING
PERMIT APPLICATIONS**

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing

will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Plan Approval for installation of air pollution sources at the following facility:

IP21-000515: Philadelphia Housing Authority—James W. Johnson Homes (2500 West Norris Street, Philadelphia, PA 19121) for the installation of air emission sources at a public housing site, in the City of Philadelphia, **Philadelphia County**. The significant air emission sources that are part of the Plan Approval are eighteen (18) boilers firing natural gas each rated 3.082 MMBtu/hr or less. Additionally, the facility has twenty-seven (27) insignificant hot water heaters each rated less than 0.2 MMBtu/hr that are also included in the Plan Approval for facility-wide emission calculation, and the hot water heaters are required to follow the applicable requirements in the Plan Approval. The potential emission from the installation are as follows: (1) 9.995 tons per year (tpy) of Nitrogen Oxides (NO_x), (2) 8.396 tpy of Carbon Monoxide (CO), (3) 0.76 tpy of Particulate Matter (PM), (4) 0.55 tpy of Volatile Organic Compound (VOC), and (5) 0.06 tpy of Sulfur Oxides (SO_x). The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

The plan approval will be issued under 25 Pa. Code, Philadelphia Code Title 3, and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University

Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed plan approval must submit the protest, comments, or request for a public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the plan approval or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

41-00090A: Digger Specialties, Inc. (3639 Destiny Drive, P.O. Box 241, Bremen, IN 46506) for the construction of a new aluminum fence manufacturing facility to be located in Brady Township, **Lycoming County**. Operations at the proposed facility will consist of one wash line, two powder coating spray booths, and welding. Additionally, there will be several small natural gas-fired combustion units throughout the proposed facility.

The Department of Environmental Protection's (Department) review of the information submitted by Digger Specialties, Inc. indicates that the proposed equipment will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction.

The electrode utilized in the welding operations shall not contain HAPs in excess of 1.0 percent manganese, 0.1 percent chromium, or 0.1 percent nickel. Additionally, the permittee shall not utilize any powder coatings which contain VOCs at a concentration greater than 0.1% by weight without the Department's prior written approval. In addition to the VOC and HAP content limitations, the plan approval contains monitoring and recordkeeping requirements to ensure ongoing compliance with the limits.

The facility will be a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 41-00090A, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

65-00891D: Firestone Building Products Company, LLC (102 Avenue A, Youngwood, PA 15697-1700). Notice

is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Pennsylvania Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval PA-65-00891D for the existing polyisocyanurate foam board insulation production at the Youngwood Plant owned and operated by Firestone Building Products Company, LLC (FSBP) in Youngwood Borough, **Westmoreland County**. FSBP has proposed to replace the existing regenerative thermal oxidizer (RTO) which controls VOC emission from the panel production process with a unit that will control VOC emissions from both the board sawing and the panel production.

Emissions from the sources covered under this plan approval are 10.35 tons of particulate matter (PM), 12.47 tons of nitrogen oxides (NO_x), 54.37 tons of volatile organic compounds, 0.07 ton of SO₂, 10.48 tons of Carbon Monoxide (CO), 14,897 tons of CO₂e, and 0.0095 ton of Methylene diphenyl isocyanate (MDI) per year.

This authorization is subject to the New Source Review requirements of 25 Pa. Code Chapter 127, Subchapter E and the Best Available Technology (BAT) requirements of 25 Pa. Code § 127.1. The Department has determined that the proposed project satisfies lowest achievable emission rate (LAER) and the Department's BAT requirements. FSBP will be required to secure 71 tons of VOC emission reduction credits. The facility is subject to State regulations including 25 Pa. Code §§ 121.7, 123.1, 123.2, 123.11, 123.13, 123.21, 123.31, 123.41, and 123.43. The Plan Approval has been conditioned to ensure compliance with all applicable rules including emission restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to submit a Title V Operating Permit application in accordance with 25 Pa. Code Subchapter G.

The Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact the Department at 412.442.4000.

A person may oppose the proposed plan approval by filing a written protest with the Department through Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; asandy@pa.gov; or fax 412.442.4194. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-00891D) and a concise statement of the objections to the plan approval and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication. For additional information, you may contact Alexander Sandy at 412.442.4028.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the

decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Edward F. Orris, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to eorris@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

56-00257: Pennsylvania Department of Corrections (1920 Technology Parkway, Mechanicsburg, PA 17050). In accordance with 25 Pa. Code §§ 127.441, 127.425, and 127.521, the Department is providing notice that they intend to issue a renewed Title V Operating Permit for the continued operation of a boiler house at a prison, known as SCI Laurel Highlands, located in Somerset Township, **Somerset County**.

The facility is a landfill gas (LFG) and natural gas-fired, electrical power and steam generating plant. LFG is pumped to the boiler house from an off-site, commercial landfill. The main sources at this facility are two (2), 2,233-bhp, SI, Caterpillar, LFG-fueled, generator engines, one (1), 27.7 MMBtu/hr, natural gas-fired with distillate oil backup, trailer mounted boiler, and one (1), 20.3 MMBtu/hr, dual-fuel (LFG & NG) boiler. Supporting equipment at this site includes one (1), purge gas, siloxane removal system with an enclosed flare, two (2), 9.85 MMBtu/hr, Miura, NG-fired boilers, and three (3), 2,235-bhp, 2,235-bhp, and 268-bhp, emergency, diesel, generator engines.

Annual facility-wide potential emissions are 213 tons of CO, 57 tons of NO_x, 43 tons of VOC, 10 tons of PM₁₀, 10 tons of PM_{2.5}, and 6 tons of SO₂. The plant also has annual potential emissions of 8 tons of formaldehyde and 10 tons of all HAPs combined. Potential annual emission of greenhouse gases is 50,123 tons per year. Sources at the facility are subject to 40 CFR Part 60, Subpart A—General Provisions, 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, and 25 Pa. Code Chapters 121—145. No equipment or emission changes are being approved by this action. The permit includes emission limitations and operational, monitoring, testing, recordkeeping, work practice, and reporting requirements for the facility.

The application, the DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of this Title V Operating Permit may submit the information to Martin L. Hochhauser, P.E., Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Operating Permit (specify Operating Permit TVOP-56-00257) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. In accordance with 25 Pa. Code § 127.428, prior to issuing an operating permit, the Department may hold a fact-finding conference or hearing at which the petitioner, and a person who has properly filed a protest under § 127.426 (relating to filing protests) may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the time, place and purpose of a conference or hearing, in writing or by publication in a newspaper or the *Pennsylvania Bulletin*, unless the Department determines that notification by telephone will be sufficient.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00412: PSC Metals, Inc. (P.O. Box N, Koppel, PA 16136-0614) natural minor operating permit for the operation of a ferrous and nonferrous scrap metals recycling plant located off of Westgate Drive in the Koppel and Big Beaver Boroughs, **Beaver County**. The facility contains two air emission processes: one 65 tons per hour car shredder and a sorter. Electromagnets remove ferrous metals from the shredded material, and the sorter produces eddy currents in any remaining metal fragments. Air cleaning devices include the use of water sprays and a cyclone system. The facility's potential emissions are estimated to be 8.4 TPY PM₁₀ and 8.4 TPY PM_{2.5}. The facility is limited to a maximum opacity from any processing equipment of 20 percent. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed State-Only Operating Permit includes emission restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (04-00412) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

65-00280: Kalumetals, Inc. (P.O. Box 322, Derry, PA 15627-0322). In accordance with 25 Pa. Code §§ 127.441 and 127.425, the Department is providing notice that they intend to issue a renewed, facility-wide, natural minor, State Only Operating Permit for the continued operation of a specialty metals reclamation facility known as the Derry Facility, located in Derry Township, **Westmoreland County**.

The primary sources at the facility are two furnaces. One furnace is an 8 MMBtu/hr, natural gas-fired, car bottom furnace. The other furnace is electrically heated and maintains a hydrogen atmosphere.

Annual potential emissions are 10 tons of VOC, 8 tons of NO_x, 3 tons of SO₂, 2 tons of PM₁₀, 2 tons of PM_{2.5}, 1 ton of CO, and 1 ton of all HAPs combined. Sources at the Derry Facility are subject to 25 Pa. Code Chapters 121—145. The permit includes emission limitations and operational, monitoring, reporting, and recordkeeping requirements for the plant.

The application, the DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of this Title V Operating Permit may submit the information to Martin L. Hochhauser, P.E., Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Operating Permit (specify Operating Permit SOOP-65-00280) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. In accordance with 25 Pa. Code § 127.428, prior to issuing an operating permit, the Department may hold a fact-finding conference or hearing at which the petitioner, and a person who has properly filed a protest under § 127.426 (relating to filing protests) may appear and give testimony. The Department is not required to hold a confer-

ence or hearing. The applicant, the protestant and other participants will be notified of the time, place, and purpose of a conference or hearing, in writing or by publication in a newspaper or the *Pennsylvania Bulletin*, unless the Department determines that notification by telephone will be sufficient.

65-00704: Greater Latrobe School District (1816 Lincoln Ave., Latrobe, PA 15650-1521). In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department is providing notice that it intends to issue a renewal natural minor State Only Operating Permit (SOOP) for the operation of the Greater Latrobe Senior High School in Unity Township, **Westmoreland County**.

Equipment at this facility includes three (3) natural gas-fired 15.0 MMBtu/hr boilers, a diesel-fired 330 bhp emergency generator, a natural gas-fired 105 bhp emergency generator, and several small natural gas-fired space heaters, water heaters, food preparation ovens, steam kettles, and cookers. Potential emissions from the air contamination sources at this facility are based on operation for 8,760 hours per year for all sources except the emergency generators which have a 500 hours per year limit. Annual emissions are estimated to be 11.9 tons of NO_x, 1.4 tons of VOCs, 19.3 tons of CO, 0.3 ton of SO₂, 1.9 tons of PM₁₀, and 26,232 tons of greenhouse gases.

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The proposed operating permit includes emissions limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 65-00704) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Permit No. 56911602 and NPDES Permit No. PA0214400. Berwind Coal Sales Company, 509 15th Street, Windber, PA 15963 to revise the permit and related NPDES permit for a land use change from forestland to industrial/commercial for Huskin Run Tipple in Shade Township, **Somerset County**. No additional discharges. The application was considered administratively complete on June 17, 2021. Application received: March 26, 2021.

Permit No. 30841317 and NPDES Permit No. PA0213527. Consol Pennsylvania Coal Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317 to revise the permit and related NPDES permit for installation of four (4) degas boreholes for Enlow Fork Mine in Richhill, Morris, and Washington Townships, **Greene County** and Morris Township, **Washington County** affecting 14.9 proposed surface acres. No additional discharges. The application was considered administratively complete on July 1, 2021. Application received: June 7, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 49851602R7. D. Molesevich & Sons Construction Co., Inc., P.O. Box 121, Mt. Carmel, PA 17851, renewal of an existing anthracite coal refuse reprocessing, coal refuse disposal and preparation plant operation in Mt. Carmel Township, **Northumberland County** affecting 46.2 acres. Receiving stream: Shamokin Creek, classified for the following uses: warm water and migratory fishes. Application received: June 9, 2021.

Permit No. GP12-49851602R3. D. Molesevich & Sons Construction Co., Inc., P.O. Box 121, Mt. Carmel, PA 17851, renewal application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 49851602 in Mt. Carmel Township, **Northumberland County**. Application received: June 9, 2021.

Permit No. 13160101R. Atlantic Carbon Group, Inc., P.O. Box 39, Hazleton, PA 18201, renewal of an existing anthracite surface mine, coal refuse reprocessing and preparation plant operation in Banks and Hazle Townships, **Carbon and Luzerne Counties** affecting 465.5 acres. Receiving stream: Wetzel Creek, classified for the following uses: cold water and migratory fishes. Application received: June 23, 2021.

Permit No. GP12-13160101R. Atlantic Carbon Group, Inc., P.O. Box 39, Hazleton, PA 18201, renewal application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 13160101 in Banks and Hazle Townships, **Carbon and Luzerne Counties**. Application received: June 23, 2021.

Permit No. 35910101R6 and NPDES Permit No. PA0596187. Pioneer Aggregates, Inc., 220 South River Street, Plains, PA 18705, renewal of an existing anthracite surface mine and NPDES Permit for discharge of treated mine drainage in Fell Township, **Lackawanna County** affecting 425.0 acres. Receiving stream: Wilson Creek, classified for the following uses: cold water and migratory fishes. Application received: June 24, 2021.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 50210301. Centre Lime & Stone Company, Inc., 1952 Waddle Road, Suite 203, State College, PA 16803-1649, commencement, operation and restoration of a large noncoal (industrial minerals) operation in Centre Township, **Perry County**, affecting 29.3 acres. Receiving stream(s): Unnamed Tributary to Little Juniata Creek classified for the following use(s): CWF & MF. There are no potable water supply intakes within 10 miles downstream. Application received: June 28, 2021.

PAM421004. Centre Lime & Stone Company, Inc., 1952 Waddle Road, Suite 203, State College, PA 16803-1649. Coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 50210301 located in Centre Township, **Perry County**. Receiving stream(s): Unnamed Tributary to Little Juniata Creek classified for the following use(s): CWF & MF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: June 28, 2021.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, (Contact: Cayleigh Boniger).

Permit No. 37960301. Hanson Aggregates Pennsylvania, LLC, 7660 Imperial Way, Allentown, PA 18195. Renewal of NPDES Permit No. PA0227188 in North Beaver and Mahoning Townships, **Lawrence County**. Receiving stream(s): Unnamed tributaries to Mahoning River and an unnamed tributary to Hickory Run, classified for the following use(s): WWF and TSF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 30, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 64920301C2 and NPDES Permit No. PA0226203. Krempasky Construction, Inc., 112 Gassen Road, Honsedale, PA 18431, correction to an existing quarry operation to include an NPDES Permit for discharge of treated mine drainage in Berlin Township, **Wayne County** affecting 57.0 acres. Receiving stream: Indian Brook, tributary to Lackawaxen River, classified for the following uses: HQ—trout stock and migratory fishes. Application received: May 26, 2021.

Permit No. 8275SM3C3 and NPDES Permit No. PA0117986. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Caernarvon and East Earl Townships, **Lancaster County** affecting 123.0 acres. Receiving stream: unnamed tributary to Conestoga River, classified for the following use: warm water fishes. Application received: June 20, 2021.

Permit No. 7475SM3C10 and NPDES Permit No. PA0612308. Keystone Cement Company, P.O. Box A, Bath, PA 18014, renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation East Allen Township and Bath Borough, **Northampton County** affecting 581.0 acres. Receiving stream: Monocacy Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: June 22, 2021.

Permit No. 45090801. Betty DeHaven, 2411 Route 611, Scotrun, PA 18355, Stage I & II bond release of a quarry operation in Pocono Township, **Monroe County** affecting 1.0 acre on quarry owned by Betty DeHaven. Application received: June 30, 2021.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a

precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769.1100.

NPDES No. PA0001317 (Mining Permit No. 11841301) ArcelorMittal Pristine Resources, LLC, P.O. Box 36, 129 Bethlehem Road, Revloc, PA 15949, a renewal to the NPDES and mining activity permit for Cambria Slope Mine No. 33 in Cambria Township, **Cambria County**, affecting 80.3 surface acres and 20,282.0 underground acres. Receiving stream(s): Little Conemaugh River: WWF and South Branch Blacklick Creek: CWF. Kiskiminetas-Conemaugh River Watershed TMDL. The application was considered administratively complete: March 26, 2019. The application was received: February 11, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: South Branch Blacklick Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 28' 30" Long: -78° 46' 35") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to the end of 59th Month:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)	-	-	-	Report
Iron (mg/l)	-	1.5	3.0	3.8
Manganese (mg/l)	-	1.0	2.0	2.5
Aluminum (mg/l)	-	0.75	0.75	0.75
Suspended Solids (mg/l)	-	35	70	90
pH (s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃ (mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃ (mg/l)	-	-	-	Report

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

Outfall 001 discharges to: South Branch Blacklick Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 28' 30" Long: -78° 46' 35") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from the Beginning of 60th Month to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	66	66
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

Outfall 006 discharges to: Tributary of Howells Run

The proposed effluent limits for *Outfall 006* (Lat: 40° 27' 03" Long: -78° 44' 10") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

Outfall 007 discharges to: Little Conemaugh River

The proposed effluent limits for *Outfall 007* (Lat: 40° 22' 11" Long: -78° 46' 49") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to the End of 59th Month:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

Outfall 008 discharges to: Sedimentation Pond

The proposed effluent limits for *Outfall 008* (Lat: 40° 27' 54" Long: -78° 41' 39") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to the End of 59th Month:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may

contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E6402221-001. Richard Stumbo, 115 Whitlockville Road, Katonah, NY 10536, in Lake Township, **Wayne County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove an existing boathouse and dock and to construct and maintain an approximately 40-foot long by 20-foot wide boathouse in Lake Ariel (HQ-CWF, MF) and an approximately 25-foot long by 10-foot wide cantilevered dock. The project will permanently impact 0.09 acre of wetland (PEM) for construction. The project is located at 24 West Shore Drive Road. (Lake Ariel, PA Quadrangle, Latitude: 41° 26' 21.66"; Longitude: -75° 22' 40.97").

E4002221-010. John Siegal, 1963 Lakeside Drive, Harveys Lake, PA 18618, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the John Segal dock project at Pole # 178:

1. To remove an existing structure and to construct and maintain a 1,100 sq. ft., pile-supported wooden dock within the normal pool elevation of Harveys Lake

(HQ-CWF). The dock will consist of wood decking, eighteen (18) wooden support pilings, a canopy, a fire pit, and a sitting bench.

2. To rehabilitate an existing, 3-foot high, 35-LF stacked stone retaining wall within the normal pool elevation of Harveys Lake (HQ-CWF) with work consisting of an in-kind replacement of the structure.

The project is located approximately 0.1 mile southwest of the intersection of Lakeside Drive (S.R. 415) and Rock Lane (Harveys Lake, PA Quadrangle, Latitude: 41° 22' 1"; Longitude: -76° 3' 20") in Harveys Lake Borough, Luzerne County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E6703221-002. East Manchester Township, 580 North Sherman Street Ext, Mount Wolf, PA 17347, in East Manchester Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to remove the existing structure and to install and maintain a 63.0-foot long 43.0-inch by 68.0-inch elliptical reinforced concrete culvert in an unnamed tributary to Little Conewago Creek (TSF, MF), temporarily impacting 0.01 acre of emergent wetland and permanently impacting 0.01 acre of emergent wetland, all for the purpose of making roadway improvements. The project is located along SR1021 (Locust Point Road) in East Manchester Township, York County (Latitude: 40.0617; Longitude: -76.7452). Wetland impacts are considered de minimus and compensatory wetland mitigation is not required.

E3603221-004. West Cocalico Township Authority, 156B West Main Street, Reinholds, PA 17569-0095, in West Cocalico Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to demolish an existing wastewater treatment plant (WWTP) in the floodway of Little Cocalico Creek and to construct and maintain a new WWTP approximately 1,000 feet to the south, also in the floodway & floodplain of Little Cocalico Creek. The project, including all associated new piping/utilities and abandonment of old piping, will temporarily impact 62 linear feet of stream channel, 0.55 acre of floodway, 0.02 acre of floodplain, and 0.09 acre of wetland, and will permanently impact 30 linear feet of stream channel, 0.11 acre of floodway, 0.60 acre of floodplain, and 0.24 acre of wetland. No permanent wetland loss is proposed. The project proposes 0.22 acre of wetland conversion from forested to emergent conditions and proposes the replanting of 0.22 acre of existing wetland including trees and shrubs as compensatory mitigation for the conversion. The existing WWTP is located north of Creamery Road and the proposed WWTP is located south of Creamery Road in West Cocalico Township, Lancaster County (Latitude: 40° 15' 39.9"; Longitude: -76° 7' 11.4").

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, Telephone number: 717-787-3411.

EA2215221-001. Swatara Township, 599 Eisenhower Boulevard, Harrisburg, PA 17111, Swatara Township, **Dauphin County**, USACOE Baltimore District.

Project proposes to remove approximately 37,700 cubic yards of legacy sediment from the floodplain along Spring Creek (CWF) for the purpose of restoring natural aquatic resources, including restoration of approximately 4.5 acres of wetland, stream, and floodplain areas; to realign approximately 5,590 linear feet of Spring Creek for the purpose of restoring watercourses; to place rock stream and valley grade control structures; to place log sills, root wads, woody debris, and other habitat structures within the restoration areas; to construct rock construction entrances, temporary stream crossings, cofferdams, and other erosion controls during restoration activities; to place a raingarden stormwater management facility in the floodway of Spring Creek; to place stormwater pipes, outfalls and their appurtenant works; and to replace an existing pedestrian bridge. The restoration project is located along the Spring Creek floodplain at Swatara Township's Donald R. Taylor Memorial Park and Living Water Community Church properties (USGS Quadrangle: Harrisburg East, PA: Latitude: 40.260616°; Longitude: -76.818434°).

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, Telephone number: 717-787-3411.

D37-069. Pennsylvania Game Commission, 2001 Elmerton Avenue, Harrisburg PA 17110. To modify, operate, and maintain Celery Swamp Dam across Elliott Run (TSF) impacting 0.01 acre of wetlands (PEM) for the purpose of wildlife management/recreation (Harlansburg, PA Quadrangle N: N 41° 05' 25", W -80°, 07' 42") in Plain Grove Township, **Lawrence County**.

D43-076. Pennsylvania Game Commission, 2001 Elmerton Avenue, Harrisburg PA 17110. To modify, operate, and maintain Pennsy Swamp (SGL 284) Dam across Hunters Run (TSF) impacting 0.001 acre of wetlands (PEM) for the purpose of wildlife management/recreation (Harlansburg, PA Quadrangle N: N 41° 07' 16", W -80°, 12' 14") in Springfield Township, **Mercer County**.

D43-077. Pennsylvania Game Commission, 2001 Elmerton Avenue, Harrisburg PA 17110. To modify, operate, and maintain Brent Road (SGL 151) Dam across a tributary to Elliott Run (TSF) impacting 0.002 acre of wetlands (PEM) for the purpose of wildlife management/recreation (Harlansburg, PA Quadrangle N: N 41° 06' 02", W -80°, 07' 38") in Liberty Township, **Mercer County**.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal

Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0056502	Industrial Stormwater Individual NPDES Permit	Issued	Jerc Partners II, LLC 171 State Route 173 Suite 201 Asbury, NJ 08802-1365	Lower Moreland Township Montgomery County	SERO
PA0265870	Industrial Stormwater Individual NPDES Permit	Issued	Rolling Frito Lay Sales, LP 85 Commerce Drive Somerset, NJ 08873-3469	Antis Township Blair County	SCRO
0213804	Joint DEP/PFBC Pesticides Permit	Issued	Club at Nevillewood 2427 Hilltop Road Presto, PA 15142-1106	Collier Township Allegheny County	SWRO
0221803	Joint DEP/PFBC Pesticides Permit	Issued	Dicicco Development, Inc. 100 Bayer Road Pittsburgh, PA 15205-9707	Robinson Township Allegheny County	SWRO
0221804	Joint DEP/PFBC Pesticides Permit	Issued	Dicicco Development, Inc. 1442 Coraopolis Heights Road Coraopolis, PA 15108-2957	Moon Township Allegheny County	SWRO
0421800	Joint DEP/PFBC Pesticides Permit	Issued	Steven Dyson & Samantha Brewer 352 Thompson Run Road Beaver Falls, PA 15010-6833	North Sewickley Township Beaver County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2021805	Joint DEP/PFBC Pesticides Permit	Issued	Pineview Camplands 15075 Shermansville Road Linesville, PA 16424-1637	Summit Township Crawford County	NWRO
2021806	Joint DEP/PFBC Pesticides Permit	Issued	Jason Dubeansky 15778 S Mosiertown Road Meadville, PA 16335-9706	Hayfield Township Crawford County	NWRO
2321805	Joint DEP/PFBC Pesticides Permit	Issued	Episcopal Academy 1785 Bishop White Drive Newtown Square, PA 19073-1300	Newtown Township Delaware County	SERO
2521810	Joint DEP/PFBC Pesticides Permit	Issued	North East Borough Erie County 31 West Main Street North East, PA 16428	North East Borough Erie County	NWRO
4514804	Joint DEP/PFBC Pesticides Permit	Issued	Pocono Highlands Lake Estates P.O. Box 24 Analomink, PA 18320-0024	Middle Smithfield Township Monroe County	NERO
4514805	Joint DEP/PFBC Pesticides Permit	Issued	Pocono Highlands Lake Estates P.O. Box 24 Analomink, PA 18320-0024	Middle Smithfield Township Monroe County	NERO
4521804	Joint DEP/PFBC Pesticides Permit	Issued	Kull Matt 263 Cherry Lane Road Bartonsville, PA 18321	Pocono Township Monroe County	NERO
4521805	Joint DEP/PFBC Pesticides Permit	Issued	Kull Matt 263 Cherry Lane Road Bartonsville, PA 18321	Pocono Township Monroe County	NERO
4521806	Joint DEP/PFBC Pesticides Permit	Issued	Bruce George Paving & Excav, Inc. 843 Kuehner Drive Kunkletown, PA 18058-7116	Eldred Township Monroe County	NERO
6121804	Joint DEP/PFBC Pesticides Permit	Issued	Carleen Czolba Latess 713 Gibson Hill Road Oil City, PA 16301-5005	Oakland Township Venango County	NWRO
PA0035157	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Farmers Pride, Inc. P.O. Box 39 154 W Main Street Fredericksburg, PA 17026-0039	Bethel Township Lebanon County	SCRO
PA0012238	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	ABB, Inc. 125 County Line Road Warminster, PA 18974-4974	Warminster Township Bucks County	SERO
PA0030856	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Western Beaver County School District 343 Ridgemont Drive Midland, PA 15059-2219	Industry Borough Beaver County	SWRO
PA0033642	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Burns Drilling & Excav Co. P.O. Box 41 618 Crabapple Road Wind Ridge, PA 15380-0041	Gray Township Greene County	SWRO
PA0095036	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	El Do, Inc. 700 Atlantic Avenue McKeesport, PA 15132	South Huntingdon Township Westmoreland County	SWRO

NOTICES

4015

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0217913	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	McIntire William B 1160 Hudson Road Creekside, PA 15732-8228	Armstrong Township Indiana County	NWRO
PA0064220	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Twin County Joint Municipal Authority P.O. Box 636 Nuremberg, PA 18241-0636	North Union Township Schuylkill County	NERO
PA0254088	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Derry Township Municipal Authority Westmoreland County P.O. Box 250 New Derry, PA 15671-0250	Derry Township Westmoreland County	SWRO
PAG032280	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	General Dynamics OTS (Wilkes-Barre), LLC 1500 Highway 315 Wilkes-Barre, PA 18702	Plains Township Luzerne County	NERO
PAG036217	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Nextier Completion Solutions, Inc. 3990 Rogerdale Road Houston, TX 77042-5142	Mount Pleasant Township Westmoreland County	SWRO
PAG036252	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Nextier Completion Solutions, Inc. 3990 Rogerdale Road Houston, TX 77042-5142	East Huntingdon Township Westmoreland County	SWRO
PAG036298	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Giant Eagle, Inc. 101 Kappa Drive Pittsburgh, PA 15238-2809	New Sewickley Township Beaver County	SWRO
PAR118328	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Mersen USA St. Marys PA, Corp. 1032 Trout Run Road Saint Marys, PA 15857	Saint Marys City Elk County	NWRO
PAG123603	PAG-12 NPDES General Permit for CAFOs	Issued	Arlin Wadel 301 McCulloch Road Shippensburg, PA 17257-9424	Southampton Township Cumberland County	SCRO
PAG123715	PAG-12 NPDES General Permit for CAFOs	Issued	Lehman Curtis M 514 Bricker Road Bernville, PA 19506-8722	Jefferson Township Berks County	SCRO
PAG123728	PAG-12 NPDES General Permit for CAFOs	Issued	Good Barry L 1695 Rake Road Mohrsville, PA 19541-9232	Centre Township Berks County	SCRO
PAG123867	PAG-12 NPDES General Permit for CAFOs	Issued	David A Brenize 7201 Sunset Road Newburg, PA 17240	Lurgan Township Franklin County	SCRO
0721403	Sewage Treatment Facilities Individual WQM Permit	Issued	Donaldson Jason E 195 Wilson Street Reedsville, PA 17084	Frankstown Township Blair County	SCRO
2120403	Sewage Treatment Facilities Individual WQM Permit	Issued	Yocum Frankie L 799 Creek Road Carlisle, PA 17015-8965	West Pennsboro Township Cumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2521407	Sewage Treatment Facilities Individual WQM Permit	Issued	Rimdzius Joe 10071 Old Route 99 McKean, PA 16426-1729	McKean Township Erie County	NWRO
3274409	Sewage Treatment Facilities Individual WQM Permit	Issued	McIntire William B 1160 Hudson Road Creekside, PA 15732-8228	Armstrong Township Indiana County	NWRO
1019403	Sewer Extensions and Pump Stations Individual WQM Permit	Issued	PA DCNR 225 Pleasant Valley Road Portersville, PA 16051-9650	Muddycreek Township Butler County	NWRO
PA0244821	Single Residence STP Individual NPDES Permit	Issued	Teti Michael 542 S Tower Road Sellersville, PA 18960-1150	West Rockhill Township Bucks County	SERO
PA0267341	Single Residence STP Individual NPDES Permit	Issued	Yocum Frankie L 799 Creek Road Carlisle, PA 17015-8965	West Pennsboro Township Cumberland County	SCRO
PA0267457	Single Residence STP Individual NPDES Permit	Issued	Donaldson Jason E 195 Wilson Street Reedsville, PA 17084	Frankstown Township Blair County	SCRO
PA0289256	Single Residence STP Individual NPDES Permit	Issued	Rimdzius Joe 10071 Old Route 99 McKean, PA 16426-1729	McKean Township Erie County	NWRO
WQG02152111	WQG-02 WQM General Permit	Issued	West Whiteland Township Chester County 101 Commerce Drive Exton, PA 19341-2726	West Whiteland Township Chester County	SERO
WQG02232113	WQG-02 WQM General Permit	Issued	Concord Township Delaware County 43 Thornton Road Glen Mills, PA 19342-1325	Concord Township Delaware County	SERO
WQG02382101	WQG-02 WQM General Permit	Issued	Northern Lebanon County Authority P.O. Box 434 Jonestown, PA 17038-0434	Union Township Lebanon County	SCRO

II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC510209	PAG-02 General Permit	Issued	SBG Real Estate, LLC 920 Wayland Circle Bensalem, PA 19020-402	City of Philadelphia Philadelphia County	SERO
PAC090466	PAG-02 General Permit	Issued	Arcadia at Newtown Holdings, LP 1801 Market Street Suite 630 Philadelphia, PA 19103-1611	Newtown Township Bucks County	SERO
PAC090462	PAG-02 General Permit	Issued	Guy Dalfo 978 Bridgetown Pike Langhorne, PA 19053-7239	Bensalem Township Bucks County	SERO
PAC350106	PAG-02 General Permit	Issued	Hunter Realty Partners, LP 480 Pittsburgh Road Butler, PA 16002-7654	City of Scranton Lackawanna County	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086

NOTICES

4017

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400206	PAG-02 General Permit	Issued	Mericle 3 Great Valley, LLC Stephen Maakestad 100 Baltimore Drive Wilkes-Barre, PA 18702	Hanover Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAD480124	Individual NPDES	Issued	Crossroads XOX, LLC 1265 Miller Road Wind Gap, PA 18091	Upper Nazareth Township Northampton County	NERO
PAD390199	Individual NPDES	Issued	Parkland School District 1210 Springhouse Rd. Allentown, PA 18104	South Whitehall Township Lehigh County	NERO
PAD390003 A-1	Individual NPDES	Issued	The Fields at Indian Creek, LLC 5930 Hamilton Blvd. Wescosville, PA 18106	Upper Milford Township Emmaus Borough Lower Macungie Township Lehigh County	NERO
PAC390128	PAG-02 General Permit	Issued	MSK Management, LLC 441 Main St. East Orange, NJ 07018	Coopersburg Borough Lehigh County	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18401 610-391-9583
PAC350114	PAG-02 General Permit	Issued	Keyser Land Development, LLC 21 Franklin Street Jermyn, PA 18433-1652	City of Scranton Lackawanna County	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086
PAC580026	PAG-02 General Permit	Issued	Michael Pirner/Cabot Oil and Gas 8207 State Route 29 Montrose, PA 18801	Lenox Susquehanna County	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105
PAD640026	Individual NPDES	Issued	PPL Electric Utilities Corporation 2 North 9th Street GENN 4 Allentown, PA 18101	Dreher and Lehigh Township Wayne County	NERO
PAD390195	Individual NPDES	Issued	K2DMR, LLC 3764 Mauch Chunk Rd. Allentown, PA 18104	City of Allentown Lehigh County	NERO
PAC010169	PAG-02 General Permit	Issued	Thunderbolt Storage 126 Onyx Road New Oxford, PA 17350	Union Township Germany Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC670333 A-1	PAG-02 General Permit	Issued	Tri Corner Morninglight, LP 3405 North 6th Street Harrisburg, PA 17110	York Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC470028	PAG-02 General Permit	Issued	Denis Beachel 396 Fairview Rd Danville, PA 17821	Limestone Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC140121	PAG-02 General Permit	Issued	University Area Joint Authority 1576 Spring Valley Road State College, PA 16801	Benner Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823-1400
PAC140124	PAG-02 General Permit	Issued	William K. First Granite Dr & Quartz Dr Bellefonte, PA 16823	Spring Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823-1400
PAC630093 A-1	PAG-02 General Permit	Issued	United States Department of Veterans Affairs Suite 6W, 417C 425 Eye Street NW Washington, DC 20001	Cecil Township Washington County	Washington County Conservation District Suite 1 50 Old Hickory Ridge Road Washington, PA 15301 724-206-9446
PAC630217	PAG-02 General Permit	Issued	Canon-McMillan School District 1 North Jefferson Avenue Canonsburg, PA 15317	North Strabane Township Washington County	Washington County Conservation District Suite 1 50 Old Hickory Ridge Road Washington, PA 15301 724-206-9446
PAC200076	PAG-02 General Permit	Issued	Byler's Relish House 18258 Leimbach Road Saegertown, PA 16433	Woodcock Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC250141	PAG-02 General Permit	Issued	Fairview Township 7471 McCray Road Fairview, PA 16415	Fairview Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC100188A2	PAG-02 General Permit	Issued	PADOT District 10 2550 Oakland Avenue Indiana, PA 15701	Middlesex Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100233	PAG-02 General Permit	Issued	Jackson Township 140 Magill Road Zelienople, PA 16063	Jackson Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals

must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Eric Newswanger 107 Awol Road Jonestown, PA 17038	Lebanon	64.8	407.95	Broiler/Beef	NA	Approved
Maneval Poultry Dale Maneval 11203 Route 35 Mt. Pleasant Mills, PA 17853	Snyder	20.8 for Manure Application	420.16	Poultry	NA	Approval
Melvin Weaver 359 Timber Road Beavertown, PA 17813	Snyder	145 for Manure Application	342.5	Swine & Beef (Sow)	NA	Approved
Green Valley Swine, LLC 2266 Junction Road Seven Valleys, PA 17360 Mailing Address: 6 South Broad St. Suite 2 Lititz, PA 17543	York	256.6	2,144.9	Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Operation Permit No. 3621511 issued to: **Bible Fellowship Church of Ephrata (PWS ID No. 7360349)**, West Earl Township, **Lancaster County** on July 9, 2021 for facilities approved under Construction Permit No. 3621511.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 4721501, Major Amendment. Public Water Supply.

Applicant	Blue Springs, LLC P.O. Box 229 Bullville, NY 10915
Borough or Township	Washington Township
County	Montour County
Type of Facility	Public Water Supply

Consulting Engineer Kenneth Estep, P.E.
Mid Penn Engineering, Corp.
2049 W. Market Street
Lewisburg, PA 17837

Permit Issued July 13, 2021

Operations Permit issued to: **Crawford Township Authority**, P.O. Box 273, Jersey Shore, PA 17740, PWSID No. 4180062, Crawford Township, **Clinton County** on July 8, 2021 for the operation of facilities approved under construction permit # 1897502-A1. This permit approved operation of an Environmental Products Division (EPD) pressure sand filtration plant and raw water intakes on Gottshall Run, Rauchtown Creek, and Falling Spring. During review of the Water Allocation Permit Application, it was determined that the Rauchtown Creek Intake was never installed. Therefore, the permit is hereby amended to remove permission to use Rauchtown Creek as a source of supply. In addition, several Special Conditions quoted outdated Chapter 109 Regulations and have been removed from the amended permit.

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. § 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

WA 18-1004A, Water Allocations. Crawford Township Authority, P.O. Box 273, Jersey Shore, PA 17740, Crawford Township, **Clinton County**. This permit grants Crawford Township Authority the right to withdraw a maximum of 95,000 gallons per day (gpd) from Gottshall Run and 7,000 gpd from Falling Spring, when available, with both intakes located in Crawford Township, Clinton County. A passby flow of not less than 1.015 cubic feet per second or 657,000 gpd shall always be allowed to overflow the existing Ravensburg Dam Weir.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

Township	Township Address	County
District	202 Weil Road	Berks
Township	Boyertown, PA 19512	

Plan Description:

The exemption from the requirement to revise the Official Plan for the Cynthia L. Brensinger Subdivision, DEP Code No. A3-06929-067-2E, APS Id 1042660, is disapproved. The proposed subdivision consists of one new single-family residential lot with an individual on-lot sewage disposal system. The proposed subdivision is located on Weil Road in District Township. This plan is disapproved because it does not qualify as an exemption from the requirement to revise the Official Plan. It does not qualify because the subdivision proposes the use of on-lot sewage disposal systems in an area within 1/4 mile of water supplies documented to exceed 5 PPM nitrate-nitrogen as per Chapter 71 § 71.51(b)(1)(ii), and addition-

ally because the subdivision proposes the use of on-lot sewage disposal systems in an area within a high quality or exceptional value watershed as per Chapter 71 § 71.51(b)(1)(iii).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Hawley Compressor Station, 2124 Chestnut Ridge Road (formerly 3028 Chestnut Ridge Road), Montrose, PA 18801, Forest Lake Township, **Susquehanna County**. Aptim, 500 Penn Center Blvd, Suite 1000, Pittsburgh, PA 15235, on behalf of Williams Field Services Company, LLC, 310 State Route 29 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil and groundwater contaminated by a release of lubricating

oil. The report is intended to document remediation of the site to meet Statewide health standards.

Northwest Region: Environmental Cleanup and Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

New Castle Power Station, 2189 State Route 168 South, West Pittsburgh, PA 16160, Taylor Township, **Lawrence County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of New Castle Power, LLC, 2189 State Route 168 South, West Pittsburgh, PA 16160 has submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site groundwater contaminated with Arsenic, Iron, Lithium, Manganese, Selenium, and Sulfate. The report/plan is intended to document remediation of the site to meet the site-specific standard.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Withdrawn Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit No. WMGR017SC003A. Denali Water Solutions, LLC, 3308 Bernice Avenue, Russelville, AR 72802 for the Fred Ranck Farm located at 274 Scotland Road, Quarryville, PA 17566, East Drumore Township, **Lancaster County**. An application for a Determination of Applicability for coverage under residual waste general permit WMGR017 was withdrawn at the request of the applicant. The Department withdrew this permit application on April 29, 2021.

Persons interested in reviewing the general permit may contact John Oren, P.E., Permits Section Chief, PA Department of Environmental Protection, Southcentral Regional Office Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4706. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

AIR QUALITY

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

18-00030C: First Quality Tissue, LLC (904 Woods Avenue, Lock Haven, PA 17745) on July 8, 2021, to extend the authorization to construct a paper towel and tissue manufacturing operation at their facility located in Castanea Township, **Clinton County** to January 4, 2022. The plan approval has been extended.

18-00030D: First Quality Tissue, LLC (904 Woods Avenue, Lock Haven, PA 17745) on July 8, 2021, to

extend the authorization to construct a paper towel and tissue manufacturing operation at their facility located in Castanea Township, **Clinton County** to January 4, 2022. The plan approval has been extended.

18-00005E: Dominion Transmission, Inc. (925 White Oakes Boulevard, Bridgeport, WV 26330) on July 2, 2021, for the construction and operation of a 11,015 brake-horsepower (bhp) natural gas-fired turbine/compressor engine (Source P111) and a 791 bhp natural gas-fired emergency generator (Source P203) at their Finnefrock Compressor Station located in Leidy Township, **Clinton County**. The plan approval has been extended.

59-00035A: Empire Pipeline, Inc. (6363 Main Street, Williamsville, NY 14221) on July 6, 2021, for the construction and operation of the Jackson Compressor Station located in Jackson Township, **Tioga County**. The plan approval has been extended.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

63-00939: MarkWest Liberty Midstream & Resources, LLC (4600 J. Barry Ct, Canonsburg, PA 15317-5854) on July 6, 2021, the Department of Environmental Protection issued an initial synthetic minor State-Only Operating Permit for the operation of the MarkWest Nancy Stewart natural gas compressor station located in Mount Pleasant Township, **Washington County**. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145 and the applicable Federal new source performance standards and national emission standards for hazardous air pollutants. The permit includes emission restrictions, operating requirements, monitoring requirements, work practice standards, and recordkeeping requirements for the site.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

32-00408: MGK Technology Homer City Plant (57 Cooper Avenue, Homer City, PA 15478), on June 23, 2021 the Department issued a State Only Operating Permit renewal for the steel preparation, fabrication and surface coating facility located in Homer City Borough, **Indiana County**. Emission sources at the facility are a paint building, shot blast units, plasma machine, welding machines, dry off ovens, burn off oven, and unpaved roadways. The facility has the potential to emit: 7.92 tpy VOC, 4.4 tpy NO_x, 2.81 tpy CO, 22.04 tpy PM₁₀. The facility is a natural minor and is subject to State Regulations. The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on June 25, 2021 an initial Natural Minor State Only Operating Permit for the following facility:

OP20-000014: Warren G. Harding School (200 Wake-land St., Philadelphia, PA 19124) for the operation of air pollution sources at a school, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include the following:

- Three (3) boilers firing natural gas and No. 2 fuel oil, each rated 8.79 million British thermal units per hour (MMBtu/hr) while firing natural gas and 61 gallons per hour (gph) while firing No. 2 oil
- Two (2) hot water heaters firing natural gas, each rated 0.3 MMBtu/hr

The City of Philadelphia, Air Management Services (AMS) issued on July 8, 2021 an initial Natural Minor (State Only) Operating Permit for the following facility:

OP19-000024: St. Joseph Preparatory School (1733 West Girard Avenue, Philadelphia, PA 19130) on July 8, 2021, was issued an initial Natural Minor (State Only) Operating Permit for the operation of air emission sources in a private school, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are two (2) boilers firing natural gas each rated 4 MMBtu/hr, two (2) hot water heaters firing natural gas each rated 0.50 MMBtu/hr, and one (1) emergency generator firing diesel fuel rated 380 HP.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412-442-4336.

11-00258: Texas Eastern Transmission, LP (5400 Westheimer Court, Houston, TX 77056) for the Lilly Compressor Station located in Washington Township, **Cambria County**. On July 9, 2021, the Department issued an administrative amendment to the Title V Operating Permit to incorporate a change in the responsible official to Mr. Brad Shamlala, Vice President, U.S. Operations.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on June 25, 2021, a modification for a Natural Minor State Only Operating Permit for the following facility:

OP20-000015: Anne Frank Elementary School (2000 Bowler St., Philadelphia, PA 19115) for the operation of air pollution sources at a school, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include the following:

- Two (2) dual-fired boilers, each rated 7.26 million British thermal units per hour (MMBtu/hr) while firing natural gas and 52.7 gallons per hour (gph) while firing No. 2 fuel oil
- Two (2) dual-fired boilers, each rated 1.36 MMBtu/hr while firing natural gas and 9.5 gallons per hour gph while firing No. 2 fuel oil

- Two (2) hot water heater firing natural gas, rated 0.27 MMBtu/hr

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 3366BSM2 and NPDES No. PA0249998. PBS Coals, Inc., P.O. Box 260, Friedens, PA 15541, renewal of an NPDES and a surface coal operation treating a post-mining discharge in Stonycreek Township, **Somerset County**, affecting 245.0 acres. Receiving stream: unnamed tributaries of Stonycreek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 5, 2021. Permit issued: July 9, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 17050103 and NPDES PA0256196. RAMM Coal, Inc., 1092 Spruce Hill Road, Rockton, PA 15856. Permit renewal for continued operation and restoration of a bituminous surface coal mine located in Brady Township, **Clearfield County**, affecting 33.5 acres. Receiving stream(s): Unnamed Tributary to Little Anderson Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 21, 2020. Permit issued: July 7, 2021.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 28960301 and NPDES No. PA0223735, New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, renewal of NPDES permit, located in Fannett Township, **Franklin County**. Receiving streams: unnamed tributary to Dry Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: May 18, 2021. Permit issued: July 9, 2021.

Permit No. 01740401 and NPDES No. PA0613045, New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, renewal of NPDES Permit, Hamiltonban Township, **Adams County**. Receiving stream: Muddy Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: May 18, 2021. Permit issued: July 9, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

PAM216004-GP104. Bishop Brothers Construction Company, Inc., 1376 Leisure Drive, Towanda, PA 18848. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08120302 located in Sheshequin Township, **Bradford County**. Receiving stream(s): Susquehanna River classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Coverage received: June 24, 2021. Approval of Coverage: July 2, 2021.

PAM220005-GP104. Bishop Brothers Construction Company, Inc., 1376 Leisure Drive, Towanda, PA 18848. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08122502 located in Sheshequin Township, **Bradford County**. Receiving stream(s): Horn Brook classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Coverage received: June 24, 2021. Approval of Coverage: July 2, 2021.

PAM212008-GP104. Bishop Brothers Construction Company, Inc., 1376 Leisure Drive, Towanda, PA 18848. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08910302 located in Sheshequin Township, **Bradford County**. Receiving stream(s): Unnamed Tributary to Susquehanna River classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Coverage received: June 24, 2021. Approval of Coverage: July 2, 2021.

PAM219002-GP104. Aggrock, LLC, 2298 Fall Run Road, Wysox, PA 18854. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08192501 located in Wysox Township, **Bradford County**. Receiving stream(s): Unnamed Tributary to Johnson Creek/Wysox Creek Watershed classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Coverage received: July 6, 2021. Approval of Coverage: July 7, 2021.

PAM216005-GP104. Juan Loja, 1525 Fair Hill Road, New Milford, PA 18834. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 53160802 located in Allegheny Township, **Potter County**. Receiving stream(s): Unnamed Tributary to Peet Brook to Allegheny River/Allegheny River Watershed classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Notice of Coverage received: July 6, 2021. Approval of Coverage: July 7, 2021.

PAM216003-GP104. Anthony P. Bennett, 3657 Old Stagecoach Road, Wyalusing, PA 18853. Renew coverage

under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08162501 located in Pike Township, **Bradford County**. Receiving stream(s): Unnamed Tributary to Williams Creek to Williams Creek to Gaylord Creek to N. Br Wyalusing Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Notice of Coverage received: July 6, 2021. Approval of Coverage: July 7, 2021.

PAM211007-GP104. Anthony P. Bennett, 3657 Old Stagecoach Road, Wyalusing, PA 18853. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08112503 located in Pike Township, **Bradford County**. Receiving stream(s): Unnamed Tributary to Williams Creek to Williams Creek to Gaylord Creek to N. Br Wyalusing Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Notice of Coverage received: July 6, 2021. Approval of Coverage: July 7, 2021.

PAM218018-GP104. Anthony P. Bennett, 3657 Old Stagecoach Road, Wyalusing, PA 18853. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08050803 located in Herrick Township, **Bradford County**. Receiving stream(s): Camps Creek to Wyalusing Creek classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Coverage received: July 6, 2021. Approval of Coverage: July 7, 2021.

PAM221008-GP104. Enrique Vasquez, 1386 Blaisure Road, Montrose, PA 18801. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08050803 located in Wilmot Township, **Bradford County**. Receiving stream(s): Sugar Run/Sugar Creek Watershed classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Coverage received: February 8, 2021. Approval of Coverage: July 7, 2021.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 08214107. MD Drilling & Blasting, Inc., 88 Goldledge Ave, Ste 2, Auburn, NH 03032. Blasting for Pipeline located in Monroe and Overton Townships, **Bradford County** with an expiration date of July 7, 2022. Permit issued: July 7, 2021.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

Permit No. 02214102. M & J Explosives, LLC, 104 East Main Street, Carlisle, PA 17015. Blasting activity permit for the construction of the Hastings Development,

Phase 3, located in South Fayette Township, **Allegheny County** with an expiration date of July 6, 2022. Blasting permit issued: July 7, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 36214133. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Buckton Reserve in Manheim Township, **Lancaster County** with an expiration date of July 2, 2022. Permit issued: July 9, 2021.

Permit No. 40214115. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Centerpoint East IIB Lot 45 in Jenkins Township, **Luzerne County** with an expiration date of July 8, 2022. Permit issued: July 9, 2021.

Permit No. 58214102. Meshoppen Blasting, Inc., P.O. Box 127, Meshoppen, PA 18630, construction blasting for DEP forfeited mine reclamation in Springville Township, **Susquehanna County** with an expiration date of July 6, 2022. Permit issued: July 9, 2021.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E3902220-030. Laurel Field, LLC, 5930 Hamilton Boulevard, Allentown, PA 18106, Upper Macungie Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with Laurel Field Subdivision—Phase # 5:

1) A fill within the floodway of a UNT to Cedar Creek (HQ-CWF, MF) consisting of the paving of an existing 18-foot wide roadway (Daisy Road). This impact will result in a 4,212 ft³ net fill within the floodway.

2) A stormwater outfall within the floodway of a UNT to Cedar Creek (HQ-CWF, MF) consisting of a 15-inch HDPE diameter pipe, concrete endwall, and R-3 riprap apron.

3) A stormwater outfall within the floodway of a UNT to Cedar Creek (HQ-CWF, MF) consisting of a 15-inch HDPE diameter pipe, concrete endwall, and R-3 riprap apron.

4) A fill within the floodway of a UNT to Cedar Creek (HQ-CWF, MF) consisting of portions of a cul-de-sac associated with an 18-foot wide asphalt roadway (Sunflower Lane), a concrete sidewalk, and associated grading. This impact will result in a 5,508 ft³ net fill within the floodway.

The project is located approximately 0.2 mile southwest of the intersection of Werley Road and Dogwood Trail (Allentown West, PA Quadrangle Latitude: 40° 34' 52"; Longitude: -75° 33' 51.14") in Upper Macungie Township, Lehigh County.

E4802220-022. Crossroads XOX, LLC, 1265 Miller Road, Wind Gap, PA 18091, Upper Nazareth Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with "Project Tadmor," an industrial development consisting of two (2) warehouse buildings, three (3) access roads, and parking lots:

1) A stream enclosure of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 251-LF, 36-inch diameter reinforced concrete pipe, four (4) concrete manholes, a concrete flared end section, and R-6 riprap apron.

2) A stormwater outfall within an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 30-inch diameter reinforced concrete pipe associated with a proposed stormwater drainage collection system adjacent to the northern loading docks and the eastern portion of "Driveway 1."

3) A utility line crossing of an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 3-inch diameter, HDPE sanitary sewer force main.

4) A utility line crossing of an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 4-inch diameter, underground PVC electric conduit.

5) A stormwater outfall within an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 24-inch diameter reinforced concrete pipe associated with a proposed stormwater drainage collection system adjacent to a proposed access road along the northern perimeter of the project site.

6) A fill within the floodway of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a retaining wall, a chain link fence, and grade alterations associated with the construction of "Driveway # 2." A net fill of 12,010 ft³ will occur within the floodway as a result of this impact.

7) A stream enclosure of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 577-LF, 36-inch diameter reinforced concrete pipe, concrete wingwall, four (4) concrete manholes, and with an invert installed 6-inches below the natural streambed elevation.

8) A utility line crossing of an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 4-inch diameter, underground PVC electric conduit.

9) A stormwater outfall within an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 24-inch diameter, reinforced concrete pipe associated with a proposed stormwater management basin outfall structure located directly to the northeast.

10) A stormwater outfall within an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 18-inch diameter, HDPE pipe associated with a proposed stormwater drainage collection system along the Gun Club Road (T-506) located directly to the southeast.

11) A utility line crossing of an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of an overhead electric wire.

12) A stormwater outfall within an enclosed portion of UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 18-inch diameter, HDPE pipe associated with a proposed stormwater drainage collection system along Gun Club Road (T-506) located directly to the northwest.

13) A stream crossing replacement consisting of the removal of an existing structure conveying a UNT to Monocacy Creek (HQ-CWF, MF) beneath Gun Club Road (T-506) and the construction of a 49-LF, 45-inch diameter by 29-inch diameter elliptical reinforced concrete pipe having a concrete inlet box on the upstream end of the culvert and a concrete flared end section with an R-6 riprap apron on the downstream end of the culvert.

14) A utility line crossing of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 4-inch diameter ductile iron water pipe directly west of Daniels Road (S.R. 948).

15) A utility line crossing of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of an 8-inch diameter ductile iron water pipe directly west of Daniels Road (S.R. 948).

16) A utility line crossing of a UNT to Monocacy Creek (HQ-CWF, MF) consisting of a 3-inch diameter HDPE sewage force main directly west of Daniels Road (S.R. 948).

The project is located directly east of Gun Club Road (T-506), approximately 0.63-mile southeast of the intersection of Bath Pike (S.R. 248) and Penn Allen Road (T-505), Nazareth, PA Quadrangle Latitude: 40° 43' 30" Longitude: -75° 21' 21" in Upper Nazareth Township, Northampton County.

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E6703220-024. CRG, 200 Barr Harbor Drive, Suite 250, Conshohocken PA 19428. Conewago Township, **York County**, Army Corps of Engineers Baltimore District.

To 1) place and maintain fill in five (5) separate forested wetlands in the watershed of Little Conewago Creek (TSF-MF) totaling 0.39 acre. 2) place and maintain fill in 404 linear feet of an Unnamed Tributary to Little Conewago Creek (TSF-MF), and 3) construct and maintain a stormwater outfall in the floodway of Little Conewago Creek (TSF-MF) impacting 0.07 acre of floodway, all for the purpose of constructing a regional warehouse distribution facility (Latitude: 40.0652; Longitude: -76.5211). The project is located near the intersection of Locust Point Road and East Andes Road in Conewago Township, York County. The applicant proposes to impact a total of 0.39 acre of wetland and proposes to purchase credits for compensatory mitigation from the First Pennsylvania Resource, LLC Codorus Creek Mitigation Bank (PADEP Permit # MB990367-001). Permit issued July 7, 2021.

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, Telephone number: 717-787-3411.

E6514-002, Department of General Services, Bureau of Capital Projects Design, 1800 Herr Street, Harrisburg, PA 17103-1540, Brush Creek Flood Protection Project, Jeannette City and Penn Borough, **Westmoreland County**, USACOE Pittsburgh District.

This permit is issued to construct and maintain a rolled earthen embankment levee and floodwall system along the north bank of Brush Creek (TSF). The flood protection project is known as Brush Creek Flood Protection Project DGS 182-7 Phase 2 (DEP C65-1). The project area will be impacted during construction and a total of 5.69 acres below Ordinary High Water will be disturbed. Of this total disturbance area, 0.23 acre of permanent fill below Ordinary High Water is proposed. The following activities are associated with the construction of this project:

- Construct approximately 2,800 LF of rolled earth embankment levee. The estimated total volume of rolled embankment is 16,700 cubic yards.
- Construct approximately 2,900 LF of concrete floodwall.
- Install approximately 6,300 LF of Turf Reinforcement Mat and Erosion Control blanket slope protection.
- Excavate 1.6 acres of ponding area for interior drainage, all disturbed areas will be seeded and mulched.
- Install twenty-five drainage structures through the levee and floodwall.

The project is located in and along Brush Creek (Irwin, PA Quadrangle, Upstream limit of project: Latitude: 40° 19' 31.84"; Longitude: -79° 37' 35.02"; Downstream limit of project: Latitude: 40° 19' 38.35"; Longitude: -79° 38' 37.32") in Jeannette City and Penn Borough, Westmoreland County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG294121015-00
Applicant Name Inflection Energy (PA), LLC
Contact Person Gregg Saunders
Address 101 West Third St., 5th Floor
City, State, Zip Williamsport, PA 17701
County Lycoming
Township(s) Hepburn
Receiving Stream(s) and Classification(s) UNT to Mill Creek (WWF/MF), UNT to Mill Creek (WWF/MF)
Secondary: Mill Creek (WWF/MF), Mill Creek (WWF/MF)

ESCGP-3 # ESG295821022-00
Applicant Name Appalachia Midstream Services, LLC
Contact Person Adam Weightman
Address 30351 Route 6

City, State, Zip Wysox, PA 18854
County Susquehanna
Township(s) Auburn
Receiving Stream(s) and Classification(s) UNT to Transue Creek # 52688 (CWF-MF)
Secondary: Transue Creek # 42704 (CWF-MF)

ESCGP-3 # ESG290821041-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford
Township(s) Litchfield
Receiving Stream(s) and Classification(s) UNT Browns Run (WWF-MF), UNT Sackett Creek (WWF-MF)
Secondary: UNT Browns Run (WWF-MF), Sackett Creek (WWF-MF)

ESCGP-3 # ESG295821018-00
Applicant Name Cabot Oil & Gas Corp
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275-1121
County Susquehanna
Township(s) Rush
Receiving Stream(s) and Classification(s) Terry Creek (WWF-MF)
Secondary: Wyalusing Creek (WWF-MF)

ESCGP-3 # ESG290821034-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford
Township(s) Leroy
Receiving Stream(s) and Classification(s) Sugar-Towanda Creeks (CWF)
Secondary: Towanda Creek (TSF)

ESCGP-3 # ESG290821040-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford
Township(s) Rome
Receiving Stream(s) and Classification(s) UNT Parks Creek (East) (DA2) (CWF-MF), UNT Parks Creek (West) (DA3) (CWF-MF), UNT Wysox Creek (DA1) (CWF-MF)
Secondary: Wysox Creek (CWF-MF), Wysox Creek (CWF-MF), Wysox Creek (CWF-MF)

STORAGE TANKS**CLOSURE-IN-PLACE VARIANCE**

The following variance from closure requirements under the authority of the Storage Tank Spill Prevention Act (35 P.S. § 6021.501) and under 25 Pa. Code Chapter 245, Subchapter E, has been issued by the Bureau of Environmental Cleanup and Brownfields, P.O. Box 8762, Harrisburg, PA 17105-8762.

Variance No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
U-21-0003	Wawa, Inc. Joshua Worth 260 West Baltimore Pike Wawa, PA 19063-5699	Bucks	Middletown Township	Gasoline	15,000 gallons

The variance request asks that underground storage tank (UST) tank 001 be excluded from part of the UST closure requirements located in 25 Pa. Code § 245.452(b). Specifically, the variance requests that tank 001 be permanently closed without being removed from the ground or filled with a non-shrinking, inert solid material as required by regulation. Instead, a double-walled bulkhead will be installed within tank 001 to create two new USTs: one with a capacity of 8,000 gallons and one with a capacity of 7,000 gallons. A variance was granted subject to the following conditions: (1) Wawa shall comply with all remaining applicable requirements of 25 Pa. Code Chapter 245 and shall not violate any applicable provision of the Storage Tank and Spill Prevention Act; (2) The double-walled bulkhead to be built within tank 001 to create the two new USTs shall be installed within one (1) year of performing the required site assessment for tank 001; (3) The double-walled bulkhead shall be installed and tested in accordance with the requirements outlined in the submitted "Containment Solutions—Field Procedure for SW and DW Bulkhead Installation No. PEC 24.02 Dated 02/10/21" and installed and tested in accordance with the requirements outlined in the submitted "JD2 Environmental, Inc.—Request for Variance Professional Engineer Review—Action Requested: Conversion of Double-Wall Fiberglass UST to a Two (2) Compartment Tank System" as stamped and sealed by John J. Traynor, P.E, License No. PE038941R on May 12, 2021; and (4) This Conditional Variance Approval will remain in effect until July 12, 2024, unless amended or revoked by the Department or terminated for any reason by Wawa, Inc. or the Department.

CORRECTIVE ACTION UNDER ACT 32, 1989 PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative

form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Middletown Twp Delaware Cnty, 23-16484, 27 N. Pennell Rd., Lima, PA 19037, Middletown Township, Delaware County. Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Middletown Township, N. Pennell Rd., Lima, PA 19037, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded/leaded gasoline and diesel fuel. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

7 Eleven 40222, 23-16484, 1300 N. Providence Rd., Media, PA 19063, Upper Providence Township, Delaware County. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381 on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Lehighon Fuel & Fill, Storage Tank ID # 13-50392, 7435 Interchange Road, Lehighon, PA 18235, Towamensing Township, Carbon County. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Lehighon Fuel & Fill, LLC, 9 Bonham Drive, Edison, NJ 08837, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide health standards.

Former Werley's Gulf, Storage Tank ID # 39-21260, 5204 Tilghman Street, Allentown, PA 18104, Upper Macungie Township, Lehigh County. Synergy Environmental, 155 Railroad Plaza, First Floor, Royersford, PA 19468, on behalf of Daniel Kuhns, 5204 Tilghman Street, Allentown, PA 18104, has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide health standards.

Market Convenience, Storage Tank ID # 40-23187, 581 Market Street, Kingston, PA 18704, Kingston Borough, Luzerne County. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Market Convenience, Inc., 581 Market Street, Kingston, PA 18704, has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide health standards.

Met-Ed Stroudsburg Office, Storage Tank ID # 45-05507, 231 Independence Road, East Stroudsburg,

PA 18301, Smithfield Township, **Monroe County**. Langan Engineering and Environmental Services, 2700 Kelly Road, Warrington, PA 18976, on behalf of FirstEnergy Corporation, 800 Cabin Hill Drive, Greensburg, PA 15601, has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel. The report is intended to document remediation of the site to meet Statewide health standards.

Northwest Regional Office: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

GD Leasing, Storage Tank Facility ID # 43-90667, 3035 Lynwood Drive, Hermitage, PA 16148, City of Hermitage, **Mercer County**. Letterle & Associates, 191 Howard Street, Suite 108, Franklin, PA 16323 on behalf of Kirila Realty, 3035 Lynwood Drive, Hermitage, PA 16148 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel fuel. The plan is intended to document the remedial actions for meeting the site-specific standard.

Joes Service Station, Storage Tank Facility ID # 43-90087, 1808 Perry Highway, Volant, PA 16156, Springfield Township, **Mercer County**. Letterle & Associates, 191 Howard Street, Suite 108, Franklin, PA 16323 on behalf of Joseph Mattace, 1808 Perry Highway, Volant, PA 16156, submitted a Remedial Action Plan addendum concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting the site-specific standard.

Kwik Fill M175, Storage Tank Facility ID # 61-14854, 3670 State Route 257, Seneca, PA 16346, Cranberry Township, **Venango County**. ATC Group Services, LLC, 270 William Pitt Way, Pittsburgh, PA 1528 on behalf of United Refining Company, 15 Bradley Street, Warren, PA 16365 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting the Statewide health standard.

Wayne Pumps, Storage Tank Facility ID # 32-81999, 1194 Wayne Avenue, Indiana, PA 15701-3512, White Township, **Indiana County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Wayne Pumps, 4303 West Lake Drive, Cambridge, NE 69022-6112, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The plan is intended to document the remedial actions for meeting the site-specific standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Lukoil 69708, 51-43620, 600 N. Delaware Ave., Philadelphia, PA 19123, **City of Philadelphia**. Envirotrac Ltd., 602 S. Bethlehem Pike, Suite A2/A3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of residential Statewide health standards and was approved by the DEP on July 12, 2021.

Jack Nolans Exxon, 46-19083, 567 W Main St., Trappe Borough, **Montgomery County**. Comstock Environmental Services, LLC, P.O. Box 509, Lafayette Hill, PA 19444, on behalf of Jack Nolan Exxon, 567 W. Main St., Trappe, PA 19426 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of residential Statewide health standards and was approved by the DEP on July 13, 2021.

East Falls Gulf, 51-42760, 3515 Midvale Ave., Philadelphia, PA 19129, **City of Philadelphia**. REPSG, Inc., P.O. Box 5377, 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142-0377, on behalf of the Argo Property Group, 3001 West Girard Avenue, Unit 1F, Philadelphia, PA 19130, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is

acceptable to meet residential Statewide health and site-specific standards and was approved by the DEP on July 12, 2021.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Elias Auto Sales—Former Greenie’s Service Station, Storage Tank ID # 39-28192, 1024 West Emaus Avenue, Allentown, PA 18103, Allentown City, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of 1030 W Emaus Ave Land Corp, LLC, 1412 East Pennsylvania Street, Allentown, PA 18109, has submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was not acceptable to meet a combination of site-specific and Statewide health standards and was disapproved by DEP on July 7, 2021.

PSC San Souci, Storage Tank ID # 40-19264, 21 Main Road, Hanover Township, PA 18706, Hanover Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pragnesh Patel, 2386 Sullivan Trail, Exeter Township, PA 18615, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was accept-

able to meet Statewide health standards and was approved by DEP on July 12, 2021.

Mid Monroe Service Station, Storage Tank ID # 45-50649, 5801 Milford Road, East Stroudsburg, PA 18301, Middle Smithfield Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Mid-Monroe Service Stations, Inc., P.O. Box 1158, Marshalls Creek, PA 18335, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of a combination of site-specific and Statewide health standards and was approved by DEP on July 8, 2021.

Rosemergy’s Convenient Store, Storage Tank ID # 52-01926, 1623 State Route 590, Hawley, PA 18428, Lackawaxen Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Lochgen, LLC, 751 Welcome Lake Road, Hawley, PA 18428, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The Site Characterization Report was acceptable to meet site-specific standards and was approved by DEP on July 8, 2021, but the Remedial Action Plan was not acceptable to meet site-specific standards and was disapproved by DEP on July 8, 2021.

SPECIAL NOTICES

RADIATION PROTECTION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

In the months of May through June 2021, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Chad M. Albright	4101 Beale Avenue Altoona, PA 16601	Testing
Dan Ayers	7601 Derry Street, Suite B Harrisburg, PA 17111	Testing
Fred Bainbridge	207 Linden Street Minersville, PA 17954	Testing
Brian A. Boettger	106 Moonlight Court Monroeville, PA 15146	Testing
Christopher T. Brady	671 Queen Street Northumberland, PA 17857	Testing
Anthony Carrozza, Jr.	770 Fairview Road Mount Joy, PA 17552	Testing
Scott Coslett	332 E 11th Street Berwick, PA 18603	Testing
William C. Dunn, Jr.	3111 S 19th Street Philadelphia, PA 19145	Testing
Thomas Hollingsworth	8020 Mine Street Fogelsville, PA 18051	Mitigation
Chris A. Kessler	950 Cape Horn Road York, PA 17402	Testing
Jeremy P. Ling	4900 Carlisle Pike # 277 Mechanicsburg, PA 17050	Mitigation

<i>Name</i>	<i>Address</i>	<i>Certification</i>
John Madrak	129 W Walnut Street North Whales, PA 19454	Testing
James Makara	146 S Marmic Drive Holland, PA 18966	Testing
Robert Mallon	P.O. Box 419 South Heights, PA 15081	Mitigation
Douglas S. McKee	86 Quartz Drive Bellefonte, PA 16823	Mitigation
John F. Mulnix, III	103 Limestone Hill Road Connellsville, PA 15425	Testing
Jerry Pickholtz	1475 Naugahyde Road Westminster, MD 21157	Testing
Eric Rode	290 S Mill Road Milton, PA 17847	Testing
Troy Rudy	P.O. Box 4214 Lancaster, PA 17604	Testing
David Sabo	1029 Pennsylvania Avenue Clairton, PA 15025	Testing
Michael Stender	8020 Mine Street Fogelsville, PA 18051	Mitigation
Paul Suhrie	2648 Majestic Court East Stroudsburg, PA 18302	Testing
Lawrence Transue	2305 Lone Cedar Drive Easton, PA 18040	Testing
Joseph Yeager	1126 E Wilt Street Philadelphia, PA 19125	Testing

[Pa.B. Doc. No. 21-1162. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Driving PA Forward Truck and Bus Fleet Grant Program

The Department of Environmental Protection (Department) announces an opportunity to apply for \$3 million in grants offered through the Truck and Bus Fleet Grant Program (Program) (formerly Class 8 Truck and Transit Bus Grant Program), one of the programs under the Driving PA Forward Initiative. This funding is available for eligible diesel emission reduction projects that will improve air quality and protect public health and the environment by reducing emissions from diesel-powered vehicles and engines.

The Department is seeking applications for projects that will replace or repower eligible diesel-powered Class 4–8 trucks, school buses, shuttle buses or transit buses. The majority of the fleet's annual operation time must occur within this Commonwealth. Public and private entities that operate eligible diesel-powered vehicles throughout the State should apply. These entities may include school districts, municipal authorities, political subdivisions, State agencies, nonprofit entities, corporations, limited liability companies or partnerships incorporated or registered in this Commonwealth, air quality or

transportation organizations, and metropolitan or rural planning organizations.

The Department will not reimburse grant recipients for project costs incurred prior to the grant performance period set forth in the applicable grant agreement.

The Program guidelines and application instructions are available on the Department's Driving PA Forward webpage at www.depgis.state.pa.us/DrivingPAForward/ or by contacting the Bureau of Air Quality (Bureau) at ra-epvwmitigation@pa.gov or (717) 787-9495.

A recorded presentation providing an overview of the Program and application process will be available on the Department's Driving PA Forward web site during the application period. Applicants can contact the Bureau at ra-epvwmitigation@pa.gov or (717) 787-9495 with questions or to request clarification about the presentation or Program documents.

Applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at www.esa.dced.state.pa.us/Login.aspx. Applications are now being accepted. Applications must be received by 4 p.m. on October 9, 2021, at which time the Department will review and score applications.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-1163. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Small Business Advantage Grant Program

The Department of Environmental Protection (Department) announces the availability of up to \$1 million in grant funding for the 18th year of the Commonwealth's Small Business Advantage Grant Program (Program). The Program assists small businesses undertaking energy efficiency, pollution prevention or natural resource conservation projects. With nearly 1 million small businesses in this Commonwealth, well-designed projects can help small businesses cut operating costs and grow the economy, while simultaneously protecting the environment.

The Program is a first-come, first-served grant program that provides up to 50% matching grants, up to a maximum of \$5,000 for all project types. Eligible projects must save the small business a minimum of \$500 per year and at least 25% in annual energy consumption or pollution-related expenses.

Natural resource protection projects are exempt from the minimum savings requirements. However, projects must quantify the sediment and nutrient diversion from the directly related receiving waterway to be eligible.

An eligible applicant's business must be Commonwealth-based, registered to do business in this Commonwealth and a for-profit small business with 100 or fewer full-time equivalent employees. The project to which the grant will apply must be undertaken in or on a facility located in this Commonwealth. Applicants should not have current environmental violations or obligations due to the Commonwealth.

Required forms, Program guidelines and application instructions are available on the Department's web site at www.dep.pa.gov (select "Residents," then "Grants, Loans and Rebates," then "Small Business Advantage Grant—for energy efficiency, pollution prevention, or natural resource protection efforts").

Applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at www.esa.dced.state.pa.us/Login.aspx. Applications are now being accepted. Applications will be reviewed in the order in which they are received.

For more information on the Program, contact the Small Business Ombudsman Office at RA-epAdvantageGrant@pa.gov or (717) 783-9640.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-1164. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of the Non-Regulatory Agenda

In accordance with the Department of Environmental Protection's (Department) Policy for Development and Publication of Technical Guidance, the Department pro-

vides notice of the availability of the Non-Regulatory Agenda (Agenda). The Department will publish notice of availability of the Agenda twice a year, in February and July.

The Agenda serves as a guide and resource to the regulated community, the public, Department staff and members of the Department's advisory committees regarding the focus of the Department's policy development for the coming year. The types of documents listed in the Agenda include policies and technical guidance documents that provide directives, guidance or other relevant compliance-related information.

The Agenda is available on the Department's web site at www.dep.pa.gov/PublicParticipation/Pages/Regulatory-Agendas.aspx (select "DEP Non-Regulatory Agenda").

Questions regarding the Department's Agenda can be directed to Abbey Cadden, Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063, ra-epthepolicyoffice@pa.gov or (717) 705-3769.

Questions regarding specific documents listed on the Agenda should be directed to the respective contact person listed on the Agenda.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-1165. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Rebates through the Driving PA Forward Onroad Rebate Program

The Department of Environmental Protection (Department) announces an opportunity to apply for \$6 million in rebates offered through the Onroad Rebate Program (Program), one of the programs under the Driving PA Forward Initiative. This funding is available for diesel vehicle replacement and repower projects that will improve air quality and protect public health and the environment by reducing emissions from older diesel vehicles.

The Department is seeking applications for projects that will replace or repower eligible diesel-powered Class 4—8 trucks, school buses, shuttle buses or transit buses. The new vehicles or engines may be powered by clean diesel, electric, natural gas, propane or other alternative fuels. Eligible applicants include school districts, municipal authorities, political subdivisions, other State agencies, nonprofit entities, corporations, limited liability companies or partnerships incorporated or registered in this Commonwealth, air quality or transportation organizations, and metropolitan or rural planning organizations.

The Department will not reimburse rebate recipients for project costs incurred prior to the date of the rebate application, unless otherwise noted.

The Program guidelines and application instructions are available on the Department's Driving PA Forward webpage at www.depgis.state.pa.us/DrivingPAForward/ or by contacting the Bureau of Air Quality (Bureau) at ra-epvwmitigation@pa.gov or (717) 787-9495.

A recorded presentation providing an overview of the Program and application process will be available on the Department's Driving PA Forward web site during the application period. Applicants can contact the Bureau at ra-epvwmitigation@pa.gov or (717) 787-9495 with questions or to request clarification about the presentation or Program documents.

Applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at www.esa.dced.state.pa.us/Login.aspx. The application period for this round of funding is now open. The Department will close the application period following the issuance of \$6 million in vouchers, or at 4 p.m. on November 12, 2021, whichever occurs first. The Department will accept, review and approve completed applications for rebates on a first-come, first-served basis.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-1166. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft Revised Water Quality Assessment Methodologies; Available for Public Comment

The Department of Environmental Protection (Department) is requesting public comment for draft revisions in the Assessment and Listing Methodology (assessment methodology) for the 2022 Integrated Water Quality Monitoring and Assessment Report (Integrated Report). Sections 303(d), 305(b) and 314 of the Federal Clean Water Act (33 U.S.C.A. §§ 1313(d), 1315(b) and 1324) require states to report on the condition of all surface waters in the biennial Integrated Report. The methodologies referred to in this public notice will be used, when finalized, to assess the quality of the waters in this Commonwealth under this legal mandate.

The two drafts revised assessment methodologies are the Fish Tissue Consumption Assessment Method and the Assessment Determination and Delisting Methods. For the Fish Tissue Consumption Assessment Method, perfluorooctane sulfonic acid meal advisories were added. For the Assessment Determination and Delisting Methods, clarifying language was added to the delisting section to ensure assessments were being entered into the United States Environmental Protection Agency's Federal database consistently. For the 2022 Integrated Report, the assessment methodology is being updated to reflect this clarified methodology.

The Department will accept and consider comments on these draft revised assessment methodologies. The draft revised methodologies are available online at www.ahs.dep.pa.gov/eComment.

Interested persons may submit written comments on these draft revised water quality assessment methodologies by Tuesday, September 7, 2021. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the com-

mentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Revised Assessment Methodologies" as the subject line in written communication.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Gary Walters at (717) 787-9637 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-1167. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENT PROTECTION

Small Business Compliance Advisory Committee Virtual Meeting Rescheduled

The Small Business Compliance Advisory Committee (Committee) meeting previously scheduled for Wednesday, July 28, 2021, has been rescheduled to Wednesday, August 25, 2021. The meeting will be held as a virtual meeting and will begin at 10 a.m. Individuals who wish to join the virtual meeting may do so remotely. Individuals interested in providing public comments during the virtual meeting must sign up prior to the start of the virtual meeting by contacting Lucas Hershey at luchershey@pa.gov or (717) 787-7019.

Information on how to join the virtual meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Air," then "Small Business Compliance Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the August 25, 2021, virtual meeting can be directed to Lucas Hershey at luchershey@pa.gov or (717) 787-7019.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-9702 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-1168. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold public meetings on Wednesday, August 11, 2021, and Thursday, August 12, 2021, from 9 a.m. to 4:30 p.m. at the Best Western Premier The Central Hotel, 5401 800 East Park Drive, Harrisburg, PA 17111.

Participants who are unable to attend the meetings in-person can access the meetings virtually through one of the following options:

1. To join by computer, contact Kyle Fait at c-kyfait@pa.gov to request a link for the virtual public meeting the individual wants to join. Individuals who have a camera and microphone on their computer, can access the virtual public meeting through the provided link.

2. Individuals who need to connect by phone should dial (412) 648-8888 and enter the meeting ID listed as follows:

Wednesday, August 11th—Day 1: Main Meeting
Phone Conference ID: 648 279 923#

Wednesday, August 11th—Day 1: Evaluation Subcommittee
Phone Conference ID: 356 452 203#

Wednesday, August 11th—Day 1: Assessment Subcommittee
Phone Conference ID: 479 335 919#

Thursday, August 12th—Day 2: Main Meeting
Phone Conference ID: 131 069 315#

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention Integrated HIV Surveillance and Prevention Programs for Health Departments grant. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the meetings who require an auxiliary aid, service or other accommodation to do so should contact Kyle Fait, Planning Coordinator, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Health and Welfare Building, Harrisburg, PA 17120, (717) 260-8929, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel these meetings without prior notice.

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-1169. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Traumatic Brain Injury Advisory Board Virtual Public Meeting

The Traumatic Brain Injury Advisory Board (Board), established under section 1252 of the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C.A. § 300d-52), will hold a virtual public meeting on Friday, August 6, 2021. Due to health concerns related to the novel coronavirus (COVID-19), the virtual public meeting will be held by means of Microsoft Teams from 9 a.m. to 1 p.m.

Meeting materials will be sent out before the virtual public meeting. Contact Nicole Johnson at nfjohnson@pa.gov with any questions. To join the Microsoft Teams virtual public meeting, call (267) 332-8737. The conference ID is 800547238#.

The Department of Health's (Department) Head Injury Program (HIP) strives to ensure that eligible individuals who have a traumatic brain injury receive high quality rehabilitative services aimed at reducing functional limitations and improving quality of life. The Board assists the Department in understanding and meeting the needs of persons living with traumatic brain injury and their families. This quarterly virtual public meeting will provide updates on a variety of topics including the number of people served by HIP. In addition, meeting participants will discuss budgetary and programmatic issues, community programs relating to traumatic brain injury and available advocacy opportunities.

For additional information, or for persons with a disability who wish to attend the virtual public meeting and require an auxiliary aid, service or other accommodation to do so contact Nicole Johnson, Division of Community Systems Development and Outreach at (717) 772-2763, or for speech and/or hearing-impaired persons, contact V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984.

This virtual public meeting is subject to cancellation without notice.

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-1170. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Unemployment Compensation; Records of and Reports by Employers; Qualifications Required to Secure Compensation and for Rate and Amount of Compensation; Determination of Compensation Appeals and for Decision of Referee and Further Appeals and Reviews; Shared-Work Participating Employer Responsibilities

The purpose of this notice is to announce the following amendments to the act of December 5, 1936 (2nd Sp. Sess., 1937 P.L. 2897, No. 1), known as the Unemployment Compensation Law (UC Law) (43 P.S. §§ 751—919.10), as provided for under the act of June 30, 2021 (P.L. , No. 30).

*Article II. Administration of Act.***Section 206. Records of and Reports by Employers.**

Section 206(a) of the UC Law (43 P.S. § 766) is amended to require employers, whether or not liable for the payment of contributions under the UC Law, to keep accurate employment records containing the information as may be prescribed by the rules and regulations adopted by the Department of Labor and Industry (Department), for no more than 6 years after contributions relating to the records have been paid.

*Article IV. Compensation.***Section 401. Qualifications Required to Secure Compensation.**

Section 401(a)(2) of the UC Law (43 P.S. § 801(a)(2)) is amended to replace its reference to section 404(e)(1) and (2) (43 P.S. § 804(e)(1) and (2)) with section 404(e)(2)(v) (43 P.S. § 804(e)(2)(v)).

Section 404. Rate and Amount of Compensation.

The amendment to section 404(e)(2)(i)(B)(I) (43 P.S. § 804(e)(2)(i)(B)(I)) establishes procedures for the Department extending or contracting the Table Specified for the Determination of Rate and Amount of Benefits, found in section 401(e)(1) of the UC Law (43 P.S. § 804(e)(1)).

*Article V. Determination of Compensation; Appeals; Reviews; Procedure.***Section 501. Determinations of Compensation Appeals.**

The amendments to section 501(c)(4) and (5) and (e) of the UC Law (43 P.S. § 821(c)(4) and (5) and (e)) require that notice of an unemployment compensation determination be provided to a qualifying base-year employer or the claimant's last employer, no later than 21 days after the determination date provided on the notice. Subsection (f) is added to require that a notice or determination issued under section 501 be mailed to the last known post office address or transmitted electronically, as designated by the claimant or employer. 43 P.S. § 821(f).

Section 502. Decision of Referee; Further Appeals and Review.

Section 502 of the UC Law (43 P.S. § 822) is amended to extend the appeal period from 15 days to 21 days after the "decision date" provided on a referee decision or when the board acts on its own motion. Additionally, decisions shall be mailed to each relevant party's last known post office address or transmitted electronically, as designated by the party.

*Article XIII. Shared-Work Program.***Section 1307. Participating Employer Responsibilities.**

Section 1307 of the UC Law (43 P.S. § 916.7) amends the shared-work provisions by requiring the Department to establish a schedule, consistent with the rules and regulations of the shared-work plan, for participating employers to file claims for compensation.

Effective Date

Under section 6 of the act of June 30, 2021 (P.L. No. 30), the previously-referenced amendments to the UC Law are effective upon publication of this notice in the *Pennsylvania Bulletin*.

Questions concerning this notice may be directed to Jennifer L. Berrier, Secretary, Department of Labor and Industry, 651 Boas Street, 17th Floor, Harrisburg, PA 17121.

JENNIFER L. BERRIER,
Secretary

[Pa.B. Doc. No. 21-1171. Filed for public inspection July 23, 2021, 9:00 a.m.]

DEPARTMENT OF STATE**Election for the Office of Judge of the Court Of Common Pleas of Philadelphia County**

On July 6, 2021, the Acting Secretary of the Commonwealth (Acting Secretary) received written notice that Judge Robert J. Rebstock has revoked his declaration of candidacy for retention as a judge of the Court of Common Pleas of Philadelphia County. Under the Constitution and laws of the Commonwealth, an election for the judicial office held by Judge Rebstock will occur as part of the municipal election to be held November 2, 2021.

In the Municipal Election, the electors of Philadelphia County will elect nine Judges of the Court of Common Pleas of Philadelphia County. Each elector will be entitled to vote for up to nine candidates, with the nine candidates receiving the largest number of valid votes being elected.

In the Municipal Primary held May 18, 2021, the electors of the Democratic Party nominated eight candidates for the office of Judge of the Court of Common Pleas of Philadelphia County. No Republican candidates appeared on the ballot in the Republican Municipal Primary. By law, each of the certified Statewide political parties of the Commonwealth—the Democratic Party, the Republican Party, the Libertarian Party and the Green Party—will be permitted to nominate one additional candidate for Court of Common Pleas of Philadelphia County by submitting to the Acting Secretary, no later than September 13, 2021, a nomination certificate in the form prescribed by law and prepared in accordance with the applicable rules of the political party. See 25 P.S. §§ 2938.3, 2953 and 2954. Political bodies will be permitted to nominate a candidate by filing with the Acting Secretary, no later than September 13, 2021, nomination papers prepared and submitted in accordance with the requirements of the Pennsylvania Election Code (25 P.S. §§ 2600—3591).

Additional information is available on the Department of State's publicly accessible web site at www.dos.pa.gov.

VERONICA DEGRAFFENREID,
Acting Secretary

[Pa.B. Doc. No. 21-1172. Filed for public inspection July 23, 2021, 9:00 a.m.]

GAME COMMISSION**Rabbit Hemorrhagic Disease Importation Ban # 1****Executive Order**

Whereas, Rabbit Hemorrhagic Disease (RHD) is a rapidly spreading, fatal disease in lagomorphs and is considered a foreign animal disease in the United States; and

Whereas, The viruses causing RHD can be transmitted by direct contact with infected rabbits and hares, or indirectly through carcasses, food, water, and any contaminated materials, and are very resistant to extreme environmental conditions; and

Whereas, RHD has been designated a “dangerous transmissible disease” of animals by order of the Secretary of Agriculture under the provisions of the Domestic Animal Law (3 Pa.C.S. §§ 2301 et seq.) at 3 Pa.C.S. § 2321(d); and

Whereas, The Pennsylvania Game Commission (Commission) has determined that eastern cottontails (*Sylvilagus floridanus*), Appalachian cottontails (*Sylvilagus obscurus*), and snowshoe hares (*Lepus americanus*), members of the family Leporidae, are native and familiar species to the public and important prey and game species with impacts on the vegetation structure of their ecosystems; and

Whereas, Rabbit Hemorrhagic Disease Virus Serotype 2 (RHDV-2), a unique variant of RHD, has been detected in the United States in recent years and can infect all ages of a wide range of domestic and wild lagomorphs, including North American wild species of hares, jackrabbits, and cottontails; and

Whereas, RHDV-2 has not yet been detected in wild or domestic lagomorph populations within the Commonwealth; and

Whereas, The Commission desires to prevent the emergence of RHDV-2 within the Commonwealth; and

Whereas, RHDV-2 is of particular concern to the Commonwealth because of its potential to have a detrimental impact on both wild and domestic lagomorph populations; and

Whereas, The Commission has determined that importation of potentially infectious wild lagomorphs, their parts or products, or contaminated equipment, items, or materials from locations where RHDV-2 has been detected in wild or domestic lagomorph populations into the Commonwealth poses an unacceptable risk of introduction and spread of RHDV-2 to the Commonwealth; and

Whereas, The Game and Wildlife Code (34 Pa.C.S. §§ 101, et seq.) regulations promulgated thereunder (58 Pa. Code §§ 131.1, et seq.) collectively provide broad authority to the Commission to regulate activities relating to the protection, preservation, and management of all game and wildlife and their respective habitats (C.f. 34 Pa.C.S. §§ 322, 2101, and 2102); and

Whereas, Section 137.34 of the Code (58 Pa. Code § 137.34) provides specific emergency authority to the Executive Director of the Commission to mitigate risk factors and determine the prevalence and geographic distribution of transmissible wildlife diseases of wild birds and mammals, excluding those species under Federal jurisdiction, if the introduction or spread of such diseases poses a threat to human, domestic and wild animal, or environmental health and safety within or adjacent to this Commonwealth; and

Now Therefore, I, BRYAN J. BURHANS, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct the following

1. The importation of any wild lagomorphs and their parts or products (meat, pelts, hides, carcasses, etc.) into the Commonwealth from any Commonwealth, State, Ter-

ritory, or Country where RHDV-2 has been detected in wild or domestic lagomorph populations in the 12 months prior to the importation is hereby prohibited.

2. This Order shall not be construed in any manner to limit the Commission’s authority to establish additional or further authorizations or limitations relating to the monitoring for RHD and mitigation of any risk factors associated with its introduction or spread.

3. This Order is effective immediately and shall remain in effect until rescinded or modified by subsequent order.

Given under my hand and seal of the Pennsylvania Game Commission on this 9th day of July, 2021.

BRYAN J. BURHANS,
Executive Director

[Pa.B. Doc. No. 21-1173. Filed for public inspection July 23, 2021, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, June 17, 2021, and announced the following:

Actions Taken—Regulation Approved—Revised Order:

Pennsylvania Gaming Control Board # 125-230: Video Gaming (amends 58 Pa. Code by adding Chapters 1101a—1120a)

Action Taken—Regulation Disapproved:

Bureau of Professional and Occupational Affairs # 16A-7103: Schedule of Civil Penalties—Crane Operators (amends 49 Pa. Code § 43b.28)

Approval Order

Public Meeting Held
June 17, 2021

Commissioners Voting: George D. Bedwick, Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq., recused; Dennis A. Watson, Esq.

*Pennsylvania Gaming Control Board—
Video Gaming
Regulation No. 125-230 (# 3262)*

On August 5, 2020, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Gaming Control Board (Board). This rulemaking amends 58 Pa. Code by adding Chapters 1101a—1120a. The proposed regulation was published in the September 5, 2020 *Pennsylvania Bulletin* with a public comment period ending on October 5, 2020. The final-form regulation was submitted to the Commission on April 27, 2021.

This rulemaking establishes permanent regulations for video gaming in the Commonwealth.

We have determined this regulation is consistent with the statutory authority of the Board (4 Pa.C.S. §§ 1202(b)(30) and 3302) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Disapproval Order

Public Meeting Held
June 17, 2021

Order Issued
July 8, 2021

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq., dissenting

*Bureau of Professional and Occupational Affairs—
Schedule of Civil Penalties—Crane Operators
Regulation No. 16A-7103 (# 3273)*

On October 8, 2020, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Bureau of Professional and Occupational Affairs (Bureau). This rulemaking amends 49 Pa. Code § 43b.28. The proposed regulation was published in the October 24, 2020 *Pennsylvania Bulletin* with a public comment period ending on November 30, 2020. The final-form regulation was submitted to the Commission on April 26, 2021.

This regulation adopts a schedule of civil penalties for various violations of the Crane Operator Licensure Act (act) (63 P.S. §§ 2400.101–2400.2102). The Commissioner of Professional and Occupational Affairs (Commissioner), in consultation with the State Board of Crane Operators (Board) states the purpose of this regulation is to deter violations of the statutory and regulatory requirements contained in the proposed schedule of civil penalties. It is also intended to streamline the disciplinary process to be more efficient and cost effective.

We find that this regulation does not meet the criteria of clarity and the protection of the public health, safety and welfare. 71 P.S. §§ 745.5b(b)(2) and (3). As explained below, there are two issues that we believe should be clarified and or revised for the protection of the public health, safety and welfare.

First, in the Preamble to the proposed regulation, the Commissioner and the Board state that “[o]perating a crane without a license is a serious infraction of both section 501(a) of the act (63 P.S. § 2400.501(a)) and the Board’s regulation at § 6.41(a) (relating to unlicensed crane operation). (49 Pa. Code § 6.41(a)) An unlicensed individual who has not been properly trained to operate a crane could cause extensive damage to property as well as cause bodily harm to individuals at a construction site.”

In our comments, we asked the Commissioner and the Board whether they considered qualifying the use of the Act 48 civil penalty section for offenses of operating a crane without a license or employing an unlicensed individual to operate a crane. We questioned whether an Act 48 civil penalty should even be available for consideration if the offenses mentioned result in bodily harm or substantial property damage. See Section 5(a) of the act of July 2, 1993 (P.L. 345, No. 48), 63 Pa.C.S. § 3108(a).

The Commissioner and the Board responded that the ability for agents of the Bureau to file a citation for violations of these sections does not foreclose the possibility of the filing of formal action if the facts and circumstances warrant a more serious penalty. The Commissioner and Board state that the option of issuance of a citation for these types of violations is discretionary, and

should be used in those situations where the violation occurs without aggravating circumstances such as bodily injury or property damage. While the Commissioner and Board seem to be in agreement with limiting the citation process to those offenses that do not involve bodily injury or substantial property damage, the final-form regulation was not amended in this regard. We believe the Board should amend the rulemaking to make clear that the citation process is available only for offenses not involving bodily harm or substantial property damage.

Second, a license to operate a crane is valid only in conjunction with certification if the licensee maintains a current certification in the specialty for which the crane operator is certified. 63 P.S. § 2400.501(f) and 49 Pa. Code § 6.12(a). Under the act and Board’s regulations, a licensee who has failed to maintain certification or submit evidence of re-certification is subject to disciplinary action. 63 P.S. § 2400.502(b) and 49 Pa. Code § 6.32(a)(2). Since certification is integral to licensure, we asked the Board if it considered and rejected establishing an Act 48 civil penalty for failure to maintain certification or provide evidence of certification renewal.

The Commissioner and the Board responded that they did not include the failure to maintain certification or submit evidence of recertification in the schedule of civil penalties because a licensee may choose not to recertify or maintain their certification for several reasons such as being no longer employed, no longer practicing in the profession, or the operator has retired. In these type of situations, the Board explains that “rather than going through the expense of recertification when a licensee is no longer practicing the profession, the licensee may let their certification expire and not engage in the practice of the profession, even though they have a *valid, current license to do so until it subsequently expires*. The Commissioner and the Board believe that the ability to discipline a licensee for failure to maintain certification does not arise until the licensee actually operates a crane after the crane operator’s certification has expired. As such, a violation of 63 P.S. §§ 2400.502(b) and 6.32(a)(2) would more appropriately be the *subject of formal disciplinary action*.” (Emphasis added.) The Commissioner and the Board’s position is completely contrary to the statutory mandate contained in 63 PS Section 2400.502(b) which explicitly states “Failure to maintain certification or submit evidence of renewal of certification shall subject the licensee to disciplinary action.” The statute is clear that failure to maintain certification is an offense in and of itself.

The act and the Board’s regulations require the application form for renewal of license to indicate when the certification expires. Licensees are required to submit evidence of certification renewal before their current certification expires. 63 P.S. § 200.504(a) and 49 Pa. Code § 6.32(a)(2). If the Board does not receive the necessary documentation from a licensee indicating that their certification has been renewed, does it notify the licensee that their license is no longer valid and of the penalty if they operate a crane without a current certification? Has the Board considered mandating that licenses for which the Board has not received proof of recertification be returned to the Board?

Our specific concern is that crane operators with expired certifications but “valid, current licenses” will only be held to account when there is an incident investigation or a complaint filed. Failure to maintain certification or to submit evidence of renewal of certification before the expiration date of certification is a violation of the

standards of conduct of a crane operator. 49 Pa. Code § 6.44(b)(5). As such, we question why it is necessary to wait until the licensee actually operates a crane before imposing discipline.

The current regulations were promulgated to “[p]rotect people from bodily harm by establishing standards of conduct applied to crane operators in order to restrict or remove from the occupation of crane operation those persons proved to have engaged in conduct, habits, behavior or judgment that has caused bodily harm or is reasonably likely to create an unreasonable risk of harm in the future.” 49 Pa. Code § 6.1(b)(2). Given the unique hazards and risk of harm arising from crane operation, we question whether the Board’s approach adequately protects the public from operator error or improper operation of a crane, conveys to the regulated community the seriousness of noncompliance and deters future violations.

We have determined this regulation is consistent with the statutory authority of the Bureau (63 Pa.C.S. § 3108(a)) and the intention of the General Assembly. However, after considering all of the other criteria of the Regulatory Review Act discussed above, we find promulgation of this regulation is not in the public interest.

By Order of the Commission:

This regulation is disapproved.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 21-1174. Filed for public inspection July 23, 2021, 9:00 a.m.]

OFFICE OF ADMINISTRATION

Notice of Minimum Wage Increase under Executive Order 2016-02 Amended, Establishing a Minimum Wage for Employees of the Commonwealth and of Organizations Receiving State Contracts

Executive Order 2016-02, Minimum Wage for Employees for the Commonwealth and of Organizations Receiving State Contracts, was signed by Governor Tom Wolf on March 7, 2016 (the Original Executive Order). The Original Executive Order raised the hourly minimum wage paid to employees of Commonwealth agencies under the Governor’s jurisdiction and paid by contractors to workers performing work on or in connection with covered State contracts, as described in the Original Executive Order, to \$10.15 per hour, beginning July 1, 2016; and beginning January 1, 2017, and annually thereafter, an amount determined in accordance with the methodology set forth in the Original Executive Order.

On June 28, 2018, Executive Order 2016-02 Amended, Minimum Wage for Employees of the Commonwealth and of Organizations Receiving State Contracts (the Amended Executive Order), was signed by Governor Tom Wolf. The Amended Executive Order raised the hourly minimum wage paid to employees of Commonwealth agencies under the Governor’s jurisdiction to \$12.00 per hour, beginning July 1, 2018, and paid by contractors to workers performing work on or in connection with covered State contracts, as described in the Amended Executive Order, to \$12.00

per hour, beginning on the effective date of the applicable contract or lease solicited or bilaterally modified on or after July 1, 2018; and beginning January 1, 2019, and annually thereafter, to an amount determined in accordance with the methodology set forth in the Amended Executive Order.

Under the Amended Executive Order, notice is hereby provided that beginning July 1, 2021, the minimum wage rate to be paid to employees of Commonwealth agencies under the jurisdiction of the Governor and workers performing work on or in connection with covered State contracts, as described in Section 2 of the Amended Executive Order, will increase to \$13.50 per hour.

In addition, the Original Executive Order continues to apply to workers performing work on or in connection with covered State contracts entered into after July 1, 2016 but prior to July 1, 2018, and these contracts have not been bilaterally modified to include the Amended Executive Order. Notice is hereby provided that beginning July 1, 2021, the minimum wage rate to be paid workers performing work on or in connection with covered State contracts, as described in Section 2 of the Original Executive Order, will increase to \$10.95 per hour.

This notice is effective on July 1, 2021.

MICHAEL NEWSOME,
Secretary

[Pa.B. Doc. No. 21-1175. Filed for public inspection July 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Certificates of Public Convenience

A-2021-3027258. Energy Center Pittsburgh, LLC. Application of Energy Center Pittsburgh, LLC for certificates of public convenience under 66 Pa.C.S. §§ 1102(a)(1) and (3) and 1103 (relating to enumeration of acts requiring certificate; and procedure to obtain certificates of public convenience) for approval of: (1) the acquisition of certain assets, properties and rights related to the steam system of Pittsburgh Allegheny County Thermal, LTD; and (2) the rights of Energy Center Pittsburgh, LLC to begin to offer or furnish steam, hot water and chilled water service to the public in a portion of the Golden Triangle of the City of Pittsburgh.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 9, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission’s (Commission) web site at www.puc.pa.gov and at the applicant’s business address. In accordance with the Commission’s Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission’s web site and accepting eService.

Applicant: Energy Center Pittsburgh, LLC

Through and By Counsel for: David P. Zambito, Jonathan P. Nase, Cozen O'Connor, 17 North Second Street, Suite 1410, Harrisburg, PA 17101, (717) 703-5892, fax (215) 989-4216, dzambito@cozen.com, jnase@cozen.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1176. Filed for public inspection July 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 9, 2021. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by August 9, 2021. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2021-3026781. Stephanie Walter (107 Manor Road, Apartment 1, Centre Hall, Centre County, PA 16828) for the right to begin to transport persons, by motor vehicle, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Centre, Clinton, Huntingdon, Mifflin and Union Counties, to points in Pennsylvania, and return.

A-2021-3026839. Specialty Driving, LLC (80 Weaver Avenue, Ephrata, Lancaster County, PA 17522) in limousine service, from points in the Counties of Berks, Bucks, Chester, Delaware and Lancaster, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2021-3027174. 809Lux, LLC (3016 Fanshawe Street, Philadelphia, PA 19149) in limousine service, from points in Delaware County, to points in Pennsylvania, and

return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2021-3027243. Nikole Brown (2761 Halfmoon Valley Road, Port Matilda, Centre County, PA 16870) in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Centre County, to points in Pennsylvania, and return.

Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

A-2020-3027146. Peter Molnar, t/a Molnar Limousine Service (3437 Denny Street, Pittsburgh, Allegheny County, PA 15201) for the discontinuance of service and cancellation of its certificate, at A-00117603, as a common carrier, by motor vehicle, authorizing the transportation of persons in limousine service, from points in Allegheny County, to points in Pennsylvania, and return.

A-2021-3027150. Stinelli Bros Moving & Storage, Inc. (11055 Parker Drive, Unit 2A, North Huntingdon, PA 15642) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-8919985, household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1177. Filed for public inspection July 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due August 9, 2021, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Lancaster Express, LLC; Docket No. C-2021-3026527

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Lancaster Express, LLC, (respondent) is under suspension effective June 03, 2021 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 147B Welsh Drive, Lancaster, PA 17601.

3. That respondent was issued a Certificate of Public Convenience by this Commission on June 12, 2019, at A-6320186.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6320186 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
Andrew Turriziani
Chief of Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, Chief of Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 6/22/2021

Andrew Turriziani
Chief of Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this num-

ber if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Matthew Gotwalt, t/a A Better Courier; Docket No. C-2021-3026150

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Matthew Gotwalt, t/a A Better Courier, (respondent) is under suspension effective May 21, 2021 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 725 Mt. Herman Blvd., York, PA 17406.
3. That respondent was issued a Certificate of Public Convenience by this Commission on April 19, 2006, at A-00122493.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00122493 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
Andrew Turriziani
Chief of Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, Chief of Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at

any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 6/22/2021

Andrew Turriziani
Chief of Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1178. Filed for public inspection July 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3027156. Lackawaxen Telecommunications Services, Inc. and Teleport Communications America, LLC. Joint petition of Lackawaxen Telecommunications Services, Inc. and Teleport Communications America, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Lackawaxen Telecommunications Services, Inc. and Teleport Communications America, LLC, by their counsel, filed on July 8, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Lackawaxen Telecommunications Services, Inc. and Teleport Communications America, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1179. Filed for public inspection July 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2021-3027157. Laurel Highland Telephone Company and Teleport Communications America, LLC. Joint petition of Laurel Highland Telephone Company and Teleport Communications America, LLC for approval of an interconnection agreement under Section 252(e) of the Telecommunications Act of 1996.

Laurel Highland Telephone Company and Teleport Communications America, LLC, by their counsel, filed on July 8, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Laurel Highland Telephone Company and Teleport Communications America, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1180. Filed for public inspection July 23, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-2021-3027134. Columbia Water Company. Application of Columbia Water Company under 66 Pa.C.S. § 1102 (relating to enumeration of acts requiring certificate) for approval of the acquisition of the water system of East Donegal Township Municipal Authority; approval of the right for Columbia Water Company to offer, render furnish and supply water service to the public in portions of East Donegal Township, Lancaster County; registration of a securities certificate; and all other approvals or certificates appropriate, customary or necessary under 66 Pa.C.S., known as the Public Utility Code, to carry out the transactions described in the application; request for certificates of filing for contracts between Columbia Water Company and East Donegal Township Municipal Author-

ity, under 66 Pa.C.S. § 507 (relating to contracts between public utilities and municipalities).

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 9, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

Applicant: Columbia Water Company

Through and By Counsel: Thomas J. Sniscak, Whitney E. Snyder, Bryce R. Beard, Hawke McKeon & Sniscak, LLP, 100 North Tenth Street, Harrisburg, PA 17101, tjsniscak@hmslegal.com, wesnyder@hmslegal.com, brbeard@hmslegal.com, (717) 236-1300, fax (717) 236-4841; Michael W. Davis, Daniel T. Desmond, Barley Snyder, 126 East King Street, Lancaster, PA 17602

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1181. Filed for public inspection July 23, 2021, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than August 9, 2021. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-21-06-04. Kenza Transportation, Inc. (1633 Blackrock Road, Swarthmore, PA 19081): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 21-1182. Filed for public inspection July 23, 2021, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
JT Poultry, Inc. 664 Mountain Road Elizabethville, PA 17203	Dauphin County/ Mifflin Township	630	Layers	Existing	Rescind

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Justin Sauder 34 Homestead Road Grantville, PA 17028	Lebanon County/ East Hanover Township	21.75	Swine	Existing	Rescind
Joseph and Martha Smucker 2013 North Churchtown Road East Earl, PA 17519	Lancaster County/ Caernarvon Township	98.8	Dairy	Existing	Rescind
Jacob K. Stoltzfus 166 Logan Mills Road Loganton, PA 17747	Clinton County/ Logan Township	70.88	Veal	New	Approved
Marvin Weaver 1330 Foxboro Road Selinsgrove, PA 17870	Snyder County/ Middlecreek Township	118.08	Broilers	New	Approved

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 21-1183. Filed for public inspection July 23, 2021, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Grandfathering Registration Notice

The Susquehanna River Basin Commission lists the following Grandfathering (GF) Registration for projects under 18 CFR 806, Subpart E (relating to registration of grandfathered projects) from June 1, 2021, through June 30, 2021.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists GF Registration for projects, described as follows, under 18 CFR 806, Subpart E for the time period previously specified:

GF Registration Under 18 CFR Part 806, Subpart E:

1. Aqua Pennsylvania, Inc.—Susquehanna Division, GF Certificate No. GF-202106166, Athens Borough, Bradford County, PA; Well 19; Issue Date: June 9, 2021.

2. Vulcan Construction Materials, LLC—Hanover Quarry, GF Certificate No. GF-202106167, Oxford, Conewago and Berwick Townships, Adams County, PA; Quarry Pit (Sump) and consumptive use; Issue Date: June 9, 2021.

3. Corning Incorporated—Houghton Park, GF Certificate No. GF-202106168, City of Corning, Steuben County, NY; Wells 1—4; Issue Date: June 9, 2021.

4. Municipal Authority of the Borough of Mansfield—Public Water Supply System, GF Certificate No. GF-202106169, Richmond Township, Tioga County, PA; Springs 1 and 2 and Webster Reservoir; Issue Date: June 17, 2021.

5. Williamsport Municipal Water Authority—Public Water Supply System, GF Certificate No. GF-202106170, Williamsport City, Lycoming County, PA; Wells 3—9, Mosquito Creek and Hagermans Run; Issue Date: June 17, 2021.

6. Galen Hall Country Club, Inc.—Galen Hall Country Club, GF Certificate No. GF-202106171, South Heidelberg Township, Berks County, PA; the Well; Issue Date: June 21, 2021.

7. Gold Bond Building Products, LLC—Milton Paper Plant, GF Certificate No. GF-202106172, White Deer Township, Union County, PA; Wells 4—6 and consumptive use; Issue Date: June 21, 2021.

8. Country Club of Scranton, GF Certificate No. GF-202106173, South Abington Township, Lackawanna County, PA; consumptive use; Issue Date: June 22, 2021.

9. Gary and Robert Mahany—Gary and Robert Mahany Farms, GF Certificate No. GF-202106174, Towns of Hornellsville and Dansville, Steuben County, NY; Canisteo River, Lime Kiln Creek, Manmade Pond 2 and Marsh Ditch; Issue Date: June 22, 2021.

Dated: July 14, 2021

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 21-1184. Filed for public inspection July 23, 2021, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following list of projects from June 1, 2021, through June 30, 2021.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process set forth

in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified:

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. Seneca Resources Company, LLC; Pad ID: Watkins 820; ABR-201106011.R2; Chatham Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 14, 2021.

2. Chesapeake Appalachia, LLC; Pad ID: GB; ABR-201106007.R2; Rush Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 14, 2021.

3. BKV Operating, LLC; Pad ID: Kile; ABR-201103026.R2; Washington Township, Wyoming County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 14, 2021.

4. LPR Energy, LLC; Pad ID: PA Smithmyer Drilling Pad # 1; ABR-201101020.R2; Clearfield Township, Cambria County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: June 15, 2021.

5. BKV Operating, LLC; Pad ID: Johnston 1 Pad; ABR-201106009.R2; Meshoppen Township, Wyoming County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 21, 2021.

6. Chesapeake Appalachia, LLC; Pad ID: IH; ABR-201106014.R2; Stevens Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 21, 2021.

7. Chesapeake Appalachia, LLC; Pad ID: J & J; ABR-201106015.R2; Smithfield Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 21, 2021.

8. Chesapeake Appalachia, LLC; Pad ID: Knickerbocker; ABR-201106013.R2; Franklin Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 21, 2021.

9. Chesapeake Appalachia, LLC; Pad ID: Mel; ABR-201106012.R2; Franklin Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 21, 2021.

10. Chesapeake Appalachia, LLC; Pad ID: Neal; ABR-201106010.R2; Leroy Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 21, 2021.

11. Repsol Oil & Gas USA, LLC; Pad ID: DORN (02 180) A; ABR-201604003.R1; Hamilton Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: June 21, 2021.

12. Cabot Oil & Gas Corporation; Pad ID: Augustine P1; ABR-201105002.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 21, 2021.

13. ARD Operating, LLC; Pad ID: COP Tract 728 Pad G; ABR-201105007.R2; Watson Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 22, 2021.

14. ARD Operating, LLC; Pad ID: COP Tract 728 Pad H; ABR-201105006.R2; Watson Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 22, 2021.

15. Chesapeake Appalachia, LLC; Pad ID: Quail; ABR-201106018.R2; Fox Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 24, 2021.

16. Chesapeake Appalachia, LLC; Pad ID: Wootten; ABR-201106016.R2; Mehoopany Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 24, 2021.

17. Clean Energy Exploration & Production, LLC; Pad ID: Whispering Pines Pad 1; ABR-201606004.R1; Delmar Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 24, 2021.

18. Chesapeake Appalachia, LLC; Pad ID: Lambs Farm; ABR-201106023.R2; Smithfield Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 29, 2021.

19. Chesapeake Appalachia, LLC; Pad ID: Nichols; ABR-201106024.R2; Smithfield Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 29, 2021.

20. Repsol Oil & Gas USA, LLC; Pad ID: ALDERSON (05 011) V; ABR-201104008.R2; Pike Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: June 29, 2021.

21. ARD Operating, LLC; Pad ID: Salt Run Pad A Ext; ABR-202107001; Cascade Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 30, 2021.

Approvals By Rule—Issued Under 18 CFR 806.22(f)—Revocation:

1. Seneca Resources Company, LLC; Pad ID: Signor 566; ABR-201010054.R2; Charleston Township, Tioga County, PA; Revocation Date: June 22, 2021.

2. XTO Energy, Inc.; Pad ID: TLT Unit A; ABR-201107017.R2; Jordan Township, Lycoming County, PA; Revocation Date: June 30, 2021.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: July 14, 2021

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 21-1185. Filed for public inspection July 23, 2021, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Telephonic Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a telephonic public hearing on August 12, 2021, at 6:30 p.m. Due to the novel coronavirus (COVID-19) situation and the relevant orders in place in the Commission's member jurisdictions, the Commission will hold this hearing telephonically. The conference call number is (877) 668-4493. The access code number is 177 232 3507. The telephonic public hearing will end at 9 p.m. or at the conclusion of public testimony, whichever is sooner. At this telephonic public hearing, the Commission will hear testimony on the projects listed in the Supplementary Information section of this notice. The projects and proposals are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for September 17, 2021, which will be noticed separately. The public should take note that this telephonic public hearing will be the only opportunity to offer oral comment

to the Commission for the listed projects and proposals. The deadline for the submission of written comments is August 23, 2021.

For further information contact Jason Oyler, General Counsel and Secretary, (717) 238-0423, fax (717) 238-2436.

Information concerning the applications for these projects is available at the Commission's Water Application and Approval Viewer at <https://www.srbc.net/waav>. Additional supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at www.srbc.net/regulatory/policies-guidance/docs/access-to-records-policy-2009-02.pdf.

Supplementary Information

The telephonic public hearing will cover the following projects:

Projects Scheduled for Action:

1. Project Sponsor and Facility: Aqua-ETC Water Solutions, LLC (West Branch Susquehanna River), Piatt Township, Lycoming County, PA. Modification to update flow protection rates to be in accordance with current Low Flow Protection Policy No. 2012-01 (Docket No. 20120302).

2. Project Sponsor and Facility: ARD Operating, LLC (Loyalsock Creek), Hillsgrove Township, Sullivan County, PA. Application for surface water withdrawal of up to 1.700 mgd (peak day).

3. Project Sponsor and Facility: Blossburg Municipal Authority, Hamilton Township, Tioga County, PA. Application for renewal of groundwater withdrawal of up to 0.245 mgd (30-day average) from Well 1 (Docket No. 19890105).

4. Project Sponsor and Facility: East Hempfield Township Municipal Authority, East Hempfield Township, Lancaster County, PA. Applications for renewal of groundwater withdrawals (30-day averages) of up to 0.353 mgd from Well 6, 0.145 mgd from Well 7, 1.447 mgd from Well 8 and 1.660 mgd from Well 11, and Commission-initiated modification to Docket No. 20120906, which approves withdrawals from Wells 1—5 and Spring S-1 (Docket Nos. 19870306, 19890503, 19930101 and 20120906).

5. Project Sponsor: Glenn O. Hawbaker, Inc. Project Facility: Naginey Facility, Armagh Township, Mifflin County, PA. Applications for groundwater withdrawal of up to 0.300 mgd (30-day average) from the Quarry Pit Pond and consumptive use of up to 0.310 mgd (peak day).

6. Project Sponsor and Facility: Village of Greene, Chenango County, NY. Application for renewal of groundwater withdrawal of up to 0.181 mgd (30-day average) from Well 3 (Docket No. 19970303).

7. Project Sponsor: New York State Office of Parks, Recreation and Historic Preservation. Project Facility: Indian Hills State Golf Course (Irrigation Pond), Towns of Erwin and Lindley, Steuben County, NY. Applications (30-day averages) for surface water withdrawal of up to 0.300 mgd and consumptive use of up to 0.300 mgd.

8. Project Sponsor and Facility: Pennsylvania State University, Ferguson Township, Centre County, PA. Applications for renewal of groundwater withdrawal of up to

0.960 mgd (30-day average) from Well UN-37 and consumptive use of up to 1.620 mgd (peak day) (Docket No. 19890106-1).

9. Project Sponsor and Facility: Selinsgrove Municipal Authority, Borough of Selinsgrove and Penn Township, Snyder County, PA. Applications for groundwater withdrawals (30-day averages) of up to 0.465 mgd from Well 3 and renewal of up to 0.707 mgd from Well 4 (Docket No. 19910904).

10. Project Sponsor: SUEZ Water Pennsylvania, Inc. Project Facility: Newberry Operation, Newberry Township, York County, PA. Application for renewal of groundwater withdrawal of up to 0.043 mgd (30-day average) from the Eden Well (Docket No. 19910102).

11. Project Sponsor and Facility: Transcontinental Gas Pipe Line Company, LLC (Susquehanna River), Wyoming Borough, Luzerne County, PA. Applications (peak day) for surface water withdrawal of up to 5.760 mgd and consumptive use of up to 0.100 mgd.

Commission-Initiated Project Approval Modification:

1. Project Sponsor: Knouse Foods Cooperative, Inc. Project Facility: Gardners Plant, Tyrone Township, Adams County, PA. Conforming the grandfathered quantity with the forthcoming determination for a groundwater withdrawal of up to 0.183 mgd (30-day average) from Wells 3, 5, 6, 8 and 10 (Docket No. 20041211).

Opportunity to Appear and Comment:

Interested parties may call into the telephonic public hearing to offer comments to the Commission on any business previously listed required to be the subject of a public hearing. Given the telephonic nature of the meeting, the Commission strongly encourages those members of the public wishing to provide oral comments to pre-register with the Commission by e-mailing Jason Oyler at joyler@srbc.net prior to the hearing date. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Access to the hearing by means of telephone will begin at 6:15 p.m. Guidelines for the public hearing are posted on the Commission's web site, www.srbc.net, prior to the hearing for review. The presiding officer reserves the right to modify or supplement the guidelines at the hearing. Written comments on any business previously listed required to be the subject of a public hearing may also be mailed to Jason Oyler, Secretary, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through <https://www.srbc.net/regulatory/public-comment/>. Comments mailed or electronically submitted must be received by the Commission on or before August 23, 2021 to be considered.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: July 14, 2021

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 21-1186. Filed for public inspection July 23, 2021, 9:00 a.m.]

