

# NOTICES

## DEPARTMENT OF AGING

### Pharmaceutical Assistance Advisory Board Virtual Meeting

The Pharmaceutical Assistance Advisory Board will hold a virtual meeting by means of Microsoft Teams on Monday, November 15, 2021, from 8:30 a.m. to 10 a.m. Discussion topics are to be determined.

Individuals who wish to access the virtual meeting should use the following link: [https://teams.microsoft.com/l/meetup-join/19%3ameeting\\_NjA4NjQxYjYtMzRkZC00M2VjLWlWnZktMjEyMzRlZDFjMmU1%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%22e765320e-293b-4cf2-b11d-5d6d8d8fada9%22%7d](https://teams.microsoft.com/l/meetup-join/19%3ameeting_NjA4NjQxYjYtMzRkZC00M2VjLWlWnZktMjEyMzRlZDFjMmU1%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%22e765320e-293b-4cf2-b11d-5d6d8d8fada9%22%7d). Individuals who wish to join by phone should dial (267) 332-8737 and use conference ID number 122714631.

ROBERT TORRES,  
*Secretary*

[Pa.B. Doc. No. 21-1725. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Controlled Plant and Noxious Weed Committee Virtual Public Meeting

The Department of Agriculture (Department) announces a virtual public meeting of the Controlled Plant and Noxious Weed Committee (Committee), established

by 3 Pa.C.S. § 1511 (relating to designation of noxious weeds and controlled plants). The virtual public meeting will be held at 1 p.m. on October 21, 2021, by means of Microsoft Teams. The call in number is (267) 332-8737. The conference ID is 683 472 610#.

The purpose of the virtual public meeting is to consider the addition of one plant to the noxious weed list. If time permits, this one plant will be considered at this meeting:

- *Pyrus calleryana* and interspecific hybrids—Callery Pear (Proposed Class B)

Public comment will be accepted either in person at the meeting or in writing prior to the meeting. Written comments may be sent to RA-plant@pa.gov or to the Department of Agriculture, Bureau of Plant Industry Noxious Weed Program, 2301 North Cameron Street, Harrisburg, PA 17110. Written comments must be received by Wednesday, October 20, 2021, to be considered. Written comments will become a part of the record, with the same force as if presented during the virtual public meeting.

The virtual public meeting agenda related to this consideration is as follows: presentation of background information on plants for consideration; public comment period; Committee discussion; Committee action on plants under consideration; and new business.

Individuals with questions regarding this virtual public meeting should contact the Department at (717) 787-4843.

RUSSELL C. REDDING,  
*Secretary*

[Pa.B. Doc. No. 21-1726. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending October 5, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-05-2021	Citicorp Banking Corporation New Castle New Castle County, DE	Approved
	Application for approval to purchase or otherwise acquire 100% of the outstanding shares of the Series C Perpetual Non-Cumulative Non-Convertible Non-Voting Preferred Stock of United Bancshares, Inc., Philadelphia, PA.	

**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-01-2021	Citizens & Northern Bank Wellsboro Tioga County	2951 Whiteford Road York York County	Opened

**Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-05-2021	ACNB Gettysburg Adams County	<i>To:</i> 3425 Biglerville Road Biglerville Adams County  <i>From:</i> 3459 Biglerville Road Biglerville Adams County	Approved

**CREDIT UNIONS**

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 21-1727. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of November 2021

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of November 2021, is 4 1/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 1.72 to which was added 2.50 percentage points for a total of 4.22 that by law is rounded off to the nearest quarter at 4 1/4%.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 21-1728. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

## APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of

Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

*Section Category*

- |     |  |
|-----|--|
| I   | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II  | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0121807	Joint DEP/PFBC Pesticides Permit	New	Travel Resorts of America 1960 Emmitsburg Road Gettysburg, PA 17325-7196	Cumberland Township Adams County	SCRO
0621805	Joint DEP/PFBC Pesticides Permit	New	Geiger Douglas 546 Penn Avenue West Reading, PA 19611	Greenwich Township Berks County	SCRO
4613403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Worcester Township Montgomery County 1721 Valley Forge Road P.O. Box 767 Worcester, PA 19490-0767	Worcester Township Montgomery County	SERO
PAG124853	PAG-12 NPDES General Permit for CAFOs	Renewal	Beaver Run Farms Inc. 3038 Beaver Run Road Mifflinburg, PA 17844-7808	West Buffalo Township Union County	SCRO
0421408	Sewer Extensions WQM Individual Permit	New	Center Township Sanitary Authority 224 Center Grange Road Aliquippa, PA 15001-1421	Center Township Beaver County	SWRO
PA0252778	Single Residence STP Individual NPDES Permit	Transfer	Jenneice L & Thomas W Haddon 5821 Somerset Pike Boswell, PA 15531-1805	Jenner Township Somerset County	SWRO
PA0289370	Single Residence STP Individual NPDES Permit	Transfer	Chad & Kaylynne Williams 4000 Wagner Road Erie, PA 16509-4240	McKean Township Erie County	NWRO
0595401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Philip & Sharon Fullerton 130 Oberholtzer Road Elizabethtown, PA 17022-9588	Southampton Township Bedford County	SCRO
0921405	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Miller Amanda L 170 Short Road Doylestown, PA 18901-3217	Doylestown Township Bucks County	SERO
2521411	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Chad & Kaylynne Williams 4000 Wagner Road Erie, PA 16509-4240	McKean Township Erie County	NWRO
5604406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Jenneice L & Thomas W Haddon 5821 Somerset Pike Boswell, PA 15531-1805	Jenner Township Somerset County	SWRO
2141801	WQG-02 WQM General Permit	Transfer	Gregg Township Sewer Authority Centre County P.O. Box 103 Spring Mills, PA 16875-0103	Penn Township Centre County	NCRO

**II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**
*Northeast Regional Office*

**PA0276464**, Storm Water, SIC Code 3272, **Blend Pro Inc.**, 601 S 10th Street, Allentown, PA 18103-3689. Facility Name: Bridgeworks Ind Center. This proposed facility is located in Allentown City, **Lehigh County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Little Lehigh Creek (HQ-CWF, MF), is located in State Water Plan watershed and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater BMPs

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0061573**, Sewage, SIC Code 4952, **Camp Hachshara-Moshava of New York Inc.**, 520 Eighth Avenue, 15th Floor, New York, NY 10018. Facility Name: Camp Moshava. This existing facility is located in Berlin Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Indian Orchard Brook (HQ-CWF, MF), is located in State Water Plan watershed 1-B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .036 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Annl Avg	Report	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .036 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		

The proposed effluent limits for Outfall 001 are based on a design flow of .036 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	7.0	XXX	Max XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.07	XXX	0.17
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	23.4	XXX	46.8
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen				Geo Mean		
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0063975**, Sewage, SIC Code 4952, **Thompson Borough Susquehanna County**, Water Street, Thompson, PA 18465. Facility Name: Thompson Borough Susquehanna County. This existing facility is located in Thompson Borough, **Susquehanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Starrucca Creek, is located in State Water Plan watershed and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Nitrate-Nitrite as N	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.0	XXX	2.34
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	6.25	10.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	7.50	11.25	XXX	30.0	45.0	60
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	2.75	XXX	XXX	11.0	XXX	22

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0239283**, Industrial, SIC Code 2022, **Whitehall Specialties, Inc.**, 2850 Perry Highway, Slippery Rock, PA 16057-6308. Facility Name: Whitehall Specialties. This existing facility is located in Scott Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, an Unnamed Tributary to the Slippery Rock Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	2.7	5.3	XXX	Report	Report	80
Total Suspended Solids	2.8	4.6	XXX	Report	Report	85
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (µw/cm <sup>2</sup> )	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0101265**, Sewage, SIC Code 4952, 7033, **Andrew L Hatton d/b/a Shangri-La Mobile Home Court**, 2090 W State Road, Jamestown, PA 16134-3758. Facility Name: Shangri-La By The Lake. This existing facility is located in West Shenango Township, **Crawford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an unnamed tributary to the Shenango River (Pymatuning Reservoir), located in State Water Plan watershed 20-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0056 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0102717**, Sewage, SIC Code 6515, **Jones Estates Sandy Hills LLC**, 230 Sandy Hill Road, Valencia, PA 16059-3332. Facility Name: Sandy Hill Estates MHP. This existing facility is located in Middlesex Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Glade Run (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .022 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.22	XXX	0.71
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0104035**, Sewage, SIC Code 4952, 5812, **Bernard & Virginia Safford d/b/a Daily Bread Cafe**, 2906 Route 155, Port Allegany, PA 16743-4918. Facility Name: Daily Bread Cafe. This existing facility is located in Liberty Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is drainage swale to the Allegheny River, located in State Water Plan watershed 16-C and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289752**, Sewage, SIC Code 8800, **Debra & William Presnar**, 1331 Weiler Road, Warren, PA 16365-8508. Facility Name: Debra & William Presnar SRSTP. This proposed facility is located in Conewango Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Morse Run (HQ-CWF), is located in State Water Plan watershed 16-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289761**, Sewage, SIC Code 4952, **James Geer**, 1252 Scandia Road, Warren, PA 16365-8440. Facility Name: James Geer SFTF. This proposed facility is located in Glade Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Hatch Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.23	XXX	0.54
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	20.0	XXX	40.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289868**, Sewage, SIC Code 8800, **Amanda & Jason Hoag**, 7117 Clark Road, Erie, PA 16510-5940. Facility Name: Amanda & Jason Hoag SRSTP. This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Sixmile Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0009253**, Industrial, SIC Code 3795, **Bae System Land & Armaments LP**, 1100 Bairs Road, York, PA 17408-8975. Facility Name: Bae Systems. This existing facility is located in West Manchester Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Codorus Creek (WWF, MF) and Codorus Creek (WWF), is located in State Water Plan watershed 7-H and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 003 are based on a design flow of .144 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Tetrachloroethylene	XXX	XXX	XXX	0.0008	0.0016	0.002

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 102 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Hexachlorobutadiene	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 102 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	XXX	XXX	XXX	23	XXX	46
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4
(Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0081591**, Sewage, SIC Code 3469, **Eastern York County Sewer Authority**, 4 West Market Street, Hellam, PA 17406. Facility Name: Eastern York County STP. This existing facility is located in Hallam Borough, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Kreutz Creek (WWF), is located in State Water Plan watershed 7-I and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	100	165	XXX	25	40	60
May 1 - Oct 31	60	90	XXX	15	22	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	125	185	XXX	30	45	60
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Daily Max						
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (µw/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Mo						
Ammonia-Nitrogen						
Nov 1 - Apr 30	60.0	XXX	XXX	15	XXX	30
May 1 - Oct 31	20	XXX	XXX	5.0	XXX	10
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Mo						
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Mo						
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	XXX
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					

The proposed effluent limits for Outfall 001 are based on a design flow of .5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Annl Avg	XXX	XXX
				Report		
				Annl Avg		

The proposed effluent limits for Outfall 001 are based on a design flow of .5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

*Southeast Regional Office*

**PA0053970**, Sewage, SIC Code 6515, **Martins Community LLC**, 25 Randy Lane, Cochranville, PA 19330-1647. Facility Name: Martins Mobile Home Village STP. This existing facility is located in West Nottingham Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unnamed Tributary to North East Creek (TSF, MF), is located in State Water Plan watershed 7-K and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .012 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .012 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.34	XXX	0.8
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	2.00	XXX	XXX	20	XXX	40
May 1 - Oct 31	1.00	XXX	XXX	10	XXX	20
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1.00	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	0.60	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	0.20	XXX	XXX	2.0	XXX	4
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP when Municipal Sewers Available
- E. Chlorine Optimization
- F. Small Stream Discharge
- G. Operator Notification
- H. TMDL/WLA Analysis
- I. Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0026352**, Sewage, SIC Code 4952, **Riverview Sanitary Authority**, 3100 University Boulevard, Moon Twp, PA 15108-2530. Facility Name: Riverview Sanitary Authority STP. This existing facility is located in Coraopolis Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Ohio River (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.34 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	905.4	1,358.1	XXX	25	37.5	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	1,086.5	1,629.8	XXX	30	45	60
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)						
Nov 1 - Mar 31	XXX	XXX	XXX	2,000	XXX	10,000
Apr 1 - Oct 31	XXX	XXX	XXX	Geo Mean 200	XXX	400
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 4.34 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

**PA0095362**, Sewage, SIC Code 8661, **Laurelville Mennonite Church Center Association**, 941 Laurelville Lane, Mt Pleasant, PA 15666-2540. Facility Name: Laurelville Mennonite Church. This existing facility is located in Mount Pleasant Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Jacobs Creek (CWF), is located in State Water Plan watershed 19-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.02	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	54.0	XXX	108.0
May 1 - Oct 31	XXX	XXX	XXX	18.0	XXX	36.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0218901**, Sewage, SIC Code 7992, **Totteridge Properties**, 2029 Totteridge Drive, Greensburg, PA 15601-8521. Facility Name: Totteridge Golf Course & Residential Community WWTP. This existing facility is located in Salem Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Crabtree Creek (WWF), is located in State Water Plan watershed 18-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.15	XXX	0.30
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Daily Max Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Daily Max Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Daily Max Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Daily Max Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

**PA0255238**, Sewage, SIC Code 8800, **Lawrence Gregory**, 286 McClay Road, Washington, PA 15301. Facility Name: Gregory SRSTP. This existing facility is located in Canton Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Fecal Coliform (No./100 ml)	XXX	XXX	Inst Min 200.0 Avg Mo	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Northcentral Regional Office*

**PA0035777**, Industrial, SIC Code 3399, **Hoeganaes Corporation**, 4330 Paradise Road, Watsontown, PA 17777-8802. Facility Name: Hoeganaes Corporation. This existing facility is located in Delaware Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Muddy Run (WWF, MF), is located in State Water Plan watershed 10-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.011 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	5.5077	XXX	30	XXX	60
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	40
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfalls 002—004, are not based on a design flow.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX



The proposed effluent limits for Outfall 201 and Outfall 301 are not based on a design flow.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	Inst Min XXX	XXX	110	XXX
Oil and Grease	XXX	XXX	XXX	15	Daily Max XXX	30

In addition, the permit contains the following major special conditions:

- Other Requirements
- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD510208	New	1200 Intrepid GP Holdco, LLC, Nalbantian 150 Rouse Blvd Suite 210 Philadelphia, PA 19112	City of Philadelphia Philadelphia County	SERO
PAD070023	New	Blair County Storage, Inc. 1201 East Pleasant Valley Boulevard Altoona, PA 16602	Logan Township Blair County	SCRO
PAD140079	New Individual Permit	Aspen Route 29 Partners, LLC College Ave & Whitehall Rd Intersection State College, PA 16801	Ferguson Township Centre County	NCRO
PAD140080	New Individual Permit	DG Aaronsburg, LLC 364 West Aarons Square Aaronsburg, PA 16820	Haines Township Centre County	NCRO

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Lester & Andrew Weaver 2560 Sunnyside Road Manheim, PA 17545	Lancaster	268.3	515.22	Dairy/ Swine	NA	Renewal
Brock Hite Hershberger CAFO Farm 612 Viall Hill Road Towanda, PA 18848	Bradford	140.8	646.95	Swine/ Beef	None	Renewal
Clair Hurst 788 Kingpen Road Kirkwood, PA 17536	Lancaster	105.6	632.95	Dairy/ Swine	HQ	Renewal
Elvin Zimmerman 180 Degan Road McAlisterville, PA 17049	Juniata	141.42	259.58	Broilers 1 Steer & 1 Calf	HQ	Renewal
Kieran Buser 49 Buser Road York, PA 17406	York	3	1,031.6	Swine	NA	Renewal

**LAND RECYCLING AND  
ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
PREAMBLE 1**

**Acknowledgment of Notices of Intent to Remediate  
Submitted Under the Land Recycling and Environmental  
Remediation Standards Act (35 P.S.  
§§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as

a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**1011 RT 6**, 1011 Scranton-Carbondale Highway (Route 6), Dickson City, PA 18508, Dickson City Borough, **Lackawanna County**. Partner Engineering/PSG, 100 Deerfield Lane, Suite 200, Malvern, PA 19355, on behalf of Scranton Storage LLC, 55 Broadway, 10th Floor, New York, NY 10006, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the

site will be nonresidential. The Notice of Intent to Remediate was published in *The Scranton Times* on September 24, 2021.

**Fred Shuler Inc.**, 206 Cary Avenue, Wilkes-Barre, PA 18702, Wilkes-Barre City, **Luzerne County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of David Shuler, 70 First Street, Harvey Lake, PA 18618, submitted a Notice of Intent to Remediate. Soil was contaminated by releases of petroleum from underground storage tanks. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Citizen's Voice* on September 17, 2021.

**Roller Roost Sports Arena**, 94 Westwood Road, Pottsville, PA 17901, Norwegian Township and Pottsville City, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of JLM Real Estate Investments LLC, 950 East Main Street, Post Office Box 472, Schuylkill Haven, PA 17972, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated by a release of heating oil from underground storage tanks. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Republican-Herald* on September 17, 2021.

*Southcentral Region: Environmental Cleanup & Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**R. H. Sheppard Facility**, 101 Philadelphia Street and 400 Pine Street, Hanover, PA 17331, Borough of Hanover, **York County**. Arcadis U.S., Inc., 10 Friends Lane, Suite 100, Newtown, PA 18940, on behalf of WABCO North America, 1911 Lee Boulevard, North Mankato, MN 56003, and RH Sheppard, 101 Philadelphia Street, Hanover, PA 17331, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with petroleum hydrocarbons, metals, chlorinated solvents and polyaromatic hydrocarbons. The site will be remediated to the site-specific and residential Statewide health standards. Future use of the site will be zoned commercial and will remain nonresidential. The Notice of Intent to Remediate was published in the *Evening Sun* on August 15, 2021.

#### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Application(s) for Determination of Applicability Administratively Complete Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**General Permit Application No. WMGR123SW054. Range Resources Appalachia, LLC**, 3000 Town Center Boulevard, Canonsburg, PA 15317. An application for coverage under General Permit No. WMGR123 for the processing, transfer and beneficial use of oil and gas liquid waste to develop or hydraulically fracture an oil or gas well at the Donegal 30 Tank Pad facility, located at 106 Grimes Road, Claysville in Donegal Township, **Washington County**, was accepted as administratively complete in the Southwest Regional Office on September 29, 2021.

Comments concerning the application should be directed to the Southwest Regional Office Resource Account at RA-EP-EXTUPLSWRO@pa.gov. Persons interested in obtaining more information about the general permit application may contact the Southwest Regional Office, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice.

**General Permit Application No. WMGR123SW055. Range Resources Appalachia, LLC**, 3000 Town Center Boulevard, Canonsburg, PA 15317. An application for coverage under General Permit No. WMGR123 for the processing, transfer and beneficial use of oil and gas liquid waste to develop or hydraulically fracture an oil or gas well at the Rastetter Tank Pad facility, located at 1466 Toll Gate Road, West Alexander in Donegal Township, **Washington County**, was accepted as administratively complete in the Southwest Regional Office on September 24, 2021.

Comments concerning the application should be directed to the Southwest Regional Office Resource Account at RA-EP-EXTUPLSWRO@pa.gov. Persons interested in obtaining more information about the general permit application may contact the Southwest Regional Office, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

---

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.*

**35-00023: United Gilsonite Lab/Dunmore** (1396 Jefferson Avenue, Dunmore, PA 18509) for the operation of sources at their facility located in Dunmore Borough, **Lackawanna County**. This is a renewal State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**58-00021: Xpress Natural Gas, LLC** (300 Brickstone Square, Andover, MA 01810) for the operation of sources at their facility located in Forest Lake Township, **Susquehanna County**. This is a renewal State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**39-00024: GEO Specialty Chemicals, Inc.** (2409 N Cedar Crest Boulevard, Allentown, PA 18104) for the operation of sources at their facility located in South Whitehall Township, **Lehigh County**. This is a renewal State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards,

testing, monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**40-00028: Dupont Terminals—DE LLC, Dupont Terminals** (P.O. Box 2621, Harrisburg, PA 17105-2621). The Department intends to issue a renewal State-Only (Synthetic) Minor Operating Permit for the Petroleum Bulk Stations and Terminals facility in Pittston Township, **Luzerne County**. The sources consist of gasoline and distillate storage tanks, one (1) Truck Loading Rack, and an emergency generator. The control devices consist of two (2) Vapor Recovery Units (VRU's). The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**40-00029: Dupont Terminals—DE, Dupont East Terminal/Pittston** (P.O. Box 2621, Harrisburg, PA 17105-2621). The Department intends to issue a renewal State-Only (Synthetic) Minor Operating Permit for the Petroleum Bulk Stations and Terminals facility in Pittston Township, **Luzerne County**. The sources consist of gasoline and distillate storage tanks and one (1) Truck Loading Rack. The control device consists of one (1) Vapor Recovery Unit (VRU). The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**40-00033: ZENITH Energy Terminal PA Holdings/Dupont Terminal** (3900 Essex Lane, Suite 700, Houston, TX 77027). The Department intends to issue a renewal State-Only (Synthetic) Minor Operating Permit for the Petroleum Bulk Stations and Terminals facility in Pittston Township, **Luzerne County**. The sources consist of gasoline and distillate storage tanks, and one (1) Truck Loading Rack. The control device consists of one (1) Vapor Recovery Unit (VRU). The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**36-05153: Pierson Rheems LLC** (5 Heisey Quarry Road, Elizabethtown, PA 17022) to issue a State Only Operating Permit for the stone quarry located in West Donegal Township, **Lancaster County**. The potential emissions from the facility are estimated at NO<sub>x</sub> 10.86 tpy, CO 2.30 tpy, SO<sub>x</sub> 0.72 tpy, PM 32.42 tpy, PM<sub>10</sub> 12.70 tpy and TOC 0.87 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting require-

ments to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60 Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants and 40 CFR Part 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**37-00300: North American Forgemasters** (710 Moravia St, New Castle, PA 16101). The Department intends to issue a renewal State Only Operating Permit for the facility located in New Castle City, **Lawrence County**. The facility is a Natural Minor. The primary sources at the facility are 6 forge furnaces, 2 slow cooling furnaces, 2 press forge furnaces, a temper furnace, hand scarfing, an emergency generator and an immersion degreaser. The emergency generator is subject to 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The conditions of Plan Approval 37-300B were incorporated into this permit. The renewal permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. The facility potential emissions are: 7.62 TPY; 65.95 TPY; 5.51 TPY; 0.65 TPY; and, 84.06 TPY for PM<sub>10</sub>, NO<sub>x</sub>, VOC, SO<sub>x</sub>, and CO, respectively.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	
Alkalinity greater than acidity <sup>1</sup>			

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).*

**Permit No. 17814000. Rob Holland Enterprises**, 52 Holland Lane, Curwensville, PA 16833, revision of permit for land use change from Forestland to Unmanaged Natural Habitat for an existing coal surface mine located in Penn Township, **Clearfield County** affecting 23.8 acres. Receiving stream(s): Irish Run and Unnamed Tributaries to Irish Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 27, 2021.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).*

**NPDES No. PA0115789 (Mining Permit No. 4774SM4). Hanson Aggregates Pennsylvania LLC**, 7660 Imperial Way, Allentown, PA 18195, renewal of an NPDES permit for a large noncoal mining site located in Fairfield Township and Montoursville Borough, **Lycoming County** affecting 950.1 acres. Receiving stream(s): Bennetts Run, Tules Run and West Branch Susquehanna River classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: September 23, 2021.

*New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).*

**Permit No. 02010301 and NPDES No. PA0202916. Glen-Gery Corporation**, 1166 Spring Street, Wyomissing, PA 19610-6001. Application received for transfer of permit currently issued to Redland Brick, Inc. for continued operation and reclamation of a noncoal surface mining site located in Harmar Township, **Allegheny County**, affecting 48.0 acres. Receiving streams: Deer Creek, classified for the following use(s): CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Transfer application received: September 28, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).*

**NPDES Permit No. PA0612243. Naceville Materials**, 350 South Main Street, Suite 207, Doylestown, PA 18901, renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation on Surface Mining Permit No. 09120301C in Hilltown Township, **Bucks County** affecting 128.5 acres. Receiving stream: unnamed tributary to North Branch Neshaminy Creek, classified for the following use: trout stocking fishes. Application received: September 24, 2021.

**NPDES Permit No. PAD760001. Robert Mackrell**, 710 Justus Boulevard, Scott Township, PA 18411, new NPDES Permit for discharge of treated mine drainage from a quarry operation on Small Noncoal Permit No. 64120802C in Buckingham Township, **Wayne County** affecting 6.7 acres. Receiving stream: unnamed tributary to Equinunk Creek, Classified for the following uses: cold water and migratory fishes. Application received: September 24, 2021.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity\*

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472.1900.*

**NPDES No. PA0092631 (Mining Permit No. 32841602), Rosebud Mining Company**, 301 Market Street, Kittanning, PA 16201, renewal of a NPDES and mining activity permit for the Clymer Tipple Preparation Plant in Cherryhill Township, **Indiana County**, affecting 47.6 acres. Receiving streams: Dixon Run and UNT 44302 to Dixon Run, both classified for the following use: CWF. Kiski-Conemaugh TMDL. The application was considered administratively complete on December 30, 2020. Application received on August 19, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

*Outfall 001* discharges to: Dixon Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 41' 06" Long: 79° 00' 44") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Flow	(mgd)	-	-	Report	-
pH	(s.u.)	6.0 Min	-	-	9.0 Max
Specific Conductivity	(µmhos/cm)	-	-	-	Report
Temperature	(°C)	-	-	-	Report
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Total Dissolved Solids	(mg/l)	-	-	-	Report
Osmotic Pressure	(mOsm/kg)	-	-	-	Report
Alkalinity, Total (as CaCO <sub>3</sub> )	(mg/l)	-	-	-	Report
Acidity, Total (as CaCO <sub>3</sub> )	(mg/l)	-	-	-	Report
Net Alkalinity, Total (as CaCO <sub>3</sub> )	(mg/l)	0.0	-	-	-
Iron	(mg/l)	-	1.5	3.0	3.8
Aluminum	(mg/l)	-	0.75	1.5	1.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Sulfate	(mg/l)	-	-	-	Report
Chlorides	(mg/l)	-	-	-	Report

*Outfall 002* discharges to: Unnamed Tributary 44302 to Dixon Run

The proposed effluent limits for *Outfall 002* (Lat: 40° 41' 01" Long: 79° 00' 42") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Flow	(mgd)	-	-	Report	-
pH	(s.u.)	6.0 Min	-	-	9.0 Max
Specific Conductivity	(µmhos/cm)	-	-	-	Report
Temperature	(°C)	-	-	-	Report
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Total Dissolved Solids	(mg/l)	-	-	-	Report
Osmotic Pressure	(mOsm/kg)	-	-	-	Report
Alkalinity, Total (as CaCO <sub>3</sub> )	(mg/l)	-	-	-	Report
Acidity, Total (as CaCO <sub>3</sub> )	(mg/l)	-	-	-	Report
Net Alkalinity, Total (as CaCO <sub>3</sub> )	(mg/l)	0.0	-	-	-
Iron	(mg/l)	-	1.5	3.0	3.8
Aluminum	(mg/l)	-	0.75	1.5	1.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Sulfate	(mg/l)	-	-	-	Report
Chlorides	(mg/l)	-	-	-	Report

*Outfall 003* discharges to: Dixon Run

The proposed effluent limits for *Outfall 003* (Lat: 40° 41' 11" Long: 79° 00' 37") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Flow	(mgd)	-	-	Report	-
pH	(s.u.)	6.0 Min	-	-	9.0 Max
Specific Conductivity	(µmhos/cm)	-	-	-	Report
Temperature	(°C)	-	-	-	Report
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Total Dissolved Solids	(mg/l)	-	-	-	Report
Osmotic Pressure	(mOsm/kg)	-	-	-	Report
Alkalinity, Total (as CaCO <sub>3</sub> )	(mg/l)	-	-	-	Report
Acidity, Total (as CaCO <sub>3</sub> )	(mg/l)	-	-	-	Report
Net Alkalinity, Total (as CaCO <sub>3</sub> )	(mg/l)	0.0	-	-	-
Iron	(mg/l)	-	1.5	3.0	3.8
Aluminum	(mg/l)	-	0.75	0.75	-
Manganese	(mg/l)	-	1.0	2.0	2.5
Sulfate	(mg/l)	-	-	-	Report
Chlorides	(mg/l)	-	-	-	Report

**NPDES No. PA0214761 (Mining Permit No. 56841605), Croner, Inc.**, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541. Renewal of an NPDES permit for the Goodtown Preparation Plant in Brothersvalley Township, **Somerset County**, affecting 6.5 acres. Receiving stream(s): unnamed tributary 39112 to Buffalo Creek, classified for the following use(s): cold water fishes. This receiving stream is included in the Buffalo Creek TMDL. Application received: March 3, 2021.



Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to unnamed tributary 39112 to Buffalo Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
003	N	TFO

The proposed effluent limits for the outfall 003 (Lat: 39° 53' 21" Long: -78° 58' 45") are as follows:

<i>Outfalls: (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Flow (mgd)			Report
Sulfates (mg/l)			Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

#### *Noncoal NPDES Draft Permits*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342.8200.*

**NPDES No. PA0614181 (Mining Permit No. 60840401), New Enterprise Stone & Lime Co., Inc.**, 3912 Brumbaugh Road, New Enterprise, PA 16664, modification of an NPDES permit for noncoal surface mine in Buffalo Township, **Union County**, affecting 324.9 acres. Receiving stream: Buffalo Creek, classified for the following use(s): TSF, MF. Application received: May 3, 2021.

The NPDES permit is being modified to add the following outfalls listed as follows which discharge to Buffalo Creek or which are non-discharging but are located within the Buffalo Creek watershed:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
010	Y	Sedimentation Pond J
011	Y	Sedimentation Trap Y (non-discharging)

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 010 (Dry Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/L)	25.0	45.0	60.0
Flow (gpm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

<i>Outfalls: 010 (≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			

*Outfalls: 010 (>10-yr/24-hr Precip. Event)*

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.*

**NPDES Permit No. PA0224693. H & K Group, Inc.**, P.O. Box 196, 2052 Lucon Rd, Skippack, PA 19474, modification of the NPDES Permit on Surface Mining Permit No. 64080301 in Palmyra Township, **Wayne County** affecting 79.2 acres. Receiving streams: unnamed tributary to Lake Wallenpaupack to Wallenpaupack Creek, classified for the following use: HQ—warm water fish. The first downstream potable water supply intake from the point of discharge is Easton Area Water System. The Department has made a tentative determination to impose the following effluent limitations. Application received: September 9, 2020.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
002	N	TFO

<i>Outfalls:</i> <i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instantaneous</i> <i>Maximum</i>
pH (S.U.)	6.0			9.0
Turbidity (NTU)		40.0		
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Acidity (mg/L)				Report
Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	Report			
Flow (MGD)		0.5		

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

#### Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.*

**E0901221-006, Pennridge School District**, 1200 North 5th Street, Perkasio, PA 18944, East Rockhill Township, Bucks County, ACOE Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with the Pennridge Middle School & High School Campus (Pennridge School District—New Parking and Practice Field Project) for the Pennridge School District. The proposed project involves the construction of a new practice field, new parking lot, and addition and modification of several stormwater

management facilities near a UNT to the East Branch of the Perkiomen (TSF, MF). The project proposes approximately 1,595 square feet of permanent wetland impacts and no floodway, floodplain, or waterway impacts.

The site is approximately located 1200 North Fifth Street in Perkasio, PA (Quakertown, PA Lat: 40° 23' 21"; Long: -75° 16' 27") in East Rockhill Township, Bucks County.

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E4002221-017, Lou and Rebecca Blaum**, 653 Lakeside Drive, Harveys Lake, PA 18618, in Harveys Lake Borough, Luzerne County, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 264 ft<sup>2</sup>, pile-supported dock addition within the normal pool elevation of Harveys Lake (HQ-CWF, MF). The project is located at Pole # 62, approximately 0.04 mile southwest of the intersection of Lakeside Drive (S.R. 415) and Emily Lane (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 47"; Longitude: -76° 2' 8.64") in Harveys Lake Borough, Luzerne County. (Harveys Lake, PA Quadrangle, Latitude: 41° 22' 14"; Longitude: -76° 2' 22"). Latitude: 41° 26' 42"; Longitude: -75° 34' 19").

**E4002221-018, Rich Rome**, 969 Lakeside Drive, Harveys Lake, PA 18618, in Harveys Lake Borough, Luzerne County, U.S. Army Corps of Engineers, Baltimore District.

To remove an existing structure and to construct and maintain a 700 ft<sup>2</sup>, pile-supported dock and an 1,893 ft<sup>2</sup>, pile-supported boathouse within the normal pool elevation of Harveys Lake (HQ-CWF, MF). The project is located at 969 Lakeside Drive, approximately 0.2 mile southwest of the intersection of Lakeside Drive (S.R. 415) and Carrie Street (Harveys Lake, PA Quadrangle, Latitude: 41° 22' 38"; Longitude: -76° 1' 38") in Harveys Lake Borough, Luzerne County. (Harveys Lake, PA Quadrangle, Latitude: 41° 22' 38"; Longitude: -76° 1' 38").

*Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E6004221-003, Douglas W. Reed**, 6906 Buffalo Road, Mifflinburg, PA 17844, Septic System Replacement, Buffalo Township, Union County, Baltimore ACOE (Mifflinburg, PA Quadrangle N: 40° 57' 39.48"; W: -77° 01' 12.17").

The landowner is proposing to replace a residential septic system which requires a utility crossing over a tributary to Rapid Run. The house was built in 1962 and the septic system needs replaced. The Sewage Enforcement Officer (SEO) approved the design which requires a new tank to be installed near the house for solids and a sand mound for effluent which is sited at the edge of the property near Buffalo Road. The connecting pipeline must cross Tributary 19005 to connect the tank and sand mound. The tributary and Rapid Run are listed in the 25 Pa. Code Chapter 93 designation as Exceptional Value (EV) and supporting Migratory Fish (MF). The project is planned for the Autumn of 2021.

## ACTIONS

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**
**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0255432	Industrial Stormwater Individual NPDES Permit	Issued	Morton Salt Inc. 444 W Lake Street Chicago, IL 60606-0010	Franklin Borough Cambria County	SWRO
PA0025615	Industrial Waste Individual NPDES Permit, Major	Issued	Energy Harbor Nuclear Corp 168 E Market Street Akron, OH 44308-2014	Statewide Statewide	SWRO
0121806	Joint DEP/PFBC Pesticides Permit	Issued	CCD Rock Creek, LLC 45 Martin Road Gettysburg, PA 17325-7614	Straban Township Adams County	SCRO

## NOTICES

6541

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0027014	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Altoona Water Authority 900 Chestnut Avenue Altoona, PA 16601-4617	Altoona City Blair County	SCRO
PA0027022	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Altoona Water Authority 900 Chestnut Avenue Altoona, PA 16601-4617	Allegheny Township Blair County	SCRO
PA0091791	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Drbittner, LLC 339 Breakiron Road Connellsville, PA 15425	Bullskin Township Fayette County	SWRO
PA0097691	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Leclair Richard D 7 Koa Road Washington, PA 15301-3123	South Strabane Township Washington County	SWRO
PA0254525	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	UMH Properties, Inc. 3499 US Highway 9 Suite 3C Freehold, NJ 07728-3277	Lower Burrell City Westmoreland County	SWRO
PA0020818	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Glen Rock Borough Sewer Authority York County P.O. Box 205 Glen Rock, PA 17327-0205	Glen Rock Borough York County	SCRO
NOEXNC134	No Exposure Certification	Issued	Fedex Ground Pkg System, Inc. 1000 Fed Ex Drive Moon Township, PA 15108-9373	Fairfield Township Lycoming County	NCRO
NOEXSW030	No Exposure Certification	Issued	General Electric Energy Power Conversion USA, Inc. 101 N Campus Drive Imperial, PA 15126-2402	Findlay Township Allegheny County	SWRO
PAG043524	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Meloy Margaret G 104 Sherwood Drive Boalsburg, PA 16827-1612	Fannett Township Franklin County	SCRO
PAG120008	PAG-12 NPDES General Permit for CAFOs	Issued	Reyburn Howard 1021 Limestone Road Oxford, PA 19363	Upper Oxford Township Chester County	SCRO
PAG123632	PAG-12 NPDES General Permit for CAFOs	Issued	Robert & Michael Shearer 806 Anderson Ferry Road Mount Joy, PA 17552-9717	East Donegal Township Lancaster County	SCRO
PAG123646	PAG-12 NPDES General Permit for CAFOs	Issued	Joe Jurgielewicz & Son Ltd P.O. Box 257 Shartlesville, PA 19554-0257	Bethel Township Berks County	SCRO
PAG123651	PAG-12 NPDES General Permit for CAFOs	Issued	Nolt Lawrence Z 94 Creek Road East Berlin, PA 17316-9119	Washington Township York County	SCRO
PAG123686	PAG-12 NPDES General Permit for CAFOs	Issued	Martin Joel 2077 Mountain Road Manheim, PA 17545-9517	Penn Township Lancaster County	SCRO
PAG123723	PAG-12 NPDES General Permit for CAFOs	Issued	Ebersol Paul & Ebersol Lawayne 4970 Sunset Pike Chambersburg, PA 17201	Greene Township Franklin County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123725	PAG-12 NPDES General Permit for CAFOs	Issued	Junk Inn Farms, LLC P.O. Box 229 Willow Hill, PA 17271	Metal Township Franklin County	SCRO
PAG123741	PAG-12 NPDES General Permit for CAFOs	Issued	Martin Delmar R 1375 West Route 897 Denver, PA 17517	West Cocalico Township Lancaster County	SCRO
PAG123794	PAG-12 NPDES General Permit for CAFOs	Issued	Joe Jurgielewicz & Son Ltd P.O. Box 27 Shartlesville, PA 19554-0027	Centre Township Berks County	SCRO
PAG123834	PAG-12 NPDES General Permit for CAFOs	Issued	Country View Family Farms, LLC 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990	Fannett Township Franklin County	SCRO
PAG123879	PAG-12 NPDES General Permit for CAFOs	Issued	Zuck Jeffrey H 135 Fox Road Lebanon, PA 17042-8842	South Lebanon Township Lebanon County	SCRO
PAG123883	PAG-12 NPDES General Permit for CAFOs	Issued	Wenger Jason 5376 Elizabethtown Road Manheim, PA 17545-8375	Rapho Township Lancaster County	SCRO
PAG124844	PAG-12 NPDES General Permit for CAFOs	Issued	John Pfleegor 460 Gold Road Muncy, PA 17756-5748	Lewis Township Northumberland County	SCRO
PAG130158	PAG-13 NPDES General Permit for MS4s	Issued	Concord Township Delaware County 43 S Thornton Road Glen Mills, PA 19342-1325	Concord Township Delaware County	SERO
1505426	Sewage Land Application Individual WQM Permit	Issued	New London Township Chester County P.O. Box 1002 New London, PA 19360	New London Township Chester County	SERO
1595411	Sewage Land Application Individual WQM Permit	Issued	University Of PA 382 W Street Road Kennett Square, PA 19348-1691	East Marlborough Township Chester County	SERO
1021406	Sewage Treatment Facilities Individual WQM Permit	Issued	Dietrich Jacob 205 Saint Joe Road Butler, PA 16002-0051	Oakland Township Butler County	NWRO
1021409	Sewage Treatment Facilities Individual WQM Permit	Issued	Angert Justin 599 Bruton Drive Gibsonia, PA 15044-9570	Penn Township Butler County	NWRO
2015401	Sewage Treatment Facilities Individual WQM Permit	Issued	Croll Theresa 19664 Collier Drive Meadville, PA 16335-9678	Woodcock Township Crawford County	NWRO
2121402	Sewage Treatment Facilities Individual WQM Permit	Issued	Stoltzfus Amos E 1651 Mountain Road Newburg, PA 17240-9123	Upper Mifflin Township Cumberland County	SCRO
2121404	Sewage Treatment Facilities Individual WQM Permit	Issued	Weaver Arlin 184 Bulls Head Road Newville, PA 17241-9613	North Newton Township Cumberland County	SCRO
2121405	Sewage Treatment Facilities Individual WQM Permit	Issued	Zimmerman Merlin B 231 Ridge Road Shippensburg, PA 17257-9738	North Newton Township Cumberland County	SCRO
4320412	Sewage Treatment Facilities Individual WQM Permit	Issued	Fortwangler Caleb 1147 Brent Road Volant, PA 16156-1601	Springfield Township Mercer County	NWRO
4373402	Sewage Treatment Facilities Individual WQM Permit	Issued	Country Estates MHP, LLC 378 Red Bank Road Mifflinburg, PA 17844-6801	Jefferson Township Mercer County	NWRO

## NOTICES

6543

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6521402	Sewage Treatment Facilities Individual WQM Permit	Issued	Pritchard Paul W 606 Surrey Lane Lutz, FL 33549-5682	Rostraver Township Westmoreland County	SWRO
PA0086819	Single Residence STP Individual NPDES Permit	Issued	Philip & Sharon Fullerton 130 Oberholtzer Road Elizabethtown, PA 17022-9588	Southampton Township Bedford County	SCRO
PA0232793	Single Residence STP Individual NPDES Permit	Issued	Wykoff Jonah A 6633 Chestnut Grove Highway Luthersburg, PA 15848-5014	Bloom Township Clearfield County	NCRO
PA0255947	Single Residence STP Individual NPDES Permit	Issued	Pritchard Paul W 606 Surrey Lane Lutz, FL 33549-5682	Rostraver Township Westmoreland County	SWRO
PA0264253	Single Residence STP Individual NPDES Permit	Issued	Croll Theresa 19664 Collier Drive Meadville, PA 16335-9678	Woodcock Township Crawford County	NWRO
PA0267481	Single Residence STP Individual NPDES Permit	Issued	Stoltzfus Amos E 1651 Mountain Road Newburg, PA 17240-9123	Upper Mifflin Township Cumberland County	SCRO
PA0267520	Single Residence STP Individual NPDES Permit	Issued	Weaver Arlin 184 Bulls Head Road Newville, PA 17241-9613	North Newton Township Cumberland County	SCRO
PA0267538	Single Residence STP Individual NPDES Permit	Issued	Zimmerman Merlin B 231 Ridge Road Shippensburg, PA 17257-9738	North Newton Township Cumberland County	SCRO
PA0288829	Single Residence STP Individual NPDES Permit	Issued	Fortwangler Caleb 1147 Brent Road Volant, PA 16156-1601	Springfield Township Mercer County	NWRO
PA0289191	Single Residence STP Individual NPDES Permit	Issued	Dietrich Jacob 205 Saint Joe Road Butler, PA 16002-0051	Oakland Township Butler County	NWRO
PA0289515	Single Residence STP Individual NPDES Permit	Issued	Angert Justin 599 Bruton Drive Gibsonia, PA 15044-9570	Penn Township Butler County	NWRO
0595401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Philip & Sharon Fullerton 130 Oberholtzer Road Elizabethtown, PA 17022-9588	Southampton Township Bedford County	SCRO
2895406	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Meloy Margaret G 104 Sherwood Drive Boalsburg, PA 16827-1612	Fannett Township Franklin County	SCRO
WQG02342101	WQG-02 WQM General Permit	Issued	Twin Borough Sanitary Authority Juniata County P.O. Box 118 17 River Drive Mifflin, PA 17058-0118	Milford Township Juniata County	SCRO

---

**II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.**


---

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC510184	General (Renewal/ Major Amendment)	Permit Issuance	Philadelphia Water Department 1101 Market Street 2nd Floor Philadelphia, PA 19107	City of Philadelphia Philadelphia County	SERO
PAC510181	PAG-02 General Permit	Issued	GY Properties 901 Penn Street Unit FC-1 Philadelphia, PA 19106	City of Philadelphia Philadelphia County	SERO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230188	General	Permit Issuance	Middletown Township 27 North Pennell Road P.O. Box 157 Lima, PA 19037	Middletown Township Delaware County	SERO
PAC510218	PAG-02 General Permit	Issued	Dartswift Property Management, Ltd. 11401 Roosevelt Boulevard Philadelphia, PA 19154	City of Philadelphia Philadelphia County	SERO
PAC090481	PAG-02 General Permit	Issued	Triumph Construction Group, LLC 2324 Second Street Pike Newtown, PA 18940-4110	Newtown Township Bucks County	SERO
PAC090476	PAG-02 General Permit	Issued	Estate of Pearl Sereni 11214 Old Carriage Road Glen Arm, MD 21057-9415	Newtown Township Bucks County	SERO
PAC090472	PAG-02 General Permit	Issued	Better Living Homes, Inc. 2526 Broad Street Colmar, PA 18915-9772	Bedminster Township Bucks County	SERO
PAC090455	PAG-02 General Permit	Issued	Anthony Phyllis Circle 301 Oxford Valley Road Suite 702 Yardley, PA 19067-7706	Bristol Township Bucks County	SERO
PAC090481	PAG-02 General Permit	Issued	Triumph Construction Group, LLC 2324 Second Street Pike Newtown, PA 18940-4110	Newtown Township Bucks County	SERO
PAC090476	PAG-02 General Permit	Issued	Estate of Pearl Sereni 11214 Old Carriage Road Glen Arm, MD 21057-9415	Newtown Township Bucks County	SERO
PAC090472	PAG-02 General Permit	Issued	Better Living Homes, Inc. 2526 Broad Street Colmar, PA 18915-9772	Bedminster Township Bucks County	SERO
PAD510057	Individual NPDES	Issued	Toll Brothers Apartment Living 250 Gibraltar Road Horsham, PA 19044	City of Philadelphia Philadelphia County	SERO
PAD150171 (Formerly PAI011509037 - R)	Individual NPDES	Issued	Pennywynne H. B. Limited Partnership P.O. Box 240 Wynnewood, PA 19096-0240	Honey Brook Township Chester County	SERO
PAC390162	PAG-02 General Permit	Issued	Terminal Leasing, Inc. (c/o Pitt-Ohio Express, Inc.) 15 27th Street Pittsburgh, PA 15222	Upper Saucon Township Lehigh County	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18104 610-391-9583
PAD390214	Individual NPDES	Issued	Jaindl Land Company 3150 Coffeetown Road Orefield, PA 18069	Lower Macungie Township Lehigh County	NERO
PAD450136	Individual NPDES	Issued	Cresco DG, LLC 361 Summit Boulevard Birmingham, AL 35243	Barrett Township Monroe County	NERO
PAD400042	Individual NPDES	Issued	Lake Lehman School District 1237 Market Street Lehman, PA 18627	Lehman Township Luzerne County	NERO
PAD390123 A-1	Individual NPDES	Issued	Upper Macungie Township 8330 Schantz Road Breinigsville, PA 18031	Upper Macungie Township Lehigh County	NERO

## NOTICES

6545

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD400043	Individual NPDES	Issued	PPL Electric Utilities Corporation 2 North 9th Street GENN 4 Allentown, PA 18101	Salem Township Briar Creek Township Berwick Borough Luzerne County Columbia County	NERO
PAD350025	Individual NPDES	Issued	Matt Development, Inc. 39 South Main Street P.O. Box 573 Pittston, PA 18640	Carbondale Township Lackawanna County	NERO
PAD390197	Individual NPDES	Issued	Sheetz, Inc. 5700 Sixth Avenue Altoona, PA 16602	Upper Macungie Township Lehigh County	NERO
PAD670055	Individual NPDES	Issued	Springettsbury Township 1501 Mt. Zion Road York, PA 17402	Springettsbury Township York County	SCRO
PAD670046	Individual NPDES	Issued	George Street Investors, LLC 14 Balligomingo Road Conshohocken, PA 19428-0992	Manchester Township York County	SCRO
PAD670040	Individual NPDES	Denied	E.K. Services, Inc. 260 Old York Road New Cumberland, PA 17070	Fairview Township York County	SCRO
PAC010078 A-3	PAG-02 General Permit	Issued	Paul D. Hart 3711 Taneytown Road Gettysburg, PA 17325	Mount Joy Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC360410 A-1	PAG-02 General Permit	Issued	Signature Stone, Inc. 1005 Willow Street Pike Lancaster, PA 17602	West Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361 ext. 5
PAC360646	PAG-02 General Permit	Issued	Lancaster Pike Properties, LLC 722 Truce Road Quarryville, PA 17566	Providence Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361 ext. 5
PAC360636	PAG-02 General Permit	Issued	MHC Circle M GP, LLC Two North Riverside Plaza Suite 800 Chicago, IL 60606	Pequea Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361 ext. 5



<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360631	PAG-02 General Permit	Issued	Stoner Dairy Farm, LLC 100 Marticville Road Lancaster, PA 17603	Pequea Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361 ext. 5
PAC360179 A-1	PAG-02 General Permit	Issued	Talon Holdings, LLC 1737 West Main Street Ephrata, PA 17522	Brecknock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361 ext. 5
PAC360632	PAG-02 General Permit	Issued	Samuel Brubaker 335 Panorama Drive Denver, PA 17517	Brecknock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361 ext. 5
PAC670490	PAG-02 General Permit	Issued	Home Technology Repair Solutions 325 East Market Street York, PA 17403	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670234 A-2	PAG-02 General Permit	Issued	E.Z. Four Investors 41 Cinema Drive York, PA 17402	Hellam Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670487	PAG-02 General Permit	Issued	York College of Pennsylvania 441 Country Club Road York, PA 17403-3614	City of York York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAD140128	PAG-02 General Permit	Issued	Farmstead Developer, LLC Farmstead Lane State College, PA 16803	Ferguson Township Centre County	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823-1400

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC330027	PAG-02 General Permit	Issued	Diggins, LLC 379 Industrial Park Road Brookville, PA 15825	Pine Creek Township Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC160019A1	PAG-02 General Permit	Issued	Clarion Industries 143 Fiberboard Road Shippensburg, PA 16254	Paint Township Clarion County	Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813
PAC160036	PAG-02 General Permit	Issued	CM Nellis Holdings, LLC 143 Sunset Lane Knox, PA 16232	Paint Township Clarion County	Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813

**STATE CONSERVATION COMMISSION**

**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN**

**CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Dean Stump 48 Rehrersburg Road Richland, PA 17087	Berks	18.7	410.63	Poultry (Layers)	NA	Approved
Kevin Martin 288 Shartlesville Road Bernville PA 19506	Berks	42	394.95	Poultry (Broilers)	NA	Approved
Walton Farms 42 Walton Drive Cochranville, PA 19330	Chester	1,067.3	1,666.1	Dairy	NA	Approval

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Mason's Chrome View, LTD 86 Chrome Road Nottingham, PA 19362	Chester	753.4	1,116.1	Dairy	EV	Approval
JoBo Holstein Farms, LLC 200 Tall Oaks Road Gettysburg, PA 17325	Adams	995.6	1,826.72	Dairy	NA	Approved
Mason Dixon Farms 1800 Mason Dixon Road Gettysburg, PA 17325	Adams	487.5	3,446.0	Dairy	NA	Approved
Lazy Hog Farm 4390 Mountain Road McAlisterville, PA 17049	Juniata	48.43	717.00	Swine	HQ	Approved
Lost Creek Farm (Brent Hershey) 586 Benner Road McAlisterville, PA 17049	Juniata	151	881.88	Swine	NA	Approved
Lavon Zimmerman 11653 William Penn Highway Thompsontown, PA 17094	Juniata	62.1	392.91	Swine	NA	Approved
Hard Earned Acres 1317 Ritner Highway Shippensburg, PA 17257	Cumberland	1,098.1	1,423.5	Dairy Cows and Heifers	NA	Approved
Nathan Ebersole 44 Kline Road Shippensburg, PA 17257	Cumberland	132.8	135.23	Ducks Beef Finisher Steer and Calf Steer	NA	Approved
Newburg Poultry, LLC 301 Three Square Hollow Road Newburg, PA 17240	Cumberland	409	850	Layers and Beef	NA	Approved

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

## SAFE DRINKING WATER

### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 4440317, Minor Amendment, Public Water Supply.**

Applicant	<b>Mifflin County School District</b>
Municipality	Oliver Township
County	<b>Mifflin</b>
Responsible Official	Thomas White Jr. Director of Buildings 103 Green Ave Lewistown, PA 17044-2320
Type of Facility	Noncommunity Water Supply Approval to Construct for new chemical feed pump and reconfiguration of water softener.

Consulting Engineer	Not Listed
Permit to Construct Issued	September 30, 2021
<b>Permit No. 6721508</b> ,	Public Water Supply.
Applicant	<b>Brandywine Congregation of Jehovah's Witnesses</b>
Municipality	Manchester Township
County	<b>York</b>
Responsible Official	Mark A. Cercy 932 Church Road York, PA 17404
Type of Facility	Construction permit for installation of 4-log treatment of viruses via chlorination
Consulting Engineer	Charles A. Kehew II, P.E. James R. Holley & Associates, Inc. 18 South George Street York, PA 17401
Permit to Construct Issued	September 30, 2021

*Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.*

**Operations Permit** issued to: **Pennsylvania-American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, PWSID No. 4490023, Milton Borough, **Northumberland County** on October 4, 2021, for the operation of facilities approved under construction permit # 4919505. This permit authorizes operation of all approved upgrades at the existing Milton South Front Street Booster Pump Station.

#### WATER ALLOCATIONS

**Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**

*Northeast Region: Safe Drinking Water, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Gillian Pehala, Clerk Typist 2, 570-830-3077.*

**WA40-184B**, Water Allocation, **Hazleton City Authority**, 400 E. Arthur Gardner Parkway, Hazleton, PA 18201, **Luzerne County**. Approval to withdraw up to a maximum of 5.0 million gallons per day (MGD) from the Lehigh River intake near Rockport in Lehigh Township, Carbon County.

### LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

#### UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated

substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**1011 RT 6**, 1011 Scranton-Carbondale Highway (Route 6), Dickson City, PA 18508, Dickson City Borough, **Lackawanna County**. Partner Engineering/PSG, 100 Deerfield Lane, Suite 200, Malvern, PA 19355, on behalf of Scranton Storage, LLC, 55 Broadway, 10th Floor, New York, NY 10006, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide health standards.

**Fred Shuler, Inc.**, 206 Cary Avenue, Wilkes-Barre, PA 18702, Wilkes-Barre City, **Luzerne County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of David Shuler, 70 First Street, Harvey Lake, PA 18618, submitted a Final Report concerning remediation of soil contaminated by releases of petroleum from underground storage tanks. The report is intended to document remediation of the site to meet Statewide health standards.

**Central Transport**, 6955 Chrisphalt Drive, Bath, PA 18014, East Allen Township, **Northampton County**. Moonstone Environmental, 1150 Glenlivet Drive, Suite A-23, Allentown, PA 18106, on behalf of Crown Enterprises, LLC, P.O. Box 869, Warren, MI 48090, submitted a Final Report concerning remediation of soil contaminated by runoff of petroleum compounds from the facility's parking lot areas. The report is intended to document remediation of the site to meet Statewide health standards.

**DTE Susquehanna WC 14/70/28 to Bluestone AMI Pipeline**, 2334 Brushville Road, Susquehanna, PA 18847, Jackson Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 1000 Energy Drive, Spring, TX 77389, submitted a Final Report concerning remediation of groundwater contaminated when a leaking pressure relief valve along part of a buried pipeline released an unknown volume of brine. The report is intended to document remediation of the site to meet Statewide health standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Auto One Site**, 1282 Manheim Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of 1282 Manheim Pike, LLC, 950 Smile Way, York, PA 17404, submitted a Final Report concerning remediation of site groundwater contaminated with VOCs, TCE, and PCE. The Final Report is intended to document remediation of the site to meet the Background Standard.

**Frampton Residence**, 699 Piper Hollow Road, Portage, PA 15946, Greenfield Township, **Blair County**. Mountain Research, LLC, 825 25th Street, Altoona, on behalf of Roy and Theresa Frampton, 699 Piper Hollow Road, Portage, PA 15946, submitted a Final Report concerning remediation of site soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the residential Statewide Standard.

**Berks Park 183 Former Pistol Range**, Aviation Road, Reading, PA 19605, Bern Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Berks County Industrial Development Authority, 633 Court Street, 14th Floor, Reading, PA 19601 submitted a Final Report concerning remediation of site soil contaminated with Lead. The Final Report is intended to document remediation of the site to meet the site-specific standard.

**Frog Switch and Manufacturing Company, Inc.**, 600 East High Street, Carlisle, PA 17013, Carlisle Borough, **Cumberland County**. RETTEW Associates, Inc., 5031 Richard Lane, Suite 111, Mechanicsburg, PA 17055, on behalf of Frog Switch and Manufacturing Company, Inc., 600 East High Street, Carlisle, PA 17013, submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The Final Report is intended to document remediation of the site to meet the residential Statewide health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101–6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Stan-

dards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Shields Compressor Station**, 322 Hunsinger Road, Springville, PA 18844, Dimock Township, **Susquehanna County**. Aptim Environmental & Infrastructure, LLC, 500 Penn Center, Suite 1000, Pittsburgh, PA 15235, on behalf of Williams Field Services Company, LLC, 310 SR29 N, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of a release of produced water, natural gas condensate, lubricating oil, and glycols that impacted soil. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on September 28, 2021.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**30 Keller Avenue and 58-60 Keller Avenue**, 30 Keller Avenue and 58-60 Keller Avenue, Lancaster, PA

17601, Manheim Township, **Lancaster County**. Liberty Environmental, Inc., 315 West James Street, Lancaster, PA 17603, on behalf of Keller Avenue Partners, 120 North Pointe Boulevard, Suite 201, Lancaster, PA 17601, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with arsenic and chromium, historic contamination. The Report and Plan were approved by the Department on September 28, 2021.

## AIR QUALITY

### Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.*

**03-269B: PulFlex Technologies, LLC** (706 Eljer Way, Ford City, PA 16226) on September 28, 2021, effective September 28, 2021, has issued a plan approval extension to allow the facility time to submit an initial State Only Operating Permit application, in Ford City Borough, **Armstrong County**. This is a State Only facility. This will expire on March 30, 2022.

**27-015A: Tennessee Gas Pipeline Company, LLC, Marienville Compressor Station 307** (44264 Route 6, Marienville, PA 16239) on September 28, 2021, effective September 28, 2021, has issued a plan approval extension to allow for stack testing & compliance evaluation of control devices on Source 135, in Marienville, **Forest County**. This is a Title V facility. This will expire on March 30, 2022.

### Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.*

**39-00006: American Craft Brewery, LLC** (7880 Penn Drive, Breinigsville, PA 18031) The Department issued, on September 30, 2021, a Title V Operating Permit for the operation of sources at their facility located in Upper Macungie Township, **Lehigh County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

### Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.*

**40-00136: General Dynamics OTS, LLC** (1500 Highway 315 Blvd, Wilkes-Barre, PA 18702) The Department

issued, on September 21, 2021, a State-Only Operating Permit for the operation of sources at their facility located in Plains Township, **Luzerne County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**40-00101: Pennsy Supply, Inc., Pittston West Quarry** (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110). On September 15, 2021, the Department issued a renewal State-Only (Synthetic Minor) Permit for the operation of a drum mix asphalt plant and stone manufacturing facility in Jenkins Township, **Luzerne County**. The sources consist of feed bins, screens, belts, conveyors, and a drum mix asphalt plant with WDLF. The control devices are baghouses and a cyclone. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**35-00072: UNIMAC-KPS** (1001 Moosic Rd., Old Forge, PA 18518-2085). On September 17, 2021, the Department issued a renewal State-Only (Natural Minor) Permit for the manufacture of commercial printing located in Old Forge, **Lackawanna County**. The primary sources consist of four (4) flexo presses. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**48-00001: Columbia Gas Transmission/Easton Compressor Station** (1700 MacCorkle Ave SE, Charleston, WV 25314-1518). On September 13, 2021, the Department issued a renewal of the State-Only (Natural) Minor Operating Permit for a natural gas transmission facility located in Forks Township, **Northampton County**. The sources consist of reciprocating engines and turbines and a generator. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Program, 717-705-4702.*

**07-05027: Curry Supply Company** (7324 Woodbury Pike, Roaring Spring, PA 16673-2258) on September 27, 2021, for the railcar reconditioning facility located in Frankstown Township, **Blair County**. This is a renewal of the State-Only Operating Permit.

**06-05073: Dyer Quarry, Inc.** (Rock Hollow Road, P.O. Box 188, Birdsboro, PA 19508-0188) on September 21, 2021, for the stone crushing operations at the quarry located in Robeson Township, **Berks County**. The State-Only permit was renewed.

**22-03005: Harsco Metals Americas Division of Harsco Corp.** (P.O. Box 5003, Cranberry Township, PA 16066-1903) on September 21, 2021, for the steel slag processing facility located in Steelton Borough, **Dauphin County**. The State-Only permit was renewed.

**36-05167: Armstrong Flooring, Inc.** (1067 Dillerville Road, Lancaster, PA 17603-2613) on September 20, 2021, for the flooring manufacturing facility located Lancaster City, **Lancaster County**.

**07-05039: Chicago Rivet & Machine Co.** (2728 Adams Avenue, Tyrone, PA 16686-8851) on September 29, 2021, for the fastener manufacturing facility located in Tyrone Borough, **Blair County**. The State-Only permit was renewed.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**10-00288: Evergreen Metallurgical, LLC** (679 East Butler Road, Butler, PA 16002-9127) on September 30, 2021 the Department issued the renewal of the State Only Operating Permit for the ferroalloy production facility located in Summit Township, **Butler County**. The sources at the facility include the ferroalloy product line controlled by a baghouse, the ferroalloy co-product line controlled by a baghouse, a remote reservoir parts cleaner, and additional trivial sources. The facility is a natural minor. The potential particulate emissions from the facility after control are 1.02 TPY. The potential VOC emissions from the facility are 0.32 TPY. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

---

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**25-00940: Animal Friends Cremation Services** (P.O. Box 735, Waterford, PA 16441). On September 30, 2021, the Department revoked the State Only Operating Permit for the animal crematory located in the Borough of Waterford, **Erie County** because the cremation unit has been permanently shut down and sold.

**27-00018: KC Midstream Solutions, LLC** (424 South 27th Street, Suite 304, Pittsburgh, PA 15203). On September 30, 2021, the Department revoked the State Only Operating Permit for the Queen Compressor Station located in Hickory Township, **Forest County** because the compressor station is not operating.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

---

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).**

---

### Coal Permits Issued

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).*

**Permit No. 11960202, Ebensburg Power Co.**, 2840 New Germany Road, Ebensburg, PA 15931, permit renewal for reclamation only of a bituminous surface coal refuse reprocessing mine in Cambria Township, **Cambria County**, affecting 29.8 acres. Receiving stream: South Branch Blacklick Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 13, 2021. Permit issued: September 29, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 22851602R7. Rausch Creek Coal Preparation Lykens, LLC**, 978 Gap Street, Valley View, PA 17983, renewal of an anthracite coal preparation plant operation in Wiconisco Township, **Dauphin County** affecting 23.1 acres. Receiving stream: Wiconisco Creek. Application received: February 2, 2021. Renewal issued: October 1, 2021.

**Permit No. PAM118048R. Rausch Creek Coal Preparation Lykens, LLC**, 978 Gap Street, Valley View, PA 17983, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 22851602 in Wiconisco Township, **Dauphin County**, receiving stream: Wiconisco Creek. Application received: Application received February 2, 2021. Renewal issued: October 1, 2021.

**Permit No. GP12-22851602R. Rausch Creek Coal Preparation Lykens, LLC**, 978 Gap Street, Valley View, PA 17983, renewal of general Operating Permit to operate a coal preparation plant on Surface Mining Permit No. 22851602 in Wiconisco Township, **Dauphin County**. Application received: May 13, 2021. Permit renewed: October 1, 2021.

*Noncoal Permits Issued*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).*

**Permit No. 05960302 and NPDES No. PA0234214, New Enterprise Stone & Lime Co., Inc.,** P.O. Box 77, New Enterprise, PA 16664, renewal of an NPDES permit, located in Snake Spring Township, **Bedford County**, affecting 139.7 acres. Receiving stream: Cove Creek classified for the following uses: EV & MF. There are no potable water supply intakes within 10 miles downstream. Application received: June 16, 2021. Permit issued: October 1, 2021.

### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

*Blasting Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 48214114. American Rock Mechanics, Inc.,** 7531 Chestnut Street, Zionsville, PA 18092, construction blasting for Carson Lot 4 East in Allen Township, **Northampton County** with an expiration date of July 10, 2022. Permit issued: September 29, 2021.

**Permit No. 58214104. John H. Brainard,** P.O. Box 66, Clifford, PA 18413, construction blasting for Paul Statunas Road Fill in Clifford Township, **Susquehanna County** with an expiration date of December 31, 2021. Permit issued: September 29, 2021.

**Permit No. 54214103. Maine Drilling & Blasting, Inc.,** P.O. Box 1140, Gardiner, ME 04345, construction blasting for Rausch Creek Logistics Center Warehouse in Frailey Township, **Schuylkill County** with an expiration date of September 20, 2022. Permit issued: September 30, 2021.

**Permit No. 15214107. Rock Work, Inc.,** 1257 DeKalb Pike, Blue Bell, PA 19422, construction blasting for Spring Mill in Spring City Borough, **Chester County** with an expiration date of October 1, 2022. Permit issued: October 1, 2021.

**Permit No. 46214113 Rock Work, Inc.,** 1257 DeKalb Pike, Blue Bell, PA 19422, construction blasting for Bayard Estates in Franconia Township, **Montgomery County** with an expiration date of October 1, 2022. Permit issued: October 1, 2021.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of

the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, under Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401. Telephone 484.250.5160. E-mail: ra-epww-sero@pa.gov.*

**Permit No. E0901120-026, Pennsylvania Department of Transportation, Engineering District 6-0 (PennDOT District 6-0),** 7000 Geerdes Boulevard, King of Prussia, PA 19406, Tincum Township, **Bucks County**, ACOE Philadelphia District.

PennDOT District 6-0 is proposing to remove an existing three-span, 62.8-foot-long, concrete encased steel I-beam, concrete deck slab bridge with stone masonry abutment and piers, and in its place, construct and maintain a two-span, prestressed concrete spread box beam bridge with equal spans measuring 40 feet each over Tincum Creek (EV). These activities are associated with the Headquarters Road over Tincum Creek Replacement Project and include the construction and maintenance of the following water obstruction and encroachment activities:

1. To remove an existing three-span bridge, construct and maintain a proposed two-span bridge, perform channel work and grading, placement of riprap, removal of multiple existing piers, and the construction of a new proposed pier resulting in 77.5 linear feet (3,302 square feet, 0.076 acre) of permanent watercourse impact, 1,532 square feet (0.035 acre) of permanent floodway impact, and 4,481 square feet (0.103 acre) of permanent floodplain impact. Additional floodway and floodplain



activities include roadway construction, abutment and wingwall construction on opposite sides of watercourse, existing abutment removal, channel work, and grading resulting in 2,643 square feet (0.061 acre) of additional permanent floodway impact and 1,934 square feet (0.044 acre) of 100-year floodplain impact. This activity also includes the replacement of a 24-inch CMP floodplain culvert with a 14-inch by 23-inch outfall with the placement of riprap rock apron to facilitate roadside drainage located at the west bridge approach and the placement of riprap associated with an 18-inch outfall located east of the downstream wingwall.

2. To construct and maintain diversion dike system and temporary causeway to facilitate the removal of the existing piers, removal of existing bridge and construction of proposed bridge will result in a total of 74 linear feet (2,271 square feet, 0.052 acre) of temporary watercourse impact, 3,138 square feet (0.072 acre) of temporary floodway impact, and 5,294 square feet (0.121 acre) of temporary floodplain impact.

The entire project area is located within the Ridge Valley Rural Historic District and Tincum Creek is classified by the National Park Service (NPS) as a component of the Lower Delaware Wild and Scenic River, which is part of the National Wild and Scenic Rivers System. This project is located near the intersection of Sheep Hole Road and Headquarters Road in Tincum Township, Bucks County (USGS PA Bedminster Quadrangle—Latitude 40.470826 N, Longitude 75.136567 W). Permit issued September 29, 2021.

**Permit No. E2301221-016, Nether Providence Township**, 214 Sykes Lane, Wallingford, PA 19086, Nether Providence Township, **Delaware County**; ACOE Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with a 106 Floodplain Management, Site Restoration Permit Application located by Ridley Creek (CWF, MF). The project proposes to demolish an existing single-family home located in the 100-yr floodplain. The project does not propose any permanent or temporary impacts to wetlands, waterways or the floodway.

The site is approximately located at 1012 Glen Road (Bridgeport, Lat. 39° 52' 0"; Long.-75° 21' 0") in Nether Providence Township, Delaware County. Permit issued October 1, 2021.

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E3902221-001. Lehigh County**, 17 South 7th Street, Allentown, PA 18101. Catasauqua Borough and Hanover Township, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Delaware and Lehigh Trail Improvement Project:

1. To place/remove fill in various locations within the floodway of a UNT to the Lehigh River (TSF, MF) equal to 0.06 acre for the regrading of the pedestrian trail.

2. To place/remove fill in various locations within the floodway of Catasauqua Creek (HQCWF, MF) equal to 0.33 acre for the regrading of the pedestrian trail.

3. To place/remove fill in various locations within the floodway of another UNT to the Lehigh River (TSF, MF) equal to 0.01 acre for the regrading of the pedestrian trail.

4. To place fill in a de minimus area of PEM wetland equal to 0.01 acre for the regrading of the pedestrian trail.

5. To replace and maintain a prefabricated steel pedestrian bridge with a wood deck over the Lehigh Canal as a part of the trail improvement project. The proposed structure will replace a pedestrian arch bridge at this location and will have a 66-foot span and a 6-foot width.

The start of the project is located on the left side of Race Street, approximately 0.2 mile after the intersection with Lehigh Avenue (Catasauqua, PA Quadrangle Latitude: 40° 38' 56"; Longitude: -75° 28' 13") in Catasauqua Borough and Hanover Township, Lehigh County.

**E4502221-001. Shawnee Stage 1, LLC**, 24 Island Trail, Sparta, NJ 07871. Smithfield Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To cross six waters and wetlands on site for the Shawnee Valley PDR, Stage 1b, which consists of 294 dwellings on 197.45 acres, covered under PAD450104. The crossings are anticipated to be installed during the driest months of the construction season in 2021/2022, to minimize impacts on waters and wetlands. Each of the six crossings will consist of two-lane road crossings for access to the proposed residential development. (Bushkill PA Quadrangle Latitude: 41° 01' 59", Longitude: -75° 06' 07").

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E0703220-001. Antis Township**, 909 North 2nd Street, Bellwood, PA 16617-1126. Antis Township & Bellwood Borough, **Blair County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain (1) a 13 foot 7 inch x 110 foot bridge over Bells Gap Run (TSF), (2) place fill within (EV) wetland, and (3) place fill within the floodway and floodplain of Bells Gap Run and UNT Little Junita River (CWF), permanently impacting 150 feet and temporarily impacting 263 feet of stream and permanently impacting 0.01 acre and temporarily impacting 0.03 acre of exceptional value wetland, for the purpose of constructing a recreational trail. The project is located in Antis Township, Blair County (40.599°, -78.3359°). Permit issued October 4, 2021.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E1006220-028. The Buncher Company**, Penn Liberty Plaza 1, 1300 Penn Avenue, Suite 300, Pittsburgh, PA 15222. Jacksons Pointe Phase 1A, in Jackson Township, **Butler County**, ACOE Pittsburgh District (Evans City and Zelienople, PA Quadrangle N: 40°, 45', 27"; W: -80°, 7', 38").

Filling a total of 994 linear feet of the channel of three UNTs to Glade Run having contributory drainage areas that are less than 100 acres for the construction of 3 large commercial buildings on an approximately 29 acres commercial property west of S.R. 19 near Zelienople PA (Evans City and Zelienople, PA Quadrangle N: 40°, 45', 27"; W: -80°, 7', 38") in Jackson Township, Butler County. Mitigation for stream impacts is provided via funding of projects by the Connoquenessing Watershed Alliance at the Alameda Park site (888 LF) and at the Railroad site (106 LF).

**E2506221-003. Mid-Atlantic Interstate Transmission, LLC**, 341 White Pond Drive, Akron, OH 44320. Penelec Erie Service Center, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Erie South, PA Quadrangle N: 42°, 5', 20.74"; W: -80°, 03', 26.95").

Filling 0.014 acre of wetland and construct a storm-water outfall on a UNT to Mill Creek associated with the construction of a Penelec Service Center located at 5404 Evans Road (Erie South Quadrangle, N 42.0890944°, W -80.0575000°) in Millcreek Township, Erie County.

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E0829220-034. Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Monroe Borough and Monroe Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. An 111-foot 12-inch maximum diameter intake line with a 15.5"x72" intake screen placed on the bottom of Towanda Creek (WWF-MF), a 20'x30' equipment pump pad and a 670' paved access road with a 350'x115' paved pad within the floodway (Monroeton, PA Quadrangle, Latitude: 41.71048°, Longitude: -76.46939°);

The project will result in 150 linear feet and 8,700 square feet (0.20 acre) of stream impacts, 74,052 square feet (1.70 acres) of permanent floodway impacts and 82,764 square feet (1.90 acres) of temporary floodway impacts, all for the purpose of establishing a water withdrawal for Marcellus well development in Monroe Borough and Monroe Township, Bradford County.

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**EA6703221-001. Springettsbury Township**, 1501 Mt. Zion Road, York, PA 17402. Springettsbury Township, **York County**, U.S Army Corps of Engineers, Baltimore District.

To restore and maintain 3,650 linear feet of unnamed tributaries to Codorus Creek (WWF, MF) by use of bank grading, floodplain grading/floodplain creation, and in-stream boulder sills. The project will impact 1.78 acres of adjacent wetlands, all of which are expected to reform with greater function in the same location. The project is located north of the intersection of SR 24 and North Sherman Street in Springettsbury Township, York County (Latitude: 40.0148; Longitude: -76.6941). Permit issued October 4, 2021.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Northwest Region: Oil & Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

ESCGP-3 # ESG081019003-01 McElhinny Well Pad Expansion and Tank Pad  
Applicant Name PennEnergy Resources, LLC  
Contact Person Mr. Richard Watson  
Address 1000 Commerce Drive; Park Place One Suite 400  
City, State, Zip Pittsburgh, PA 15275  
County Butler  
Township(s) Forward  
Receiving Stream(s) and Classification(s) Unnamed Tributaries to Glade Run WWF

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

ESCGP-3 # ESG295821028-00  
Applicant Name Cabot Oil & Gas Corp  
Contact Person Kenneth Marcum  
Address 2000 Park Lane Suite 300  
City, State, Zip Pittsburgh, PA 15275-1121  
County Susquehanna  
Township(s) Forest Lake  
Receiving Stream(s) and Classification(s) UNT to Middle Branch Wyalusing Creek (7701) (CWF-MF), UNT to Middle Branch Wyalusing Creek (41535) (CWF-MF)  
Secondary: Middle Branch Wyalusing Creek (CWF-MF)

ESCGP-3 # ESG295821021-00  
Applicant Name Chesapeake Appalachia, LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Susquehanna  
Township(s) Auburn  
Receiving Stream(s) and Classification(s) DA 1 UNT Carter Creek (CWF-MF), DA 2 UNT Carter Creek (CWF-MF)  
Secondary: Carter Creek (CWF-MF)

ESCGP-3 # ESG295821027-00  
Applicant Name Cabot Oil & Gas Corp  
Contact Person Kenneth Marcum  
Address 2000 Park Lane Suite 300  
City, State, Zip Pittsburgh, PA 15275-1121  
County Susquehanna  
Township(s) Brooklyn  
Receiving Stream(s) and Classification(s) Martins Creek (CWF-MF), Dry Run (CWF-MF)  
Secondary: Tunkhannock Creek (TSF-MF), Martins Creek (CWF-MF)

ESCGP-3 # ESG290821053-00  
Applicant Name Chief Oil & Gas, LLC  
Contact Person Jeffrey J. Deegan  
Address 1720 Sycamore Road  
City, State, Zip Montoursville, PA 17754  
County Bradford  
Township(s) Burlington  
Receiving Stream(s) and Classification(s) Preacher Brook (CWF, MF)  
Secondary: Towanda Creek (TSF, MF)

**STORAGE TANKS**  
**SITE-SPECIFIC INSTALLATION PERMITS**

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102 and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

*SSIP**Permit*

<i>No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
21-40-014	Susquehanna Data, LLC 600 Hamilton St. Allentown, PA 18101 Attn: Thomas Weissinger	Luzerne	Salem Township	Sixty-four ASTs storing diesel fuel	768,000 gallons total
21-10-010	Sonneborn, LLC 100 Sonneborn Lane Petroia, PA 16050 Attn: Thomas DuPlessis	Butler	Fairview Township	One AST storing petroleum products	25,024 gallons

**CORRECTIVE ACTION UNDER  
ACT 32, 1989**

**PREAMBLE 2**

The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

*Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.*

*Contact: Greg Bowman, Environmental Group Manager.*

**Traveler's Oasis**, Storage Tank Primary Facility ID # 05-12225, 16520 Lincoln Highway, Breezewood, PA 15533, East Providence Township, **Bedford County**. Gary C. Calvert, LLC, P.O. Box 504, Hollidaysburg, PA 16648, on behalf of Mr. John Bittner, Snyder's Gateway, Inc., P.O. Box 287, Breezewood, PA 15533, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide health standards.

**Sheetz 225 Rebuild (Former Gulf No. 143254/L0449)**, Storage Tank Primary Facility ID # 05-09244, 16417 Lincoln Highway, Breezewood, PA 15533, East Providence Township, **Bedford County**. Kleinfelder, Inc., 51 Dutilh Road, Suite 240, Cranberry Township, PA 16066, on behalf of Mr. Christopher Johnson, Cumberland Farms, Inc., 165 Flanders Road, Westborough, MA 01581, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet a combination of Statewide health standards and site-specific standards.

*Contact: Robin L. Yerger, LPG.*

**RH Crawford**, Storage Tank Primary Facility ID # 67-15972, 425 Poplar Street, Hanover, PA 17331, South Hanover Borough, **York County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648 on behalf of Mr. Robert Crawford, 341 Moulstown Road, Hanover, PA 17331 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide health standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

---

**The Department of Environmental Protection (DEP) Has Taken Action on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

---

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require DEP to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling meth-

odology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

*Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.*

*Contact: Robin L. Yerger, LPG.*

**RH Crawford**, Storage Tank Primary Facility ID # 67-15972, 425 Poplar Street, Hanover, PA 17331, South Hanover Borough, **York County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648 on behalf of Mr. Robert Crawford, 341 Moulstown Road, Hanover, PA 17331, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Plan was approved by the DEP on October 4, 2021.

---

## SPECIAL NOTICES

---

### RADIATION PROTECTION

---

#### Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

---

In the month of September 2021, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Kevin L. Adams	208 Latimer Avenue Strabane, PA 15363	Mitigation
Jenny L. Ashburn	3296 Tarr Hollow Road Murrysville, PA 15668	Testing
Terry J. Bechtold	2460 Devlin Court North Huntingdon, PA 15642	Testing
John Cabibbo	186 Whisper Ridge Drive Port Matilda, PA 16870	Testing
Dino Chiefallo	307 E Main Street Carnegie, PA 15106	Testing
David M. Daniels	1082 Honeysuckle Lane Neenah, WI 54956	Testing
Zach C. DeAugustine	670 Lloyds Road Oxford, PA 19363	Testing
Christopher M. Eslinger	421 Derstine Avenue Lansdale, PA 19446	Testing
Timothy J. Gentry	P.O. Box 1956 Horsham, PA 19044	Testing

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Travis J. Hammond	95 Jamie Lane Montoursville, PA 17754	Testing
Shawn Hemmert	1277 S Governors Avenue Dover, DE 19904	Testing
Robert L. Johnson	340 Freed Road Harleysville, PA 19438	Testing
Bruce P. Kollmeyer, Jr.	828 Oak Street Royersford, PA 19468	Mitigation
Billy J. Kresge	283 Slocum Avenue Exeter, PA 18643	Testing
Jarrold M. Lape	109 Sunset Street Monongahela, PA 15063	Testing
Albert R. Morris	35 Clarendon Drive Easton, PA 18040	Testing
Timothy E. Stiger	613 Zimmermans Hollow Road Sunbury, PA 17801	Testing
Steven J. Wesler	6168 Stump Road Pipersville, PA 18947	Testing
Peter A. Westera	2092 E Old Philadelphia Road Elkton, MD 21921	Testing
William L. Whiting	11863 Lake Drive Conneaut Lake, PA 16316	Testing
Gary S. Winterrowd	1765 Cambridge Drive State College, PA 16803	Testing
Jerry L. Wolfe, Jr.	97 Main Street Freeport, PA 16229	Testing

## AIR QUALITY

### Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen, Notice of Public Hearing, and Notice of Intent to Issue Modified Air Quality Operating Permit 32-00055.

**32-00055:** In accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection (DEP) has made a preliminary determination to approve an alternative Reasonably Available Control Technology (RACT II) plan and seeks an approval of an amendment to the State Implementation Plan (SIP) for **Homer City Generation L.P.**, Homer City Station located in Center Township, **Indiana County**. And in accordance with 25 Pa. Code § 127.521, the Department of Environmental Protection intends to modify the facility's Title V Operating Permit. The facility is located at 1750 Power Plant Road, Homer City, PA 15748-8009. The facility's representative to contact concerning this application is Mr. Gary Cline, Environmental Manager. His phone number is 724-479-6255. The facility's major emission sources include three coal-fired boilers. Boiler 1 and 2, each have a rated capacity of 6,792 MMBtu/hr. Boiler 3 has a rated capacity of 7,260 MMBtu/hr. The facility also has other sources including auxiliary boilers, oil-fired space heaters, emergency engines, storage and handling systems, storage tanks, coal preparation activities, and miscellaneous plant fugitives.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997, 2008 and 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into a revised Operating Permit (32-00055) for the facility. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal; this includes the provisions of the Department's presumptive RACT II requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

- Emissions of NO<sub>x</sub> expressed as NO<sub>2</sub> for Units 1 and 2 are individually limited to a maximum of 0.080 lb NO<sub>x</sub>/MMBtu while Unit 3 is limited to a maximum of 0.07 lb NO<sub>x</sub>/MMBtu on a daily average basis. These limits exclude, emissions during start-up, shut-down, and malfunction; operation pursuant to emergency generation required by PJM, including any necessary testing for such emergency operations; and during periods in which compliance with this emission limit would require operation of any equipment in a manner inconsistent with technological limitations, good engineering and maintenance practices, and/or good air pollution control practices for minimizing emissions.

- Emissions of NO<sub>x</sub> expressed as NO<sub>2</sub> from Units 1 and 2 are individually limited to a maximum of 0.45 lb NO<sub>x</sub>/MMBtu on a daily average basis under all operating conditions. Emissions of NO<sub>x</sub> expressed as NO<sub>2</sub> from Unit

3 are limited to a maximum of 0.27 lb NO<sub>x</sub>/MMBtu on a daily average basis under all operating conditions.

- Emissions of NO<sub>x</sub> expressed as NO<sub>2</sub> from Units 1 and 2 are individually limited to a maximum 550 lbs NO<sub>x</sub>/hr on a 30-operating day rolling average basis under all operating conditions. Emissions of NO<sub>x</sub> expressed as NO<sub>2</sub> from Unit 3 are limited to a maximum 510 lbs NO<sub>x</sub>/hr on a 30-operating day rolling average basis under all operating conditions.

- The owner or operator shall calibrate, operate, and maintain all elements of the SCR system and units in accordance with the manufacturer's specifications, in a manner consistent with good engineering and air pollution control practices when the SCR system is in use.

- The owner or operator shall maintain NO<sub>x</sub> controls as effective as reasonably possible during startups and shutdowns.

- The owner or operator shall take steps to bring NO<sub>x</sub> controls back into full service as quickly as practicable whenever the control equipment experiences a malfunction.

- The owner or operator shall document and report to the DEP, information regarding the cause of the malfunction and the steps for bringing the controls back.

- All operators of Boilers 1—3, SCR, and LNB shall be trained in the operation and maintenance of the unit(s) they are assigned to operate by qualified personnel

- The owner or operator shall develop, maintain, and implement an operation and maintenance plan (O&M Plan) for Boilers 1—3, Low NO<sub>x</sub> Burner (LNB) and the SCR.

- During the first 60 days of each calendar year, the facility shall perform a catalyst activity test.

- Within 60 days of receiving the results of the catalyst activity test, the facility shall consult with the SCR catalyst vendor to monitor SCR performance in accordance with the catalyst management plans (CMPs) developed for the SCR systems. Corrective action, if required, shall be completed by April 30th.

- Inclusion and Revisions of 40 CFR Part 97 CSAPR Related Subparts (Subpart EEEEE is replaced with Subpart GGGGG).

**Public Hearing:** If requested by November 10, 2021, a public hearing will be held at 1:00 p.m. on November 17, 2021, to accept oral comments on the proposed Operating Permit revision and the proposed SIP revision. The hearing will be held, if requested, at the DEP Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Tom Decker at 814-332-6615. The last day to pre-register to speak at a hearing, if one is held, will be November 10, 2021. If we do not receive any pre-registered speakers by this date, the hearing will be cancelled.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted on the Bureau of Air Quality's webpage at: <https://www.dep.pa.gov/About/Regional/NorthwestRegion/Community-Information/Pages/RACT-II.aspx>

Persons wishing to present testimony should contact Tom Decker, 230 Chestnut Street, Meadville, PA 16335, [thomadecke@pa.gov](mailto:thomadecke@pa.gov) or 814-332-6615 to reserve a time. Witnesses will be limited to 10 minutes and should provide two written copies of their testimony.

Persons may also contact the Department to find out if the hearing is cancelled by contacting Tom Decker at [thomadecke@pa.gov](mailto:thomadecke@pa.gov) or 814-332-6615.

Persons unable to attend the hearing, if it is held, may submit 3 copies of a written statement and exhibits within 10 days thereafter to Eric A. Gustafson, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Eric A. Gustafson, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. A 30-day comment period from October 16, 2021, will exist for the submission of comments, protests and information. Each submission must contain the following information:

1. Name, address and telephone number of the person submitting the comments;

2. Identification of the proposed permit number 32-00055; and

3. A concise statement regarding the relevancy of the information or objections to issuance of the permit or the proposed RACT II Plan.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Appointments for scheduling a review may be made by calling the Department at 814-332-6078. The review memo will be posted at <https://www.dep.pa.gov/About/Regional/NorthwestRegion/Community-Information/Pages/RACT-II.aspx>

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Tom Decker at (814) 332-6615 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

The Department must receive comments no later than November 15, 2021. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be mailed to the North West Regional Office, Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335.

[Pa.B. Doc. No. 21-1729. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at [www.depgreenport.state.pa.us/elibrary/](http://www.depgreenport.state.pa.us/elibrary/). The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

*Ordering Paper Copies of Department Technical Guidance*

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

*Changes to TGDs*

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

*Draft TGD: New Guidance*

**DEP ID:** 383-4200-003. **Title:** Guidance on Notification Requirements for Spills, Discharges, and other Incidents of a Substance Causing or Threatening Pollution to Waters of the Commonwealth Under Pennsylvania's Clean Streams Law. **Description:** The purpose of this document is to provide guidance on the immediate notification requirements for spills, discharges and other incidents of a substance causing or threatening pollution to waters of this Commonwealth. This document is a redraft of the draft TGD of the same title published at 50 Pa.B. 4091 (August 8, 2020).

**Written Comments:** Interested persons may submit written comments on this draft TGD through Wednesday, December 15, 2021. Comments, including comments sub-

mitted by e-mail must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be mailed to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

**Contact:** Questions regarding this TGD can be directed to Bob Kachonik at [rkachonik@pa.gov](mailto:rkachonik@pa.gov) or (717) 783-3863.

**Effective Date:** Upon publication of notice as final in the *Pennsylvania Bulletin*.

**Draft TGD:** *Withdrawal*

**DEP ID:** 383-4200-003. **Title:** Guidance on Notification Requirements for Spills, Discharges, and other Incidents of a Substance Causing or Threatening Pollution to Waters of the Commonwealth Under Pennsylvania's Clean Streams Law. **Description:** In response to comments received on this draft TGD as published at 50 Pa.B. 4091, the Department has redrafted the TGD, which is being published as previously noted concurrently with the withdrawal of the previous draft.

**Contact:** Questions regarding this TGD can be directed to Bob Kachonik at [rkachonik@pa.gov](mailto:rkachonik@pa.gov) or (717) 783-3863.

**Effective Date:** October 16, 2021

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 21-1730. Filed for public inspection October 15, 2021, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Planning Grant Award under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988**

The Department of Environmental Protection announces the following grant to Greene County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste (HHW) and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at [mvottero@pa.gov](mailto:mvottero@pa.gov) or (717) 772-5719.

**Act 101, Section 901 HHW Education Grant**

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project</i>	<i>Grant</i>
Southwest	Greene	Greene County	Plan Revision	\$72,749

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 21-1731. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Public Water System Technical Assistance Center Board Meeting Cancellation

The October 28, 2021, meeting of the Public Water System Technical Assistance Center Board (Board) is cancelled. The Board's meeting dates for 2022 have not yet been determined. Information about the next year's Board meetings will be published in a future issue of the *Pennsylvania Bulletin*. Information will be provided on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Water," then "Public Water System Technical Assistance Center (TAC) Advisory Board").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the Board can be directed to Dawn Hissner at [dhissner@pa.gov](mailto:dhissner@pa.gov) or (717) 772-2189.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Dawn Hissner at (717) 772-2189 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 21-1732. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Reopening of Grant Round for Recycling Program Development and Implementation Grants under Section 902 of Act 101, Municipal Waste Planning, Recycling and Waste Reduction Act of 1988

The Department of Environmental Protection (Department) has reopened the section 902 grant round to support the development of municipal recycling programs under section 902 of the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988 (Act 101) (53 P.S. § 4000.902). Applications are now being accepted. The application deadline is 5 p.m., Friday, October 29, 2021.

Municipalities eligible for recycling grants include counties, cities, boroughs, incorporated towns, townships, home rule municipalities, councils of governments, consortiums or similar entities established by two or more municipalities under 53 Pa.C.S. Chapter 23, Subchapter A (relating to intergovernmental cooperation).

#### *Application Requirements*

Municipalities who did not receive a section 902 grant award in 2020 will receive additional consideration for funding during this solicitation period. A municipality compliant with Act 101 who is eligible may apply. Applicants must be in compliance with the provisions of Act

101 and the implementing regulations, the Department's Guidelines for Proper Management of Recyclable Materials, and any previous grant contract provisions to be eligible to receive grant funding. County applicants should be in compliance with planning and other county-related provisions of Act 101. Applicants who are not in compliance with Act 101 and annual reporting requirements or the program performance recycling grant requirements of the Act of November 9, 2006 (P.L. 1347, No. 140) will not be considered. Programs must operate in compliance with their municipality's land use plan where applicable.

Municipalities are eligible for 90% funding of approved recycling program costs. Municipalities considered financially distressed by the Department of Community and Economic Development under the Municipalities Financial Recovery Act (53 P.S. §§ 11701.101—11701.712) are eligible for 100% of approved costs. Applications requesting more than \$350,000 in grant funding will not be accepted.

Applicants are required to complete the Sustainability Plan portion of the application that includes definitive actions and strategies for optimizing program self-sufficiency. The plan shall include, at a minimum, strategies for reducing costs and generating revenues, provisions for establishing incentives associated with waste reduction and recycling, mechanisms for public outreach and stakeholder input, and tracking mechanisms to document progress toward sustainability milestones until optimum sustainability is realized. The Department's technical report on Building Financially Sustainable Recycling Programs can provide assistance in developing such methods and strategies. The technical report can be found on the Department's web site at [http://files.dep.state.pa.us/Waste/Recycling/RecyclingPortalFiles/Documents/fin\\_sust\\_rec.pdf](http://files.dep.state.pa.us/Waste/Recycling/RecyclingPortalFiles/Documents/fin_sust_rec.pdf). Applicants that fail to complete the Sustainability Plan portion of the application will not be considered for funding.

The following elements will receive priority for funding:

- Development and implementation of incentive-based pricing and collection programs designed to increase the quantities and types of recyclable materials and reduce the quantity of waste collected.
- Development and implementation of an organics collection or management program, or both.
- Development and implementation of multimunicipal collection, processing, or a materials marketing program, or both, where capital costs are reduced or recycling marketability is enhanced, or both, due to intergovernmental cooperation.
- Municipal recycling programs that will develop and implement methods of collection and processing of recyclable materials through source-separation, dual-stream or commingled practices. The applicant must demonstrate that these recyclable materials have value and greater marketability.

• New and innovative recycling educational programs that support the applicants' recycling collection efforts.

In addition, communities whose existing recycling programs contain the following components will receive additional consideration:

- Publicly provided or municipally contracted waste and recycling services.
- The collection of six or more of the following materials: newsprint, office paper, corrugated paper, other mar-



ketable grades of paper, aluminum cans, steel or bimetallic cans, colored glass containers, clear glass containers and plastics.

- Municipal recycling programs that are currently collecting and processing recyclable materials through source-separation, dual-stream, or commingled practices. The applicant must demonstrate that these recyclable materials have value and greater marketability.

- Incentive-based pricing and collection programs designed to increase the quantities and types of recyclable materials and reduce the quantity of waste collected.

#### *Eligibility Requirements*

Only those projects involving municipalities that have a mandatory trash collection program or projects seeking support for a residential recycling program that have a corresponding commercial recycling program will be considered for funding. Applicants seeking funds to replace curbside collection containers or collection vehicles, or both, will need to demonstrate that the new equipment will increase collection efficiencies and tonnage of materials.

#### *Eligibility Costs*

Eligible recycling program development costs include: recycling program design costs; recycling market investigations; development of recycling market commitments; development of recycling program ordinances; development of recycling public education programs; and the costs of developing contracts for procuring equipment or services necessary for the operation of the recycling program.

Eligible recycling program implementation costs include: purchasing or leasing vehicles used to collect recyclables, transporting recyclables to processing facilities or markets and vehicles used in the operation of a materials recovery facility; reusable containers for the collection or storage of recyclable materials; acquiring or renovating buildings, or both, for the processing or storage of recovered materials; equipment used to process or manufacture recyclable materials into usable products; improvements to land needed to operate a recycling facility or yard waste composting facility authorized under 25 Pa. Code § 271.103(h) (relating to permit-by-rule for municipal waste processing facilities other than for regulated medical or chemotherapeutic waste; qualifying facilities; general requirements); and the costs associated with educating the public on recycling program requirements.

Under this grant solicitation, the following will not be eligible for funding: promotional items; glass crushing equipment (unless specific marketing arrangements have been identified); vehicles equipped with compaction units (except for the sole collection of yard waste or paper fiber); and backyard composting units and public recycling containers for parks and streetscapes.

Other eligible and noneligible costs are listed in the grant application packet. Composting projects and programs will be considered to be recycling projects or programs accordingly.

A municipality must retain sole ownership of equipment or facilities funded by the grant. Funding for equipment or facilities purchased for the recycling program used for recycling and other purposes will be prorated according to its recycling use (no equipment

used for recycling less than 50% of the time will be eligible for funding). Funding for certain leaf and yard waste collection equipment may be limited according to its seasonal use. Funding for wood chipping equipment will be approved only when the equipment is part of an approved yard waste composting facility operating under the Department's guidelines and where the material is collected curbside from residents. Funding of street sweepers for the purpose of leaf collection will not be considered.

Funding may be restricted in situations where equipment or services requested through a grant application may be available from the public or private sector within the county of the applicant. Public notices may be required before the grant application may be submitted depending upon the nature of the funding request. When the municipality submits the recycling grant application to the Department, it must include proof of compliance with the notification requirements, a description of any responses received to the notice and an explanation of why the municipality has concluded that the mechanical processing equipment is not available to the program from the private sector.

#### *Requirement for Preapplication Conference*

Potential applicants must contact the appropriate Department regional planning and recycling coordinator to schedule a preapplication conference to discuss application requirements and program particulars. A list of these individuals is included at the end of this notice. Applications will be returned to municipalities that fail to schedule a preapplication conference. Grant preapplication forms are available on the Department's web site at [www.dep.pa.gov](http://www.dep.pa.gov) (search term "Recycling Grants Financial Assistance").

#### *Application Deadline*

Grant applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at [www.esa.dced.state.pa.us](http://www.esa.dced.state.pa.us). Applications must be received by 5 p.m., Friday, October 29, 2021, to be eligible for funding. Applications will not be accepted after the deadline. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of moneys in the Recycling Fund.

#### *Contact Information*

Inquiries concerning this notice should be directed to Mark Vottero, Recycling Grants Coordinator, Department of Environmental Protection, Rachel Carson State Office Building, Bureau of Waste Management, Division of Waste Minimization and Planning, P.O. Box 8472, Harrisburg, PA 17105-8472, at [mvottero@pa.gov](mailto:mvottero@pa.gov) or (717) 772-5719.

#### *Regional Planning and Recycling Coordinators*

##### *Southeast Region*

*(Bucks, Chester, Delaware, Montgomery and Philadelphia Counties)*

Department of Environmental Protection Waste Management Program

2 East Main Street  
Norristown, PA 19401

(484) 250-5900

Mary Alice Reisse, [mreisse@pa.gov](mailto:mreisse@pa.gov)

Ann Ryan, [aryan@pa.gov](mailto:aryan@pa.gov)

*Northeast Region*

(Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Susquehanna, Wayne and Wyoming Counties)

Department of Environmental Protection Waste Management Program

2 Public Square  
Wilkes-Barre, PA 18711-0790  
(570) 826-2108

Berit Case, bcase@pa.gov

*Southcentral Region*

(Adams, Bedford, Berks, Blair, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Lancaster, Lebanon, Mifflin, Perry and York Counties)

Department of Environmental Protection Waste Management Program

909 Elmerton Avenue  
Harrisburg, PA 17110-8200  
(717) 705-4735

Jessica Shilladay, jesshillad@pa.gov

*Northcentral Region*

(Bradford, Cameron, Centre, Clearfield, Clinton, Columbia, Lycoming, Montour, Northumberland, Potter, Snyder, Sullivan, Tioga and Union Counties)

Department of Environmental Protection Waste Management Program

208 West 3rd Street, Suite 101  
Williamsport, PA 17701

(570) 916-8648

Joseph Delgrippe, jdelgrippe@pa.gov

*Southwest Region*

(Allegheny, Beaver, Cambria, Fayette, Greene, Somerset, Washington and Westmoreland Counties)

Department of Environmental Protection Waste Management Program

400 Waterfront Drive  
Pittsburgh, PA 15222-4745  
(412) 442-4000

Sharon Svitek, ssvitek@pa.gov

Bradley Cunningham, bcunningha@pa.gov

Bill Jester, wijester@pa.gov

*Northwest Region*

(Armstrong, Butler, Clarion, Crawford, Elk, Erie, Forest, Indiana, Jefferson, Lawrence, McKean, Mercer, Venango and Warren Counties)

Department of Environmental Protection Waste Management Program

230 Chestnut Street  
Meadville, PA 16335-3481  
(814) 332-6981

Regina Schweinsberg, rschweinsb@pa.gov

PATRICK McDONNELL,

Secretary

[Pa.B. Doc. No. 21-1733. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
AHN Wexford Hospital	28 Pa. Code § 107.2 (relating to medical staff membership)
	28 Pa. Code § 107.62(a) and (b) (relating to oral orders)
	28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards)
	28 Pa. Code § 127.32 (relating to written orders)
Geisinger Medical Center Muncy	28 Pa. Code § 107.61 (relating to written orders)
Wellspan Ephrata Community Hospital	28 Pa. Code § 143.4 (relating to medical appraisal of a podiatric patient)
	28 Pa. Code § 143.5 (relating to medical supervision of podiatric patients)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr<sup>1</sup></i>
Geisinger-Bloomsburg Hospital	2.1-4.1.3.2(1)(c) facility requirements	18

<sup>1</sup> 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1734. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Infant Hearing Screening Advisory Committee Virtual Public Meeting

The Infant Hearing Screening Advisory Committee established under the Infant Hearing Education, Assessment, Reporting and Referral (IHEARR) Act (11 P.S. §§ 876-1—876-9), will hold a virtual public meeting on Thursday, October 21, 2021. The virtual public meeting will be held by means of Microsoft Teams from 1 p.m. until 3 p.m. The virtual public meeting can be accessed by phone by calling (267) 332-8737. The conference ID is 657 049 219#. In advance of the meeting, individuals can request a link to log on electronically or request to attend in person by contacting Mark Beall using the following contact information. Agenda items will include reports by the Cytomegalovirus and Audiology subcommittees, a review of the Newborn Hearing Screening Program activities and 2021 program diagnostic data.

For additional information or for persons with a disability who wish to attend the virtual public meeting and require auxiliary aid, service or other accommodation to do so, contact Mark Beall, Program Administrator, Division of Newborn Screening and Genetics, (717) 783-8143. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Services at (800) 654-5984 (TT).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1735. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Availability of Amendments to the Office of Developmental Programs' Consolidated, Person/Family Directed Support, Community Living, and Adult Autism Waivers as Well as Rate Setting Methodology and Fee Schedule Rates for Services Impacted by Waiver Amendments

The Department of Human Services (Department) is making available for public review and comment the Office of Developmental Programs' proposed amendments to the Consolidated, Person/Family Directed Support (P/FDS), Community Living and Adult Autism waivers. The Department is also making available for public review and comment the rate setting methodology and proposed Fee Schedule Rates for services in the waivers that are impacted by the proposed amendments.

### Background

Whenever substantive changes are made to an approved waiver, the Department must submit an amendment to the Centers for Medicare and Medicaid Services (CMS) for approval. The Department proposes the following substantive amendments to all four waivers effective January 1, 2022:

- Promote health, wellness and safety by allowing certain services to be provided in a hospital consistent with amendments to the Social Security Act (42 U.S.C.A. §§ 1396—1396w-6) by the Coronavirus Aid, Relief, and Economic Security Act (Pub.L. No. 116-136).

- o In the Consolidated, P/FDS and Community Living waivers, services that can be provided when a participant is hospitalized are: Supplemental Habilitation; In-Home and Community Support; Companion; Supports Broker; Supports Coordination; and Behavioral Support.

- o In the Adult Autism waiver, Specialized Skill Development Services can be provided when a participant is hospitalized.

- o Participants who receive services when hospitalized will not be disenrolled from the waiver and will not need to have waiver capacity reserved for them to allow them to reenroll in the waiver when discharged from the hospital.

- Promote self-direction, choice and control by allowing certain services to be provided directly to the participant using remote technology.

- o In the Consolidated, P/FDS and Community Living waivers, direct services that can be rendered using remote technology are: Community Participation Support; In-Home and Community Support; Companion; Behavioral Support; Supported Employment; Communication Specialist; Music Therapy; Art Therapy; Therapy Services; Consultative Nutritional Services; and Supports Broker.

- o In the Adult Autism waiver, direct services that can be rendered using remote technology are: Day Habilitation; Career Planning; Supported Employment; Specialized Skill Development; Therapies—Counseling; and Nutritional Consultation.

- Reduce duplication of services by clarifying that the waivers cannot be used to fund home accessibility durable medical equipment that is covered under the Medical Assistance State Plan.

The following proposed changes solely apply to the Consolidated, P/FDS and Community Living waivers:

- Support people with complex needs by expanding waiver eligibility for children under 22 years of age with a developmental disability due to a medically complex condition. This includes adding a new service, Family Medical Support Assistance service, and amending definitions and provider qualifications for Homemaker/Chore, Home Accessibility Adaptations, Life Sharing, Residential Habilitation and Respite services to meet the needs of these participants.

- Increase participants' access to needed vendor goods and services by allowing Supports Coordination Organizations to be Organized Health Care Delivery Systems.

- Promote independence and choice by implementing payments to providers that successfully transition participants from a licensed home where Residential Habilitation services are provided to four or fewer people to a home where Life Sharing or Supported Living services are provided.

#### *Fee Schedule Rates*

The revisions to the waivers resulted in the need for the following proposed changes to Fee Schedule Rates:

- Effective January 1, 2022, additional Fee Schedule Rates will be added for Life Sharing provided through the Consolidated waiver and for the new Family Medical Support Assistance service to support children under 22 years of age with a medically complex condition provided through the Consolidated, Community Living and P/FDS waivers.

- Effective January 1, 2022, two one-time per participant Transition to Independent Living fee schedule payments will be paid to Consolidated waiver providers that successfully transition participants from a licensed home where Residential Habilitation services are provided to four or fewer people to a home where Life Sharing or Supported Living services are provided. The first payment will be made after the new Life Sharing or Supported Living service is rendered to the participant. The second payment will be made after the participant has received 6 consecutive months of Life Sharing or Supported Living services from the provider if, the participant is still residing in the setting to which the participant transitioned and is expected to continue to reside in that location and receive the Life Sharing or Supported Living services.

- Effective 6 months after the expiration of the Federal public health emergency, two additional Fee Schedule Rates will be added for the provision of Community Participation Support using remote technology through the Consolidated, Community Living, P/FDS and Adult Autism waivers.

The proposed Fee Schedule Rates were developed using a market-based approach. The process for the development of the Fee Schedule Rates included a review of the applicable waivers service definitions and a determination

of allowable cost components which reflected costs that are reasonable, necessary and related to the service, as defined in the Uniform Administrative Requirements, Cost Principles and Audit Requirements for Federal Awards (OMB Circular Uniform Guidance, December 26, 2014). The Department established the Fee Schedule Rates to fund services at a level sufficient to ensure access, encourage provider participation and promote provider choice, while at the same time ensuring cost effectiveness and fiscal accountability. The Fee Schedule Rates represent the maximum rates that the Department will pay for the service.

In developing the proposed Fee Schedule Rates, the Department evaluated and used various independent data sources, such as a Commonwealth-specific compensation study, to ensure the rates reflect the expected expenses for the delivery of the service under the waivers.

As required by 55 Pa. Code § 6100.571(b) (relating to fee schedule rates), to establish the Fee Schedule Rates the Department examined and used data relating to the following factors:

- The service needs of the individuals.
- Staff wages.
- Staff-related expenses.
- Productivity.
- Occupancy.
- Program and administration-related expenses.
- Geographic costs based on the location where the service is provided.
- Proposed service definitions in the waivers and determinations made about allowable cost components that reflect reasonable and necessary costs related to the delivery of each service.
- Cost of implementing applicable Federal and State statutes and regulations and local ordinances.

A notice will be published announcing the final Fee Schedule Rates after the public comment period.

The proposed Fee Schedule Rates are included in the following table. The assumption logs used to develop the Fee Schedule Rates are available at <https://dhs.pa.gov/Services/Disabilities-Aging/Pages/2022-Proposed-Waiver-Amendments.aspx>.

<i>Service Name</i>	<i>Staffing Level</i>	<i>Procedure Code</i>	<i>Statewide Fee</i>	<i>Enhanced Communication Statewide Fee</i>
Medically Complex Life Sharing Needs Group 4	1-person home	TBD	\$435.94 (per day unit)	\$501.33 (per day unit)
	2-person home	TBD	\$274 (per day unit)	\$315.10 (per day unit)
Family Medical Support Assistance	1:1	TBD	\$18.41 (per 15-minute unit)	\$21.17 (per 15-minute unit)
Remote Community Participation Support	1:1 to 1:5	TBD	\$4.94 (per 15-minute unit)	\$5.68 (per 15-minute unit)
	1:6 and above	TBD	\$1.91 (per 15-minute unit)	\$2.20 (per 15-minute unit)

<i>Service Name</i>	<i>Staffing Level</i>	<i>Procedure Code</i>	<i>Statewide Fee</i>	<i>Enhanced Communication Statewide Fee</i>
Transition to Independent Living Payment	First Payment	TBD	\$15,000 (paid when outcome achieved)	N/A
	Second Payment	TBD	\$15,000 (paid when outcome achieved)	N/A

### *Fiscal Impact*

It is anticipated that there will be a total net savings to the Commonwealth in Fiscal Year (FY) 2021-2022 of \$3.222 million (\$1.525 million in State funds). The net fiscal impact for FY 2021-2022 to Intellectual Disabilities—Community Waiver Program is a savings of \$2.633 million (\$1.246 million in State funds) and a savings of \$0.589 million (\$0.279 million in State funds) to Medical Assistance—Capitation.

In FY 2022-2023 and subsequent years, it is anticipated there will be additional net costs to the Commonwealth of \$3.936 million (\$1.871 million in State funds). The net fiscal impact for FY 2022-2023 and subsequent years to Intellectual Disabilities—Community Waiver Program is an additional cost of \$8.651 million (\$4.108 million in State funds) and savings of \$4.715 million (\$2.237 million in State funds) to Medical Assistance—Capitation.

### *Public Comment*

The proposed amendments to the Consolidated, P/FDS, Community Living and Adult Autism waivers, effective January 1, 2022, are available at <https://dhs.pa.gov/Services/Disabilities-Aging/Pages/2022-Proposed-Waiver-Amendments.aspx>.

Interested persons are invited to submit written comments regarding the proposed waiver amendments and proposed Fee Schedule Rates. Comments should be addressed to Julie Mochon, Department of Human Services, Office of Developmental Programs, 625 Forster Street, Room 510, Harrisburg, PA 17120. Comments may be submitted to the Department at [RA-odpcomment@pa.gov](mailto:RA-odpcomment@pa.gov) using the subject header "Waiver Amendment Comments."

Comments received within 30 days of publication of this notice will be reviewed and considered for revisions to the proposed waiver amendments and proposed Fee Schedule Rates.

The Department will hold three webinars to receive comments on the proposed waiver amendments; two webinars for the Consolidated, P/FDS and Community Living waivers and one for the Adult Autism waiver. The date, time and link for registration to attend the webinars for the Consolidated, P/FDS and Community Living waivers are as follows:

November 2, 2021  
10 a.m. to 12 p.m.  
<https://register.gotowebinar.com/register/79013522320162318>

November 4, 2021  
1 p.m. to 3 p.m.  
<https://register.gotowebinar.com/register/2957278777628553998>

The date, time and link for registration to attend the webinar for the Adult Autism waiver is as follows:

November 3, 2021  
1 p.m. to 2:30 p.m.  
<https://register.gotowebinar.com/register/6427060397959469070>

Participants who are interested in participating in the webinars may do so by phone but will need a computer to provide comments during the webinars. To assist the Department in accurately capturing comments provided during the webinars, individuals are asked to submit a written copy of their comments by e-mail or mail to the previously provided address.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service by dialing 711 or by using one of the toll-free numbers: (800) 654-5984 (TDD users), (800) 654-5988 (voice users), (844) 308-9292 (Speech-to-Speech) or (844) 308-9291 (Spanish).

Copies of this notice and documents containing the changes proposed in the waiver amendments may be obtained by contacting Julie Mochon, Office of Developmental Programs, 625 Forster Street, Room 510, Harrisburg, PA 17120, [RA-odpcomment@pa.gov](mailto:RA-odpcomment@pa.gov).

MEG SNEAD,  
*Acting Secretary*

### **Fiscal Note:** 14-NOT-1466. (1) General Fund;

(7) Intellectual Disabilities—Community Waiver Program; (2) Implementing Year 2021-22 is -\$1,246,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$4,108,000; (4) 2020-21 Program—\$1,621,000,000; 2019-20 Program—\$1,664,000,000; 2018-19 Program—\$1,643,000,000;

(7) Autism Intervention and Services; (2) Implementing Year 2021-22 is \$0; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$27,262,000; 2019-20 Program—\$25,252,000; 2018-19 Program—\$30,842,000;

(7) Medical Assistance—Capitation; (2) Implementing Year 2021-22 is -\$279,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are -\$2,237,000; (4) 2020-21 Program—\$3,060,000,000; 2019-20 Program—\$2,507,000,000; 2018-19 Program—\$3,303,000,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 21-1736. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Disproportionate Share Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final public notice to establish a new class of COVID-19 Relief Disproportionate Share Hospital (DSH) payments beginning Fiscal Year (FY) 2020-2021 to qualifying acute care general hospitals to provide financial relief to hospitals and promote access to acute care services for Pennsylvania Medical Assistance-eligible persons during the novel coronavirus (COVID-19) pandemic. In addition, the Department is revising the payment reconciliation process to account for this new class of DSH payments.

The Department published notice of its intent to allocate funding for these payments at 51 Pa.B. 2600 (May 8, 2021). The Department received no comments during the 30-day comment period. The Department will implement the total payment set forth in the notice of intent.

#### *Fiscal Impact*

For FY 2020-2021, the Department will allocate \$128.724 million in total (State and Federal) funds for these DSH payments.

MEG SNEAD,  
*Acting Secretary*

**Fiscal Note:** 14-NOT-1467. (1) General Fund; (2) Implementing Year 2020-21 is \$0; (3) 1st Succeeding Year 2021-22 is \$53,549,000; 2nd Succeeding Year 2022-23 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; (7) Medical Assistance—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 21-1737. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final public notice for the annual inpatient supplemental payments for Fiscal Year (FY) 2020-2021 to qualifying acute care general hospitals that treat a high volume of opioid use disorder patients in their emergency rooms.

The Department published notice of its intent to allocate funding for these payments at 51 Pa.B. 2886 (May 22, 2021). The Department received no comments during the 30-day comment period. The Department will implement the total payment set forth in the notice of intent.

#### *Fiscal Impact*

For FY 2020-2021, the Department will allocate \$45.988 million in total (State and Federal) funds for these supplemental payments.

MEG SNEAD,  
*Acting Secretary*

**Fiscal Note:** 14-NOT-1468. (1) General Fund; (2) Implementing Year 2020-21 is \$0; (3) 1st Succeeding Year

2021-22 is \$10,375,000; 2nd Succeeding Year 2022-23 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000; (7) Medical Assistance—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 21-1738. Filed for public inspection October 15, 2021, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Green Light—Go: Pennsylvania's Municipal Signal Partnership Program; Invitation to Submit Applications

Under 74 Pa.C.S. Chapter 92 (relating to traffic signals) and 75 Pa.C.S. § 9511(e.1) (relating to allocation of proceeds), the Department of Transportation (Department) established the Green Light—Go: Pennsylvania's Municipal Partnership Program, also known as the Green Light—Go Program. The Green Light—Go Program is a competitive application and reimbursement grant program whereby municipalities and metropolitan or rural planning organizations can request financial assistance for existing traffic signal maintenance and operations activities identified in 75 Pa.C.S. § 9511(e.1).

The act of July 20, 2016 (P.L. 861, No. 101) amended 74 Pa.C.S. Chapter 92 and 75 Pa.C.S. §§ 3112 and 3117 (relating to traffic-control signals; and automated red light enforcement systems in certain municipalities) and 75 Pa.C.S. § 9511 and made several changes impacting the Green Light—Go Program. Those amendments include, inter alia, changes to the definition of a "municipality" under 74 Pa.C.S. § 9201 (relating to definitions) and a change to the local match requirements. A 20% match from grantees is required under 75 Pa.C.S. § 9511(e.1)(4).

During Fiscal Year 2021-2022, it is anticipated approximately \$40 million will be available to municipalities and metropolitan or rural planning organizations for upgrading traffic signals to light-emitting diode technology and intelligent transportation applications, such as autonomous and connected vehicle-related technology, performing regional operations such as retiming, developing special event plans, monitoring traffic signals and for maintaining and operating traffic signals.

Additional information on eligible Green Light—Go Program projects and the program guidelines can be found on the Department's Traffic Signal web site at <http://www.dot.state.pa.us/signals/>, including a link to the online electronic application. Supporting documents may be attached to the online application. Only the application and supporting documents attached to the online application will be considered. Paper copies are not required.

The Department invites municipalities and metropolitan or rural planning organizations to submit electronic Green Light—Go Program applications between October 18, 2021, and January 14, 2022. Prior to application submission, applicants must complete and submit a Pre-Application Project Scoping Form to the appropriate Department Engineering District in accordance with the Green Light—Go Program Guidelines. In addition to the electronic application, applicants must update information in the Department's Traffic Signal Asset Manage-

ment System as indicated in the Green Light—Go Program guidelines posted on the Department's Traffic Signal web site.

If municipalities or metropolitan or rural planning organizations are awarded funding, all grant agreements and requests for reimbursement will be processed through the Commonwealth's eGrants system.

Questions should be directed to Michael Centi, Senior Traffic Control Specialist, Bureau of Maintenance and Operations, Department of Transportation, 400 North Street, 6th Floor, Harrisburg, PA 17120, (717) 787-5313, GLG@pa.gov.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 21-1739. Filed for public inspection October 15, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Appeal of Ivory Joe Crawford; Consent Waiver; Doc. No. CW18-09-008

The proceedings in this matter will be held in accordance with 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to Special Rules of Administrative Practice and Procedure), except as modified by order in this case.

A hearing will occur on December 15, 2021, at 9:30 a.m. and continuing if necessary on December 16, 2021, at 9:30 a.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

A prehearing videoconference will be conducted on December 9, 2021, at 9 a.m. Counsel for the parties shall join the videoconference through the link supplied in the transmittal invitation and shall be in the waiting room for the videoconference prior to that time.

Persons with a disability who wish to attend the previously-referenced administrative proceedings and require an auxiliary aid, service or other accommodations to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 21-1740. Filed for public inspection October 15, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Review Procedure Hearing; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policies. The hearing will be held in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and

Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Allen E. Windrim, III; State Farm Mutual Automobile Insurance Company; File No. 20-177-251361; State Farm Fire and Casualty Insurance Company; File No. 20-177-251403; Doc. No. P20-09-001; November 17, 2021, 1 p.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 21-1741. Filed for public inspection October 15, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Unum Life Insurance Company of America; Rate Increase Filing for Several Group LTC Forms (UNUM-133000783); Rate Filing

Unum Life Insurance Company of America is requesting approval to increase the premium an aggregate 9.4% on 4,586 policyholders with the following group LTC policy form numbers: GLTC04 and RGLTC04. The increase will average 9.4% but will vary from 34.5% for 142 certificate holders with compound inflation (5% and CPI) to 0% on the remaining 4,444 certificates without compound inflation indexing.

Unless formal administrative action is taken prior to December 31, 2021, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to Michael Hibbert, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mhhibbert@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 21-1742. Filed for public inspection October 15, 2021, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### Governor's Office

Management Directive No. 310.41—Reporting of General Tort Fund Claims, Dated September 15, 2021.

Management Directive No. 720.05—Energy Management and Conservation in Commonwealth-Owned and Leased Facilities, Amended September 21, 2021.

AMY J. MENDELSON,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 21-1743. Filed for public inspection October 15, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 1, 2021. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by November 1, 2021. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the previously listed docket number or by searching the applicant's web site.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2021-3027886. ALC Worldwide Car Service, Inc.** (1110 Spring Lane, Easton, PA 18040) for the right to begin to transport, as a common carrier, persons in group and party service, in vehicles seating 11 to 15 passengers,

including the driver, from points in the Counties of Lehigh, Monroe, Montgomery and Northampton, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

**A-2021-3028808. Jennifer A. Rutherford, t/a Lewistown Taxi Service** (821 Electric Avenue, Suite D, Lewistown, Mifflin County, PA 17044) for the right to begin to transport, as a common carrier, by motor vehicle, persons in call or demand service, between points in the Borough of Lewistown, Mifflin County, PA.

**Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.**

**A-2021-3028779. Joseph S. Hottenstein and Joyce A. Hottenstein, t/a Hospitality Travel** (236 Locust Grove Road, Bainbridge, Lancaster County, PA 17502) discontinuance of service and cancellation of its certificate, as a broker, to arrange for the transportation of persons between points in Pennsylvania.

**A-2021-3028782. Bigg Dogg, Inc., t/a Your Designated Driver** (43 Ellwood Court, Coraopolis, Allegheny County, PA 15108) for the discontinuance of service and cancellation of its certificate, as a common carrier, by motor vehicle, at A-00121469, authorizing the transportation of persons, in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Beaver, Butler, Washington and Westmoreland and from points in the County of Allegheny and said counties, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

**A-2021-3028876. Ace Transit Management, LLC** (580 Buckstone Drive, Southampton, PA 18966) for the discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons, in limousine service, between points in the Counties of Bucks, Chester, Delaware, Lancaster, Lehigh and Montgomery, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-1744. Filed for public inspection October 15, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Waiver of Regulations Regarding Service Requirements

Public Meeting held  
September 15, 2021

*Commissioners Present:* Gladys Brown Dutrieuille, Chairperson; David W. Sweet, Vice Chairperson; John F. Coleman, Jr.; Ralph V. Yanora

*Waiver of Regulations Regarding Service Requirements;*  
M-2021-3028321

#### Order

*By the Commission:*

On March 6, 2020, pursuant to subsection 7301(c) of the Emergency Management Services Code, 35 Pa.C.S.



§§ 7101, et seq., Governor Tom Wolf issued a Proclamation of Disaster Emergency (Proclamation) proclaiming the existence of a disaster emergency throughout the Commonwealth, which Proclamation was timely renewed throughout the last fifteen months. The Proclamation authorized and directed the suspension of “the provisions of any regulatory statute prescribing the procedures for conduct of Commonwealth business, or the orders, rules or regulations of any Commonwealth agency, if strict compliance with the provisions. . . would in any way prevent, hinder, or delay necessary action in coping with this emergency.”

In response to the COVID-19 pandemic, the Commission implemented telework for its entire staff. That meant that the physical locations of the Commission, the Keystone Building in Harrisburg as well as satellite state office buildings in Philadelphia, Pittsburgh, and elsewhere across Pennsylvania, were not in use until further direction from the Commission. This presented many challenges for the Commission, the regulated community, and the public.

Under these circumstances, it was necessary for the Commission to take additional measures to ensure continued operations. These measures were intended to prevent regulatory or statutory procedural rules from interfering with the overall conduct of Commission business during the emergency. Therefore, on March 20, 2020, Chairman Gladys Brown Dutrieuille issued an Emergency Order that provided for the suspension of regulatory and statutory deadlines under appropriate circumstances and modified filing and service requirements. The Commission unanimously ratified the March 20 Emergency Order at its March 26, 2020, Public Meeting.

Our March 26, 2020, Order provided, inter alia, that the Commission shall accept only e-filings of all documents. 52 Pa. Code § 1.4. Additionally, that Order provided that any filings containing confidential or proprietary information should be emailed to the Secretary of the Commission at [rchivetta@pa.gov](mailto:rchivetta@pa.gov). Finally, and significant to our present Order, we directed that service by the Commission on parties will be exclusively electronic and service on Commission staff, as a party or otherwise, also shall be exclusively electronic.

On June 10, 2021, the Pennsylvania Legislature passed a Concurrent Resolution (HR 106) which terminated the Governor’s Proclamation originally declared on March 6, 2020, and as amended and renewed. In a related action, Governor Wolf signed into law HB 854 on June 11, 2021, which provides “temporary regulatory flexibility authority” to “Commonwealth agencies” which issued an Order suspending a regulatory statute prescribing the procedures for conduct of Commonwealth business, or an Order, rule or regulation of a Commonwealth agency which was suspended under 35 Pa.C.S § 7301(F)(1). Under HB 854, such Orders are extended until September 30, 2021, unless sooner terminated by the authority initially authorizing them.

In light of the termination of the Proclamation of Disaster Emergency and the “temporary regulatory flexibility authority” provided in HB 854, the Commission revised the March 26, 2020, Order by adopting an expiration date of September 30, 2021.

We recognize that some of the measures we implemented significantly benefitted the operational needs of the Commission, the public and the regulated community. Specifically, the electronic service requirements we adopted were essential to ensuring continued, uninterrupted

operations, providing needed flexibility. Therefore, in order to maintain that flexibility to respond to operational demands, we will waive certain regulatory service provisions, consistent with our previous actions.

#### *Service Requirements*

The Commission’s regulations governing service provide:

#### **§ 1.53. Service by the Commission.**

(a) *Applicability.* This section applies to service of an order, notice or other document originating with the Commission and other documents designated by the Commission, except when the Commission specifically requires a different form of service.

(b) *Forms of service.*

(1) *First class mail.* Service may be made by mailing a copy thereof to the person to be served, addressed to the person designated in the initial pleading, submittal or notice of appearance at the person’s residence, principal office or place of business.

(2) *Personal.* Service may be made personally by anyone authorized by the Commission.

(3) *Electronic.* Service may be made electronically to filing users who have agreed to receive electronic service. Filing users will be sent an electronic mail notice informing them that a document was posted on the Commission’s electronic filing system and providing a link to the document on the same day the document is posted.

(c) *Registered or certified mail.* Service of a petition under § 3.391 (relating to arbitration of claims for billing and collecting services), and service of a complaint under section 702 of the act (relating to service of complaint on parties) must be by registered or certified mail, return receipt requested.

(d) *Change of address.* It is the duty of a party to apprise the Commission promptly of changes to the party’s current address.

(e) *Alternative service.* If the Commission is unable to serve a party by mail at the party’s last known address, the Commission may make service by publication in a newspaper of general circulation in the same area as the party’s last known address. In the alternative, service may also be accomplished by publication in the *Pennsylvania Bulletin* or by service on the Secretary of the Commonwealth, if appropriate.

(f) *Supersession.* Subsections (a)—(e) supersede 1 Pa. Code § 33.31 (relating to service by the agency).

#### **§ 1.54. Service by a party.**

(a) Pleadings, submittals, briefs and other documents, filed in proceedings pending before the Commission shall be served upon parties in the proceeding and upon the presiding officer, if one has been assigned.

(b) Service may be made by one of the following methods:

(1) *First class mail.* Service may be made by mailing the requisite number of copies to each party as provided in § 1.59 (relating to number of copies to be served), properly addressed with postage prepaid.

(2) *Personal.* Service may be made personally.

(3) *Electronic.*

(i) *Documents not filed with the Commission.* Service may be made electronically to those parties who have agreed to accept service in that manner.

(ii) *Documents filed with the Commission.* Service may be made electronically to filing users who have agreed to receive electronic service. Filing users who have agreed to receive electronic service shall be served with an electronic mail notice stating that a document was filed on the electronic filing system. The notice constitutes service.

(A) The electronic mail notice must contain the following provisions:

(I) The name of the filing user and the party on whose behalf the document was filed.

(II) The type of document.

(III) A brief description of the document.

(IV) A link to the document on the electronic filing system.

(V) The docket number when available.

(VI) An indication that the party is seeking expedited relief, if applicable.

(B) When a filing user becomes aware that the electronic mail notice was not transmitted successfully, the filing user shall resend the electronic mail notice or serve the document by another method authorized by this subpart.

(C) Documents of 250 pages or less, including attachments, need not be followed by service of a hard copy to filing users who have agreed to receive electronic service. Filing users shall serve each other with a hard copy of documents that exceed 250 pages, including attachments, unless the parties otherwise agree.

(4) *Telefacsimile.* Service may be made by telefacsimile to those parties who have agreed to accept service in that manner. Documents served electronically need not be followed by service of a hard copy if the parties have so agreed.

(c) In a proceeding in which only some of the parties participate, the parties, with the authorization of the presiding officer, may limit the service of documents to parties and persons or individuals which state on the record or request in writing that they wish to be served.

(d) Subsections (a) and (b) supersede 1 Pa. Code § 33.32 (relating to service by a party).

Currently, while the Commission's physical facilities are open for business, some of the operational restraints occasioned by the pandemic remain. It is evident that the pandemic and its changing nature require certain procedural flexibility for the public, the regulated community, and the Commission. Toward this end, we will continue to permit electronic service by the Commission on all parties, regardless of whether a particular party has agreed to electronic service. An exception to this general waiver is where the Public Utility Code requires service by specified means, e.g., Section 702; or where our regulations require a specific service type, e.g., 52 Pa. Code § 3.391. Proof of electronic service shall be memorialized by the Commission on its electronic docketing system. Additionally, service on Commission staff in proceedings pending before it, whether staff is a party or otherwise, shall be exclusively electronic unless the parties agree otherwise.

Finally, we encourage all parties to use the Commission's e-filing system to the extent possible. Since the Commission now has increased access to mail delivery, any filings containing confidential or proprietary information should be sent to the Secretary by overnight delivery to ensure timely arrival. Filers should retain tracking

information as proof of submittal. Large filings containing confidential or proprietary material can also be electronically filed with the Secretary by using its Share Point File system employed during the pandemic emergency to expedite processing. Large filings should be followed by a hard copy with a flash drive or CD for the Commission's file. Filers should contact the Secretary's Bureau in advance to set up a Share Point File before submitting the filing.

The pandemic and its changing nature require certain procedural flexibility for the public, the regulated community, and the Commission. Specifically, the Commission's service requirements should be responsive to the changes necessitated by the pandemic. Our authority to waive our regulations is provided at Section 501 of the Public Utility Code.<sup>1</sup> Additionally, our regulations allow for waiver of procedural regulations at 52 Pa. Code §§ 1.2, 1.91, and 5.43. We reiterate that our action today is not based on the prior Proclamation of Disaster Emergency, but rather our general regulatory authority and the need for continued flexibility in response to the pandemic; *Therefore,*

*It Is Ordered That:*

1. The service requirements set forth in the Commission's regulations at 52 Pa. Code §§ 1.53 and 1.54 are hereby waived, consistent with this Order.

2. This waiver will expire on April 1, 2022, without further Commission action, unless renewed prior to that date.

3. The Law Bureau shall publish a copy of this Order in the *Pennsylvania Bulletin*.

ROSEMARY CHIAVETTA,  
*Secretary*

ORDER ADOPTED: September 15, 2021

ORDER ENTERED: September 15, 2021

[Pa.B. Doc. No. 21-1745. Filed for public inspection October 15, 2021, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than November 1, 2021. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday

<sup>1</sup> § 501. General powers.

(a) *Enforcement of provisions of part.*—In addition to any powers expressly enumerated in this part, the commission shall have full power and authority, and it shall be its duty to enforce, execute and carry out, by its regulations, orders, or otherwise, all and singular, the provisions of this part, and the full intent thereof; and shall have the power to rescind or modify any such regulations or orders. The express enumeration of the powers of the commission in this part shall not exclude any power which the commission would otherwise have under any of the provisions of this part.

(contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-21-10-01. Safa Taxi, LLC** (1744 South Hicks Street, Philadelphia, PA 19145): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

**Doc. No. A-21-10-02. Khaleque Taxi, LLC** (2408 Garrett Road, Drexel Hill, PA 19026): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

**Doc. No. A-21-10-03. KK Taxi, LLC** (7104 Theodore Street, Philadelphia, PA 19142): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City

of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

**Doc. No. A-21-10-04. Infinity Taxi, LLC** (356 Childs Avenue, Drexel Hill, PA 19026): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

**Doc. No. A-21-10-05. Esha Taxi, LLC** (4413 Fairmount Avenue, Philadelphia, PA 19104): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 21-1746. Filed for public inspection October 15, 2021, 9:00 a.m.]