

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending November 8, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-03-2022	Republic First Bank Philadelphia Philadelphia County	1998 Sproul Road Broomall Delaware County	Opened
11-07-2022	First Bank Hamilton Mercer County, NJ	849 Paoli Pike West Chester Chester County, PA	Approved
11-07-2022	Kish Bank Belleville Mifflin County	55 Parkside Court Mifflintown Juniata County	Opened
11-07-2022	Clarion County Community Bank Clarion Clarion County	2157 West 8th Street Erie Erie County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-02-2022	Customers Bank Malvern Chester County	153 East Lancaster Avenue Wayne Delaware County	Closed
11-04-2022	Customers Bank Malvern Chester County	3557 West Chester Pike Newtown Square Delaware County	Closed
11-04-2022	Citizens & Northern Bank Wellsboro Tioga County	612 James Monroe Avenue Monroeton Bradford County	Closed
11-04-2022	Citizens & Northern Bank Wellsboro Tioga County	3 Main Street Canisteo Steuben County, NY	Closed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
11-04-2022	The Gratz Bank Gratz Dauphin County	Effective

Amendment to Articles 1 and 2 of the institution's Articles of Incorporation provides for Article 1 to change the bank's name from The Gratz Bank to LINKBANK and Article 2 to change the bank's principal place of business from 32 West Market Street, Gratz, Dauphin County, PA, to 3045 Market Street, Camp Hill, Cumberland County, PA.

Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1784. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of December 2022

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of December 2022, is 6 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.1 to which was added 2.50 percentage points for a total of 6.6 that by law is rounded off to the nearest quarter at 6 1/2%.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1785. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Snowmobile and ATV Advisory Committee Public Meeting

The Snowmobile and ATV Advisory Committee (Committee) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on November 21, 2022, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The public meeting may be attended virtually by means of WebEx. Individuals participating through WebEx must register prior to the meeting on the Committee's web site at <https://www.dcnr.pa.gov/SnowmobileATVAdvisoryCommittee/Pages/default.aspx>.

Questions concerning this public meeting or agenda can be directed to Jake Newton at (717) 783-3349. Those wishing to participate during the public comment section are encouraged to submit their comments in writing to janevnton@pa.gov.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 22-1786. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5215401	Individual	Amendment	Pocono Lakefront, LLC 40 Warren Street Paterson, NJ 07524	Palmyra Township Pike County	NERO
4511401	Individual	Amendment	Arrowhead Sewer Company, Inc. HC 88 Box 305 Pocono Lake, PA 18347	Tobyhanna Township Monroe County	NERO
PAD480105	Chapter 102 Individual NPDES Permit	Transfer	Colton RV 3122 Niagara Falls Blvd North Tonawanda, NY 14120-1138	Plainfield Township Northampton County	NERO
0113803	Joint DEP/PFBC Pesticides Permit	Renewal	Diversified Investments 1300 Hanover Road Gettysburg, PA 17325-7707	Straban Township Adams County	SCRO
0113806	Joint DEP/PFBC Pesticides Permit	Renewal	Bross Tom 315 Round Hill Road East Berlin, PA 17316-9585	Reading Township Adams County	SCRO
0113807	Joint DEP/PFBC Pesticides Permit	Renewal	Klein Matt 4912 Baltan Road Bethesda, MD 20816-2404	Freedom Township Adams County	SCRO

NOTICES

7145

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0113810	Joint DEP/PFBC Pesticides Permit	Renewal	Mark Evelyn E 341 Wolf Road East Berlin, PA 17316-9401	Reading Township Adams County	SCRO
0113821	Joint DEP/PFBC Pesticides Permit	Renewal	Dewar Janet 575 Gettysburg Road Littlestown, PA 17340-9771	Germany Township Adams County	SCRO
0113824	Joint DEP/PFBC Pesticides Permit	Renewal	Grant Geoff 378 Topper Road Fairfield, PA 17320-9288	Liberty Township Adams County	SCRO
0118805	Joint DEP/PFBC Pesticides Permit	Renewal	New Age Assoc 126 Onyx Road New Oxford, PA 17350-8456	Littlestown Borough Adams County	SCRO
0122809	Joint DEP/PFBC Pesticides Permit	New	Blevins Adam 886 Knoxlyn Road Gettysburg, PA 17325-7451	Highland Township Adams County	SCRO
0513802	Joint DEP/PFBC Pesticides Permit	Renewal	Baer David 282 Cove Lane Bedford, PA 15522-5163	Colerain Township Bedford County	SCRO
0520801	Joint DEP/PFBC Pesticides Permit	Renewal	Bowers Wayne 1504 Brewster Gate Road Crownsville, MD 21032-2223	Colerain Township Bedford County	SCRO
0613803	Joint DEP/PFBC Pesticides Permit	Renewal	Andrews Katie 1285 Fairview Drive Leesport, PA 19533-9145	Bern Township Berks County	SCRO
2113802	Joint DEP/PFBC Pesticides Permit	Renewal	Ressler Kathryn 2900 Arcona Road Mechanicsburg, PA 17055-5907	Upper Allen Township Cumberland County	SCRO
2113803	Joint DEP/PFBC Pesticides Permit	Renewal	Davenport Stephen 2900 Arcona Road Mechanicsburg, PA 17055-5907	Upper Allen Township Cumberland County	SCRO
2213807	Joint DEP/PFBC Pesticides Permit	Renewal	Harrisburg Area Community College 1 HACC Drive Harrisburg, PA 17110-2903	Harrisburg City Dauphin County	SCRO
2213810	Joint DEP/PFBC Pesticides Permit	Renewal	Houck Gary L 7464 Linglestown Road Harrisburg, PA 17112-9432	West Hanover Township Dauphin County	SCRO
2213819	Joint DEP/PFBC Pesticides Permit	Renewal	Lakewood Hills Apartments 821 Sequoia Drive Harrisburg, PA 17109-5152	Lower Paxton Township Dauphin County	SCRO
2218801	Joint DEP/PFBC Pesticides Permit	Renewal	Hankins Lucas 7732 Franklin Drive Harrisburg, PA 17112-3741	West Hanover Township Dauphin County	SCRO
2813815	Joint DEP/PFBC Pesticides Permit	Renewal	Coldsmith Harold E 1076 Hade Road Chambersburg, PA 17202-9164	Saint Thomas Township Franklin County	SCRO
2813816	Joint DEP/PFBC Pesticides Permit	Renewal	Daniels Bill 307 Cold Spring Road Fayetteville, PA 17254	Greene Township Franklin County	SCRO
2813817	Joint DEP/PFBC Pesticides Permit	Renewal	Fulton Brad 5730 Royer Road Greencastle, PA 17225-9624	Montgomery Township Franklin County	SCRO
2813821	Joint DEP/PFBC Pesticides Permit	Renewal	Greencastle Sportsmens Association P.O. Box 632 Scotland, PA 17254-0632	Antrim Township Franklin County	SCRO
2913803	Joint DEP/PFBC Pesticides Permit	Renewal	BSA Mason Dixon Council 1200 Creswood Drive Hagerstown, MD 21740	Dublin Township Fulton County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3613809	Joint DEP/PFBC Pesticides Permit	Renewal	Banzhof Jeff 1121 Pennsy Road Pequea, PA 17565-9748	Martic Township Lancaster County	SCRO
3613834	Joint DEP/PFBC Pesticides Permit	Renewal	Perrefort Nick 320 W End Avenue Manheim, PA 17545-1735	Rapho Township Lancaster County	SCRO
4613825	Joint DEP/PFBC Pesticides Permit	Renewal	King of Prussia Property Investors, LLC 880 East Swedesford Road Suite 100 Wayne, PA 19087	Upper Merion Township Montgomery County	SERO
4622813	Joint DEP/PFBC Pesticides Permit	New	Atrium House, Inc. 677 Elm Street Royersford, PA 19468-3337	Limerick Township Montgomery County	SERO
6713810	Joint DEP/PFBC Pesticides Permit	Renewal	Pahagaco Lake Association P.O. Box 171 Spring Grove, PA 17362-0171	Jackson Township York County	SCRO
6718802	Joint DEP/PFBC Pesticides Permit	Renewal	Bomberger Timothy W 886 Siddonsburg Road Lewisberry, PA 17339-9106	Fairview Township York County	SCRO
3670415	Land Application and Reuse of Sewage Individual WQM Permit	Amendment	Ridgewood Manor MHC, LLC 31200 Northwestern Highway Farmington Hills, MI 48334-5900	Rapho Township Lancaster County	SCRO
0215402	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Bethel Park Municipal Authority Allegheny County 3100 Piney Fork Road South Park, PA 15219	Bethel Park Borough Allegheny County	SWRO
0468401	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Center Township Sanitary Authority 224 Center Grange Road Aliquippa, PA 15001-1421	Center Township Beaver County	SWRO
1506404	Major Sewage Treatment Facility Individual WQM Permit	Amendment	PA American Water Co. 4 Wellington Boulevard Wyomissing, PA 19610	South Coatesville Borough Chester County	SERO
4109405	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Williamsport City Sanitary Authority Lycoming County 253 W 4th Street Williamsport, PA 17701-6113	Williamsport City Lycoming County	NCRO
5496403	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Tamaqua Borough Schuylkill County 320 East Broad Street Tamaqua, PA 18252	Walker Township Schuylkill County	NERO
PA0100935	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Shearer Properties, LLC P.O. Box 217 Stoneboro, PA 16153-0217	Pine Township Mercer County	NWRO
3796201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Dairy Farmers of American, Inc. 1405 N 98th Street Kansas City, KS 66111-1865	Wilmington Township Lawrence County	NWRO

NOTICES

7147

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2101409	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	West Pennsboro Township Municipal Authority Cumberland County 2150 Newville Road Carlisle, PA 17015-7747	West Pennsboro Township Cumberland County	SCRO
4371422	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Shearer Properties, LLC P.O. Box 217 Stoneboro, PA 16153-0217	Pine Township Mercer County	NWRO
6103403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Frenchcreek Township Venango County 4507 Georgetown Road Franklin, PA 16323-4733	Polk Borough Venango County	NWRO
NOEXNW059	No Exposure Certification	New	Filmtronics, Inc. 675 Saxonburg Road Butler, PA 16002-0957	Jefferson Township Butler County	NWRO
NOEXNW073	No Exposure Certification	Renewal	Maclean Saegertown, LLC P.O. Box 828 1 Crawford Street Saegertown, PA 16433-0828	Saegertown Borough Crawford County	NWRO
NOEXNW225	No Exposure Certification	New	BPI, Inc. 612 S Trenton Avenue Pittsburgh, PA 15221-3475	Hempfield Township Mercer County	NWRO
NOEXNW226	No Exposure Certification	New	FedEx Supply Chain 1200 S Noah Drive Saxonburg, PA 16056-9700	Saxonburg Borough Butler County	NWRO
NOEXSE299	No Exposure Certification	Renewal	Sigmapharm Lab, LLC 3375 Progress Drive Bensalem, PA 19020	Bensalem Township Bucks County	SERO
PAG036243	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	Boyd Roll Off Service, Inc. 1107 Thompson Avenue McKees Rocks, PA 15136	McKees Rocks Borough Allegheny County	SWRO
PAR223516	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Culpeper of Leola, LLC P.O. Box 1148 Culpeper, VA 22701-6148	Upper Leacock Township Lancaster County	SCRO
PAG132311	PAG-13 NPDES General Permit for MS4s	Renewal	Delaware Water Gap Borough Monroe County 49 Main Street Delaware Water Gap, PA 18327	Delaware Water Gap Borough Monroe County	NERO
PAG136387	PAG-13 NPDES General Permit for MS4s	Renewal	Gilpin Township Armstrong County 589 State Route 66 Leechburg, PA 15656	Gilpin Township Armstrong County	NWRO
4006404	Pump Stations Individual WQM Permit	Transfer	PA American Water Co. 1000 Wyoming Avenue Freeland, PA 18224-2100	Foster Township Luzerne County	NERO
3622408	Sewer Extensions Individual WQM Permit	New	East Lampeter Sewer Authority Lancaster County 2250 Old Philadelphia Pike Lancaster, PA 17602-3417	East Lampeter Township Lancaster County	SCRO
PA0287857	Single Residence STP Individual NPDES Permit	Transfer	Angela & Robert Blayney 23 Tanner Road Greenville, PA 16125-9205	West Salem Township Mercer County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2522433	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Swiderski Tracy 6 Madaket Way Sandwich, MA 02563-2676	Girard Township Erie County	NWRO
2522436	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Patrick & Stephanie Hargest 5650 Gibson Hill Road Edinboro, PA 16412-1817	Washington Township Erie County	NWRO
4319412	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Angela & Robert Blayney 23 Tanner Road Greenville, PA 16125-9205	West Salem Township Mercer County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0032352, Sewage, SIC Code 8211, **Williamsport Area School District**, 1400 West 3rd Street, Williamsport, PA 17701-7898. Facility Name: Hepburn Lycoming Primary School WWTF. This existing facility is located in Hepburn Township, **Lycoming County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Lycoming Creek (existing use EV), is located in State Water Plan watershed 10-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0026 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Average Weekly</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0046159, Sewage, SIC Code 4952, **Municipal Sewer Authority of Houtzdale Borough**, 116 Sterling Avenue, Houtzdale, PA 16651-1748. Facility Name: Regional Pollution Control Facility. This existing facility is located in Woodward Township, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Beaver Run, is located in State Water Plan watershed 8-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.35	XXX	1.14
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	60	100	XXX	25.0	40.0	50
May 1 - Oct 31	50	75	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	75	110	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	33	50	XXX	13.5	20.0	27
May 1 - Oct 31	11	16	XXX	4.5	6.5	9
Total Phosphorus	Report	Wkly Avg XXX	XXX	Report	XXX	XXX
Aluminum, Total	1.87	1.87	XXX	0.75	0.75	0.75
Copper, Total (ug/L)	0.08	0.16	XXX	33.69	Daily Max 67.38	84.22
Manganese, Total	2.5	5.0	XXX	1.00	Daily Max 2.00	2.5
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Daily Max XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0033669, Sewage, SIC Code 6515, **Valley View Mobile Home Park, LLC**, P.O. Box 1775, Shavertown, PA 18708-0775. Facility Name: Valley View MHP WWTP. This existing facility is located in Dallas Township, **Luzerne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to Abrahams Creek (CWF, MF), is located in State Water Plan watershed 5-B and is classified for Cold Water and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.03	XXX	0.07
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Annual Average	Average Weekly		Annual Average	Maximum	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Quarterly	Average Weekly		Average Quarterly	Maximum	
E. Coli (No./100ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0063479, Sewage, SIC Code 4952, **Weis Market, Inc.**, 1000 South Second Street, Sunbury, PA 17801. Facility Name: Village Center at Hamlin. This existing facility is located in Salem Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to West Branch Wallenpaupack Creek (HQ-CWF), is located in State Water Plan watershed 1-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 7.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.30	XXX	0.73
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	17.4	XXX	34.8
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0
Total Phosphorus	Report	XXX	XXX	0.5	XXX	1.0
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0065315, Sewage, SIC Code 4952, **Weideman Robert W**, 4279 Chestnut Drive, Walnutport, PA 18088-9691. Facility Name: Weideman Robert SRSTP. This existing facility is located in Lehigh Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Lehigh River (CWF, MF), is located in State Water Plan watershed 2-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0063045, Industrial, SIC Code 2013, **Maid Rite Specialty Foods, Inc.**, 105 Keystone Industrial Park, P.O. Box 509, Dunmore, PA 18512-1518. Facility Name: Maid Rite Specialty Foods, Inc. This existing facility is located in Scott Township, **Lackawanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste and sewage.

The receiving stream(s), South Branch Tunkhannock Creek (TSF), is located in State Water Plan watershed 4-F and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.008 MGD.

(From Permit Effective Date to One Year After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.2	XXX	2.8

The proposed effluent limits for Outfall 001 are based on a design flow of 0.008 MGD.

(From One Year After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of 0.008 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Annual Average	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Annual Average	Daily Maximum	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	6.55	13.1	XXX	XXX	XXX	XXX
Total Suspended Solids	7.95	15.9	XXX	XXX	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
				Avg Mo		
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	400	XXX	2,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	4.0	8.0	XXX
				Avg Mo		
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0
				Avg Mo		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Discharge Reporting

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0091341, Sewage, SIC Code 8211, **Moniteau School District**, 1810 West Sunbury Road, West Sunbury, PA 16061-1220. Facility Name: Moniteau Jr Sr High School. This existing facility is located in Cherry Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), South Branch Slippery Rock Creek (Glade Run Dam Lake), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
				Daily Min		
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
				Daily Min		
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0264776, Sewage, SIC Code 4952, 8800, **Chad Upton**, 5801 Route 27, Pittsfield, PA 16340. Facility Name: Chad Upton SRSTP. This existing facility is located in Pittsfield Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an unnamed tributary to Gar Run, located in State Water Plan watershed 16-B and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291293, Sewage, SIC Code 8800, **Matthew Staley**, 946 McEwen Road, Sligo, PA 16255-2120. Facility Name: Matthew Staley SRSTP. This proposed facility is located in Monroe Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Piney Creek, is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291340, Sewage, SIC Code 4952, 8800, **David McDeavitt**, 418 Deer Run Road, Slippery Rock, PA 16057-2940. Facility Name: McDeavitt Estate SRSTP 1. This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary of Slippery Rock Creek, located in State Water Plan watershed 20-C and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291358, Sewage, SIC Code 4952, 8800, **David McDavitt**, 418 Deer Run Road, Slippery Rock, PA 16057-2940. Facility Name: McDeavitt Estate SRSTP 2. This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary of Slippery Rock Creek, located in State Water Plan watershed 20-C and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291374, Sewage, SIC Code 4952, 8800, **Belinda & Scott Dentler**, 5831 Harborsgreene Road, Erie, PA 16510-5268. Facility Name: Belinda & Scott Dentler SRSTP. This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Sixmile Creek, located in State Water Plan watershed 15-A and classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0033057, Sewage, SIC Code 6515, **Nolt Henry W**, 455B Middle Creek Road, Lititz, PA 17543-7303. Facility Name: Crestview Village MHP. This existing facility is located in Londonderry Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Iron Run (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0145 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.63
CBOD ₅						
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .0145 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, Approval contingencies, Management of collected screenings, slurries, sludges and other solids and Chlorine minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0247405, Sewage, SIC Code 6514, **David Stup & Penny Stup**, 5394 Big Creek Road, Clearville, PA 15535. Facility Name: Stup Res. This existing facility is located in Monroe Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of West Branch Sideling Hill Creek (EV), is located in State Water Plan watershed 13-B and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX Annl Avg	XXX	XXX	10.0	XXX	20
pH (S.U.)	XXX	XXX	5.0	9.0	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1000

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0291625, Sewage, SIC Code 6514, **Shawn & Jennifer Mehall**, 163 Amity Park Road, Birdsboro, PA 19508-8719. Facility Name: Mehall Res. This proposed facility is located in Amity Township, **Berks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Monocacy Creek (WWF, MF), is located in State Water Plan watershed 3-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	5.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0266574, Concentrated Animal Feeding Operation (CAFO), **John R Lefever (John Lefever Farm CAFO)**, 1045 Holtwood Road, Quarryville, PA 17566-9729.

John R Lefever has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as John Lefever Farm CAFO, located in Drumore Township, **Lancaster County**.

The CAFO is situated near Unnamed Tributary to Fishing Creek in Watershed 7-K, which is classified for High Quality—Cold Water and Migratory Fish (HQ-CWF, MF). The CAFO is designed to maintain an animal population of approximately 346.50 animal equivalent units (AEUs) consisting of 90,000 Layers. Solid poultry manure is transported daily via a belted manure system from both layer houses to a roofed and detached solid manure storage building. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southeast Regional Office

PA0244121, Sewage, SIC Code 8800, **Longo Michael & Longo Heather**, 131 Shea Lane, Glenmoore, PA 19343-9508. Facility Name: Longo SRSTP. This existing facility is located in Upper Uwchlan Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Black Horse Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-H and is classified for Migratory Fishes and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

In addition, the permit contains the following major special conditions:

- AMR to DEP
- DMR to DEP
- Depth of Septage
- Solids Removal from Septic Tanks
- Total Residual Chlorine Requirement
- No Stormwater
- Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP when Municipal Sewers Available
- Remedial Measures if Public Nuisance

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0245445, Sewage, SIC Code 8811, **Formica Michael**, 24 Meng Road, Schwenksville, PA 19473-1729. Facility Name: 24 Meng Road SRSTP. This proposed facility is located in Lower Frederick Township, **Montgomery County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Swamp Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0244571, Industrial, SIC Code 3999, **CRC Industries, Inc.**, 885 Louis Drive, Warminster, PA 18974-2820. Facility Name: CRC Industries Warminster Facility GWCU. This existing facility is located in Warminster Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated groundwater and stormwater.

The receiving stream, Unnamed Tributary of Little Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a long-term average design flow of 0.043 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	75.0
Tetrachloroethylene	XXX	XXX	XXX	0.005	XXX	0.0125
Trichloroethylene	XXX	XXX	XXX	0.005	XXX	0.0125
PFOA (ug/L)	XXX	XXX	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFOS (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Total PFOA and PFOS (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Vinyl Chloride (ug/L)	XXX	XXX	XXX	0.24	XXX	0.6

The proposed effluent limits for Outfall 004 are based on an average stormwater flow.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Tetrachloroethylene	XXX	XXX	XXX	XXX	Report	XXX
Toluene	XXX	XXX	XXX	XXX	Report	XXX
Trichloroethylene	XXX	XXX	XXX	XXX	Report	XXX
Xylenes, Total	XXX	XXX	XXX	XXX	Report	XXX
Vinyl Chloride	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a long-term average design flow of 0.043 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFOA (ug/L)	XXX	XXX	XXX	Report	Report	XXX
PFOS (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Total PFOA and PFOS (ug/L)	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- A. Acquire Necessary Property Rights
- B. WQM Permit Requirement
- C. Dry Stream Discharge
- D. Chemical Additives Condition
- E. Stormwater Outfalls Requirements
- F. Groundwater Cleanup Condition
- G. PFCs Treatment and Monitoring
- H. WQBELs Below Quantitation Limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0094536, Sewage, SIC Code 8361, **Allegiance Rehab Center, Inc.**, 1427 Frankstown Road, Sidman, PA 15955-4611. Facility Name: Allegiance Rehab Center, Inc. This existing facility is located in Croyle Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of South Fork Little Conemaugh River (CWF), is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .019 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .019 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC) (interim)	XXX	XXX	XXX	0.5	XXX	1.6
Total Residual Chlorine (TRC) (final)	XXX	XXX	XXX	0.26	XXX	0.87
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	14.0	XXX	28.0
May 1 - Oct 31	XXX	XXX	XXX	6.36	XXX	12.72

In addition, the permit contains the following major special conditions:

- TRC Optimization
- Solids management for non-lagoon system

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0252921, Sewage, SIC Code 1221, **Dana Mining Company of Pennsylvania, LLC**, 966 Crafts Run Road, Maidsville, WV 26541-8145. Facility Name: 4 West Deep Mine Portal STP. This existing facility is located in Dunkard Township, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Dunkard Creek (WWF), is located in State Water Plan watershed 19-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.009	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD400061	New	Fellowship Church 45 Hildebrandt Road Dallas, PA 18612	Dallas Township Luzerne County	NERO
PAD150276	New	Toll Mid-Atlantic L.P. Company, Inc. 25 Seven Stars Road Spring City, PA 19475-2205	East Vincent Township Chester County	SERO
PAD150282	New	Charlestown Township 2127 Valley Hill Road Malvern, PA 19432	Charlestown Township Chester County	SERO
PAD410024	New	CRE Partners, LLC 401 Pleasant Stream Rd Trout Run, PA 17771	McIntyre Township Lycoming County	NCRO
PAD410023	New	Joel D & Carol A Schrek 600 Tallman Hollow Rd Montoursville, PA 17754	Upper Fairfield Township Lycoming County	NCRO
PAD410013 A-1	Major Amendment	Pennsylvania General Energy Co., LLC 120 Market Street Williamsport, PA 17701	Mill Creek Township Plunketts Creek Township Lycoming County	NCRO
PAD640034	New	Honesdale (191) Dollar General 9010 Overlook Boulevard Brentwood, TN 37027	Honesdale Borough Wayne County	NERO
PAD060069	New	CF Development Penn, LLC Bernville Road (SR 0183) Bernville, PA 19506	Jefferson Township Berks County	SCRO
PAD670072	New	Harry James, LLC Gotham Place Red Lion, PA 17356	York Township York County	SCRO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD390260	New	D.R. Horton, Inc. 2060 Detwiler Road Suite 103 Harleysville, PA 19438	Upper Macungie Township Lehigh County	NERO
PAD0400114	New	Cronimet Corporation 1 Pilarsky Way Aliquippa, PA 15001	City of Aliquippa Beaver County	SWRO
PAC650337	New	LCT Energy, LP 938 Mt Airy Drive Johnstown, PA 15904	South Huntingdon Township Westmoreland County	SWRO
PAC110096	New	Sheetz 5700 Sixth Avenue Altoona, PA 16602	Richland Township Cambria County	SWRO
PAD480031 A-1	Renewal	Charles Chrin Real Estate Trust 400 S. Greenwood Avenue Easton, PA 18045	Palmer Township Tatamy Borough Northampton County	NERO
PAD450040A-1	Renewal	Hannig Development, LLC 200 Plaza Court East Stroudsburg, PA 18301	Tobyhanna Township Monroe County	NERO
PAD480134 A-1	Major Amendment	Lehigh Township Municipal Authority 1069 Municipal Drive Walnutport, PA 18088	Lehigh Township Northampton County	NERO

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.

Application No. 0222537, Construction, Public Water Supply.

Applicant	Municipal Authority of the Township of Robinson
Address	4200 Campbells Run Road Pittsburgh, PA 15205
Municipality	Robinson Township
County	Allegheny County
Responsible Official	Leo Gismondi 4200 Campbells Run Road Pittsburgh, PA 15205
Consulting Engineer	Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street Latrobe, PA 15650
Application Received	October 27, 2022
Description	Replacement of three existing raw water pumps, piping, controls, and the addition of an emergency generator.

Application No. 5040048-T1, Transfer, Public Water Supply.

Applicant	Jones Estates Forest Brook PA, LLC
Address	2310 S. Miami Blvd Suite 238 Durham, NC 27703

Municipality New Sewickley Township
 County **Beaver County**
 Responsible Official Kellen P. Buss
 Director
 2310 S. Miami Blvd
 Suite 238
 Durham, NC 27703

Application Received October 20, 2022

Description Transfer of the Forest Brook mobile home park from David J. Datri to Jones Estates Forest Brook PA LLC.

Application No. 5040028-T1, Transfer, Public Water Supply.

Applicant **Knob Vue Estates MHP**
 Address 2310 S. Miami Blvd
 Suite 238
 Durham, NC 27703

Municipality New Sewickley Township
 County **Beaver County**
 Responsible Official Kellen P. Buss
 Director
 2310 S. Miami Blvd
 Suite 238
 Durham, NC 27703

Application Received October 20, 2022

Description Transfer of Knob Vue Estates mobile home park's water system.

Application No. 5650021-T3, Transfer, Public Water Supply.

Applicant **Stanton Hills Community STP**
 Address 2310 S. Miami Blvd
 Suite 238
 Durham, NC 27703

Municipality Hempfield Township
 County **Westmoreland County**
 Responsible Official Kellen P. Buss
 Director
 2310 S. Miami Blvd
 Suite 238
 Durham, NC 27703

Application Received October 20, 2022

Description Transfer of Stanton Hills Community STP from SBK Investments LLC & 2MB Investments LLC joint client.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the

Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Philadelphia Union Sports Complex, Primary Facility ID # **861634**, 2501 Seaport Drive (Between Highland Avenue and Commodore Barry Bridge), Chester, PA 19013, City of Chester, **Delaware County**. Nevin Diehl, Weston Solutions, 205 Campus Drive, Edison, NJ 08837, on behalf of Dave Debusschere, Keystone Sports and Entertainment, LLC, 2501 Seaport Drive, BH Suite 100, Chester, PA 19013, submitted a Notice of Intent to Remediate. The site has been found to be contaminated with VOCs, naphthalene, benzene, toluene, ethylbenzene, xylenes and benzo(a)pyrene in groundwater and soil. The

intended future use of the property is practice soccer fields to support the adjacent major league soccer stadium, as well as an indoor soccer facility. The Notice of Intent to Remediate was published in *Delaware County Daily Times and Chester Spirit* on October 19, 2022. Application received: October 24, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

USA Clean, Primary Facility ID # **862093**, 56 Sexton Road, Pittsburgh, PA 15136, McKees Rocks Borough, **Allegheny County**. Langan Engineering & Environmental Services, Inc., 2400 Ansys Drive, Suite 403, Canonsburg, PA 15317 on behalf of Gordon Terminal Service Company, 1000 Agnes Street, McKees Rocks, PA 15136, submitted a Notice of Intent to Remediate. A 2021 subsurface investigation identified volatile organic compounds (VOCs; including chlorinated solvents) and metal impacts in soil and groundwater that may be attributed to historical fill soil present at the Site and the industrial operational history of the Site. Prior to 2003, the Site was used for industrial purposes that included manufacturing of glue guns, bulk applicators, skilnet adhesives; distribution of laundry chemicals, supplies, and equipment; servicing and testing laundry equipment; storage, sale, and delivery of detergents, soap, and solvents (including tetrachloroethylene [PCE]); and other operations potentially related to dry cleaning. The intended future use of the Site is industrial warehousing. The Notice of Intent to Remediate was published in *Pittsburgh Post-Gazette* on October 27, 2022. Application received: October 27, 2022.

Mojo Compressor Station, Primary Facility ID # **862141**, 1415 Amity Ridge Road, Washington, PA 15311, Amwell Township, **Washington County**. SE Technologies, LLC, 500 Mosites Way, Pittsburgh, PA 15215 on behalf of Equitrans Midstream, 2200 Energy Drive, Canonsburg, PA 15317, submitted a Notice of Intent to Remediate. On September 13, 2022, SE Technologies, LLC (SET—Environmental Consultant) and Equitrans mobilized to the site to collect confirmatory soil samples. The well pad material was excavated from a 5 ft x 5 ft area to a depth of 27 inches to expose the surface of the underlying fine-grained soil. Eight confirmatory samples were collected from the bottom excavation surface from randomly selected locations for laboratory analysis of EG. Laboratory results of the soil samples showed that EG concentrations were below detection levels. Equitrans will seek Act 2 Liability Protection under the residential Statewide health standard for soil. Future use of the property will continue as a natural gas compressor station into the foreseeable future. The Notice of Intent to Remediate was published in *Observer-Reporter* on October 24, 2022. Application received: November 4, 2022.

1700 Island Avenue, Primary Facility ID # **861551**, 1700 Island Avenue, Pittsburgh, PA 15233, City of Pittsburgh, **Allegheny County**. Key Environmental, Inc., 200 Third Avenue, Carnegie, PA 15106 on behalf of Island Avenue Holdings, LLC, 2731 North Charles Street, Pittsburgh, PA 15214, submitted a Notice of Intent to Remediate. Phase 1 and Phase 2 environmental assessments were completed to support a property sale. Soil, groundwater, and sub slab vapor samples were analyzed. Tetrachloroethene and naphthalene were detected in groundwater samples at concentrations greater than the nonresidential used aquifer standards. It is suspected that groundwater impacts are related to an off-property

source. The existing and planned future use of the property is warehousing-related. The Notice of Intent to Remediate was published in *Pittsburgh Post-Gazette* on October 20, 2022. Application received: October 13, 2022.

HAZARDOUS WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

New Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Apollos Waters, LLC, 108 W 1250 S, Battle Ground, IN 47920. **License No. PA-AH 0922**. Accepted: October 3, 2022.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Dart Trucking Company, Inc., P.O. Box 157, North Lima, OH 44452. **License No. PA-AH 0219**. Accepted: October 18, 2022.

Transport Rollex Ltee, 910 Boulevard Lionel-Boulet, Varennes, QC J3X 1P7. **License No. PA-AH 0544**. Accepted: October 31, 2022.

DI Trucking, LLC, 110 Jabez St., Newark, NJ 07105. **License No. PA-AH 0881**. Accepted: October 19, 2022.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests

and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, Environmental Group Manager.

13-00001C: BEFESA Zinc US Inc., 900 Delaware Avenue, Palmerton, PA 18071-2008, Palmerton Borough, **Carbon County**. Application received: July 5, 2022. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue a plan approval to BEFESA Zinc US Inc., to install a Rockster R700S Track Mounted Impact Crusher with engine and water sprays to crush Iron Rich Material (IRM) from the Walzing Kilns at the facility located in Palmerton Borough, Carbon County. The facility currently has a Title V Operating Permit No. 13-00001. Plan approval 13-00001C will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450. Plan Approval 13-00001C is for the installation and operation of a Rockster R700S Track Mounted Impact Crusher with

engine and water sprays to crush Iron Rich Material (IRM) from the Walzing Kilns at the facility. This will replace the current crushing process. Particulate emissions will be controlled by the use of water sprays and high moisture material. The company shall comply with § 123.31 for malodorous emissions. The company shall comply with § 123.13 for particulate emissions. The company shall comply with § 123.41 for visible emissions. BEFESA Zinc US, Inc. is a major facility and is subject to Title V permitting requirements and is located in Palmerton Borough, Carbon County. The plan approval will include all appropriate monitoring, recordkeeping, and reporting requirements designed to keep the equipment operating within all applicable air quality requirements. Further details on the conditions and the reasons for their inclusion are available upon request. Copies of the applications, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18711. Any person(s) wishing to provide DEP with additional information they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. The submittal of written comment must contain the name, address and telephone number of the commentator, identification of the proposed Permit No. 13-00001C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Mr. Raymond Kempa, Chief, New Source Review Section, 2 Public Square, Wilkes-Barre, PA 18711, or 570-826-2511.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Dave Balog, New Source Review Chief, 814-332-6328.

24-00195A: Diversified Production LLC, Longhorn Pad C, 125 Industrial Road, Waynesburg, PA 15370, Jay Township, **Elk County**. Application received: May 31, 2022.

The Department of Environmental Protection intends to issue a plan approval to Diversified Production LLC to provide authorization for the construction and initial operation of additional sources at their existing Longhorn Pad C facility.

This project would add equipment for a new process which is outside the scope of their current GP-5A. The existing GP-5A covered sources will remain authorized under that general permit. Operation of the proposed equipment would focus on electrical generation and cryptocurrency data mining operations and not unconventional natural gas well site operations or remote pigging. The proposed sources would be in addition to Diversified's existing equipment. No changes to GP-5A authorized equipment are proposed.

This project would install four Waukesha engines (each rated at 1,900 bhp), one Waukesha engine (rated at 1,680 bhp), and one small generator set rated 1.8 kw.

Potential emissions from all proposed sources are estimated to be (tpy): 8.87 VOC, 13.44 NO_x, 26.88 CO PM₁₀ 5.92, and 8.47 HAPs.

This will be a natural minor facility upon completion of the project. Public notice is obligatory for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [24-00195A: Diversified Production LLC] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region. Written comments or requests for a public hearing should be directed to Eric A. Gustafson, 230 Chestnut St., Meadville, PA 16335, phone number (814) 332-6819.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

04-00443A: Evoqua Water Technologies, LLC, 118 Park Road, Darlington, PA 16115, Darlington Township, **Beaver County**. Application received: March 23, 2022.

In accordance with 25 Pa. Code §§ 127.44 and 127.45, the Pennsylvania Department of Environmental Protection (DEP) is providing notice that it intends to issue an Air Quality Plan Approval (PA-04-00443A) to Evoqua Water Technologies, LLC (Evoqua) to authorize in kind replacement of controls i.e. Afterburners # 2 & # 3, the scrubber air pollution control system (APC), and its associated scrubber building at their Darlington Carbon Reactivation Facility.

Afterburner # 2 and # 3 (2 total) are currently equipped with two burners each (4 total) rated at 3.26 MMBtu/hr that will be replaced with two new Afterburners, each new Afterburner will be equipped with one burner rated

at 5.8 MMBtu/hr (2 total). Both Afterburners are manufactured by Durr, equipped with Maxon Kinedizer high capacity low NO_x gas burners rated at 5.8 MMBtu/hr with 99.99% destruction efficiency. This project does not include any new sources, does not generate any new air emissions, does not affect any existing permit conditions of OP-04-00443, results in no significant project emission increase, and does not result in any change in method of operation at the facility. The facility wide emission limits in State Only Operating Permit 04-00443A remain unchanged.

This authorization is subject to the best available technology (BAT) and the State regulations including 25 Pa. Code Chapters 123 and 127. Plan approval conditions may include emission limits, operational restrictions, monitoring requirements, work practice standards, associated recordkeeping, reporting requirements, and stack testing. Once compliance with the Plan Approval is demonstrated, the applicant will be required to revise the existing State Only Operating Permit (SOOP) application in accordance with 25 Pa. Code Subchapter F. Plan Approval application, the Department's Air Quality Review Memorandum, and the Air Quality draft Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Jesse Parihar at jparihar@pa.gov or 412.442.4030.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through Jesse Parihar via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to jparihar@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-04-00443A) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

40-00004, Silgan White Cap Inc., 350 Jaycee Dr, Hazle Township, PA 18202, Hazle Township, **Luzerne County**. Application received: October 31, 2022. The Department intends to issue a Title V Operating Permit Major Modification for their facility. The proposed revision of Title V operating permit will include facility-wide emission limits of less than 100 tons per year of Nitrogen Oxides (NO_x), and less than 50 tons per year of Volatile Organic Compounds (VOC's). These limits will exempt the

facility from Additional RACT Requirements for Major Sources of NO_x and VOC's (RACT III). The proposed Title V Operating Permit includes all applicable emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirement.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

65-00173, Alleima Precision Tube, LLC, 220 Franklin Street, Scottdale, PA 15683, Scottdale Borough, **Westmoreland County**. Application received: March 7, 2022.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a Title V Operating Permit renewal to Alleima Precision Tube for their facility.

Alleima Precision Tube is a specialty producer of precision cold drawn metal tubing. The facility draws, anneals, cleans, coats with lubricant, cuts, and otherwise processes metal tube to manufacture cold drawn metal tubing. The facility processes stainless steel and nonferrous alloys.

The sources and controls devices at this facility currently Process Acid Dip Tank (Nitric and Hydrofluoric Acid), Finish Acid Dip Tank (Nitric and Hydrofluoric Acid), Degreasing Bath and Still (TCE Vapor Degreaser), Lubricant Coating Area (Toluene-containing Lubricant), Process Line Scrubber, Finish Line Scrubber. Misc. small natural gas-fired boilers (two 1.95 MMBtu/hr), cutting saws, parts washer, tanks, drying ovens, a wet abrasive polishing system, wastewater pretreatment, groundwater treatment, maintenance shop with welding, machining, and electrical repair equipment.

This facility has the potential emissions per year of the following type and quantity of air contaminants: 0.97 ton of carbon monoxide, 3.89 tons of nitrogen oxides, 0.38 ton of particulate matter, 0.02 ton of sulfur oxides, 49.13 tons of volatile organic compounds, 0.2 nitric acid, 0.44 ton of hydrofluoric acid and 47.44 tons of HAPs. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60, 40 CFR Parts 63 and 25 Pa. Code Article III, Chapters 121—145.

A person may oppose the proposed Title V Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to nnaharr@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Title V Operating Permit (TV-65-00173) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at

<https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

All comments must be received prior to the close of business 30 days after the date of this publication.

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00009, Masonite Corporation, 980 Point Township Drive, Northumberland, PA 17857, Northumberland Borough, **Northumberland County**. Application received: March 21, 2022. The Department intends to issue a renewal State Only (Synthetic Minor) Operating Permit for the Masonite Northumberland Door Plant. The facility is currently operating under State Only (Synthetic Minor) Operating Permit 49-00009. The facility's main sources include six (6) spray booths, two (2) pre-finish lines, a milling and sanding operation, a gluing operation, a cleanup operation, an air makeup unit, an auto paint line, one emergency generator, one parts washer and several space heaters. The facility has potential emissions of 8.38 TPY of CO, 10.10 TPY of NO_x, 0.06 TPY of SO_x, 80.22 TPY of PM/PM₁₀, <50 TPY of VOCs, <10 TPY any single HAP, and <25 TPY combined HAPs. The emergency generator is subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The surface coating operation is subject to Title 25 Pa. Code § 129.52—Surface Coating Processes. The gluing operation (Source ID P107) is subject to requirements of 25 Pa. Code § 129.77—Control of emissions from the use of application of adhesives, sealants, primers and solvents. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60, 63 and 98. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

41-00043, HRI Inc., 1750 West College Avenue, State College, PA 16801, City of Williamsport, **Lycoming County**. Application received: June 16, 2022. To issue a renewal State Only (synthetic minor) Operating Permit for their Williamsport asphalt production facility. The facility's main sources include one 300 ton per hour capacity hot mix asphalt plant, storage tanks and one (1) No. 2 fuel oil fired heater. The facility has potential emissions of 43.63 TPY of CO; 19.40 TPY of NO_x; 98.96 TPY of SO_x; 4.02 TPY of PM/PM₁₀; 20.97 TPY of VOCs; 2.09 TPY of HAPs and 10,032 tons per year of carbon dioxide equivalents (greenhouse gases). The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal

and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

14-00027, HRI Inc., 1750 West College Avenue, State College, PA 16801, Marion Township, **Centre County**. Application received: June 16, 2022. To issue a renewal State Only (synthetic minor) Operating Permit for their Curtain Gap asphalt production facility. The facility's main sources include one 300-ton per hour capacity batch hot mix asphalt plant, four (4) storage tanks and two (2) No. 2 fuel oil fired heaters. The facility has potential emissions of 49.60 TPY of CO; 32.72 TPY of NO_x; 36.66 TPY of SO_x; 6.04 TPY of PM/PM₁₀; 24.17 TPY of VOCs; 6.56 TPY of HAPs and 32,510 tons per year of carbon dioxide equivalents (greenhouse gases). The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

07-05046, Norfolk Southern Railway Co., 200 N 4th Avenue & 958 6th Avenue, Altoona, PA 16601, Logan Township, **Blair County**. Application received: May 4, 2022. To issue a State-only Operating Permit for the Juniata Locomotive Shops facility. The actual emissions from the facility in 2021 year are estimated at 16.67 tons of VOC; 8.18 tons of NO_x; 6.87 tons of CO; 1.06 tons of HAPs and less than one ton each of PM₁₀, PM_{2.5} and SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.91–129.95—Stationary Sources of NO_x and VOCs; 25 Pa. Code §§ 129.96–129.100—Additional RACT Requirements for Major Sources of VOC; 25 Pa. Code § 129.52—Surface coating processes; 25 Pa. Code § 129.52d—Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings; 25 Pa. Code § 129.63—Degreasing operations; 25 Pa. Code § 129.77—Control of emissions from the use or application of adhesives, sealants, primers and solvents; 40 CFR Part 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines; 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air

Pollutants for Stationary Reciprocating Internal Combustion Engines; 40 CFR Part 63, Subpart CCCCCC—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Dispensing Facilities; 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines; and 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

21-05040, New Enterprise Stone & Lime Co., Inc., P.O. Box 2009, Chambersburg, PA 17201, Southampton Township, **Cumberland County**. Application received: December 8, 2021. To issue a State-only Operating Permit for their Shippensburg Quarry. Potential emissions from the facility are estimated to be 11.85 tpy VOC, 17.26 tpy PM₁₀, 4.84 tpy PM_{2.5}, 2.45 tpy HAP, 13.48 tpy NO_x, 14.21 tpy SO_x, 32.47 tpy CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

67-05080, York Building Products Co., Inc., P.O. Box 1708, York, PA 17405, Jackson Township, **York County**. Application received: January 24, 2022. To issue a State-Only Operating Permit for the quarry. The Potential to Emit of the facility is estimated at 15.18 tpy CO, 1.73 tpy NO_x, 3.67 tpy VOC, 8.46 tpy PM₁₀, 2.95 tpy PM_{2.5}, and 5.39 tpy SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03091, Rose Acquisition Company LLC, P.O. Box 15208, Reading, PA 19612-5208, City of Reading, **Berks County**. Application received: July 21, 2022. To issue a State-only Operating Permit for the operation of a steel structure fabrication facility including a painting operation controlled by dry filters. Potential particulate matter emissions from the facility are estimated to be 37.5 tpy. Actual VOC emissions from the facility have historically been less than 2.7 tpy. The Operating Permit will include emission limits and work practice standards along with performance testing, monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52d and 40 CFR 63, Subpart HHHHHH—National Emission Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

11-00258, Texas Eastern Transmission, LP, 224 Texas Road, Lilly, PA 15938, Cresson Township, **Cambria County**. Application received: March 7, 2022.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a renewal natural minor State Only Operating Permit for a natural gas compressor station.

Texas Eastern Transmission, LP operates two 18,100 hp turbines controlled by oxidation catalyst, one 585 hp emergency generator, and various heaters and tanks.

This facility has a potential to emit 51.7 tons/12-consecutive month period (12-cmp) of NO_x, 39.8 tons/12-cmp of CO, 20.1 tons/12-cmp of SO_x, 43.8 tons/12-cmp of VOCs, 9.5 tons/12-cmp of PM₁₀, and 3.7 tons/12-cmp of HAPs. These values will be established as emissions limits in the operating permit.

The facility is required to conduct regular surveys of the site while operating to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes operating requirements, monitoring requirements, work practice standards, testing, reporting, and recordkeeping requirements for the site.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the

name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (11-00258) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

65-00634, Eastern Gas Transmission and Storage, Inc., 6603 West Broad St, Richmond, VA 23230, Murrysville Borough, **Westmoreland County**. Application received: March 14, 2022.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that they intend to issue a State Only Operating Permit for the continued operation of sources at the J.B. Tonkin Compressor Station.

Permitted sources at this facility includes a 3.35 MMBtu/hr natural gas fueled boiler, a 600 bhp natural gas fueled Cooper compressor engine, a Cooper 12W-330C2 natural gas compressor, a natural gas fueled Caterpillar 1,114 bhp emergency generator, facility fugitive emissions and facility blowdowns.

Annual facility-wide potential emissions are based on unlimited hours of operation for all sources and 500 hours of operation per consecutive 12-month period for the emergency generator are 86.94 tons of NO_x, 43 tons of VOC, 42.33 tons of CO, 10.91 tons of PM₁₀, 10.91 tons of PM_{2.5}, and 11.98 tons of all HAPs combined. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. Sources at the facility are subject to the following Federal requirements:

- 40 CFR Part 60, Subpart A—General Provisions.
- 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.
- 40 CFR Part 60, Subpart OOOOa—Standards of Performance for Crude Oil and Natural Gas Facilities for Which Construction, Modification, or Reconstruction Commenced After September 18, 2015.
- 40 CFR Part 63, Subpart A—General Provisions.
- 40 CFR Part 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

The permit includes emission limitations and fuel, testing, monitoring, recordkeeping, reporting, work practice, and additional requirements for the facility.

The application, the DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>,

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Edward Painter, Air Quality Engineering Specialist, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 65-00634) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the

newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within

30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 16190101. Ben Hal Mining, Inc., 389 Irishtown Road, Grove City, PA 16127. Revision to include a post mining land use change from forestland to unmanaged natural habitat on the William T. Craddock property. Application received: November 2, 2022.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert or RA-EPNEWSTANTON@pa.gov.

NPDES No. PA0278556. Contract No. 26-22-01. Fayette Coal & Coke, Inc., 195 Enterprise Dr., Connellsville, PA 15425, Franklin Township, **Fayette County**. Application for commencement, operation and restoration for a Government Financed Construction Contract and associated NPDES permit, affecting 20.5 acres. Receiving streams: unnamed tributaries to Bolden Run and Bolden Run, classified for the following use: WWF. Application received: October 3, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54860108. Reading Anthracite Company, P.O. Box 1200, Pottsville, PA 17901, St. Clair Borough, New Castle and Norwegian Townships, **Schuylkill County**. Renewal of an anthracite surface mine operation affecting 1,469.0 acres. Receiving stream: East Branch Norwegian Creek, classified for the following use: CWF. Application received: November 1, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3, 724.769.1100.

NPDES No. PA0213667. Mining Permit No. 03871303. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Plumcreek Township, **Armstrong County**. Application received: April 26, 2022. Accepted: June 27, 2022.

A renewal to the NPDES permit and the coal mining activity permit, affecting 1.0 surface acre and 2,793.3 underground. Receiving stream(s): Dutch Run, classified for the following use: CWF. Crooked Creek Watershed TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 006 discharging to Dutch Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
pH	(s.u.)	6.0	-	-	9.0

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Specific Conductance	(umho)	-	-	-	Report

The EPA Waiver is not in effect.

NPDES No. PA0214540. Mining Permit No. 03851601. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Plumcreek Township, **Armstrong County**. Application received: February 1, 2022. Accepted: April 5, 2022.

A renewal to the NPDES permit and the coal mining activity permit, affecting 72.6 surface acres. Receiving stream(s): Dutch Run, classified for the following use: CWF. Crooked Creek Watershed TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 004 discharging to Dutch Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	-	-	Report
Suspended Solids	(mg/l)	-	35.0	70.0	90.0
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 005 discharging to Dutch Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35.0	70.0	90.0
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	100
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

NPDES No. PA0111643. Mining Permit No. 63841304. Laurel Run Mining Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, North Bethlehem Township, **Washington County**. Application received: March 18, 2021. Accepted: May 20, 2021.

A renewal to the NPDES permit and coal mining activity permit, affecting 22.8 surface acres and 39,178.0 underground acres. Receiving stream(s): Fishpot Run, classified for the following use: WWF. Monongahela River Watershed TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 007 discharging to Fishpot Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	50	50
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

NPDES No. PA0278513. Mining Permit No. 65-21-02. Robindale Energy Services, Inc., 1501 Ligonier Street, Latrobe, PA 15650, Derry Township, **Westmoreland County**. New NPDES permit affecting 12.9 acres. Receiving streams. No discharge is permitted at the site. Application received: July 16, 2021.

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0595349. Mining Permit No. 8274SM6. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, East Hempfield Township, **Lancaster County**. Application received: September 2, 2022.

Renewal of an NPDES permit on a quarry operation affecting 248.22 acres. Receiving stream: unnamed tributary to Little Conestoga Creek, classified for the following use: TSF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to: unnamed tributary to Little Conestoga Creek.

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate:</i>
001	Existing	TFO	5.62 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor and Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor and Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD)		5.62	13.07	

¹This Parameter is applicable at all times.

NPDES Permit No. PA0225240. Mining Permit No. GP105 Permit No. 64122501. Tim Kohs, 1031 Bethany Turnpike, Honesdale, PA 18431, Texas Township, **Wayne County**. Renewal of an NPDES permit on a quarry operation affecting 10.0 acres. Receiving stream: Indian Orchard Brook, classified for the following uses: HQ—CWF, MF. The operation does not discharge into waters of the Commonwealth. Application received: August 29, 2022.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that

the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the

date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

E5829222-012. Williams Field Services Co LLC, 310 State Route 29 North, Tunkhannock, PA 18657, Bridgewater Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 30, 2022.

To construct, operate, and maintain:

1. a temporary timber bridge crossing impacting 117 square feet of floodway to an unnamed tributary of Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Lat. 41.801192°, Long. -75.878953°),
2. a temporary timber bridge crossing impacting 288 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Montrose West, PA Quadrangle; Lat. 41.801192°, Long. -75.878937°),
3. a 10-inch natural gas pipeline and temporary timber bridge crossing impacting 4,209 square feet (0.10 acre) of a palustrine emergent wetlands (PEM) and 752 square feet (0.02 acre) of palustrine scrub-shrub wetlands (PSS) (Montrose West, PA Quadrangle; Lat. 41.800631°, Long. -75.878697°),
4. a temporary timber bridge crossing impacting 15 lineal feet of an unnamed tributary of Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Lat. 41.800452°, Long. -75.878766°),
5. a 10-inch natural gas pipeline and temporary timber bridge crossing impacting 688 square feet (0.02 acre) of a palustrine forested wetlands (PFO) (Montrose West, PA Quadrangle; Lat. 41.799776°, Long. -75.877819°),
6. a 10-inch natural gas pipeline and temporary timber bridge crossing impacting 11,043 square feet (0.25 acre) of a palustrine forested wetlands (PFO) (Montrose West, PA Quadrangle; Lat. 41.799417°, Long. -75.877616°),
7. a 10-inch natural gas pipeline and temporary timber bridge crossing impacting 17 lineal feet of an unnamed

tributary of Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Lat. 41.799111°, Long. -75.877442°),

8. an earth disturbance right-of-way activity impacting 1,114 square feet of an unnamed tributary of Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Lat. 41.799047°, Long. -75.877263°),

9. a 10-inch natural gas pipeline and temporary timber bridge crossing impacting 7,019 square feet (0.16 acre) of a palustrine emergent wetlands (PEM) and 6,146 square feet (0.14 acre) of palustrine scrub-shrub wetlands (PSS) (Montrose West, PA Quadrangle; Lat. 41.796958°, Long. -75.876010°),

10. a 10-inch natural gas pipeline and temporary timber bridge crossing impacting 50 lineal feet of a tributary of Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Lat. 41.796099°, Long. -75.875999°),

11. a temporary timber bridge crossing impacting 28 lineal feet of an unnamed tributary of Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Lat. 41.796039°, Long. -75.876197°),

12. a 10-inch natural gas pipeline and temporary timber bridge crossing impacting 1,039 square feet (0.02 acre) of palustrine scrub-shrub wetlands (PSS) (Montrose West, PA Quadrangle; Lat. 41.795999°, Long. -75.876254°),

13. a temporary timber bridge crossing impacting 10 lineal feet of a tributary of Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Lat. 41.796079°, Long. -75.876254°),

14. a temporary timber bridge crossing impacting 135 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Montrose West, PA Quadrangle; Lat. 41.796058°, Long. -75.876451°),

15. a 10-inch natural gas pipeline and temporary timber bridge crossing impacting 50 lineal feet of a tributary of Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Lat. 41.788815°, Long. -75.877347°),

16. a 10-inch natural gas pipeline and temporary timber bridge crossing impacting 91 lineal feet of a tributary of Meshoppen Creek (CWF, MF) (Montrose West, PA Quadrangle; Lat. 41.786915°, Long. -75.877101°),

17. a temporary timber bridge crossing impacting 1,425 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Montrose West, PA Quadrangle; Lat. 41.786334°, Long. -75.876816°).

The 10-inch diameter natural gas pipeline project is 1.2 miles in length and is located in Bridgewater Township, Susquehanna County. The project will result in 261 lineal feet of stream impacts, 13,076 square feet (0.30 acre) of PEM wetlands impacts, 7,937 square feet (0.18 acre) of PSS wetlands impacts, and 11,731 square feet (0.27 acre) of PFO wetlands impacts for the purpose of conveying natural gas gathering line for conveyance to market.

E4129222-013. Highland Field Services LLC, 51 Zents Boulevard, Brookville, PA 15825, Gamble Township and Lewis Creek Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 28, 2022.

To construct, operate and maintain temporary above ground waterline (TAGWL). The temporary 16-inch HDPE waterline will be placed on existing ground surface except where it crosses roadways/driveways where either a boring or an open trench crossing will be used.

There is no permanent stream, wetland and/or floodway impacts associated with this authorization. The project will result in a total of 78 LF (254 SF) of temporary stream impacts, 9,044 SF (0.2076 acre) of temporary

wetland impacts and 2,516 SF (0.0578 acre) of temporary floodway impacts all for the purpose of constructing an natural gas pipeline for Marcellus Shale well development.

Stream Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Chap. 93</i>	<i>Listed Trout</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Crossing # 1 UNT to Mill Creek	Gamble Trout Run	Waterline	HQ; EV	Wild	1	1			41.406208° 77.008136°
Crossing # 2 UNT to Shoemaker Run	Gamble Bodines	Waterline & Timber Mats	HQ; EV	Wild	16	42			41.408959° 76.992516°
Crossing # 4 UNT to WB Murry Run	Gamble Bodines	Waterline & Timber Mats	HQ; EV	Wild	13	66			41.418191° 76.970496°
Crossing # 6 UNT to WB Murry Run	Gamble Bodines	Waterline & Timber Mats	HQ; EV	Wild	12	44			41.419301° 76.969827°
Crossing # 7 UNT to WB Murry Run	Gamble Bodines	Waterline & Timber Mats	HQ; EV	Wild	12	77			41.419633° 76.969279°
Crossing # 10 UNT to WB Murry Run	Gamble Bodines	Waterline & Timber Mats	HQ; EV	Wild	22	24			41.420848° 76.966639°
TOTAL IMPACTS					78	254			

Floodway Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Crossing # 1 UNT to Mill Creek	Gamble Trout Run	Waterline	64	98			41.406208° 77.008136°
Crossing # 2 UNT to Shoemaker Run	Gamble Bodines	Waterline & Timber Mats	166	503			41.408959° 76.992516°
Crossing # 4 UNT to WB Murry Run	Gamble Bodines	Waterline & Timber Mats	103	365			41.418191° 76.970496°
Crossing # 6 UNT to WB Murry Run	Gamble Bodines	Waterline & Timber Mats	79	815			41.419301° 76.969827°
Crossing # 7 UNT to WB Murry Run	Gamble Bodines	Waterline & Timber Mats	62	223			41.419633° 76.969279°

Resource Name	Municipality Quadrangle	Activity	Impact Area Temp. (SF)	Impact Length Temp. (LF)	Impact Area Perm. (SF)	Impact Length Perm. (LF)	Lat. Long.
Crossing # 7 UNT to WB Murry Run	Gamble Bodines	Waterline & Timber Mats	90	512			41.420848° 76.966639°
TOTAL IMPACTS			564	2,516			

Wetland Impact Table:

Resource Name	Municipality Quadrangle	Activity	Cow. Class	Listed Trout	Impact Area Temp. (SF)	Impact Length Temp. (LF)	Impact Area Perm. (SF)	Impact Length Perm. (LF)	Lat. Long.
Crossing # 3 Wetland 3	Gamble Bodines	Waterline & Timber Mats	PEM; EV	Wild	28	225			41.415613° 76.971932°
Crossing # 5 Wetland 5	Gamble Bodines	Waterline & Timber Mats	PEM; EV	Wild	150	1,839			41.418745° 76.970373°
Crossing # 6 Wetland 6	Gamble Bodines	Waterline & Timber Mats	PEM; EV	Wild	76	977			41.419301° 76.969827°
Crossing # 6 Wetland 6	Gamble Bodines	Waterline & Timber Mats	PEM; EV	Wild	38	214			41.419301° 76.969827°
Crossing # 7 Wetland 7	Gamble Bodines	Waterline & Timber Mats	PEM; EV	Wild	64	917			41.419633° 76.969279°
Crossing # 8 Wetland 7	Gamble Bodines	Waterline & Timber Mats	PEM; EV	Wild	91	1,119			41.419794° 76.968758°
Crossing # 9 Wetland 9	Gamble Bodines	Waterline & Timber Mats	PEM; EV	Wild	209	2,896			41.420196° 76.967387°
Crossing # 10 Wetland 10	Gamble Bodines	Waterline & Timber Mats	PEM; EV	Wild	15	110			41.420848° 76.966639°
Crossing # 11 Wetland 11	Gamble Bodines	Waterline & Timber Mats	PEM; EV	Wild	61	747			41.421145° 76.966452°
TOTAL IMPACTS					732	9,044			

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: James Cassidy, Senior Civil Engineer, 570-855-9764.

E6004222-002. Terry Trutt, 2 Cherry Lane, Mifflinburg, PA 17844, Mifflinburg Borough, **Union County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 26, 2022.

To construct, operate, and maintain: +/- 1,200 square foot raised home onto a flood compliant concrete masonry unit (cmu) foundation system on their +/- 0.23-acre parcel. There is a shed and pavilion located on the parcel; however it is to be demolished and removed as part of the overall project. The project address is 477 Lees Lane, Winfield, PA 17889. The proposed project will not impact the normal flow conditions of the waterway, however the structure, while being built in the floodway, will be

designed to have no impact on adjacent or downstream property owners. Latitude: 40.8997°, Longitude: -76.8354°.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EPWW-NERO@pa.gov.

E4802122-007. PA Department of Transportation, Eng District 5-0, 1002 Hamilton Street, Allentown, PA 18101, Bath Borough, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District. Application received: October 19, 2022.

The following impacts are associated with the SR 0248 Section 05S project: 1. To remove the existing structure and to construct and maintain a 53' wide single span composite plank beam bridge carrying SR 0248 across Monocacy Creek (HQ-CWF, MF) having an 28' normal

clear span and a 4.65' minimum underclearance and to construct and maintain appurtenant structure features. The project is located along SR 0248 Sec 05S, Segment 0280 Offset 2456, approximately 0.1 mile south of the SR 0248/SR 987 intersection. Latitude: 40.726908° N, Longitude: -75.395322° W.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E2406222-003. Friday Gas & Oil Facility Expansion, 16444 Bennetts Valley Highway, Weedville, PA 15868, Jay Township, **Elk County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: October 20, 2022.

The applicant requests after-the-fact permit coverage for 0.23 acre of impacted wetland areas and approximately 50 linear feet of fill placed in the floodway of a UNT to Bennetts Branch Sinnemahoning Creek which has a drainage area of less than 100 acres, due to the expansion of an existing facility. The applicant proposes to purchase 6.21 wetland credits from the PA PIESCES program. Latitude: 41.24932°, Longitude: -78.52096°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E5101222-017. City of Philadelphia Water Department, 1101 Market Street, 8th Floor, Philadelphia, PA 19107, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: October 13, 2022. Latitude: 40.057908°, Longitude: -75.036377°.

The Philadelphia Water Department is proposing to construct and maintain the following activities for the project associated with the Ecological Restoration Project: Pennypack Corridor Improvement at Holme Avenue, along the Pennypack Creek and Axe Factory Run (TSF, MF):

1. Install two engineering riffles in the stream bed, total 224 linear feet (LF) of stream impact.
2. Excavate, grade, and landscape the land around the stream channel for floodplain reconnection, total 948 LF of stream impact.
3. Install riprap bank revetment, 862 LF along the left bank and 507 LF along the right bank.
4. Bank grading and stabilization with soil stabilization matting, a total of 1,756 LF along the left bank and a total of 1,173 LF along the right bank.
5. Replacement of the sanitary sewer encasement, total 132 LF of sewer encasement across stream.
6. Restore the main stem of Pennypack Creek and Axe Factory Run tributary, a total of approximately 1,850 LF of stream would be rehabilitated using the same treatments.

The total project impact will be approximately 0.67 acre of permanent floodplain and 0.813 acre of temporary floodplain impact. The site is located near the intersection of SR1 and Holm Avenue and immediately 500 LF downstream from Holm Avenue Bridge crossing over the Pennypack Creek (Frankford, PA, NJ USGS map, Lat: 40.057908; Long; -75.036377) in the City and County of Philadelphia.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

Contact: 717-772-5988.

D15-377EA. Bilal Baqai, DCNR, 2808 Three Mile Run Road, Perkasio, PA 18944, London Britain Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 31, 2022.

Applicant proposes to remove the White Clay Creek Preserve Dam to eliminate a threat to public safety and to restore approximately 500 feet of stream channel to a free-flowing condition. The project is located in the West Grove, PA Quadrangle, across Middle Branch White Clay Creek. (TSF, MF) Latitude: 39.7514°, Longitude: -75.7777°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Sage Saum, Clerical Assistant 2, 717-705-4992.

EA3803222-004. Cornwall Borough, 44 Rexmont Street, Cornwall, PA 17042, Cornwall Borough, **Lebanon County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 19, 2022.

The applicant proposes to conduct a stream restoration along 2,025 feet of Snitz Creek (TSF, MF) including 1.) the relocation and maintenance of 1,095 feet of stream; 2.) the grading and maintenance of 3,960 feet of streambank (left and right banks); 3.) the construction and maintenance of 3,305 linear feet of bankfull benches; 4.) the relocation and maintenance of three existing outfalls; 5.) the construction and maintenance of two imbricated rock walls totaling 85 feet in length; 6.) the construction and maintenance of a 20.0-foot by 10.0-foot temporary timber bridge; 7.) the construction and maintenance of a 20.0-foot by 12.0-foot temporary timber bridge; 8.) the installation and maintenance of eight rock outcrops and 9.) the excavation and maintenance of 1.46 acres of floodway, all for the purposes of improving instream habitat and water quality. The project is located immediately upstream of Culvert Street, in Cornwall Township, Lebanon County. No wetlands will be impacted by this project. Latitude: 40.283025° N, Longitude: -76.409747° W.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General

Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1-691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep’t of Env’tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA510001D	Chapter 102 Individual NPDES Permit	Issued	AP Const, Inc. 915 S Black Horse Pike Blackwood, NJ 08012-2815	Philadelphia City Philadelphia County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD090083	Chapter 102 Individual NPDES Permit	Issued	Baker James C 1748 Central Park Orefield, PA 18069-8907	Springfield Township Bucks County	SERO
PAD140091	Chapter 102 Individual NPDES Permit	Issued	Stoltzfus Omar K 124 Brooks Lane Howard, PA 16841-4052	Walker Township Centre County	NCRO
PAD150078	Chapter 102 Individual NPDES Permit	Issued	Southdown Properties, Inc. 55 Country Club Drive Suite 200 Downingtown, PA 19335-3062	Caln Township Chester County	SERO
PAD150251	Chapter 102 Individual NPDES Permit	Issued	Garson Carolyn 980 Hershey Mill Road Malvern, PA 19355-3171	East Goshen Township Chester County	SERO
PAD210009	Chapter 102 Individual NPDES Permit	Issued	Trinity MSB, LLC 430 N Front Street Wormleysburg, PA 17043-1114	Monroe Township Cumberland County	SCRO
PAD210083	Chapter 102 Individual NPDES Permit	Issued	M&G Realty, Inc. 2295 Susquehanna Trail York, PA 17404	Shippensburg Township Cumberland County	SCRO
PAD260013	Chapter 102 Individual NPDES Permit	Issued	NWL Co. 1001 Lafayette Drive Farmington, PA 15437-9754	Wharton Township Fayette County	SWRO
PAD390254	Chapter 102 Individual NPDES Permit	Issued	Milliporesigma Bellefonte 3050 Spruce Street Saint Louis, MO 63103-2530	Upper Macungie Township Lehigh County	NERO
PAD450021	Chapter 102 Individual NPDES Permit	Issued	Monroe Retail, LLC 668 Crescent Avenue 2nd Floor Bronx, NY 10458	Chestnuthill Township Monroe County	NERO
PAD450165	Chapter 102 Individual NPDES Permit	Issued	Pocono Family YMCA 809 Main Street Stroudsburg, PA 18360-1601	Stroudsburg Borough Monroe County	NERO
PA0244945	Industrial Stormwater Individual NPDES Permit	Issued	DSM Biomed 735 Pennsylvania Drive Exton, PA 19341-1130	East Whiteland Township Chester County	SERO
PA0245411	Industrial Stormwater Individual NPDES Permit	Issued	George Krapf Jr & Sons, Inc. 1030 Andrew Drive West Chester, PA 19380-4291	West Brandywine Township Chester County	SERO
0118802	Joint DEP/PFBC Pesticides Permit	Issued	Carroll Valley Borough Adams County 5658 Fairfield Road Fairfield, PA 17320	Carroll Valley Borough Adams County	SCRO
0118804	Joint DEP/PFBC Pesticides Permit	Issued	Hughes Laramie 55 Sherry Lane New Oxford, PA 17350	Oxford Township Adams County	SCRO
0122808	Joint DEP/PFBC Pesticides Permit	Issued	Black Tim 1587 Shrivvers Corner Road Gettysburg, PA 17325-7576	Straban Township Adams County	SCRO
2213804	Joint DEP/PFBC Pesticides Permit	Issued	Black Timothy 959 Bower Lane Harrisburg, PA 17112-9089	West Hanover Township Dauphin County	SCRO
2813815	Joint DEP/PFBC Pesticides Permit	Issued	Coldsmith Harold E 1076 Hade Road Chambersburg, PA 17202-9164	Saint Thomas Township Franklin County	SCRO
3613835	Joint DEP/PFBC Pesticides Permit	Issued	Abel David 1000 N Market Street Elizabethtown, PA 17022-1213	West Donegal Township Lancaster County	SCRO

NOTICES

7179

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3613867	Joint DEP/PFBC Pesticides Permit	Issued	Burkholder Gloria 181 Loghes Drive Manheim, PA 17545-9016	Rapho Township Lancaster County	SCRO
3813806	Joint DEP/PFBC Pesticides Permit	Issued	Countryside Christian Community 200 Bellann Court Annville, PA 17003-9012	North Annville Township Lebanon County	SCRO
4613825	Joint DEP/PFBC Pesticides Permit	Issued	King of Prussia Property Investors, LLC 880 East Swedesford Road Suite 100 Wayne, PA 19087	Upper Merion Township Montgomery County	SERO
4622813	Joint DEP/PFBC Pesticides Permit	Issued	Atrium House, Inc. 677 Elm Street Royersford, PA 19468-3337	Limerick Township Montgomery County	SERO
6713803	Joint DEP/PFBC Pesticides Permit	Issued	Jacobs Rosie 15 Pine Street Dillsburg, PA 17019-9445	Carroll Township York County	SCRO
6713815	Joint DEP/PFBC Pesticides Permit	Issued	Coxon Skip P.O. Box 180 East Berlin, PA 17316-0180	Washington Township York County	SCRO
6715801	Joint DEP/PFBC Pesticides Permit	Issued	Bower Mandy 492 Saint Bartholomew Road Hanover, PA 17331-9724	West Manheim Township York County	SCRO
6718821	Joint DEP/PFBC Pesticides Permit	Issued	Forest Lakes Water Association 541 Lakeside Drive New Freedom, PA 17349-9074	Hopewell Township York County	SCRO
3622202	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Quarryville Resorts LP 38 Commerce Avenue SW Suite 200 Grand Rapids, MI 49503-4144	East Drumore Township Lancaster County	SCRO
PAI130034	MS4 Individual NPDES Permit	Issued	Hatfield Township Montgomery County 1950 School Road Hatfield, PA 19440-1923	Hatfield Township Montgomery County	SERO
PAI130071	MS4 Individual NPDES Permit	Issued	Worcester Township Montgomery County 1721 Valley Forge Road Worcester, PA 19490	Worcester Township Montgomery County	SERO
PAI130083	MS4 Individual NPDES Permit	Issued	Towamencin Township Montgomery County 1090 Troxel Road Lansdale, PA 19446-4606	Towamencin Township Montgomery County	SERO
PA0255254	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Indian Creek Valley Water Authority 2019 Indian Head Road P.O. Box 486 Indian Head, PA 15446-0486	Springfield Township Fayette County	SWRO
PA0113069	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Greenwood Township Municipal Authority Columbia County 90 Shed Road Millville, PA 17846-9148	Greenwood Township Columbia County	NCRO
PA0113182	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Nittany Grove Condominium Comm Association 204 Timberwood Centre Hall, PA 16828	Harris Township Centre County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0027987	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Applegreen PA Welcome Center, LLC 208 Harristown Road Route 208 Glen Rock, NJ 07452	Wallace Township Chester County	SERO
PA0053449	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Birmingham Township Chester County 1040 W Street Road West Chester, PA 19382-8012	Birmingham Township Chester County	SERO
PA0061671	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Greenfield Township Sewer Authority Lackawanna County P.O. Box 501 Carbondale, PA 18407-0501	Greenfield Township Lackawanna County	NERO
PA0114936	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	BCI Municipal Authority P.O. Box 388 Irvona, PA 16656-0388	Irvona Borough Clearfield County	NCRO
4399201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Wheatland Tube, LLC 20 Church Street Wheatland, PA 16161-1117	Wheatland Borough Mercer County	NWRO
0102404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Aqua PA Wastewater, Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010	Mount Joy Township Adams County	SCRO
1516405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Applegreen PA Welcome Center, LLC 208 Harristown Road Route 208 Glen Rock, NJ 07452	Wallace Township Chester County	SERO
4606408	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Upper Providence Township Montgomery County	SERO
NOEXNW045	No Exposure Certification	Issued	Solenoid Solutions, Inc. 2251 Manchester Road Erie, PA 16506-1001	Fairview Township Erie County	NWRO
NOEXSC181	No Exposure Certification	Issued	Schott Pharma USA, Inc. 30 Lebanon Valley Parkway Lebanon, PA 17042-9745	South Lebanon Township Lebanon County	SCRO
NOEXSC302	No Exposure Certification	Issued	Lancaster County SWMA 1299 Harrisburg Pike Lancaster, PA 17603	Manor Township Lancaster County	SCRO
NOEXSC387	No Exposure Certification	Issued	CP Flexible Packaging 15 Grumbacher Road York, PA 17406-8417	Manchester Township York County	SCRO
NOEXSE201	No Exposure Certification	Issued	Tolas Health Care Pkg 905 Pennsylvania Boulevard Feasterville, PA 19053	Upper Southampton Township Bucks County	SERO

NOTICES

7181

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSE342	No Exposure Certification	Issued	Circularix 10250 Constellation Boulevard Suite 2820 Los Angeles, CA 90067-6200	Hatfield Township Montgomery County	SERO
PAG040061	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Mueller Kevin and Mueller Amber 2144 Old Skippack Road Harleysville, PA 19438-1367	Upper Salford Township Montgomery County	SERO
PAG136348	PAG-13 NPDES General Permit for MS4s	Waived	Aleppo Township Allegheny County 100 North Drive Sewickley, PA 15143-2383	Aleppo Township Allegheny County	SWRO
4006404	Pump Stations Individual WQM Permit	Issued	PA American Water Co. 1000 Wyoming Avenue Freeland, PA 18224-2100	Foster Township Luzerne County	NERO
5422402	Sewer Extensions Individual WQM Permit	Issued	Frackville Area Municipal Authority Schuylkill County P.O. Box 471 42 South Center Street Frackville, PA 17931-0471	Butler Township Schuylkill County	NERO
PA0205338	Single Residence STP Individual NPDES Permit	Issued	Boyd Alyssa B 204 Brallier Drive Ligonier, PA 15658-9268	Ligonier Township Westmoreland County	SWRO
PA0233315	Single Residence STP Individual NPDES Permit	Issued	Heitzman Ted III 631 Bear Gap Road Elysburg, PA 17824-9115	Cleveland Township Columbia County	NCRO
PA0264598	Single Residence STP Individual NPDES Permit	Issued	Twining Donald T 5888 Lunger Road Erie, PA 16510-4843	Harborcreek Township Erie County	NWRO
PA0264954	Single Residence STP Individual NPDES Permit	Issued	McKinney Gregory 88 Grass Flats Boulevard Warren, PA 16365-7915	Conewango Township Warren County	NWRO
PA0264971	Single Residence STP Individual NPDES Permit	Issued	Kerr Michael J 9291 Palmer Road North East, PA 16428-5533	Greenfield Township Erie County	NWRO
PA0265004	Single Residence STP Individual NPDES Permit	Issued	Credit Heather 3742 Phillip Island Road West Sacramento, CA 95691-5939	Clarion Township Clarion County	NWRO
PA0265209	Single Residence STP Individual NPDES Permit	Issued	Roberts William E Jr 6300 Franklin Road Fairview, PA 16415	Fairview Township Erie County	NWRO
PA0291129	Single Residence STP Individual NPDES Permit	Issued	Holzer William 12730 Van Horne Road Meadville, PA 16335	Vernon Township Crawford County	NWRO
PA0291226	Single Residence STP Individual NPDES Permit	Issued	Pink Patti 573 Harmony Road Slippery Rock, PA 16057-2417	Worth Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0622405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Shawn and Jennifer Mehall 163 Amity Park Road Birdsboro, PA 19508-8719	Amity Township Berks County	SCRO
1022413	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Pink Patti 573 Harmony Road Slippery Rock, PA 16057-2417	Worth Township Butler County	NWRO
1922401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Heitzman Ted III 631 Bear Gap Road Elysburg, PA 17824-9115	Cleveland Township Columbia County	NCRO
2022412	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Holzer William 12730 Van Horne Road Meadville, PA 16335	Vernon Township Crawford County	NWRO
2516407	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Twining Donald T 5888 Lunger Road Erie, PA 16510-4843	Harborcreek Township Erie County	NWRO
4698420	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Mueller Kevin and Mueller Amber 2144 Old Skippack Road Harleysville, PA 19438-1367	Upper Salford Township Montgomery County	SERO
6217403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	McKinney Gregory 88 Grass Flats Boulevard Warren, PA 16365-7915	Conewango Township Warren County	NWRO
WQG02362203	WQG-02 WQM General Permit	Issued	Elizabethtown Regional Sewer Authority Lancaster County 600 S Hanover Street Elizabethtown, PA 17022-2522	Elizabethtown Borough Lancaster County	SCRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC350023	PAG-02 General Permit	Issued	CFI Design Management, Inc. 6296 Rucker Road Suite C Indianapolis, IN 46220	City of Scranton Lackawanna County	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC110094	PAG-02 General Permit	Issued	JMA Collision Center 190 Rager Hill Road South Fork, PA 15956	Jackson Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120

NOTICES

7183

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC110098	PAG-02 General Permit	Issued	Flair of Country Catering & Event Planning, LLC 1020 Pomona Drive Johnstown, PA 15904	Richland Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120
PAC020252	PAG-02 General Permit	Issued	Spang Road Development, LLC 290 Northgate Drive Suite 210 Warrendale, PA 15086	Marshall Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020671	PAG-02 General Permit	Issued	Allison Park Water Pollution Control Facility Upgrades & Improvements 290 Northgate Drive Suite 210 Allison Park, PA 15101	Hampton Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020832	PAG-02 General Permit	Issued	Three Rivers Ranch Developers, LLC 8 Winterberry Lane Sewickley, PA 15143	Findlay Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020637	PAG-02 General Permit	Issued	James M. Quinn Construction Co 4075 Homestead Duquesne Road West Mifflin, PA 15122	Munhall Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020220	PAG-02 General Permit	Issued	Joseph B. Fay Company Nova Tower 1 Suite 301 Pittsburgh, PA 15212	Plum Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020854	PAG-01 General Permit	Issued	Five D Development, LLC 180 Bilmar Drive Suite 1 Pittsburgh, PA 15205	Robinson Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 150219 412-291-8005
PAC020915	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 375 North Shore Drive Pittsburgh, PA 15212	Elizabeth Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020919	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 375 North Shore Drive Pittsburgh, PA 15212	Elizabeth Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020450A-2	PAG-02 General Permit	Issued	St. Barnabas Health System 5850 Meridan Road Gibsonia, PA 15136	Pine Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC020582A-1	PAG-02 General Permit	Issued	McKees Rocks Borough 340 Bell Avenue McKees Rocks, PA 15136	McKees Rocks Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020917	PAG-02 General Permit	Issued	Northeast Paving 290 Bilmar Drive 3rd Floor Pittsburgh, PA 15205	Plum Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020114	PAG-02 General Permit	Issued	Sovereign Development, LLC 533 Rochester Road Pittsburgh, PA 15237	Ohio Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 150219 412-291-8005
PAC020095A-1	PAG-02 General Permit	Issued	Krise Transportation, Inc. 7035 Saltsburg Road Pittsburgh, PA 15235	Penn Hills Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020904	PAG-02 General Permit	Issued	Union Railroad Company 900 Thompson Run Road Monroeville, PA 15146	West Mifflin Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC630176A-1	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Upper Saint Clair Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC630176	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Upper Saint Clair Township Peters Township Allegheny County Washington County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC470034	PAG-02 General Permit	Issued	Sarah Weber 642 Alton Street Danville, PA 17821	Cooper Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC140145	PAG-02 General Permit	Issued	SAI 21, LLC 107 Windrush Road State College, PA 16801	Benner Township Centre County	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 814-355-6817
PAC410073	PAG-02 General Permit	Issued	Rong Deep, Inc. 6801 Route 15 Highway Montgomery, PA 17752	Clinton Township Lycoming County	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 570-433-3003

NOTICES

7185

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC100255	PAG-02 General Permit	Issued	Pinewood Farms Development, LLC 1272 Mars-Evans City Road Evans City, PA 16033	Adams Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100267	PAG-02 General Permit	Issued	9112 Marshall, LLC P.O. Box 101429 Pittsburgh, PA 15237	Cranberry Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC670068	PAG-02 General Permit	Issued	Fox Run LLC Joseph A. Myers 160 Ram Drive Hanover, PA 17331	West Manheim Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAD220083	PAG-02 General Permit	Issued	M & G Realty, Inc. 2295 Susquehanna Trail York, PA 17404	Shippensburg Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717-264-5499
PAC380264	PAG-02 General Permit	Issued	Clarence Shock Memorial Park at Governor Dick, Inc. 3283 Pinch Road Lebanon, PA 17042	West Cornwall Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717-277-5275
PAC070025A-2	PAG-02 General Permit	Issued	D. Holdings, Inc. 3229 Pleasant Valley Blvd Altoona, PA 16602	Frankstown Township Blair Township Hollidaysburg Borough Blair County	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814-696-0877 ext. 5
PAC460706	PAG-02 General Permit	Issued	Richard Vorndran 15 Gilbert Drive Boyertown, PA 19512-8092	Upper Pottsgrove Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC430072	PAG-02 General Permit	Issued	Pennsylvania Department of General Services 1800 Herr Street Harrisburg, PA 17103	Shenango Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC160046	PAG-02 General Permit	Issued	Pennsylvania American Water Company 425 Waterworks Road Clarion, PA 16214	Paint Township Clarion County	Clarion County Conservation District 249 S 2nd Avenue Clarion, PA 16214 814-393-6147

Permit Number	Permit Type	Action Taken	Applicant Name & Address	Municipality, County	Office
PAC230215	PAG-02 General Permit	Issued	GPX Realty Partners LP 357 South Gulph Road King of Prussia, PA 19406-3136	Radnor Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor II, 570-327-3490.

Construction Permit No. 1922502MA, Minor Amendment, Public Water Supply.

Applicant	Benton Municipal Water & Sewer Authority
Address	P.O. Box 516 Benton, PA 17814

Municipality	Benton Borough
County	Columbia County
Consulting Engineer	Dan Hopkins Entech Engineering 500 N. Centre Street Pottsville, PA 17901
Application Received	October 11, 2022
Permit Issued	November 2, 2022
Description	This permit authorizes the water system to construct a new 206,000-gallon glass fused steel bolted tank, clean and rehabilitate the existing storage tank and install monitoring and controls to facilitate the automatic shutdown of the treatment system in Benton Borough, Columbia County.
Construction Permit No. 5322501 , Major Amendment, Public Water Supply.	
Applicant	Ulysses Municipal Authority
Address	518 Main Street Ulysses, PA 16948
Municipality	Ulysses Borough
County	Potter County
Consulting Engineer	Kerry Tyson P.E. 2836 Earlstown Road Suite 1 Centre Hall, PA 16828
Application Received	July 8, 2022
Permit Issued	November 4, 2022
Description	Installation of corrosion control treatment to comply with the Lead and Copper Rule.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Terri Yencha, Clerical Assistant 2, 570-830-3048.

Operation Permit No. 2520201, Public Water Supply.

Applicant	Laurel Lane Development Association
Address	P.O. Box 2 Greentown, PA 18426
Municipality	Greene Township and Palmyra Township

County **Pike County**
 Consulting Engineer Mr. Douglas E Berg PE
 Sr Project Manager
 Entech Engineering, Inc.
 8 Silk Mill Drive
 Hawley, PA 18428

Application Received October 21, 2022
 Permit Issued October 27, 2022

Description Operations permit amendment
 for the addition of a flow switch
 at Well No. 4 to prevent caustic
 overfeed.

Operation Permit No. 2400012, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
 Address 762 West Lancaster Avenue
 Bryn Mawr, PA 19010

Municipality Jackson Township
 County **Luzerne County**

Consulting Engineer Patrick R. Boggs, P.E.
 GHD, Inc.
 225 Grandview Avenue
 Suite 403
 Camp Hill, PA 17011

Application Received August 16, 2022
 Permit Issued October 25, 2022

Description Operation Permit for well station
 filter addition.

Operation Permit No. 3540379, Public Water Supply.

Applicant **Mountain Valley Corporation**
 Address P.O. Box 279
 Saint Clair, PA 17970

Municipality Saint Clair Borough
 County **Schuylkill County**

Consulting Engineer Bradley D. Smith, P.E.
 ARRO Consulting, Inc.
 321 North Furnace Street
 Suite 200
 Birdsboro, PA 19508

Application Received March 21, 2022
 Permit Issued November 7, 2022

Description Operation Permit for corrosion
 control treatment.

*Southcentral Region: Safe Drinking Water Program,
 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-
 705-4700.*

*Contact: Darin Horst, Environmental Engineer, 717-
 705-4708.*

Operation Permit No. 7360353, Public Water Supply.

Applicant **Mahashiv, LLC**
 Address 84 North Ronks Road
 Ronks, PA 17572

Municipality East Lampeter Township
 County **Lancaster County**

Application Received August 23, 2022
 Permit Issued November 1, 2022

Description Transfer of public water supply
 permits from Mukesh Patel to
 Mahashiv LLC

Bottled Vended Bulk Retail Permit No. 7366525,
 Public Water Supply.

Applicant **J.D. Eberly Services**
 Address 1237 Pine Hill Road
 Lititz, PA 17543

Municipality City of York
 County **York County**

Application Received October 17, 2022
 Permit Issued November 1, 2022

Description Removal of Entry Point 105.

Operation Permit No. 0521508 MA, Public Water
 Supply.

Applicant **Evitts Creek Water Company**
 Address 57 North Liberty Street
 Cumberland, MD 21502

Municipality Cumberland Valley Township
 County **Bedford County**

Application Received October 24, 2022
 Permit Issued October 25, 2022

Description Partial operation permit
 approving use of Filters No. 14,
 16, and 17.

**Actions Taken Under the Pennsylvania Safe Drink-
 ing Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program,
 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-
 6448, 570-327-3636.*

*Contact: Nicole Mechtly, Clerical Supervisor II, 570-327-
 3490.*

Operation Permit 1821503MA. PWSID No. **4180048**.
City of Lock Haven, 20 East Water Street, Lock Haven,
 PA 17745, Castanea Township, **Clinton County**. Applica-
 tion received: November 3, 2022. Permit Issued: Novem-
 ber 4, 2022. This permit authorizes operation of the
 recently repainted Cummings Village finished water stor-
 age tank.

*Southcentral Region: Safe Drinking Water Program,
 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-
 705-4700.*

*Contact: Thomas Filip, Environmental Engineer, 717-
 705-4708.*

Operation Permit 7010034. PWSID No. **7010034**.
Possum Valley Municipal Authority, 609 Clearview
 Road, Aspers, PA 17304, Menallen Township, **Adams
 County**. Application received: October 12, 2022. Permit
 Issued: October 27, 2022. Rerating of the existing Labor
 Camp Well (24 gpm) and use of the Alternate Labor
 Camp Well (9 gpm) as a source of supply.

*Contact: Wade Cope, P.E., Environmental Engineer, 717-
 705-4708.*

NCWSA Operation Permit 3061294. PWSID No.
3061294. **L&K Tucker Tract**, 1 Field of Dreams Drive,
 Pottsville, PA 17901, Maxatawny Township, **Berks
 County**. Application received: October 28, 2022. Permit
 Issued: November 1, 2022. Operation of new system and
 treatment.

Operation Permit 3420504. PWSID No. **4340007.** **Thompstontown Municipal Authority**, P.O. Box 154, Thompstontown, PA 17094, Thompstontown Borough, **Juniata County**. Application received: November 1, 2022. Permit Issued: November 4, 2022. Operation of new booster pump station.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.

Construction Permit 1122506MA. PWSID No. **4110024.** **Patton Borough**, 800 Fourth Avenue, Patton, PA 16668, Clearfield Township, **Cambria County**. Application received: August 23, 2022. Permit Issued: October 31, 2022. Installation of a gas chlorination system at the Patton Borough Water Treatment Facility.

Transfer Permit 5040051. PWSID No. **5040051.** **Little Creek MHP, LLC**, 100 Swale Brook Lane, Mildford, PA 18337, New Sewickley Township, **Beaver County**. Application received: January 26, 2022. Permit Issued: November 2, 2022. Transfer of the Little Creek Estates water supply system from J. William Dyer to Little Creek MHP LLC.

Operation Permit 0222532MA. PWSID No. **5020038.** **Pittsburgh Water and Sewer Authority**, Penn Liberty Plaza 1 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. Application received: October 3, 2022. Permit Issued: October 31, 2022. Operation permit for peristaltic metering pumps at the Bedford Tank booster station, Brashear Tanks booster station, Lanpher Reservoir booster station, and McNaugher Tanks booster station.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and trans-

port analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

23 Church Lane, Primary Facility ID # **860423**, 23 Church Lane, West Brunswick Township, PA 17961, West Brunswick Township, **Schuylkill County**. EFI Global, 11 Commerce Way, Suite A, Totowa, NJ 07512, on behalf of Ross Hermany, 23 Church Lane, West Brunswick Township, PA 17961, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Former Star Buffet and Grill, Primary Facility ID # **856543**, 2232 Lincoln Highway East, Lancaster, PA 17602, East Lampeter Township, **Lancaster County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of Sunrise Liberty, LP, 950 Smile Way, York, PA 17404, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with Unleaded Petroleum Compounds. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Phoenix French Creek Manor, Primary Facility ID # **804650**, 121 Bridge Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. Paul White, Brickhouse Environmental, 515 South Franklin Street, Chester, PA 19382, on behalf of Greg Lingo, Rockwell French Creek TH LP, 126 East State Street, Media, PA 19603, submitted a Final Report concerning remediation of soil contaminated with VOCs and metals. The Final Report is intended to document remediation of the site to meet the site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

EQT Kevech Well Pad, Primary Facility ID # **847190**, 116 Kevech Road, Monongahela, PA 15063, Fallowfield Township, **Washington County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, zinc, and chloride. The Final Report is intended to document remediation of the site to meet the Statewide health and background standards.

CNX NV 30 Well Pad, Primary Facility ID # **862131**, 88 Penn Hill Road, Prosperity, PA 15329, Morris Township, **Washington County**. Penn Environmental & Remediation, 111 Ryan Court, Pittsburgh, PA 15205, on behalf of CNX Gas Company, LLC, 1000 Horizon Vue Energy Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report is intended to document remediation of the site to meet the Statewide health and background standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The

baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Ilmer's Poultry, Inc. Diesel Fuel cleanup, Primary Facility ID # **859903**, Interstate 80 at MM 210W at US Route 15N exit ramp, New Columbia, PA 17856, White Deer Township, **Union County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Ilmer's Poultry, Inc., 1887 Route 764, Duncansville, PA 16635-7952, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 5, 2022.

Jorawar Transport, LLC Diesel Fuel Cleanup, Primary Facility ID # **859453**, Interstate 80 at MM 216E, Milton, PA 17847, East Chillisquaque Township, **Northumberland County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Jorawar Transport, LLC, 75 Oak Creek Road, East Windsor, NJ 05620, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 5, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

WC 67 East Lateral Pipeline, Primary Facility ID # **834569**, 19877 State Route 92, Susquehanna, PA 18847, Jackson Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil and groundwater contaminated with production fluid (brine). The Final Report demonstrated attainment of the Statewide health and background standards. Approved: November 1, 2022.

Bridgewater Township Building, Primary Facility ID # **755266**, 12751 State Route 29, Montrose, PA 18801, Bridgewater Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Bridgewater Township, 12751 State Route 29, Montrose, PA 18801, submitted a Final Report concerning remediation of soil contaminated

with heating oil from an underground storage tank. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 3, 2022.

Ormrod Blacktop Plant, Primary Facility ID # **621078**, 2475 Willow Street, Coplay, PA 18037, North Whitehall Township, **Lehigh County**. Earthres Group, 6912 Old Easton Road, Pipersville, PA 18947, on behalf of New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, submitted a Final Report concerning remediation of soil contaminated with asphalt. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 7, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Former T-Mobile Store, Primary Facility ID # **856769**, 5411 Carlisle Pike, Mechanicsburg, PA 17050, Hampden Township, **Cumberland County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of Carlisle Retail, LLC, 1775 Hancock Street, Suite 200, San Diego, CA 92110, submitted a Final Report concerning remediation of soil and groundwater contaminated with Leaded/Unleaded Petroleum Compounds. The Final Report demonstrated attainment of the site-specific standards. Approved: October 27, 2022.

Route 30 Diner, Primary Facility ID # **861573**, 2575 Lincoln Highway East, Ronks, PA 17572, East Lampeter Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Route 30 Diner, 2575 Lincoln Highway East, Ronks, PA 17572, submitted a Final Report concerning remediation of soil contaminated with Diesel Fuel Release. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 31, 2022.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Bristol Township Sewer Authority, Primary Facility ID # **853698**, 1800 River Road, Croydon, PA 19021, Bristol Township, **Bucks County**. Matthew Mercuri, PG, RMS Environmental LLC, 2198 Pennsbury Drive, Jamison, PA 18929, on behalf of Randee Elton, Township Manager, Bristol Township, 2501 Bath Road, Bristol, PA 19007, submitted a Final Report concerning remediation of soil and groundwater contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the Statewide health standards. Disapproved: October 25, 2022.

2029-2059 York Road, Primary Facility ID # **850612**, 2029-2059 York Road, Jamison, PA 18929, Warwick Township, **Bucks County**. Kevin Davis, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Paul Aschkenasy and Daniel Bleznak, York Road-Bladco LP, 715 Montgomery Avenue, Suite 3, Narberth, PA 19072, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with metals, lead, arsenic and the pesticide dieldrin. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: October 24, 2022.

NP Falls Township Industrial, LLC—Keystone Trade Center (KTC)—Lot 23, Primary Facility ID # **849384**, One Ben Fairless Drive, Fairless Hills, PA 19030, Falls Township, **Bucks County**. John A. Garges, GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of Andy Mace, NP Falls Township Industrial, LLC, 652 Mayfair Lane, York, PA 17408, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil contaminated with VOCs, SVOCs, metals and PCBs. The Final Report demonstrated attainment of the site-specific standards. Approved: October 25, 2022.

Navy Yard Chapel Block, Primary Facility ID # **619603**, 200 and 1260 Normandy Place, 1225 Constitution Avenue, Philadelphia, PA 19112, City of Philadelphia, **Philadelphia County**. Michael C. Nines, PE, Manko, Gold, Katcher & Fox, 401 City Avenue, Suite 901, Bala Cynwyd, PA 19004, on behalf of Jewelle Kennedy, Ensemble Investments, LLC, 444 Ocean Boulevard, Suite 650, Long Beach, CA 90828, submitted a Baseline Environmental Report concerning remediation of soil and groundwater contaminated with metals and SVOCs. The Report demonstrated attainment of the special industrial area provision of act 2. Approved: October 31, 2022.

752 Holland Road, Primary Facility ID # **857842**, 752 Holland Road, Northampton, PA 18966, Northampton Township, **Bucks County**. Thomas Hippensteal, PG, Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477, on behalf of Federal National Mortgage Association, 14221 Dallas Parkway # 1000, Dallas, TX 75265, submitted a Final Report concerning remediation of soil contaminated with No. 2 fuel oil. Approved: October 31, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

EQT Golden Goose Well Pad, Primary Facility ID # **860912**, 45 Covered Bridge Lane, Scenery Hill, PA 15360, North Bethlehem Township, **Washington County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, zinc, and chloride. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: November 1, 2022.

HAZARDOUS WASTE TRANSPORTER LICENSE

Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

New Transporter License Issued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Apollos Waters, LLC, 108 W 1250 S, Battle Ground, IN 47920. **License No. PA-AH 0922**. Application received: October 3, 2022. Effective October 27, 2022.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Dart Trucking Company, Inc., P.O. Box 157, North Lima, OH 44452. **License No. PA-AH 0219**. Application received: October 18, 2022. Effective October 31, 2022.

Transport Rollex Ltee, 910 Boulevard Lionel-Boulet, Varennes, QC J3X 1P7. **License No. PA-AH 0544**. Application received: October 31, 2022. Effective October 31, 2022.

DI Trucking, LLC, 110 Jabez St., Newark, NJ 07105. **License No. PA-AH 0881**. Application received: October 19, 2022. Effective October 31, 2022.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

PAD981038227. World Resources Company, 984 West Broadway, Suite 3, Jackson, WY 83001, Norwegian Township, **Schuylkill County**. A permit renewal for the continued operation of a hazardous waste treatment and storage facility located at 170 Walnut Lane, Pottsville, PA 17901. Application received: March 9, 2021. Issued: November 4, 2022.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Actions(s) Taken on Draft Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

PAD987367216. AERC Acquisition Corporation d/b/a AERC Recycling Solutions a Clean Earth Company, 2591 Mitchell Avenue, Allentown, PA 18103, City of Allentown, **Lehigh County**. The Department intends to issue to AERC Acquisition Corporation d/b/a AERC Recycling Solutions a Clean Earth Company (AERC) a Solid Waste Management Act Permit. This permit is a renewal of the permit to operate a Hazardous and Residual Waste treatment and storage facility. The renewed permit will allow the existing Facility to remain in operation for another ten (10) years. This permit does not authorize any disposal of waste at this facility. The existing facility specializes in the treatment of mercury containing materials, lamps, and batteries in order to recover metallic

mercury. Activities conducted at the facility include lighting device recycling, mercury retorts, hydrometallurgical process, and lighting ballast transfer operations. AERC is proposing to amend the current approved activities to include containerized PCB waste transfer operations, aerosol can processing, and drum crushing operations. AERC is also proposing to accept additional residual wastes similar in nature and chemistry to wastes that are already managed at the facility. The public will be given forty-five (45) days to comment on the draft permit, issued November 10, 2022 and prepared under the Solid Waste Management Act. The comment period will begin on November 19, 2022 and will end on January 3, 2023. Any person interested in commenting on the application or draft permit must do so within this comment period. An information repository has been established at the DEP Northeast Regional Office. To request to view the draft permit and related information, contact Roger Bellas at 570-826-2511 or rbellas@pa.gov for further information. When making a determination regarding the issuance of a hazardous waste permit to AERC, DEP will consider all written comments received during the comment period, the requirements of the hazardous waste regulations of 25 Pa. Code §§ 260—270, and DEP's permitting policies. Application received: February 22, 2016. Issued: November 10, 2022.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2511, rbellas@pa.gov, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGR123SW026. Range Resources-Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Hopewell Township, **Washington County**. At the request of the Permittee, general permit WMGR123SW026, issued on August 3, 2018 and renewed on January 4, 2021 for the processing, transfer and beneficial use of oil and gas liquid waste at the Hopewell 20 Tank Pad intended to be located at 621 Fox Road, Avella, PA 15312, Hopewell Township, Washington County, is revoked. The facility was never constructed nor operated; therefore, the Department is releasing \$173,939 in financial assurance associated with the revoked permit. Application received: August 10, 2022. Revoked: November 2, 2022.

Persons interested in reviewing the permit may contact Regional Files (412-442-4100), Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5A-08-00016A: Chesapeake Appalachia, LLC, P.O. Box 18496, Oklahoma City, OK 73154, New Albany Borough, **Bradford County**. To construct and operate a 1380 bhp Caterpillar 3516 four-stroke lean-burn, natural gas-fired compressor engine equipped with catalytic oxidizer (ENG-001) and the previously authorized sources which include: six (6) produced water tanks, six (6) 0.75 MMBtu/hr, natural gas-fired gas production units (GPU-1—GPU-6), truck loadout, venting/blowdowns, and fugitives emissions at their Lightcap BRA Pad. Application received: October 17, 2022. Issued: November 2, 2022.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief, 814-332-6940.

AG5-32-00008A (GP5-32-357C): Peoples Natural Gas Company, LLC, Creekside Compressor Station, 375 North Shore Drive, Pittsburgh, PA 15212, White Township, **Indiana County**. The Department authorized the renewal of continued operation of equipment, with no proposed modifications (BAQ-GPA/GP5) located at the Creekside Compressor Station. Application received: August 11, 2022. Renewed: November 2, 2022.

AG5A-10-00009A (GP5A-10-00439A): XTO Energy Inc., Bachelder Well Pad, 190 Thorn Hill Road, Warrendale, PA 15086, Penn Township, **Butler County**. The Department reauthorized the operation of existing equipment at the Marcellus well pad and authorized the installation and operation of additional equipment to operate a natural gas well pad that consists of three (3) Marcellus wells and one (1) Utica well with line heaters and non-heated separators, two (2) sand separator tanks, five (5) produced water tanks, one (1) condensate tank, one (1) methanol tank, produced water loading, condensate loading, two (2) thermoelectric generators, pipeline pigging, miscellaneous venting, and an enclosed combustor which controls the produced water tanks and condensate tank associated with the Marcellus wells (BAQ-GPA/GP5A) located at the Bachelder well pad. Application received: August 24, 2022. Issued: November 3, 2022.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

GP1-31-05021C: PA Department of Corrections—SCI Huntingdon, 1120 Pike Street, Huntingdon, PA

16652-1117, Smithfield Township, **Huntingdon County**. For one new boiler (41.844 MMBtu, Cleaver Brooks, NG/No. 2 oil-fired) and three existing NG/No. 2 oil-fired boilers, under GP1, at the Huntingdon SCI facility. Application received: September 29, 2022. Issued: November 1, 2022.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03056B: SKF USA Inc., 20 Industrial Dr., Hanover, PA 17331, Penn Township, **York County**. For the installation of a plasma spray booth and associated cold cleaning equipment at the facility. The spray booth will use a plasma arc to melt metal oxide powder and apply it as a coating, and particulate matter will be controlled by a dust collector. The cleaning equipment will be an immersion cold cleaning machine. Application received: May 31, 2022. Issued: November 2, 2022.

07-03071A: Champion Home Builders Inc., Claysburg Plant 7, 755 West Big Beaver Road, Suite 1000, Troy, MI 48084, Greenfield Township, **Blair County**. For an existing modular home manufacturing facility, including adhesives and coating operations. Application received: May 24, 2022. Issued: November 3, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

56-00323A: Rockwood Manufacturing Company, 258 Beacon Street, Somerset, PA 15501, Somerset Borough, **Somerset County**. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department intends to issue Air Quality Plan Approval 56-00323A to allow the installation and temporary operation of an aluminum anodizing line comprised of five (5) 2,513 gallon process vessels, four (4) 3,111 gallon process vessels, and one (1) 2,513 gallon process vessel routed to a 44,000 cfm vertical wet packed scrubber equipped with mist eliminators. The line is also comprised of one (1) 2,752-gallon process vessel and one (1) 2,585-gallon process vessel routed to a 18,000-cfm vertical wet packed scrubber. Finally, the line also includes one (1) 6.3 MMBtu/hr natural gas-fired boiler. Application received: November 23, 2021. Issued: November 1, 2022.

65-00137C: ATI Flat Rolled Products Holdings, LLC, 130 Lincoln Avenue, Vandergrift, PA 15690, Vandergrift Borough, **Westmoreland County**. Plan Approval extension effective November 28, 2022, to extend the period of temporary operation of the facility. The new expiration date is May 28, 2023. Application received: October 21, 2022. Issued: November 1, 2022.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00033B: Renovo Energy Center, 12011 Sunset Hills Road, Suite 110, Reston, VA 20190, Renovo Borough, **Clinton County**. The company has received authorization for extension of the plan approval to April 27, 2024, for commencement of construction for their 1,240-megawatt combined cycle electrical generating plant. Application received: June 28, 2022. Revised: October 27, 2022.

60-00027A: Mifflinburg Area School District, 178 Maple St., Mifflinburg, PA 17844, Mifflinburg, PA 17844, Mifflinburg Borough, West Buffalo Township, Buffalo Township, **Union County**. To extend the plan approval expiration date to May 2, 2023 to allow continued operation of an 8.5 MMBtu/hr biomass boiler at its campus. Application received: October 31, 2022. Revised: November 2, 2022.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05083F: Calpine Mid-Merit, LLC, 1055 Pikes Peak Road, Delta, PA 17314, Peach Bottom Township, **York County**. For the upgrade of the Block 2 Electricity Generation Project's nominally rated power output capacity from 760 MW to 830 MW at the York Energy Center. The plan approval was extended. Application received: November 1, 2022. Issued: November 4, 2022.

67-05083G: Calpine Mid-Merit, LLC, 1055 Pikes Peak Road, Delta, PA 17314, Peach Bottom Township, **York County**. For the modification of the York Energy Center Block 2 Electricity Generation Project's turbine BACT emission limits. These limits are imposed on each combined cycle (CC) combustion turbine (CT) associated with the project. The existing facility is located in Peach Bottom Township, York County. The modification consists of the following changes to the requirements of P.A. No. 67-05083F (issued on August 1, 2016): 1.) Remove provisional status of any emission limits previously so specified except CO, 2.) Remove requirement for second stack test related to provisional emission limits, and 3) Revise the CO BACT emission limit for the CTs firing ULSD without duct burners from 3.5 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs) to a bifurcated limit as follows: Load \geq 90% = 2.0 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs); Load < 90% = 3.5 ppmvd @ 15% O₂ (3-hour block average; average of 3 test runs). The plan approval was extended. Application received: November 1, 2022. Issued: November 4, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03186A: Pregis EverTec, 9024 Old Route 22, Bethel, PA 19507, Bethel Township, **Berks County**. For the new mailer production facility. The plan approval was extended. Application received: October 31, 2022. Issued: November 7, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

15-0041E: Eastern Shore Natural Gas Company/Daleville Compressor Station, 604 Street Road, Cochranville, PA 19330-9488, Londonderry Township, **Chester County**. An extension to allow the testing of the 3,750-hp natural gas-fired compressor (COMP-5) engine equipped with an oxidation catalyst pollution control system. Application received: October 7, 2022. Issued: November 2, 2022.

46-0027H: Janssen Research & Development, LLC, 1400 McKean Road, Spring House, PA 19477, Lower Gwynedd Township, **Montgomery County**. An extension for the installation of a new 1,000-ekW emergency generator set at its existing pharmaceutical research and development facility. Application received: October 5, 2022. Issued: November 2, 2022.

46-0005AY: Merck Sharp & Dohme Corp, 770 Summeytown Pike, West Point, PA 19486-0004, Upper Gwynedd Township, **Montgomery County**. An extension to build Building 50 with good manufacturing practice (GMP) space, to use cleaners and disinfectants that contain volatile organic compounds in the GMP areas, and to install a 2,500-kW natural gas-fired non-emergency generator. Application received: October 17, 2022. Issued: November 2, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

30-00072H: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For plan approval extension to authorize continued temporary operation of sources and controls associated with the Bailey Prep Plant Expansion. Application received: October 25, 2022. Issued: November 28, 2022.

30-00072I: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, East Finley Township, **Washington County**. For plan approval extension to authorize continued temporary operation of sources and controls associated with the Enlow Fork Overland Conveyor. Application received: October 25, 2022. Issued: November 28, 2022.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration, 215-685-9426.

OP21-000064: Philadelphia Energy Solutions Refining and Marketing, LLC (PESRM)/Schuylkill River Tank Farm Terminal, 70th and Essington Avenue, City of Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. This action is for a modification and renewal of the existing TVOP. PESRM is the owner and operator and is responsible for air quality compliance for the equipment in operation under the TVOP. Application received: November 7, 2022. Issued: October 7, 2022.

OP20-000052: Philadelphia Energy Solutions Refining and Marketing LLC (PESRM), 3144 Passyunk Avenue, City of Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. This action is for a modification and renewal of the existing TVOP. While PESRM remains the owner of the former refinery, NorthStar is the operator and is responsible for air quality compliance for the remaining equipment currently in operation under the TVOP. Application received: October 6, 2020. Issued: October 7, 2022.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05002: Lehigh Cement Co., LLC, 537 Evansville Road, Fleetwood, PA 19522-8541, Maiden Creek Township, **Berks County**. For the cement manufacturing facility. The Title V Operating Permit underwent a significant modification to incorporate the requirements and emission limits specified in the U.S. EPA Consent Decree No. 5:19-cv-05688, and to update the permit contact. Application received: June 30, 2022. Issued: November 1, 2022.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

31-03003: New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664-0077, Cromwell Township, **Huntingdon County**. For the stone crushing operations at the Orbisonia Quarry. The State-Only Permit was renewed. Application received: May 23, 2022. Issued: November 1, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05149: Burle Corporate Park LLC, 1004 New Holland Avenue, Lancaster, PA 17601-5606, City of Lancaster, **Lancaster County**. For the boilers and engines at the business park. The State-Only Permit was renewed. Application received: April 28, 2022. Issued: November 1, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00143: Naceville Materials, 2001 Ridge Road, Sellersville, PA 18960, West Rockhill Township, **Bucks County**. For the renewal of a State Only Operating Permit and incorporation of Plan Approval 09-0143B for their rock crushing facility in West Rockhill Township, Bucks County. Application received: February 25, 2022. Issued: October 31, 2022.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05030: CP Converters, Inc., 15 Grumbacher Road, York, PA 17406-8417, Manchester Township, **York County**. For the flexible packaging printing facility. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 67-05030G. Application received: August 26, 2022. Issued: October 31, 2022.

21-05028: Fry Communications, Inc., 101 Fry Dr., Mechanicsburg, PA 17050, Mechanicsburg Borough, **Cumberland County**. For the Building 3 printing facility. The State-Only Permit underwent a significant modification to incorporate Plan Approval No. 21-05028C, and to revise Section E, Group 03, Condition # 001 to include the alternative limitations allowed by 25 Pa. Code § 129.67b(d)(1)(iii) and (iv), as follows: In lieu of the 90% or 95% VOC control efficiency of an add-on air pollution control device required in § 129.67b(d)(1)(i), Sources 101, 103, 105, 108 and 109 shall instead comply with an alternative limitation as follows: the VOC outlet concentration of the add-on control device of each source shall not exceed 20 ppm as hexane (40 ppm as propane) on a dry basis. In a related issue, Section E, Group 02, Condition # 002 was revised for Source 109, to also allow for a 20 ppm VOC outlet concentration limit to be used in demonstrating compliance, in lieu of demonstrating VOC destruction efficiency. Application received: June 7, 2022. Issued: November 1, 2022.

28-05011: Waste Management Disposal Services of PA, Inc., 9446 Letzberg Rd., Greencastle, PA 17225, Antrim Township and Montgomery Township, **Franklin County**. For the operation of a municipal solid waste landfill. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 28-05011C. Application received: October 18, 2022. Issued: November 3, 2022.

67-05024: Lehigh White Cement Co., LLC, 200 Hokes Mill Road, York, PA 17404-5540, West Manchester Township, **York County**. For the cement manufacturing facility. The Title V permit underwent an administrative amendment to add back emission limits for BART-Eligible Sources. The previously approved limits were inadvertently omitted in the previous iteration of the permit. Application received: October 27, 2022. Issued: November 2, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00037: Global Advanced Metals USA, Inc., 650 County Line Road, Boyertown, PA 19512, Douglass Township, **Montgomery County**. In accordance with 25 Pa. Code § 127.450, the Title V Operating Permit (TVOP) was amended to incorporate the conditions of Plan Approval 46-0037AD into the TVOP. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Application received: August 28, 2022. Issued: November 3, 2022.

46-00171: Lesjofors Real Estate Company, LLC, 1 Spring Ave, Lansdale, PA 19446, Lansdale Borough, **Montgomery County**. In accordance with 25 Pa. Code § 127.450(a)(4), the permit was amended to change the

ownership to Lesjofors Real Estate Company LLC from John Evans Sons Inc. Application received: September 26, 2022. Issued: November 3, 2022.

Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

03-00152: Glacial Sand & Gravel, Tarrtown Land Plant, P.O. Box 1022, Kittanning, PA 16201-5022, East Franklin Township, **Armstrong County**. The State Only Operating Permit was revoked for the facility. This Permit was revoked because the source (101—Sand & Decorative Gravel Processing Plant) has been dismantled and is no longer operational. Application received: October 13, 2022. Revoked: October 26, 2022.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

Mining Permit No. 17010110. NPDES No. PA0243132. River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847, Bigler Township and Woodward Township, **Clearfield County**. Renewal of a mining permit and associated NPDES permit for reclamation only of a bituminous surface coal mine affecting 25.5 acres. Receiving stream(s): unnamed tributary No. 6 to Upper Morgan Run classified for the following use(s): CWF, MF. Application received: February 15, 2022. Permit issued: November 1, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54850202. B-D Mining Company, 10 Gilberton Road, Gilberton, PA 17934, Gilberton Borough, Shenandoah Borough, West Mahanoy Township and Mahanoy Township, **Schuylkill County**. Renewal of an anthracite surface mine, coal refuse reprocessing, coal refuse disposal, preparation plant, coal ash and biosolids operation affecting 1,590.0 acres. Receiving stream: Mahanoy Creek. Application received: July 31, 2020. Renewal issued: November 2, 2022.

Mining Permit No. 54850202. B-D Mining Company, 10 Gilberton Road, Gilberton, PA 17934, Gilberton Borough, Shenandoah Borough, West Mahanoy Township and Mahanoy Township, **Schuylkill County**. Correction to update the post-mining land use of an anthracite surface mine, coal refuse reprocessing, coal refuse disposal, preparation plant, coal ash and biosolids operation affecting 1,590.0 acres. Receiving stream: Mahanoy Creek. Application received: December 10, 2020. Correction issued: November 2, 2022.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 37070303. NPDES No. PA0258491. Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201, Slippery Rock Township, **Lawrence County**. Revision to an existing bituminous surface mine to add 22.6 acres. Application received: March 10, 2022. Issued: November 3, 2022.

Mining Permit No. 33220801. Andrew & Susan Neill, 7181 Route 949, Sigel, PA 15860, Eldred Township, **Jefferson County**. Commencement, operation and restoration of a small industrial minerals mine. Application received: May 4, 2022. Issued: November 4, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 67070301. NPDES Permit No. PA0224600. Glen-Gery Corp., 1166 Spring Street, Wyomissing, PA 19610, Dover Township, **York County**. Renew NPDES Permit on a quarry operation. Receiving stream: unnamed tributary to Fox Run. Application received: July 18, 2022. Renewal issued: November 1, 2022.

Mining Permit No. 58220810. GP104 No. PAM122034. Robert Bonnice, 392 Shoemaker Road, Montrose, PA 18801, Thompson Township, **Susquehanna County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: Starrucca Creek. Application received: July 14, 2022. Coverage issued: November 3, 2022. Expiration date: March 27, 2026.

Mining Permit No. 36820301. NPDES Permit No. PA0612171. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, Brecknock Township, **Lancaster County**. Renew NPDES Permit on a quarry operation. Receiving stream: unnamed tributary to Black Creek. Application received: June 2, 2022. Renewal issued: November 3, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8101.

Permit No. 08224104. Meshoppen Blasting, Inc., Frantz Road, P.O. Box 127, Meshoppen, PA 18630, Monroe Township, Albany Township, **Bradford County.** Blasting for a gas pad. Application received: October 27, 2022. Issued: October 28, 2022. Expiration date: October 27, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot

afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EPWW-NERO@pa.gov.

E402221-011. Luzerne County, P.O. Box 33A, Wilkes-Barre, PA 18644, Wyoming Borough, **Luzerne County.** U.S. Army Corps of Engineers Baltimore District.

To restore approximately 2,000 linear feet of stream along UNT to the Susquehanna River (CWF, MF). The project will stabilize eroded stream embankments, remove legacy sediment at the flood control gates, and reduce future sediment from entering the Susquehanna River. Latitude: 41° 18' 04.4", Longitude: -75° 50' 33.8". Application received: August 3, 2021.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E1501222-001. Raj Real Estate, LLC, 81 Margil Farms Lane, Downingtown, PA 19335, West Whiteland Township, **Chester County.** U.S. Army Corps of Engineers Philadelphia District.

To rehabilitate and maintain the existing retail shopping center to accommodate more floor space over the two small wetlands (PEM) associated with expansion of the Grocery Outlet to serve the local community needs. The expansion will include the parking area and the stormwater facility. Total wetlands impact will be 0.013 acre. The site is located at 4 Tabas Lane, Exton (Malvern, PA USGS Quadrangle) in West Whiteland Township, Chester County. Latitude: 40.027882°, Longitude: -75.617276°. Application received: March 10, 2022. Issued: October 31, 2022.

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-44-4281.

E6307222-006. ETC Northeast Field Services, LLC, 6051 Wallace Road Extension, Suite 300, Wexford, PA 15090, Robinson Township, **Washington County.** U.S. Army Corps of Engineers Pittsburgh District. Latitude: 40.423919°, Longitude: -80.352728°. Application received: May 26, 2022. Issued: October 21, 2022. ETC Northeast Field Services, LLC is proposing to remediate a slope failure near Station 2087+50 of the Revolution natural gas pipeline. The project requires permanent impacts to streams and wetlands due to reconstruction of the slope with engineered soil fill and a riprap fill foundation key. The slope will be reconstructed to approximate preexisting grades. Wetland mitigation is proposed at the already constructed Upper Cross Creek Restoration Area. The project is located within the Clinton USGS 7 1/2 Minute Quadrangle Map.

<i>Resource</i>	<i>Resource Type</i>	<i>Activity Type</i>	<i>Permanent Direct (acres)</i>	<i>Temporary Direct (acres)</i>	<i>Permanent Indirect (acres)</i>	<i>Temporary Indirect (acres)</i>
Wetland 9-ET	PEM (Other)	Fill	0.002	0.007	-----	-----
UNT to Trib 33805 to Little Raccoon Run	WWF	Riprap foundation key and placement of structural fill/geogrid within floodway.	-----	0.077	0.004	-----

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 ESG294122008-00
 Applicant Name Beech Resources, LLC
 Contact Person Donald Stevenson
 Address 343 Pine Street, Suite 1
 City, State, Zip Williamsport, PA 17701
 Township(s) Lycoming Township
 County Lycoming County
 Receiving Stream(s) and Classification(s) Lycoming Creek (EV, MF), UNT to Beautys Run (WWF, MF)
 Application received: August 31, 2022
 Issued: November 2, 2022

ESCGP # 3 ESG295822026-00
 Applicant Name Williams Field Services Co, LLC
 Contact Person Jayme Stotka
 Address 2000 Commerce Drive

City, State, Zip Pittsburgh, PA 15275
 Township(s) Dimock Township
 County Susquehanna County
 Receiving Stream(s) and Classification(s) UNT to Meshoppen Creek # 63049 (CWF, MF)
 Application received: October 7, 2022
 Issued: November 2, 2022

ESCGP # 3 ESG295822027-00
 Applicant Name Williams Field Services Co, LLC
 Contact Person Barry Mahar
 Address 30351 Route 6
 City, State, Zip Wysox, PA 18854
 Township(s) Dimock Township
 County Susquehanna County
 Receiving Stream(s) and Classification(s) West Creek (CWF, MF), Unnamed Tributary to Elk Lake Stream (CWF, MF)
 Application received: October 25, 2022
 Issued: November 3, 2022

ESCGP # 3 ESG295822011-00
 Applicant Name Coterra Energy, Inc.
 Contact Person Kenneth Marcum
 Address 2000 Park Lane, Suite 300
 City, State, Zip Pittsburgh, PA 15275-1121
 Township(s) Bridgewater Township
 County Susquehanna County
 Receiving Stream(s) and Classification(s) Unnamed Tributary to Meshoppen Creek (CWF, MF)
 Application received: May 19, 2022
 Issued: November 3, 2022

ESCGP # 3 ESG294122009-00
 Applicant Name Beech Resources, LLC
 Contact Person Donald Stevenson
 Address 343 Pine Street, Suite 1
 City, State, Zip Williamsport, PA 17701
 Township(s) Lycoming Township
 County Lycoming County
 Receiving Stream(s) and Classification(s) UNT to Quenschuckeny Run (WWF, MF), UNTs to Beautys Run (WWF, MF)
 Application received: September 2, 2022
 Issued: November 7, 2022

ESCGP # 3 ESG294122010-00
 Applicant Name NFG Midstream Trout Run, LLC
 Contact Person James Welch
 Address 6363 Main Street
 City, State, Zip Williamsville, NY 14221-5855
 Township(s) Gamble Township
 County Lycoming County
 Receiving Stream(s) and Classification(s) Mill Creek (EV, MF)
 Application received: September 29, 2022
 Issued: November 7, 2022

ESCGP # 3 ESG295922015-00
 Applicant Name Pennsylvania General Energy Co, LLC
 Contact Person Nathan Harris
 Address 120 Market Street
 City, State, Zip Warren, PA 16365
 Township(s) Union Township
 County Tioga County
 Receiving Stream(s) and Classification(s) Carpenter Run
 (EV), West Mill Creek (HQ-CWF, MF), UNT to Tioga
 River (CWF, MF), UNT to Bear Run (CWF, MF)
 Application received: September 28, 2022
 Issued: November 7, 2022

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The Following Storage Tank Site-Specific Installation Permit(s), Under the Authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and Under 25 Pa. Code Chapter 245, Subchapter C, Have Been Issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Application No. 22009
 Applicant Name United Refining Company
 Address 15 Bradley Street
 City, State, Zip Warren, PA 16365
 Municipality City of Warren
 County Warren County
 Tank Type One AST storing petroleum products
 Tank Capacity 5,118,078 gallons
 Application Received September 5, 2022
 Permit Issued November 2, 2022

CLOSURE-IN-PLACE VARIANCE

The Following Variance from Closure Requirements Under the Authority of the Storage Tank Spill Prevention Act (35 P.S. § 6021.501) and Under 25 Pa. Code Chapter 245, Subchapter E, Has Been Issued by the Bureau of Environmental Cleanup and Brownfields, P.O. Box 8762, Harrisburg, PA 17105-8762.

Variance No. U-22-0002
 Applicant Name & Address Wilkesburg Penn Joint Water Authority (WPJWA)
 Address 2200 Robinson Blvd
 City, State, Zip Pittsburgh, PA 15221-1112
 Municipality Penn Hills Township
 County Allegheny
 Tank Type(s) Hazardous
 Tank Capacity(s) 17,000 gallons

The variance request asks that underground storage tanks (USTs) 001 and 002 be excluded from part of the UST closure requirements located in 25 Pa. Code § 245.452(b). Specifically, the variance requests that USTs 001 and 002 be permanently closed without being removed from the ground or being filled with a non-shrinking, inert solid material as required by regulation. A variance was granted with the following conditions: (1) Wilkesburg Penn Joint Water Authority (WPJWA) shall comply with all remaining applicable requirements of 25 Pa. Code Chapter 245 and shall not violate any applicable provision of the Storage Tank and Spill Prevention Act; (2) This Variance Approval will remain in effect until November 1, 2025, unless amended or revoked by the Department or terminated for any reason by WPJWA or the Department.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Fogelsville Shell, Storage Tank Facility ID # **39-07046**, 241 North Route 100, Allentown, PA 18106, Upper Macungie Township, **Lehigh County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of Eastern Star, Inc., 241 North Route 100, Allentown, PA 18106 submitted a Remedial Action Completion Report concerning remediation of soil contaminated with gasoline. The report is intended to document the remedial actions for meeting site-specific standards.

Route 309 Development Corporation, Storage Tank Facility ID # **40-32158**, Route 309, Dallas, PA 18612, Dallas Township, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of 309 Development Corporation, 400 Mill Street, Dunmore, PA 18512 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting Statewide health and site-specific standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ellen Roberts.

7 Eleven 36133, Storage Tank Facility ID # **37-90076**, 201 North St, Ellwood City, PA 16117, Ellwood City Borough, **Lawrence County**. AECOM Technical Services, Inc., 625 West Ridge Pike, Suite E100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., P.O. Box 711—0148, Dallas, TX 75221, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health standards.

Sheetz 75R, Storage Tank Facility ID # **10-91749**, 107 Franklin Street, Slippery Rock, PA 16057, Slippery Rock Borough, **Butler County**. EnviroTrac Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 351 Sheetz Way, Claysburg, PA 16625 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline, waste oil. The report is intended to document the remedial actions for meeting nonresidential site-specific standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Gregory Bowman, Environmental Group Manager, 717-705-4705.

AJ Auto, Storage Tank Facility ID # **36-20440**, 315 South Main Street, Manheim, PA 17545-2212, Manheim Borough, **Lancaster County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sunoco, Inc., 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Contact: Robin L. Yerger, LPG, 717-705-4705.

Former Gulf Service Facility No. 142574, Storage Tank Facility ID # **21-09181**, 1156 Harrisburg Pike, Carlisle, PA 17013, Middlesex Township, **Cumberland County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of Cumberland Farms, Inc., 100 Crossing Blvd., Framingham, MA 01702, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Bennett Park Gulf Sta, Storage Tank Facility ID # **51-44941**, 11600 Roosevelt Blvd., Philadelphia, PA 19116, City of Philadelphia, **Philadelphia County**. Environmental Maintenance Company, 1420 E. Mermaid Lane, Glenside, PA 19038, on behalf of Bennet Park Gulf Station, 11600 Roosevelt Blvd., Philadelphia, PA 19116 submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum prod-

ucts. The combined plan and report is intended to document the remedial actions for meeting residential Statewide health standards.

Turkey Hill 193, Storage Tank Facility ID # **15-40730**, 2 E. Bridge Street, Spring City, PA 19475, Spring City Borough, **Chester County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of Turkey Hill Minit Markets, LLC c/o EG America, 165 Flanders Road, Westborough, MA 01581 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Robinson Township Allegheny County, Storage Tank Facility ID # **02-00797**, 5001 Leona Lane, Coraopolis, PA 15108, Robinson Township, **Allegheny County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101, on behalf of Robison Township, 5001 Leona Lane, Coraopolis, PA 15108, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with waste oil. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

CMP Clearfield, Storage Tank Facility ID # **17-25092**, 1126 S. 2nd Street, Clearfield, PA 16830, Clearfield Borough, **Clearfield County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823, on behalf of EDPO, LLC d/b/a CMP-Energy, P.O. Box 669, Philipsburg, PA 17044, submitted a Remedial Action Plan concerning remediation of soil contaminated with petroleum. The plan residential was acceptable to meet the Statewide health standards and was approved by DEP on October 31, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Effort Texaco, Storage Tank Facility ID # **45-50054**, 2604 Route 115, Effort, PA 18330, Chestnuthill Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Arya & Patel, LLC, P.O. Box 381, Effort, PA 18330, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was acceptable to meet the Statewide health standards and was approved by DEP on November 3, 2022.

151 Memorial Convenience, Storage Tank Facility ID # **40-15486**, 151 Memorial Highway, Dallas, PA 18612, Dallas Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Sagar 151, LLC, 142 Sly Street, Floor 2, Luzerne, PA 18709, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan was acceptable to meet the Statewide health standards and was approved by DEP on November 7, 2022.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ellen Roberts.

Kwik Fill M26, Storage Tank Facility ID # **61-23788**, 1500 Riverside Drive, Oil City, PA 16301, Cranberry Township, **Venango County**. GES, 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company, 15 Bradley St, Warren, PA 16365 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report nonresidential was acceptable to meet the Statewide health standards and was approved by DEP on November 3, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Cherie Campbell, Soil Scientist, 717-705-4705.

AJ Auto, Storage Tank Facility ID # **36-20440**, 315 South Main Street, Manheim, PA 17545-2212, Manheim Borough, **Lancaster County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of

Sunoco, Inc., 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The report nonresidential demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on November 3, 2022.

Contact: Robin L. Yerger, LPG, 717-705-4705.

Former Gulf Service Facility No. 142574, Storage Tank Facility ID # **21-09181**, 1156 Harrisburg Pike, Carlisle, PA 17013, Middlesex Township, **Cumberland County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of Cumberland Farms, Inc., 100 Crossing Blvd., Framingham, MA 01702, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The report nonresidential did not demonstrate attainment of the Statewide health and site-specific standards and was disapproved by DEP on November 1, 2022.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

LUKOIL 69254, Storage Tank Facility ID # **09-41455**, 501 S. Oxford Valley Rd., Fairless Hills, PA 19030, Falls Township, **Bucks County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A-2 and 3, Ambler, PA 19002, on behalf of LUKOIL North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and used motor oil. The combined plan and report nonresidential demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on November 7, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Log Cabin Service, Storage Tank Facility ID # **30-09729**, 735 Golden Oaks Road, New Freeport, PA 15352, Freeport Township, **Greene County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Bill Wise, 899 Jollytown Road, New Freeport, PA 15352 submitted a Remedial Action Plan concerning remediation of soil contaminated with unleaded gasoline. The plan residential was acceptable to meet the Statewide health standards and was approved by DEP on November 1, 2022.

SPECIAL NOTICES

WATER PROGRAMS

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5987.

Contact: RA-EPREGIONALPERMIT@pa.gov.

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water

Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Regional Permit Coordination Office as noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates.

More information regarding the permit applications related to this proposed project may be available online (dep.pa.gov/pipelines) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or RA-EPREGIONALPERMIT@pa.gov.

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

Persons with a disability that require an auxiliary aid, service or other accommodation should contact the specified Department office. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

PUBLIC NOTICE OF APPLICATION AND DRAFT STATE WATER QUALITY CERTIFICATION FOR A FERC REGULATED PIPELINE PROJECT

Proposed State Water Quality Certification Required by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the A2MII and Armagh and Entriaken Replacement Projects.

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONALPERMIT@pa.gov

WQ0083222-001, Texas Eastern Transmission, LP (Applicant), 890 Winter Street, Suite 320, Waltham, MA 02451. Appalachia to Market II & Armagh & Entriaken HP Replacement Project (Project), in North Lebanon Township, Bethel Township, and Jackson Township, **Lebanon County**; West Wheatfield Township, **Indiana County**, Todd Township, **Huntingdon County**; North

Union Township, **Fayette County**, and Jackson Township, **Cambria County**, U.S. Army Corps of Engineers, Baltimore District and Pittsburgh District. The proposed project starts at the existing receiver removal site off Halfway Drive (Latitude: 40.393475°; Longitude: -76.366350°) and ends at the proposed receiver site off East Rosebud Road (Latitude: 40.405699°; Longitude: -76.332384°). The project also includes modifications at the Armagh Compressor Station (Latitude: 40.431570°; Longitude: -79.082670°), modifications at the Entriaken Compressor Station Modifications (Latitude: 40.310087°; Longitude: -78.139601°), and four existing contractor yards with no earth disturbance and no resource impacts: Lebanon Yard (Latitude: 40.365819°; Longitude: -76.364089°), Myerstown Yard (Latitude: 40.380308°; Longitude: -76.285294°), Mt. Braddock Yard (Latitude: 39.940527°; Longitude: -79.651676°), Mundys Corner Yard (Latitude: 40.447689°; Longitude: -78.834619°).

On July 7, 2022, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP22-486). On August 19, 2022, the FERC issued a Notice of Intent to Prepare an Environmental Impact Statement, which may be viewed on FERC's website at www.ferc.gov (search eLibrary; Docket Search; CP22-486).

On August 5, 2022, Applicant requested a state water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project, as proposed, includes an approximately 2-mile long, 36-inch pipeline, 2 compressor station modifications, and associated ancillary facilities to transport natural gas from Appalachia supply basin in Southwest Pennsylvania to existing local distribution company (LDC) customers in New Jersey. The Project, as proposed, will require approximately 97 acres of earth disturbance, and impacts to 262 linear feet of Deep Run (WWF, MF), tributaries to Deep Run (WWF, MF), and tributaries to Great Trough Creek (TSF, MF), 1.86 acres of floodway, 0.48 acre of temporary PEM wetland impacts, and 0.22 acre of PEM permanent impacts.

PADEP, by this notice, is proposing to issue a SWQC to Texas Eastern Transmission, LP for the Appalachia to Market II & Armagh & Entriaken HP Replacement Project. PADEP is proposing to certify that construction, operation and maintenance of the Appalachia to Market II & Armagh & Entriaken HP Replacement Project complies with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The PADEP is proposing to further certify that the construction, operation and maintenance of the Appalachia to Market II & Armagh & Entriaken HP Replacement Project complies with Pennsylvania water quality standards and will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. Discharge of Hydrostatic Test Water—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the

discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. Erosion and Sediment Control and Stormwater Management—All projects proposing earth disturbance must implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. Water Obstruction and Encroachment Permits—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management), and all other applicable regulations.

4. Other Water Quality Requirements—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. Water Quality Monitoring—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. Operation—At all times, Applicant shall properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. Inspection—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals issued to ensure the project shall maintain and protect state water quality standards as required by this SWQC. Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. Transfer of Projects—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the

prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. Correspondence—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to:

Department of Environmental Protection
Regional Permit Coordination Office
Domenic Rocco, PE, Director
400 Market Street, Harrisburg, PA 17101
RA-EPREGIONALPERMIT@pa.gov

10. Reservation of Rights—PADEP may modify, suspend or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that Applicant has not complied with the terms and conditions of this SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. Other Laws—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. Severability—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of the SWQC shall not be affected thereby.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

Texas Eastern Transmission, LP, 890 Winter Street, Suite 320, Waltham, MA 02451; Appalachia to Market II & Armagh & Entriaken HP Replacement Project.

Project components involving water obstructions and encroachments include modifications to the Entriaken Compressor Station in Huntingdon County and the installation and maintenance of an approximately 2-mile long, 36-inch diameter pipeline and appurtenant facilities in Bethel and Jackson Township within Lebanon County for improving the system reliability and providing additional natural gas to customers in NJ. The project consists of one Chapter 105 Water Obstruction and Encroachment Permit, one Chapter 105 Waiver, and one Chapter 102 Erosion and Sediment Control Permit. The following are the Chapter 105 permit applications being reviewed by the Department.

E3883222-003. The **Lebanon County** portion of the project is located in Bethel and Jackson Townships, U.S. Army Corps of Engineers, Baltimore District. The proposed project starts at the existing receiver removal site off Halfway Drive (Latitude: 40.393475°; Longitude: -76.366350°) and ends at the proposed receiver site off East Rosebud Road (Latitude: 40.405699°; Longitude: -76.332384°).

The proposed project impacts in Lebanon County include a total of 26 feet of temporary impacts and 21 feet

of permanent impacts to Deep Run (WWF, MF) and tributaries to Deep Run (WWF, MF); 0.13 acre of temporary floodway impacts, 0.09 acre of permanent floodway impacts; 0.48 acre of temporary impacts to PEM; and 0.22 acre of permanent impacts to PEM wetlands. To compensate for the proposed permanent project impacts in Lebanon County, Applicant is proposing to purchase credits from the Pennsylvania's Integrated Ecological Services, Capacity Enhancement and Support Program (PIESCES), which will include a total of 1.68 credits for wetland impacts, 0.05 credit for stream impacts, and 0.2 credit for assumed 50-foot floodway impacts.

WL3183222-001. The **Huntingdon County** portion of the project requests the Chapter 105 Waiver 105.12(a)(2) and is located in Todd Township, U.S. Army Corps of Engineers, Baltimore District. The proposed project is located at the Entriaken Compressor Station, off SR 3031 (Latitude: 40.310087°; Longitude: -78.139601°).

The proposed project impacts in Huntingdon County include a total of 215 linear feet of temporary impacts to UNT to Great Trough Creek (TSF, MF); 0.89 acre of temporary floodway impacts and 0.75 acre of permanent floodway impacts. There are no permanent stream impacts proposed.

EROSION AND SEDIMENT CONTROL

The following parties have applied for Erosion and Sediment Control Permits for earth disturbance associated with oil and gas exploration, production, processing, or treatment operations or transmission facilities.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department proposes to issue a permit to discharge, subject to certain limitations in the permit

conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

Applications Received Under Sections 5 and 402 of The Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

ESP83322200100E. The Department of Environmental Protection (Department) provides notice of receipt of an application for a Chapter 102, Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities. The application is currently under technical review for the Appalachia to Market II & Armagh & Entriaken HP Replacement Project, which proposes approximately 97 acres of earth disturbance for modifications of the Armagh Compressor Station in Indiana County, modifications of the Entriaken Compressor Station in Huntingdon County and construction of approximately 2.0 miles of 36-inch diameter pipeline adjacent to existing pipelines in Lebanon County.

This authorization is required for earth disturbance activities associated with oil and gas exploration, production, processing or treatment operations or transmission facilities when earth disturbance is five acres or greater. Review of this application is being coordinated among the Department and the associated county conservation districts.

The application under review is as follows:

<i>Permit No.</i>	<i>Applicant Name & Address:</i>	<i>Counties:</i>	<i>DEP Office:</i>
ESP83322200100E	Texas Eastern Transmission, LP 890 Winter Street Suite 320 Waltham, MA 02451	Huntingdon Indiana Lebanon	Regional Permit Coordination Office

PUBLIC COMMENTS FOR WATER OBSTRUCTIONS AND ENCROACHMENTS, STATE WATER QUALITY CERTIFICATION AND EROSION AND SEDIMENT CONTROL

A person wishing to comment on a proposed permit are invited to submit a statement to the appropriate Department office listed before the application within 30 days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department office during the 30-day public comment period.

Following the 30-day comment period, the program manager from the appropriate Department office will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination

may be appealed to United States Court of Appeals for the 3rd Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790.

More information regarding the permit applications related to this proposed project may be available online (dep.pa.gov/pipelines) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or RA-EPREGIONALPERMIT@pa.gov.

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Department office. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

ACTIVE AND ABANDONED MINE OPERATIONS**Notice of Public Conference.**

California District Mining Office: California District Mining Office, 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Notice is hereby given the Pennsylvania Department of Environmental Protection (DEP) District Mining Operations, has received two (2) major modification applications from **Tunnel Ridge, LLC**, permit number **63091301** to amend the existing permit.

The applications are to revise the existing Coal Mining Activities Permit (CMAP) underground mining acreage and the subsidence control plan area to (1) add 1,451.25 acres for development only mining in Donegal, West and East Finely Townships and (2) revise 1,155.75 acres from development only mining to longwall mining in Donegal Township. The existing mine is located within Donegal Township in Washington County.

California District Mining office has received requests for an informal public conference (IPC) concerning these major modification applications. In an effort to make this proceeding available to as many interested stakeholders as possible, this IPC is being held virtually on Wednesday, December 7, 2022 and will commence at 6:00 p.m.

Individuals who wish to participate and ask questions during the IPC must contact community relations coordinator John Repetz at jrepetz@pa.gov (717.705.4904) a minimum of 24 hours in advance of the event to reserve a time to present testimony. Individuals who register for the event will receive an email containing the link and instructions on how to join the virtual IPC. Video demonstrations and screen sharing will not be permitted. DEP staff will be available to answer general questions on the permit application.

The California District Mining Office will accept additional written comments from participants of the IPC two (2) weeks after the date of the proceeding until December 21, 2022.

If you are a person with a disability wishing to attend this IPC and require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact Bonnie Herbert at bherbert@pa.gov to discuss how we may accommodate your needs. If necessary, you may use the Pennsylvania Hamilton Relay Service by calling 1.800.654.5984 (TDD Users) or 1.800.654.5988 (Voice users) and request that your call be relayed to Bonnie Herbert at 724.769.1100.

Copies of the application are on file for public review at the Department of Environmental Protection, District Mining Operations, California District Office, 25 Technology Drive, California Technology Park, Coal Center, PA 15423. Please call or email Bonnie Herbert to inquire about electronic application review options.

WASTE, AIR, RADIATION AND REMEDIATION**Notice of Certification to Perform Radon-Related Activities in Pennsylvania.**

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-3595.

Contact: Austyn Shank.

In the month of October 2022, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Diana Vaccarello	P.O. Box 373 Murrysville, PA 15668-0373	Testing Individual
Mary Ann Saenz	1172 Skelp Level Road Downington, PA 19335	Testing Individual
Stephen Scott	678 Stock Farm Road Lake Ariel, PA 18436-4005	Testing Individual
Jordan Porreca	224 Efts Lane Steubenville, OH 43953-3414	Testing Individual
Shawn King	21256 Devore Road Meadville, PA 16335-8506	Testing Individual
Stephen Maurer	3633 Buttonwood Drive Doylestown, PA 18902-5403	Testing Individual
Justin Clark-Bailey	8020 Mine Street Fogelsville, PA 18051-1622	Mitigation Individual
Jesse Prussia	154 Wimmers Road Jefferson County, PA 18436-3247	Testing Individual
Heather Porreca	1112 Saint Mark Drive Glendora, NJ 08029-1552	Testing Individual

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Jeffrey Nicholls	P.O. Box 300 Tannersville, PA 18372-0300	Testing Individual
Matthew Steger	2133 Andrew Avenue Elizabethtown, PA 17022-8800	Testing Individual
Michael Gelsick	537 Maurus Street Saint Marys, PA 15857-1021	Testing Individual
Margie Gordon	125 Nevins Way Coatesville, PA 19320-1146	Testing Individual
Marc Shanley	55 Country Acres Drive Kunkletown, PA 18058-2603	Testing Individual
Chris Matteson	151 W Chocolate Ave Ste 145 # 31 Hershey, PA 17033-1651	Testing Individual
David Cowan	1735 Old Plains Road Pennsburg, PA 18073-2417	Testing Individual
Jason Bancroft	P.O. Box 261 Gilbertsville, PA 19525-0261	Testing Individual
John LaBar	983 W Cedarville Road Pottstown, PA 19465-7319	Testing Individual
Margie Gordon	125 Nevins Way Lab Coatesville, PA 19320-1146	Individual
Safe-Buy Home Inspections, LLC	7844 Old Route 56 Hwy W Indiana, PA 15701-4937	Testing Firm
Eric Kraklio	69 Curtis Street Pittston, PA 18640-2117	Testing Individual
David Glick	2061 Kenbrook Road Lebanon, PA 17046-7902	Testing Individual
Homechek Inc.	2575 Eastern Blvd Ste 210 York, PA 17402-2903	Testing Firm
Steven Johnson	2575 Eastern Blvd Ste 210 York, PA 17402-2903	Testing Individual
RVS Radon Mitigation LLC	294 E Cheltenham Avenue Philadelphia, PA 19120-1636	Mitigation Firm
Spencer Conrad	116 Gay Street # 186 Phoenixville, PA 19460-0186	Mitigation Individual

Beneficial Use of Coal Ash as Structural Fill.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

The following notice(s) is placed through the Department of Environmental Protection as required by 25 Pa. Code § 290.102.

Proposal(s) to use coal ash as structural fill received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Scrubgrass Generating Company L.P., Scrubgrass Township, Venango County. Scrubgrass Generating Company L.P. (Scrubgrass), proposes to place coal ash on site as structural fill to provide a support area for the installation of a solar panels. The proposed final grade will produce a relatively flat area. Signage and fencing will be added to restrict public access for security, safety, and environmental concerns. The Department's Regional Office has determined the proposal is consistent with the requirements of 25 Pa. Code § 290.102.

Persons interested in obtaining more information about the proposal may contact Christina S. Wilhelm, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335 at (814) 332-6848. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

[Pa.B. Doc. No. 22-1787. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Ohio Regional Water Resources Committee Public Meeting

The State Water Plan's Ohio Regional Water Resources Committee (Committee) will hold a public meeting for the purpose of voting on the Back Creek Critical Area Resource Plan. The Committee will meet on Monday, December 5, 2022, at 9 a.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meeting in person or remotely. Individuals wishing to provide public comments during the meeting must sign up in advance by contacting James Horton at jahorton@pa.gov or (717) 772-1100.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Committee's webpage found on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (search "Ohio Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the December 5, 2022, meeting can be directed to James Horton at jahorton@pa.gov or (717) 772-1100.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact James Horton at (717) 772-1100 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1788. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Infant Hearing Screening Advisory Committee Meeting

The Infant Hearing Screening Advisory Committee established under the Infant Hearing, Education, Assessment, Reporting and Referral (IHEARR) Act (11 P.S. §§ 876-1—876-9), will hold a public meeting on Thursday, December 8, 2022. The meeting will be held by means of Microsoft Teams from 1 p.m. until 3 p.m. The meeting can be accessed by logging on electronically through Microsoft Teams at the following web address. A physical meeting space will also be provided; contact Mark Beall using the following contact information by November 30, 2022, if individuals would like to attend in person. Agenda items will include IHSAC membership updates, Family Connections for Language and Learning program updates, reports by the Cytomegalovirus and Audiology subcommittee and a review of ongoing committee business.

For additional information or for persons with a disability who wish to attend the meeting and require auxiliary aid, service or other accommodation to do so, contact Mark Beall, Program Administrator, Division of Newborn Screening and Genetics at (717) 783-8143. Speech and/or

hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

The web address for the Teams Meeting is https://teams.microsoft.com/l/meetup-join/19%3ameeting_MTUzODcyNTktYTgwYy00MTlmLTgxNGMtMGZkZTZiNTAxOTI2%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%220id%22%3a%22a1f4fb12-9c8c-4b8e-8331-8d2e9559f28c%22%7d.

The call-in number for the meeting is (267) 332-8737 and the pin number is 439597495#.

The physical meeting space will be on the 7th Floor West, Conference Room A, Department of Health, 625 Forster Street, Harrisburg, PA 17120.

This meeting is subject to cancellation without notice.

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1789. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Analyses of Blood or Serum or Both for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code; Corrected Notice

This corrected notice replaces, in its entirety, the notice that was previously published at 52 Pa.B. 5580 (August 27, 2022).

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Federal Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and

procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analyses, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision at 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988, (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols SB, SSe, CB and CSe indicate the following:

- SB = approved for blood screening analyses
- SSe = approved for serum screening analyses
- CB = approved for blood confirmatory analyses
- CSe = approved for serum confirmatory analyses

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SB,
SSe, CB, CSe
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,
SSe, CB, CSe
789 PARK AVENUE
HUNTINGTON, NY 11743
(631) 973-0166

21613
ARUP LABORATORIES INC—SSe, CSe
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,
SSe, CB, CSe
3520 PROGRESS DRIVE, UNIT C
BENSALEM, PA 19020
(267) 525-2470

00977
DRUGSCAN INC—SB, SSe, CB, CSe
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

36525
FIRSTOX LABORATORIES LLC—CSe
4850 PLAZA DRIVE
IRVING, TX 75063
(813) 781-0891

31400
FRANCES WARDE MEDICAL LABORATORY—SSe, CSe
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

24655
HEALTH NETWORK LABORATORIES—SB, SSe, CB,
CSe
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SSe, CSe
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

05574
MEDTOX LABORATORIES INC—SB, SSe, CB, CSe
402 COUNTY ROAD, D WEST
ST PAUL, MN 55112
(651) 636-7466

32803
MOLECULAR DX, LLC—SB, CB
620 7TH STREET, SUITE C
WINDBER, PA 15963
(814) 361-6993

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,
CB, CSe
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

29741
NORTHERN TIER RESEARCH—SB, SSe, CB, CSe
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

30984
OFFICE OF THE DISTRICT ATTORNEY—SB, SSe,
CB
1601 RITNER HIGHWAY
CARLISLE, PA 17013
(717) 240-6526

35876
OPANS, LLC—CB
4134 S. ALSTON AVE., SUITE 100
DURHAM, NC 27713
(919) 323-4299

22533

PENNSYLVANIA DEPT. OF HEALTH—SB, CB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

01136

QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,
SSe, CB, CSe
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376

QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—SSe, CSe
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482

QUEST DIAGNOSTICS OF PA INC—CB, SSe
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461

QUEST DIAGNOSTICS VENTURE LLC—CB, SSe
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7675

00151

ST JOSEPH QUALITY MEDICAL LAB—SSe
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00018

WBGH COMMONWEALTH HEALTH LAB SVS—SSe
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141

YORK HOSPITAL—SSe
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1790. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code; Corrected Notice

This corrected notice replaces, in its entirety, the notice that was previously published at 52 Pa.B. 5581 (August 27, 2022).

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988, (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations at 42

CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, B and SB indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

00212

ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 481-2000

00041

ACMH HOSPITAL LABORATORY—S
ONE NOLTE DRIVE
KITANNING, PA 16201
(724) 543-8219

00061

AHN GROVE CITY MEDICAL CENTER—S
631 NORTH BROAD STREET EXT.
GROVE CITY, PA 16127
(724) 450-7128

38782

AHN WEXFORD HOSPITAL—B
12351 PERRY HIGHWAY
WEXFORD, PA 15090
(878) 231-5006

00233

ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK RD—LABS—TOWER BLDG
GROUND FL
PHILADELPHIA, PA 19141-3001
(215) 456-6102

00100

ALLE-KISKI MD CTR DBA AVH—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100

00671

ALLEGHENY COUNTY MED EX DIV OF LABS—SB
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886

34874

AMERATHON LLC, DBA AHA—S
26300 EUCLID AVENUE, SUITE 910
CLEVELAND, OH 44132
(216) 472-2318

00341

ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-2648

00236

ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068

00192

ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

21613

ARUP LABORATORIES INC—S
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

00047

ASSOCIATED CLINICAL LABORATORIES—SB
PATHOLOGY ASSOCIATES OF ERIE, INC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

24997

ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

00320

BARNES KASSON HOSPITAL LAB—S
2872 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059

00001

BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110

00033

BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

00369

BUCKTAIL MED CENTER—S
1001 PINE STREET
RENOVO, PA 17764
(570) 531-6176

00301

BUTLER MEMORIAL HOSPITAL—S
ONE HOSPITAL WAY, (911 E. BRADY STREET)
BUTLER, PA 16001
(724) 284-4513

00107

CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916

7210

00157
CGOH LABORATORY—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7973

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 260-9955 x6181

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113

00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD
MAIN BLDG-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

28143
CHOP KING OF PRUSSIA HOSPITAL—S
550 GODDARD BOULEVARD
KING OF PRUSSIA, PA 19406
(267) 426-5537

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-1399

33142
CLINICAL REFERENCE LABORATORY, INC—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

00313
COMMONWEALTH HEALTH TUNKHANNOCK—S
880 SR 6 W.
TUNKHANNOCK, PA 18657-6149
(570) 770-4113

00125
CONEMAUGH MEM MED CTR-MAIN LAB—SB
LABORATORY DEPT 1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9787

00231
CONEMAUGH MEYERSDALE MEDICAL CTR—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 972-6913

NOTICES

00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

00326
CORY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MED CENTER LAB—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2232

00204
DELAWARE COUNTY MEM HOSP LAB—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 447-2232

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00247
DEPART. OF PATHOLOGY & LAB MED-HUP—S
T301 CEDAR AVENUE
PHILADELPHIA, PA 19143
(251) 662-7879

00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SB
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1000

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
100 HOSPITAL DRIVE
MONTROSE, PA 18801
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE, PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 850-3121

- 00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2567
- 31400
FRANCES WARDE MEDICAL LABORATORY—SB
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300
- 00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500
- 00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169
- 00002
GEISINGER BLOOMSBURG HOSPITAL
LABORATORY—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2098
- 00005
GEISINGER COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 703-7123
- 00138
GEISINGER LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7113
- 00173
GEISINGER MEDICAL CENTER—SB
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443
- 38895
GEISINGER MEDICAL CENTER MUNCY—S
100 N. ACADEMY AVENUE
DANVILLE, PA 17821
(570) 271-6336
- 36920
GEISINGER ST. LUKE'S HOSPITAL—S
100 PARAMONT BLVD
ORWIGSBURG, PA 17961
(272) 212-1091
- 00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845
- 00185
GEISINGER SHAMOKIN AREA COMMUNITY
HOSPITAL—S
4200 HOSPITAL ROAD
COAL TOWNSHIP, PA 17866-9697
(570) 644-4281
- 00122
GETTYSBURG HOSPITAL LABORATORY—S
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 337-4120
- 00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS, PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7500
- 00196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
(215) 453-4648
- 00017
GSWB A CAMPUS OF GWVMC—S
25 CHURCH STREET
WILKES-BARRE, PA 18765
(570) 808-7845
- 00024
GUTHRIE CLINIC LAB AT TROY COMM—S
275 GUTHRIE LANE
TROY, PA 16947
(570) 297-9289
- 00654
GUTHRIE MEDICAL GROUP LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-4177
- 00023
GUTHRIE MEDICAL GROUP LAB-TOWANDA—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191
- 00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 316-2150
- 00155
HARRISBURG HOSPITAL LABORATORY—S
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 782-3340
- 00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-2236
- 00022
HEALTH NETWORK LABORATORIES—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3370
- 00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(484) 425-8150
- 00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259

7212

24655
HEALTH NETWORK LABORATORIES—SB
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000

00099
HERITAGE VALLEY KENNEDY—S
25 HECKEL ROAD
MCKEES ROCKS, PA 15136
(412) 777-6161

00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 749-7364

00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500

38714
HNL-ACL-HECKTOWN OAKS—S
3780 HECKTOWN ROAD
EASTON, PA 18045
(484) 425-8215

00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7165

00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645

00038
JEFFERSON HOSPITAL LABORATORY—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723

36342
LABCORP CENTRAL LABORATORY SERVICES—B
8211 SCICOR DRIVE
INDIANAPOLIS, IN 46214
(317) 273-7250

01088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE, PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00165
LANCASTER GENERAL HOSPITAL LAB—S
555 N DUKE STREET
LANCASTER, PA 17602
(717) 544-4322

00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4623

NOTICES

00010
LEHIGH VALLEY HOSPITAL—HAZLETON
LABORATORY—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4156

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00182
LVH-SCHUYLKILL E NORWEGIAN—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3768

00242
MAIN LINE HOSPITALS LAB-LANCKENAU—S
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SB
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5516

05574
MEDTOX LABORATORIES INC—SB
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
1701 INNOVATION DRIVE
YORK, PA 17408
(717) 849-5371

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4185

- 28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057
- 32803
MOLECULAR DX, LLC—B
620 7TH STREET SUITE C
WINDBER, PA 15963
(814) 361-6993
- 00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021
- 00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2630
- 00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ATTN: 2ND FLOOR LAB
ELKINS PARK, PA 19027
(215) 456-6152
- 00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117
- 00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215
- 00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900
- 00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245
- 36182
NJMHMC LLC D/B/A HUDSON REGIONAL
HOSPITAL—S
55 MEADOWLANDS PARKWAY
SECAUCUS, NJ 07094
(201) 392-3516
- 29741
NORTHERN TIER RESEARCH—SB
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153
- 30984
OFFICE OF THE DISTRICT ATTORNEY—B
1601 RITNER HIGHWAY
CARLISLE, PA 17013
(717) 240-6526
- 00053
PENN HIGHLANDS-BROOKVILLE—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312
- 00027
PENN HIGHLANDS DUBOIS—S
100 HOSPITAL AVENUE
DUBOIS, PA 15801
(814) 371-2200
- 00032
PENN HIGHLANDS ELK—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525
- 00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST, DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435
- 38878
PENN STATE HEALTH HAMPDEN MEDICAL CENTER
LABORATORY—S
2200 GOOD HOPE ROAD
ENOLA, PA 17025
(717) 972-4145
- 00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353
- 22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541
- 00026
PH DUBOIS, CLEARFIELD CAMPUS—S
809 TURNPIKE AVENUE, PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280
- 00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1000
- 00221
POTTSTOWN HOSPITAL—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130
- 00130
PSH HOLY SPIRIT MEDICAL CENTER—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2191

7214

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

00669
QUEST DIAGNOSTICS INCORPORATED—B
1 INSIGHTS DRIVE
CLIFTON, NJ 07012
(201) 393-5895

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7867

00150
READING HOSPITAL LABORATORY—S
420 S 5TH AVE
WEST READING, PA 19611
(484) 628-8615

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 942-3800

00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER-PATH LAB—S
1201 LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5383

NOTICES

00064
SHARON REGIONAL LAB SERVICES—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914

00171
SLUHN SACRED HEART CAMPUS—S
421 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 776-4720

00260
ST. CHRISTOPHER'S HOSPITAL FOR CHILDREN—S
DEPT. OF PATHOLOGY & LAB MEDICINE
160 EAST ERIE AVENUE
PHILADELPHIA, PA 19134-1095
(215) 427-5272

00151
ST JOSEPH QUALITY MEDICAL LAB—S
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00318
ST LUKE'S HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8723

32021
ST. LUKE'S HOSPITAL-ANDERSON LAB—S
1872 ST. LUKE'S BLVD.
EASTON, PA 18045
(484) 503-1075

38867
ST. LUKE'S HOSPITAL-CARBON CAMPUS—S
500 ST. LUKE'S DRIVE
LEHIGHTON, PA 18235
(610) 377-7083

00175
ST. LUKE'S HOSPITAL EASTON CAMPUS—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(610) 250-4819

00180
ST. LUKE'S HOSPITAL MINERS CAMPUS—S
360 WEST RUDDLE STREET, PO BOX 67
COALDALE, PA 18218
(570) 645-8271

35019
ST. LUKE'S MONROE CAMPUS LABORATORY—S
100 ST. LUKE'S LANE
STROUDSBURG, PA 18360
(484) 514-3606

00195
ST. LUKE'S UPPER BUCKS CAMPUS—S
3000 ST. LUKE'S WAY
QUAKERTOWN, PA 18951
(215) 985-0050

00219
SUBURBAN COMMUNITY HOSPITAL—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 278-2075

00207
TAYLOR HOSPITAL LABORATORY—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 447-2232

00235
 TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
 100 EAST LEHIGH AVENUE
 PHILADELPHIA, PA 19125-1098
 (215) 707-4470

00265
 TEMPLE UNIVERSITY HOSPITAL—S
 3401 NORTH BROAD STREET
 DEPT OF PATH & LAB MED-RM B243, OPB
 PHILADELPHIA, PA 19140
 (215) 707-9560

00240
 TEMPLE UNIVERSITY HOSPITAL—JEANES CAM-
 PUS—S
 7600 CENTRAL AVENUE
 PHILADELPHIA, PA 19111
 (215) 728-2248

00104
 THE UNIONTOWN HOSPITAL LABORATORY—S
 500 WEST BERKELEY STREET
 UNIONTOWN, PA 15401
 (724) 430-5143

00241
 THOMAS JEFFERSON UNIVERSITY HOSP—S
 125 SOUTH 11TH STREET, 204 FOERDERER
 PAVILION
 PHILADELPHIA, PA 19107
 (215) 955-3941

00051
 TITUSVILLE AREA HOSPITAL—S
 406 WEST OAK STREET
 TITUSVILLE, PA 16354
 (814) 827-1851

00124
 TYRONE HOSPITAL—S
 187 HOSPITAL DRIVE
 TYRONE, PA 16686
 (814) 684-6384

00119
 UPMC ALTOONA LAB—S
 620 HOWARD AVENUE
 ALTOONA, PA 16601-4899
 (814) 889-2340

00121
 UPMC BEDFORD MEMORIAL—S
 10455 LINCOLN HIGHWAY
 EVERETT, PA 15537
 (814) 623-3506

32389
 UPMC EAST PATHOLOGY LABORATORY—S
 2775 MOSSIDE BLVD
 GROUND FLOOR, ROOM 0304
 MONROEVILLE, PA 15146
 (412) 357-3682

00046
 UPMC HAMOT—S
 201 STATE STREET, 4TH FLOOR WEST
 ERIE, PA 16550
 (814) 877-3131

00059
 UPMC HORIZON GREENVILLE—S
 110 NORTH MAIN STREET
 GREENVILLE, PA 16125
 (724) 588-2100 00057

00057
 UPMC HORIZON SHENANGO—S
 2200 MEMORIAL DRIVE
 FARRELL, PA 16121
 (724) 981-3500

00054
 UPMC JAMESON—S
 1211 WILMINGTON AVENUE
 NEW CASTLE, PA 16105
 (724) 656-4082

00034
 UPMC KANE—S
 4372 ROUTE 6
 KANE, PA 16735
 (814) 837-4570

00030
 UPMC LOCK HAVEN LABORATORY—S
 24 CREE DRIVE
 LOCK HAVEN, PA 17745
 (570) 893-5033

00098
 UPMC MCKEESPORT LABORATORY—S
 1500 FIFTH AVENUE
 MCKEESPORT, PA 15132
 (412) 664-2233

00082
 UPMC MERCY DEPT OF LAB MEDICINE—S
 1400 LOCUST STREET
 PITTSBURGH, PA 15219
 (412) 232-7624

00035
 UPMC MUNCY LABORATORY—S
 215 EAST WATER ST
 MUNCY, PA 17756
 (570) 546-8282

00084
 UPMC PASSAVANT—S
 9104 BABCOCK BLVD
 GROUND FLOOR, T BUILDING
 PITTSBURGH, PA 15237
 (412) 367-6700

05784
 UPMC PASSAVANT LABORATORY CRANBERRY—S
 ONE ST FRANCIS WAY
 ATTN: LAB
 CRANBERRY TOWNSHIP, PA 16066
 (724) 772-5370

00131
 UPMC PINNACLE CARLISLE—S
 361 ALEXANDER SPRING ROAD
 CARLISLE, PA 17015-9129
 (717) 960-3336

00166
 UPMC PINNACLE LITITZ—S
 1500 HIGHLANDS DRIVE
 LITITZ, PA 17543
 (717) 625-5572

00083
 UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
 UPMC CLINICAL LABORATORY BUILDING
 3477 EULER WAY
 PITTSBURGH, PA 15213
 (412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL
LABORATORY—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE, GROUND FLOOR
WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00297
UPMC SOMERSET HOSPITAL—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5215

00039
UPMC WELLSBORO LABORATORY—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

00037
UPMC WILLIAMSPORT LABORATORY—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00105
WASHINGTON HEALTH SYSTEM GREENE—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640

00111
WASHINGTON HEALTH SYSTEM LAB—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3120

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL LABORATORY—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SB
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVENUE
PITTSBURGH, PA 15224
(412) 578-5779

33480
WEST SHORE HOSP LABORATORY—S
1995 TECHNOLOGY PKWY
MECHANICSBURG, PA 17050
(717) 782-3128

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4896

00106
WINDBER HOSPITAL—S
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-3430

25064
WVU HOSPITAL LAB AT RUBY MEMORIAL HOS-
PITAL—S
1 MEDICAL CENTER DR, PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1791. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Mon Valley Care Center
200 Stoops Drive
Monongahela, PA 15063
FAC ID # 11790201

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1792. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Addition

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of the procedure code K1034 to the Medical Assistance (MA) Program Fee Schedule for United States Food and Drug Administration (FDA)-authorized over-the-counter (OTC) SARS-CoV-2 (COVID-19) tests provided to MA Program beneficiaries, effective with dates of service on and after December 5, 2022. This notice also announces that the last date of service that providers can utilize procedure code T1999 for OTC COVID-19 tests is December 4, 2022.

Background

The Department published notice at 52 Pa.B. 1430 (March 5, 2022), that procedure code T1999 was to be used for OTC COVID-19 tests distributed to MA beneficiaries for dates of service on and after August 30, 2021.

Procedure Code Being Added

The Department is adding the following procedure code, procedure code description and MA fee to the MA Program Fee Schedule, effective with dates of service on and after December 5, 2022:

<i>Procedure Code</i>	<i>Code Description</i>	<i>MA Fee</i>
K1034	Provision of COVID-19 test, nonprescription self-administered and self-collected use, FDA approved, authorized or cleared, one test count	\$11.51

Procedure Code Being End-Dated

Effective with dates of service on and after December 4, 2022, the MA Program is end-dating procedure code T1999 for OTC COVID-19 tests. The MA Program Fee Schedule has been updated to reflect this change.

Fiscal Impact

There is no fiscal impact related to the addition of procedure code K1034 to the MA Program Fee Schedule, as the Department was already paying for OTC COVID-19 tests.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120 or RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1548. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-1793. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Update

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces that it will increase fees in the Medical Assistance (MA) Program for certain ambulance transportation services in both the fee-for service (FFS) and managed care delivery systems, effective with dates of service on and after January 1, 2023.

Discussion

Act 54 of 2022 (P.L. 540, No. 54) (Act 54), enacted July 11, 2022, authorizes increased MA fees for ambulance transportation services in both the FFS and managed care delivery systems. Specifically, Act 54 authorizes the following fees: not less than \$325 for basic life support ambulance transportation services; not less than \$400 for advanced life support ambulance transportation services; and a fee of not less than \$4 per loaded mile for each loaded mile beyond 20 loaded miles for ground ambulance transportation.

As a result, the Department is revising the fees on the MA Program Fee Schedule for the following procedure codes, effective with dates of service on and after January 1, 2023.

<i>Procedure Code</i>	<i>Procedure Code Definition</i>	<i>Pricing Modifier</i>	<i>Current MA Fee</i>	<i>MA Fee Effective January 1, 2023</i>
A0425	Ground mileage, per statute mile	U8	\$2 per mile for each loaded mile beyond 20 loaded miles of a trip	\$4 per mile for each loaded mile beyond 20 loaded miles of a trip
A0426	Ambulance service, advanced life support, nonemergency transport, level 1 (ALS 1)		\$300	\$400
A0427	Ambulance service, advanced life support, emergency transport, level 1 (ALS 1—emergency)		\$300	\$400
A0428	Ambulance service, basic life support, nonemergency transport (BLS)		\$180	\$325
A0429	Ambulance service, basic life support, emergency transport (BLS, emergency)		\$180	\$325

Fiscal Impact

The estimated fiscal impact for Fiscal Year (FY) 2022-2023 is \$0.943 million in total funds for FFS, \$19.123 million in total funds for Capitation and \$3.947 million in total funds for Community HealthChoices (CHC). The FY 2023-2024 fiscal impact is an annualized amount of \$1.885 million in total funds for FFS, \$38.246 million in total funds for Capitation and \$9.474 million in total funds for CHC.

Public Comment

Interested persons are invited to submit written comments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120 or RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1547. (1) General Fund;

(7) MA—FFS; (2) Implementing Year 2022-23 is \$259,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$517,000; (4) 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000;

(7) MA—Capitation; (2) Implementing Year 2022-23 is \$6,345,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$12,392,000; (4) 2021-22 Program—\$4,557,000,000; 2020-21 Program—\$3,060,000,000; 2019-20 Program—\$2,508,000,000;

(7) MA—CHC; (2) Implementing Year 2022-23 is \$1,797,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$4,450,000; (4) 2021-22 Program—\$4,252,000,000; 2020-21 Program—\$3,166,000,000; 2019-20 Program—\$2,329,000,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1794. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Request for Public Comment on Office of Long-Term Living Heightened Scrutiny Sites

The Department of Human Services (Department) is making available for public review and comment the Office of Long-Term Living's (OLTL) proposed Home and Community-Based Services (HCBS) provider sites qualifying for heightened scrutiny under the requirements set in the Centers for Medicare & Medicaid Services (CMS) HCBS Rule (Rule) at 42 CFR 441.301(c)(6) (relating to contents of request for a waiver).

Background

As of January 16, 2014, CMS established requirements in 42 CFR 441.301 which detail acceptable qualities and characteristics of settings for Medicaid HCBS provided under 1915(c) waivers. On December 28, 2016, the OLTL issued Bulletin # 59-16-14, Home and Community-Based Settings Requirements, which provided guidance to HCBS providers on the requirements they must satisfy to receive payment for HCBS. Among other things, that bulletin included a list of specifically-excluded settings. The settings listed in 42 CFR 441.301(c)(5) specifically exclude the following settings as acceptable HCBS settings:

- (i) A nursing facility;
- (ii) An institution for mental diseases;
- (iii) An intermediate care facility for individuals with intellectual disabilities;
- (iv) A hospital; or
- (v) Other locations that have qualities of an institutional setting as determined by the Secretary of the Federal Department of Health and Human Services. In addition, 42 CFR 441.301(c)(5) further clarifies that any setting that is located in a building that is also a publicly

or privately operated facility that provides inpatient institutional treatment, or in a building on the grounds of, or immediately adjacent to, a public institution, or any other setting that has the effect of isolating individuals receiving Medicaid HCBS from the broader community of individuals not receiving Medicaid HCBS will be presumed to be a setting that has the qualities of an institution. The heightened scrutiny process is applicable to settings presumed to have the qualities of an institution and able to be approved by the Federal government for the provision of HCBS.

The OLTL identified enrolled congregate sites where HCBS is provided and conducted onsite assessments at these sites. Sites whose settings fell into the previously listed categories were evaluated and assisted to correct elements which were able to be corrected to be compliant with requirements of the Rule. Sites who have completed corrections or are currently working on corrections and remain in an unallowable setting are required to be submitted for heightened scrutiny. These sites are available for review and public comment at <https://www.dhs.pa.gov/Services/Assistance/Pages/HCBS-Statewide-Transition-Plan.aspx> or by contacting the Department of Human Services, Office of Long-Term Living at (717) 857-3280.

Further information on the Statewide Transition Plan for compliance with the Rule can be found at <https://www.dhs.pa.gov/Services/Assistance/Pages/HCBS-Statewide-Transition-Plan.aspx>.

Fiscal Impact

There is no fiscal impact associated with this notice.

Public Comment

Interested persons are invited to submit written comments regarding the proposed HCBS Rule provider sites to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Janice Bickel, P.O. Box 8025, Harrisburg, PA 17105-8025. Comments may also be submitted to the Department at RA-PWHCBSFinalRule@pa.gov. Comments received within 30 days of publication of this notice will be reviewed and considered.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service by dialing 711 or by using one of the toll-free numbers: (800) 654-5984 (TDD users); (800) 654-5988 (voice users); (844) 308-9292 (Speech-to-Speech); or (844) 308-9291 (Spanish).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1550. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-1795. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Request for Public Comment on Service Locations Requiring Heightened Scrutiny

The Department of Human Services (Department) is making available for public review and comment the Home and Community-Based Services (HCBS) provider service locations that the Office of Developmental Pro-

grams (ODP) has determined require heightened scrutiny to determine if the setting does not have the qualities of an institution.

Background

On January 16, 2014, the Centers for Medicare & Medicaid Services (CMS) promulgated the HCBS Rule, which established requirements for the qualities and characteristics of settings for Medicaid HCBS provided under a 1915(c) waiver. See 42 CFR 441.301 (relating to contents of request for a waiver). The following settings, which are listed in 42 CFR 441.301(c)(5), are not acceptable HCBS settings:

- (i) A nursing facility;
- (ii) An institution for mental diseases;
- (iii) An intermediate care facility for individuals with intellectual disabilities;
- (iv) A hospital; and
- (v) Other locations that have qualities of an institutional setting as determined by the Secretary of the Federal Department of Health and Human Services.

Section 441.301(c)(5)(v) provides that the following settings will be presumed to have the qualities of an institutional setting unless the Secretary determines through heightened scrutiny, based on information presented by the State or other parties, that the setting does not have the qualities of an institution and that the setting does have the qualities of home and community-based settings:

- A setting that is located in a building that is also a publicly or privately operated facility that provides inpatient institutional treatment,
- A setting in a building on the grounds of, or immediately adjacent to, a public institution, or
- Other settings that have the effect of isolating individuals receiving Medicaid HCBS from the broader community of individuals not receiving Medicaid HCBS.

To determine if a setting where Residential Habilitation, Life Sharing, Community Participation Support or Day Habilitation services are provided is presumed to have institutional characteristics which require a heightened scrutiny, the following was completed:

- ODP staff reviewed all provider self-assessments completed in 2018 to identify service locations that providers indicated had characteristics of an institutional setting.
- ODP staff utilized the following to analyze the service location:
 - Software that maps all provider-owned or provider-operated service locations receiving ODP waiver funding as well as public and private intermediate care facilities for individuals with an intellectual disability,
 - Information and maps available on the Internet,
 - Addresses of skilled nursing facilities, and
 - ODP staff knowledge of the service locations.

After determining which service locations may have institutional characteristics which require heightened scrutiny, ODP staff completed onsite reviews of these service locations in partnership with Temple University's Institute on Disabilities. ODP reviewed all information from the onsite reviews and determined whether the service location met all HCBS Rule requirements, will require remediation to meet all HCBS Rule require-

ments, or will not meet all HCBS Rule requirements. The tools used during the onsite reviews as well as the determinations for each service location, including a summary of how each service location has or will overcome the presumption that it is an institution, is available at <https://www.dhs.pa.gov/contact/DHS-Offices/Pages/ODP-HCBS%20Final%20Rule.aspx>.

A service location that has not overcome the presumption that it is an institution by March 17, 2023, will not be submitted to CMS for a heightened scrutiny review because services provided at the location will no longer be eligible for waiver funding. Providers that own or operate these service locations, as well as all individuals receiving ODP waiver services at these locations, will be notified that the services are no longer eligible for waiver funding. Individuals receiving services at these service locations will be offered an informed choice of alternate services, settings, service locations or providers that are compliant with the HCBS Rule.

Further information on the Statewide Transition Plan for compliance with the HBCS Rule is available at <https://www.dhs.pa.gov/Services/Assistance/Pages/HCBS-Statewide-Transition-Plan.aspx>.

Fiscal Impact

There is no fiscal impact associated with the identification of service locations that require heightened scrutiny.

Public Comment

Interested persons are invited to submit written comments regarding the proposed provider service locations requiring heightened scrutiny. Comments should be addressed to Julie Mochon, Department of Human Services, Office of Developmental Programs, 625 Forster Street, Room 510, Harrisburg, PA 17120. Comments may also be submitted to the Department at RA-PWHCBSFinalRule@pa.gov using subject header "ODP Heightened Scrutiny."

Comments received within 30 days of publication of this notice will be reviewed and considered in making a final determination as to whether a service location overcomes the presumption that it has institutional characteristics.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service by dialing 711 or by using one of the toll-free numbers: (800) 654-5984 (TDD users); (800) 654-5988 (voice users); (844) 308-9292 (Speech-to-Speech); or (844) 308-9291 (Spanish).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1549. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-1796. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Big Money Crossword Instant Lottery Game 1613

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Big Money Crossword (hereinafter "Big Money Crossword"). The game number is PA-1613.

2. *Price:* The price of a Big Money Crossword instant lottery game ticket is \$10.

3. *Play symbols:* Each Big Money Crossword instant lottery game ticket will feature a "YOUR LETTERS" area, two crossword puzzle play grids, known as "GRID 1," and "GRID 2," respectively, and a "BIG MONEY MATCH" area containing two "GAME" areas, known as "GAME 1" and "GAME 2," respectively. Each crossword "GRID" is played separately. Each "GAME" within the "BIG MONEY MATCH" area is played separately. The play symbols, located in the "YOUR LETTERS" area, are: the letters A through and including Z. The play symbols, located in "GRID 1" and "GRID 2," are: the letters A through and including Z, a 20X symbol and a 50X symbol. The play symbols, located in the "BIG MONEY MATCH" area, are: Moneybag (MONEYBAG) symbol, Crown (CROWN) symbol, Pot of Gold (POTGOLD) symbol, Treasure (TREASURE) symbol, Dollar Sign (SIGN) symbol and a Dollar Bill (BILL) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the "BIG MONEY MATCH" area, are: \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN) and \$200 (TWO HUN).

5. *Prizes:* The prizes that can be won in this game, are: \$10, \$20, \$30, \$40, \$50, \$100, \$200, \$400, \$500, \$1,000, \$5,000, \$10,000, \$50,000 and \$500,000. The prizes that can be won in the "BIG MONEY MATCH" area, are: \$10, \$20, \$30, \$40, \$50, \$100 and \$200. A player can win up to four times on a ticket. Big Money Crossword contains a feature that can multiply certain prizes. For a complete list of prizes, and how those prizes can be won, see section 8 (relating to number and description of prizes and approximate odds).

6. *Approximate number of tickets printed for the game:* Approximately 21,600,000 tickets will be printed for the Big Money Crossword instant lottery game.

7. Determination of prize winners:

(a) Holders of tickets upon which the player completely matches ten entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$500,000.

(b) Holders of tickets where the player completely matches nine entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$250,000.

(c) Holders of tickets where the player completely matches eight entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$250,000.

(d) Holders of tickets where the player completely matches ten entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50,000.

(e) Holders of tickets where the player completely matches eight entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$50,000.

(f) Holders of tickets where the player completely matches seven entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$50,000.

(g) Holders of tickets where the player completely matches nine entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$10,000.

(h) Holders of tickets where the player completely matches six entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, and upon which a 20X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$10,000.

(i) Holders of tickets where the player completely matches six entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$10,000.

(j) Holders of tickets where the player completely matches five entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$10,000.

(k) Holders of tickets where the player completely matches nine entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$5,000.

(l) Holders of tickets where the player completely matches eight entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$5,000.

(m) Holders of tickets where the player completely matches five entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$5,000.

(n) Holders of tickets where the player completely matches eight entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$1,000.

(o) Holders of tickets where the player completely matches seven entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$1,000.

(p) Holders of tickets where the player completely matches four entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, and upon which a 20X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$1,000.

(q) Holders of tickets where the player completely matches three entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$1,000.

(r) Holders of tickets where the player completely matches six entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$500.

(s) Holders of tickets where the player completely matches two entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$500.

(t) Holders of tickets where the player completely matches two entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, and upon which a 50X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$500.

(u) Holders of tickets where the player completely matches seven entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$400.

(v) Holders of tickets where the player completely matches three entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a 20X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$400.

(w) Holders of tickets where the player completely matches six entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(x) Holders of tickets where the player completely matches five entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(y) Holders of tickets where the player completely matches two entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a 20X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$200.

(z) Holders of tickets where the player completely matches two entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, and upon which a 20X symbol appears in any one of the matching words, on a single ticket, shall be entitled to a prize of \$200.

(aa) Holders of tickets upon which three matching play symbols appear in the same "GAME" area within the "BIG MONEY MATCH" area, and a prize symbol of \$200 (TWO HUN) appears in the "Prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$200.

(bb) Holders of tickets where the player completely matches five entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(cc) Holders of tickets upon which three matching play symbols appear in the same "GAME" within the "BIG MONEY MATCH" area, and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$100.

(dd) Holders of tickets where the player completely matches four entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(ee) Holders of tickets upon which three matching play symbols appear in the same "GAME" within the "BIG MONEY MATCH" area, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$50.

(ff) Holders of tickets where the player completely matches four entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$40.

(gg) Holders of tickets upon which three matching play symbols appear in the same "GAME" within the "BIG MONEY MATCH" area, and a prize symbol of \$40⁰⁰ (FORTY) appears in the "Prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$40.

(hh) Holders of tickets where the player completely matches three entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$30.

(ii) Holders of tickets upon which three matching play symbols appear in the same "GAME" within the "BIG

MONEY MATCH" area, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$30.

(jj) Holders of tickets where the player completely matches three entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$20.

(kk) Holders of tickets upon which three matching play symbols appear in the same "GAME" within the "BIG MONEY MATCH" area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$20.

(ll) Holders of tickets where the player completely matches two entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$10.

(mm) Holders of tickets where the player completely matches two entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$10.

(nn) Holders of tickets upon which three matching play symbols appear in the same "GAME" within the "BIG MONEY MATCH" area, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$10.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>"GRID 1" Win With:</i>	<i>"GRID 2" Win With:</i>	<i>"BIG MONEY MATCH" Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 21,600,000 Tickets:</i>
		\$10	\$10	60	360,000
	2 WORDS		\$10	18.75	1,152,000
2 WORDS			\$10	18.75	1,152,000
	2 WORDS	\$10	\$20	60	360,000
2 WORDS		\$10	\$20	60	360,000
		\$10 × 2	\$20	200	108,000
		\$20	\$20	200	108,000
2 WORDS	2 WORDS		\$20	33.33	648,000
3 WORDS			\$20	120	180,000
	2 WORDS	\$10 × 2	\$30	200	108,000
2 WORDS		\$10 × 2	\$30	200	108,000
	2 WORDS	\$20	\$30	300	72,000
2 WORDS		\$20	\$30	150	144,000
	3 WORDS		\$30	85.71	252,000
2 WORDS	2 WORDS	\$10 × 2	\$40	600	36,000
	3 WORDS	\$10	\$40	600	36,000
3 WORDS		\$20	\$40	600	36,000
4 WORDS			\$40	600	36,000
	3 WORDS	\$10 × 2	\$50	600	36,000
3 WORDS	2 WORDS	\$10 × 2	\$50	200	108,000
3 WORDS	3 WORDS		\$50	300	72,000
4 WORDS		\$10	\$50	600	36,000
4 WORDS	2 WORDS		\$50	600	36,000

NOTICES

7223

<i>"GRID 1" Win With:</i>	<i>"GRID 2" Win With:</i>	<i>"BIG MONEY MATCH" Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 21,600,000 Tickets:</i>
	4 WORDS		\$50	600	36,000
2 WORDS	2 WORDS	\$50 + \$30	\$100	600	36,000
4 WORDS	2 WORDS	\$50	\$100	600	36,000
4 WORDS	3 WORDS	\$20 + \$10	\$100	600	36,000
4 WORDS	4 WORDS	\$10	\$100	600	36,000
	4 WORDS	\$50	\$100	600	36,000
5 WORDS			\$100	600	36,000
3 WORDS	3 WORDS	\$100 + \$50	\$200	24,000	900
4 WORDS	3 WORDS	\$100 + \$30	\$200	24,000	900
4 WORDS	4 WORDS	\$100 + \$10	\$200	24,000	900
5 WORDS	4 WORDS	\$40 + \$10	\$200	12,000	1,800
5 WORDS	4 WORDS	\$30 + \$20	\$200	12,000	1,800
5 WORDS		\$50 × 2	\$200	12,000	1,800
5 WORDS		\$100	\$200	12,000	1,800
	2 WORDS w/ 20X		\$200	1,714	12,600
2 WORDS w/ 20X			\$200	1,714	12,600
	5 WORDS		\$200	24,000	900
6 WORDS			\$200	24,000	900
5 WORDS	5 WORDS	\$50 × 2	\$400	60,000	360
5 WORDS	5 WORDS	\$100	\$400	60,000	360
6 WORDS	5 WORDS		\$400	60,000	360
2 WORDS w/ 20X	5 WORDS		\$400	60,000	360
2 WORDS w/ 20X	2 WORDS w/ 20X		\$400	24,000	900
	2 WORDS w/ 20X	\$100 × 2	\$400	24,000	900
2 WORDS w/ 20X		\$100 × 2	\$400	24,000	900
3 WORDS w/ 20X			\$400	24,000	900
7 WORDS			\$400	60,000	360
5 WORDS	5 WORDS	\$100 × 2	\$500	24,000	900
5 WORDS	5 WORDS	\$200	\$500	24,000	900
6 WORDS	5 WORDS	\$100	\$500	24,000	900
2 WORDS w/ 20X	5 WORDS	\$50 × 2	\$500	12,000	1,800
2 WORDS w/ 20X	2 WORDS w/ 20X	\$50 × 2	\$500	8,000	2,700
3 WORDS w/ 20X	4 WORDS	\$50	\$500	12,000	1,800
	2 WORDS w/ 50X		\$500	3,000	7,200
2 WORDS w/ 50X			\$500	3,000	7,200
	6 WORDS		\$500	12,000	1,800
6 WORDS	6 WORDS	\$200 + \$100	\$1,000	120,000	180
7 WORDS	6 WORDS	\$50 × 2	\$1,000	120,000	180
2 WORDS w/ 50X	2 WORDS w/ 20X	\$200 + \$100	\$1,000	24,000	900
2 WORDS w/ 50X	2 WORDS w/ 50X		\$1,000	24,000	900
3 WORDS w/ 50X			\$1,000	24,000	900

<i>"GRID 1" Win With:</i>	<i>"GRID 2" Win With:</i>	<i>"BIG MONEY MATCH" Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 21,600,000 Tickets:</i>
	4 WORDS w/ 20X		\$1,000	24,000	900
	7 WORDS		\$1,000	60,000	360
8 WORDS			\$1,000	60,000	360
5 WORDS w/ 50X			\$5,000	2,160,000	10
	8 WORDS		\$5,000	4,320,000	5
9 WORDS			\$5,000	4,320,000	5
	5 WORDS w/ 50X		\$10,000	4,320,000	5
6 WORDS w/ 50X			\$10,000	4,320,000	5
	6 WORDS w/ 20X		\$10,000	4,320,000	5
	9 WORDS		\$10,000	4,320,000	5
	7 WORDS w/ 50X		\$50,000	4,320,000	5
8 WORDS w/ 50X			\$50,000	4,320,000	5
10 WORDS			\$50,000	4,320,000	5
9 WORDS w/ 50X	8 WORDS w/ 50X		\$500,000	4,320,000	5
	10 WORDS		\$500,000	4,320,000	5

1. Scratch the YOUR LETTERS to reveal 18 letters. Scratch each matching letter every time it is found in either Crossword GRID. Each letter's square, when scratched gently, will turn white.

2. When you have matched the letters of two (2) or more entire words in either Crossword GRID, win the corresponding PRIZE shown in the PRIZE KEY for that Crossword GRID. Only the highest PRIZE won in each Crossword GRID will be paid.

3. Each Crossword GRID is played separately.

BIG MONEY MULTIPLIER: Scratch each "20X" and "50X" symbol that appears in Crossword GRID 1 and GRID 2. Each "20X" and "50X" symbol is a FREE spot. When a "20X" or "50X" symbol appears in any winning combination of words, multiply the corresponding PRIZE shown in the PRIZE KEY for the Crossword GRID and win that amount!

BIG MONEY MATCH: Match 3 like symbols in the same GAME, win PRIZE shown for that GAME. Each GAME is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Big Money Crossword instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a

winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Big Money Crossword, prize money from winning Big Money Crossword instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Big Money Crossword instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Big Money Crossword or through normal communication methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1797. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Fab 4 Instant Lottery Game 1615

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Fab 4 (hereafter “Fab 4”). The game number is PA-1615.

2. *Price:* The price of a Fab 4 instant lottery game ticket is \$1.

3. *Play symbols:* Each Fab 4 instant lottery game ticket will contain one play area featuring a “WINNING NUMBER” area and a “YOUR NUMBERS” area. The play symbols and their captions, located in the “WINNING NUMBER” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and a FAB (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$400 (FOR HUN) and \$4,000 (FOR THO).

5. *Prizes:* The prizes that can be won in this game, are: Free \$1 Ticket, \$1, \$2, \$4, \$10, \$20, \$40, \$100, \$400 and \$4,000. A player can win up to four times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Fab 4 instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol and a prize symbol of \$4,000 (FOR THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol and a prize symbol of \$400 (FOR HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(c) Holders of tickets upon which a FAB (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in all four of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which a FAB (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$40⁰⁰ (FORTY) appears in two of the “Prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which a FAB (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in three of the “Prize” areas and a prize symbol of \$40⁰⁰ (FORTY) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol and a prize symbol of \$40⁰⁰ (FORTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(h) Holders of tickets upon which a FAB (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in all four of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$40.

(i) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets upon which a FAB (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$4⁰⁰ (FOR DOL) appears in two of the “Prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “Prize” areas and a prize symbol of \$2⁰⁰ (TWO DOL) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$20.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(l) Holders of tickets upon which a FAB (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$4⁰⁰ (FOR DOL) appears in two of the “Prize” areas and a prize symbol of \$1⁰⁰ (ONE DOL) appears in two of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets upon which a FAB (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in three of the "Prize" areas and a prize symbol of \$4.⁰⁰ (FOR DOL) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match the "WINNING NUMBER" play symbol, and a prize symbol of \$4.⁰⁰ (FOR DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(o) Holders of tickets upon which a FAB (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in all four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$4.

(p) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match the "WINNING NUMBER" play symbol and a prize symbol of \$2.⁰⁰ (TWO DOL)

appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(q) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match the "WINNING NUMBER" play symbol and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1.

(r) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match the "WINNING NUMBER" play symbol and a prize symbol of FREE (TICKET) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of one Fab 4 instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match The WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
FREE	FREE \$1 TICKET	10	840,000
\$1 × 2	\$2	40	210,000
\$2	\$2	43.48	193,200
FAB w/ (\$1 × 4)	\$4	22.22	378,000
\$2 × 2	\$4	500	16,800
(\$1 × 2) + \$2	\$4	500	16,800
\$4	\$4	500	16,800
FAB w/ ((\$2 × 3) + \$4)	\$10	200	42,000
FAB w/ ((\$4 × 2) + (\$1 × 2))	\$10	200	42,000
(\$4 × 2) + \$2	\$10	1,000	8,400
\$10	\$10	1,000	8,400
FAB w/ ((\$4 × 2) + \$10 + \$2)	\$20	666.67	12,600
\$10 × 2	\$20	3,000	2,800
\$20	\$20	3,000	2,800
FAB w/ (\$10 × 4)	\$40	666.67	12,600
(\$10 × 2) + \$20	\$40	24,000	350
\$20 × 2	\$40	12,000	700
\$40	\$40	12,000	700
FAB w/ ((\$20 × 3) + \$40)	\$100	17,143	490
FAB w/ ((\$40 × 2) + (\$10 × 2))	\$100	17,143	490
(\$40 × 2) + \$20	\$100	120,000	70
\$100	\$100	120,000	70
FAB w/ (\$100 × 4)	\$400	420,000	20
\$400	\$400	840,000	10
\$4,000	\$4,000	840,000	10

Reveal a "FAB" (WINALL) symbol, win ALL 4 PRIZES shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Fab 4 instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Fab 4, prize money from winning Fab 4 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Fab 4 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Fab 4 or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1798. Filed for public inspection November 18, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Six Figures Instant Lottery Game 1614

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Six Figures (hereafter “Six Figures”). The game number is PA-1614.

2. *Price:* The price of a Six Figures instant lottery game ticket is \$5.

3. *Play symbols:* Each Six Figures instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “SIX FIGURE FORTUNE” area. The “SIX FIGURE FORTUNE” area is played separately. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN) and 30 (THIRT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), # (NUMBER) symbol and an Infinity (WINALL) symbol. The play symbols and their captions, located in the “SIX FIGURE FORTUNE” area, are: Wallet (TRYAGAIN) symbol, Purse (TRYAGAIN) symbol, Key (TRYAGAIN) symbol, Safe (TRYAGAIN) symbol, Stack of Coins (TRYAGAIN) symbol, Money Roll (TRYAGAIN) symbol, Check (TRYAGAIN) symbol, Gold Bar (TRYAGAIN) symbol and a SIX FIGURE (\$200K) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$1,000 (ONE THO) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game, are: \$5, \$10, \$20, \$30, \$50, \$100, \$200, \$400, \$1,000 and \$5,000. The prize that can be won in the “SIX FIGURE FORTUNE” area is \$200,000. A player can win up to 12 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 10,800,000 tickets will be printed for the Six Figures instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which a SIX FIGURE (\$200K) symbol appears in the “SIX FIGURE FORTUNE” area, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which a # (NUMBER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in two of the "prize" areas, a prize symbol of \$400 (FOR HUN) appears in five of the "prize" areas and a prize symbol of \$200 (TWO HUN) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$5,000.

(e) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a # (NUMBER) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$400 (FOR HUN) appears in two of the "prize" areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$200 (TWO HUN) appears in two of the "prize" areas, a prize symbol of \$100 (ONE HUN) appears in five of the "prize" areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(j) Holders of tickets upon which a # (NUMBER) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$400.

(k) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in two of the "prize" areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(l) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the "prize" areas, a prize symbol of \$200 (TWO HUN) appears in one of the "prize" areas and a prize symbol of \$100 (ONE HUN) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(m) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(n) Holders of tickets upon which a # (NUMBER) symbol appears in the "YOUR NUMBERS" area and a

prize symbol of \$200 (TWO HUN) appears in the "prize" area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$200.

(o) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the "prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(p) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$30⁰⁰ (THIRTY) appears in five of the "prize" areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in six of the "prize" areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(q) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in ten of the "prize" areas, a prize symbol of \$100 (ONE HUN) appears in one of the "prize" areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(r) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which a # (NUMBER) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$100.

(t) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the "prize" areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the "prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in eight of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(u) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in eight of the "prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(v) Holders of tickets upon which an Infinity (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the "prize" areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in six of the "prize" areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(w) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(x) Holders of tickets upon which a # (NUMBER) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "prize" area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$50.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30^{.00} (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(z) Holders of tickets upon which a # (NUMBER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30^{.00} (THIRTY) appears in the “prize” area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$30.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20^{.00} (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(bb) Holders of tickets upon which a # (NUMBER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20^{.00} (TWENTY) appears in the “prize” area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$20.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING

NUMBERS” play symbols and a prize symbol of \$10^{.00} (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(dd) Holders of tickets upon which a # (NUMBER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10^{.00} (TEN DOL) appears in the “prize” area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$10.

(ee) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5^{.00} (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(ff) Holders of tickets upon which a # (NUMBER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5^{.00} (FIV DOL) appears in the “prize” area under that # (NUMBER) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$5 w/ # SYMBOL	\$5	15	720,000
\$5	\$5	27.27	396,000
\$5 × 2	\$10	120	90,000
(\$5 w/ # SYMBOL) + \$5	\$10	120	90,000
(\$5 w/ # SYMBOL) × 2	\$10	54.55	198,000
\$10 w/ # SYMBOL	\$10	60	180,000
\$10	\$10	60	180,000
\$5 × 4	\$20	600	18,000
((\$5 w/ # SYMBOL) × 2) + (\$5 × 2)	\$20	150	72,000
(\$10 w/ # SYMBOL) × 2	\$20	120	90,000
\$20 w/ # SYMBOL	\$20	200	54,000
\$20	\$20	300	36,000
\$5 × 6	\$30	600	18,000
\$10 × 3	\$30	600	18,000
((\$5 w/ # SYMBOL) × 4) + \$10	\$30	600	18,000
(\$10 w/ # SYMBOL) + (\$5 w/ # SYMBOL) + (\$5 × 3)	\$30	600	18,000
(\$10 w/ # SYMBOL) × 3	\$30	120	90,000
\$30 w/ # SYMBOL	\$30	600	18,000
\$30	\$30	600	18,000
\$10 × 5	\$50	600	18,000
((\$5 w/ # SYMBOL) × 5) + (\$5 × 5)	\$50	600	18,000
(\$10 w/ # SYMBOL) × 5	\$50	600	18,000
(\$30 w/ # SYMBOL) + (\$20 w/ # SYMBOL)	\$50	300	36,000
\$50 w/ # SYMBOL	\$50	600	18,000
\$50	\$50	600	18,000
INFINITY w/ ((\$10 × 5) + (\$5 × 6) + \$20)	\$100	1,333	8,100

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number: Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
INFINITY w/ (($\$10 \times 8$) + ($\5×4))	\$100	1,333	8,100
INFINITY w/ (($\$20 \times 2$) + ($\10×2) + ($\$5 \times 8$))	\$100	1,333	8,100
\$20 \times 5	\$100	6,000	1,800
\$50 \times 2	\$100	6,000	1,800
(($\$10$ w / # SYMBOL) \times 5) + \$30 + \$20	\$100	6,000	1,800
($\$10$ w/ # SYMBOL) \times 10	\$100	6,000	1,800
($\$50$ w/ # SYMBOL) \times 2	\$100	6,000	1,800
\$100 w/ # SYMBOL	\$100	6,000	1,800
\$100	\$100	12,000	900
INFINITY w/ (($\$5 \times 10$) + \$100 + \$50)	\$200	4,800	2,250
INFINITY w/ (($\$30 \times 5$) + ($\5×6) + \$20)	\$200	4,800	2,250
INFINITY w/ (($\$50 \times 2$) + ($\10×10))	\$200	4,800	2,250
\$50 \times 4	\$200	24,000	450
(($\$10$ w/ # SYMBOL) \times 10) + ($\$50 \times 2$)	\$200	24,000	450
($\$20$ w/ # SYMBOL) \times 10	\$200	24,000	450
\$200 w/ # SYMBOL	\$200	24,000	450
\$200	\$200	24,000	450
INFINITY w/ (($\$10 \times 10$) + \$200 + \$100)	\$400	24,000	450
INFINITY w/ (($\$100 \times 2$) + ($\20×10))	\$400	24,000	450
\$100 \times 4	\$400	120,000	90
($\$100$ w/ # SYMBOL) \times 4	\$400	120,000	90
\$400 w/ # SYMBOL	\$400	120,000	90
\$400	\$400	120,000	90
INFINITY w/ (($\$200 \times 2$) + ($\100×5) + ($\$20 \times 5$))	\$1,000	2,160,000	5
INFINITY w/ (($\$400 \times 2$) + ($\20×10))	\$1,000	2,160,000	5
\$200 \times 5	\$1,000	2,160,000	5
\$1,000 w/ # SYMBOL	\$1,000	2,160,000	5
\$1,000	\$1,000	2,160,000	5
INFINITY w/ (($\$1,000 \times 2$) + ($\400×5) + ($\$200 \times 5$))	\$5,000	2,160,000	5
\$5,000 w/ # SYMBOL	\$5,000	2,160,000	5
\$5,000	\$5,000	2,160,000	5
\$200,000 w/ SIX FIGURE	\$200,000	1,080,000	10

Reveal a “#” (NUMBER) symbol, win prize shown under that symbol automatically.

Reveal an “Infinity” (WINALL) symbol, win all 12 prizes shown!

SIX FIGURE FORTUNE: Reveal a “SIX FIGURE” (\$200K) symbol, win \$200,000 instantly! SIX FIGURE FORTUNE is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Six Figures instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket

that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single

installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Six Figures, prize money from winning Six Figures instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Six Figures instant lottery game, the right of a ticket holder to claim the prize represented

by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Six Figures or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1799. Filed for public inspection November 18, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Proposed Additions and Revisions; January 2023

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Fish and Boat Commission (Commission) to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The Commission's Fisheries Management Division maintains the list of wild trout streams. The Executive Director, with the approval of the Commission, will from time-to-time publish the list of wild trout streams in the *Pennsylvania Bulletin*. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams.

At the next Commission meeting on January 23 and 24, 2023, the Commission will consider changes to its list of wild trout streams. Specifically, the Commission will consider the addition of the following streams or portions of streams to the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>
Clinton	Morris Run	Headwaters to Mouth	West Branch Susquehanna River	41.237439 77.916725
Fulton	Wooden Bridge Creek	Headwaters to Pump Station Road (T-428) bridge	Sideling Hill Creek	40.111111 78.006944
Northumberland	Trout Run	Headwaters to Mouth	Shamokin Creek	40.804167 76.569167
Warren	Mud Run	Headwaters to Mouth	Jackson Run	41.900525 79.228575
Warren	Valentine Run	Headwaters to Mouth	Rhine Run	41.920412 79.165414

The Commission also will consider the following revisions to the section limits of streams on the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Current Limits</i>	<i>Revised Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>
Bradford	Little Schrader Creek	Marsh Run to Mouth	Headwaters to Mouth	Schrader Creek	41.619720 76.667778
Centre	Marsh Creek	Headwaters to Little Marsh Creek	Headwaters to Mouth	Bald Eagle Creek	41.058887 77.595001
Huntingdon	Crooked Creek	Headwaters to UNT at RM 5.10	Headwaters to Mouth	Juniata River	40.483533 78.015299
Luzerne	Hunlock Creek	T-534 to Mouth	Headwaters to Mouth	North Branch Susquehanna River	41.203888 76.062500
Luzerne	Little Shickshinny Creek	T-429 to Mouth	Headwaters to Mouth	Shickshinny Creek	41.153839 76.154442

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

Note that the public comment section for this notice will begin on November 25, 2022, and remain active for 30 days.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1800. Filed for public inspection November 18, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Proposed Changes to List of Class A Wild Trout Waters; January 2023

The Fish and Boat Commission (Commission) is considering changes to its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. With rare exceptions, the Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Criteria developed for Class A wild trout fisheries are species specific. Wild Trout Biomass Class Criteria include provisions for:

(i) *Wild Brook Trout Fisheries*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild Brown Trout Fisheries*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) *Mixed Wild Brook and Brown Trout Fisheries*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) *Wild Rainbow Trout Fisheries*

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

(v) *Mixed Wild Brook and Rainbow Trout Fisheries*

(A) Combined brook and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

(vi) *Mixed Wild Brown and Rainbow Trout Fisheries*

(A) Combined brown and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

During recent surveys, Commission staff documented the following stream sections to have Class A wild trout populations. The Commission intends to consider adding these waters to its list of Class A Wild Trout Streams at its meeting on January 23 and 24, 2023.

<i>County</i>	<i>Stream</i>	<i>Section</i>	<i>Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>	<i>Brook Trout (kg/ha)</i>	<i>Brown Trout (kg/ha)</i>	<i>Rainbow Trout (kg/ha)</i>	<i>Length (miles)</i>	<i>Survey Year</i>
Centre	Romola Branch	1	Headwaters to Mouth	Marsh Creek	41.057182 77.685280	0.73	61.20	—	4.16	2022
Clearfield	Little Trout Run	1	Headwaters to Mouth	Trout Run	41.071944 78.358333	34.94	0.55	—	6.99	2022
Clinton	Dark Hollow Run	1	Headwaters to Mouth	Paddy Run	41.385555 77.762779	30.24	3.63	—	2.45	2022
Clinton	Middle Branch Queens Run	1	Headwaters to Mouth	Queens Run	41.183611 77.475556	40.26	2.49	—	4.10	2022
Clinton	Morris Run	1	Headwaters to Mouth	West Branch Susquehanna River	41.237439 77.916725	62.77	—	—	1.23	2022
McKean	Heath Hollow Run	1	Headwaters to Mouth	Allegheny Portage Creek	41.708115 79.215675	27.37	23.43	—	1.34	2022
Potter	Buckseller Run	1	Headwaters to Mouth	Pine Creek	41.811944 77.784167	44.54	4.66	—	2.54	2022
Potter	Crippen Run	1	Headwaters to Mouth	West Branch Pine Creek	41.711388 77.702225	69.34	29.15	—	3.67	2022
Potter	Jones Run	1	Headwaters to Mouth	Pine Creek	41.812500 77.784722	33.32	24.95	—	3.28	2022
Potter	Right Branch Big Nelson Run	1	Headwaters to Mouth	Big Nelson Run	41.573208 78.016739	115.31	—	—	3.93	2022
Snyder	Kern Run	1	Headwaters to Spring Township Municipal Authority Reservoir	Middle Creek	40.773611 77.180556	33.64	—	—	2.50	2022
Tioga	Chaffee Run	1	Headwaters to Mouth	Elk Run	41.684723 77.546669	35.14	65.72	—	2.41	2022
Tioga	East Mine Hole Run	1	Headwaters to Mouth	Mine Hole Run	41.578056 77.434998	72.31	—	—	1.44	2022
Tioga	Frying Pan Run	1	Headwaters to Mouth	Cedar Run	41.598646 77.493531	126.84	48.45	—	2.09	2022
Tioga	Mine Hole Run	1	Headwaters to Mouth	Cedar Run	41.554776 77.458914	30.28	43.46	—	2.12	2022
Tioga	West Mine Hole Run	1	Headwaters to Mouth	Mine Hole Run	41.578056 77.435280	65.02	—	—	2.50	2022

Persons with comments, objections or suggestions concerning the additions are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

Note that the public comment section for this notice will begin on November 25, 2022, and remain active for 30 days.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1801. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of MJ Properties USA, LLC under the Storage Tank and Spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File No. 2022-0029; Doc. No. UT22-10-041

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and any other relevant provisions of law.

A prehearing telephone conference initiated by this office is scheduled for December 12, 2022, at 10 a.m. The parties shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before December 8, 2022. A date for a hearing will be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be electronically filed with the Hearings Administrator on or before November 28, 2022. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before December 8, 2022.

Persons with a disability who wish to attend the previously-referenced administrative proceedings, and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1802. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Designation as a Reciprocal Jurisdiction Reinsurer

Munich Re has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on November 8, 2022, and was made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Melissa Greiner, Deputy Insurance Commissioner, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, mgreiner@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1803. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Certified and Reciprocal Jurisdiction Reinsurer

ACE INA Overseas Reinsurance Company Ltd. has applied for renewal of its designations as a certified reinsurer and reciprocal jurisdiction reinsurer in this Commonwealth. The applications were received on June 29, 2022, and were made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the applications are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Nicholas S. Murray at nmurray@pa.gov and Neel S. Vaidya at nvaidya@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1804. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Certified and Reciprocal Jurisdiction Reinsurer

Chubb European Group SE has applied for renewal of its designations as a certified reinsurer and reciprocal jurisdiction reinsurer in this Commonwealth. The applications were received on June 22, 2022, and August 30, 2022, respectively, and were made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the applications are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address, telephone number and e-mail address of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Nicholas S. Murray at nmurray@pa.gov and Neel S. Vaidya at nvaidya@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1805. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Certified and Reciprocal Jurisdiction Reinsurer

Chubb Tempest Reinsurance Ltd. has applied for renewal of its designations as a certified reinsurer and reciprocal jurisdiction reinsurer in this Commonwealth. The applications were received on June 28, 2022, and August 30, 2022, respectively, and were made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a. (relating to requirements for certified reinsurers).

Persons who wish to comment on the applications are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address, telephone number and e-mail address of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Nicholas S. Murray at nmurray@pa.gov and Neel S. Vaidya at nvaidya@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1807. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Certified and Reciprocal Jurisdiction Reinsurer

Chubb Reinsurance (Switzerland) Ltd. has applied for renewal of its designations as a certified reinsurer and reciprocal jurisdiction reinsurer in this Commonwealth. The applications were received on June 29, 2022, and were made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the applications are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address, telephone number and e-mail address of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Nicholas S. Murray at nmurray@pa.gov and Neel S. Vaidya at nvaidya@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1806. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Capitol Operator, LLC

Capitol Operator, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Capitol Rehabilitation and Healthcare Center in Harrisburg, PA. The initial filing was received on October 28, 2022, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1808. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Jefferson Hills Operating, LLC

Jefferson Hills Operating, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Jefferson Hills Healthcare and Rehabilitation Center in Jefferson Hills, PA. The initial filing was received on November 8, 2022, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1809. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Catholic Order of Foresters; Rate Increase Filing for Several LTC Forms (UHAS-133154716); Rate Filing

Catholic Order of Foresters is requesting approval to increase the premium 16.67% on 8 policyholders with individual LTC forms FCNH, FCLTC and FCLTC 2000.

Unless formal administrative action is taken prior to February 3, 2023, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over the word "Consumers," then select "Pending Long Term Care Rate Filings."

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1810. Filed for public inspection November 18, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Felipe Munoz; License Denial Appeal; Doc. No. AG22-10-042

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Felipe Munoz has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for December 19, 2022, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before December 15, 2022. A date for a hearing will be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before December 5, 2022. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before December 15, 2022.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1811. Filed for public inspection November 18, 2022, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-22-060, Dated October 17, 2022. Authorizes a side letter with SEIU, Local 668 that provides for closure payments for SEIU represented employees at Polk Center.

Resolution No. CB-22-061, Dated October 17, 2022. Authorizes a side letter with SEIU, Local 668 that provides for closure payments for SEIU represented employees at White Haven Center.

Resolution No. CB-22-062, Dated October 17, 2022. Authorizes a side letter with AFSCME that provides for closure payments for AFSCME represented employees at Polk Center.

Resolution No. CB-22-063, Dated October 17, 2022. Authorizes a side letter with AFSCME that provides for closure payments for AFSCME represented employees at White Haven Center.

Resolution No. CB-22-064, Dated October 17, 2022. Authorizes a side letter with SEIU, Healthcare Pennsylvania that provides for closure payments for SEIU represented employees at Polk Center.

Resolution No. CB-22-065, Dated October 17, 2022. Authorizes a side letter with SEIU, Healthcare Pennsylvania that provides for closure payments for SEIU, HCPA represented employees at White Haven Center.

Resolution No. CB-22-066, Dated October 17, 2022. Authorizes a side letter with OPEIU that provides for closure payments for OPEIU represented employees at Polk Center.

Resolution No. CB-22-067, Dated October 17, 2022. Authorizes a side letter with PDA that provides for closure payments for PDA represented employees at White Haven Center.

Resolution No. CB-22-068, Dated October 17, 2022. Authorizes a side letter with PDA that provides for closure payments for PDA represented employees at Polk Center.

AMY J. MENDELSON,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 22-1812. Filed for public inspection November 18, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

General Rule Transaction

A-2022-3036589 and A-2022-3036591. Electric Lightwave, LLC, d/b/a Allstream and Zayo Group, LLC. Joint application for approval of: (1) the pro forma consolidations of Electric Lightwave, LLC, d/b/a Allstream and its parent into Zayo Group, LLC; and (2) the cancellation of Electric Lightwave, LLC, d/b/a Allstream's certificate and tariff upon completion of the pro forma consolidations.

The joint application was filed as a pro forma transaction under 52 Pa. Code § 63.325(a) (relating to Commission approval of a pro forma transaction subject to 66 Pa.C.S. §§ 1102(a)(3) and 1103). However, the Pennsylvania Public Utility Commission (Commission) has determined that the intra-company change of ownership results in the transfer of 100% of the membership interests of Electric Lightwave, LLC, d/b/a Allstream into its parent company Zayo Group, LLC. Under the regulations at 52 Pa. Code § 63.324(a) (relating to Commission approval of a general rule transaction subject to 66 Pa.C.S. §§ 1102(a)(3) and 1103), a transaction that results in the

transfer of 20% or more of the assets or of the direct or indirect control of an applicant is a general rule transaction. The Commission therefore reclassifies the application as a general rule transaction per 52 Pa. Code § 63.325(b).

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 5, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: Electric Lightwave, LLC, d/b/a Allstream; Zayo Group, LLC

Through and By Counsel: Catherine Vasudevan, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921, (215) 963-5000, fax (215) 963-5001, catherine.vasudevan@morganlewis.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1813. Filed for public inspection November 18, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-2022-3036582 and A-2022-3036579. The York Water Company and Conewago Industrial Park Water and Sewer Company. Joint application of The York Water Company and Conewago Industrial Park Water and Sewer Company under 66 Pa.C.S. § 1102(a)(1)—(3) (relating to enumeration of acts requiring certificate) for: (1) approval of the right to transfer certain public water facilities and rights from Conewago Industrial Park Water and Sewer Company to The York Water Company; (2) the abandonment by Conewago Industrial Park Water and Sewer Company of water service to the public in its service territory in West Donegal Township, Lancaster County; and (3) approval for The York Water Company to begin to offer, render, furnish or supply water service to the public in a portion of West Donegal Township, Lancaster County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 5, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120 or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: The York Water Company; Conewago Industrial Park Water and Sewer Company

Through and By Counsel: Michael W. Hassell, Esq., Devin T. Ryan, Esq., Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, mhassell@postschell.com, dryan@postschell.com; Charis Mincavage, Esq., Meagan Truong, Esq., McNeese, Wallace & Nurick, LLC, 100 Pine Street, Harrisburg, PA 17101, cmincavage@mcneese.com, mtruong@mcneese.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1814. Filed for public inspection November 18, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as common carriers in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than December 5, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business address of the respective applicant or attorney, or both.

Doc. No. A-22-11-02. Yahqam Taxi, LLC (1628 North 2nd Street, Philadelphia, PA 19122): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

DENNIS WELDON,
Temporary Executive Director

[Pa.B. Doc. No. 22-1815. Filed for public inspection November 18, 2022, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Commission Meeting

The Susquehanna River Basin Commission (Commission) will conduct its regular business meeting on December 15, 2022, at 9 a.m. in person and digitally at the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110. Details concerning the matters to be addressed at the business meeting are contained in the Supplementary Information section of this notice. The Commission published a document in the *Federal Register* at 87 FR 62174 (October 13, 2022), concerning its public hearing on November 3, 2022, in Harrisburg, PA.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, fax (717) 238-2436.

Supplementary Information

The business meeting will include actions or presentations on the following items: (1) adoption of the regulatory program fee schedule for Calendar Year 2023; (2) adoption of a resolution recognizing the 50th anniversary of the Clean Water Act; (3) approval of contracts, grants and agreements; and (4) actions on 13 regulatory program projects.

This agenda is complete at the time of issuance, but other items may be added, and some stricken without further notice. The listing of an item on the agenda does not necessarily mean that the Commission will take final action on it at this meeting. When the Commission does take final action, notice of these actions will be published in the *Federal Register* after the meeting. Actions specific to projects will also be provided in writing directly to project sponsors.

The meeting will be conducted both in person at the Commission's Harrisburg headquarters and digitally. The public is invited to attend the Commission's business meeting. Individuals can access the business meeting through a computer (audio and video) at <https://srbc.webex.com/srbc/j.php?MTID=meb4986cc5831b88ea7d5b1ef5151e7b6> then enter meeting number 177 203 4471 and password CommBusMtg1215. Individuals may participate telephonically by dialing (877) 668-4493 and entering the meeting number 177 203 4471 followed by the # sign.

Written comments pertaining to items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through www.srbc.net/about/meetings-events/business-meeting.html. Comments are due to the Commission on or before November 14, 2022. Comments will not be accepted at the business meeting noticed herein.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: November 8, 2022

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 22-1816. Filed for public inspection November 18, 2022, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Grandfathering Registration Notice

The Susquehanna River Basin Commission lists the following Grandfathering (GF) Registration for projects under 18 CFR 806, Subpart E (relating to registration of grandfathered projects) from October 1, 2022, through October 31, 2022.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists GF Registration for projects, described as follows, under 18 CFR 806, Subpart E, for the time period previously specified:

1. Hickory Heights, Inc.—Hickory Heights Golf Club, GF Certificate No. GF-202210226, North Codorus Township, York County, PA; Well 1; Issue Date: October 26, 2022.

2. Kline Township Municipal Authority—Public Water Supply System, GF Certificate No. GF-202210227, Kline Township, Schuylkill County, PA; combined withdrawal from Well 1, Well 2, Well 8, Honey Brook Reservoir and No. 8 Reservoir; Issue Date: October 26, 2022.

3. Pennsy Supply, Inc.—Pittston Quarry, GF Certificate No. GF-202210228, Jenkins Township, Luzerne County, PA; Well 1; Issue Date: October 26, 2022.

4. Wellsboro Borough Municipal Authority—Public Water Supply System, GF Certificate No. GF-202210229, Charleston and Duncan Townships, Tioga County, PA; see Addendum; Issue Date: October 26, 2022.

5. Emporium Country Club, Inc.—Emporium Country Club, GF Certificate No. GF-202210230, Lumber Township, Cameron County, PA; Driftwood Branch Sinnema-honing Creek, spring-fed ponds and consumptive use; Issue Date: October 26, 2022.

6. Village of Horseheads—Public Water Supply System, GF Certificate No. GF-202210231, Town of Horseheads, Chemung County, NY; Wells 1, 2 and 4; Issue Date: October 26, 2022.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: November 8, 2022

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 22-1817. Filed for public inspection November 18, 2022, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following projects from October 1, 2022, through October 31, 2022.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified:

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. Chesapeake Appalachia, LLC; Pad ID: McCabe; ABR-201008157.R2; Towanda Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 17, 2022.

2. Chesapeake Appalachia, LLC; Pad ID: Rylee; ABR-20100610.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 17, 2022.

3. Chesapeake Appalachia, LLC; Pad ID: Thall; ABR-201008140.R2; Albany Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 17, 2022.

4. Chesapeake Appalachia, LLC; Pad ID: Wolf; ABR-201008158.R2; Athens Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 17, 2022.

5. EQT ARO, LLC; Pad ID: Clearview HC Pad A; ABR-201007076.R2; Gamble Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 17, 2022.

6. EQT ARO, LLC; Pad ID: COP Tr 285 Pad E; ABR-201007074.R2; Grugan Township, Clinton County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 17, 2022.

7. EQT ARO, LLC; Pad ID: Frank L. Hartley Pad A; ABR-201008144.R2; Cogan House Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 17, 2022.

8. PPG Operations, LLC; Pad ID: COP 324-A; ABR-202210002; Girard Township, Clearfield County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 17, 2022.

9. Repsol Oil & Gas USA, LLC; Pad ID: CALABRO T2; ABR-201505007.R1; Orange Town, Schuylker County, NY; Consumptive Use of Up to 0.0800 mgd; Approval Date: October 17, 2022.

10. Repsol Oil & Gas USA, LLC; Pad ID: FROST 2; ABR-201505005.R1; Orange Town, Schuylker County, NY; Consumptive Use of Up to 0.0800 mgd; Approval Date: October 17, 2022.

11. Seneca Resources Company, LLC; Pad ID: B09-S; ABR-202210001; Shippen Township, Cameron County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 17, 2022.

12. Seneca Resources Company, LLC; Pad ID: Kinnan 845; ABR-201008135.R2; Middlebury Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 17, 2022.

13. BKV Operating, LLC; Pad ID: P&G Warehouse 1—1H; ABR-201008156.R2; Meshoppen Township, Wyoming County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 19, 2022.

14. BKV Operating, LLC; Pad ID: Ricci Well Pad; ABR-201208019.R2; Bridgewater Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 19, 2022.

15. Chesapeake Appalachia, LLC; Pad ID: SGL-12 L SOUTH UNIT PAD; ABR-202010001.1; Leroy Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: October 19, 2022.

16. Coterra Energy, Inc.; Pad ID: SalanskyT P1; ABR-201208022.R2; Gibson Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: October 19, 2022.

17. Range Resources—Appalachia, LLC; Pad ID: McWilliams Unit # 6H—# 10H Well Pad; ABR-

201208015.R2; Cogan House Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 19, 2022.

18. Range Resources—Appalachia, LLC; Pad ID: Null Bobst Units 1H—5H; ABR-201208018.R2; Cogan House Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 19, 2022.

19. Repsol Oil & Gas USA, LLC; Pad ID: GREEN NEWLAND, LLC (05 067); ABR-201008151.R2; Warren Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: October 19, 2022.

20. Repsol Oil & Gas USA, LLC; Pad ID: KUHLMAN (05 258) M; ABR-201208023.R2; Windham Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: October 19, 2022.

21. Seneca Resources Company, LLC; Pad ID: DCNR Tract 001 1H; ABR-201008142.R2; Sweden Township, Potter County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 19, 2022.

22. Chesapeake Appalachia, LLC; Pad ID: SGL 289B; ABR-201009009.R2; West Burlington Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 24, 2022.

23. Chesapeake Appalachia, LLC; Pad ID: Stoudt; ABR-201009011.R2; Overton Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 24, 2022.

24. Chesapeake Appalachia, LLC; Pad ID: Tague East Drilling Pad; ABR-201208024.R2; Lemon Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 24, 2022.

25. Chesapeake Appalachia, LLC; Pad ID: Vera; ABR-201009001.R2; Fox Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 24, 2022.

26. EQT ARO, LLC; Pad ID: Plants Evergreen Farm Pad A; ABR-201009003.R2; Cascade Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 24, 2022.

27. Repsol Oil & Gas USA, LLC; Pad ID: RITZ (03 073) G; ABR-201009019.R2; Columbia Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: October 24, 2022.

28. Chesapeake Appalachia, LLC; Pad ID: Atgas; ABR-201008066.R2; Leroy Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 30, 2022.

29. Chesapeake Appalachia, LLC; Pad ID: Bluegrass; ABR-201007103.R2; Rush Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 30, 2022.

30. Repsol Oil & Gas USA, LLC; Pad ID: ANTISDEL (05 035) M; ABR-201009015.R2; Warren and Windham Townships, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: October 30, 2022.

31. Repsol Oil & Gas USA, LLC; Pad ID: UGLIUZZA (05 006) L; ABR-201007086.R2; Pike Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: October 30, 2022.

32. Repsol Oil & Gas USA, LLC; Pad ID: WRAY (03 058) M; ABR-20100649.R2; Wells Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: October 30, 2022.

33. Chesapeake Appalachia, LLC; Pad ID: Williams; ABR-201009031.R2; Ulster Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 31, 2022.

34. Inflection Energy (PA), LLC; Pad ID: Smith West Well Site; ABR-202210004; Gamble Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 31, 2022.

35. PPG Operations, LLC; Pad ID: COP 324 Elk; ABR-202210003; Girard Township, Clearfield County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: October 31, 2022.

36. Seneca Resources Company, LLC; Pad ID: COP Pad J; ABR-201009022.R2; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 31, 2022.

37. Seneca Resources Company, LLC; Pad ID: PHC Pad T; ABR-201009039.R2; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 31, 2022.

38. Seneca Resources Company, LLC; Pad ID: Wood 496; ABR-201009026.R2; Richmond Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: October 31, 2022.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: November 8, 2022

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 22-1818. Filed for public inspection November 18, 2022, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Minor Modifications

The Susquehanna River Basin Commission (Commission) lists the minor modifications approved for previously approved projects from October 1, 2022, through October 31, 2022.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists previously approved projects, receiving approval of minor modifications, described as follows, under 18 CFR 806.18 (relating to approval modifications) or to Commission Resolution Nos. 2013-11 and 2015-06 for the time period previously specified:

1. Seneca Resources Company, LLC (Cowanesque River), Docket No. 20220920, Deerfield Township, Tioga County, PA; approval to change intake design and location; Approval Date: October 18, 2022.

2. Clearfield Municipal Authority (Moose Creek Well 3), Docket No. 20220921, Lawrence Township, Clearfield County, PA; approval to change monitoring requirements; Approval Date: October 26, 2022.

3. East Cocalico Township Authority (Well M), Docket No. 20220606, West Cocalico Township, Lancaster County, PA; correction to Special Condition 23; Correction Issue Date: October 31, 2022.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: November 8, 2022

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 22-1819. Filed for public inspection November 18, 2022, 9:00 a.m.]
