

NOTICES

BOARD OF COAL MINE SAFETY

Meeting Rescheduled

The Board of Coal Mine Safety (Board) meeting scheduled for Wednesday, June 5, 2024, has been rescheduled. The meeting will be held at 10 a.m. on Thursday, June 6, 2024, in Conference Rooms A and B, Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15931. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Mining," then "Board of Coal Mine Safety," then "2024").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the meeting can be directed to Peggy Scheloske at mscheloske@pa.gov or (724) 404-3143.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Peggy Scheloske at (724) 404-3143 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Acting Chairperson

[Pa.B. Doc. No. 24-673. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending May 7, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
05-02-2024	Univest Bank and Trust Co. Souderton Montgomery County	15 Washington Avenue Souderton Montgomery County (Limited-Service Facility)	Approved

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
04-05-2024	Mid Penn Bank Millersburg Dauphin County	57 South Sillyman Street Cressona Schuylkill County	Closed
04-05-2024	Mid Penn Bank Millersburg Dauphin County	29 East Main Street Tremont Schuylkill County	Closed

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
04-05-2024	Mid Penn Bank Millersburg Dauphin County	1060 Aaron Road North Brunswick Middlesex County, NJ	Closed
04-05-2024	Mid Penn Bank Millersburg Dauphin County	527 Ridge Road South Brunswick Middlesex County, NJ	Closed

CREDIT UNIONS**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
05-01-2024	BHCU Ridley Park Delaware County	1 Five Points Road West Chester Chester County	Accepted

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-674. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of June 2024

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of June 2024, is 7 1/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.66 to which was added 2.50 percentage points for a total of 7.16 that by law is rounded off to the nearest quarter at 7 1/4%.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-675. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Public Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on May 22, 2024, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The public meeting may be attended by means of Microsoft Teams through a link found on the Council's web site prior to the public meeting at www.dcnr.pa.gov/cnrc.

Questions concerning this public meeting or agenda items can be directed to Nicole Faraguna at (717) 346-7636. For public comment to be considered at the public meeting, follow the instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 24-676. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Snowmobile and ATV Advisory Committee Public Meeting

The Snowmobile and ATV Advisory Committee (Committee) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on May 21, 2024, at 10:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The public meeting may be attended virtually by means of Microsoft Teams. Individuals participating through Microsoft Teams must register prior to the meeting on the Committee's web site at <https://www.dcnr.pa.gov/SnowmobileATVAdvisoryCommittee>.

Questions concerning this public meeting or agenda can be directed to Jake Newton at (717) 783-3349. Those wishing to participate during the public comment section are encouraged to submit their comments in writing to janewton@pa.gov.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 24-677. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
----------------	-----------------

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the "Applications Received with Comment Periods Report" (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0088889	CAFO Individual NPDES Permit	Transfer	Pennmar Dairy, LLC 110 Cornwall Lane Peach Bottom, PA 17563-9767	Fulton Township Lancaster County	SCRO

NOTICES

2625

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0065471	Industrial Stormwater Individual NPDES Permit	Amendment Minor	Behr Process, LLC 7529 Morris Court Allentown, PA 18106	Upper Macungie Township Lehigh County	NERO
0918821	Joint DEP/PFBC Pesticides Permit	Renewal	Coleen & Jim Michaels 1467 Blue School Road Perkasie, PA 18944	Bedminster Township Bucks County	SERO
1024805	Joint DEP/PFBC Pesticides Permit	New	Carol Fletcher 128 Guillard Road Prospect, PA 16052-2702	Muddycreek Township Butler County	NWRO
1524803	Joint DEP/PFBC Pesticides Permit	New	Johnson Roger 3104 Wells Road Malvern, PA 19355-8666	Charlestown Township Chester County	SERO
1924801	Joint DEP/PFBC Pesticides Permit	New	Knouse Kevin 106 Harris Road Bloomsburg, PA 17815-6971	North Centre Township Columbia County	NCRO
3513809	Joint DEP/PFBC Pesticides Permit	Renewal	Country Club of Scranton 1001 Morgan Highway Clarks Summit, PA 18411	Clarks Summit Borough Lackawanna County	NERO
3619802	Joint DEP/PFBC Pesticides Permit	Amendment	Kissell Hill Commons 616 Paxton Place Lititz, PA 17543-8274	Manheim Township Lancaster County	SCRO
3724803	Joint DEP/PFBC Pesticides Permit	New	Mark Miller 202 Pinnacle Circuit Slippery Rock, PA 16057	Scott Township Lawrence County	NWRO
4024803	Joint DEP/PFBC Pesticides Permit	New	Indian Lakes Sports Club Inc. 408 Indian Lake Trail White Haven, PA 18661-2015	Buck Township Luzerne County	NERO
4424801	Joint DEP/PFBC Pesticides Permit	New	Derry Township Mifflin County 73 Reserve Lane Lewistown, PA 17044-8646	Derry Township Mifflin County	SCRO
4524803	Joint DEP/PFBC Pesticides Permit	New	Arrowhead Lake Comm Association 961 Arrowhead Drive Pocono Lake, PA 18347-7856	Coolbaugh Township Monroe County	NERO
4619807	Joint DEP/PFBC Pesticides Permit	Amendment	Villas at Linfield 360 W Main Street Collegeville, PA 19426	Limerick Township Montgomery County	SERO
4624803	Joint DEP/PFBC Pesticides Permit	New	Green Hill MHC, LLC 210 Green Hill Drive Green Lane, PA 18054-2020	Marlborough Township Montgomery County	SERO
4624804	Joint DEP/PFBC Pesticides Permit	New	Kim James 915 Mount Pleasant Road Bryn Mawr, PA 19010-1918	Lower Merion Township Montgomery County	SERO
6119811	Joint DEP/PFBC Pesticides Permit	Transfer	Mathew Beith 174 Pioneer Road Franklin, PA 16323	Sandycreek Township Venango County	NWRO
6121802	Joint DEP/PFBC Pesticides Permit	Transfer	Jack and Penny Ferringer 1010 Buxton Road Titusville, PA 16354-8100	Cherrytree Township Venango County	NWRO
2606401	Land Application and Reuse of Sewage Individual WQM Permit	Amendment	Randy Work 839 Mill Run Road Mill Run, PA 15464	Springfield Township Fayette County	SWRO
5082402	Land Application and Reuse of Sewage Individual WQM Permit	Amendment	Saville Township Perry County 3954 Veterans Way Elliottsburg, PA 17024	Saville Township Perry County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0483402	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Beaver Borough Municipal Authority 469 3rd Street Beaver, PA 15009-2226	Beaver Borough Beaver County	SWRO
4397412	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Farrell City Mercer County 500 Roemer Boulevard Farrell, PA 16121-1901	Farrell City Mercer County	NWRO
3602204	Manure Storage and Wastewater Impoundments Individual WQM Permit	Transfer	Pennmar Dairy, LLC 110 Cornwall Lane Peach Bottom, PA 17563-9767	Fulton Township Lancaster County	SCRO
PA0095150	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Bunola Estates, LLC 1598 Oakleaf Lane Pittsburgh, PA 15237-1512	Forward Township Allegheny County	SWRO
0420200	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Transfer	Cleveland Cliffs Steel Corp 9227 Centre Pointe Drive West Chester, OH 45069-4822	Harmony Township Beaver County	SWRO
0524404	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Saxton Borough Municipal Authority Bedford County 707 9th Street Saxton, PA 16678-1109	Saxton Borough Bedford County	SCRO
3915201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Nestle Purina Petcare Company 2050 Pope Road Allentown, PA 18104-9308	South Whitehall Township Lehigh County	NERO
0284407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Bunola Estates, LLC 1598 Oakleaf Lane Pittsburgh, PA 15237-1512	Forward Township Allegheny County	SWRO
NOEXNW105	No Exposure Certification	Renewal	Niagara Cutter, LLC 150 S 5th Street Reynoldsville, PA 15851-8930	Reynoldsville Borough Jefferson County	NWRO
NOEXNW123	No Exposure Certification	Renewal	AAH Acquisition, LLC 6424 W Ridge Road Erie, PA 16506-1023	Fairview Township Erie County	NWRO
NOEXSC423	No Exposure Certification	New	Excel Inc. dba DHL Supply Chain 250 Cloverleaf Road York, PA 17406	Conewago Township York County	SCRO
PAG030309	PAG-03 NPDES General Permit for Industrial Stormwater	New	United Chemicals Tech 2731 Bartram Road Bristol, PA 19007-6810	Bristol Township Bucks County	SERO
PAG036347	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Genesys Ind Inc. P.O. Box 980 Ellenton, FL 34222-0980	Unity Township Westmoreland County	SWRO

NOTICES

2627

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036581	PAG-03 NPDES General Permit for Industrial Stormwater	New	Precision Ind 99 Berry Road Washington, PA 15301-2769	South Strabane Township Washington County	SWRO
PAG038385	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Haysite Reinforced Plastics, LLC 5599 Perry Highway Erie, PA 16509-3562	Millcreek Township Erie County	NWRO
PAG040093	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Sean & Deonna Wolf 51 Carter Road Thornton, PA 19373-1014	Thornbury Township Delaware County	SERO
PAG041329	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Diane & Jacob Blarr 1041 Lake Street Girard, PA 16417-1013	Conneaut Township Erie County	NWRO
PAG041332	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Roney Daniel 3509 Reichert Road Erie, PA 16509-4343	McKean Township Erie County	NWRO
PAG041333	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Bonny & Sean Hoffman 7722 Welcana Drive Fairview, PA 16415-1044	Franklin Township Erie County	NWRO
PAG041337	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Ashley & Timothy Blodgett 2914 Mercer Butler Pike Slippery Rock, PA 16057	Liberty Township Mercer County	NWRO
PAG043983	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Evans Blake P.O. Box 12 Roxbury, PA 17251-0012	Lurgan Township Franklin County	SCRO
PAG043991	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Steele William A 590 N Middleton Road Carlisle, PA 17013-8784	North Middleton Township Cumberland County	SCRO
PAG056275	PAG-05 NPDES General Permit for Groundwater Cleanup	New	Krupa Gas Corp 6002 Natl Pike E Brownsville, PA 15417	Redstone Township Fayette County	SWRO
PAG122216	PAG-12 NPDES General Permit for CAFOs	Renewal	Musser Jairus L 95 Ferebees Road Pine Grove, PA 17963-8200	Washington Township Schuylkill County	SCRO
PAG123550	PAG-12 NPDES General Permit for CAFOs	Renewal	Weiler Farms Partnership 350 E Mill Avenue Myerstown, PA 17067-2404	Jackson Township Lebanon County	SCRO
PAG123587	PAG-12 NPDES General Permit for CAFOs	Renewal	Rutt Ryan 524 N Garfield Road Bernville, PA 19506-9017	Penn Township Berks County	SCRO
PAG123588	PAG-12 NPDES General Permit for CAFOs	Renewal	Three D Farms, LLC 1883 Ragged Edge Road Chambersburg, PA 17202-7434	Greene Township Franklin County	SCRO
PAG123664	PAG-12 NPDES General Permit for CAFOs	Renewal	Martin Nelson W 1850 Horseshoe Pike Annville, PA 17003-8831	South Annville Township Lebanon County	SCRO
PAG123706	PAG-12 NPDES General Permit for CAFOs	Renewal	Michael Long Sr 39 Reeds Creek Road Annville, PA 17003-8422	East Hanover Township Lebanon County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123770	PAG-12 NPDES General Permit for CAFOs	Renewal	Noah Light 791 Greble Road Lebanon, PA 17046-7852	Bethel Township Lebanon County	SCRO
PAG123788	PAG-12 NPDES General Permit for CAFOs	Renewal	Noah W Kreider & Sons LLP 1461 Lancaster Road Manheim, PA 17545-9768	South Annville Township Lebanon County	SCRO
PAG123828	PAG-12 NPDES General Permit for CAFOs	Renewal	Brechbill Christopher J 3387 Mont Alto Road Fayetteville, PA 17222-9661	Guilford Township Franklin County	SCRO
PAG123843	PAG-12 NPDES General Permit for CAFOs	Renewal	Dwayne Nolt 58 E Strack Drive Myerstown, PA 17067-2160	Jackson Township Lebanon County	SCRO
PAG123869	PAG-12 NPDES General Permit for CAFOs	Renewal	Misty Glen Properties LP 230 Poplar Road Fleetwood, PA 19522-8936	Swatara Township Lebanon County	SCRO
PAG123911	PAG-12 NPDES General Permit for CAFOs	Renewal	Weaver Arlin 201 Bullshead Road Newville, PA 17241	North Newton Township Cumberland County	SCRO
PAG123937	PAG-12 NPDES General Permit for CAFOs	Renewal	Light Jacob 177 Blue Mountain Road Fredericksburg, PA 17026-9352	Bethel Township Lebanon County	SCRO
PAG123943	PAG-12 NPDES General Permit for CAFOs	Renewal	Curtis R Musser 330 Bordner Road Richland, PA 17087-9608	Bethel Township Berks County	SCRO
PAG126106	PAG-12 NPDES General Permit for CAFOs	Renewal	Washington Trotting Association, LLC 210 Racetrack Road Washington, PA 15301-8966	North Strabane Township Washington County	SCRO
1519409	Pump Stations Individual WQM Permit	Amendment	Oxford Borough Area Sewer Authority Chester County P.O. Box 380 Oxford, PA 19363	Oxford Borough Chester County	SERO
1524404	Pump Stations Individual WQM Permit	New	Oxford Area Sewer Authority P.O. Box 380 Oxford, PA 19363-1601	Lower Oxford Township Chester County	SERO
1019402	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Sunday Lauren 123 Old Route 68 Evans City, PA 16033-7613	Forward Township Butler County	NWRO
2392418	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Sean & Deonna Wolf 51 Carter Road Thornton, PA 19373-1014	Thornbury Township Delaware County	SERO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0060208, Sewage, SIC Code 4952, **Nelson Township Authority, Tioga County**, P.O. Box 100, Nelson, PA 16940-0100. Facility Name: Nelson Township Authority Sewer Plant. This existing facility is located in Nelson Township, **Tioga County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Cowanesque River (WWF), is located in State Water Plan watershed 4-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	10	16	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	12	18	XXX	30	45	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	0.8	XXX	XXX	2.0	XXX	4
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	Report	XXX	XXX	Daily Max	XXX
		Daily Max			Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0231754, Sewage, SIC Code 4952, **Kailee N. Karycki**, 792 Brush Valley Road, Sunbury, PA 17801-7500. Facility Name: Karycki SFTF. This proposed facility will be located in Rockefeller Township, **Northumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Susquehanna River (WWF, MF), is located in State Water Plan watershed 6-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0062570, Sewage, SIC Code 4952, **Covington Township Sewer Authority**, P.O. Box 266, Moscow, PA 18444-0266. Facility Name: Covington Township Sewer Authority WWTP. This existing facility is located in Covington Township, **Lackawanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Roaring Brook (HQ-CWF, MF), is located in State Water Plan watershed 5-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	41	67	XXX	25.0	40.0	50.0
Nov 1 - Apr 30						
May 1 - Oct 31	25	41	XXX	15.0	25.0	30.0
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	50	75	XXX	30.0	45.0	60.0
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 mL)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	12.6	XXX	XXX	7.5	XXX	15.0
Nov 1 - Apr 30						
May 1 - Oct 31	4.2	XXX	XXX	2.5	XXX	5.0
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	1.7	XXX	XXX	1.0	XXX	2.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 mL)	XXX	XXX	XXX	XXX	XXX	Report
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0012203, Industrial, SIC Code 3931, **Allen Organ Company, LLC**, 150 Locust Street, Macungie, PA 18062-1165. Facility Name: Allen Organ Company, LLC. This existing facility is located in Macungie Borough, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste and stormwater.

The receiving stream(s), Swabia Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.44 MGD—Interim Limits.

(From Permit Effective Date to Three Years After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	99.7	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	XXX	88.6	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	110.0	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	110.0	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	97.8	XXX
May 1 - 15	XXX	XXX	XXX	XXX	80.6	XXX
May 16 - 31	XXX	XXX	XXX	XXX	84.6	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	78.5	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	82.5	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	80.2	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	77.7	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	72.3	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	66.3	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	61.8	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	57.8	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	54.7	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	57.4	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	97.8	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.44 MGD—Final Limits.

(From Three Years After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	Inst Min	XXX	91.2	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	XXX	81.7	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	110.0	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	110.0	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	91.7	XXX
May 1 - 15	XXX	XXX	XXX	XXX	77.2	XXX
May 16 - 31	XXX	XXX	XXX	XXX	81.2	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	76.5	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	80.5	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	79.1	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	76.8	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	71.6	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	65.6	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	61.0	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	57.0	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	53.7	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	55.3	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	89.9	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0

The proposed effluent limits for Outfall 002 are based on a design flow of 0.44 MGD—Interim Limits.

(From Permit Effective Date to Three Years After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			

NOTICES

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	99.7	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	XXX	88.6	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	110.0	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	110.0	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	97.8	XXX
May 1 - 15	XXX	XXX	XXX	XXX	80.6	XXX
May 16 - 31	XXX	XXX	XXX	XXX	84.6	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	78.5	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	82.5	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	80.2	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	77.7	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	72.3	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	66.3	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	61.8	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	57.8	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	54.7	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	57.4	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	97.8	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0

The proposed effluent limits for Outfall 002 are based on a design flow of 0.44 MGD—Final Limits.

(From Three Years After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	Inst Min	XXX	91.2	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	XXX	81.7	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	110.0	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	110.0	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	91.7	XXX
May 1 - 15	XXX	XXX	XXX	XXX	77.2	XXX
May 16 - 31	XXX	XXX	XXX	XXX	81.2	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	76.5	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	80.5	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	79.1	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	76.8	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	71.6	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	65.6	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	61.0	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	57.0	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	53.7	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	55.3	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	89.9	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0

The proposed effluent limits for Outfall 003 are based on a design flow of 0.44 MGD—Interim Limits.

(From Permit Effective Date to Three Years After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	99.7	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	XXX	88.6	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	110.0	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	110.0	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	97.8	XXX
May 1 - 15	XXX	XXX	XXX	XXX	80.6	XXX
May 16 - 31	XXX	XXX	XXX	XXX	84.6	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	78.5	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	82.5	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	80.2	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	77.7	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	72.3	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	66.3	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	61.8	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	57.8	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	54.7	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	57.4	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	97.8	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0

The proposed effluent limits for Outfall 003 are based on a design flow of 0.44 MGD—Final Limits.

(From Three Years After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	Inst Min XXX	XXX	91.2	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	XXX	81.7	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	110.0	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	110.0	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	91.7	XXX
May 1 - 15	XXX	XXX	XXX	XXX	77.2	XXX
May 16 - 31	XXX	XXX	XXX	XXX	81.2	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	76.5	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	80.5	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	79.1	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	76.8	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	71.6	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	65.6	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	61.0	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	57.0	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	53.7	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	55.3	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	89.9	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD (stormwater).

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0060747, Industrial, SIC Code 3087, **Westchester Plastics, LLC**, 42 Mountain Avenue, Nesquehoning, PA 18240. Facility Name: Westchester Plastics. This existing facility is located in Nesquehoning Borough, **Carbon County**.

Description of Existing Activity: The application is for renewal and transfer of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Nesquehoning Creek (CWF, MF) is located in State Water Plan watershed 2-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.28 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Aluminum, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Iron, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Manganese, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.28 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Biochemical Oxygen Demand (BOD ₅)	XXX	67.2	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	49.1	XXX	XXX	XXX	XXX
Oil and Grease	XXX	75.0	XXX	15.0	XXX	30.0
Copper, Total	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (stormwater).

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD (stormwater).

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0272566, Sewage, SIC Code 8800, **Ronald Cehelsky**, 221 Carbon Center Road, Butler, PA 16002-1021. Facility Name: Ronald Cehelsky SRSTP. This existing facility is located in Summit Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Bonnie Brook (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295574, Sewage, SIC Code 4952, **Grace Comm Church Curllsville**, 3225 Curllsville Road, Sligo, PA 16255. Facility Name: Grace Community Church SFTF. This proposed facility is located in Monroe Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Licking Creek (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0012 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Part C 150—UV Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295591, Sewage, SIC Code 8800, **Sanmar Woodlands, LLC**, 5501 Route 89, North East, PA 16428-5054. Facility Name: West Stancliff SRSTP. This proposed facility is located in Franklin Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Goodban Run (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Part C 150—UV Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295639, Sewage, SIC Code 4952, 8811, **Pamela McNeal**, 108 Ball Hill Road, Pleasantville, PA 16341-4202. Facility Name: Pamela McNeal SRSTP. This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Stewart Run (HQ-CWF), is located in State Water Plan watershed 16-E and is classified for High Quality—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Part C 150—UV Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295728, Sewage, SIC Code 8800, **David Reiser**, 13692 Ridge Road, West Springfield, PA 16443-9446. Facility Name: David Reiser SRSTP. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Elk Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Part C 150—UV Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0000345, Industrial, SIC Code 4941, **PA American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436. Facility Name: PA American Water Clarion. This existing facility is located in Clarion Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Clarion River, is located in State Water Plan watershed 17-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.349 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.6
Total Suspended Solids	Report	Report	XXX	30.0	60.0	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	4.0	5
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5

In addition, the permit contains the following major special conditions:

- Sediment Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0020648, Sewage, SIC Code 4952, **Port Royal Borough Municipal Authority**, 804 W 8th Street, Port Royal, PA 17082-9400. Facility Name: Port Royal Bergstresser WWTP. This existing facility is located in Port Royal Borough, **Juniata County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Juniata River (WWF), is located in State Water Plan watershed 12-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	42.0	67.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	50.0	75.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions: N/A

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0020711, Sewage, SIC Code 4952, **Topton Borough, Berks County**, 205 S Callowhill Street, Topton, PA 19562-1750. Facility Name: Topton Borough STP. This existing facility is located in Topton Borough, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Little Lehigh Creek (HQ-CWF), is located in State Water Plan watershed 2-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.05	XXX	0.16
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Nov 1 - Apr 30	50	75	XXX	20.0	30.0	40
May 1 - Oct 31	25	37	XXX	10.0	15.0	20
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
CBOD ₂₀ Minimum % Removal (%)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	75	113	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	7.5	XXX	XXX	3.0	XXX	4.5
May 1 - Oct 31	2.5	XXX	XXX	1.0	XXX	1.5
Nitrate as N	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	5.0	XXX	XXX	2.0	XXX	XXX
Copper, Total	0.055	0.086	XXX	0.022	0.035	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Dissolved Solids	XXX	Report	XXX	XXX	1,000.00	XXX
E. Coli (No./100 ml)	XXX	Daily Max XXX	XXX	XXX	Daily Max Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0027197, Sewage, SIC Code 4952, **Capital Region Water**, 212 Locust Street, Suite 500, Harrisburg, PA 17101-1510. Facility Name: Harrisburg Advanced Wastewater Treatment Facility. This existing facility is located in Harrisburg City, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Susquehanna River (WWF, MF) is located in State Water Plan watershed 7-C and is classified for Warm Water Fishes, Cold Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 37.7 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
			Inst Min			

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	7,860	12,577	XXX	25.0	40.0	50
Total Suspended Solids	9,433	14,149	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	629	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 37.7 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.05	XXX	0.16
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	7,860	12,577	XXX	25.0	40.0	50
Total Suspended Solids	9,433	14,149	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	629	XXX	XXX	2.0	XXX	4

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Phosphorus (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 37.7 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania’s Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) Effluent Net	XXX	688,575 Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	XXX	91,810 Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department’s Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

This draft permit contains special conditions for Combined Sewer Overflow (CSO) outfalls in Part C.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0110361, Sewage, SIC Code 4952, **Freedom Township Water & Sewer Authority**, 131 Municipal Street, East Freedom, PA 16637-8158. Facility Name: Freedom Township STP. This existing facility is located in Freedom Township, **Blair County**.

Description of Existing Activity: The application is to amend a NPDES permit for an existing discharge of treated.

The receiving stream(s), Unnamed Tributary to Frankstown Branch Juniata River (WWF, MF) and Frankstown Branch Juniata River (TSE, MF), is located in State Water Plan watershed 11-A and is classified for Trout Stocking, Migratory Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

NOTICES

The proposed effluent limits for Outfall 001 are based on a design flow of .97 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	202	324	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	243	364	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	145	XXX	XXX	18.0	XXX	36
Nov 1 - Apr 30						
May 1 - Oct 31	49	XXX	XXX	6.0	XXX	12
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .97 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Copper, Total	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX
Zinc, Total	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .97 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	80	121	XXX	10.0	15.0	20
Total Suspended Solids	80	121	XXX	10.0	15.0	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	40	XXX	XXX	5.0	XXX	10
Ammonia-Nitrogen	31.5	XXX	XXX	3.9	XXX	7.8
Nov 1 - Apr 30						
May 1 - Oct 31	10.5	XXX	XXX	1.3	XXX	2.6
Total Phosphorus	4.0	XXX	XXX	0.5	XXX	1
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	10,959	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Annual		Report				
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Annual		Report				
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Annual		Report				
Total Phosphorus (Total Load, lbs) (lbs)	XXX	1,461	XXX	XXX	XXX	XXX
Total Annual		Report				
Effluent Net		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0266990, Sewage, SIC Code 8811, **John J Pepple**, 2247 French Creek Road, Everett, PA 15537-5264. Facility Name: Pepple Residence. This existing facility is located in East Providence Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to French Run (WWF, MF), is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Ann'l Avg	XXX	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0294403, Sewage, SIC Code 8811, **Broad Top Township, Bedford County**, 124 Hitchens Road, Defiance, PA 16633-9002. Facility Name: Foor Bittner Residence. This proposed facility is located in Broad Top Township, **Bedford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Sherman Valley Run (CWF, MF), is located in State Water Plan watershed 11-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0080322, Industrial, SIC Code 4953, **Greater Lebanon Refuse Authority**, 1800 Russell Road, Lebanon, PA 17046-1425. Facility Name: Greater Lebanon Refuse Landfill. This existing facility is located in North Lebanon Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary of Swatara Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .331 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	Report	Daily Min XXX	20.0	40.0	50
Total Suspended Solids	Report	Report	XXX	30.0	60.0	75
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	6.0	12.0	15
Nov 1 - Apr 30						
May 1 - Oct 31	Report	Report	XXX	2.0	4.0	5
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	2.0	4.0	5
Aluminum, Total	Report	Report	XXX	0.6	1.2	1.5
Iron, Dissolved	Report	Report	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	1.87	3.74	4.67
Manganese, Total	Report	Report	XXX	1.2	2.4	3

The proposed effluent limits for Outfall 001 are based on a design flow of .331 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFBS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 003 and 005 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Approval contingencies
- Collected screenings, slurries, sludges, and other solids management
- Stormwater requirements
- Landfill leachate discharge requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0050911, Sewage, SIC Code 4952,8211, **Upper Perkiomen School District**, 2229 E Buck Road, Suite 2, Pennsburg, PA 18073-2341. Facility Name: Marlborough Elementary School STP. This existing facility is located in Marlborough Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Perkiomen Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00425 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Sep 1 - May 31						
Jun 1 - Aug 31	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Sep 1 - May 31						
Jun 1 - Aug 31	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Sep 1 - May 31						
Jun 1 - Aug 31	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	4.0	XXX	8
Total Phosphorus	0.017	XXX	XXX	0.5	XXX	1

Sludge use and disposal description and location(s): Liquid sludge hauled off-site to Pottstown Sewage Treatment Facility (Permit # PA0026786) for incineration/land application by McGovern Environmental.

In addition, the permit contains the following major special conditions:

- I. Other Requirements
 - A. No Stormwater to Sewer
 - B. Necessary Property Rights
 - C. Proper Sludge Disposal

- D. Abandon STP when Public Sewer Become Available
- E. Total Residual Chlorine Requirement
- F. Notification of Designated Operator
- G. Operation and Maintenance Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0056553, Storm Water, SIC Code 3271, **Allan Myers, L.P., dba Allan Myers Materials**, 638 Lancaster Avenue, Malvern, PA 19355. Facility Name: Devault Asphalt Plant. This existing facility is located in Charlestown Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary of Pickering Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-D and is classified for Migratory Fishes and High-Quality Waters, Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	120	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	100	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Total Nitrogen	XXX	XXX	XXX	Semi Avg Report	XXX	Report
Total Phosphorus	XXX	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater outfalls and other authorized non-stormwater discharges
- Best management practices (BMPs)
- Stormwater monitoring requirements
- Preparedness, Prevention and Contingency (PPC) Plan
- Acquire necessary property rights
- Proper disposal of collected screenings, slurries, sludges and other solids

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0216381, Sewage, SIC Code 4952, **MDDA, LLC**, 114 Snyder Drive, Rochester, PA 15074-2706. Facility Name: Holly Hill Sewage Treatment Plant. This existing facility is located in New Sewickley Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), UNT of Crows Run, is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	0.0178	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	20.0	XXX	40.0
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0025844, Industrial, SIC Code 9651, **USHHS, CDC, NIOSH Pittsburgh**, 626 Cochrans Mill Road, Pittsburgh, PA 15236-3611. Facility Name: Bruceton Research Center. This existing facility is located in South Park Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Lick Run (TSF) and Lick Run (TSF), is located in State Water Plan watershed 19-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 101 are based on a design flow of .036 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	35.0	70.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Cobalt, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	3.5	7.0	XXX
Manganese, Total	XXX	XXX	XXX	2.0	4.0	XXX
Nickel, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 101 are based on a design flow of .036 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	35.0	70.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Cobalt, Total (ug/L)	XXX	XXX	XXX	46.4	72.4	XXX
Iron, Total	XXX	XXX	XXX	3.5	7.0	XXX
Manganese, Total	XXX	XXX	XXX	2.0	3.8	XXX
Nickel, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total (ug/L)	XXX	XXX	XXX	0.59	0.91	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 009 are based on a design flow of .05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Antimony, Total	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total (ug/L)	XXX	XXX	XXX	5.5	8.5	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	10.5	16.4	XXX
Cobalt, Total	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	2.0	4.0	XXX
Mercury, Total	XXX	XXX	XXX	Report	Report	XXX
Nickel, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	5.05	7.87	XXX
Silver, Total	XXX	XXX	XXX	Report	Report	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	
Thallium, Total	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX
2,4-Dinitrophenol (ug/L)	XXX	XXX	XXX	10.1	15.8	XXX
4,6-dinitro-o-cresol (ug/L)	XXX	XXX	XXX	2.02	3.16	XXX
3,3-Dichlorobenzidine (ug/L)	XXX	XXX	XXX	0.06	0.094	XXX
Acrolein (ug/L)	XXX	XXX	XXX	3.0	3.03	XXX
Acrylamide (ug/L)	XXX	XXX	XXX	0.085	0.13	XXX
1,3-Dichloropropylene (ug/L)	XXX	XXX	XXX	0.33	0.51	XXX
1,2,4-Trichlorobenzene (ug/L)	XXX	XXX	XXX	0.071	0.11	XXX
Nitrobenzene (ug/L)	XXX	XXX	XXX	10.1	15.8	XXX
Benzene (ug/L)	XXX	XXX	XXX	0.7	1.09	XXX
Benzidine (ug/L)	XXX	XXX	XXX	0.0001	0.0002	XXX
Bis(2-Ethylhexyl)Phthalate (ug/L)	XXX	XXX	XXX	0.39	0.6	XXX
Di-n-Butyl Phthalate (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Hexachlorobutadiene (ug/L)	XXX	XXX	XXX	0.012	0.019	XXX
Trichloroethylene (ug/L)	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

WQBELs Below Quantitation Limits

- The following parameter(s) are subject to water quality-based effluent limits (WQBELs) in Part A of this permit that are necessary to comply with state water quality standards, but may be less than quantitation limits (QLs), as defined in 25 Pa. Code § 252.1, that are generally achievable by conventional analytical technology. The permittee shall analyze the parameter(s) using methods that will achieve the QL(s) as follows. For the purpose of compliance, a statistical value reported on the DMR that is less than the QL(s) (i.e., “non-detect”) will be considered to be in compliance.

Parameter Name	Quantitation Limit
Total Thallium	2.0 µg/L
1,3-Dichloropropylene	0.5 µg/L
4,6-Dinitro-o-Cresol	10.0 µg/L
Benzidine, Bis(2-Ethylhexyl)Phthalate	5.0 µg/L
3,3-Dichlorobenzidine	5.0 µg/L
Hexachlorobutadiene	0.5 µg/L
1,2,4-Trichlorobenzene	0.5 µg/L

- The permittee shall, where determined to be feasible by the permittee, achieve a QL less than the QL previously identified to improve the level of confidence that state water quality standards are being met in the receiving waters.

- The permittee shall manage non-detect values and report statistical results to DEP in accordance with published DMR guidance (3800-BK-DEP3047). Where a mixed data set exists containing non-detect results and “detected” values (i.e., results greater than or equal to the QL), the QL shall be used for non-detect results to compute average statistical results.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Southeast Regional Office

Applicant: **Ellen Stetler**

Applicant Address: 17 Village Square, Paoli, PA 19301

Application Number: **PAD150336**

Application Type: New

Municipality/County: Charlestown Township, **Chester County**

Project Site Name: 11 Rapps Run

Total Earth Disturbance Area (acres): 2.34 acres

Surface Waters Receiving Stormwater Discharges: Pigeon Creek to Pickering Creek (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project site for the proposed single family home, garage, pool, and basketball court is located at 11 Rapps Run Drive. The site slopes northeast towards the adjacent access driveway which the proposed driveway is to tie into. The southeastern boarder of the lot consist of existing woods with the northern portion consisting of lawn. The surrounding areas consist of residential lots with single family homes many of which are partially wooded lots and also slope towards the southeast with the southeastern property boundary acting as the highpoint for the surrounding properties. Runoff from the site flows overland before reaching a UNT to Pickering Creek which is within the Pickering Creek Watershed.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southcentral Regional Office

Applicant: **Northampton Farms, LLC**

Applicant Address: 6150 Coffeetown Road, Orefield, PA 18069-2511

Application Number: **PAD060088**

Application Type: New

Municipality/County: Amity Township, **Berks County**

Project Site Name: Leaf Creek Farm

Total Earth Disturbance Area (acres): 91.87 acres

Surface Waters Receiving Stormwater Discharges: Leaf Creek: Manatawny Creek (WW-MF; CWF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 322 single-family 55+ age restricted homes.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: **Trexlertown Retail Center, LLC, c/o Anil Jivani**

Applicant Address: 5917 W Tilghman Street, Allentown, PA 18104

Application Number: **PAD390291**

Application Type: New

Municipality/County: Upper Macungie Township, **Lehigh County**

Project Site Name: Trexlertown Retail Center

Total Earth Disturbance Area (acres): 1.25 acres

Surface Waters Receiving Stormwater Discharges: UNT to Cedar Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Trexlertown Retail Center, LLC is proposing the reconstruction of the existing auto service convenience store and construction of additional retail spaces, and a car wash at 5917 W Tilghman Street, Allentown, PA 18104. The project proposes a Subsurface: Dry Extended Detention Basin with MRC.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Sundu Enterprises, LLC, c/o Chad Sundo**

Applicant Address: 3150 Coffeetown Road, Orefield, PA 18069

Application Number: **PAD390085**

Application Type: Renewal

Municipality/County: City of Allentown, **Lehigh County**

Project Site Name: Southside Homes by Smart Living

Total Earth Disturbance Area (acres): 5.69 acres

Surface Waters Receiving Stormwater Discharges: Little Lehigh Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Proposed townhomes with public water and sewer and associated stormwater management.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Buy the Load, LLC**

Applicant Address: P.O. Box 427, Pocono Summit, PA 18346

Application Number: **PAD450207**

Application Type: New

Municipality/County: Tobyhanna Township, **Monroe County**

Project Site Name: Bartell Soil Stockpile

Total Earth Disturbance Area (acres): 5.5 acres

Surface Waters Receiving Stormwater Discharges: UNT to Upper Tunkhannock Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The site contains an existing stockpile that will be exported. Once the stockpile has been exported, the site will be graded and restored utilizing a meadow mix and the riparian buffer along the UNT to Upper Tunkhannock Creek will be reestablished.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **MLH Holdings, LLC**

Applicant Address: 170 Butler Street, Kingston, PA 18704

Application Number: **PAD350048**

Application Type: New

Municipality/County: Jefferson Township, **Lackawanna County**

Project Site Name: Olde Grove Estates

Total Earth Disturbance Area (acres): 37.27 acres

Surface Waters Receiving Stormwater Discharges: UNT to West Branch Wallenpaupack Creek (HQ-CWF, MF) and EV Wetlands.

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Continuation of construction on the Olde Grove Estates residential subdivision originally approved and partially constructed in 2006.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **PPL Electric Utilities Corp.**

Applicant Address: 1639 Church Road, GENN 4, Allentown, PA 18104-9342

Application Number: **PA400007D**

Application Type: New

Municipality/County: Exeter Township, Jenkins Township, Plains Township, Exeter Borough, and Wyoming Borough, **Luzerne County**

Project Site Name: Jenkins-Stanton 230kV Line Rebuild Project

Total Earth Disturbance Area (acres): 161.0 acres

Surface Waters Receiving Stormwater Discharges: Susquehanna River (WWF, MF), UNT to the Susquehanna River (CWF, MF), Obendoffers Creek (HQ-CWF, MF), Hicks Creek (CWF, MF), UNTs to Hicks Creek (CWF, MF), Gardner Creek (CWF, MF) and Mill Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The PPL EU Jenkins-Stanton 230kV Line Rebuild consists of the reconstruction of an existing electric utility line, approximately 8.5 miles in length and the retirement of a 2-mile section. The line starts at the Stanton Substation, southeast of Sullivan Trail (SR 0092), and travels southwest before heading south, and then southwest again, crossing over both the Susquehanna River, ending at the Jenkins Substation, South of E. Taylor Ave. (SR 2015). The entire project is located within Luzerne County and is considered a site restoration project.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: **GLC Newberry, LLC**

Applicant Address: 1275 Glenlivet Drive, Suite 100, Allentown, PA 18106

Application Number: **PAD670001A-1**

Application Type: Major Amendment

Municipality/County: Newberry Township, **York County**

Project Site Name: Goodman Logistics Center (Newberry)

Total Earth Disturbance Area (acres): 122 acres

Surface Waters Receiving Stormwater Discharges: Fishing Creek (TSF, MF), UNT to Fishing Creek (TSF, MF) and EV Wetlands.

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Industrial two warehouses with associated truck parking and loading docks.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Sandy Ridge Wind 2, LLC**

Applicant Address: 354 Davis Road, Suite 100, Oakville, ON L6J2X1

Application Number: **PAD070009 A-3**

Application Type: Major Amendment

Municipality/County: Snyder Township, Rush and Taylor Townships, **Blair County, and Centre County**

Project Site Name: Sandy Ridge II Wind Project

Total Earth Disturbance Area (acres): 1,221.76 acres

Surface Waters Receiving Stormwater Discharges: Sink Run (TSF, MF), Vanscoyoc Run (CWF, MF), Big Fill Run (EV, MF), Decker Run (TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Sandy Ridge Wind 2, LLC proposes to construct the Sandy Ridge II Wind Project to generate clean, affordable electricity. The project consists of a 60-megawatt wind energy project, including wind turbines and ancillary infrastructure. The major modification of this project is a linear utility project to be restored to predevelopment conditions. Permanent impervious areas with the expansion of the windfarm will be managed using infiltration berms for stormwater.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northcentral Regional Office

Applicant: **PA DOT Engineering District 2-0**

Applicant Address: 70 PennDot Drive, Clearfield, PA 16830

Application Number: **PAD140110**

Application Type: New

Municipality/County: Marion Township, **Centre County**

Project Site Name: SR 0026, Section 147 Jacksonville Road Betterment

Total Earth Disturbance Area (acres): 21.7 acres

Surface Waters Receiving Stormwater Discharges: Unnamed Tributary to Nittany Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Pennsylvania Department of Transportation is applying an NPDES permit for the construction of a 2.16-Mile-long betterment project to improve roadway safety along SR 0026/Jacksonville Road. The project includes minor roadway widening and vertical curve corrections and the associated stormwater controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northeast Regional Office

Applicant: **DEPG Bartonsville Route 611 Plaza, LP/DEPG Parcel D, LLC**

Applicant Address: 1000 Fayette St., Conshohocken, PA 19428

Application Number: **PAD450016 A-2**

Application Type: Major Amendment

Municipality/County: Stroud Township, **Monroe County**

Project Site Name: Plaza 611 Shopping Center

Total Earth Disturbance Area (acres): 6.77 acres

Surface Waters Receiving Stormwater Discharges: Pocono Creek (HQ-CW, MF), Wigwam Road (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Major Amendment to construct a 115,000 square foot, three (3) story self-storage facility, underground infiltration basin and parking.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: **Trout Brothers Farm, LLC**

Applicant Address: 508 Red Rock Road, Loysville, PA 17047

Application Number: **PAD500023**

Application Type: New

Municipality/County: Jackson Township, **Perry County**

Project Site Name: Proposed Feed Bunk

Total Earth Disturbance Area (acres): 11.86 acres

Surface Waters Receiving Stormwater Discharges: Shermans Creek (EV-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 90,000 sf feed bunk, assorted farming/agricultural buildings, and PCSM BMPs.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: **Peter D. Johnson**

Applicant Address: 5150 Hoffmansville Road, Orefield, PA 18067-2340

Application Number: **PAD390290**

Application Type: New

Municipality/County: Upper Macungie Township, **Lehigh County**

Project Site Name: Carriage East Residential Development

Total Earth Disturbance Area (acres): 6.46 acres

Surface Waters Receiving Stormwater Discharges: UNTs to Little Lehigh Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construct a ten-lot residential subdivision. Improvements include extending Surrey Court approximately 600 feet to intersect with Schantz Road, install public utilities, two infiltration basins and an infiltration bed.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Sheetz, Inc., c/o Robert Franks**

Applicant Address: 351 Sheetz Way, Claysburg, PA 16625

Application Number: **PAD390298**

Application Type: New

Municipality/County: City of Bethlehem, **Lehigh County**

Project Site Name: Sheetz Store # 384 Rebuild

Total Earth Disturbance Area (acres): 2.21 acres

Surface Waters Receiving Stormwater Discharges: Monocacy Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Project includes demolition of existing store, fueling canopy and associated paved areas, for the construction of a new Sheetz Convenience Store, car wash, fueling island, associated parking improvements, stormwater management facilities and utilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*Applicant: **Presidential Land Holdings, LLC**

Applicant Address: 95 S. Main Road, Mountain Top, PA 18707

Application Number: **PAD400026**

Application Type: Renewal

Municipality/County: Fairview Township, **Luzerne County**

Project Site Name: Sherwood Estates

Total Earth Disturbance Area (acres): 2.41 acres

Surface Waters Receiving Stormwater Discharges: 1. UNT to Big Wapwallopen Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project involves the Renewal of PAD400026 (formerly PAI024014002), which involves the construction of 6 multi-unit residential buildings, driveways, 26-lot parking area, and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Cambria District Mining Office*Applicant: **PA DEP Bureau of Abandoned Mine Reclamation**

Applicant Address: 286 Industrial Park Road, Ebensburg, PA 15931

Application Number: **PAD680014**

Application Type: New

Municipality/County: Knox Township, **Clearfield County**

Project Site Name: Kellytown Southwest 1

Total Earth Disturbance Area (acres): 34 acres

Surface Waters Receiving Stormwater Discharges: Potts Run (CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project would eliminate approximately 3,450 linear feet (L.F.) of Dangerous Highwalls by pushing the associated 30 acres of Spoil Area against the face of the highwalls and regrading the site back to Approximate Original Contour. The Hazardous Equipment & Facilities consists of a ten foot by ten-foot brick structure and building remnants which will be demolished and disposed of in accordance with the Department's regulations.

Special Conditions: Issuing an Individual Permit due to the PAG-02 expiring December 7, 2024.

You may review the permit application file by contacting DEP's File Review Coordinator at 814-472-1800.

STATE CONSERVATION COMMISSION**PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the

exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Kieran Buser 49 Buser Farm Lane York, PA 17406	York County	3	1,030.29	Swine	NA	Renewal
Heisler's Egg Farm, Inc. Todd Heisler 757 Valley Road Tamaqua, PA 18252	Schuylkill County	191.2	416.05	Poultry (Existing Layers)	EV	Renewal
Heisler's Egg Farm, Inc. Todd Heisler 757 Valley Road Tamaqua, PA 18252	Schuylkill County	191.2	345.4	Poultry (Proposed Layers)	HQ	Renewal
Mike Martin 2050 West Main St Ephrata, PA 17522	Lancaster County	22.9	254.69	Ducks Beef	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.

Application No. 4124505, Construction, Public Water Supply.

Applicant	Steam Valley Travel Plaza
Address	169 PA Route 14 Trout Run, PA 17771
Municipality	Lewis Township
County	Lycoming County
Responsible Official	Gurparkash Sandhoo 165 Lamont Street Cogan Station, PA 17728
Consulting Engineer	Joseph E Lichty 687 Berkshire Drive State College, PA 16803
Application Received	May 1, 2024
Description	4-Log

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Joseph Mattucci, Program Manager, 717-705-4931.

Application No. 0524501 MA, Construction/Operation, Public Water Supply.

Applicant	Saxton Borough Municipal Authority
Address	707 9th Street Saxton, PA 16678
Municipality	Saxton Borough
County	Bedford County

Responsible Official	Lester Meck 707 9th Street Saxton, PA 16678
Consulting Engineer	Skyler J. Eckenrode, P.E. 3121 Fairway Drive Altoona, PA 16602
Application Received	January 29, 2024
Description	The Saxton Borough Municipal Authority proposes to replace four (4) turbidimeter units and one (1) chlorine analyzer.

WATER ALLOCATIONS

Application(s) Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh C. Rivers, Clerical Assistant 2, (484-250-5887).

WA-46-67I, Water Allocations. **Aqua Pennsylvania, Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489, Tincum Township, **Delaware County**. Requesting to renew their approval to purchase up to 9.5 million gallons per day from Philadelphia Water Department. Application received: May 2, 2024.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Rohrer Bus Services, Primary Facility ID # **875256**, 46 South Hunter Highway, Drums, PA 18222, Butler Township, **Luzerne County**. Groundwater Sciences Corporation, 2550 Interstate Drive, Suite 303, Harrisburg, PA 17110 on behalf of H.E. Rohrer, LLC, 1515 State Road, P.O. Box 100, Duncan, PA 17020, submitted a Notice of Intent to Remediate. Soil was contaminated with used motor oil from an underground storage tank. The Notice of Intent to Remediate was published in *The Standard Speaker* on April 25, 2024. Application received: May 6, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Auchey's Greenhouse and Auchey's Plant Farm, Primary Facility ID # **875261**, 1851 Baltimore Pike, Hanover, PA 17331, West Manheim Township, **York County**. Environmental Consulting, Inc., 2002 Renaissance Blvd., King of Prussia, PA 19406 on behalf of Hanover Commerce, LLC, 14 Balligomingo Road, Conshohocken, PA 19428, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with Arsenic. The site will be remediated to the Statewide health standard. Future use of the site is nonresidential. The Notice of Intent to Remediate was published in *The Evening Sun* on May 9, 2024. Application received: May 3, 2024.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

WMGR123NW021, PennEnergy Resources, LLC Ferree Well Pad, 3000 Westinghouse Drive, Suite 300, Cranberry Township, PA 16066, Middlesex Township, **Butler County**. The application requests approval to install one aboveground storage tank and secondary containment at the Ferree Tank Pad site to store, process, and beneficially reuse oil and gas liquid waste. Sources for these waters will include PER projects as well as other generators engaged in similar processes and activities (both unconventional wells and conventional wells). Water will be transmitted to and from the tank using tanker trucks and piping. Application received: May 6, 2024.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit,

may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Dave G. Balog, NSR Chief, 814-332-6328.

10-00001Q: Cleveland Cliffs Steel Holding Corp., 210 Pittsburgh Rd, Butler, PA 16001-3825, Butler Township, **Butler County**. Application received: March 5, 2024.

Cleveland Cliffs Steel Corporation is submitting a Plan Approval Application for the installation of a new natural gas-fired coil preheating furnace at its Butler Works Facility in Butler County, PA.

Contact: David G. Balog, P.E. New Source Review Section Chief, 814-332-6328.

24-00012N: Graftech USA, LLC, 800 Theresia Street, Saint Marys, PA 15857, City of Saint Marys, **Elk County**. Application received: October 26, 2023.

Plan approval application received for the replacement of existing plan approval 24-0012K. This plan approval

would change the testing requirements of plan approval 24-0012K. Their existing Title V facility is located in St Mary City, Elk County.

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

04-00681C: Brunner Landfill, 211 Brunner Rd., Zelienople, PA 16063, New Sewickley Township, **Beaver County**. Application received: June 2, 2021. In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a plan approval for the installation and operation of an enclosed flare and a leachate evaporator at a landfill facility located in New Sewickley Township, Beaver County. The enclosed flare will be limited to 0.10 lb/MMBtu of NO_x, 0.40 lb/MMBtu of CO, 98% destruction efficiency of VOC or 20 ppmvd VOC at 3% O₂, and 0.01 gr/dscf PM. The facility will be limited to annual emissions of 11.5 tons/year of NO_x, 36.5 tons/year of CO, 4.5 tons/year of VOC, 9.5 tons/year of SO_x, 20 tons/year of PM₁₀, and 4.6 tons/year of total HAPs. Sources at Brunner are subject to 40 CFR Part 62 Subpart OOO—Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014 and Have Not Been Modified or Reconstructed Since July 17, 2014, and 40 CFR Part 63 Subpart AAAA—NESHAPS for Hazardous Air Pollutants: Municipal Solid Waste Landfills, and 25 Pa. Code Chapters 121—145. (Air Resources). The plan approval includes emission limitations and operational, monitoring, testing, recordkeeping, work practice, and reporting requirements for the plant. The application, DEP's Review Memorandum, and the proposed plan approval are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Sheri Guerrieri, New Source Review Chief, directly. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the plan approval may submit the information to Sheri Guerrieri, New Source Review Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-04-00681C) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public

hearing should be directed to Sheri Guerrieri, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to shguerrieri@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, Air Quality Program 814-332-6131.

32-00040, Seward Generation, LLC, 595 Plant Road, New Florence, PA 15944, East Wheatfield Township, **Indiana County**. Application received: October 17, 2023. The Department intends to modify the Title V Permit to Seward Generation, LLC for the operation of an electrical generation facility. The facility's major emission sources include two circulating fluidized bed (CFB) waste coal boilers equipped with SNCR, baghouse, and flyash reinjection; four limestone dryers; five diesel engines; space heater; material handling and a part washer. The modification is pursuant to 25 Pa. Code §§ 127.541 (Significant operating permit modifications) and 127.542 (Revising an operating permit for cause). The modification involves the incorporation of requirements from the COA signed on August 17, 2023 pertaining to the 1-Hour SO₂ NAAQS for the Indiana PA Nonattainment Area as well as the applicable RACT III presumptive requirements (§§ 129.111, 129.112 and 129.1115). Copies of the application, the Department's analysis and other documents used in the evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335. Any person wishing to provide the Department of Environmental Protection with additional information that they believe should be considered prior to the issuance of this permit may submit the information to the Department at the previously listed address. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following information: Name, address and telephone number of the person submitting the comments. Identification of the proposed permit (specify Permit # TV 32-00040) Concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Mr. Eric A. Gustafson, Regional Air Quality Program Manager, Department of Environmental Protection, Northwest Region, 230 Chestnut Street, Meadville, PA 16335. For additional information concerning the permit or the issuance procedure, contact Mr. Matthew Williams, Facilities Permitting Chief, Air Quality Program, at the same address or phone at (814) 332-6131.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

15-00010, Cleveland-Cliffs Plate, LLC, 139 Modena Rd, Coatesville, PA 19320, City of Coatesville, **Chester County**. Application received: February 5, 2024. This action is for the renewal of a Title V Operating Permit. The Title V operating permit was last renewed on October 3, 2019. The facility is a major source for NO_x, CO, VOC, PM₁₀, SO_x, and greenhouse gases (GHG). Sitewide potential emissions are as follows: NO_x—1,244.74 TPY; SO_x—233.42 TPY; PM—121.00 TPY; CO—7,179.05 TPY; VOC—539.61 TPY; and HAP—18.06 TPY. Sources include furnaces, boilers, steel surface conditioning processes, generators, fire pumps, parts washers, nickel plating with scrubbers, surface coating operations, and other miscellaneous steel manufacturing components, many of them controlled by dust collection systems. Two 4SLB Emergency Generators (Source ID 769) are subject to 40 CFR Part 60, Subpart JJJJ. The following sources are subject to 40 CFR Part 63: \D\ Electric Furnace—Source ID 104 (Subpart YYYYY); 12,000 Gal Underground Gas Storage Tank—Source ID 226 (Subpart CCCCC); Emer Pump/Generator—Source ID 768 (Subpart ZZZZ); and Small Emergency Generators and Pumps—Source 770 (Subpart ZZZZ). Applicable requirements are already incorporated into the Title V Operating Permit. The following sources are subject to Compliance Assurance Monitoring (CAM) requirements: Source IDs 104, 174, 175, 181, 182, 207, 228, 232, 234, 235, 258, and 263. The renewed Title V operating permit will contain monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

63-00015, Flexsys America, LP, 829 Route 481, Monongahela, PA 15063, Carroll Township, **Washington County**. Application received: March 28, 2024.

Notice of Proposed Revision to the State Implementation Plan for Volatile Organic Chemicals, Notice of Public Hearing, and Notice of Intent to Issue Renewal Title V Air Quality Operating Permit TV-63-00015.

Approval of a Title V Operating Permit Renewal and Reasonably Available Control Technology (RACT III) plan for Flexsys America, LP Monongahela Plant located in Carroll Township, Washington County.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal Title V operating permit (TV-63-00015) to Flexsys America, LP which also incorporates RACT III requirements.

The following sources and control devices at this facility are addressed in this RACT III proposal:

- Source 101 Crystex Plant
- Source C02 Thermal Oxidizer
- Source C101 Crystex Plant Emergency Flare

The facility has potential emissions of 44.63 TPY NO_x; 23.26 TPY CO; 2.20 TPY PM₁₀; 45.80 TPY SO_x; 102.82 TPY VOC; 84.49 TPY CS₂; 3.70 TPY H₂S; and 42,675 TPY CO₂e. Emission limitations, operating requirements, and work practice standards along with monitoring, recordkeeping, and reporting requirements have been

included in this proposed revision to the Title V operating permit to ensure that the facility complies with applicable Federal and State air quality regulations.

Furthermore, in accordance with 25 Pa. Code §§ 129.111—129.115, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT III plan and an amendment to the State Implementation Plan (SIP) for the aforementioned facility. The facility is not subject to any RACT III requirements for NO_x.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT III approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The proposed amendments to the RACT III determination, if finally approved, will be incorporated into a revised renewal operating permit TV-63-00015 for the facility. The relevant RACT III requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT III determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT III determination for this operation that will be submitted to the EPA as a SIP revision:

Source ID	Description	Regulatory Citation
		RACT
	TVOP 63-00027 Condition No.	
		101
Crystex Plant § 129.114(d)	The owner and operator shall install, maintain, and operate the source in accordance with manufacturer's specifications and with good operating practices.	Section D, Source 101, Condition # 014
		C02
Thermal Oxidizer § 129.112(c)(8)	The owner and operator shall install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices.	Section E, Group G03, Condition # 001
		C101
Crystex Plant Emergency Flare § 129.112(c)(8)	The owner and operator shall install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices.	Section E, Group G03, Condition #001
		Additional testing, monitoring, and recordkeeping requirements are included in the proposed modification to the Title V operating permit.
	<i>Public hearing.</i> A public hearing will be held on June 18, 2024, from 9:30—10:00 a.m. at the Pennsylvania Department of Environmental Protection, Southwest Re-	

gional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To register to speak at a hearing, or to inquire if a hearing will be held, contact Thomas Joseph at 412-442-4336. The last day to pre-register to speak at the hearing will be June 11, 2024. If we do not receive any pre-registered speakers by this date, the hearing will be cancelled.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/default.aspx>. We ask that you contact Thomas Joseph at 412-442-4336 or monitor our website to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Thomas Joseph at 412-442-4336 at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons wishing to file a written protest or provide comments or additional information may submit the information to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period from May 18, 2024, will exist for the submission of comments, protests, and information. Each submission must contain the name, address, and telephone number of the person submitting the comments, identification of the RACT III Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to the RACT III Plan or the operating permit modification.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review may be made online at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick 570-826-2409.

48-00093, Oldcastle APG Northeast, Inc., 800 Uhler Road, Easton, PA 18040-6617, Forks Township, **Northampton County**. Application received: February 20, 2024. The Department intends to issue a renewal State-Only (Natural Minor) Permit for this facility located in Forks Township, Northampton County, for operation of a concrete block and brick manufacturing plant. The operation consists of the concrete block plant and fabric collectors for control of the particulate emissions. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

10-00375, Harmony Castings, LLC, 251 Perry Hwy, Harmony, PA 16037-9213, Jackson Township, **Butler County**. Application received: March 30, 2023. The Department intends to issue the renewal State Only Natural Minor Operating Permit for the aluminum foundry. The facility's primary emission sources include the aluminum casting process, shot blasting, natural gas process heaters, and a parts washer. The potential emissions of the primary pollutants from the facility are as follows: 1.09 TPY (tons per year) NO_x, 2.00 TPY CO, 8.99 TPY VOC, 8.02 TPY total HAPs, 8.00 TPY methanol, 10.62 TPY PM₁₀ and PM_{2.5}, and 0.02 TPY SO_x; thus, the facility is a natural minor. The facility is subject to 40 CFR Part 63 Subpart ZZZZZZ, NESHAP Area Source Standards for Aluminum, Copper, and Other Nonferrous Foundries. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

05-05028, Texas Eastern Transmission, LP, 8177 US Route 220, Bedford, PA 15522, Bedford Township, **Bedford County**. Application received: December 20, 2023. For the operation of a compressor station. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 0.03 tpy PM₁₀, 0.03 tpy PM_{2.5}, 2.69 tpy NO_x, 0.54 tpy CO, 47.57 tpy VOC, and 1.15 tpy total HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63 Subpart ZZZZ, 40 CFR Part 60 Subpart JJJJ, and 25 Pa. Code § 129.63.

01-03012, The International Paper Company, 136 E. York St., Biglerville, PA 17307, Biglerville Borough, **Adams County**. Application received: November 14, 2023. For the operation of a corrugated box manufacturing facility. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 6.92 tpy PM₁₀, 2.13 tpy PM_{2.5}, 15.72 tpy NO_x, 12.49 tpy CO, 47.62 tpy VOC, 11.96 tpy total HAPs,

and 0.13 tpy SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60 Subpart Dc, 40 CFR Part 63 Subpart ZZZZ, 25 Pa. Code §§ 129.52b and 129.63.

28-05029, Fayetteville Contractors, Inc., 100 Meyers Rd., Fayetteville, PA 17222, Antrim Township, **Franklin County**. Application received: January 23, 2024. For the operation of an asphalt paving mixture and block manufacturing facility. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 10.08 tpy PM, 6.48 tpy PM₁₀, 6.48 tpy PM_{2.5}, 28.80 tpy NO_x, 96.00 tpy CO, 1.97 tpy VOC, 1.82 tpy total HAPs, and 21.12 tpy SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60 Subpart I.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03116, Cargill Cocoa & Chocolate, Inc.—Mount Joy, 200 Chocolate Ave., Mount Joy, PA 17552, Mount Joy Borough, **Lancaster County**. Application received: January 31, 2024. For operation of a cacao bean processing facility and chocolate liquor manufacturing operation. This is for renewal of the existing State-Only Permit. The potential emissions from are 13.2 tpy of VOC and 52.9 tpy of PM. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulation. Among other items, the conditions include 25 Pa. Code § 123.13 for particulate matter emission limits.

36-03094, Snavelys Mill, Inc., 333 Snavely Mill Road, Lititz, PA 17543, Warwick Township, **Lancaster County**. Application received: February 21, 2024. To issue a renewal of the State Only Operating Permit for the flour mill. The potential emissions are estimated at 13.63 tpy of PM, 8.66 tpy of PM₁₀ and 4.75 tpy of PM_{2.5}. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

36-03048, Hubbard Feeds, Inc., 3349 Hempland Road, Lancaster, PA 17601, East Hempfield Township, **Lancaster County**. Application received: October 5, 2023. For their animal feed mill. This is a renewal of the facility's State-only (Natural Minor) operating permit. The potential emissions from the facility are estimated at 31.0 tons of PM₁₀, 4.0 tons of nitrogen oxides (NO_x) and 3.0 tons of carbon monoxide (CO). The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart DDDDDDD and 25 Pa. Code § 129.63.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Environmental Engineer Manager, 484-250-7505.

09-00064, CRC Industries, Inc., 885 Louis Drive, Warminster, PA 18974, Warminster Township, **Bucks County**. Application received: September 6, 2023. This action is for the renewal of the State Only Operating Permit for the manufacture of specialty chemicals used in the automotive, marine, electrical and industrial maintenance markets. The main emissions for this facility are volatile organic compounds, of which the facility is limited to less than 24.5 tons per year of emissions, and hazardous air pollutants, of which the facility is limited to less than 10 tons per year for any single hazardous air pollutant and less than 25 tons per year for all of the hazardous air pollutants combined. The requirements from 40 CFR Part 60, Subpart JJJJ apply to a natural gas fired emergency generator. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact previously listed person. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00147, NMZ Holdings, d/b/a Chemalloy Co, LLC, 1301 Conshohocken Rd, Conshohocken, PA 19428, Plymouth Township, **Montgomery County**. Application received: December 22, 2023. This action is for the renewal of a Synthetic Minor Operating Permit for grinding, crushing, milling, and screening of various metal alloys and minerals into fine powders that are then sold for various industrial uses. During this renewal DEP has changed (1) incorporated a transfer of ownership from Chemalloy to NMZ Holdings and (2) the status of this facility from Natural Minor to Synthetic Minor because the uncontrolled PM₁₀ emissions exceeds 100 tpy. There have been no changes to the sources at this facility. The primary pollutant of concern is Particulate Matter (PM). The potential total PM emissions for the facility are PM/PM₁₀/PM_{2.5}: 19.34 tpy. The permit includes monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and

Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

<i>Parameter</i>	<i>Table 1</i>		
	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 56111302. NPDES No. PA0236101. Wilson Creek Energy, LLC, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, Lincoln and Jenner Townships, **Somerset County**. To revise the permit and related NPDES permit for installation of rock dust borehole; affecting 1.9 proposed surface acres. Application received: April 2, 2024. Accepted: May 1, 2024.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Mining Permit No. Government Financed Contract Number 26-17-01. NPDES No. PA0278271. Amerikohl Mining, Inc., 1384 State Route 711, Stahlstown, PA 15687, Saltlick Township, **Fayette County**. A renewal application was submitted for continued mining of an NPDES permit at an existing Government Financial Construction site, affecting 14.8 acres and 19.9 support acres. Receiving streams: unnamed tributaries to Little Champion Creek and Little Champion Creek; classified for the following use; CWF. Application received: May 3, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPMININGPERMITS@pa.gov.

Mining Permit No. 64030301. E.R. Linde Construction Corp., 239 Golf Hill Road, Honesdale, PA 18431, Palmyra Township, **Wayne County**. Correction to an anthracite surface mine operation to increase the permitted acres from 55.8 acres to 59.6 acres. Receiving stream: Middle Creek, classified for the following uses: HQ-CWF, MF. Application received: March 21, 2024. Accepted: March 27, 2024.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. GP12-40120101R. Northampton Fuel Supply Company, Inc., 1 Horwith Drive, Northampton, PA 18067-8728, Foster and Hazle Townships and Jeddo Borough, **Luzerne County**. Renewal application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 40120101. Application received: March 29, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Noncoal NPDEs Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

NPDES No. PA0280691. Mining Permit No. 20192801. Meadville Redi-Mix Concrete, Inc., P.O. Box 418, Meadville, PA 16335, Summit Township, Crawford County. Renewal of an NPDES permit for management of water on a small industrial minerals surface mine affecting 7.0 acres. Receiving stream(s): Inlet Run, classified for the following use(s): HQ-WWF. Application received: March 19, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES No. PA0226408. Mining Permit No. 58232804. PA Quarried Bluestone Company, P.O. Box 4, New Gibson, PA 18842-0004, New Milford Township, Susquehanna County. New NPDES Permit on small surface mining permit affecting 5 acres. Receiving stream(s): No discharge to Salt Lick Creek Watershed classified for the following use(s): HQ-CWF. The first downstream potable water supply intake from the point of discharge is not applicable, no downstream PADWIS intake. Application received: April 21, 2023.

NPDES No. PA0226386. Mining Permit No. 58232803. PA Quarried Bluestone Company, P.O. Box 4, New Gibson, PA 18842-0004, New Milford Township, Susquehanna County. New NPDES Permit on small surface mining permit affecting 5 acres. Receiving stream(s): No discharge to Meylort Creek Watershed classified for the following use(s): HQ-CWF. The first downstream potable water supply intake from the point of discharge is not applicable, no downstream PADWIS intake. Application received: April 14, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office

noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Pete Geanacopoulos, Project Manager, 570-327-3701.

E0804224-002. Cargill Taylor Beef, 1252 PA 706, Wyalusing, PA 18853, Wyalusing Borough, **Bradford County**. U.S. Army Corps of Engineers Baltimore District. Application received: April 15, 2024.

Repair exposed waterline in floodway of Wyalusing Creek (WWF, MF). Latitude: 41°, 40', 6.4", Longitude: -76°, 15', 10.4".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4002224-007. Wyoming Valley Sanitary Authority, P.O. Box 33A, Hanover, PA 18706-1333, Hanover Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: April 10, 2024.

To construct and maintain the following water obstructions and encroachments associated with the Warrior Creek Stream Restoration Project: 1) A channel change within a 2,600-LF segment of Warrior Creek (CWF, MF) consisting of regrading to create a constructed stream channel having a 25-foot top width, 4:1 side slopes, 12-inches of natural streambed material, and longitudinal slopes ranging from 0.02% to 2.86%. Other improvements include J-hooks, cross vanes, boulder revetments, and floodplain plantings. 2) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of a 12-ft long, 3-ft wide R-4 riprap apron. 3) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. 4) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. 5) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. 6) A streambank stabilization device within a UNT to Warrior

Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. 7) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. This project will result in a total net cut of 14,299 yd³ within Warrior Creek and its floodway. The project begins approximately 900 feet southwest of the intersection of Ashley Street and Sans Souci Parkway and ends approximately 1,600-foot northeast of the intersection of Logistics Drive and S. Valley Parkway (Wilkes-Barre West, PA Quadrangle Latitude: 41°, 12', 36.61"; Longitude: -75°, 57', 17.13") in Hanover Township, Luzerne County.

E5802124-003. PA Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Franklin Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: March 6, 2024.

To authorize the following water obstructions and encroachments associated with the SR 4008 Section D01 Project 1. To remove the existing structure and to construct and maintain a 35' wide single span pre-cast concrete box culvert carrying SR 4008 across Tributary to Silver Creek (EV, MF) having a 20' normal clear span and a 5.5' minimum underclearance and to construct and maintain appurtenant structure features. (Stream Impact 1) 2. To implement approximately 930 LF of stream restoration along a Tributary to Silver Creek (EV, MF) consisting of streambed deposit removal, construction of rock step pools, boulder bank revetments, cross rock vanes and a sediment deposit bench. (Stream Impacts 3 and 4; Floodway Impact 7) The proposed project is located along SR 4008 approximately 0.2 mile west of the SR 4008 and SR 0029 intersection (Franklin Forks, PA Quadrangle, Latitude: 41.91736, Longitude: -75.85125) in Franklin Township, Susquehanna County.

E3902224-002. 1619 Hausman Partners, LLC, 250 Cetronia Road, Allentown, PA 18104, South Whitehall Township, **Lehigh County**. U.S. Army Corps of Engineers Philadelphia District. Application received: April 17, 2024.

To permanently impact 0.17 acre of PEM wetlands for the construction of an office facility. The project is located at 1619 Hausman Road, (Allentown West, PA Quadrangle Latitude: 40.610099; Longitude -75.568059) in South Whitehall Township, Lehigh County.

E3502224-001. Aqua Pennsylvania, Inc., 762 West Lancaster Ave., Bryn Mawr, PA 19010, Covington Township, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: April 23, 2024.

To construct and maintain a 12-inch DIP water line crossing of UNT to Roaring Brook (HQ-CWF, MF), and associated wetlands (EV). The utility line will cross the UNT at three locations and be installed via open trenching through the stream. The utility line will also cross three separate wetlands and be installed via open trenching through the wetlands. The project is located in Covington Township, Lackawanna County, PA Quadrangle Latitude: 41°, 19', 25", Longitude: -75°, 30', 40".

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E2506124-004. PADOT Engineering District 1-0, 255 Elm Street, Oil City, PA 16301, Harborcreek Town-

ship, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: April 18, 2024.

To modify and maintain the existing concrete arch stream enclosure carrying SR 0430, Segment 0080 over UNT Sixmile Creek in Harborcreek Township, Erie County, by installing a 4-inch layer of pneumatically sprayed concrete (reinforced with rebar and wire mesh) to the sides and crown of the existing structure resulting in 139-ft of stream impacts. No wetland impacts are proposed. Latitude: 42.11613°, Longitude: -79.95624°.

E2506124-005. PADOT Engineering District 1-0, 255 Elm Street, Oil City, PA 16301, Summit Township, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: April 18, 2024.

To modify and maintain the existing corrugated metal plate arch stream enclosure carrying SR 4024, Segment 0030 over UNT Walnut Creek in Summit Township, Erie County, by installing a 4-inch layer of pneumatically sprayed concrete (reinforced with rebar and wire mesh) to the sides and crown of the existing structure resulting in 114-ft of stream impacts. No wetland impacts are proposed. Latitude: 42.051936°, Longitude: -80.053549°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E0703224-002. Ampliform, LLC, 40 E. Montgomery Avenue, 4th Floor, Ardmore, PA 19003, Greenfield Township, **Blair County**. U.S. Army Corps of Engineers Baltimore District. Application received: February 9, 2024.

To construct and maintain the following water obstructions and encroachments associated with the BL-Diamond Solar Project: 1. Construction of an access road crossing of tributary Frankstown Branch Juniata River (Stream 24) and adjacent wetlands (Wetland 13) consisting of a 40-foot long 24-inch diameter SLCP pipe depressed 6-inches below the existing streambed elevation. 2. Aerial utility line crossing of tributary Frankstown Branch Juniata River (Stream 5). 3. Aerial utility line crossing of tributary Frankstown Branch Juniata River (Stream 6). 4. Aerial utility line crossing of 2 PEM EV wetlands (Wetland 5, Wetland 13). 5. Aerial utility line crossing of a PSS EV wetland (Wetland 9). 6. Aerial utility line crossing of floodway of tributary Polecat Run (Stream 22). Project will impact a total of 70 lf of watercourse and 0.02 acre of EV wetlands. The project is located approximately North of 628 Hileman Hollow Road approximately 0.75-mile West of intersection with SR 220 in Greenfield Township, Blair County. (Roaring Spring, PA Quadrangle, Latitude: 40.30796, Longitude: -78.46422).

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: ra-ep-ww-sero-105@pa.gov.

E0901224-003. PA DCNR Bureau of State Parks, 400 Market Street, 8th floor RCSOB, Harrisburg, PA 17101, Upper Makefield Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: April 23, 2024.

PA DCNR Bureau of State Parks is proposing to construct and maintain a new paved accessible walkway path with eight interpretive stops within the floodway/floodplain of the Delaware River (WWF-MF) associated with the educational panels that details the story of Washington crossing the Delaware. The project will include a new trail connecting an existing comfort station to the west and a new pedestrian crossing of State Route 32 to the east, and installation of new kiosk, an ADA accessible historic walking trail, and road connections, etc., resulting in 41,700 square feet of permanent floodway impact. The project is located within Washington Crossing Historic Park (USGS PA Pennington Quadrangle) in Upper Makefield Township, Bucks County. Latitude: 40.295091°, Longitude: -74.871062°.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

EA3603224-001. Donegal Chapter of Trout Unlimited, 189 Soapstone Road, Peach Bottom, PA 17563, Fulton Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District. Application received: January 2, 2024.

To 1.) restore and re-align the channel, excavate floodplain benches, install and maintain a temporary stream crossing under a General Permit 8 registration, install and maintain 58 rock deflectors, 6 cross vanes, 4 J hooks, 12 mudsills, 33 root wads, 9 sections of toe boulder, 1 section of boulder wall, and 6 random boulder groups projecting into and along the Little Conowingo Creek (HQ-CWF, MF); 2.) restore and re-align, excavate floodplain benches, and install and maintain 9 rock deflectors, 4 cross vanes, 1 J-hook, 2 mudsills, 17 root wads, and 1 section of toe boulder along and projecting into an Unnamed Tributary to the Little Conowingo Creek (HQ, CWF-MF); and to restore and install and maintain 2 sections of toe boulder along a separate Unnamed Tributary to the Little Conowingo Creek (HQ-CWF, MF). All for the purpose of restoring the Little Conowingo Creek and its tributaries. Impacting 4,875-feet of stream, 4,613-feet of floodway, and temporarily impacting 11,027-square feet of wetland using timber mats under a General Permit 8 registration. The project is located 0.08 mile from the intersection of Little Britain Church Road and Soapstone Hill Rod in Fulton Township, Lancaster County. Latitude: 39.76667°, Longitude: -76.150556°.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality

Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep’t of Env’tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0088889	CAFO Individual NPDES Permit	Issued	Pennmar Dairy LLC 110 Cornwall Lane Peach Bottom, PA 17563-9767	Fulton Township Lancaster County	SCRO
PA180002D	Chapter 102 Individual NPDES Permit	Issued	Edwards William J 2332 Eagle Valley Road Mill Hall, PA 17751-8895	Bald Eagle Township Clinton County	NCRO
PAD020086	Chapter 102 Individual NPDES Permit	Issued	Albion Lawrenceville 1211 W 22nd Street Suite 408 Oak Brook, IL 60523-2109	Pittsburgh City Allegheny County	SWRO
PAD060085	Chapter 102 Individual NPDES Permit	Issued	Sheetz Inc. 81 Highland Avenue Bethlehem, PA 18017-9421	Richmond Township Berks County	SCRO
PAD060093	Chapter 102 Individual NPDES Permit	Issued	MAIT/Penelec 600 Eagelview Boulevard Floor 2 Exton, PA 19341	Hamburg Borough Berks County	SCRO
PAD140107	Chapter 102 Individual NPDES Permit	Issued	PSU 139j Physical Plant Bldg University Park, PA 16802-1119	State College Borough Centre County	NCRO
PAD210110	Chapter 102 Individual NPDES Permit	Issued	Giant Co. LLC 4 Barlo Circle Dillsburg, PA 17019-1621	Middlesex Township Cumberland County	SCRO
PAD350049	Chapter 102 Individual NPDES Permit	Issued	JLM Real Estate LLC 950 East Main Street P.O. Box 472 Schuylkill Haven, PA 17972	Covington Township Lackawanna County	NERO
PAD390040	Chapter 102 Individual NPDES Permit	Issued	New Tripoli Bank 6748 Madison Street P.O. Box 468 New Tripoli, PA 18066-3944	North Whitehall Township Lehigh County	NERO
PAD450191	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 5 0 1002 W Hamilton Street Allentown, PA 18101-1013	Pocono Township Monroe County	NERO
PAD450194	Chapter 102 Individual NPDES Permit	Issued	Pocono International Raceway Inc. P.O. Box 500 Long Pond, PA 18334-0500	Tunkhannock Township Monroe County	NERO
PAD480125	Chapter 102 Individual NPDES Permit	Issued	Valley Ind Properties LLC 21 E 10th Street Northampton, PA 18067-1718	East Bangor Borough Northampton County	NERO
PAD480209	Chapter 102 Individual NPDES Permit	Issued	Schuylkill Health System Development Corp 2100 Mack Boulevard Allentown, PA 18103-5622	Hanover Township Northampton County	NERO
PA0035297	Industrial Stormwater Individual NPDES Permit	Issued	Energy Transfer Market & Terminal LP 4041 Market Street Aston, PA 19014	Upper Chichester Township Delaware County	SERO
PA0087891	Industrial Stormwater Individual NPDES Permit	Issued	Growmark FS LLC 1705 Towanda Avenue P.O. Box 2500 Bloomington, IL 61701-2040	Latimore Township Adams County	SCRO
PA0214396	Industrial Stormwater Individual NPDES Permit	Issued	Three Rivers Marine & Rail Terminal LLC P.O. Box 100 Dunlevy, PA 15432-0100	Glassport Borough Allegheny County	SWRO

NOTICES

2669

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0276791	Industrial Stormwater Individual NPDES Permit	Issued	Stateline Quarry Inc. 1677 Creamery Road Clifford, PA 18407	Apolacon Township Susquehanna County	NERO
PAS223502	Industrial Stormwater Individual NPDES Permit	Issued	Frey Group LLC 372 Puseyville Road Quarryville, PA 17566-9501	East Drumore Township Lancaster County	SCRO
3121801	Joint DEP/PFBC Pesticides Permit	Issued	US Army Corp Of Engineering 6145 Seven Points Road Hesston, PA 16647-8303	Penn Township Huntingdon County	SCRO
3513828	Joint DEP/PFBC Pesticides Permit	Issued	Gravel Pond Association 190 N Gravel Pond Road Clarks Summit, PA 18411-7815	South Abington Township Lackawanna County	NERO
4013804	Joint DEP/PFBC Pesticides Permit	Issued	Lake Louise POA RR 3 Box 290a Dallas, PA 18612	Franklin Township Luzerne County	NERO
4313808	Joint DEP/PFBC Pesticides Permit	Issued	New Light Baptist Church 3803 Frazier Street Pittsburgh, PA 15213-4534	Perry Township Mercer County	NWRO
4513836	Joint DEP/PFBC Pesticides Permit	Issued	East Stroudsburg Borough Monroe County P.O. Box 303 East Stroudsburg, PA 18301-0303	East Stroudsburg Borough Monroe County	NERO
4624802	Joint DEP/PFBC Pesticides Permit	Issued	Old York Road CC P.O. Box 490 Ambler, PA 19002	Horsham Township Montgomery County	SERO
4821801	Joint DEP/PFBC Pesticides Permit	Issued	Thomas H Gulick 441 Bierys Bridge Road Bethlehem, PA 18017-1101	Bethlehem City Northampton County	NERO
6121802	Joint DEP/PFBC Pesticides Permit	Issued	Jack and Penny Ferringer 1010 Buxton Road Titusville, PA 16354-8100	Cherrytree Township Venango County	NWRO
6413804	Joint DEP/PFBC Pesticides Permit	Issued	Ariel Land Owners Inc. P.O. Box 503 Lake Ariel, PA 18436-0503	Lake Township Wayne County	NERO
6413819	Joint DEP/PFBC Pesticides Permit	Issued	Patton Belle 47 Kuhn Lane Honesdale, PA 18431-9600	Paupack Township Wayne County	NERO
6613805	Joint DEP/PFBC Pesticides Permit	Issued	Mazzanti Lisa 102 W Avery Station Road Springville, PA 18844-8016	Lemon Township Wyoming County	NERO
PAI130021	MS4 Individual NPDES Permit	Issued	Marple Township Delaware County 227 S Sproul Road Broomall, PA 19008-2341	Marple Township Delaware County	SERO
PAI130518	MS4 Individual NPDES Permit	Issued	East Vincent Township Chester County 262 Ridge Road Spring City, PA 19475-2203	East Vincent Township Chester County	SERO
PAI132226	MS4 Individual NPDES Permit	Issued	Emmaus Borough Lehigh County 28 S 4th Street Emmaus, PA 18049-3802	Emmaus Borough Lehigh County	NERO
PAI132277	MS4 Individual NPDES Permit	Issued	Hazleton City Luzerne County 40 N Church Street Hazleton, PA 18201-5862	Hazleton City Luzerne County	NERO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAI136144	MS4 Individual NPDES Permit	Issued	Dormont Borough Allegheny County 1444 Hillsdale Avenue Suite 10 Pittsburgh, PA 15216-2091	Dormont Borough Allegheny County	SWRO
PA0218413	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Economy Borough Municipal Authority Beaver County 2860 Conway Wallrose Road Baden, PA 15005-2306	Economy Borough Beaver County	SWRO
0183401	Major Sewage Treatment Facility Individual WQM Permit	Issued	Littlestown Borough Authority Adams County 41 South Columbus Avenue Littlestown, PA 17340-1612	Littlestown Borough Adams County	SCRO
3614405	Major Sewage Treatment Facility Individual WQM Permit	Issued	Nebula Realty Trust 123 Gilpin Drive West Chester, PA 19382-7412	Earl Township Lancaster County	SCRO
3602204	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Pennmar Dairy LLC 110 Cornwall Lane Peach Bottom, PA 17563-9767	Fulton Township Lancaster County	SCRO
PA0285056	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Duquesne Light Co. 2825 New Beaver Avenue Pittsburgh, PA 15233	Springdale Township Allegheny County	SWRO
PA0060721	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Pocono Plateau Christian Association 304 Pocono Plateau Road Cresco, PA 18326-7888	Barrett Township Monroe County	NERO
PA0065242	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Lower Milford Township Lehigh County 7607 Chestnut Hill Church Road Coopersburg, PA 18036-3712	Lower Milford Township Lehigh County	NERO
PA0081795	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	TKSM LLC 1190 Wyndsong Drive York, PA 17403-4492	Monroe Township Cumberland County	SCRO
PA0083160	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Anchor Mobile Estates Peifer & Gross Inc. P.O. Box 506 Elizabethtown, PA 17022-0506	Butler Township Adams County	SCRO
PA0085979	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Guest Farm Village Sewer Authority 11364 Fort Loudon Road Mercersburg, PA 17236-8503	Montgomery Township Franklin County	SCRO
PA0262137	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Nebula Realty Trust 123 Gilpin Drive West Chester, PA 19382-7412	Earl Township Lancaster County	SCRO

NOTICES

2671

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0266817	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Fayette Township Juniata County 181 Bunkertown Road McAlisterville, PA 17049	Fayette Township Juniata County	SCRO
PA0033995	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Berks County 633 Court Street 14th Floor Reading, PA 19601-4322	Bern Township Berks County	SCRO
0223207	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	USHHS CDC 626 Cochrans Mill Road P.O. Box 18070 Pittsburgh, PA 15236-3611	South Park Township Allegheny County	SWRO
3424401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Port Royal Borough Municipal Authority Juniata County 804 W 8th Street P.O. Box 236 Port Royal, PA 17082-9400	Port Royal Borough Juniata County	SCRO
NNOEXNC12	No Exposure Certification	Issued	Walmart Stores East LP 702 SW 8th Street Bentonville, AR 72712-6209	Bradford Township Clearfield County	NCRO
NNOEXSC12	No Exposure Certification	Issued	Alcon Research LLC 714 Columbia Avenue Sinking Spring, PA 19608-1405	Sinking Spring Borough Berks County	SCRO
NNOEXSC48	No Exposure Certification	Issued	TE Connectivity Corp 1590 Kauffman Road Landisville, PA 17538-1400	East Hempfield Township Lancaster County	SCRO
NOEXSC276	No Exposure Certification	Issued	Menasha Packaging Co. LLC 30 Grumbacher Road York, PA 17406-8420	Manchester Township York County	SCRO
NOEXSC422	No Exposure Certification	Issued	United Parcel Service Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	Chambersburg Borough Franklin County	SCRO
NOEXSW232	No Exposure Certification	Issued	Eloop LLC 1 Wesco Drive Export, PA 15632-3902	Murrysville Borough Westmoreland County	SWRO
PAG032351	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Flaw Inc. 1600 S 25th Street Easton, PA 18042-6065	Wilson Borough Northampton County	NERO
PAG033857	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Safety Kleen System Inc. 10 Eleanor Drive New Kingstown, PA 17072	Silver Spring Township Cumberland County	SCRO
PAG034077	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Sonoco Products Co. 30 W Meadow Avenue Robeson, PA 19551-1701	Robeson Borough Berks County	SCRO
PAG034083	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	White Oak Mills Inc. 419 W High Street Elizabethtown, PA 17022-2143	Elizabethtown Borough Lancaster County	SCRO
PAG034915	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Waste Management PA Inc. 206 Quarry Road Coal Township, PA 17866-7731	Coal Township Northumberland County	NCRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG034928	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Choice Fuelcorp Inc. 2344 Sylvan Dell Road Williamsport, PA 17702-8521	Armstrong Township Lycoming County	NCRO
PAG034939	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rolling Frito Lay Sales LP 23 Beethoven Street Binghamton, NY 13905-4250	Ralpho Township Northumberland County	NCRO
PAG036215	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Durham School Service LP 1112 1st Avenue Jefferson Hills, PA 15025	Jefferson Hills Borough Allegheny County	SWRO
PAG036488	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	The Techs Ind Inc. 300 Mifflin Road Pittsburgh, PA 15207-1910	Pittsburgh City Allegheny County	SWRO
PAG036557	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	48forty Solutions LLC 4201 Grand Avenue Pittsburgh, PA 15225-1524	Pittsburgh City Allegheny County	SWRO
PAG036576	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Whiteley Auto Wreckers 140 Willow Street Brownsville, PA 15417-9564	Monongahela Township Greene County	SWRO
PAG038341	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Eli D Miller d/b/a Andys Sawmill 2619 Pike Road Punxsutawney, PA 15767-4052	Henderson Township Jefferson County	NWRO
PAG038344	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Durham School Service LP 2601 Navistar Drive Lisle, IL 60532-3661	Wattsburg Borough Erie County	NWRO
PAG038469	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Speer Carbon Co. LLC 806 Theresia Street Saint Marys, PA 15857-1831	Saint Marys City Elk County	NWRO
PAG038534	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Daniel F Kutsch 4510 Route 322 Reynoldsville, PA 15851-6170	Winslow Township Jefferson County	NWRO
PAG038557	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Northwest Hardwoods Inc. 237 Highland Drive Marienville, PA 16239-4009	Ridgway Township Elk County	NWRO
PAG038564	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	United Parcel Service Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	Vernon Township Crawford County	NWRO
PAG038569	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lipinski Logging & Lumber Inc. 3731 State Route 208 Kennerdell, PA 16374-1515	Brokenstraw Township Warren County	NWRO
PAG038574	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Saxonburg Blvd Auto Parts Inc. 1140 Saxonburg Boulevard Saxonburg, PA 16056-9116	Clinton Township Butler County	NWRO
PAG041272	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Newell Steven R 102 Abbott Road Saint Marys, PA 15857-3402	Saint Marys City Elk County	NWRO

NOTICES

2673

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG043649	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Blankley Michael G 5083 Elk Lick Road Everett, PA 15537-7721	Monroe Township Bedford County	SCRO
PAG043988	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Foltz Jeremy 15040 Shimpstown Road Mercersburg, PA 17236-9711	Montgomery Township Franklin County	SCRO
PAG045301	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	David A and Hope S Finfrock 377 Seymour Hill Road Mansfield, PA 16933-8958	Sullivan Township Tioga County	NCRO
PAG048313	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Anna and Randy Maring 2803 Pine Valley Road Columbus, PA 16405-3903	Freehold Township Warren County	NWRO
PAG048383	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Duffy Dennis P 198 Church Road Fombell, PA 16123-2404	Deer Creek Township Mercer County	NWRO
PAG048477	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Gary L Gerasimek P.O. Box 261 Sharpsville, PA 16150-0261	South Pymatuning Township Mercer County	NWRO
PAG048488	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Heidi and Michael Kokoski 1831 N Vernon Road Fredonia, PA 16124-3215	Fairview Township Mercer County	NWRO
PAG048490	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Nehme Said 1041 Washington Road Pittsburgh, PA 15228-2005	Lake Township Mercer County	NWRO
PAG048498	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Campbell Jeffrey R 2005 Maxwell Lane Mars, PA 16046-2137	Monroe Township Clarion County	NWRO
PAG048549	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Tutmaher Shawn 734 Egypt Hollow Road Warren, PA 16365-8121	Glade Township Warren County	NWRO
PAG048604	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Debra and Wayne Sutton 5345 Tamarack Drive Sharpsville, PA 16150-9445	South Pymatuning Township Mercer County	NWRO
PAG048679	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Hrwatzki Michael 10339 Johnnycake Ridge Road Concord, OH 44077	Pittsfield Township Warren County	NWRO
PAG048731	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Gildersleeve Jamie 318 Patterson School Road Grove City, PA 16127-7024	Wolf Creek Township Mercer County	NWRO
PAG048830	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Daric and Terilynn Wise 2601 S Roanoke Street Gilbert, AZ 85295-2371	Pittsfield Township Warren County	NWRO
PAG048935	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Donnell Brian 14300 Route 957 Sugar Grove, PA 16350-2806	Freehold Township Warren County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390291	PAG-02 General Permit	Issued	Tiger Den Partners V, LLC c/o Joseph Correia 171 Route 173 Suite 201 Asbury, NJ 08802	City of Allentown Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC010265	PAG-02 General Permit	Issued	Brandon Botts 201 West Imperial Drive Aspers, PA 17304	Cumberland Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PA360001C	PAG-02 General Permit	Issued	PPL Elec Utilities Corp 1639 Church Road Allentown, PA 18104	Ephrata Borough Clay Township and Ephrata Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC670306A-2	PAG-02 General Permit	Issued	3625 Mia Brae LP P.O. Box 1627 York, PA 17405	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PA300001C	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 375 North Shore Drive Suite 600 Pittsburgh, PA 15212	Aleppo Township and Ebensburg Township Greene County	Greene County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120 SWRO
PAC380118	PAG-02 General Permit	Issued	Woodcrest Developers, LLC 400 North Cedar Street Lititz, PA 17543	Swatara Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380299	PAG-02 General Permit	Issued	Candler's Point, LLC 529 East Main Street Lititz, PA 17543	South Annville Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380297	PAG-02 General Permit	Issued	Frank Grigoli 1690 Chestertown Road Allentown, PA 18104	South Lebanon Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275

NOTICES

2675

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360942	PAG-02 General Permit	Issued	Penn Township 97 N. Penryn Rd Manheim, PA 17545	Penn Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360362	PAG-02 General Permit	Issued	Community Bible Church 331 Anderson Ferry Road Marietta, PA 17547	East Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC540156	PAG-02 General Permit	Issued	Douglas R Berry 4550 Lena Drive Suite 201 Mechanicsburg, PA 17055	West Brunswick Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC140158	PAG-02 General Permit	Issued	Toftrees Golf Resort 1 Country Club Lane State College, PA 16803	Patton Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 814-355-6817
PAC140162	PAG-02 General Permit	Issued	Bellefonte Area School District 1002 Airport Road Bellefonte, PA 16823	Bellefonte Borough Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 814-355-6817
PAC170060-1	PAG-02 General Permit	Issued	Rusty Gate Apartments, LLC c/o Wes Smith Chestnut Ave DuBois, PA 15801	Sandy Township Clearfield County	Clearfield County Conservation District 6395 Clearfield- Woodland Hwy Suite 2 Clearfield, PA 16830 814-765-2629
PAC170085	PAG-02 General Permit	Issued	West Branch Area School District c/o Mark Mitchell 516 AllPort Cutoff Morrisdale, PA 16858	Morris Township Clearfield County	Clearfield County Conservation District 6395 Clearfield- Woodland Hwy Suite 2 Clearfield, PA 16830 814-765-2629
PAC190085	PAG-02 General Permit	Issued	Joel Vought 295 West 11th Street Bloomsburg, PA 17815	Briar Creek Borough Columbia County	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 570-784-1310
PAC190072 A-1	PAG-02 General Permit	Issued	Columbia Montour Area Vocational Technical School 5050 Sweppenheiser Dr. Bloomsburg, PA 17815	South Centre Township Columbia County	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 570-784-1310
PAC410108	PAG-02 General Permit	Issued	Steve Krouse 7824 Coudersport Pike Lock Haven, PA 17745	Fairfield Township Lycoming County	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville, PA 17754 570-433-3003

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC410105	PAG-02 General Permit	Issued	Penallen Corporation 1821 South 19th Street Harrisburg, PA 17104	City of Williamsport Lycoming County	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville, PA 17754 570-433-3003
PAC470041	PAG-02 General Permit	Issued	Lightsource BP, LLC 400 Montgomerty St 8th Floor San Francisco, CA 94104	Liberty Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC470043 A-1	PAG-02 General Permit	Issued	Geisinger Medical Center 100 N. Academy Ave Danville, PA 17821	Mahoning Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC600118	PAG-02 General Permit	Issued	Lewisburg Area School District Cathy Moser 48 Fairground Road Lewisburg, PA 17837	East Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC430114	PAG-02 General Permit	Issued	PTV 1358 LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235	Hempfield Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC230279	PAG-02 General Permit	Issued	Asset Realty & Construction Group, Inc. c/o Dino Tomasetti 1590 Troy Avenue Brooklyn, NY 11234-1444	City of Chester Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Yippe Farms! Arlin Benner 880 Pinkerton Road Mount Joy, PA 17552	Lancaster County	702.3	1349.25	Dairy Beef	NA	Approved
Lexington Acres Dan Bollinger 306 East Lexington Road Lititz, PA 17543	Lancaster County	67.2	401.56	Swine Pullets Steers	NA	Approved
Noah W Kreider and Sons Milton Grove Farms 2036 Mount Pleasant Road Mount Joy, PA 17545	Lancaster County	185.3	5526.4	Layers	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Joseph Cherinko, P.E., Environmental Engineer, 570-826-2090.

Operation Permit No. 2450034, Public Water Supply.

Applicant	Brodhead Creek Regional Authority
Address	410 Mill Creek Road East Stroudsburg, PA 18301
Municipality	Stroud Township
County	Monroe County
Consulting Engineer	Dennis Yoder, PE, PP, CME 2059 Springdale Road Cherry Hill, NJ 08003
Application Received	August 29, 2023
Permit Issued	April 26, 2024
Description	Approval to operate the rehabilitated Northgate Elevated Water Storage Tank.

Construction Permit No. 4523507MA, Minor Amendment, Public Water Supply.

Applicant	Pennsylvania American Water Company
Address	852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Coolbaugh Township
County	Monroe County
Consulting Engineer	Chelsea L. Pearce, P.E. 501 Allendale Road Suite 203 King of Prussia, PA 19406
Application Received	September 14, 2023
Permit Issued	April 10, 2024
Description	Approval to construct the replacement Well 4K Treatment Facility.

Construction Permit No. 5223506, Major Amendment, Public Water Supply.

Applicant	Laurel Woods MHC, LLC
Address	100 Swale Brook Lane Milford, PA 18337
Municipality	Lackawaxen Township

County **Pike County**
 Consulting Engineer Irina O. Hott, P.E.
 466 South Main St
 Montrose, PA 18801
 Application Received November 6, 2023
 Permit Issued April 18, 2024
 Description Approval for addition of
 manganese filtration.

Construction Permit No. 6423507, Major Amend-
 ment, Public Water Supply.

Applicant **Camp Starlight, Inc.**
 Address P.O. Box 33389
 Palm Beach Gardens, FL 33420
 Municipality Preston Township
 County **Wayne County**
 Consulting Engineer Anthony Price, P.E.
 P.O. Box 232
 Kulpsville, PA 19443
 Application Received December 20, 2023
 Permit Issued April 29, 2024
 Description Approval to construct 4-Log
 Inactivation of Viruses.

Construction Permit No. 6423507, Minor Amend-
 ment, Public Water Supply.

Applicant **Orwigsburg Borough**
 Address 333 South Liberty Street
 Orwigsburg, PA 17961
 Municipality Orwigsburg Borough
 County **Schuylkill County**
 Consulting Engineer Chris Cope
 201 Penn Street
 Reading, PA 19603
 Application Received January 22, 2024
 Permit Issued April 17, 2024
 Description Approval to switch to SLI-5216
 and sodium permanganate.

Contact: Ryan Fox, Env. Engineering Specialist, 570-
 826-2533.

Transfer Permit No. 2450129, Public Water Supply.

Applicant **AvenaTec Properties, LLC**
 Address 4492 Hanoverville Rd.
 Bethlehem, PA 18020
 Municipality Middle Smithfield Township
 County **Monroe County**
 Application Received February 20, 2024
 Permit Issued April 30, 2024
 Description Transfer of ownership of Rocky
 Ridge Estates (PWSID 2450129)
 to AvenaTec Properties, LLC.

Transfer Permit No. 2450028, Public Water Supply.

Applicant **AvenaTec Properties, LLC**
 Address 4492 Hanoverville Rd.
 Bethlehem, PA 18020
 Municipality Middle Smithfield Township

County **Monroe County**
 Application Received February 20, 2024
 Permit Issued April 30, 2024
 Description Transfer of ownership of Pocono
 Mobile Home Estates (PWS ID
 2450028) to AvenaTec Properties,
 LLC.

Transfer Permit No. 2450084, Public Water Supply.

Applicant **AvenaTec Properties, LLC**
 Address 4492 Hanoverville Rd.
 Bethlehem, PA 18020
 Municipality Middle Smithfield Township
 County **Monroe County**
 Application Received February 20, 2024
 Permit Issued April 30, 2024
 Description Transfer of ownership of
 Lynwood Acres (PWSID 2540084)
 to AvenaTec Properties, LLC.

Operation Permit No. 3540069, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
 Address 762 West Lancaster Ave.
 Bryn Mawr, PA 19010
 Municipality Deer Lake Borough
 County **Schuylkill County**
 Consulting Engineer GHD Inc.
 298 East 5th St.
 Suite 1
 Bloomsburg, PA 17815
 Application Received March 25, 2024
 Permit Issued May 6, 2024
 Description Operation Permit issued
 following installation of new
 chemical feed pump equipment
 at Aqua PA, Inc.—The Pines.

*Southcentral Region: Safe Drinking Water Program, 909
 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-
 4700.*

Contact: Joseph Mattucci, Program Manager, 717-705-
 4931.

Construction/Operation Permit No. 3624506 MA,
 Minor Amendment, Public Water Supply.

Applicant **Christiana Municipal Water
 Authority**
 Address 10 West Slokum Avenue
 Christiana, PA 17509
 Municipality Christiana Borough
 County **Lancaster County**
 Consulting Engineer Daniel R. Connolly, P.E.
 1848 Charter Lane
 Suite 214
 Lancaster, PA 17601
 Application Received February 22, 2024
 Permit Issued May 3, 2024

Description On February 3, 2024, the well pump at Well No. 3 with Christiana Municipal Water Authority (Authority) failed. The Authority replaced the well pump at Well No. 3 on February 5, 2024, simultaneously applied to the Department for an operation permit.

Construction Permit No. 2223516 MA, Minor Amendment, Public Water Supply.

Applicant **Pillow Borough Authority**

Address 174 South Union Street
Pillow, PA 17080

Municipality Pillow Borough

County **Dauphin County**

Consulting Engineer Joshua C. Owens, P.E.
725 Hickory Road
Dalmatia, PA 17017

Application Received December 19, 2023

Permit Issued May 3, 2024

Description This construction permit is for the rehabilitation of the standpipe for the Pillow Borough Authority (Authority) during which repairs to and recoating of the standpipe will occur. Additionally, a section of piping will be replaced. While rehabilitating the standpipe, the Authority proposes to use a temporary 6,000-gallon hydropneumatic bladder tank for the limited duration of the project.

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.

Operation Permit 1424504. PWSID No. **4140814**. **Kearns Campground**, 137 Kearns Road, Spring Mills, PA 16875, Potter Township and Spring Mills, **Centre County**. Application received: April 5, 2024. Permit Issued: May 6, 2024. This permit approves operation of the existing Kearns Campground transient noncommunity water system and recent upgrades. The existing water system includes Well No. 1, disinfection facilities, a hydropneumatic tank, two 120-gallon detention tanks, and the distribution system. Recently completed modifications included the installation of a flow meter, upgraded flow-paced disinfection facilities, two additional 120-gallon detention tanks, a 12-gpm flow restrictor, and verification of 4-log inactivation of viruses.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4700.

Construction/Operation Permit 6724504 MA. PWSID No. **7670100**. **The York Water Company**, 130 East Market Street, York, PA 17401, Springettsbury Township, **York County**. Application received: March 13,

2024. Permit Issued: May 6, 2024. This action authorizes rehabilitation and repainting of the Pleasureville Water Storage Tank and the installation of a tank mixer.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 4446353. PWSID No. **4446353**. **Berube's Crystal Clear Water, LLC**, 819 Electric Avenue, Lewistown, PA 17044, Granville Township, **Mifflin County**. Application received: April 26, 2024. Permit Issued: May 1, 2024. Comprehensive operation permit for the operation of new vending units at a new location, as well as superseding all existing special permit-by-rule approvals.

Construction Permit 5024504 MA. PWSID No. **7500800**. **PA DCNR—Bureau of State Parks**, RCSOB, 8th floor, 400 Market Street, Harrisburg, PA 17101, Juniata Township, **Perry County**. Application received: March 20, 2024. Permit Issued: May 1, 2024. Construction permit for temporary bulk water hauling at the Little Buffalo State Park for the 2024 camping season.

Operation Permit 5024504 MA. PWSID No. **7500800**. **PA DCNR—Bureau of State Parks**, RCSOB, 8th floor, 400 Market Street, Harrisburg, PA 17101, Juniata Township, **Perry County**. Application received: May 2, 2024. Permit Issued: May 3, 2024. Operation permit for the temporary bulk water hauling for Little Buffalo State Park.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSWSDW@pa.gov.

Operation Permit 0424513MA. PWSID No. **5040008**. **Borough of Ambridge Water Authority**, 600 Eleventh Street, P.O. Box 257, Ambridge, PA 15003, Ambridge Borough, **Beaver County**. Application received: April 30, 2024. Permit Issued: May 3, 2024. Issuance of Public Water Supply Operation Permit No. 0424513MA for operation of the rehabilitated Filter No. 3.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Lindsay Graeff, Sewage Planning Specialist, 717-705-4866.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Marion Township	420 Water Street Stouchsburg, PA 19567	Berks County

Plan Description:

Marion Township Sewage Plan, B1-06943-ACT. The Official Plan Update Provides Connection To Public Sewer In 2 Phases: 1b. And 2. The Total Potential Public Sewer Area Includes Approx 300 Edu's Or Flows Of 67,500 Gpd Using A Combination Of Gravity And Low-Pressure Pumping Systems.

Southeast Region: Clean Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Sewage Facilities Planning Section, ra-epsrocwplanning@pa.gov.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Clifton Heights Borough	30 South Springfield Road Clifton Heights, PA 19018	Delaware County

Plan Description:

Clifton Heights Middle School, 1-23818-020-3J. A new middle school building that will replace the former Clifton Heights Middle School building; the new school population will be 895 students and staff. The project will be connected to the Clifton Heights Borough collection system and will generate 4,377 gallons of sewage per day to be treated at the Philadelphia Water Department's Southwest Water Pollution Control Plant.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.**

Northcentral Region: Clean Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Thomas M. Randis Program Manager.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Benner Township Bellefonte Borough Centre County	1224 Buffalo Run Rd. Bellefonte, PA 16823	Centre County

Plan Description:

PA Game Commission Northcentral Regional Office-SGL-333-Shiloh Road Sewer Extension, APS1112322. The PA Game Commission Northcentral Regional Office-SGL-333-Shiloh Road Sewer Extension is denied as it does not qualify for a Municipal or Authority Sponsored Minor Sewage Collection Project Sewage Facilities Planning Module (Component 3M). The submission entails the construction of a 5,060 linear-foot private collection and conveyance system, and duplex grinder pump station that are to serve entirely new development for the PA Game Commissioner's proposed Northcentral Regional Office and connect to public sewage facilities that do not exist and are not even permitted yet.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**UNDER ACT 2, 1995
PREAMBLE 2****The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of

the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Repsol Oil & Gas USA, LLC Red Burn Road, Primary Facility ID # 873742, Red Burn Road, Trout Run, PA 17771, McIntyre Township, **Lycoming County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of Repsol Oil & Gas USA LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, submitted a Final Report concerning remediation of soil contaminated with produced water and diesel fuel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Gasoline Service Station, Primary Facility ID # 874436, 774-784 Hellertown Road, Bethlehem, PA 18015, City of Bethlehem, **Northampton County**. White-stone Associates, 1600 Manor Drive, Suite 220, Chalfont, PA 18914, on behalf of CCAN, LLC, 1115 Gaspar Avenue, Bethelhem, PA 18017, submitted a Remediation Investigation Report/Final Report concerning remediation of soil and groundwater contaminated with petroleum, lead, and benzo(a)pyrene. The Remediation Investigation Report/Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

R&L Carriers, Primary Facility ID # 853014, 115 Armstrong Road, Pittston, PA 18640, Pittston Township, **Luzerne County**. BP Environmental, 8615 Commerce Drive, Unit One, Easton, MD 21601, on behalf of RLR Investments, LLC, 600 Gillam Road, Wilmington, OH 45177, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

21 Ridge Street, Primary Facility ID # **873420**, 21 Ridge Street, Dallas, PA 18612, Dallas Township, **Luzerne County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Karen Nyland, 21 Ridge Street, Dallas, PA 18612, submitted a Final Report concerning remediation of soil contaminated with heating oil from an aboveground storage tank. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

18 Macintosh Road, Primary Facility ID # **828322**, 18 Macintosh Road, Levittown, PA 19056, Bristol Township, **Bucks County**. Richard D. Trimpi, PG, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Andrea G. Stewart, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348, submitted a Final Report concerning remediation of soil and groundwater contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Phoenix French Creek Manor, Primary Facility ID # **804650**, North Main Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. Paul White, ARM Brickhouse, 515 South Franklin Street, West Chester, PA 19382, on behalf of Greg Lingo, Rockwell French Creek TH LP, 126 East State Street, Media, PA 19063, PA 19063, submitted a Final Report concerning remediation of soil contaminated with SVOCs, VOCs and metals. The Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

No. 4 Separator Release, Primary Facility ID # **87444**, 3144 West Passyunk Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Kevin Long, Terraphase Engineering, Inc., 100 Canal Pointe Boulevard, Suite 110, Princeton, NJ 08540, on behalf of Anne R. Garr, Philadelphia Energy Solutions Refining and Marketing LLC, 3144 West Passyunk Avenue, Philadelphia, PA 19153, submitted a Final Report concerning remediation of soil contaminated with petroleum constituents. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Lockheed Martin Corporation, Primary Facility ID # **778937**, 230 Mall Boulevard, King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**. Mark Eschbacher, H&K Group, Inc., 2052 Locon Road, Skipack, PA 19474, on behalf of Tony C. Apanavage, Lockheed Martin Corporation, 550 North Hollywood Way, Suite 406, Burbank, CA, CA 91505, submitted a Cleanup Plan/Final Report concerning remediation of groundwater contaminated with tetrachloroethylene. The Cleanup Plan/Final Report is intended to document remediation of the site to meet the site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

A. Duie Pyle Trucking Terminal, Primary Facility ID # 873512, 2900 Hoover Avenue, Allentown, PA 18109, Hanover Township, **Lehigh County**. Compliance Management International, 2750 Morris Road, Suite A101, Lansdale, PA 19446, on behalf of A. Duie Pyle, 650 Westtown Road, P.O. Box 564, West Chester, PA 19381, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report demonstrated attainment of the Statewide health standards. Approved: May 2, 2024.

Aldrich Well Pad 1, Primary Facility ID # 770319, 2882 Great Bend Turnpike, Susquehanna, PA 18847, Gibson Township, **Susquehanna County**. Reliance Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300,

Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report demonstrated attainment of the Statewide health standards. Approved: May 6, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Wawa Store # 153, Primary Facility ID # 622986, 1946 North 11th Street, Reading, PA 19604, City of Reading, **Berks County**. Aquaterra Technologies, Inc., 901 South Bolmar Street, Suite 1A, West Chester, PA 19382, on behalf of Wawa, Inc., 260 West Baltimore Pike, Media, PA 19063, submitted a Final Report concerning remediation of soil contaminated with Lead. The Final Report demonstrated attainment of the site-specific standards. Approved: April 30, 2024.

Michael Black Property, Primary Facility ID # 871172, 420 Willow Street, Highspire, PA 17113, Highspire Borough, **Dauphin County**. Environmental Maintenance Co., Inc., 1420 East Mermaid Lane, Glenside, PA 19038, on behalf of Mr. Michael Black, 683 Sand Spur Drive, Eppers, PA 17319, submitted a Final Report concerning remediation of soil contaminated with No. 2 Heating Oil Compounds. The Final Report demonstrated attainment of the Statewide health standards. Approved: May 3, 2024.

Kastenbaum Residence, Primary Facility ID # 838506, 3 Seven Springs Drive, Reading, PA 19607, Cumru Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Mr. Michael Kastenbaum, 2000 Cambridge Avenue, Apt. 151, Wyomissing, PA 19610, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with No. 2 Heating Oil Compounds. The Report demonstrated attainment of the Statewide health and site-specific standards. Approved: May 6, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Point Service Center, Primary Facility ID # 874929, 346 West Walnut Street, North Wales, PA 19454, North Wales Borough, **Montgomery County**. Richard Doran, HETI, 54 Nonset Path, Acton, MA 01720, on behalf of Jeremy Behe, Point Service Center, 346 Walnut Street, North Wales, PA 19454, submitted a Final Report concerning remediation of soil contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, pyrene, chrysene, benzo(a)anthracene, benzo(b)fluoranthene, indeno(1,2,3-cd)pyrene, benzo(g,h,i)perylene, and lead. The Final Report demonstrated attainment of the Statewide health standards. Approved: April 30, 2024.

PB 881 Dike Roadway Release—Point Breeze South Yard, Primary Facility ID # 856437, 3144 Passyunk Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Kevin Long, Terraphase Engineering, Inc., 100 Canal Pointe Boulevard, Suite 108, Princeton, NJ 08540, on behalf of Anne Garr, Philadelphia Energy Solutions Refining and Marketing, LLC, 111 South Wacker Drive, Suite 3000, Chicago, IL 60606,

submitted a Final Report concerning remediation of soil contaminated with with benzene, cumene, ethylbenzene, 1,2,4-trimethylbenzene (124-TMB), 1,3,5-trimethylbenzene (135-TMB), toluene, xylenes, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, fluorene, naphthalene, phenanthrene, and pyrene. The Final Report demonstrated attainment of the Statewide health standards. Approved: April 30, 2024.

3111 Grays Ferry Avenue, Primary Facility ID # 848277, 3111 Grays Ferry Avenue, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Craig Herr, Liberty Environmental, Inc., 315 West Street, Suite 205, Lancaster, PA 17603, on behalf of Paul Frank, 3111 Grays Ferry, LLC, 2141 Downyflake Lane, Suite 400, Allentown, PA 18103, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of groundwater contaminated with VOCs, SVOCs and metals. The Report demonstrated attainment of the site-specific standards. Approved: April 25, 2024.

Panzer Residence, Primary Facility ID # 832938, 10 Unity Turn, Levittown, PA 19056, Middletown Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18703, on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, isopropyl benzene (cumene), methyl tertiary butyl ether (MTBE), 1,2,4-trimethylbenzene (TMB) and 1,3,5-TMB. The Final Report demonstrated attainment of the Statewide health standards. Approved: April 25, 2024.

U-Haul Moving & Storage of Riverview, Primary Facility ID # 817088, 8 East Oregon Avenue, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. Aaron Epstein, PG., Partner Engineering & Science, Inc., 100 Deerfield Lane, Suite 200, Malvern, PA 19355, on behalf of Valentina Smith, AMERCO Real Estate Company, 2727 North Central Avenue, Phoenix, AZ 85004, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, naphthalene, and 2-methylnaphthalene; and groundwater contaminated with chrysene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(g,h,i)perylene, dibenzo(a,h)anthracene, and lead. The Final Report demonstrated attainment of the Statewide health standards. Approved: April 24, 2024.

860 Unit Cooling Tower and Hartranft Street—Point Breeze South Yard, Primary Facility ID # 854903, 3144 Passyunk Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Kevin Long, Terraphase Engineering, Inc., 100 Canal Pointe Boulevard, Suite 108, Princeton, NJ 08540, on behalf of Anne R. Garr, Philadelphia Energy Solutions Refining and Marketing, LLC, 3144 West Passyunk Avenue, Philadelphia, PA 19153, submitted a Final Report concerning remediation of soil contaminated with with benzene, toluene, ethylbenzene, xylenes, cumene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, anthracene, benzo(a)anthracene, benzo(a)pyrene benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, fluorene, naphthalene, phenanthrene, and pyrene. The Final Report demonstrated attainment of the Statewide health standards. Approved: April 26, 2024.

**REGISTRATION FOR RESIDUAL WASTE
GENERAL PERMITS**

Actions(s) Taken on Registration(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa D. Houser, P.E., Facilities Manager, 570 327-3740.

WMGR163NC002. Highland Field Services, LLC, 2000 Westinghouse Drive, Suite 400, Cranberry Township, PA 16066-5238, Chatham Township, **Tioga County**. General Permit registration for the storage of oil and gas liquid waste for use as a water supply to develop or hydraulically fracture an oil or gas well at the Norris Brook Tank Farm. Application received: August 10, 2023. Issued: May 1, 2024.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Facilities Manager, 570-327-3740, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**DETERMINATION OF APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR028SC007K. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Lower Allen Township, **Cumberland County**. This is for authorization under Residual Waste General Permit WMGR028 for the beneficial use of baghouse fines and/or scrubber precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products, at New Enterprise Stone & Lime Co., Inc.'s Camp Hill HMA Plant at 1325 Spanglers Mill Road, Camp Hill, PA 17011. Application received: August 18, 2023. Issued: May 2, 2024.

Persons interested in reviewing the permit may contact John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

WMGR028SC007L. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Silver Spring Township, **Cumberland County**. This is for authorization under Residual Waste General Permit WMGR028 for the beneficial use of baghouse fines and/or scrubber precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products, at New Enterprise Stone & Lime Co., Inc.'s Locust Point HMA Plant at 55 North Locust Point Road, Mechanicsburg, PA 17050. Application received: August 18, 2023. Issued: May 2, 2024.

Persons interested in reviewing the permit may contact John L. Oren, P.E. Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5-59-00016B: NFG Midstream Covington, LLC, 6363 Main Street, Williamsville, NY 14221, Delmar Township, **Tioga County**. The Department granted authorization to construct and operate one (1) 1,380 hp Caterpillar G3516J natural gas fired compressor engine controlled by an oxidation catalyst, one (1) 300-gallon engine oil tank, one (1) 300-gallon compressor oil tank, one (1) Kohler model D183TIC 18.3 L generator engine, ten (10) 2,500 BTU catalytic heaters, associated piping and components and authorization to continue operating three (3) 1,380 bhp Caterpillar G3516B LE, 4-stroke, lean burn, natural gas-fired, engine equipped with an EMIT Tech model ELX-4200 oxidation catalyst, one (1) 60 MMSCFD triethylene glycol dehydration unit with associated 0.50 MMBtu/hr reboiler and flash tank, three (3) 300-gallon engine oil tanks, three (3) 300-gallon compressor oil tanks, one (1) 300-gallon triethylene glycol tank, one (1) 15,000-gallon waste fluid tank and fugitives from associated piping and components, all pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at the Lawton Compressor Station. Application received: January 24, 2023. Authorized May 2, 2024. New expiration date: May 1, 2029.

AG5-59-000005C: Mainesburg GS, LP, 5613 DTC Parkway, Suite 310, Greenwood Village, CO 80111, Sullivan Township, **Tioga County**. The Department reauthorized the continued operation of one (1) 1,340 bhp Caterpillar model G3516 ultra lean burn natural gas fired compressor engine with an oxidation catalyst, two (2) 3,550 bhp Caterpillar model G3612 lean burn natural gas fired compressor engines with oxidation catalyst and SCR control, two (2) 30 MMscf/day dehydration units with 0.50 MMBtu/hr reboiler burners, two (2) 210 bbl/8,820 gallon produced fluids tanks, one (1) 100 bbl/4,200 gallon produced fluids tank, one (1) 400 bbl/16,800 gallon pro-

duced fluids tank, miscellaneous lubrication oil and glycol tanks and fugitive emissions pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at the Wells Compressor Station. Application received: April 11, 2024. Renewed: May 3, 2024. New expiration date: May 2, 2029.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, New Source Review Chief, 570-826-2341.

AG5-58-00008A: Appalachia Midstream Services, LLC, 30351 Route 6, Wysox, PA 18854, Auburn Township, **Susquehanna County**. The Department renewed the general Operating Permit GP5 for the operation of Natural Gas Compression and Natural Gas Dehydration plant at the facility located in Auburn Township, Susquehanna County. Application received: March 22, 2024. Issued: April 17, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

GP1-21-03061A: UPMC Pinnacle Carlisle, 361 Alexander Spring Road, Carlisle, PA 17015, South Middleton Township, **Cumberland County**. For two (2) existing 12.555 MMBtu/hr. boilers, fueled with natural gas and No. 2 oil, at the hospital facility. Application received: March 25, 2024. Issued: April 30, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

GP3-06-03183B: R.S. Services, 119 Falls Road, Beech Creek, PA 16822, New Morgan Borough, **Berks County**. For portable nonmetallic mineral processing equipment, under GP3, at the Conestoga Landfill. Application received: April 12, 2024. Issued: May 2, 2024.

GP11-06-03183B: R.S. Services, 119 Falls Road, Beech Creek, PA 16822, New Morgan Borough, **Berks County**. For five non-road engines under GP11, to operate portable nonmetallic mineral processing equipment, at the Conestoga Landfill. Application received: April 12, 2024. Issued: May 2, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP5-65-00979G/AG5-65-00016A: Laurel Mountain Midstream Operating, LLC, 111 Enterprise Lane, Conellsville, PA 15425, South Huntingdon Township, **Westmoreland County**. General Operating Permit was authorized to Laurel Mountain Midstream Operating, LLC to replace and operate a flare rated at 6.18 MMBtu/hr at their existing Herminie CS located in South Huntingdon Township Westmoreland County. Application received: April 3, 2024. Authorized: April 30, 2024.

GP5A-04-00750A/AG5A-04-00001B: Range Resources Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Independence Township, **Beaver County**. The Department issued GP5A-04-00750A/AG5A-63-00001B authorization for the continued operation of their existing sources which includes: Six (6) gas wells, one (1) indirect fired line heater at 2.0 MMBtu/hr, one (1) separator at 0.5 MMBtu/hr, three (3) condensate 21,000-gallon each storage tanks, three (3) Produced Water Tanks, truck load-out for condensate and

produced water, two (2) enclosed flares rated at 12.2 MMBtu/hr, 14-low-bleed pneumatic controllers, 78-intermittent bleed pneumatic controllers, fugitives, and miscellaneous venting sources at their Jodikinos Carol 11380 Well Pad located in Independence Township, Beaver County. Application received: March 14, 2024. Authorized: May 6, 2024.

PA-65-01127: Kopp Technology Center, LLC, 1016 Progress Circle, Bell Vernon, PA 15012, Rostraver Township, **Westmoreland County**. The Department issued to Kopp Technology Center, LLC (1016 Progress Circle, Bell Vernon, PA 15012) to authorize to manufacture clear and colored glass products and to increase production capacity by adding additional glass melting furnaces at their Technology Center located in Rostraver Township, Westmoreland County, PA. Application received: February 22, 2024. Issued: May 1, 2024.

GP4-63-00462C: Joseph Femiani, 30 Linnwood Rd, Eighty Four, PA 15330, North Strabane Township, **Washington County**. The Department has evaluated and intends to issue a General Plan Approval and General Operating Permit for Burn Off Ovens (GP-4) to Rice Electric Company to operate the following equipment:

- One (1) Pollution Control Products Co. Model VPI-150 burn off oven. Application received: April 18, 2024. Accepted: May 1, 2024.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration at 215-685-9476.

IP24-000042: Southeastern Pennsylvania Transportation Authority (SEPTA)—Roberts Complex, 4301 Wissahickon Avenue, Philadelphia, PA 19140, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a Plan Approval to extend the temporary operation of two (2) natural gas fired combined heat and power units, each rated at 6113 HP, and each controlled by a SCR and an Oxidation Catalyst System at the Southeastern Pennsylvania Transportation Authority (SEPTA)—Roberts Complex. The extension is effective until October 31, 2025. Application received: February 26, 2024. Issued: May 1, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-05051A: AJ Stove and Pellet, LLC, 8642 Molly Pitcher Highway, Greencastle, PA 17225, Antrim Township, **Franklin County**. For construction of a wood pellet manufacturing plant with multi-clone emission control device. The plan approval was extended, with a compliance schedule. Application received: April 22, 2024. Issued: April 30, 2024.

67-05083F: Calpine Mid-Merit, LLC, 1055 Pikes Peak Road, Delta, PA 17314, Peach Bottom Township, **York County**. For the upgrade of the Block 2 Electricity Generation Project's nominally rated power output capacity from 760 MW to 830 MW at the York Energy Center. The plan approval was extended. Application received: April 19, 2024. Issued: May 3, 2024.

67-05083G: Calpine Mid-Merit, LLC, 1055 Pikes Peak Road, Delta, PA 17314, Peach Bottom Township, **York County**. For the modification of the York Energy

Center Block 2 Electricity Generation Project's turbine BACT emission limits. These limits are imposed on each combined cycle (CC) combustion turbine (CT) associated with the project. The existing facility is located in Peach Bottom Township, York County. The modification consists of the following changes to the requirements of P.A. No. 67-05083F (issued on August 1, 2016): 1.) Remove provisional status of any emission limits previously so specified except CO, 2.) Remove requirement for second stack test related to provisional emission limits, and 3) Remove the CO BACT emission limit for the CTs firing ULSD without duct burners from 3.5 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs) to a bifurcated limit as follows: Load \geq 90% = 2.0 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs); Load $<$ 90% = 3.5 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs). The plan approval was extended. Application received: April 19, 2024. Issued: May 3, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05013A: Lancaster County Solid Waste Management Authority, 1911 River Road, Bainbridge, PA 17502-9360, Conoy Township, **Lancaster County**. For the installation of Covanta proprietary Low NO_x (LN) technology for each of the three (3) municipal waste combustors at the Lancaster Waste-to Energy (LWTE) facility, and the incorporation of presumptive, and alternative RACT 3 requirements for the MWCs, at the facility. As part of this plan approval the facility will upgrade the furnace Type K thermocouples used to measure furnace temperatures with infrared (IR) sensors. The plan approval was extended. Application received: April 23, 2024. Issued: April 30, 2024.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

39-00092: Hale Trailer Brake & Wheel Inc., 5361 Oakview Drive, Allentown, PA 18104, Upper Macungie Township, **Lehigh County**. The Department issued a renewal State-Only Operating Permit for the operation of spray paint booths and their truck trailer manufacturing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: September 13, 2023. Accepted: September 26, 2023. Issued: April 11, 2024.

40-00076: Wilkes-Barre Materials, LLC, 500 Chase Road, Shavertown, PA 18708, Plains Township, **Luzerne County**. The Department issued a renewal State-Only Operating Permit for their non-metallic mineral mining and processing and hot mix asphalt production. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: June 7, 2023. Accepted: June 22, 2023. Issued: April 23, 2024.

48-00112: Freshpet, Inc., 176 North Commerce Way, Bethlehem, PA 18017, Hanover Township, **Northampton**

County. The Department has issued a renewal State-Only (Natural Minor) Operating Permit for the Hanover Township facility. Sources at this facility include their boilers and 1.4 MW Cogen system. This permit also includes a CO oxidation catalyst as a control device. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: February 8, 2024. Accepted: February 8, 2024. Issued: May 2, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

16-00177: Northwestern Pennsylvania Crematory, 330 Wood St., Clarion, PA 16214, Monroe Township, **Clarion County**. The Department issued a State Only Operating Permit for the crematory owned and operated by Northwestern Pennsylvania Crematory, Inc. The facility is a Natural Minor. The conditions of the previous plan approval are incorporated into the Operating Permit. The estimated emissions from the facility are 1.78 tpy Particulate Matter. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: November 14, 2022. Permit issued: April 30, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03117: GEA Systems North America, LLC, 3475 Board Road, York, PA 17406-8414, Manchester Township, **York County**. For the refrigeration equipment manufacturing facility. The State-Only permit was renewed. Application received: August 23, 2023. Issued: April 23, 2024.

07-05025: Energy Transfer Marketing & Terminals LP, 101 West 3rd Street, Williamsport, PA 17701-6413, Allegheny Township, **Blair County**. For the petroleum products distribution terminal. The State-Only permit was renewed. Application received: December 21, 2023. Issued: April 25, 2024.

67-03043: Envirite of PA, Inc., 730 Vogelsong Road, York, PA 17404-6707, City of York, **York County**. For the hazardous waste disposal facility. The State-Only permit was renewed. Application received: June 27, 2023. Issued: April 30, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05106: Premier Custom Built, Inc., 110 Short Street, New Holland, PA 17557-1515, East Earl Township, **Lancaster County**. For the kitchen cabinet manufacturing facility. The State-Only permit was renewed. Application received: September 26, 2023. Issued: May 1, 2024.

06-03004: Metropolitan Edison Co., 76 South Main Street, Akron, OH 44308, Muhlenberg Township, **Berks County**. For the emergency generators at the facility. The State-Only permit was renewed. Application received: October 20, 2023. Issued: May 7, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00227: Central Bucks Crematory, Inc., 344 N Main St, Doylestown, PA 18901-3715, Doylestown Borough, **Bucks County**. This action is for the renewal of a non-Title V, Natural Minor Operating Permit for the operation of one (1) Human Crematory. Application received: December 22, 2023. Issued: April 30, 2024.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 30841316. NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill and Aleppo Townships, **Greene County**. To revise the permit and related NPDES permit for grading at the entrance to the 6 South 3 Portal Facility; affecting 1.7 surface acres. Application received: August 31, 2023. Accepted: September 18, 2023. Issued: May 1, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 17803023. NPDES No. PA0128198. Enercorp, Inc., 1310 Allport Cutoff, Morrisdale, PA 16858, Cooper Township, **Clearfield County**. Permit renewal for a bituminous surface coal mine and associated NPDES permit affecting 11.8 acres. Remaining mining activities consist only of operation and maintenance of a post-mining mine drainage water treatment system. Receiving stream(s): Basin Run classified for the following use(s): CWF. Application received: December 6, 2023. Accepted: December 15, 2023. Issued: May 1, 2024.

Mining Permit No. 17940107. NPDES No. PA0219801. River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847, Karthaus Township, **Clearfield County**. Modification of an NPDES permit for a bituminous coal mine/coal refuse disposal for construction of a new treatment facility for pit water from a coal

surface mine that utilizes a non-discharge alternative, affecting 531.0 acres. Receiving stream(s): watershed of an unnamed tributary to Saltlick Run classified for the following use(s): HQ—CWF, MF. Application received: November 22, 2023. Accepted: November 28, 2023. Issued: May 1, 2024.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 24240801. R.J. Vollmer Excavating, Inc., 1069 Trout Run Road, St. Marys, PA 15857, City of Saint Marys, **Elk County**. Commencement, operation and restoration of a small industrial minerals mine affecting 4.1 acres. Receiving stream(s): Elk Creek. Application received: February 20, 2024. Issued: May 2, 2024.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Andrew Ross, Project Manager, 570-327-3565.

E4904223-003. Blue Creek Investments LLC, 3445-A Box Hill Corporate Center Drive, Abingdon, MD 21009, Mount Carmel Township, **Northumberland County**. U.S. Army Corps of Engineers Baltimore District.

The permittee is authorized construction of a 912,000 square foot warehouse and associated parking, loading docks, and stormwater management facilities. The project proposes .07 acre of permanent wetland impacts and 0.96 acre of permanent pond impacts. Latitude: 40.78177°, Longitude: -76.44121°. Application received: September 12, 2023. Issued: April 29, 2024.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E6602223-003. Procter & Gamble Paper Products Co. (P&G), 5188 PA-87, Mehoopany, PA 18629-0032, Washington Township, **Wyoming County**. U.S. Army Corps of Engineers Baltimore District.

To modify and maintain an existing water intake structures within the Susquehanna River (WWF, MF) with work consisting of dredging the bottom of the intake cove for the removal of approximately 815 cubic yards of sediment around the two intake pipes. The project is located in Washington Township, Wyoming County, PA, Quadrangle Latitude: 41°, 34', 6.3" Longitude: -76°, 02', 08". Application received: December 20, 2023. Issued: April 30, 2024.

E3502223-011. Lackawanna County, 1280 Mid Valley Drive, Jessup, PA 18434, Elmhurst Township, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District.

To remove the existing structure and to construct and maintain a 48-foot wide two-span prestressed concrete spread box beam bridge across Roaring Brook (CWF, MF) having a span of 46.67 feet per span and a 4.0-foot underclearance. Fill will be placed within the floodway for the new roadway approaches. To remove an existing gravel bar that is located in the left side of the channel upstream of the proposed bridge replacement. The gravel bar will be removed within 6 inches of the normal water surface, permanently impacting 107 linear feet of floodway. To construct and maintain a drainage outfall in the northwest bridge quadrant, to convey runoff from the roadway to Roaring Brook, permanently impacting 6 linear feet of floodway. The project is located in Elmhurst Township, Lackawanna County. (Olyphant, PA Quadrangle, Latitude: 41°, 22', 36"; Longitude: -75°, 32', 41"). Application received: December 19, 2023. Issued: May 2, 2024.

F4002224-001. Conyngham Township (Luzerne County Flood Protection Authority), P.O. Box 1999, Kingston, PA 18704, Conyngham Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To demolish and remove structures located on the following sites in the floodplain of the Susquehanna River through the Wyoming Valley Levee Raising Project-Mitigation Program. Sites will be restored and stabilized to open space. Sites are owned by the Luzerne County Flood Protection Authority (LCFPA) and are in Conyngham Township, Luzerne County. 1. 95 Italy Street, Mocanaqua, PA 18655 (Shickshinny, PA Quadrangle Latitude: 41°, 8', 20.60"; Longitude: -76°, 8', 27.58") 2. 97 Italy Street, Mocanaqua, PA 18655 (Shickshinny, PA Quadrangle Latitude: 41°, 8', 20.60"; Longitude: -76°, 8', 27.58") Application received: February 8, 2024. Issued: May 7, 2024.

F4002224-002. Plymouth Township (Luzerne County Flood Protection Authority), P.O. Box 1909, Kingston, PA 18704, Plymouth Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To demolish and remove structures located on the following sites in the floodplain of the Susquehanna River through the Wyoming Valley Levee Raising Project-Mitigation Program. Sites will be restored and stabilized to open space. Sites are owned by the Luzerne County Flood Protection Authority (LCFPA) and are in Plymouth Township, Luzerne County. 1. 165 U.S. Route 11, West Nanticoke, PA 18634 (Shickshinny, PA Quadrangle Latitude: 41°, 13', 21.68"; Longitude: -76°, 1', 10.31") 2. 175 U.S. Route 11, West Nanticoke, PA 18634 (Shickshinny, PA Quadrangle Latitude: 41°, 13', 21.65"; Longitude: -76°, 1', 12.36"). Application received: February 8, 2024. Issued: May 7, 2024.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E2203223-006. Derry Township Municipal Authority, 670 Clearwater Road, Hershey, PA 17033, Derry Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District.

1.) install and maintain a new 68.0-inch-wide by 43.0-inch-high reinforced concrete pipe stormwater outfall with a cast in place endwall and riprap apron choked with native streambed material in and along Spring Creek (WWF, MF) at Latitude: 40.285862, Longitude: -76.659268, all for the purpose of improving the drainage on Ridge Road. The project is located in Derry Township, Dauphin County. No wetlands will be impacted by this project. Application received: July 6, 2023. Approved: May 1, 2024.

E0103222-002. JVI Group, Inc., 8210 Carlisle Pike, York Springs, PA 17372, Straban Township, **Adams County**. U.S. Army Corps of Engineers Baltimore District.

To relocate 882 linear feet of a UNT to Rock Creek (WWF, MF), currently conveyed by defined surface channels, subsurface flow, and piping, for the purpose of a residential housing development. The relocated channel is designed to have a natural meander pattern, a natural streambed, grade control structures, and access to a floodway. A 98-inch by 63-inch elliptical RCP culvert, measuring 31 feet in length, will be installed in the

relocated channel. The project is located northeast of the intersection of Hunterstown Road and Route 30 in Straban Township, Adams County (Latitude: 39.8398; Longitude: -77.2121). No wetland impacts are proposed with the project. Application received: November 23, 2022. Authorized: May 6, 2024.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205222-023. North Fayette Township, 400 North Branch Road, Oakdale, PA 15071, Fayette Township, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to: Remove an existing 30-foot long, concrete bridge and 90-foot long concrete retaining wall along the right bank, and to construct, operate, and maintain a replacement 14-foot wide, by 6-foot high, by 98-foot long box culvert, in an unnamed tributary (Tributary 36707) to Montour Run (TSF), for the purpose of replacing the existing structure that carries Mahoney Road over Tributary 36707 and repairing a failing embankment structure. Permanent impacts are to 98 linear feet of watercourse and 0.1 acre of floodway. Temporary impacts are to 182 linear feet of watercourse and 0.03 acre of floodway. The project site is located along Mahoney Road approximately 130 feet from its intersection with Cliff Mine Road (Oakdale, PA USGS topographic quadrangle; N: 40°, 27', 5.3"; W: -80°, 12', 21.53"; Sub-basin 20G; USACE Pittsburgh District), in North Fayette Township, Allegheny County. Application received: July 29, 2022. Issued: May 6, 2024.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG295824005-00**

Applicant Name **Williams Field Services Co, LLC**

Contact Person Jayme Stotka

Address 2000 Commerce Drive

City, State, Zip Pittsburgh, PA 15275

Township(s) Bridgewater Township

County **Susquehanna County**

Receiving Stream(s) and Classification(s) Beebe Creek

(CWF, MF), Unnamed Tributary to East Branch

Wyalusing Creek (CWF, MF)

Application received: April 5, 2024

Issued: May 6, 2024

Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCP # **ESP07022300100E**

Applicant Name **Hyperion Midstream, LLC—Leto Compressor Station**

Contact Person Brian Dillemath, (724) 754-0110

bdillemath@olympusenergy.com

Address 305 Oak Road

City, State, Zip Gibsonia, PA 15044

Township(s) West Deer Township

County **Allegheny County**

Receiving Stream(s) and Classification(s) 001. Lat

40.63432, Long -79.88996, Tributary 42335 to Dawson

Run, Ch 93 Class CWF 002. Lat 40.63405, Long

-79.89070, Dawson Run, Ch 93 Class CWF

Application received: December 11, 2023

Issued: May 1, 2024

ESCGP # 3 **ESG070423006-00**

Applicant Name **Range Resources Appalachia, LLC—Miller Ralph 18119 Well Site**

Contact Person Karl Matz, (724) 873-3090,

kmatz@rangeresources.com

Address Bocktown Cork Road

City, State, Zip Clinton, PA 15026

Township(s) Independence Township

County **Beaver County**

Receiving Stream(s) and Classification(s) 001. Lat

40.51729, Long -80.31985, UNT to Raccoon Creek, Ch

93 class WWF 002. Lat 40.51819, Long -80.32004, UNT

to Raccoon Creek, Ch 93 class WWF

Application received: September 22, 2023

Issued: May 2, 2024

ESCGP # 3 **ESG070224001-00**

Applicant Name **Range Resources Appalachia, LLC—Norris Tank Pad**

Contact Person Karl Matz, (724) 873-3090,

kmatz@rangeresources.com

Address 2801 Lardintown Road

City, State, Zip Tarentum, PA 15084

Township(s) Fawn Township

County **Allegheny County**

Receiving Stream(s) and Classification(s) 001. Lat

40.66977, Long -79.79964, Lardintown Run, Ch 93 class

TSF 002. Lat 40.66485, Long -79.79895, Lardintown

Run, Ch 93 class TSF 003. Lat 40.66289, Long

-79.79797, Lardintown Run, Ch 93 class TSF

Application received: March 1, 2024

Issued: May 6, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

RV Beverage/Vamco Fuel Route 6 & 11 Property, Storage Tank Facility ID # **35-27640**, 801 Northern Boulevard, Clarks Summit, PA 18411, South Abington Township and Clarks Summit, **Lackawanna County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Vamco Fuel Route 6 & 11, 107 Squirrel Run, Clarks Summit, PA 18411, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting site-specific standards.

G&G Express Mart, Storage Tank Facility ID # **40-15488**, 320 Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Gilbro Realty, 1241 South Main Street, Scranton, PA 18504, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ben, 814-350-5132.

Laurel Run Food & Fuel, Storage Tank Facility ID # **24-00717**, 11117 Million Dollar Highway, Kersey, PA 15846, Fox Township, **Elk County**. DMS Environmental Services LLC, 103 South Spring Street, Bellefonte, PA 16823, on behalf of Sultan 7, LLC, 65 East 99th Street, Apt 9G, New York, NY 10029, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Diesel Fuel. The plan is intended to document the remedial actions for meeting nonresidential Site-Specific, Statewide Health, and Background.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG, 717-705-4705.

Former Hess Oil, Storage Tank Facility ID # **67-60871**, 203 Bunker Hill Avenue, Delta, PA 17314, Delta Borough, **York County**. P. Joseph Lehman, Inc. Consulting Engineers, P.O. Box 419, Hollidaysburg, PA 16648, on behalf of Mr. William Hubbard, 59 Griffith Road, Delta, PA 17314, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document the remedial actions for meeting residential and nonresidential site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

710 S Gulph Rd, Storage Tank Facility ID # **46-06937**, 710 S Gulph Rd, King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**. Synergy Environmental, Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of PALG UST, LLC, 600 W. Hamilton Street, Suite 400, Allentown, PA 18101, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of

studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Reja Real Estate, Storage Tank Facility ID # **48-08863**, 133 South First Street, Bangor, PA 18013, Bangor Borough, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Reja Real Estate, LLC, 133 South First Street, Bangor, PA 18013, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with heating oil. The report demonstrated attainment of the Statewide health standards and was approved by DEP on May 2, 2024.

PA0028 Scranton (former Joe's Kwik Mart 200), Storage Tank Facility ID # **35-20606**, 1327 Providence Road, Scranton, PA 18508, City of Scranton, **Lackawanna County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of Joseph Gentile Jr., 1031B Reeves Street, Dunmore, PA 18512, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report was not acceptable to meet the site-specific standards and was disapproved by DEP on May 3, 2024.

J.A. & W.A. Hess Ready Mix, Storage Tank Facility ID # **40-51043**, 10 Hess Road, Hazleton, PA 18202, Hazle Township, **Luzerne County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of J.A. & W.A. Hess, Inc., 10 Hess Road, Hazleton, PA 18202, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with diesel. The report demonstrated attainment of the site-specific standards and was approved by DEP on May 3, 2024.

Valley Mart 8, Storage Tank Facility ID # **40-22024**, 412 South Main Street, Wilkes-Barre, PA 18703, City of Wilkes-Barre, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of 412 Main,

LLC, 1534 Highway 315 Boulevard, Wilkes-Barre, PA 18702, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan was acceptable to meet the Statewide health standards and was approved by DEP on May 6, 2024.

Fill & Fly of Wind Gap, Storage Tank Facility ID # **48-28931**, 440 East Moorestown Road, Wind Gap, PA 18091, Plainfield Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Fill & Fly of Wind Gap, LLC, 440 East Moorestown Road, Wind Gap, PA 18091, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was acceptable to meet the Statewide health standards and was approved by DEP on May 6, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Michael Stefanic, P.G., 717-705-4705.

Pennsylvania State Police Academy, Storage Tank Facility ID # **22-12777**, 175 East Hershey Park Drive, Hershey, PA 17033-9528, Derry Township, **Dauphin County**. Langan Engineering and Environmental Services, Inc., 1818 Market Street, Suite 3300, Philadelphia, PA 19103, on behalf of Pennsylvania Department of General Services Arsenal Building, 1800 Herr Street, Harrisburg, PA 17125, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel fuel/fuel oil No. 2, leaded gasoline, and unleaded gasoline constituents. The report was acceptable to meet the nonresidential Statewide health standards and was approved by DEP on May 2, 2024.

Contact: Robin L. Yerger, LPG, 717-705-4705.

Former Hess Oil, Storage Tank Facility ID # **67-60871**, 203 Bunker Hill Avenue, Delta, PA 17314, Delta Borough, **York County**. P. Joseph Lehman, Inc. Consulting Engineers, P.O. Box 419, Hollidaysburg, PA 16648, on behalf of Mr. William Hubbard, 59 Griffith Road, Delta, PA 17314, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The report did not demonstrate attainment of the residential and nonresidential site-specific standards and was disapproved by DEP on May 3, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Blue Bell Sunoco, Storage Tank Facility ID # **46-20382**, 889 Dekalb Pike, Blue Bell, PA 19422, Whitpain Township, **Montgomery County**. Claymore Environmental LLC, 650 Germantown Pike, Lafayette Hill, PA 19444, on behalf of Brian Halligan, 113 E Mill Road, Flourtown, PA 91031, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the nonresidential Statewide health standards and was approved by DEP on May 2, 2024.

SPECIAL NOTICES

WATER PROGRAMS

Application for National Pollutant Discharge Elimination System (NPDES) Permit for Discharges of Stormwater Associated with Construction Activities.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Andrew Ross, 570-321-6575.

The Department of Environmental Protection (DEP) has received an application for an Individual NPDES Permit from the applicant named as follows to authorize discharges of stormwater associated with construction activities from the project site named as follows to surface waters of the Commonwealth.

Applicant: AAA State College Storage & Warehousing, LLC

Applicant Address: 171 Manhasset Dr., Port Matilda, PA 16870

Application Number: **PAD140102**

Project Site Name: The Cascade Development

Project Site Address: North End of High Tech Road

Municipality/County: Benner Township, **Centre County**

Total Earth Disturbance Area: 16.3 acres

Surface Waters Receiving Stormwater Discharges: UNT to Buffalo Run (HQ-CWF, MF)

Project Description: Mixed use development with 146 residential units and 73 commercial units. Construction will include accompanying roadways, drive aisle, stormwater, water and sanitary sewer systems.

DEP has made a tentative decision to deny the application for the Individual NPDES Permit. A 30-day public comment period applies to this application and tentative decision. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 570.321.6575.

Notice of Public Hearing.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EPWW-NERO@Pa.Gov.

On August 31, 2022, the Department of Environmental Protection (PA DEP/Department) received an NPDES Permit application for the I80-115 C-1, Site, LLC Project, Blakeslee, PA 18610, in Tunkhannock Township, Monroe County. The application was deemed administratively complete on December 16, 2022. Written public comments were received during the public comment period and a public hearing was held on April 24, 2023. On March 30, 2024, a draft permit was published in the *Pennsylvania Bulletin* and written public comments were received during the public comment period.

The Department will hold a public hearing to accept additional comments on the documentation and plans

associated with the Individual NPDES Permit Application No. PAD450168 for the discharge of stormwater from construction activities to the following receiving watercourses:

EV Wetlands to Mud Pond Run (EV)

EV Wetlands to Tunkhannock Creek (EV)

The applicant is as follows:

- I80-115, C-1 Site, LLC. 186 Murphy Run Road, Stroudsburg, PA18380. Contact: David W. Moyer, I80-115, C-1 Site, LLC

The public hearing will be conducted on Thursday, June 20, 2024 from 6:00 p.m.—9:00 p.m. at the Tunkhannock Township Fire Hall located at 1539 Long Pond Road, Long Pond PA 18334. Representatives from the Department's Waterways & Wetlands Program, the Monroe County Conservation District and I-80-115 C-1 Site, LLC will be in attendance.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Colleen Connolly, Community Relations Coordinator at: coconnolly@pa.gov.

The Department will accept requests up to the day of the hearing. The Department requests that individuals limit their testimony to 5 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAD450168 documentation and plans. Written copies of oral testimony are requested. All comments, whether delivered orally during the hearing or submitted in writing will carry equal weight and consideration with DEP. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Colleen Connolly at: coconnolly@pa.gov or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application documentation and conceptual plans are available for review at the Monroe County Conservation District Office, 8050 Running Valley Road, Stroudsburg, PA 18301 at (570) 629-3060 and/or the DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA (570) 826-2511. For further information, contact Colleen Connolly, Community Relations Coordinator of the Department's Northeast Regional Office at (570) 826-2035.

WASTE, AIR, RADIATION AND REMEDIATION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: Austyn Shank, 717-783-3594.

In the month of April 2024, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. Sections

2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform

radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Daniel Kostenbader	772 Golden Eagle Drive Nazareth, PA 18064-8747	Testing Individual
SWAT of PA	1125 S. Cedar Crest Blvd Suite 101 Allentown, PA 18103-7903	Mitigation Firm
Matt Abell	304 Wallace Street Stroudsburg, PA 18360-2211	Testing Individual
Edward Schluth	368 Pine Run Road Doylestown, PA 18901-2320	Testing Individual
Stephen Beloyan	2 Field Court Wrightstown, NJ 08562-1825	Testing Individual
Frank Glantz	P.O. Box 866 Lemont, PA 16851-0866	Mitigation Individual
Benjamin Thayer	313 Grimesville Road Williamsport, PA 17701-9255	Testing Individual
Matthew Shaw	P.O. Box 381 Titusville, PA 16354-0381	Mitigation Individual
Jake Bird	1125 S. Cedar Crest Blvd Suite 101 Allentown, PA 18103-7903	Mitigation Individual
Dante Galan	2 Hayes Street Elmsford, NY 10523-2502	Laboratory Individual
Radon Testing Corp. of America	2 Hayes Street Elmsford, NY 10523-2502	Laboratory Firm
Heritage Home Inspections	1148 Meadow Brook Drive Canonsburg, PA 15317	Testing Firm
Micheal Sup, Jr.	2173 Aster Road Macungie, PA 18062-9356	Testing Individual
David Supko	4 North Beech Road Plains, PA 18705	Testing Individual
Shelbi Ritenour	315 Knoch Road Saxonburg, PA 16056	Testing Individual
Jon Shaffer	1115 Cornell Street Pittsburgh, PA 15212-1905	Mitigation individual
Helping Solutions, LLC	3499 Kettle Road Altoona, PA 16601-3017	Testing Firm
Clifford Ardinger, II	101 Bertley Ridge Drive Coraopolis, PA 15108-9762	Testing Individual
Jason Dillion	190 Colbert Avenue Oil City, PA 16301-1775	Testing Individual
Daniel Frederici	395 Brace Brook Road Forest City, PA 18421-1803	Testing Individual
Jeffrey Ralston	422 Valley Road Bloomsburg, PA 17815-8451	Testing Individual

[Pa.B. Doc. No. 24-678. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Extension of National Pollutant Discharge Elimination System General Permit for Stormwater Discharges from Small Municipal Separate Storm Sewer Systems (PAG-13)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department) is, by this notice, extending the availability of the current National Pollutant Discharge Elimination System General Permit for Stormwater Discharges from Small Municipal Separate Storm Sewer Systems (PAG-13) until PAG-13 is reissued. The Department published notice of availability of the existing PAG-13 at 46 Pa.B. 2910 (June 4, 2016) and extension of the existing PAG-13 at 52 Pa.B. 6107 (September 24, 2022). This notice does not extend any deadlines that are contained in the existing PAG-13 that were previously set to expire on March 15, 2025, including the date by which implementation of Pollutant Reduction Plans and Pollutant Control Measures must be achieved.

The Department is extending the availability of the General Permit to adequately address issues related to the reissuance of PAG-13. During the period of administrative extension, the Department may not authorize new coverage under PAG-13.

To access the General Permit and related documents, visit the Department's eLibrary web site at www.depgreenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "Clean Water," then "PAG-13 NPDES General Permit for Stormwater Discharges from Small Municipal Separate Storm Sewer Systems (MS4S) 3800-PM-BCW0100").

Questions regarding the PAG-13 General Permit can be directed to Sean Furjanic, PE, at (717) 787-2137 or sefurjanic@pa.gov.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-679. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Proposed State Implementation Plan Revision; Redesignation Request and Maintenance Plan for the Beaver, PA Nonattainment Area for the 2010 Sulfur Dioxide National Ambient Air Quality Standard; Public Hearing

The Department of Environmental Protection (Department) is seeking public comment on a redesignation request and proposed revision to the State Implementation Plan (SIP) concerning a maintenance plan demonstrating that the Beaver Area can maintain the 2010 1-hour Sulfur Dioxide (SO₂) National Ambient Air Quality

Standard (NAAQS) for the next 10 years as required under section 175A(a) of the Federal Clean Air Act (CAA) (42 U.S.C. § 7505a(a)). Short-term exposure to SO₂ has been linked to adverse respiratory conditions in humans.

On August 5, 2013, the United States Environmental Protection Agency (EPA) designated the Beaver Area as nonattainment for the 2010 1-hour SO₂ NAAQS at 78 FR 47191 (August 5, 2013). The Beaver Area is comprised of Industry, Midland and Shippingport Boroughs, plus Brighton, Potter and Vanport Townships.

On October 1, 2019, the EPA approved the Commonwealth's 2010 SO₂ Attainment Plan SIP for the Beaver Area at 84 FR 51988 (October 1, 2019), which demonstrated attainment of the 2010 SO₂ NAAQS based on air quality dispersion modeling. Furthermore, the most recent 2017—2022 air quality monitoring data also demonstrates attainment; however, the Beaver Area remains designated as nonattainment for the 2010 SO₂ NAAQS. Once the Commonwealth submits, and the EPA approves, a Request for Redesignation that satisfies the requirements of section 107(d)(3)(E) of the CAA (42 U.S.C. § 7407(d)(3)(E)); as well as a Maintenance Plan SIP Revision that satisfies the requirements of section 175A of the CAA and demonstrates the area can maintain the standard for at least 10 years following redesignation of the area, the EPA can update the attainment status. Therefore, the Department intends to submit this proposed maintenance plan SIP revision and redesignation request for the Beaver Area to the EPA for approval.

The proposed SIP revision is available on the Department's web site at www.ahs.dep.pa.gov/eComment.

The Department will provide the opportunity for a public hearing to receive comments on this proposal on Tuesday, June 18, 2024, at 9 a.m. at the Department of Environmental Protection Southwest Regional Office, 500 Waterfront Drive, Rooms A and B, Pittsburgh, PA 15222. Persons wishing to present testimony should contact Amanda Rodriguez at P.O. Box 8468, Harrisburg, PA 17105, (717) 787-7677 or amarodrigu@pa.gov no less than 24 hours in advance of the public hearing to reserve a time. Witnesses will be limited to 10 minutes and should provide two written copies of their comments.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-7677. TDD users may contact the Pennsylvania Hamilton Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than June 21, 2024. Commentators are encouraged to submit comments using the Department's eComment system at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments may be submitted to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "2024 Beaver RR MP 2010 SO₂" as the subject line in written communication.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-680. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Request for Applications from Eligible Counties for Watershed Stormwater Management Plan Grants

The Department of Environmental Protection (Department) invites eligible counties to apply for funding to develop or revise watershed stormwater management plans under the Commonwealth's Storm Water Management Act (act) (32 P.S. §§ 680.1—680.17). The act requires counties to prepare and adopt a watershed stormwater management plan (Act 167 Plan) for each watershed located in the county in consultation with the municipalities located within each watershed. Each county must periodically review and revise their Act 167 Plan at least every 5 years. Under section 17 of the act (32 P.S. § 680.17), the Department is authorized to award grants to counties for reimbursement of costs in preparing and revising stormwater management plans when funds are appropriated by the General Assembly for this purpose.

This grant opportunity is the second phase of the grant program to reimburse counties for costs associated with preparation or revision of Act 167 Plans. The first phase of this funding was for preparation of Act 167 Plan scopes of study, and was included in the 2023 Growing Greener

Plus Grants Program, as noticed at 53 Pa.B. 1868 (April 1, 2023). This second phase of funding will provide funding to eligible counties for Act 167 Plan development or revision. Counties that have completed a Phase I scope of study in accordance with 25 Pa. Code § 111.14 (relating to Phase I—scope of study) are eligible to apply for Phase II funding. Counties that have completed a Phase I scope of study through a prior grant agreement with the Department and counties that have completed a Phase I scope of study outside of a grant agreement with the Department are eligible to apply for Phase II funding.

Grant applications and attachments must be submitted online through the Commonwealth's Electronic Single Application web site at www.esa.dced.state.pa.us. Applications were accepted beginning at 8 a.m. on Wednesday, May 1, 2024, and will be accepted through 11:59 p.m. on Friday, August 30, 2024. Hard copy applications and late submissions will not be considered.

For more information on the Act 167 Plan, visit the Department's Act 167 Plan web site at <https://www.dep.pa.gov/Business/Water/CleanWater/StormwaterMgmt/Pages/Act-167.aspx>. Interested counties with questions about Act 167 Plan funding may e-mail their questions to RA-EPPAMS4@pa.gov for responses.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-681. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Stream Redesignation Evaluations of Beaver Run, Bald Eagle Creek, Raystown Branch Juniata River, Sibbald Run, Stony Creek, Kettle Run, Haycock Creek, Fletcher Run; Water Quality Standards Review

Under 25 Pa. Code § 93.4d (relating to processing of petitions, evaluations and assessments to change a designed use), the Department of Environmental Protection (Department) gives notice that evaluations will be conducted on the stream sections listed in the following table to determine the proper protected use designation in this Commonwealth's Water Quality Standards.

<i>Stream Name</i>	<i>County</i>	<i>Tributary to</i>
Beaver Run	Westmoreland	Kiskiminetas River
Bald Eagle Creek	Centre	West Branch Susquehanna River
Raystown Branch Juniata River	Huntingdon	Juniata River
Sibbald Run	Forest	Allegheny River
Stony Creek	Berks	Schuylkill River
Kettle Run	Lancaster	Hammer Creek
Haycock Creek	Bucks	Lake Nockamixon
Fletcher Run	Greene	Grays Fork

The Beaver Run evaluation is being conducted in response to a request by the Department's Interstate Water Resources Management Program and a review of the Fish and Boat Commission's wild trout classification of Beaver Run. Under 25 Pa. Code § 93.9t (relating to Drainage List T), the Beaver Run basin from the source to the Beaver Run Reservoir Dam is currently designated High Quality—Cold Water Fishes (HQ-CWF). The basin from the Beaver Run Reservoir Dam to mouth is currently designated trout stocking (TSF).

The Bald Eagle Creek evaluation is being conducted in response to a request from the United States Army Corps of Engineers (USACE) Baltimore District. Under 25 Pa. Code § 93.9l (relating to Drainage List L), the

Bald Eagle Creek mainstem from the source to Laurel Run (at Port Matilda) is currently designated CWF, Migratory Fishes (MF), the Bald Eagle Creek mainstem from Laurel Run (at Port Matilda) to Nittany Creek is currently designated TSF, MF and the Bald Eagle Creek mainstem from Nittany Creek to mouth is currently designated Warm Water Fishes (WWF) and MF. The USACE Baltimore District is requesting the Bald Eagle Creek mainstem from the Foster Joseph Sayer Dam to the mouth be evaluated to determine its proper protected use designation.

The Raystown Branch Juniata River evaluation is being conducted in response to a request from the USACE Baltimore District. Under 25 Pa. Code § 93.9n (relating

to Drainage List N), the Raystown Branch Juniata River mainstem from the source to mouth is currently designated WWF and MF. The USACE Baltimore District is requesting the Raystown Branch Juniata River mainstem from the Raystown Lake Dam to the mouth be evaluated to determine its proper protected use designation.

The Sibbald Run evaluation is being conducted as a result of ongoing Statewide monitoring and assessment efforts that indicates the existing use of Sibbald Run may be different than the current designated use. Under 25 Pa. Code § 93.9i (relating to Drainage List I), the Sibbald Run basin from the source to mouth is currently designated CWF and MF.

The Stony Creek evaluation is being conducted as a result of ongoing Statewide monitoring and assessment efforts that indicates the existing use of Stony Creek may be different than the current designated use. Under 25 Pa. Code § 93.9f (relating to Drainage List F), the Stony Creek basin from the source to mouth is currently designated CWF and MF.

The Kettle Run evaluation is being conducted as a result of ongoing Statewide monitoring and assessment efforts that indicates the existing use of Kettle Run may be different than the current designated use. Under 25 Pa. Code § 93.9o (relating to Drainage List O), the Kettle Run basin from the source to mouth is currently designated HQ-CWF and MF.

The Haycock Creek evaluation is being conducted as a result of ongoing Statewide monitoring and assessment efforts that indicates the existing use of Haycock Creek may be different than the current designated use. Under 25 Pa. Code § 93.9e (relating to Drainage List E), the Haycock Creek basin from the source to mouth is currently designated TSF and MF.

The Fletcher Run evaluation is being conducted in response to a rulemaking petition submitted to the Environmental Quality Board (EQB) by Consol Pennsylvania Coal Company, LLC. On March 12, 2024, the EQB accepted the rulemaking petition for study under

25 Pa. Code Chapter 23 (relating to Environmental Quality Board Policy for processing petitions—statement of policy). Under 25 Pa. Code § 93.9v (relating to Drainage List V), the Fletcher Run basin is currently designated HQ-WWF. The petitioner is requesting the basin be redesignated to WWF.

The petition is available on the Department’s web site at www.dep.pa.gov (select “Public Participation,” then “Environmental Quality Board,” then “2024 Meetings” and look for the March 12, 2024, meeting materials) or by contacting the Environmental Quality Board, P.O. Box 8477, Harrisburg, PA 17105-8477, (717) 787-4526.

Persons who have technical data concerning the water quality, instream habitat or biological condition of these stream sections are encouraged to make it available to the Department for consideration in these evaluations. These evaluations may lead to recommendations to the EQB for redesignation.

Interested persons may submit data through Monday, June 17, 2024. Persons are encouraged to submit information using the Department’s online eComment tool at www.ahs.dep.pa.gov/eComment. Data may be submitted to eComment by e-mail to ecomment@pa.gov. Data may also be submitted to Mark Brickner by e-mail to mbrickner@pa.gov or by mail to Mark Brickner, Water Quality Division, Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Mark Brickner directly at (717) 787-9637 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-682. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Laurel Laser & Surgery Center, LP	28 Pa. Code § 553.4(h) (relating to other functions)
	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Main Line Surgical Center	28 Pa. Code § 555.31(a) (relating to principle)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and

Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-683. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Geisinger Community Medical Center	28 Pa. Code § 51.3(b)—(d) (relating to notification)
	28 Pa. Code § 101.31(5) and (6) (relating to hospital requirements)
	28 Pa. Code § 105.15 (relating to patient identification)
	28 Pa. Code § 107.64 (relating to administration of drugs)
	28 Pa. Code § 117.30(3) and (4) (relating to emergency paramedic services)
	28 Pa. Code § 153.1(a) and (c) (relating to minimum standards)
Heritage Valley Sewickley	28 Pa. Code § 101.4 (relating to definitions)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-684. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Change to Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to increase the funding for a class of supplemental payments to qualifying acute care general hospitals for Fiscal Year (FY) 2023-2024 that provide a substantial portion of their inpatient services to Medical Assistance (MA) beneficiaries. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

Fiscal Impact

The total impact, as a result of the increase in the allocation for these supplemental payments, is \$1.800

million (Federal and State). The FY 2023-2024 impact of \$0.900 million (Federal and State) has been approved by the Centers of Medicare & Medicaid Services (CMS) and is anticipated prior to June 30, 2024. The increased amount of \$0.900 million (Federal and State) is budgeted in FY 2024-2025 due to anticipated CMS approval after June 30, 2024.

Public Comment

Interested persons are invited to submit written comments regarding these supplemental payments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120 or to RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1628. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2023-24 is \$252,000; (3) 1st Succeeding Year 2024-25 is \$252,000; 2nd Succeeding Year 2025-26 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-685. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Federal Poverty Income Guidelines for 2024

The Department of Human Services (Department) announces the implementation in this Commonwealth of the 2024 Federal Poverty Income Guidelines (FPIG) which were issued by the Department of Health and Human Services and published at 89 FR 2961 (January 17, 2024).

The FPIGs are the basis for the income eligibility limits for several categories of Medicaid whose regulations are published in 55 Pa. Code (relating to human services) and administered by the Department. These categories include Healthy Horizons for the Elderly and Disabled (55 Pa. Code Chapter 140, Subchapter B (relating to eligibility provisions for the healthy horizons program for the elderly/disabled)), Modified Adjusted Gross Income (MAGI) based eligibility categories for pregnant women, children, parent/caretakers and adults and Medical Assistance for Workers with Disabilities (MAWD). The MAGI categories were established by the Department's implementation of the Affordable Care Act (Pub.L. No.

111-148) at 43 Pa.B. 4035 (July 13, 2013). The MAWD category was established by the Department's implementation of the Ticket to Work and Work Incentives Act of 1999 (Pub.L. No. 106-170) at 32 Pa.B. 289 (January 12, 2002).

The percentages for the Medicaid categories of MAGI, Healthy Horizons and MAWD are set forth as follows:
MAGI—

- 33% for children up through 18 years of age and parents/caretakers.
- 102% for individuals 19—64 years of age with a permanent disability (Medical Review Team (MRT) or Social Security Administration (SSA) determined) who are not eligible for Medicare or individuals 19-20 years of age with income at or below the Medically Needy Only limit who are not eligible for Medicare.
- 133% for children 6—18 years of age and for adults 19—64 years of age.
- 157% for children 1—5 years of age.
- 185% for individuals 0—64 years of age who are eligible for 12 months of Transitional Medical Assistance; this is the second 6-month limit.
- 215% for pregnant and postpartum women, infants under 1 year of age and the Family Planning Services program.

Healthy Horizons—

- 100% for persons eligible for categorically needy, Medicare Buy-In and Medicare cost-sharing benefits.
- 120% for persons eligible for the Specified Low-Income Medicare Beneficiaries.
- 135% for persons eligible for the Qualifying Individuals Beneficiaries benefits.

MAWD—

- 250% for individuals 16—64 years of age who are disabled (MRT or SSA determined) and employed.
- 600% for individuals 16—64 years of age who are disabled (MRT or SSA determined), employed for the previous 12 consecutive months and were also previously eligible for MAWD.

There are different resource limits for each of the Healthy Horizons programs and MAWD.

Persons	33% of FPIGs		100% of FPIGs		102% of FPIGs		120% of FPIGs	
	Month	Annual	Month	Annual	Month	Annual	Month	Annual
1	\$415	\$4,970	\$1,255	\$15,060	\$1,281	\$15,362	\$1,506	\$18,072
2	\$563	\$6,746	\$1,704	\$20,440	\$1,738	\$20,849	\$2,044	\$24,528
3	\$711	\$8,521	\$2,152	\$25,820	\$2,195	\$26,337	\$2,582	\$30,984
4	\$858	\$10,296	\$2,600	\$31,200	\$2,652	\$31,824	\$3,120	\$37,440
5	\$1,006	\$12,072	\$3,049	\$36,580	\$3,110	\$37,312	\$3,658	\$43,896
6	\$1,154	\$13,847	\$3,497	\$41,960	\$3,567	\$42,800	\$4,196	\$50,352
7	\$1,302	\$15,623	\$3,945	\$47,340	\$4,024	\$48,287	\$4,734	\$56,808
8	\$1,450	\$17,398	\$4,394	\$52,720	\$4,482	\$53,775	\$5,272	\$63,264
Each Additional Person	\$148	\$1,776	\$449	\$5,380	\$458	\$5,488	\$538	\$6,456

Persons	133% of FPIGs		135% of FPIGs		157% of FPIGs		185% of FPIGs	
	Month	Annual	Month	Annual	Month	Annual	Month	Annual
1	\$1,670	\$20,030	\$1,695	\$20,331	\$1,971	\$23,645	\$2,322	\$27,861
2	\$2,266	\$27,186	\$2,300	\$27,594	\$2,675	\$32,091	\$3,152	\$37,814
3	\$2,862	\$34,341	\$2,905	\$34,857	\$3,379	\$40,538	\$3,981	\$47,767
4	\$3,458	\$41,496	\$3,510	\$42,120	\$4,082	\$48,984	\$4,810	\$57,720
5	\$4,055	\$48,652	\$4,116	\$49,383	\$4,786	\$57,431	\$5,640	\$67,673
6	\$4,651	\$55,807	\$4,721	\$56,646	\$5,490	\$65,878	\$6,469	\$77,626
7	\$5,247	\$62,963	\$5,326	\$63,909	\$6,194	\$74,324	\$7,299	\$87,579
8	\$5,844	\$70,118	\$5,931	\$71,172	\$6,898	\$82,771	\$8,128	\$97,532
Each Additional Person	\$597	\$7,156	\$606	\$7,263	\$704	\$8,447	\$830	\$9,953

Persons	215% of FPIGs		250% of FPIGs		600% of FPIGs	
	Month	Annual	Month	Annual	Month	Annual
1	\$2,699	\$32,379	\$3,138	\$37,650	\$7,530	\$90,360
2	\$3,663	\$43,946	\$4,259	\$51,100	\$10,220	\$122,640
3	\$4,627	\$55,513	\$5,380	\$64,550	\$12,910	\$154,920
4	\$5,590	\$67,080	\$6,500	\$78,000	\$15,600	\$187,200
5	\$6,554	\$78,647	\$7,621	\$91,450	\$18,290	\$219,480
6	\$7,518	\$90,214	\$8,742	\$104,900	\$20,980	\$251,760
7	\$8,482	\$101,781	\$9,863	\$118,350	\$23,670	\$284,040
8	\$9,446	\$113,348	\$10,984	\$131,800	\$26,360	\$316,320
Each Additional Person	\$964	\$11,567	\$1,121	\$13,450	\$2,690	\$32,280

Additional information on the programs is available at the County Assistance Offices.

This notice shall take effect upon publication in the *Pennsylvania Bulletin* and apply retroactively to January 11, 2024.

Public Comment

Interested persons are invited to submit written comments regarding the implementation of FPIGs to the Department of Human Services, Office of Income Maintenance, Carl Feldman, Director, Bureau of Policy, Fourth Floor, Health and Welfare Building, North Seventh and Forster Streets, Harrisburg, PA 17120. Comments received within 30 calendar days will be reviewed and considered.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1630. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-686. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Big Cash Payout Instant Lottery Game 1692

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Big Cash Payout (“Big Cash Payout”). The game number is PA-1692.

2. *Price:* The price of a Big Cash Payout instant lottery game ticket is \$10.

3. *Play symbols:* Each Big Cash Payout instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBERS” area and printed in black ink are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN)

and 30 (THIRT). The play symbols and their captions located in the "YOUR NUMBERS" area and printed in black ink are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (EVLN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), BIG CASH (WIN1K) symbol and a PAYOUT (WINALL) symbol. The play symbols and their captions located in the "WINNING NUMBERS" area and the "YOUR NUMBERS" area and printed in green ink are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (EVLN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN) and 30 (THIRT).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO), \$10,000 (TEN THO) and \$500,000 (FIVHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$15, \$20, \$30, \$50, \$100, \$200, \$500, \$1,000, \$5,000, \$10,000 and \$500,000. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 15 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 10,800,000 tickets will be printed for the Big Cash Payout instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with both the "WINNING NUMBERS" and "YOUR NUMBERS" play symbols and captions printed in black ink, and a prize symbol of \$500,000 (FIVHUNTHO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500,000.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with both the "WINNING NUMBERS" and "YOUR NUMBERS" play symbols and captions printed in black ink, and a prize symbol of \$10,000 (TEN THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which a PAYOUT (WINALL) symbol appears in the "YOUR NUMBERS" area printed in black ink and a prize symbol of \$1,000 (ONE THO) appears in five of the "Prize" areas and a prize symbol of \$500 (FIV HUN) appears in ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with both the "WINNING NUMBERS" and "YOUR NUMBERS" play symbols and captions printed in black ink, and a prize symbol of \$5,000 (FIV THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(e) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with either the "WINNING NUMBERS" or "YOUR NUMBERS" play symbol and caption printed in green ink, and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol on a single ticket, shall be entitled to a prize of \$5,000.

(f) Holders of tickets upon which a PAYOUT (WINALL) symbol printed in black ink appears in the "YOUR NUMBERS" area and a prize symbol of \$500 (FIV HUN) appears in seven of the "Prize" areas, a prize symbol of \$200 (TWO HUN) appears in seven of the "Prize" areas and a prize symbol of \$100 (ONE HUN) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$5,000.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with both the "WINNING NUMBERS" and "YOUR NUMBERS" play symbols and captions printed in black ink, and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which a BIG CASH (WIN1K) symbol printed in black ink appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under that BIG CASH (WIN1K) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with either the "WINNING NUMBERS" or "YOUR NUMBERS" number symbol and caption printed in green ink, and a prize symbol of \$200 (TWO HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which a PAYOUT (WINALL) symbol printed in black ink appears in the "YOUR NUMBERS" area and a prize symbol of \$200 (TWO HUN) appears in two of the "Prize" areas, a prize symbol of \$100 (ONE HUN) appears in two of the "Prize" areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in six of the "Prize" areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in two of the "Prize" areas, a prize symbol of \$15⁰⁰ (FIFTEEN) appears in two of the "Prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets upon which a PAYOUT (WINALL) symbol printed in black ink appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in five of the "Prize" areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with both the "WINNING NUMBERS" and "YOUR NUMBERS" play symbols and captions printed in black ink, and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(m) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING

NUMBERS” play symbols, with either the “WINNING NUMBERS” or “YOUR NUMBERS” number symbol and caption printed in green ink, and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol on a single ticket, shall be entitled to a prize of \$500.

(n) Holders of tickets upon which a PAYOUT (WINALL) symbol printed in black ink appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in three of the “Prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the “Prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(o) Holders of tickets upon which a PAYOUT (WINALL) symbol printed in black ink appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in five of the “Prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in five of the “Prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(p) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with either the “WINNING NUMBERS” or “YOUR NUMBERS” number symbol and caption printed in green ink, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol on a single ticket, shall be entitled to a prize of \$250.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with both the “WINNING NUMBERS” and “YOUR NUMBERS” play symbols and captions printed in black ink, and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(r) Holders of tickets upon which a PAYOUT (WINALL) symbol printed in black ink appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “Prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(s) Holders of tickets upon which a PAYOUT (WINALL) symbol printed in black ink appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in 11 of the “Prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in three of the “Prize” areas and a prize symbol of \$30⁰⁰ (THIRTY) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with either the “WINNING NUMBERS” or “YOUR NUMBERS” number symbol and caption printed in green ink, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$150.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with both the “WINNING NUMBERS” and “YOUR NUMBERS” play symbols and

captions printed in black ink, and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with either the “WINNING NUMBERS” or “YOUR NUMBERS” number symbol and caption printed in green ink, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(w) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with both the “WINNING NUMBERS” and “YOUR NUMBERS” play symbols and captions printed in black ink, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with either the “WINNING NUMBERS” or “YOUR NUMBERS” number symbol and caption printed in green ink, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with both the “WINNING NUMBERS” and “YOUR NUMBERS” play symbols and captions printed in black ink, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with both the “WINNING NUMBERS” and “YOUR NUMBERS” play symbols and captions printed in black ink, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with both the “WINNING NUMBERS” and “YOUR NUMBERS” play symbols and captions printed in black ink, and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(bb) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with both the “WINNING NUMBERS” and “YOUR NUMBERS” play symbols and captions printed in black ink, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

NOTICES

2701

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$10	\$10	8.57	1,260,000
\$15	\$15	17.65	612,000
\$10 × 2	\$20	46.15	234,000
\$20	\$20	46.15	234,000
\$10 × 3	\$30	200	54,000
\$15 × 2	\$30	200	54,000
\$20 + \$10	\$30	150	72,000
\$30	\$30	150	72,000
\$10 × 5	\$50	600	18,000
(\$15 × 2) + (\$10 × 2)	\$50	600	18,000
(\$20 × 2) + \$10	\$50	600	18,000
\$10 w/ GREEN MATCH	\$50	120	90,000
\$50	\$50	600	18,000
\$10 × 10	\$100	600	18,000
\$20 × 5	\$100	600	18,000
\$50 × 2	\$100	600	18,000
\$20 w/ GREEN MATCH	\$100	300	36,000
\$100	\$100	600	18,000
PAYOUT w/ ((\$10 × 11) + (\$20 × 3) + \$30)	\$200	1,714	6,300
PAYOUT w/ ((\$20 × 5) + (\$10 × 10))	\$200	1,714	6,300
\$20 × 10	\$200	12,000	900
\$50 × 4	\$200	24,000	450
(\$20 w/ GREEN MATCH) + (\$10 w/ GREEN MATCH) + (\$15 × 2) + (\$10 × 2)	\$200	6,000	1,800
(\$30 w/ GREEN MATCH) + \$50	\$200	6,000	1,800
(\$30 w/ GREEN MATCH) + (\$10 w/ GREEN MATCH)	\$200	4,000	2,700
\$200	\$200	24,000	450
PAYOUT w/ ((\$50 × 5) + (\$30 × 5) + (\$20 × 5))	\$500	12,000	900
PAYOUT w/ ((\$100 × 3) + (\$50 × 2) + (\$10 × 10))	\$500	12,000	900
\$100 × 5	\$500	120,000	90
(((\$20 w/ GREEN MATCH) × 2) + (\$50 × 4) + (\$20 × 5))	\$500	24,000	450
(((\$30 w/ GREEN MATCH) × 3) + (\$15 × 2) + (\$10 × 2))	\$500	24,000	450
(\$50 w/ GREEN MATCH) + (\$30 w/ GREEN MATCH) + (\$20 w/ GREEN MATCH)	\$500	24,000	450
(\$50 w/ GREEN MATCH) × 2	\$500	24,000	450
\$100 w/ GREEN MATCH	\$500	24,000	450
\$500	\$500	120,000	90
PAYOUT w/ ((\$100 × 5) + (\$50 × 10))	\$1,000	24,000	450
PAYOUT w/ ((\$200 × 2) + (\$100 × 2) + (\$50 × 6) + (\$30 × 2) + (\$15 × 2) + \$10)	\$1,000	24,000	450
\$200 × 5	\$1,000	120,000	90

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
(\$100 w/ GREEN MATCH) × 2	\$1,000	120,000	90
\$200 w/ GREEN MATCH	\$1,000	120,000	90
\$1,000 w/ BIG CASH	\$1,000	1,263	8,550
\$1,000	\$1,000	120,000	90
PAYOUT w/ ((\$500 × 7) + (\$200 × 7) + \$100)	\$5,000	1,080,000	10
(\$1,000 w/ BIG CASH) × 5	\$5,000	540,000	20
\$1,000 w/ GREEN MATCH	\$5,000	1,080,000	10
\$5,000	\$5,000	1,080,000	10
PAYOUT w/ ((\$1,000 × 5) + (\$500 × 10))	\$10,000	1,080,000	10
(\$1,000 w/ GREEN MATCH) × 2	\$10,000	1,080,000	10
(\$1,000 w/ BIG CASH) × 10	\$10,000	540,000	20
\$10,000	\$10,000	1,080,000	10
\$500,000	\$500,000	1,080,000	10

Match any GREEN number to win 5 TIMES the PRIZE shown under that match!

Reveal a “BIG CASH” (WIN1K) symbol to win \$1,000 instantly.

Reveal a “PAYOUT” (WINALL) symbol to win ALL 15 PRIZES shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Big Cash Payout instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Big Cash Payout, prize money from winning Big Cash Payout instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Big Cash Payout instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and

the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Big Cash Payout or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-687. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Ca\$h Overload Crossword Instant Lottery Game 1694

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Ca\$h Overload Crossword (“Ca\$h Overload Crossword”). The game number is PA-1694.

2. *Price:* The price of a Ca\$h Overload Crossword instant lottery game ticket is \$5.

3. *Play symbols:* Each Ca\$h Overload Crossword instant lottery game ticket will feature a “YOUR LET-

TERS” area, two crossword puzzle play grids, known as “GRID 1” and “GRID 2,” respectively, and a “CA\$H OVERLOAD” prize legend. Each crossword “GRID” is played separately. “CASH OVERLOAD” is played by revealing Bolt symbols in the non-lettered blocks in each crossword “GRID.” The play symbols located in the “YOUR LETTERS” area are: the letters A through and including Z. The play symbols located in “GRID 1” and “GRID 2” are: the letters A through and including Z and a Bolt symbol.

4. Prizes: The prizes that can be won in “GRID 1” are: \$5, \$10, \$20, \$30, \$50, \$100, \$1,000, \$10,000 and \$200,000. The prizes that can be won in “GRID 2” are: \$10, \$20, \$50 and \$100. The prizes that can be won in “CA\$H OVERLOAD” are: \$25, \$40, \$60, \$150, \$200 and \$500. A player can win up to three times on a ticket. For a complete description of how these prizes can be won, see section 7 (relating to number and description of prizes and approximate odds).

5. Approximate number of tickets printed for the game: Approximately 13,200,000 tickets will be printed for the Ca\$h Overload Crossword instant lottery game.

6. Determination of prize winners:

(a) Holders of tickets upon which the player completely matches ten entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets where the player completely matches nine entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets where the player completely matches eight entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which a combined total of ten Bolt symbols appear in the non-lettered blocks in “GRID 1” and “GRID 2,” on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which a combined total of nine Bolt symbols appear in the non-lettered blocks in “GRID 1” and “GRID 2,” on a single ticket, shall be entitled to a prize of \$200.

(f) Holders of tickets upon which a combined total of eight Bolt symbols appear in the non-lettered blocks in “GRID 1” and “GRID 2,” on a single ticket, shall be entitled to a prize of \$150.

(g) Holders of tickets where the player completely matches seven entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets where the player completely matches five entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which a combined total of seven Bolt symbols appear in the non-lettered blocks in “GRID 1” and “GRID 2,” on a single ticket, shall be entitled to a prize of \$60.

(j) Holders of tickets where the player completely matches six entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets where the player completely matches four entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$50.

(l) Holders of tickets upon which a combined total of six Bolt symbols appear in the non-lettered blocks in “GRID 1” and “GRID 2,” on a single ticket, shall be entitled to a prize of \$40.

(m) Holders of tickets where the player completely matches five entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$30.

(n) Holders of tickets upon which a combined total of five Bolt symbols appear in the non-lettered blocks in “GRID 1” and “GRID 2,” on a single ticket, shall be entitled to a prize of \$25.

(o) Holders of tickets where the player completely matches four entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$20.

(p) Holders of tickets where the player completely matches three entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets where the player completely matches three entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets where the player completely matches two entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets where the player completely matches two entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$5.

7. Number and description of prizes and approximate odds: The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

GRID 1 Win With:	GRID 2 Win With:	CASH OVERLOAD Win With:	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 13,200,000 Tickets:
2 WORDS			\$5	10	1,320,000
	2 WORDS		\$10	50	264,000
3 WORDS			\$10	50	264,000
2 WORDS	2 WORDS		\$15	42.86	308,000
3 WORDS	2 WORDS		\$20	120	110,000
	3 WORDS		\$20	600	22,000

<i>GRID 1 Win With:</i>	<i>GRID 2 Win With:</i>	<i>CASH OVERLOAD Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 13,200,000 Tickets:</i>
4 WORDS			\$20	600	22,000
2 WORDS	3 WORDS		\$25	150	88,000
		\$25 w/ 5 BOLT SYMBOLS	\$25	60	220,000
2 WORDS		\$25 w/ 5 BOLT SYMBOLS	\$30	600	22,000
3 WORDS	3 WORDS		\$30	600	22,000
4 WORDS	2 WORDS		\$30	600	22,000
5 WORDS			\$30	600	22,000
2 WORDS	2 WORDS	\$25 w/ 5 BOLT SYMBOLS	\$40	600	22,000
5 WORDS	2 WORDS		\$40	600	22,000
		\$40 w/ 6 BOLT SYMBOLS	\$40	150	88,000
	2 WORDS	\$40 w/ 6 BOLT SYMBOLS	\$50	600	22,000
5 WORDS	3 WORDS		\$50	600	22,000
	4 WORDS		\$50	600	22,000
6 WORDS			\$50	600	22,000
3 WORDS	4 WORDS		\$60	2,400	5,500
4 WORDS		\$40 w/ 6 BOLT SYMBOLS	\$60	1,500	8,800
6 WORDS	2 WORDS		\$60	6,000	2,200
		\$60 w/ 7 BOLT SYMBOLS	\$60	1,333	9,900
5 WORDS	2 WORDS	\$60 w/ 7 BOLT SYMBOLS	\$100	1,714	7,700
6 WORDS	4 WORDS		\$100	12,000	1,100
	5 WORDS		\$100	12,000	1,100
7 WORDS			\$100	12,000	1,100
3 WORDS	5 WORDS	\$40 w/ 6 BOLT SYMBOLS	\$150	3,636	3,630
6 WORDS	5 WORDS		\$150	60,000	220
7 WORDS	4 WORDS		\$150	60,000	220
		\$150 w/ 8 BOLT SYMBOLS	\$150	6,000	2,200
	4 WORDS	\$150 w/ 8 BOLT SYMBOLS	\$200	6,000	2,200
6 WORDS		\$150 w/ 8 BOLT SYMBOLS	\$200	6,000	2,200
7 WORDS	5 WORDS		\$200	24,000	550
		\$200 w/ 9 BOLT SYMBOLS	\$200	12,000	1,100
		\$500 w/ 10 BOLT SYMBOLS	\$500	12,000	1,100
8 WORDS			\$1,000	120,000	110
9 WORDS			\$10,000	1,320,000	10
10 WORDS			\$200,000	1,320,000	10

1. Scratch the YOUR LETTERS to reveal 18 letters. Scratch each matching letter every time it is found in Crossword GRID 1 or Crossword GRID 2. Each letter's square, when scratched gently, will turn white.

2. When you have matched the letters of two (2) or more entire words in either Crossword GRID, win the corresponding PRIZE shown in the PRIZE KEY for that Crossword GRID. Only the highest PRIZE won in each Crossword GRID will be paid.

3. Each Crossword GRID is played separately.

CASH OVERLOAD: After completing the main game play in Crossword GRID 1 and Crossword GRID 2, scratch the non-lettered blocks in each Crossword GRID to reveal one or more “Bolt” symbols. Reveal a combined total of at least five “Bolt” symbols in Crossword GRID 1 and Crossword GRID 2 to win the corresponding prize shown in the CASH OVERLOAD PRIZE LEGEND.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Ca\$h Overload Crossword instant lottery game tickets.

9. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

10. *Unclaimed prize money:* For a period of 1 year from the announced close of Ca\$h Overload Crossword, prize money from winning Ca\$h Overload Crossword instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Ca\$h Overload Crossword instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Ca\$h Overload Crossword or through normal communication methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-688. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Cash To Go Instant Lottery Game 1695

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Cash To Go (“Cash To Go”). The game number is PA-1695.

2. *Price:* The price of a Cash To Go instant lottery game ticket is \$1.

3. *Play symbols:* Each Cash To Go instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and a GO (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$2, \$4, \$10, \$20, \$40, \$50, \$100, \$400 and \$5,000. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to four times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Cash To Go instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$400

(FOR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(c) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in all four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$40⁰⁰ (FORTY) appears in two of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in one of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in three of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$4⁰⁰ (FOR DOL) appears in two of the “prize” areas, a prize symbol of \$40⁰⁰ (FORTY) appears in one of the “prize” areas and a prize symbol of \$2⁰⁰ (TWO DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(k) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in all four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$40.

(l) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the match-

ing “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$4⁰⁰ (FOR DOL) appears in two of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “prize” areas and a prize symbol of \$2⁰⁰ (TWO DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$4⁰⁰ (FOR DOL) appears in two of the “prize” areas and a prize symbol of \$1⁰⁰ (ONE DOL) appears in two of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10.

(p) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$2⁰⁰ (TWO DOL) appears in three of the “prize” areas and a prize symbol of \$4⁰⁰ (FOR DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(r) Holders of tickets upon which a GO (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1⁰⁰ (ONE DOL) appears in all four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$4.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of FREE (TICKET) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of one Cash To Go instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Either Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
FREE	FREE \$1 TICKET	9.43	890,400
\$1 × 2	\$2	40	210,000
\$2	\$2	33.33	252,000
GO w/ (\$1 × 4)	\$4	38.46	218,400
\$2 × 2	\$4	500	16,800
(\$1 × 2) + \$2	\$4	1,000	8,400
\$4	\$4	500	16,800
GO w/ ((\$2 × 3) + \$4)	\$10	125	67,200
GO w/ ((\$4 × 2) + (\$1 × 2))	\$10	125	67,200
(\$4 × 2) + \$2	\$10	1,000	8,400
\$10	\$10	1,000	8,400
GO w/ ((\$4 × 2) + \$10 + \$2)	\$20	800	10,500
\$10 × 2	\$20	2,400	3,500
\$20	\$20	2,400	3,500
GO w/ (\$10 × 4)	\$40	902.26	9,310
\$20 × 2	\$40	20,000	420
\$40	\$40	20,000	420
GO w/ ((\$4 × 2) + \$40 + \$2)	\$50	6,000	1,400
GO w/ ((\$10 × 3) + \$20)	\$50	8,000	1,050
(\$20 × 2) + \$10	\$50	24,000	350
\$50	\$50	40,000	210
GO w/ ((\$20 × 2) + \$50 + \$10)	\$100	12,000	700
GO w/ ((\$40 × 2) + (\$10 × 2))	\$100	12,000	700
\$50 + \$40 + \$10	\$100	120,000	70
\$100	\$100	120,000	70
GO w/ (\$100 × 4)	\$400	420,000	20
\$400	\$400	840,000	10
\$5,000	\$5,000	840,000	10

Reveal a "GO" (WINALL) symbol to win all 4 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Cash To Go instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall

be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Cash To Go, prize money from winning Cash To Go instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Cash To Go instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code

Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Cash To Go or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-689. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Keys and Cash Instant Lottery Game 1693

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Keys and Cash (“Keys and Cash”). The game number is PA-1693.

2. *Price:* The price of a Keys and Cash instant lottery game ticket is \$5.

3. *Play symbols:* Each Keys and Cash instant lottery game ticket will contain one play area featuring eleven play symbols and four “BUCKING BRONCO” spots. The play symbols and their captions located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Cash (CASH) symbol and a Speedometer (ADD20) symbol. The play symbols and their captions located in the four “BUCKING BRONCO” spots are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Cash (CASH) symbol, Speedometer (ADD20) symbol and a Keys (KEYS) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the play area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$5,000 (FIV THO). The prize symbols and their captions located in the four “BUCKING BRONCO” spots are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and BRONCO (YOUPICK).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$30, \$50, \$100, \$300, \$500, \$1,000 and \$5,000. The prize that can be won when a Keys (KEYS)

symbol appears in any of the four “BUCKING BRONCO” spots is a FORD BRONCO® Vehicle Prize, as described in Section 10 (relating to FORD BRONCO® vehicle prize description). For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to 15 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 10,800,000 tickets will be printed for the Keys and Cash instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct a Buckin’ Buck\$ Second-Chance Drawing, for which non-winning Keys and Cash instant lottery game tickets may be eligible as provided in section 11 (relating to Second-Chance Drawing).

8. *Determination of prize winners:*

(a) Holders of tickets upon which a Keys (KEYS) symbol appears in any of the “BUCKING BRONCO” spots and a prize symbol of BRONCO (YOUPICK) appears in the “Prize” area under that Keys (KEYS) symbol, on a single ticket, shall be entitled to a FORD BRONCO® Vehicle Prize as described in section 10 (relating to FORD BRONCO® vehicle prize description).

(b) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four “BUCKING BRONCO” spots and a prize symbol of \$5,000 (FIV THO) appears in the “Prize” area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which a Speedometer (ADD20) symbol appears in the play area or any one of the four “BUCKING BRONCO” spots and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under that Speedometer (ADD20) symbol, on a single ticket, shall be entitled to a prize of \$1,020.

(d) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four “BUCKING BRONCO” spots and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which a Speedometer (ADD20) symbol appears in the play area or any one of the four “BUCKING BRONCO” spots and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under that Speedometer (ADD20) symbol, on a single ticket, shall be entitled to a prize of \$520.

(f) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four “BUCKING BRONCO” spots and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which a Speedometer (ADD20) symbol appears in the play area or any one of the four “BUCKING BRONCO” spots and a prize symbol of \$300 (THR HUN) appears in the “Prize” area under that Speedometer (ADD20) symbol, on a single ticket, shall be entitled to a prize of \$320.

(h) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four “BUCKING BRONCO” spots and a prize symbol of \$300 (THR HUN) appears in the “Prize” area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$300.

(i) Holders of tickets upon which a Speedometer (ADD20) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under that Speedometer (ADD20) symbol, on a single ticket, shall be entitled to a prize of \$120.

(j) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which a Speedometer (ADD20) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$50.00 (FIFTY) appears in the "Prize" area under that Speedometer (ADD20) symbol, on a single ticket, shall be entitled to a prize of \$70.

(l) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$50.00 (FIFTY) appears in the "Prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which a Speedometer (ADD20) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$30.00 (THIRTY) appears in the "Prize" area under that Speedometer (ADD20) symbol, on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets upon which a Speedometer (ADD20) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$20.00 (TWENTY) appears in the "Prize" area under that Speedometer (ADD20) symbol, on a single ticket, shall be entitled to a prize of \$40.

(o) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four

"BUCKING BRONCO" spots and a prize symbol of \$30.00 (THIRTY) appears in the "Prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$30.

(p) Holders of tickets upon which a Speedometer (ADD20) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$10.00 (TEN DOL) appears in the "Prize" area under that Speedometer (ADD20) symbol, on a single ticket, shall be entitled to a prize of \$30.

(q) Holders of tickets upon which a Speedometer (ADD20) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$5.00 (FIV DOL) appears in the "Prize" area under that Speedometer (ADD20) symbol, on a single ticket, shall be entitled to a prize of \$25.

(r) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$20.00 (TWENTY) appears in the "Prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$20.

(s) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$10.00 (TEN DOL) appears in the "Prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$10.

(t) Holders of tickets upon which a Cash (CASH) symbol appears in the play area or any one of the four "BUCKING BRONCO" spots and a prize symbol of \$5.00 (FIV DOL) appears in the "Prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$5.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Reveal a "Cash" (CASH) Symbol To Win PRIZE Shown Under That Symbol Automatically. Win With:</i>	<i>GRAB THE KEYS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$5		\$5	8.57	1,260,000
\$5 × 2		\$10	54.55	198,000
\$10		\$10	30	360,000
\$5 × 4		\$20	100	108,000
\$10 × 2		\$20	100	108,000
\$20		\$20	300	36,000
\$10 × 3		\$30	600	18,000
\$10 w/ SPEEDOMETER		\$30	60	180,000
\$30		\$30	600	18,000
\$10 × 5		\$50	600	18,000
(\$5 w/ SPEEDOMETER) × 2		\$50	600	18,000
(\$20 w/ SPEEDOMETER) + \$10		\$50	600	18,000
\$30 w/ SPEEDOMETER		\$50	200	54,000
\$50		\$50	600	18,000
\$20 × 5		\$100	12,000	900
\$50 × 2		\$100	12,000	900

<i>Reveal a "Cash" (CASH) Symbol To Win PRIZE Shown Under That Symbol Automatically. Win With:</i>	<i>GRAB THE KEYS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
$(\$10 \times 5) + (\$5 \times 10)$		\$100	12,000	900
$\$50 + \$30 + \$20$		\$100	12,000	900
$(\$5 \text{ w/ SPEEDOMETER}) \times 4$		\$100	4,000	2,700
$((\$20 \text{ w/ SPEEDOMETER}) \times 2) + (\$5 \times 4)$		\$100	4,000	2,700
$(\$30 \text{ w/ SPEEDOMETER}) + ((\$5 \text{ w/ SPEEDOMETER}) \times 2)$		\$100	4,000	2,700
$(\$30 \text{ w/ SPEEDOMETER}) \times 2$		\$100	4,000	2,700
$(\$50 \text{ w/ SPEEDOMETER}) + (\$10 \text{ w/ SPEEDOMETER})$		\$100	4,000	2,700
\$100		\$100	12,000	900
$\$100 \times 3$		\$300	24,000	450
$(\$30 \times 5) + (\$10 \times 8) + \$50 + \20		\$300	24,000	450
$((\$20 \text{ w/ SPEEDOMETER}) \times 5) + (\$10 \text{ w/ SPEEDOMETER}) + (\$10 \times 4) + \$30$		\$300	4,800	2,250
$((\$30 \text{ w/ SPEEDOMETER}) \times 5) + \$30 + \$20$		\$300	4,800	2,250
$((\$50 \text{ w/ SPEEDOMETER}) \times 2) + ((\$30 \text{ w/ SPEEDOMETER}) \times 2) + ((\$10 \text{ w/ SPEEDOMETER}) \times 2)$		\$300	4,800	2,250
$((\$100 \text{ w/ SPEEDOMETER}) \times 2) + ((\$10 \text{ w/ SPEEDOMETER}) \times 2)$		\$300	4,800	2,250
\$300		\$300	24,000	450
$\$100 \times 5$		\$500	40,000	270
$(\$50 \times 6) + (\$30 \times 2) + (\$20 \times 7)$		\$500	40,000	270
$((\$50 \text{ w/ SPEEDOMETER}) \times 5) + ((\$30 \text{ w/ SPEEDOMETER}) \times 2) + \$30 + \$20$		\$500	12,000	900
$((\$100 \text{ w/ SPEEDOMETER}) \times 4) + (\$10 \times 2)$		\$500	12,000	900
$(\$300 \text{ w/ SPEEDOMETER}) + (\$100 \text{ w/ SPEEDOMETER}) + (\$10 \times 5) + (\$5 \times 2)$		\$500	12,000	900
\$500		\$500	60,000	180
$\$500 \times 2$		\$1,000	1,080,000	10
$(\$100 \times 5) + (\$50 \times 10)$		\$1,000	1,080,000	10
$((\$100 \text{ w/ SPEEDOMETER}) \times 4) + \$500 + \$20$		\$1,000	1,080,000	10
$((\$300 \text{ w/ SPEEDOMETER}) \times 3) + (\$20 \text{ w/ SPEEDOMETER})$		\$1,000	1,080,000	10
$(\$500 \text{ w/ SPEEDOMETER}) + (\$50 \text{ w/ SPEEDOMETER}) + \$300 + \$100 + \10		\$1,000	1,080,000	10
\$1,000		\$1,000	1,080,000	10
$\$500 \times 10$		\$5,000	1,080,000	10
$((\$1,000 \text{ w/ SPEEDOMETER}) \times 4) + (\$500 \text{ w/ SPEEDOMETER}) + \$300 + \$100$		\$5,000	1,080,000	10
\$5,000		\$5,000	1,080,000	10

<i>Reveal a "Cash" (CASH) Symbol To Win PRIZE Shown Under That Symbol Automatically. Win With:</i>	<i>GRAB THE KEYS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
	FORD BRONCO w/ KEYS SYMBOL	\$100,000	540,000	20

Reveal a "Speedometer" (ADD20) symbol to add \$20 to the PRIZE shown under that symbol and win that amount!

GRAB THE KEYS: Reveal a "Keys" (KEYS) symbol in any of the four BUCKING BRONCO spots to win a 2024 FORD BRONCO® of your choice instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *FORD BRONCO® Vehicle Prize Description:*

(a) Each FORD BRONCO® Vehicle Prize shall have a value of \$100,000 and shall include dealers' fees, dealer preparation, set up fees, freight charges, delivery charges, registration, \$894.78 state income tax withholding and \$24,000 federal income tax withholding.

(b) Each FORD BRONCO® Vehicle Prize winner shall select one prize from the following four available choices:

(1) 2024 FORD BRONCO® Badlands®, 4 Door: Base model includes standard 2.3L EcoBoost® I-4 engine;

(2) 2024 FORD BRONCO® Everglades®: Base model includes 2.3L EcoBoost® I-4 engine; or

(3) 2024 FORD BRONCO® Wildtrak®, 4 Door: Base model includes 2.7L EcoBoost® V6 engine.

(4) The cash value of the prize ("Cash Option"), as described in section 10(d), below

(c) The amount allocated to the vehicle itself (hereafter "Allocated Amount") is \$75,105.22. Each FORD BRONCO® Vehicle Prize will be a 2024 production year model at the time of the claim or may be replaced with a 2025 model if a 2024 model is no longer available. During 2024 model production, the Lottery may factory order a FORD BRONCO® Vehicle Prize with winner's specifications up to the Allocated Amount or locate the FORD BRONCO® Vehicle Prize based on local dealer stock. Once 2024 model production ceases, a FORD BRONCO® Vehicle Prize will be ordered based on current local dealer stock up to the Allocated Amount.

(d) A FORD BRONCO® Vehicle Prize winner opting for the Cash Option will receive the cash value of the FORD BRONCO® Vehicle Prize (\$100,000) minus required income tax withholding, subject to the provisions of section 10(e)(1), below.

(e) *FORD BRONCO® Vehicle Prize Restrictions:*

(1) If the Department of Human Services, pursuant to 23 Pa.C.S.A. § 4308, determines that a winner of the FORD BRONCO® Vehicle Prize owes certain debts to the Commonwealth as provided in 23 Pa.C.S.A. § 4308 or 72 P.S. § 215, the winner shall be awarded the Cash Option, and the amount of any arrearages shall be deducted from the cash value of the prize. After the delinquent support obligation is met, the winner will receive the remaining prize value, if any, according to Lottery procedure.

(2) In the event a prize described in section 10(b)(1)—10(b)(3) is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash

payment to the winner in an amount determined by the Secretary to have an equivalent value to the prize won.

(3) Each winner, his or her respective heirs, legal representatives and assigns, agrees to indemnify, defend, release and discharge the Pennsylvania Lottery, its employees, officers, directors and commissioners and Ford Motor Company from and against any loss, claim, damage, suit or injury arising out of or relating to this game, acceptance and possession of the FORD BRONCO® Vehicle Prize or any action taken pursuant to these rules. By entering, the winner indemnifies, releases, discharges and agrees to hold harmless the Pennsylvania Lottery, its employees, officers, directors and commissioners and Ford Motor Company from unanticipated cancellation, suspension or postponement of the promotion due to natural disaster, national emergency or other unforeseen act of God or man.

11. *Second-Chance Drawing:* The Pennsylvania Lottery's Buckin' Buck\$ Second-Chance Drawing for qualifying instant and Fast Play lottery game tickets ("Drawing"):

(a) *Qualifying Tickets:* Non-winning PA-1693 Keys and Cash (\$5) Instant lottery game tickets and PA-5243 Adventure Ahead (\$5) Fast Play lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery

terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Buckin' Buck\$ Second-Chance Drawing from among all qualifying Instant and Fast Play lottery game qualifying tickets. All time references are Eastern Prevailing Time.

(2) The entry period for qualifying PA-1693 Keys and Cash Instant lottery game tickets will begin after 11:59:59 p.m. May 19, 2024 and will end at 11:59:59 p.m. July 25, 2024. The entry period for qualifying PA-5243 Adventure Ahead Fast Play lottery game tickets will begin after 4:59:59 a.m. June 4, 2024 and will end at 11:59:59 p.m. July 25, 2024. All entries received during the entry periods will be entered into the Drawing tentatively scheduled to be held between July 29, 2024 and August 9, 2024.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1693 Keys and Cash (\$5) = five entries; and PA-5243 Adventure Ahead (\$5) = five entries.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 11(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 11(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$75,000, less required income tax withholding.

(ii) The second through the sixth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$10,000, less required income tax withholding.

(iii) The seventh through the eleventh entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$4,000.

(iv) The twelfth through the sixteenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$1,000.

(v) The seventeenth through the sixty-sixth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), Hasbro, Inc., Scientific Games, LLC and MDI Entertainment, LLC, (collectively "SG") and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses,

worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within one (1) year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 11(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

12. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Keys and Cash instant lottery game tickets.

13. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single

installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

14. *Unclaimed prize money:* For a period of 1 year from the announced close of Keys and Cash, prize money from winning Keys and Cash instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Keys and Cash instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

15. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

16. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Keys and Cash or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-690. Filed for public inspection May 17, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Public-Private Partnerships Board Meeting

The Public-Private Partnerships Board will hold a meeting on Wednesday, June 12, 2024, at 9 a.m. in the Forest Room, Plaza Level, Keystone Building, Harrisburg, PA. For more information, contact Maddie Vergos, (717) 214-2264, mvergos@pa.gov.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-691. Filed for public inspection May 17, 2024, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Liberty Township and CEASRA, Inc. v. Department of Environmental Protection and Tri-County Landfill, Permittee; EHB Doc. No. 2023-036-L

Liberty Township and CEASRA, Inc. have appealed the issuance by the Department of Environmental Protection

of NPDES Permit No. PA0263664 authorizing discharges from Tri-County Landfill to an Unnamed Tributary to Black Run in Liberty Township, Mercer County.

A hearing on the appeal has been scheduled to begin at 10:30 a.m. on August 5, 2024. The hearing will be conducted at the Pittsburgh offices of the Environmental Hearing Board, Hearing Room 2014, Second Floor, Piatt Place, 301 Fifth Avenue, Pittsburgh, PA. Changes to the hearing schedule may be found on the Environmental Hearing Board's (Board) web site at <http://ehb.courtapps.com>.

The appeal is filed with the Board. The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

STEVEN C. BECKMAN,
Chairperson

[Pa.B. Doc. No. 24-692. Filed for public inspection May 17, 2024, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Additions and Revisions; April 2024

The Fish and Boat Commission (Commission) approved the addition of 20 streams sections and revisions to the section limits of 4 streams as set forth at 54 Pa.B. 1026 (February 24, 2024). Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams. The Commission's Fisheries Management Division maintains the complete list of wild trout streams, and it is available on the Commission's web site at <https://www.fishandboat.com/Fishing/All-About-Fish/Catch-PA-Fish/Trout/Pages/TroutWaterClassifications.aspx>.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 24-693. Filed for public inspection May 17, 2024, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Proposed Additions; July 2024

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Fish and Boat Commission (Commission) to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The Commission's Fisheries Management Division maintains the list of wild trout streams. The Executive Director, with the approval of the Commission, will from time-to-time publish the list of wild trout streams in the *Pennsylvania Bulletin*. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams.

At the next Commission meeting on July 22, 2024, the Commission will consider changes to its list of wild trout streams. Specifically, the Commission will consider the addition of the following streams or portions of streams to the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Bedford	Burns Creek	Headwaters to Mouth	Shawnee Branch	40.038249 78.675375
Bedford	Shoup Run	Headwaters to Mouth	Raystown Branch Juniata River	40.224037 78.244514
Bedford	Snake Spring Valley Run	Headwaters to Mouth	Raystown Branch Juniata River	40.014242 78.399430
Bedford	Unnamed tributary (UNT) to Bobs Creek (RM 10.28)	Headwaters to Mouth	Bobs Creek	40.252390 78.579230
Bedford	West Branch Georges Creek	Headwaters to Mouth	Georges Creek	40.208460 78.604193
Blair	Piper Hollow Run	Headwaters to Mouth	Bobs Creek	40.322590 78.599790
Carbon	UNT to Lizard Creek (RM 5.49)	Headwaters to Mouth	Lizard Creek	40.768882 75.741058
Carbon	UNT to Mahoning Creek (RM 7.08)	Headwaters to Mouth	Mahoning Creek	40.794368 75.790203
Carbon	UNT to Shingle Mill Run (RM 0.58)	Headwaters to Mouth	Shingle Mill Run	41.078251 75.611795
Carbon	UNT to Shingle Mill Run (RM 0.95)	Headwaters to Mouth	Shingle Mill Run	41.074578 75.616331

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Centre	UNT to Marsh Creek (RM 14.46)	Headwaters to Mouth	Marsh Creek	41.042000 77.815340
Centre	UNT to Potter Run (RM 3.84)	Headwaters to Mouth	Potter Run	40.778368 77.618644
Centre	UNT to South Fork Beech Creek (RM 4.43)	Headwaters to Mouth	South Fork Beech Creek	41.024454 77.903633
Clearfield	Fox Run	Headwaters to Mouth	Laurel Run	41.147220 78.513340
Clearfield	UNT to Laurel Run (RM 3.46)	Headwaters to Mouth	Laurel Run	41.242248 78.471642
Clinton	UNT to East Branch Hyner Run (RM 1.76)	Headwaters to Mouth	East Branch Hyner Run	41.362111 77.589633
Clinton	UNT to Left Branch Hyner Run (RM 3.12)	Headwaters to Mouth	Left Branch Hyner Run	41.419462 77.599349
Clinton	UNT to Lick Run (RM 4.47)	Headwaters to Mouth	Lick Run	41.221163 77.527448
Clinton	UNT to Lick Run (RM 4.61)	Headwaters to Mouth	Lick Run	41.223142 77.528035
Clinton	UNT to Monument Run (RM 0.86)	Headwaters to Mouth	Monument Run	41.120460 77.710890
Clinton	UNT to Monument Run (RM 1.24)	Headwaters to Mouth	Monument Run	41.125320 77.710590
Clinton	UNT to Right Branch Hyner Run (RM 2.51)	Headwaters to Mouth	Right Branch Hyner Run	41.392040 77.569452
Clinton	UNT to Robbins Run (RM 1.36)	Headwaters to Mouth	Robbins Run	41.335568 77.511864
Crawford	UNT to Deckard Run (RM 0.51)	Headwaters to Mouth	Deckard Run	41.539128 80.001585
Crawford	UNT to Little Sugar Creek (RM 0.16)	Headwaters to Mouth	Little Sugar Creek	41.603312 79.888394
Crawford	UNT to West Branch Sugar Creek (RM 2.21)	Headwaters to Mouth	West Branch Sugar Creek	41.598891 79.879158
Elk	UNT to Laurel Run (RM 1.24)	Headwaters to Mouth	Laurel Run	41.265157 78.461864
Fayette	Laurel Run	Headwaters to Mouth	Meadow Run	39.848889 79.492222
Huntingdon	Sugar Grove Run	Headwaters to Mouth	Juniata River	40.438589 77.938577
Lehigh	UNT (RM 0.31) to UNT to Trout Creek (RM 0.62)	Headwaters to Mouth	UNT to Trout Creek (RM 0.62)	40.757824 75.613987
Lehigh	UNT to Lehigh River (RM 32.25)	Headwaters to Mouth	Lehigh River	40.736126 75.592824
Lehigh	UNT to Lehigh River (RM 32.27)	Headwaters to Mouth	Lehigh River	40.736389 75.593060
Lehigh	UNT to Trout Creek (RM 0.62)	Headwaters to Mouth	Trout Creek	40.754164 75.611602
Lehigh	UNT to Trout Creek (RM 5.58)	Headwaters to Mouth	Trout Creek	40.735954 75.678106
Lycoming	UNT to Blockhouse Creek (RM 9.83)	Headwaters to Mouth	Blockhouse Creek	41.530212 77.121620
Lycoming	UNT to Grays Run (RM 5.12)	Headwaters to Mouth	Grays Run	41.484552 77.028036
Lycoming	UNT to Miller Run (RM 2.33)	Headwaters to Mouth	Miller Run	41.371008 77.489158

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Lycoming	UNT to Second Big Fork (RM 1.52)	Headwaters to Mouth	Second Big Fork	41.390954 77.522422
Lycoming	UNT to Trout Run (RM 5.30)	Headwaters to Mouth	Trout Run	41.420169 77.543029
Lycoming	UNT to Trout Run (RM 6.26)	Headwaters to Mouth	Trout Run	41.427021 77.557801
McKean	UNT to Brewer Run (RM 3.34)	Headwaters to Mouth	Brewer Run	41.680343 78.443012
McKean	UNT to Combs Creek (RM 0.66)	Headwaters to Mouth	Combs Creek	41.766990 78.274272
McKean	UNT to Meade Run (RM 3.02)	Headwaters to Mouth	Meade Run	41.749420 78.811670
McKean	UNT to Meade Run (RM 3.21)	Headwaters to Mouth	Meade Run	41.747962 78.809059
McKean	UNT to Meade Run (RM 5.15)	Headwaters to Mouth	Meade Run	41.738607 78.778879
McKean	UNT to Meade Run (RM 5.55)	Headwaters to Mouth	Meade Run	41.740701 78.771799
McKean	UNT to Meade Run (RM 6.11)	Headwaters to Mouth	Meade Run	41.739240 78.762290
McKean	UNT to Red Mill Brook (RM 2.09)	Headwaters to Mouth	Red Mill Brook	41.711465 78.425200
McKean	UNT to Red Mill Brook (RM 4.43)	Headwaters to Mouth	Red Mill Brook	41.707986 78.462310
McKean	UNT to Walcott Brook (RM 3.08)	Headwaters to Mouth	Walcott Brook	41.737282 78.345117
McKean	UNT to White Hollow Run (RM 0.74)	Headwaters to Mouth	White Hollow Run	41.755990 78.373326
McKean	White Hollow Run	Headwaters to Mouth	Walcott Brook	41.748059 78.381016
Mifflin	UNT to Tea Creek (RM 4.74)	Headwaters to Mouth	Tea Creek	40.701176 77.646029
Monroe	Beaver Creek	Headwaters to Mouth	Upper Tunkhannock Creek	41.105765 75.484554
Monroe	Deep Run	Headwaters to Mouth	Tobyhanna Creek	41.096667 75.552500
Monroe	UNT to Beaver Creek (RM 0.48)	Headwaters to Mouth	Beaver Creek	41.101184 75.480526
Monroe	UNT to Forest Hills Run (RM 3.31)	Headwaters to Mouth	Forest Hills Run	41.111146 75.323568
Monroe	UNT to Upper Tunkhannock Creek (RM 0.79)	Headwaters to Mouth	Upper Tunkhannock Creek	41.102827 75.499429
Monroe	UNT to Upper Tunkhannock Creek (RM 4.33)	Headwaters to Mouth	Upper Tunkhannock Creek	41.119402 75.441888
Northampton	UNT to Bertsch Creek (RM 3.62)	Headwaters to Mouth	Bertsch Creek	40.770750 75.561186
Northampton	UNT to Lehigh River (RM 28.29)	Headwaters to Mouth	Lehigh River	40.735370 75.540996
Pike	UNT (RM 0.40) to UNT to Shohola Creek (RM 7.88)	Headwaters to Mouth	UNT to Shohola Creek (RM 7.88)	41.407561 74.980160
Pike	UNT (RM 0.88) to UNT to Shohola Creek (RM 7.88)	Headwaters to Mouth	UNT to Shohola Creek (RM 7.88)	41.403550 74.987093
Pike	UNT to Delaware River (RM 282.06)	Headwaters to Mouth	Delaware River	41.532777 75.023630

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Pike	UNT to Delaware River (RM 282.19)	Headwaters to Mouth	Delaware River	41.534753 75.025408
Pike	UNT to Dingmans Creek (RM 1.64)	Headwaters to Mouth	Dingmans Creek	41.228345 74.886424
Pike	UNT to Dingmans Creek (RM 1.77)	Headwaters to Mouth	Dingmans Creek	41.230064 74.887374
Pike	UNT to Dingmans Creek (RM 2.84)	Headwaters to Mouth	Dingmans Creek	41.231364 74.904575
Pike	UNT to Shohola Creek (RM 3.10)	Headwaters to Mouth	Shohola Creek	41.442727 74.932931
Pike	UNT to Shohola Creek (RM 3.60)	Headwaters to Mouth	Shohola Creek	41.436623 74.932893
Potter	UNT to Phoenix Run (RM 3.27)	Headwaters to Mouth	Phoenix Run	41.782963 77.613530
Potter	UNT to Phoenix Run (RM 3.76)	Headwaters to Mouth	Phoenix Run	41.788978 77.615804
Potter	UNT to Phoenix Run (RM 3.94)	Headwaters to Mouth	Phoenix Run	41.791498 77.616511
Somerset	UNT to Harbaugh Run (RM 1.76)	Headwaters to Mouth	Harbaugh Run	39.924837 79.360846
Tioga	UNT to East Branch Stony Fork (RM 3.50)	Headwaters to Mouth	East Branch Stony Fork	41.662480 77.363670
Venango	UNT (RM 1.04) to UNT to East Branch Sugar Creek (RM 2.63)	Headwaters to Mouth	UNT to East Branch Sugar Creek (RM 2.63)	41.511980 79.818623
Venango	UNT (RM 2.47) to UNT to East Branch Sugar Creek (RM 2.63)	Headwaters to Mouth	UNT to East Branch Sugar Creek (RM 2.63)	41.505292 79.798294
Venango	UNT to East Branch Sugar Creek (RM 1.32)	Headwaters to Mouth	East Branch Sugar Creek	41.512230 79.850063
Venango	UNT to Little Sugar Creek (RM 3.19)	Headwaters to Mouth	Little Sugar Creek	41.569667 79.801624
Warren	UNT to Wolf Run (RM 0.92)	Headwaters to Mouth	Wolf Run	41.853070 78.929490
Wayne	UNT (RM 0.47) to UNT to West Branch Lackawaxen River (RM 9.71)	Headwaters to Mouth	UNT to West Branch Lackawaxen River (RM 9.71)	41.643212 75.368522
Wayne	UNT to Alder Marsh Brook (RM 0.86)	Headwaters to Mouth	Alder Marsh Brook	41.738649 75.244911
Wayne	UNT to Big Brook (RM 1.06)	Headwaters to Mouth	Big Brook	41.645563 75.264037
Wayne	UNT to Big Brook (RM 3.06)	Headwaters to Mouth	Big Brook	41.667456 75.253175
Wayne	UNT to Carley Brook (RM 5.63)	Headwaters to Mouth	Carley Brook	41.628270 75.235560
Wayne	UNT to Carley Brook (RM 6.42)	Headwaters to Mouth	Carley Brook	41.637659 75.230685
Wayne	UNT to Dyberry Creek (RM 6.60)	Headwaters to Mouth	Dyberry Creek	41.652769 75.281976
Wayne	UNT to East Branch Dyberry Creek (RM 4.57)	Headwaters to Mouth	East Branch Dyberry Creek	41.714403 75.269632
Wayne	UNT to East Branch Dyberry Creek (RM 6.21)	Headwaters to Mouth	East Branch Dyberry Creek	41.735639 75.266606
Wayne	UNT to Indian Orchard Brook (RM 1.43)	Headwaters to Mouth	Indian Orchard Brook	41.559105 75.209648

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Wayne	UNT to South Branch Calkins Creek (RM 2.89)	Headwaters to Mouth	South Branch Calkins Creek	41.634938 75.120775
Wayne	UNT to South Branch Calkins Creek (RM 4.02)	Headwaters to Mouth	South Branch Calkins Creek	41.639487 75.138536
Wayne	UNT to South Branch Calkins Creek (RM 4.76)	Headwaters to Mouth	South Branch Calkins Creek	41.638392 75.147400
Wayne	UNT to West Branch Dyberry Creek (RM 5.05)	Headwaters to Mouth	West Branch Dyberry Creek	41.709861 75.317160
Wayne	UNT to West Branch Lackawaxen River (RM 1.28)	Headwaters to Mouth	West Branch Lackawaxen River	41.576143 75.274695

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments, objections or suggestions may also be submitted electronically to RA-pfbcregulations@pa.gov.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 24-694. Filed for public inspection May 17, 2024, 9:00 a.m.]

FISH AND BOAT COMMISSION

Proposed Changes to List of Class A Wild Trout Waters; July 2024

The Fish and Boat Commission (Commission) is considering changes to its list of Class A wild trout streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. With rare exceptions, the Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

(1) Criteria developed for Class A Wild Trout fisheries are species specific.

(2) Wild Trout Biomass Class Criteria include provisions for:

(i) *Wild brook trout fisheries*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild brown trout fisheries*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass shall comprise at least 75% of the total trout biomass.

(iii) *Mixed wild brook and brown trout fisheries*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(iv) *Wild rainbow trout fisheries*. Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

(v) *Mixed wild brook and rainbow trout fisheries*

(A) Combined brook and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

(vi) *Mixed wild brown and rainbow trout fisheries*

(A) Combined brown and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

During recent surveys, Commission staff documented the following stream sections to have Class A wild trout populations. The Commission intends to consider adding these waters to its list of Class A wild trout streams at its meeting on July 22, 2024.

County	Stream	Section	Limits	Tributary to	Mouth Lat / Lon	Brook Trout (kg/ha)	Brown Trout (kg/ha)	Rainbow Trout (kg/ha)	Length (miles)	Survey year
Adams	Clear Run	1	Headwaters to Mouth	Carbaugh Run	39.899551 77.451942	31.15	—	—	1.93	2023
Bedford	Bank Run	1	Headwaters to Mouth	Yellow Creek	40.143391 78.293892	—	90.61	—	1.45	2023
Bedford	Wallacks Branch	2	Little Break Hollow Run to Mouth	Bobs Creek	40.263058 78.592224	3.57	54.72	—	2.00	2023
Blair	Schmucker Run	1	Headwaters to Mouth	Frankstown Branch Juniata River	40.481244 78.173201	41.41	—	—	2.88	2023
Cameron	Lower Pine Run	1	Headwaters to Mouth	Wykoff Run	41.282818 78.126373	35.72	0.14	—	1.01	2023
Clearfield	Buck Run	1	Headwaters to Mouth	Deer Creek	41.086944 78.245000	34.13	—	—	3.71	2023
Clearfield	Deer Creek	1	Headwaters to Little Deer Creek	West Branch Susquehanna River	41.078609 78.235420	33.49	—	—	5.51	2023
Clearfield	Unnamed Tributary (UNT) to Big Run (Fairview) (RM 1.46)	1	Headwaters to Mouth	Big Run (Fairview)	41.049194 78.220358	40.40	—	—	0.80	2022
Clinton	Round Island Run	1	Headwaters to Mouth	Sinnemahoning Creek	41.298889 77.995000	45.51	1.49	—	4.47	2023
Cumberland	Burd Run	3	Ritner Highway to Mouth	Middle Spring Creek	40.070000 77.535553	—	41.97	—	1.92	2023
Huntingdon	Robinson Run	2	UNT at RM 2.61 to Mouth	Frankstown Branch Juniata River	40.539472 78.087405	—	61.06	—	2.61	2023
Juniata	Macedonia Run	1	Headwaters to Mouth	Juniata River	40.609474 77.445000	66.49	9.98	—	2.96	2023
Lycoming	Daugherty Branch	1	Headwaters to Mouth	Manor Fork	41.511997 77.537437	38.75	20.74	—	2.65	2023
Lycoming	Dry Run	1	Headwaters to Mouth	Grays Run	41.443611 77.020554	45.61	6.71	—	1.42	2023
Lycoming	Holly Hollow Run	1	Headwaters to Mouth	Grays Run	41.492916 77.069754	41.99	—	—	1.47	2023
Lycoming	Murray Run	1	Headwaters to Mouth	Wallis Run	41.386951 76.929176	0.10	52.40	—	1.29	2023
Lycoming	Short Run	1	Headwaters to Mouth	Grays Run	41.491112 77.038330	36.21	—	—	0.51	2023
Lycoming	Trout Run	1	Headwaters to UNT approximately 0.75 mile upstream No. 4 hollow	Pine Creek	41.400276 77.461945	18.12	34.45	—	2.72	2023
Lycoming	Upper Pine Bottom Run	1	Headwaters to Zinck Fork	Pine Creek	41.322778 77.386389	42.95	16.29	—	2.09	2023

<i>County</i>	<i>Stream</i>	<i>Section</i>	<i>Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>	<i>Brook Trout (kg / ha)</i>	<i>Brown Trout (kg / ha)</i>	<i>Rainbow Trout (kg / ha)</i>	<i>Length (miles)</i>	<i>Survey year</i>
Lycoming	Yoder Hollow Run	1	Headwaters to Mouth	Grays Run	41.489445 77.051941	62.35	3.01	—	1.74	2023
Mifflin	Granville Run	1	Headwaters to Mouth	Juniata River	40.573009 77.584732	54.30	11.36	—	3.31	2023
Mifflin	UNT (RM 0.08) to UNT to Laurel Creek Reservoir (RM 5.82)	1	Headwaters to Mouth	UNT to Laurel Creek Reservoir (RM 5.82)	40.729017 77.640042	36.68	—	—	1.18	2023
Monroe	Poplar Run	3	Downstream boundary of Delaware State Forest to Mouth	Brodhead Creek	41.113611 75.223889	24.17	45.67	—	0.40	2023
Potter	Bergstresser Hollow	1	Headwaters to Mouth	Kettle Creek	41.513889 77.755000	45.11	0.08	—	2.08	2023
Potter	Bolich Run	1	Headwaters to Mouth	Cross Fork	41.608056 77.780000	31.14	—	—	3.67	2022
Potter	Heth Run	1	Headwaters to Mouth	South Woods Branch	41.698464 78.033801	50.16	6.46	—	1.76	2023
Potter	Jamison Run	1	Headwaters to Mouth	East Fork Sinnemahoning Creek	41.586111 77.900833	32.68	9.26	—	2.96	2023
Tioga	Brackman Hollow Run	1	Headwaters to Mouth	Apple Tree Hollow Run	41.581580 77.575034	55.35	—	—	0.65	2022
Tioga	Coon Creek	1	Headwaters to Mouth	South Creek	41.670278 76.944167	38.05	—	—	2.39	2023
Tioga	Jenkins Hollow Run	1	Headwaters to Mouth	Frying Pan Run	41.591389 77.506943	71.34	7.29	—	0.78	2022
Union	Halfway Run	1	Headwaters to Mouth	Rapid Run	40.991554 77.188789	44.15	4.48	—	1.88	2023

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments, objections or suggestions may also be submitted electronically to RA-pfbcregulations@pa.gov.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 24-695. Filed for public inspection May 17, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Agency Contract Termination of Newhart Insurance Agency, Inc.; Millville Mutual Insurance Company; Doc. No. AT24-03-025

Newhart Insurance Agency, Inc. has requested review of an agency contract termination by Millville Mutual Insurance Company under sections 1–6 of the act of September 22, 1978 (P.L. 763, No. 143) (40 P.S. §§ 241–246).

A pre-review telephone conference initiated by this office is scheduled for June 18, 2024, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before June 14, 2024. A date for a review shall be determined, if necessary, at the pre-review conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before June 4, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before June 14, 2024.

Persons with a disability who wish to attend the previously referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the review, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-696. Filed for public inspection May 17, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Chad Kenneth Aitken; License Denial Appeal; Doc. No. AG24-05-002

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1–310.99a), Chad Kenneth Aitken has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501–508, 561–588 and 701–704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1–56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for June 17, 2024, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before June 14, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before May 31, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before June 14, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-697. Filed for public inspection May 17, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Richard J. Santone, Sr.; Consent Order; Doc. No. CO21-11-022

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501–508, 561–588 and 701–704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1–56.3 (relating to Special Rules of Administrative Practice and Procedure) except as modified by order.

A prehearing telephone conference initiated by this office is scheduled for May 29, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before May 28, 2024. A hearing will occur on June 12, 2024, at 10 a.m. in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before May 15, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before May 28, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-698. Filed for public inspection May 17, 2024, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-24-011, Dated April 18, 2024. Authorizes the Memorandum of Understanding between the Commonwealth of Pennsylvania and the Pennsylvania Social Services Union, affiliated with Service Employees International Union, AFL-CIO. The Memorandum of Understanding provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2023 through June 30, 2027.

Resolution No. CB-24-012, Dated April 18, 2024. Authorizes the Memorandum of Understanding between the Commonwealth and OPEIU (P5 Unit) effective 7/1/2023 through 6/30/2027.

AMY J. MENDELSON,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 24-699. Filed for public inspection May 17, 2024, 9:00 a.m.]

PENNSYLVANIA EMERGENCY MANAGEMENT AGENCY

Publication of Guidelines for the Disaster Recovery Assistance Program

This notice of publication of guidelines provides updates for the Disaster Recovery Assistance Program (DRAP) as required by the act of July 11, 2022 (P.L. 540, No. 54), which added section 1735-F.1(3) of The Fiscal Code (72 P.S. § 1735-F.1(3)), and the act of December 13, 2023 (P.L. 251, No. 34), which added section 1735-F.3(3) of The Fiscal Code (72 P.S. § 1735-F.3(3)). DRAP is designed to provide disaster relief when other Federal, State, local, nongovernmental or private aid is not available to assist victims of disasters. DRAP is a State grant program that may offer relief to eligible homeowners and renters in this Commonwealth who have suffered certain losses due to a disaster and do not qualify for a Small Business Administration disaster loan or have insurance to cover their losses. DRAP is administered by the Pennsylvania Emergency Management Agency (Agency). The 2024 Guidance document supersedes the guidelines published on January 6, 2024.

The guidelines for activation, eligibility and application instructions are published on the Agency's web site at www.pema.pa.gov.

DAVID (RANDY) PADFIELD,
Director

Disaster Recovery Assistance Program 2024 Guidance

PART I: RECOVERING FROM A DISASTER

Prevention, mitigation, preparedness, response, and recovery are the five phases of Emergency Management. The recovery phase of a disaster consists of those activities that continue beyond the emergency period to return a community to normal or near-normal conditions. Recovery activities include the restoration of basic services and the repair of physical, social, and economic damages. The goal of the recovery phase is to bring the affected area back to some degree of normalcy. After life-safety risks are addressed, some immediate actions you can take to aid the recovery process include:

- Take photos of your damaged home and belongings for your own records
- If you have insurance (such as flood, homeowners, renters, auto or other types of insurance), file a claim with your insurance provider as soon as possible
- Report your property damages to your community's emergency management coordinator

Reporting Damages is Critical to the Recovery Process:

If your home or property is impacted by a disaster, timely reporting of these damages to your community's emergency management coordinator is critical to the disaster recovery process. Reporting your damages as soon as possible enables officials to determine resources that may be available at the local, state, and federal levels to help recover from the disaster. Your action in promptly reporting damages is foundational to your community's recovery from a disaster.

Immediate and Long-Term Disaster Recovery Resources:

Disaster recovery is the cumulative effort of federal, state, county, and local governments in conjunction with non-governmental organizations and private industries pooling financial and personnel resources to assist disaster-impacted communities. Below are examples of potential resources that may be available to assist you with recovering from the impacts of a disaster:

Insurance is the first resource in recovering from a disaster. Contact your insurance agent or company representative to report your losses, review your coverage, and answer any questions. The Pennsylvania Insurance Department provides assistance with insurance related questions or issues and can be reached by calling 1-877-881-6388 or by visiting the Pennsylvania Insurance Department website.

Local programs and services may be available to assist with recovery efforts.

- Voluntary and Nonprofit Organizations are often ready to step in and help take care of immediate needs. These organizations may be able to assist with food and water, clothing, sheltering services, immediate debris clearance, home repair/cleanout, or address other immediate needs. Contact your local municipality or county for additional information. You may also contact relief agencies and local volunteer and faith-based communities directly. Resources can also be found on the Information and Referral line by dialing 2-1-1 or visiting <https://www.pa211.org/>.

- County Assistance Offices, which are part of the Pennsylvania Department of Human Services, may offer assistance and other services to people and families in need.

Federal assistance may be requested if the total amount of damages from the disaster exceeds thresholds established by the Federal Emergency Management Administration (FEMA). Damages that meet those thresholds may result in a federal disaster declaration. The importance of reporting your damages to the local emergency management coordinator as soon as possible cannot be over emphasized. In the absence of federal assistance, residents affected by a disaster may need to rely on personal resources and assistance from local programs and/or voluntary organizations.

U.S. Small Business Administration (SBA) offers low-interest disaster loans to eligible homeowners, renters, businesses of all sizes and certain private nonprofit organizations in areas where a physical disaster is declared by SBA. SBA is most often the primary form of federal assistance that becomes available in Pennsylvania.

- Physical Disaster Loans are for permanent rebuilding and replacement of uninsured or underinsured disaster-damaged privately-owned real and/or personal property. SBA makes physical disaster loans to qualified homeowners, renters, businesses, and certain private nonprofit organizations.

The Disaster Recovery Assistance Program (DRAP) is designed to provide disaster relief when other local, state, federal, non-governmental, or private aid is not available to assist victims of disasters. DRAP is a state grant program that may offer relief to eligible homeowners and renters in Pennsylvania who have suffered certain losses due to a disaster and do not qualify for an SBA disaster loan or have insurance to cover their losses. DRAP is administered by the Pennsylvania Emergency Management Agency (PEMA).

PART II: 2024 DRAP GUIDELINES

Program Availability:

DRAP is made available when the following three criteria are met:

1. Federal Individual Assistance pursuant to the Robert T. Stafford Disaster Relief and Emergency Assistance Act has not been authorized.
2. The U.S. Small Business Administration issues an administrative agency declaration of a physical disaster authorizing low interest loans to homeowners or renters.
3. The governor determines that the program should be activated.

When DRAP is activated, PEMA will define the disaster event and areas where DRAP is available pursuant to an SBA determination of an administrative agency declaration of a disaster. This information will be published by

PEMA on its publicly available website and sent to appropriate local officials and to the public through all appropriate means under the circumstances.

Applicant Eligibility:

DRAP is designed to provide disaster relief when other local, state, federal, non-governmental, or private aid is not available to assist victims of disasters and the losses are not covered by insurance. DRAP funds are limited, and individuals are required to utilize insurance, SBA loans, and other disaster recovery assistance programs prior to seeking DRAP funds. Survivors of a declared disaster may receive a one-time grant of up to \$10,000 per household. To be eligible for DRAP:

1. Applicants must have suffered losses caused directly by the disaster and in the areas defined by PEMA. The applicant's primary residence must be:

- In a Pennsylvania county that is identified as a primary or contiguous county in an SBA administrative agency declaration of disaster as requested by the Governor of Pennsylvania.
- In a municipality that issued a declaration of disaster emergency within two weeks of the disaster event and has submitted at least one damage assessment report to the county emergency management agency or PEMA for damage related to the declared disaster emergency.

o In general, each local governmental entity and county has a process for reporting damages caused by a disaster. Individuals who are impacted by a disaster are encouraged to immediately inform their local emergency management coordinator. The local emergency management coordinator submits a report of the damage to the county emergency management agency. The county aggregates the information and submits the collected data to PEMA.

- Identified on the list of affected properties provided by the county or municipality. PEMA will cross-check applications against damage assessments provided by the affected county's emergency management office(s) to ensure the applicant's residence appears on the list of known affected properties. If the applicant's residence is not on a list of known affected properties, PEMA will work with the appropriate county officials or other stakeholders to determine whether the property was affected by the disaster. Businesses or secondary properties, such as vacation homes or investment properties, are not eligible for DRAP.

2. Eligibility to receive a DRAP grant is based on annual household income. Households earning below 500% of the most recent National Federal Poverty Guidelines¹ published by the United States Department of Health and Human Services may be eligible to receive DRAP grants:

• Households with annual household income that is higher than the amounts in this table are not eligible to apply for DRAP grants.

Household Size	Income
1	\$75,300
2	\$102,200
3	\$129,100
4	\$156,000
5	\$182,900
6	\$209,800

7	\$236,700
8	\$263,600
Each additional person	Add \$26,900

3. Households receiving income-based government assistance may apply directly for a DRAP grant without first applying and being denied a disaster loan through SBA. Proof of government assistance must be provided by the applicant. Examples of income-based government assistance programs include, but are not limited to: Temporary Assistance for Needy Families (TANF), Supplemental Nutrition Assistance Program (SNAP), Low Income Home Energy Assistance Program (LIHEAP), and Medicaid.

4. When the household is not receiving income-based government assistance, the applicant must first apply for a disaster loan through SBA and be denied because of inability to repay or inadequate credit to be eligible for a DRAP grant.

- The SBA denial notification must be submitted with the DRAP application.

For purposes of DRAP:

- A household is an individual or group living together at one mailing address.

- Annual household income is the combined gross income of all members of the household in the preceding calendar year.¹

- Gross income is the total amount of money earned in a year before any taxes, healthcare or payroll or deductions are taken out. Gross income is different from net income. Net income is the money taken home after taxes and any deductions are removed.

DRAP Eligible Expenses

DRAP grants may help pay for losses that were a direct result of the disaster. Covered losses fit in to one of three categories.

1. Category 1—Home Repairs for the primary residence of eligible homeowners:

- For eligible homeowners, DRAP funds may be used to return the home to a safe, healthy, accessible, and weatherproof condition. DRAP grant funds may be eligible for the following home repair categories necessitated by a disaster:

- Entrance or exit ways from the home to ensure safe access. This does not include improvements to entrance and exit ways.

- Disaster related debris removal that causes a threat to health, safety, or access to the residence.

- Structural damage to the home.

- Windows, doors, floors, walls, ceilings, or cabinetry.

- Septic or sewage systems.

- Well or other water systems.

- Heating, ventilation, or air conditioning systems.

- Utilities, including electrical, plumbing and gas systems.

- Blocking, leveling, and anchoring of a mobile home, and reconnecting or resetting its sewer, water, electrical, and fuel lines and tanks.

- Permitting and inspection.

- Other projects required to make the home safe, sanitary, and weatherproof.

- Applicants may receive up to \$10,000 for home repairs.

- Applicants must submit at least two quotes from two different contractors registered with the Office of Attorney General under the Home Improvement Consumer Protection Act (73 P.S. §§ 517.1—517.19) for a particular project and meet all other eligibility requirements to recover costs for home repairs. If an applicant has already had work performed, detailed receipts must be submitted.

2. Category 2—Temporary Housing

- For eligible homeowners and renters, DRAP funds may be used for temporary housing if the home is destroyed, uninhabitable, inaccessible, or unavailable due to a disaster.

- DRAP grants may cover up to 60 days lodging at a licensed establishment, such as a hotel or motel, in the Commonwealth of Pennsylvania.

- The maximum amount DRAP may award per room will not exceed 150% of the daily lodging rates established by the U.S. Department of General Services Administration for destinations in Pennsylvania. See Appendix A for a schedule of DRAP maximum daily lodging rates per room for various areas in Pennsylvania.

- Meals, incidental costs, and other hotel services are not an eligible use of DRAP funds.

- Rooms must be booked with at least two members of the household staying in each room, whenever possible.

- DRAP funds may be used for fees charged by the licensed establishment to allow household pets during the stay. DRAP funds may also be used to temporarily shelter household pets at a kennel for up to 60 days while the owner is required to stay in temporary housing because their home is uninhabitable.

- Applicants may receive up to \$5,000 for temporary housing.

3. Category 3—Essential Personal Property

- For eligible homeowners and renters, DRAP funds may be used to cover the loss of essential personal property destroyed due to the disaster and not covered by insurance. Please see Appendix B for a list of personal property eligible under DRAP and the maximum amount that may be awarded for each item.

- Essential personal property not covered by insurance is eligible under DRAP for reimbursement up to \$5,000.

DRAP Grant Awards & Prioritization of Funding:

Each eligible household may receive a maximum grant of up to \$10,000 in DRAP funding. For example, an applicant may receive \$6,000 for home repairs, \$2,000 for temporary housing, and \$2,000 for essential personal property, where those losses are not covered by insurance

¹ <https://aspe.hhs.gov/sites/default/files/documents/7240229f28375f54435c5b83a3764cd1/detailed-guidelines-2024.pdf>.

or reimbursed from another source. The maximum total award applies even if eligible losses exceed \$10,000.

DRAP has limited financial resources. For disasters that occur after 75% of the annual funds for the program have been exhausted, essential personal property losses will no longer be recoverable until additional funding becomes available.

PEMA maintains discretion to prioritize DRAP funds towards certain cost categories as needed during current or future disasters. If it becomes necessary to prioritize the allocation of awards due to limited funds, the priority shall be:

1. Home repairs
2. Temporary housing
3. Essential personal property

DRAP Application Process and Requirements:

Households earning below 500% of the National Federal Poverty Guidelines must first apply for a disaster loan through SBA and be denied unless the household is receiving income-based government assistance. PEMA will coordinate with SBA to identify individuals who were denied an SBA loan. PEMA will work to contact these individuals to provide information about DRAP and application process. Individuals that are income eligible, who were denied an SBA loan, do not have to wait to be contacted by PEMA to submit a DRAP application.² Applicants must follow the process, and meet the requirements, specified below.

1. Applications must be for a primary residence only.
2. One application may be submitted per household.
3. DRAP grant application must be submitted within 90 days of the date DRAP activation is announced for the applicable disaster.

4. When DRAP is made available, eligible households apply for the grant using the Commonwealth online eGrants system.

5. To apply using the eGrants system, the applicant needs to register for a Keystone Login. Keystone login is a username and password that can be used to log into any Commonwealth agency online service that participates in Keystone Login. A Keystone Login can be obtained here: <https://keystonelogin.pa.gov/Account/Register>.

• A paper application may be submitted to PEMA if an applicant is unable to submit a grant application electronically using the eGrants system.

6. Applicants will be required to provide the following information on a DRAP grant application:

- Contact information.
- Insurance information including the claim denial (if applicable).
- Household information including whether the applicant owns or rents their home and the total number of adults in the household.
- Income information.
- Description of damages.

7. Applicants will need to submit the following documents to PEMA for the application to be finalized:

- Proof of residency (ex. utility bill, driver's license, lease agreement, mortgage document, or tax records).

- Proof of income (ex. tax records, Medicaid card, or three months of paystubs from the last calendar year for all members of household).

- Photographs of damage claimed.
- Receipts for any reimbursements requested.
- Quotes for remediation or repair work.
- Cancelled check for direct deposit bank account.
- Copies of Home and/or Renter's Insurance Declaration Page.
- Proof of SBA Loan Request Denial where required.
- Proof of income-based government assistance where appropriate.

8. In addition to completing the DRAP grant application, applicants will be required to:

- Disclose the receipt of benefits from any other source, including insurance, charitable organizations, and other government organizations related to the loss for which they are seeking benefits.

- Acknowledge that willfully making a false statement or misrepresentation in their application or failing to disclose a material fact regarding their eligibility may subject them to criminal penalties under 18 Pa.C.S. § 4904 (relating to unsworn falsification to authorities).

9. Applicants must be willing to permit an inspection of their home by PEMA or another entity designated by PEMA to verify damages.

10. PEMA may, at its discretion, perform any investigation they deem appropriate to corroborate the values placed on personal property items by an applicant.

DRAP Application Review

PEMA is responsible for receiving and managing applications, as well as making recommendations on the disposition of the applications. After review by PEMA personnel, applications will receive one of three dispositions:

1. *Approved*—The application is complete and the request is approved in whole.

2. *Incomplete*—The application is incomplete. The application will be returned to the applicant as soon as possible with feedback identifying the application's deficiencies. If an application is returned as incomplete, the applicant will be able to redress the deficiencies within: a) 30 days from the date they are first notified the application was incomplete, or b) within 90 days after DRAP was activated, whichever is longer.

3. *Denied*—The application demonstrates that an applicant is ineligible for the program, the identified losses are not covered by the program, or other good cause for denial exists.

DRAP Grant Agreement & Payment

DRAP is a state grant program. Individuals awarded DRAP funds will receive an award letter and grant agreement from PEMA. The grant agreement specifies the requirements of the grant program and items that must be completed by the recipient of the funds. The individual applicant should review the grant agreement. If the individual applicant agrees to the terms, the grant agreement must be signed and returned to PEMA utilizing the eGrants portal within 30 calendar days. If the grant agreement is not returned within 30 days, PEMA

² Applicants receiving income-based government assistance are not required to provide proof of SBA loan denial.

will make at least three attempts to contact the applicant via the applicant's preferred method of communication. PEMA will document each attempt to contact the applicant, with at least one attempt in writing. PEMA may rescind the grant award if the applicant does not make contact within 30 days of their first notification.

Please note that the Commonwealth is unable to process grant payments until the grant agreement is signed by all parties. Once the grant agreement is fully executed, the grant payment will be processed as quickly as possible.

DRAP payments may be made electronically into a grant recipient's bank account. A grant recipient will need to provide banking information to allow for direct deposit. Payments may be made by check if a bank account is not available.

Post Award Requirements & Grant Closeout

1. Grant recipients must use DRAP funds for costs provided on the grant application. If funds remain after these needs are addressed, the grant recipient must either use the remaining funds for eligible DRAP costs or return the funds to the Commonwealth.

- Grant recipients shall not use DRAP funds for any loss that is covered by an insurance policy or any other funding source, including any other governmental or non-profit disaster assistance program.

2. Grant recipients must obtain and retain documentation of all expenditures of awarded funds.

3. Documentation of expenditure of all grant funds must be submitted to PEMA within 60 days after the project is complete or the grant agreement expires, whichever is earlier.

- If a grant recipient does not provide supporting documentation or PEMA determines that DRAP funds were spent on items or activities that are not eligible under the laws, regulations, policies, directives, guidelines, and requirements applicable to DRAP funds, a grant recipient will be required to return those funds to PEMA.

4. Grant recipients must maintain receipts for all purchases made for losses claimed as part of their DRAP application for three years after receiving the award.

DRAP Compliance Reviews

PEMA, through its Bureau of Grants Management, will conduct compliance reviews in accordance with its most recently published "Grant Monitoring Standard Operating Procedure." If a compliance review or audit reveals inappropriate use of state funds, the matter may be referred to the Office of Attorney General, or other appropriate authority.

Questions about DRAP

- For questions about the program (program availability, due dates, eligibility, etc.):

- email PADRAP@pa.gov, or
- call 717-562-5771

- For help desk support when using the Commonwealth online eGrants system, call 833-448-0647 from 8:30 a.m. to 6 p.m. Monday through Friday, or email egrantshelp@pa.gov.

APPENDIX A: DRAP MAXIMUM DAILY LODGING RATES

Primary Destination	County	2024													
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec		
Allentown/Easton/Bethlehem	Lehigh/Northampton	\$177	\$177	\$177	\$177	\$177	\$177	\$177	\$177	\$177	\$177	\$177	\$177	\$177	\$177
Bucks	Bucks	\$179	\$179	\$179	\$179	\$179	\$179	\$179	\$179	\$179	\$179	\$179	\$179	\$179	\$179
Chester/Radnor/Essington	Delaware	\$186	\$186	\$186	\$186	\$186	\$186	\$186	\$186	\$186	\$186	\$186	\$186	\$186	\$186
Gettysburg	Adams	\$165	\$165	\$165	\$165	\$165	\$165	\$165	\$165	\$165	\$165	\$165	\$165	\$165	\$165
Harrisburg	Dauphin excluding Hershey	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182
Hershey	Hershey	\$200	\$200	\$200	\$200	\$200	\$305	\$305	\$305	\$156	\$234	\$200	\$200	\$200	\$200
Lancaster	Lancaster	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182
Malvern/Frazer/Berwyn	Chester	\$194	\$194	\$194	\$194	\$194	\$194	\$194	\$194	\$194	\$194	\$194	\$194	\$194	\$194
Montgomery	Montgomery	\$189	\$189	\$189	\$189	\$189	\$189	\$189	\$189	\$189	\$189	\$189	\$189	\$189	\$189
Philadelphia	Philadelphia	\$236	\$236	\$315	\$315	\$315	\$315	\$254	\$254	\$317	\$317	\$317	\$317	\$317	\$236
Pittsburgh	Allegheny	\$204	\$204	\$204	\$204	\$204	\$204	\$204	\$204	\$204	\$204	\$204	\$204	\$204	\$204
Reading	Berks	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182	\$182
Standard Rate	All locations not specified	\$161	\$161	\$161	\$161	\$161	\$161	\$161	\$161	\$161	\$161	\$161	\$161	\$161	\$161
State College	Centre	\$171	\$171	\$171	\$171	\$171	\$171	\$171	\$171	\$171	\$171	\$171	\$171	\$171	\$171

Notes:

- DRAP rates are 150% of the 2024 U.S. Department of General Services daily lodging rates for Pennsylvania destinations
- DRAP rates represent the maximum amount eligible for lodging per room under DRAP
- DRAP funds must be used for the costs of lodging only
- Meals, incidental costs, and other hotel services are not an eligible use of DRAP funds

APPENDIX B: ELIGIBLE PERSONAL PROPERTY

Item	Maximum Award Amount
Bedroom	
Clothing Allowance (per person)	\$300
Mattress (per item)	\$250
Bedframe (per item)	\$250
Sheets/Blankets/Pillows (per person)	\$150
Dresser (per item)	\$200
Nightstand (per item)	\$75
Lamp (per item)	\$50
Bathroom	
Personal Hygiene Items (per person)	\$50
Bathroom Supplies (towels, shower mats, mirrors, etc.) (per household)	\$150
Kitchen	
Cooking Implements (pots, pans, bowls, plates, cutlery, etc.) (per household)	\$250
Kitchen Furniture (table, chairs, placemats, highchair) (per household)	\$250
Appliances	
Air Conditioner (per item)	\$225
Oven (per household)	\$850
Refrigerator/Freezer (per household)	\$725
Toaster (per household)	\$50
Microwave (per household)	\$200
Space Heater (per item)	\$150
Other	
Medication (per person)	\$150
Medical Supplies (per person)	\$500
Smoke Detector (per item)	\$25
Cleaning Supplies (vacuum, broom, mop, etc.) (per household)	\$175
Car Seat (per child)	\$150
Household Tools (per household)	\$200
Professional Craftsman Tools ■ (With proof of employment and specific identification of items)	Up to \$3500
Work Uniform/Professional Attire (per adult)	\$300

[Pa.B. Doc. No. 24-700. Filed for public inspection May 17, 2024, 9:00 a.m.]

**PENNSYLVANIA INFRASTRUCTURE
INVESTMENT AUTHORITY
DEPARTMENT OF
ENVIRONMENTAL PROTECTION**

**Clean Water and Drinking Water State Revolving
Fund Programs; Federal Fiscal Year 2024 In-
tended Use Plans; Available for Public Comment**

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection (Department) have prepared the Federal Fiscal Year (FFY) 2024 Intended Use Plans (IUP). The IUPs demonstrate the Commonwealth's plan to utilize the State Revolving Funds (SRF) and include detailed infor-

mation that illustrates the intended implementation for the SRF program in this Commonwealth. These IUPs include a list of drinking water, wastewater, nonpoint source and pollution abatement projects to be considered for a design and engineering or construction loan or grant from funds the Commonwealth expects to receive from the United States Environmental Protection Agency (EPA) through the Drinking Water State Revolving Fund (DWSRF) and Clean Water State Revolving Fund (CWSRF) programs for FFY 2024. The DWSRF program includes the Base Grant funds as well as supplemental Grant funds made available through the FFY 2024 Federal appropriation, under the Federal Safe Drinking Water Act (42 U.S.C. §§ 300f—300j-27) including appropriate State match funds and principal, interest and investment income. In addition, the IUP also applies to the FFY 2024 Bipartisan Infrastructure Law (BIL) Grants—General Supplemental, Lead Service Line Re-

placement and Emerging Contaminants and the appropriate State match funds. The CWSRF program includes the Base Grant funds as well as supplemental Grant funds made available through the FFY 2024 Federal appropriation under Title VI of the Water Quality Act of 1987 (33 U.S.C. §§ 1251—1389) including appropriate State match funds and principal, interest and investment income. In addition, the IUP also applies to the FFY 2024 BIL Grants—General Supplemental, Emerging Contaminants and the appropriate State match funds.

The projects to be considered for a loan or grant from the DWSRF and CWSRF programs must meet the Federal requirements for funding in accordance with the Federal Safe Drinking Water Act and the Federal Clean Water Act. Accordingly, the projects included in the IUPs are expected to meet the requirements applicable to the use of the DWSRF and CWSRF loan or grant funds. A project must appear on a PENNVEST-approved IUP before it can receive a loan or grant from the Commonwealth's SRF programs. Projects listed in the FFY 2024 IUPs are on the Commonwealth's Project Priority Lists (PPL) and are expected to proceed with design and engineering or construction within the next 2 years. A project's readiness to proceed and the reasonable availability of alternative funds also impact project selection for the IUPs. Consequently, the rank ordered list of projects on the PPLs does not solely dictate the order in which projects will be chosen for inclusion in an IUP.

The DWSRF will be capitalized with an approximated maximum of \$280.2 million in Federal funds (\$272.3 million for FFY 2024 and \$7.9 million from FFY 2022 reallocations) and \$18.4 million of State funds. Approximately \$20.8 million of these funds will be set aside for technical assistance to small systems, operator training and certification, and source water assessment and protection, as authorized under the Federal Safe Drinking Water Act. The DWSRF IUP also includes a narrative work plan that describes how these set-aside funds will be used. PENNVEST is also allocating \$3.6 million for administrative purposes. Finally, approximately \$145.9 million will be set aside as additional subsidy for primarily disadvantaged communities. The FFY 2024 DWSRF grant does not have a requirement to set aside funding for green infrastructure projects. However, the Commonwealth will continue to promote green infrastructure projects that meet EPA criteria for green infrastructure and can fall into one or more of the following four categories: (1) water efficiency, (2) energy efficiency, (3) environmentally innovative and (4) green stormwater infrastructure.

The CWSRF will be capitalized with an approximated maximum of \$128.3 million in Federal funds and approximately \$23.9 million in State funds. Approximately \$1 million will be set aside for the Onlot Sewage Disposal Program. An approximated maximum of \$58.5 million will be set aside as additional subsidy for primarily disadvantaged communities. Finally, a goal has been set to identify a minimum of \$12.8 million of green infrastructure projects that meet the EPA criteria for green infrastructure and can fall into one or more of four categories: (1) water efficiency, (2) energy efficiency, (3) environmentally innovative and (4) green stormwater infrastructure.

A copy of the IUPs, ranking frameworks, the PPLs and the DWSRF set-aside work plan may be obtained by contacting Richard Wright, Division of Municipal Facilities at (717) 787-5017 or through the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/

InfrastructureFinance. The link to these documents is on the right-hand side of the page under "State Revolving Fund Intended Use Plan."

Interested persons may submit comments to the Department on the narrative portion of the IUPs, the PPLs and the DWSRF set-aside work plan to the Department through Monday, June 17, 2024. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can also be mailed to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Clean Water and Drinking Water State Revolving Funds" as the subject line in written communication.

Department of Environmental Protection
Bureau of Clean Water
Division of Municipal Facilities
P.O. Box 8774
Rachel Carson State Office Building
400 Market Street, 11th Floor
Harrisburg, PA 17101-8774
(717) 787-5017

PENNVEST
333 Market Street, 18th Floor
Harrisburg, PA 17101-2210
(717) 783-4493
(877) 787-8137

JESSICA SHIRLEY,
Acting Secretary
Department of Environmental Protection
Vice Chairperson
Pennsylvania Infrastructure Investment Authority

ROBERT BOOS,
Executive Director
Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 24-701. Filed for public inspection May 17, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before June 3, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by June 3, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness.

Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the listed docket number as follows or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2024-3048018. Sirawan Transportation, Inc., t/a Super-Trans Philly Shuttle (2362 State Road, Bensalem, Bucks County, PA 19020) persons in limousine service, between points in Bucks and Montgomery Counties, limited to the portions of Montgomery County south of State Route 276 and east of State Route 476 and limited to the portions of Bucks County south of State Route 202 and east of State Route 611 and from the points, to the Philadelphia International Airport, and vice versa.

A-2024-3048334. Jean D. Mimy, t/a JDM Limo Service (7518 North 20th Street, Philadelphia, Philadelphia County, PA 19138) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in Pennsylvania, excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2024-3048432. Beth A. Elkins (480 Balmer Road, Lititz, Lancaster County, PA 17543) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

A-2024-3048555. Transit4Life Corporation (21 Yost Boulevard, Suite 505, Pittsburgh, Allegheny County, PA 15221) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Allegheny County, to points in Pennsylvania, and return.

A-2024-3048852. Podk Corporation (403 East North Hampton Street, Wilkes-Barre, Luzerne County, PA 18702) persons upon call or demand, in the Counties of Lackawanna and Luzerne. *Attorney:* Todd S. Stewart, 100 North Tenth Street, Harrisburg, PA 17101.

A-2024-3048858. DWG Transportation, LLC (1017 Oak Lane Avenue, Philadelphia, Philadelphia County, PA 19126) to transport, as a common carrier, by motor vehicle, persons in paratransit service, in wheelchairs or stretcher vans, within the City and County of Philadelphia, and from points in the City and County of Philadelphia, to points in the Counties of Bucks, Chester, Delaware and Montgomery, and return, and from points in the Counties of Bucks, Chester, Delaware and Montgomery, to points in the City and County of Philadelphia, and return. *Attorney:* Hawke McKeon & Sniscak, LLP, Todd S. Stewart, Esquire, 100 North Tenth Street, Harrisburg, PA 17101.

A-2024-3048866. Retsel Transport, Inc. (8432 Pickering Avenue, Philadelphia, Philadelphia County, PA 19150) to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the City

and County of Philadelphia, and from points in the City and County of Philadelphia, to points in Bucks, Chester, Delaware and Montgomery Counties, and return. *Attorney:* Hawke McKeon & Sniscak, LLP, Todd S. Stewart, Esquire, 100 North Tenth Street, Harrisburg, PA 17101.

A-2024-3048872. Best Ride Services, Inc. (8118 Old York Road, Suite E, Elkins Park, Montgomery County, PA 19027) persons in paratransit service, from points in the Counties of Bucks, Chester, Delaware, Lehigh and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return. *Attorney:* Adeolu Bakare, 100 Pine Street, Harrisburg, PA 17101.

Application of the following for the approval of the transfer of stock as described under the application.

A-2024-3048845. Allegheny Transportation Services, Inc. (9 Crescent Street, Etna, Allegheny County, PA 15223) a corporation of the Commonwealth, for the approval of the transfer of 100% of issued and outstanding shares held by Fred Kline to Van Pool Transportation, LLC. *Attorney:* Matthew Jandrisavitz, Esquire, RC Kelly Law Associates, LLC, 623 North Broad Street, Lansdale, PA 19446.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-702. Filed for public inspection May 17, 2024, 9:00 a.m.]

STATE BOARD OF CHIROPRACTIC

Bureau of Professional and Occupational Affairs v. John S. Kondus, DC; Case No. 20-43-008684

On February 13, 2024, the State Board of Chiropractic (Board) placed on suspended status for 2 years the chiropractor license, PA license No. DC006764L, and certificate to practice adjunctive procedures, PA certificate No. AJ006764L, of John S. Kondus, DC, last known of Simpsonville, SC or Skippack, Montgomery County, PA, due to respondent's criminal convictions, fraudulent submission of a claim to a third-party payor and failing to report convictions and sentences to the Board.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov or by writing to Shawn J. Jayman, Board Counsel, State Board of Chiropractic, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously named Board counsel.

WILLIAM AUKERMAN, DC,
Chairperson

[Pa.B. Doc. No. 24-703. Filed for public inspection May 17, 2024, 9:00 a.m.]

