

# PENNSYLVANIA BULLETIN

Volume 54

Number 23

Saturday, June 8, 2024 • Harrisburg, PA

Pages 3139—3306

## Agencies in this issue

The Courts

Department of Aging

Department of Banking and Securities

Department of Conservation and Natural  
Resources

Department of Education

Department of Environmental Protection

Department of Health

Department of Human Services

Independent Regulatory Review Commission

Insurance Department

Pennsylvania Public Utility Commission

State Board of Certified Real Estate Appraisers

State Board of Chiropractic

State Board of Medicine

State Board of Nursing

State Board of Osteopathic Medicine

State Board of Psychology

State Board of Social Workers, Marriage and  
Family Therapists and Professional  
Counselors

State Charter School Appeal Board

**Detailed list of contents appears inside.**



**Latest Pennsylvania Code Reporter  
(Master Transmittal Sheet):**

**No. 595, June 2024**

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

**CHANGE NOTICE/NEW SUBSCRIPTION**

If information on mailing label is incorrect, please email changes to [info@pbulletin.com](mailto:info@pbulletin.com) or mail to:

**FRY COMMUNICATIONS, INC.**  
Attn: *Pennsylvania Bulletin*  
800 W. Church Rd.  
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

**PENNSYLVANIA**



**BULLETIN**

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198  
(717) 766-0211 ext. 2340  
(800) 334-1429 ext. 2340 (toll free, out-of-State)  
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2024 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

# CONTENTS

## THE COURTS

### LOCAL COURT RULES

#### Clinton County

Amendment of local rule 1920.51; No. AD-427-2024 . . . 3150

### MINOR COURT CIVIL RULES

Order amending Rules 301, 302, 321, and 350 and rescinding Rule 351 of the Pennsylvania Rules of Civil Procedure governing actions and proceedings before Magisterial District Judges; No. 546 magisterial rules docket . . . . . 3147

### SUPREME COURT

Preliminary standards for delivery of effective indigent defense services pursuant to Act 34 of 2023, Article II-F, indigent defense; No. 617 judicial administration docket . . . . . 3151

## EXECUTIVE AND INDEPENDENT AGENCIES

### DEPARTMENT OF AGING

#### Notices

Pharmaceutical Assistance Advisory Board meeting . . . 3172

### DEPARTMENT OF BANKING AND SECURITIES

#### Notices

Actions on applications . . . . . 3172

### DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

#### Notices

Revisions to schedule of prices for State parks . . . . . 3173

### DEPARTMENT OF EDUCATION

#### Notices

Application of South College to operate as a college . . 3173

### DEPARTMENT OF ENVIRONMENTAL PROTECTION

#### Notices

Applications, actions and special notices . . . . . 3174

### DEPARTMENT OF HEALTH

#### Notices

Approved prearrest and evidential breath testing devices . . . . . 3259

Laboratories approved to determine analyses of blood or serum or both for controlled substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code . . . . . 3268

Laboratories approved to determine blood alcohol content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code . . . . . 3269

Laboratories approved to determine controlled substance content of urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code . . . . . 3277

Laboratories approved to perform blood lead and/or erythrocyte protoporphyrin determinations under The Clinical Laboratory Act . . . . . 3292

### DEPARTMENT OF HUMAN SERVICES

#### Notices

Availability of the Low-Income Home Energy Assistance Program; proposed State plan and public hearing schedule . . . . . 3301

### INDEPENDENT REGULATORY REVIEW COMMISSION

#### Notices

Notice of filing of final rulemaking . . . . . 3302

### INSURANCE DEPARTMENT

#### Notices

Alleged violation of insurance laws; Ryan J. Ohm; doc. No. SC24-05-034 . . . . . 3302

United Security Assurance Company of Pennsylvania; rate increase filing for individual LTC form LTC-95P (USPA-134058613); rate filing . . . . . 3302

Unum Life Insurance Company of America; rate increase filing for several group LTC forms (UNUM-134119934); rate filing . . . . . 3303

### PENNSYLVANIA PUBLIC UTILITY COMMISSION

#### Notices

General rule transfer of control . . . . . 3303

Recalculation of the Pennsylvania telecommunications relay service surcharge . . . . . 3303

Second distributed energy resources management plan . . . . . 3304

Service of notice of motor carrier applications . . . . . 3305

Transmission service . . . . . 3305

Wastewater service . . . . . 3306

### STATE BOARD OF CERTIFIED REAL ESTATE APPRAISERS

#### Rules and Regulations

Federally mandated revisions . . . . . 3157

### STATE BOARD OF CHIROPRACTIC

#### Rules and Regulations

Fees . . . . . 3152

### STATE BOARD OF MEDICINE

#### Statements of Policy

Conversion therapy—statement of policy . . . . . 3162

### STATE BOARD OF NURSING

#### Statements of Policy

Conversion therapy—statement of policy . . . . . 3163

---

Available Online at <http://www.pacodeandbulletin.gov>

---

**STATE BOARD OF OSTEOPATHIC MEDICINE**

**Statements of Policy**

Conversion therapy—statement of policy ..... 3165

**STATE BOARD OF PSYCHOLOGY**

**Statements of Policy**

Conversion therapy—statement of policy ..... 3167

**STATE BOARD OF SOCIAL WORKERS, MARRIAGE  
AND FAMILY THERAPISTS AND PROFESSIONAL  
COUNSELORS**

**Statements of Policy**

Conversion therapy—statement of policy ..... 3169

**STATE CHARTER SCHOOL APPEAL BOARD**

**Notices**

Schedule of meetings..... 3306

# READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

## *Pennsylvania Bulletin*

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

### **Adoption, Amendment or Repeal of Regulations**

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

## **Citation to the *Pennsylvania Bulletin***

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

## ***Pennsylvania Code***

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

### **How to Find Rules and Regulations**

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at [www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde\\_index.cfm](http://www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm).

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

**Subscription Information: (717) 766-0211  
General Information and Finding Aids: (717) 783-1530**

### Printing Format

*Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code*

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

*Court Rules in Titles 201—246 of the Pennsylvania Code*

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

### Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

### Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

#### § 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

# List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2024.

<b>4 Pa. Code (Administration)</b>	47	3169
<b>Adopted Rules</b>	48	3169
6	7	
7	3018	
<b>Statements of Policy</b>		
9	16, 496, 730, 1334, 2350	
58	1340	
68	1340	
<b>10 Pa. Code (Banking and Securities)</b>		
<b>Statements of Policy</b>		
19	2092	
<b>12 Pa. Code (Commerce, Trade and Local Government)</b>		
<b>Adopted Rules</b>		
145	145	
<b>25 Pa. Code (Environmental Protection)</b>		
<b>Adopted Rules</b>		
102	2776	
<b>Proposed Rules</b>		
801	1953	
<b>28 Pa. Code (Health and Safety)</b>		
<b>Statements of Policy</b>		
51	148	
<b>31 Pa. Code (Insurance)</b>		
<b>Proposed Rules</b>		
37	2492	
37a	2492	
5001	2993	
<b>37 Pa. Code (Law)</b>		
<b>Adopted Rules</b>		
481	3151	
<b>40 Pa. Code (Liquor)</b>		
<b>Adopted Rules</b>		
5	145	
<b>Proposed Rules</b>		
3	722	
5	722	
9	722	
11	722	
<b>49 Pa. Code (Professional and Vocational Standards)</b>		
<b>Adopted Rules</b>		
5	3152	
16	2780	
18	2780	
23	368	
36	3157	
45	375	
<b>Proposed Rules</b>		
25	2798	
27	1060	
35	2806	
40	383	
<b>Statements of Policy</b>		
16	3162	
21	148, 3163	
25	3165	
41	3167	
	49	3169
<b>51 Pa. Code (Public Officers)</b>		
<b>Adopted Rules</b>		
11	2077	
13	2077	
15	2077	
17	2077	
19	2077	
21	2077	
23	2077	
25	2077	
<b>52 Pa. Code (Public Utilities)</b>		
<b>Statements of Policy</b>		
69	1670, 1675, 3036	
<b>55 Pa. Code (Human Services)</b>		
<b>Statements of Policy</b>		
1	148	
4210	1956	
<b>58 Pa. Code (Recreation)</b>		
<b>Adopted Rules</b>		
75	1054	
97	1056	
107	1057	
111	1056, 1058	
133	1315	
135	1316	
139	3021	
141	1318, 1319, 3030, 3033	
617b	1537, 2923	
617c	2923	
623b	2923	
623c	2923	
627b	2923	
627c	2923	
629b	2923	
629c	2923	
631b	2923	
631c	2923	
633b	1537, 2923	
633c	2923	
635b	2923	
635c	2923	
639b	2923	
639c	2923	
641b	2923	
641c	2923	
643b	2923	
643c	2923	
645b	2923	
645c	2923	
647b	2923	
647c	2923	
649b	2923	
649c	2923	
653b	1537, 2923	
653c	2923	
655b	2923	
655c	2923	
657b	2923	
657c	2923	

659b	2923
659c	2923
670b	2923
670c	2923
674b	1537
685b	2923
685c	2923
687b	2923
687c	2923
688b	2923
688c	2923
689	2923
689a	2923
690	1537

**Proposed Rules**

139	1321, 1668
141	1330, 1332
147	3035
603a	2085
633a	2085
687a	2085
812a	2085
819a	2085

**Statements of Policy**

603b	2093
------	------

**61 Pa. Code (Revenue)****Proposed Rules**

5	2996
153	2999

**67 Pa. Code (Transportation)****Adopted Rules**

171a	719
171b	719

**204 Pa. Code (Judicial System General Provisions)****Adopted Rules**

71	138, 2219
81	1946
207	1525
303a	1180

**Proposed Rules**

71	714
81	1041
87	1041

**207 Pa. Code (Judicial Conduct)****Adopted Rules**

1	1296
3	1297

**210 Pa. Code (Appellate Procedure)****Adopted Rules**

65	2481
----	------

**231 Pa. Code (Rules of Civil Procedure)****Adopted Rules**

200	138
Part II	2735

**Proposed Rules**

Part II	1654
---------	------

**234 Pa. Code (Rules of Criminal Procedure)****Adopted Rules**

1	2738
2	2743
4	2738
5	2738, 2743
10	2743

**Proposed Rules**

4	919
7	919
10	919

**237 Pa. Code (Juvenile Rules)****Proposed Rules**

1	2061
16	2065

**246 Pa. Code (Minor Court Civil Rules)****Adopted Rules**

200	2482
300	2482, 3147
500	2482

**Proposed Rules**

200	2344
300	714, 2066, 2344
500	714

**249 Pa. Code (Philadelphia Rules)**

Unclassified	617, 1181
--------------	-----------

**252 Pa. Code (Allegheny County Rules)**

Unclassified	1181, 2748
--------------	------------

**255 Pa. Code (Local Court Rules)**

Unclassified	11, 12, 13, 14, 139, 140, 355, 361, 366, 617, 618, 716, 717, 955, 959, 1042, 1043, 1044, 1046, 1048, 1052, 1185, 1186, 1187, 1190, 1192, 1193, 1303, 1304, 1307, 1311, 1312, 1313, 1525, 1526, 1528, 1529, 1531, 1532, 1535, 1664, 1665, 1666, 1667, 1813, 1814, 1815, 1816, 1818, 1820, 1821, 1824, 1947, 1948, 1950, 1952, 2069, 2073, 2076, 2221, 2223, 2225, 2347, 2348, 2487, 2488, 2489, 2490, 2753, 2755, 2756, 2757, 2758, 2766, 2768, 2770, 2921, 3150
--------------	---



# THE COURTS

## Title 246—MINOR COURT CIVIL RULES

### PART I. GENERAL

[ 246 PA. CODE CH. 300 ]

**Order Amending Rules 301, 302, 321, and 350 and Rescinding Rule 351 of the Pennsylvania Rules of Civil Procedure Governing Actions and Proceedings Before Magisterial District Judges; No. 546 Magisterial Rules Docket**

#### Order

*Per Curiam*

And Now, this 22nd day of May, 2024, upon the recommendation of the Minor Court Rules Committee; the proposal having been published for public comment at 53 Pa.B. 7725 (December 16, 2023):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Pennsylvania Rules of Civil Procedure Governing Actions and Proceedings Before Magisterial District Judges 301, 302, 321, and 350 are amended and Rule 351 is rescinded in the attached form.

This Order shall be processed in accordance with Pa.R.J.A. 103(b), and shall be effective August 1, 2024.

Additions to the rule are shown in bold and are underlined.

Deletions from the rule are shown in bold and brackets.

#### Annex A

### TITLE 246. MINOR COURT CIVIL RULES

#### PART I. GENERAL

#### CHAPTER 300. CIVIL ACTION

#### Rule 301. Definition; Scope.

\* \* \* \* \*

#### Comment:

\* \* \* \* \*

Except as otherwise provided in [ **Rules 350 and 351** ] **Pa.R.Civ.P.M.D.J. 350**, the rules in this chapter apply to [ : (1) ] *de novo* appeals filed pursuant to 75 Pa.C.S. § 3369(j)(4), relating to automated work zone speed enforcement violations[ ; ], and [ (2) **actions filed pursuant to 75 Pa.C.S. § 3345.1(i.1)** ] **75 Pa.C.S. § 3345.1(i.4)**, relating to civil violations for passing a stopped school bus with flashing red signal lights and an activated side stop signal arm.

Statutes authorizing a civil fine or penalty include 53 P.S. §§ 10617.1 and 10817-A relating to violations of zoning and joint municipal zoning ordinances.

#### Historical Commentary

**The following commentary is historical in nature and represents statements of the Committee at the time of rulemaking:**

#### EXPLANATORY COMMENT—1992

**As a result of the computerization of the District Justice offices throughout the Unified Judicial System, the Civil Action Hearing Notice form has been**

**promulgated by Judicial Computer Services (State-wide Automation). Rule 301 recognizes the adoption of the Civil Action Hearing Notice form.**

#### Rule 302. Venue.

\* \* \* \* \*

#### Comment:

This rule combines, with some minor changes, the Pennsylvania Rules of Civil Procedure relating to venue. See:

- (1) Individuals: Pa.R.Civ.P. 1006(a).
- (2) Partnerships: Pa.R.Civ.P. 2130(a).
- (3) Corporations: Pa.R.Civ.P. 2179(a).
- (4) Insurance Policies: Pa.R.Civ.P. 2179(b).
- (5) Unincorporated Associations: Pa.R.Civ.P. 2156(a).
- (6) Political Subdivisions: Pa.R.Civ.P. 2103(b).

This rule is not intended to repeal special statutory venue provisions, such as the: (1) venue provisions for actions involving installment sales of goods and services, 12 Pa.C.S. § 6307; (2) venue provisions of the Fair Debt Collection Practices Act, 15 U.S.C. § 1692i, pertaining to actions brought by debt collectors against consumers; **and** (3) venue provisions for appeals from automated work zone speed enforcement violations, 75 Pa.C.S. § 3369(j)(4)[ ; ] and [ (4) **venue provisions for actions filed pursuant to 75 Pa.C.S. § 3345.1(i.1), relating to** ] **from** civil violations for passing a stopped school bus with flashing red signal lights and an activated side stop signal arm, **75 Pa.C.S. § 3345.1(i.4)**. See Pa.R.Civ.P.M.D.J. 382(1) (pertaining to Acts of Assembly providing for special venue provisions that are not suspended).

\* \* \* \* \*

#### Rule 321. Hearings and Evidence.

The magisterial district judge shall be bound by the rules of evidence, except that a bill, estimate, receipt, or statement of account that appears to have been made in the regular course of business may be introduced in evidence by any party without affidavit or other evidence of its truth, accuracy, or authenticity.

#### Comment:

The exception to the rules of evidence provided by this rule was inserted because the Pennsylvania statutes making certain business entries admissible in evidence apparently do not apply to bills, receipts, and the like that are made in the regular course of business but are not made as “records.” See 42 Pa.C.S. § 6108. The fact that this exception permits the introduction of these items of evidence without affidavit or other evidence of their truth, accuracy, or authenticity does not, of course, preclude the introduction of evidence contradicting them. The exception was deemed necessary because the items of evidence made admissible thereby are probably the proofs most commonly used in minor judiciary proceedings. See [ **Rules 350D(2) and 351(d)** ] **Pa.R.Civ.P.M.D.J. 350(d)(2)** for additional exceptions applicable to appeals from automated work zone speed enforcement violations and [ **actions filed pursuant to 75 Pa.C.S. § 3345.1(i.1), relating to** ] **from** civil violations for passing a stopped school bus with flashing red signal lights and an activated side stop signal arm.

## SATISFACTION OF MONEY JUDGMENTS

Comment:

Rule 350. [ **Automated Work Zone Speed Enforcement Violation** ] Appeals from Civil Traffic Violations.

[ **A.** ] (a) As used in this rule:

(1) “Appellant” means the owner of a vehicle who has requested the appeal of a determination by a hearing officer pursuant to 75 Pa.C.S. § 3369(j)(4), pertaining to automated work zone speed enforcement violations, or 75 Pa.C.S. § 3345.1(i.4)(4), pertaining to civil violations for passing a stopped school bus with flashing red signal lights and an activated side stop signal arm.

(2) “Appellee” means:

(i) in matters brought pursuant to 75 Pa.C.S. § 3369(j)(4), the Pennsylvania Department of Transportation, the Pennsylvania Turnpike Commission, or the system administrator designated by those agencies pursuant to 75 Pa.C.S. § 3369(h)(3)(i) [ . ] ; or

(ii) in matters brought pursuant to 75 Pa.C.S. § 3345.1(i.4)(4), a school entity, as defined in 75 Pa.C.S. § 3345.1(m), or a system administrator that has entered into an agreement with the school entity pursuant to 75 Pa.C.S. § 3345.1(g).

[ **B.** ] (b) *Venue*. An appeal filed pursuant to this rule shall only be filed in the magisterial district court in the magisterial district where the violation of 75 Pa.C.S. § 3369(c) or 75 Pa.C.S. § 3345.1(a.1)(1) occurred.

[ **C.** ] (c) *Notice of Appeal*.

(1) An appellant may appeal a determination of a hearing officer pursuant to 75 Pa.C.S. § 3369(j)(4) or 75 Pa.C.S. § 3345.1(i.4)(4) by filing a notice of appeal on a form prescribed by the State Court Administrator together with a copy of the hearing officer’s determination within 45 days after the date of its issuance.

(2) The appellant shall pay all costs for filing and service of the notice of appeal at the time of filing or, if without the financial resources to pay the costs of litigation, the appellant shall file a petition to proceed *in forma pauperis* pursuant to [ **Rule 206E** ] Pa.R.Civ.P.M.D.J. 206E.

(3) After setting the hearing date pursuant to [ **Rule 305** ] Pa.R.Civ.P.M.D.J. 305, the magisterial district judge shall serve the notice of appeal on the appellee by mailing a copy to the appellee at the address listed on the hearing officer’s determination by certified mail or comparable delivery method resulting in a return receipt in paper or electronic form. The return receipt shall show that the notice of appeal was received by the appellee.

[ **D.** ] (d) *Hearing; Evidence*.

(1) The proceeding shall be conducted *de novo* in accordance with these rules as if the action was initially commenced in a magisterial district court with the appellee having the burden of proof.

(2) The hearing is subject to the standards of evidence set forth in [ **Rule 321** ] Pa.R.Civ.P.M.D.J. 321, except that photographs, videos, vehicle titles, police reports, and records of the Pennsylvania Department of Transportation may also be entered as evidence by any party without affidavit or other evidence of their truth, accuracy, or authenticity.

75 Pa.C.S. § 3369 established a program to provide for automated speed enforcement systems in active work zones on certain highways under the jurisdiction of the Pennsylvania Department of Transportation and the Pennsylvania Turnpike Commission. Similarly, 75 Pa.C.S. § 3345.1 provides for automated side stop signal arm enforcement systems to identify the owners of vehicles failing to stop for a school bus with flashing red lights and an activated side stop signal arm, as well as for the imposition of civil fines upon those found in violation. This rule was adopted to address the statutory provisions [ of the statute ] that [ permits ] permitting a *de novo* appeal to a magisterial district court from a determination of a hearing officer following an administrative hearing to contest an alleged violation of 75 Pa.C.S. § 3369(c) or 75 Pa.C.S. § 3345.1(a.1)(1). Because these actions are *de novo* appeals, they shall proceed as any other civil action commenced in a magisterial district court except as provided by this rule.

Insofar as other procedures under these rules may be applicable, the appellant shall be deemed the “defendant” and the appellee shall be deemed the “plaintiff.”

The initiating document in an appeal filed pursuant to [ **Rule 350** ] Pa.R.Civ.P.M.D.J. 350 is the notice of appeal, which shall be used in lieu of a complaint.

Photographs, videos, vehicle titles, police reports, and records of the Pennsylvania Department of Transportation were added to the existing business record exceptions in [ **Rule 321** ] Pa.R.Civ.P.M.D.J. 321 because they are the proofs most likely to be used to support the permitted defenses to 75 Pa.C.S. § 3369(c) and 75 Pa.C.S. § 3345.1(a.1)(1).

The appellant shall pay civil fines incurred pursuant to 75 Pa.C.S. § 3369(e) or 75 Pa.C.S. § 3345.1(c) to the appellee and not to the magisterial district court. *See* Pa.R.Civ.P.M.D.J. 323, cmt. (clarifying that payments are made to the prevailing party and not the magisterial district court). If the magisterial district judge enters judgment in favor of the appellant, *i.e.*, the vehicle owner, the appellant is entitled to recover taxable costs from the appellee. *See* Pa.R.Civ.P.M.D.J. 206B (“[T]he prevailing party in magisterial district court proceedings shall be entitled to recover taxable costs from the unsuccessful party. Such costs shall consist of all filing, personal service, witness, and execution costs authorized by Act of Assembly or general rule and paid by the prevailing party.”) Procedures for enforcement of judgments, including judgments in favor of the appellant for taxable costs from the appellee, are set forth in [ **Rules 401 et seq.** ] Pa.R.Civ.P.M.D.J. 401 et seq. *See* 75 Pa.C.S. §§ 3345.1(i.4)(4) and 3369(j)(4) for limits on the judgment.

*See* [ **Rules 1001 et seq.** ] Pa.R.Civ.P.M.D.J. 1001 et seq. for procedures to appeal a judgment rendered by a magisterial district judge or to file a *praecipe* for a writ of *certiorari* in civil actions, including actions brought pursuant to this rule.

**Rule 351. [ Action to Contest Civil Liability for Passing a School Bus with Flashing Red Lights and an Activated Side Stop Signal Arm; Failure to Respond to a Notice of Violation. ] [Rescinded].**

[ (a) As used in this rule:

(1) “Vehicle owner” means the owner of a vehicle alleged to have violated 75 Pa.C.S. § 3345, relating to enforcement of failure to stop for a school bus with flashing red lights and an activated side stop signal arm, brought pursuant to 75 Pa.C.S. § 3345.1.

(2) “Police department” means the police department issuing the notice of violation of 75 Pa.C.S. § 3345, relating to enforcement of failure to stop for a school bus with flashing red lights and an activated side stop signal arm, brought pursuant to 75 Pa.C.S. § 3345.1.

(b) *Venue*. An action filed pursuant to this rule shall only be filed in the magisterial district court in the magisterial district where the alleged violation of 75 Pa.C.S. § 3345 occurred.

(c) *Proceedings*.

(1) *Vehicle Owner Request to Contest Liability*.

(i) A vehicle owner may contest the liability alleged in the notice of violation within 30 days of the mailing of the notice of violation by filing a hearing request form prescribed by the State Court Administrator together with a copy of the notice of violation.

(ii) The vehicle owner shall pay all costs for filing and service of the hearing request form at the time of filing or, if without the financial resources to pay the costs of litigation, the vehicle owner shall file a petition to proceed *in forma pauperis* pursuant to Rule 206E.

(iii) After setting the hearing date pursuant to Rule 305, the magisterial district judge shall serve the hearing request on the police department by mailing a copy to the police department at the address listed on the notice of violation by certified mail or comparable delivery method resulting in a return receipt in paper or electronic form. The return receipt shall show that the hearing request was received by the police department.

(2) *Vehicle Owner Fails to Respond to Notice of Violation*. If the vehicle owner fails to respond to the notice of violation within 30 days of the original notice by either paying the fine as indicated on the notice of violation or contesting liability as provided in subdivision (c)(1), the police department may file a civil complaint against the vehicle owner pursuant to Rule 303.

(d) *Evidence*. The hearing is subject to the standards of evidence set forth in Rule 321, except that photographs, videos, vehicle titles, police reports, and records of the Pennsylvania Department of Transportation may also be entered as evidence by any party without affidavit or other evidence of their truth, accuracy, or authenticity.

Comment

75 Pa.C.S. § 3345.1 provides for automated side stop signal arm enforcement systems to identify and civilly fine the owners of vehicles failing to stop for a school bus with flashing red lights and an activated side stop signal arm. This rule was adopted to address the provisions of the statute that (1) allow a vehicle owner to contest liability for a notice of violation and (2) establishes a mechanism for a police department to file a complaint when a vehicle owner has failed to respond to a notice of violation.

Insofar as other procedures under these rules may be applicable, the vehicle owner shall be deemed the “defendant” and the police department shall be deemed the “plaintiff.”

A vehicle owner issued a notice of violation under 75 Pa.C.S. § 3345.1 may contest liability by requesting a hearing with the magisterial district judge in the magisterial district where the violation occurred. The initiating document in an action filed by a vehicle owner to contest liability is the hearing request form, which shall be used in lieu of a complaint.

If the magisterial district judge finds the vehicle owner liable for the violation, the vehicle owner shall pay civil fines incurred pursuant to 75 Pa.C.S. § 3345.1(c) to the police department and not to the magisterial district court. See Rule 3.10(A)(2) of the Rules Governing Standards of Conduct of Magisterial District Judges (prohibiting a magisterial district judge from engaging in any activity related to the collection of a claim or judgment for money); see also Pa.R.Civ.P.M.D.J. 323, Comment (“The payments are to be made to the plaintiff and not to the magisterial district judge”).

If the magisterial district judge enters judgment in favor of the vehicle owner, the vehicle owner is entitled to recover taxable costs from the police department. See Pa.R.Civ.P.M.D.J. 206B (“The prevailing party in magisterial district court proceedings shall be entitled to recover taxable costs from the unsuccessful party. Such costs shall consist of all filing, personal service, witness, and execution costs authorized by Act of Assembly or general rule and paid by the prevailing party.”). Procedures for enforcement of judgments, including judgments in favor of the plaintiff for taxable costs from the defendant, are set forth in Rules 401 *et seq.*

If the vehicle owner fails to respond to the notice of violation within 30 days of the original notice by either paying the fine as indicated on the notice of violation or contesting liability as provided in subdivision (c)(1), the police department may file a civil complaint against the vehicle owner in the magisterial district where the violation occurred pursuant to Rule 303. See 75 Pa.C.S. § 3345.1(i.1)(2)(iii). A complaint filed by a police department to enforce a notice of violation when the vehicle owner failed to respond will proceed as any other civil action filed pursuant to Rule 303 except as otherwise provided in this Rule. See also Pa.R.Civ.P.M.D.J. 206 (pertaining to costs).

Photographs, videos, vehicle titles, police reports, and records of the Pennsylvania Department of Transportation were added to the existing business record exceptions in Rule 321 because they are the proofs most likely to be used to support the permitted defenses to 75 Pa.C.S. § 3345.1(c).

See Rules 1001 *et seq.* for procedures to appeal a judgment rendered by a magisterial district judge or to file a *praecipe* for a writ of *certiorari* in civil actions, including actions brought pursuant to this rule. ]

Comment:

Provisions of former Pa.R.Civ.P.M.D.J. 351 were incorporated in Pa.R.Civ.P.M.D.J. 350.

**SUPREME COURT OF PENNSYLVANIA  
MINOR COURT RULES COMMITTEE  
ADOPTION REPORT**

**Amendment of Rules 301, 302, 321, and 350 and  
Rescission of Rule 351 of the Pennsylvania Rules of  
Civil Procedure Governing Actions and  
Proceedings Before Magisterial District Judges**

On May 22, 2024, the Supreme Court amended Rules 301, 302, 321, and 350 and rescinded Rule 351 of the Pennsylvania Rules of Civil Procedure Governing Actions and Proceedings Before Magisterial District Judges, pertaining to civil enforcement of traffic violations. The Minor Court Rules Committee has prepared this Adoption Report describing the rulemaking process. An Adoption Report should not be confused with Comments to the rules. *See* Pa.R.J.A. 103, cmt. The statements contained herein are those of the Committee, not the Court.

Two legislative enactments created civil enforcement mechanisms for certain traffic violations. Act 86 of 2018 authorized the use of automated work zone speed enforcement systems in active work zones along the Pennsylvania Turnpike and “[f]ederal aid highways only under the jurisdiction of [PennDOT].” *See* 75 Pa.C.S. § 3369(a). Act 38 of 2020 authorized the use of automated enforcement systems on school buses to identify and issue violations to the owners of vehicles passing a stopped school bus when the red signal lights on the school bus are flashing and the side stop signal arms are activated. *See* 75 Pa.C.S. § 3345.1(a), (c). Both Acts included appeals of violations to magisterial district courts, which necessitated rulemaking to accommodate these new civil appeals.

Variations in the Acts necessitated the promulgation of distinct procedural rules relating to appeal procedures. *See* Pa.R.Civ.P.M.D.J. 350-351 (rules pertaining to automated work zone violation appeals and school bus violation appeals, respectively). For example, challenges to work zone violations are initiated by a filing a request for an administrative hearing before a hearing officer with a subsequent *de novo* appeal available before a magisterial district judge. *See* 75 Pa.C.S. § 3369(j). In contrast, appeals from school bus violations could be filed directly with the magisterial district court. *See* 75 Pa.C.S. § 3345.1(i.1)(3)(i) (effective through December 21, 2023). Section 3345.1 also contained a unique provision permitting the “the police department [to] turn the matter over to the magisterial district judge where the violation occurred” when the vehicle owner did not pay the fine or contest liability. 75 Pa.C.S. § 3345.1(i.1)(2)(iii).

Act 19 of 2023, adopted on October 23, 2023, reconciled differences in the appeal processes of the two enforcement schemes. It amended § 3345.1 to require a vehicle owner appeal a school bus violation to an administrative hearing officer before filing a *de novo* appeal with the magisterial district court. *See* 75 Pa.C.S. § 3345.1(i.4). It also eliminated the action before the magisterial district judge to collect unpaid fines.

With § 3369 and § 3345.1 nearly identical, the Committee drafted a proposal to rescind Pa.R.Civ.P.M.D.J. 351 and incorporate its provisions relating to school bus violation appeals into Pa.R.Civ.P.M.D.J. 350. It was the Committee’s intent to create a single rule addressing appeal procedures in civil traffic enforcement matters that can accommodate new programs in the future.

One topic where § 3369 and § 3345.1 did not align initially was the time for appealing a case to a magisterial district judge. Section 3369 was silent on the appeal period, while § 3345.1(i.4)(4) provided for a 45-day appeal

period. The Committee believed appeals from hearing officer determinations in both work zone and school bus violation cases should be uniform and proposed a 30-day appeal period for both actions.

The Committee published the proposed amendments at 53 Pa.B. 7725 (December 16, 2023). As published, the proposal included an amendment to Pa.R.Civ.P.M.D.J. 381 to suspend 75 Pa.C.S. § 3345.1(i.4)(4), which provides for a 45-day appeal period from the issuance of the hearing officer determination in a school bus violation appeal, in favor of a 30-day appeal period applicable to both work zone and school bus violations. However, post-publication, the General Assembly further amended the work zone statute, 75 Pa.C.S. § 3369(j)(4), to allow a vehicle owner 45 days to appeal from a determination of a hearing officer to the magisterial district court. *See* Act of December 14, 2023, P.L. 344, No. 38, § 2. This eliminated the conflict between the work zone and school bus statutes with respect to the time for appeal.

The Committee considered whether it should recommend suspension of the 45-day appeal period to the Court. While 45 days is beyond the range of most other appeal periods, the Committee could not identify a compelling reason to recommend suspension of the 45-day period and instead require a 30-day appeal period. The Committee was further guided by the Court’s recent adoption of amendments to the Rules of Appellate Procedure establishing a 45-day period for a petition for review of a determination by “a criminal justice agency with statewide jurisdiction denying a request for dissemination of criminal history investigative information, in accordance with 18 Pa.C.S. § 9158.4, shall be filed within 45 days after service of the denial.” Pa.R.A.P. 1512(b)(4).

Act 38 of 2023 also eliminated a second conflict between the work zone and school bus statutes relating to damage awards to a vehicle owner. There were reports that some of the early school bus appeal cases resulted in monetary judgments for vehicle owners in excess of cost recovery as permitted by Pa.R.Civ.P.M.D.J. 206B. In response, the General Assembly added a provision to the school bus statute and, more recently, to the work zone statute limiting the magisterial district judge to finding an owner liable or not liable for violating this section. 75 Pa.C.S. § 3345.1(i.4), 75 Pa.C.S. § 3369(j)(4). As published, the comment to proposed Pa.R.Civ.P.M.D.J. 350 included a cross-reference to § 3345.1(i.4)(4), pertaining to limits on the judgment. Post-publication, a similar cross-reference to § 3369(j)(4) was added to the comment.

These rule changes become effective on August 1, 2024.

[Pa.B. Doc. No. 24-787. Filed for public inspection June 7, 2024, 9:00 a.m.]

## Title 255—LOCAL COURT RULES

### CLINTON COUNTY

#### Amendment of Local Rule 1920.51; No. AD-427-2024

##### Administrative Order of Court

*And Now*, this 23rd day of May, 2024, the Court hereby amends Local Rule of Civil Procedure 1920.51 in accordance with the following, effective thirty (30) days after the publication of same in *The Pennsylvania Bulletin*.

Erin J. Karmen, Esquire, Judicial Law Clerk, is Ordered and Directed to do the following:

1. File one (1) copy of this Order and the following Amended Local Rule 1920.51 with the Administrative Office of Pennsylvania (AOPC) via email to adminrules@pacourts.us.

2. File one (1) copy of this Order and the following Amended Local Rule 1920.51 with the Legislative Bureau for publication in *The Pennsylvania Bulletin*.

3. Publish a copy of this Order and the following Amended Local Rule 1920.51, on the Clinton County Court website.

*By the Court*

CRAIG P. MILLER,  
*President Judge*

**Rule 1920.51. Hearing by Permanent Hearing Officer.**

(A) The Court of Common Pleas of Clinton County [ **shall** ] **may** appoint a Hearing Officer to hear the following issues concerning divorce matters pending before the Court:

- (1) Alimony;
- (2) Equitable Distribution of Marital Property;
- (3) Counsel Fees;
- (4) Costs and Expenses;
- (5) Divorce pursuant to § 3301(a) or § 3301(b) of the Divorce Code; and

(6) Any allegations in any Counter-Affidavit denying the averments in the Affidavit and action under § 3301(c)(2) or § 3301(d) of the Divorce Code, including the date of separation.

(B) Any party may request a hearing before the Hearing Officer on the above issues by filing a motion in the Office of the Prothonotary requesting that the Court Administrator schedule said proceeding.

[Pa.B. Doc. No. 24-788. Filed for public inspection June 7, 2024, 9:00 a.m.]

**SUPREME COURT**  
**Title 37—LAW**

**PENNSYLVANIA COMMISSION ON CRIME AND  
DELINQUENCY**

[ 37 PA. CODE CH. 481 ]

**Preliminary Standards for Delivery of Effective  
Indigent Defense Services Pursuant to Act 34 of  
2023, Article II-F, Indigent Defense; No. 617  
Judicial Administration Docket**

**Order**

*Per Curiam*

*And Now*, this 29th day of May, 2024, pursuant to Article V, Section 10 of the Constitution of Pennsylvania and in the interests of justice and efficient administration pursuant to Pa.R.J.A. 103(a)(3),

*It Is Ordered* that, in accordance with Section 203-F(i)(3) of Act 34 of 2023, and in response to the submission of the Indigent Defense Advisory Committee

(IDAC) as approved by the Pennsylvania Commission on Crime and Delinquency (PCCD), preliminary standards for the delivery of effective indigent defense services in the Commonwealth of Pennsylvania are adopted in the attached form.

These preliminary standards are adopted solely for the purpose of providing guidance to IDAC and PCCD regarding Indigent Defense Grant Program applications submitted in fiscal year 2023-24.

These preliminary standards are aspirational in nature. Adoption of these preliminary standards is not a determination of the constitutionality of Act 34, or any of its provisions, under the Pennsylvania Constitution or the Constitution of the United States, and does not create or determine any legal rights.

This *Order* shall be processed in accordance with Pa.R.J.A. 103(b), and shall be effective immediately.

**Annex A**

**TITLE 37. LAW**

**PART VI. COMMISSION ON CRIME AND  
DELINQUENCY**

**CHAPTER 481. INDIGENT DEFENSE**

**Subchapter A. Indigent Defense Advisory  
Committee**

**Preliminary Standards for Delivery of Effective  
Indigent Defense Services**

**§ 481.21. Standard 1: Funding, structure and oversight.**

Where county case volume allows, indigent defense should be a mixed system: primarily dedicated public defender offices, augmented by additional court appointed/conflict counsel to handle overflow and conflict of interest cases. The compensation for lawyers working for public defender offices should be appropriate for and comparable to other publicly funded lawyers. Court appointed/conflict counsel should be paid a reasonable fee, in a timely manner, that reflects the cost of overhead and other office expenses, as well as payment for work. Investigators, social workers, experts and other staff and service providers necessary to indigent defense for all indigent defense providers should also be compensated in a manner consistent with this principle.

**§ 481.22. Standard 2: Essential Components of Effective Representation.**

Indigent defense providers should adopt a client-centered approach to representation based around a client's needs and working with them to achieve their goals. Indigent defense providers should have the assistance of investigators, social workers, mitigation specialists, experts and other specialized professionals necessary to meet indigent defense needs. Funding for such services should be provided to and controlled by indigent defense providers. Indigent defense providers should address collateral issues that are relevant to their clients' cases. Indigent defense providers can offer direct assistance with such issues or establish collaborations with, or provide referrals to civil legal services organizations, social services providers and other lawyers and non-lawyer professionals.

[Pa.B. Doc. No. 24-789. Filed for public inspection June 7, 2024, 9:00 a.m.]

# RULES AND REGULATIONS

## Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

### STATE BOARD OF CHIROPRACTIC

#### [ 49 PA. CODE CH. 5 ]

#### Fees

The State Board of Chiropractic (Board) and the Acting Commissioner of the Bureau of Professional and Occupational Affairs (Commissioner) amend Chapter 5 (relating to State Board of Chiropractic) by amending §§ 5.6, 5.15 and 5.16 (relating to fees; licensure examinations; and failure on examination; reexamination) to read as set forth in Annex A.

#### *Effective Date*

This final-form rulemaking will be effective upon publication in the *Pennsylvania Bulletin*. The first graduated increases for application fees will be implemented on the date of publication of this final-form rulemaking in the *Pennsylvania Bulletin*, and then subsequently increased a second time on July 1, 2026, and a third time on July 1, 2028.

The increased biennial registration fees will be effective upon publication of this final-form rulemaking in the *Pennsylvania Bulletin*, enabling the Board to implement the first increase for the September 2, 2024—September 1, 2026, biennial registration period. This first increase will impact licenses that expire on September 1, 2024. The fee will subsequently increase a second time for the September 2, 2026—September 1, 2028, biennial registration, impacting licenses that expire on September 1, 2026, and then increase a third time for the September 2, 2028—September 1, 2030, biennial registration period, impacting licenses that expire on September 1, 2028, and thereafter.

#### *Statutory Authority*

Under section 302(3) of the Chiropractic Practice Act (act) (63 P.S. § 625.302(3)), the Board is authorized to promulgate rules and regulations necessary to carry out the act. Under section 1101(a) of the act (63 P.S. § 625.1101(a)), the Board shall, by regulation, fix the fees required for examination, licensure, renewal of licenses and limited licenses. Section 1101(b) of the act provides that if the revenues raised by fees, fines and civil penalties imposed are not sufficient to meet expenditures over a 2-year period, the Board shall increase those fees by regulation so that the projected revenues will meet or exceed projected expenditures. Additionally, section 502 of the act (63 P.S. § 625.502) provides the nature and content of the examination.

The Commissioner is appointed by the Governor and has a number of powers and duties. Specifically, under section 810(a)(7) of The Administrative Code of 1929 (71 P.S. § 279.1(a)(7)), the Commissioner has the power and duty, “[u]nless otherwise provided by law, to fix the fees to be charged by the several professional and occupational examining boards within the department.”

#### *Background and Need for this Final-Form Rulemaking*

This final-form rulemaking increases application fees to reflect updated costs of processing applications and increases the Board’s biennial registration fees to ensure its

revenue meets or exceeds its current and projected expenses. The Board last increased its fees in 1996.

This final-form rulemaking increases the following application fees on a graduated basis: application for chiropractic licensure by examination; application for chiropractic licensure by reciprocity; application for certification to use adjunctive procedures; and application for continuing education course approval. Approximately 916 applicants will be impacted annually by the increased application fees.

The Board is also implementing a graduated biennial registration fee increase for chiropractors. There are approximately 4,011 licensed chiropractors who will be required to pay more for biennial registration. Chiropractic licenses expire on September 1 of every even numbered year. The first of three graduated biennial registration fee increases will be implemented and in effect for the September 2, 2024—September 1, 2026, biennial registration period.

Finally, this final-form rulemaking eliminates references to the Pennsylvania Chiropractic Law Examination (PCLE), including the PCLE fee, to reflect the Board’s current license application procedure. Other health boards under the Bureau of Professional and Occupational Affairs (Bureau) do not perform this type of testing and the Board no longer believes testing an applicant’s knowledge of Pennsylvania law is a necessary component of licensure.

The Board’s operations are supported from the revenue it generates through fees, fines and civil penalties. The act provides that the Board shall increase fees when expenditures outpace revenue. The majority of general operating expenses of the Board are borne by the licensee population through revenue generated by the biennial registration of licenses. A small percentage of its revenue comes from application fees, fines and civil penalties. Board expenses are the result of direct charges, timesheet-based charges and licensee-based charges.

The Board receives an annual report from the Department of State’s Bureau of Finance and Procurement (BFP) regarding the Board’s income and expenses. The BFP presented the following information to the Board at its public meeting on February 24, 2022.

In fiscal years (FY) 2018-2019 and 2019-2020, the Board incurred expenses of \$535,006.75 and \$581,536.81, respectively, and received \$884,530.72 and \$43,090.33 in revenue, respectively. In other words, over that 2-year time frame, the Board’s total expenses (\$1,116,543.56) outpaced its total revenue (\$927,621.05) by \$188,922.51. The Board’s overall remaining balance at the end of FY 2019-2020 was \$1,685,626.02.

In FYs 2020-2021 and 2021-2022, the Board’s expenses were \$563,936.23 and \$540,000 (projected), respectively, with revenues of \$854,455.90 and \$43,000 (projected), respectively. In other words, over that 2-year time frame, the Board’s total expenses (\$1,103,936.23) outpaced its total revenue (\$897,455.90) by \$206,480.33. The Board’s overall remaining balance at the end of FY 2021-2022 was \$1,479,145.69.

In FYs 2022-2023 and 2023-2024, the Board’s expenses were projected to be \$581,000 and \$556,000, respectively, with revenues projected to be \$890,000 and \$43,000, respectively, meaning for that 2-year time frame, the Board’s total expenses (\$1,137,000) are projected to out-

pace its total revenue (\$933,000) by \$204,000. The Board's overall remaining balance at the end of FY 2023-2024 is projected to be \$1,275,145.69.

According to the BFP's projections, if the Board were to keep its current fee structure in place (no increases for any of its fees), the Board's annual revenue would remain at \$933,000 for each of the next 6 years. However, its expenses are projected to grow each year, so that the amount the Board would be spending above and beyond its revenue would become increasingly larger each successive year. The Board's projected revenue would fall short of meeting its expenses by \$238,000 in FY 2024-2025/FY 2025-2026, then by \$273,000 in FY 2026-2027/FY 2027-2028, and then by \$309,000 in FY 2028-2029/FY 2029-2030. Those projections also show a significant reduction in the Board's overall remaining balance, which by the end of FY 2029-2030 would be down to \$455,145.

Given that its revenues generated by fees, fines and civil penalties are not sufficient to meet expenditures over a 2-year period, the Board voted on February 24, 2022, to adopt the proposed graduated fee increases for application and biennial registration fees contained in the BFP's report.

*Summary of Comments and the Board's Response*

Notice of the proposed rulemaking was published at 53 Pa.B. 4420 (August 5, 2023). The Board received comments from the Pennsylvania Chiropractic Association (PCA) and the American Chiropractic Association (ACA). The Board did not receive any comments from the Consumer Protection and Professional Licensure Committee (SCP/PLC) of the Senate or the Professional Licensure Committee (HPLC) of the House of Representatives. The Independent Regulatory Review Commission (IRRC) reviewed the proposed rulemaking and provided comments and recommendations as well.

PCA, the ACA and IRRC commented on § 5.6(a), specifically the proposed fee for "continuing education course approval" which will incrementally increase the current fee of \$30 per application to \$100 for FY 2024-2025 and FY 2025-2026, to \$110 for FY 2026-2027 and 2027-2028, and finally to \$120 for FY 2028-2029 and thereafter. Each year, the Board receives approximately 600 applications for approval of continuing education courses (or about 1,200 biennially). Accordingly, the proposed fee increases will generate additional revenue as follows:

FY 2024-2025 through FY 2025-2026: The fee increase from \$30 to \$100 will generate an additional \$84,000 in fees as compared to FY 2022-2023 through FY 2023-2024.

FY 2026-2027 through FY 2027-2028: The fee increase from \$100 to \$110 will generate an additional \$12,000 in fees as compared to FY 2024-2025 through FY 2025-2026.

FY 2028-2029 through FY 2029-2030: The fee increase from \$110 to \$120 will generate an additional \$12,000 in fees as compared to FY 2026-2027 through FY 2027-2028.

PCA commented that the fee increase should be reflected in a "tiered manner" specific to "per credit" ranges, as opposed to "per course" (or "per application"). IRRC requested that the Board address PCA's comment and explain why the Board's proposed fees are reasonable. For the following reasons, the Board is not amending § 5.6(a) in this final-form rulemaking: (1) this final-form rulemaking increases application fees to reflect updated costs

of processing an application; and (2) to adopt PCA's proposed "per credit" approach would deviate from the Bureau's standard "per application" approach, which would require some applicants to pay more to submit the application than it would cost the Bureau to process the application. The cost to the Bureau to process an application for approval of a program of continuing chiropractic education is approximately the same regardless of the length of the course itself. It is Bureau policy that an applicant pay the approximate cost to the Bureau to process that specific application. It would be inequitable to charge an applicant (for example) \$50 to process an application for a 1-hour course that costs the Bureau \$100 to process; or to charge an applicant \$150 to process an application for a 3-hour course that only costs the Bureau \$100 to review.

When the BFP determines that the Board's fees must be increased to cover its costs of operation, the BFP calculates the true cost to the Board/Bureau to process each application, and this calculation is provided to the Board in "fee report forms" generated by the BFP. With respect to the Board's fee for "Application for Continuing Education Program," the BFP presented the Board with the following information and recommendation:

*Fee Objective:*

The fee should (1) offset the identifiable costs incurred by the Board to process an application and (2) defray a portion of the Board's administrative overhead.

*Fee-Related Activities and Costs:*

Staff time-process application	(1 hour)	\$46.24
Board Administrator review	(.25 hour)	\$14.16
Board Member review	(.25 hour)	\$26
Transaction fee		\$2.50
Administrative Overhead:		\$10
Total Estimated Cost:		\$98.90
Proposed Fee:		\$100

*Analysis, Comment and Recommendation:*

It is recommended that a fee of \$100 be established for processing an application for the Continuing Education Program.

Accordingly, the Board has adopted the BFP's recommendation and increases its application fees to reflect the updated costs of processing these applications. Therefore, the Board is not amending § 5.6(a) in this final-form rulemaking.

PCA also commented that "90 days lead time to approve [continuing education applications] is far too long." Section 507(c) of the act (63 P.S. § 625.507(c)) provides that continuing education course providers submit to the Board, in writing, the information detailed in section 507(c)(1)—(3) at least 90 days prior to the date on which the program is scheduled to be presented. Accordingly, § 5.73(a) (relating to application for approval of continuing education courses; attendance certificates) provides that continuing education course providers submit applications for course approval with the required fee to the Board at least 90 days prior to the scheduled date of the program. Therefore, because the 90 days "lead time" is a statutory requirement, the Board cannot deviate from this requirement in its regulations.

The ACA commented that the proposed fee for "continuing education course approval" will make the delivery of affordable, quality, approved continuing education credits

to licensed Doctors of Chiropractic in the Commonwealth a cost-prohibitive undertaking. Additionally, the ACA proposed the Board consider the continuing education models of several other states, namely Colorado, Delaware and Illinois, described by the ACA as “where the rules, regulations, or administrative codes of each state promulgate the standards of acceptable, board-approved continuing education courses or credits, the subject areas that should be covered, and the responsibility of the licensee to select courses that align with these standards.” IRRC requested that the Board address the ACA’s alternative approach and explain why the proposed fees are reasonable.

In this Commonwealth, as a condition of biennial renewal, under section 507(a) of the act licensees must complete at least 24 hours of continuing chiropractic education within the immediately preceding 2-year period, and under section 507(b) of the act licensees may receive credit for only those hours of continuing chiropractic education in programs approved by the Board and for only those hours directed toward keeping the licensee apprised of advancements and new developments in chiropractic which build upon the basic courses required to practice chiropractic. However, while the Board is empowered to approve continuing education programs, section 507(c) and (d) of the act, specify:

(c) *Application by sponsors.*—Prior to receiving board approval for a program of continuing chiropractic education, a sponsor shall submit to the board, in writing, the following information at least 90 days prior to the date on which the program is scheduled to be presented:

(1) Evidence that the sponsor’s program would be directed toward keeping the licensee apprised of advancements and new developments in chiropractic which build upon the basic courses required to practice chiropractic and which are in the areas specified in subsection (b).

(2) A detailed course outline or syllabus, including such items as methods of instruction and testing materials, if any.

(3) A current curriculum vitae of each instructor, speaker or lecturer appearing in the program.

(d) *Action on application.*—The board shall notify each sponsor, in writing, of approval or disapproval of the application within 45 days of the receipt of the application. If an application is disapproved, the board shall detail the reasons for disapproval in order that the sponsor may cure any defect and submit an amended application in a timely manner.

Accordingly, while the act affords the Board a great deal of latitude to determine what constitutes acceptable continuing education, the act also requires that sponsors of continuing education submit written applications for continuing education program approval to the Board at least 90 days prior to the date on which the program is scheduled to be presented.

The relevant Colorado statute (C.R.S. § 12-215-113) directs the Colorado board to prepare an annual educational schedule of minimum postgraduate requirements, and the Colorado board’s regulations (3 CCR 707-1:1.10(D)) state that a licensee is responsible for ensuring that continuing education courses comply with the requirements and section 12-215-113, C.R.S., which requires that each licensed chiropractor complete (biennially) 30 hours of scientific clinics, forums, or chiropractic educational study consisting of subjects basic to the field

of the healing arts. Moreover, the regulations indicate that the Colorado board does not pre-approve continuing education courses, curriculum or programs. Accordingly, like section 507(b) of the act, the Colorado statute affords the Colorado board a great deal of latitude to determine what constitutes acceptable continuing education. However, unlike section 507(c) and (d) of the act which provide that sponsors of continuing education receive Board approval for each program of continuing chiropractic education, the Colorado board shifts the burden to the licensees to ensure that continuing education courses comply with the requirements.

The relevant Delaware statute (24 Del.C. § 706(a)(10)) empowers the Delaware board to provide for the rules for continuing education, and the Delaware board’s regulations require that licensees complete 24 hours of approved CE during each biennial licensing period (24 Del. Admin. Code 700-2.1), and that those continuing education courses contribute directly to the competency of a person licensed to practice as a chiropractor (24 Del. Admin. Code 700-2.1.8). Furthermore, the regulations indicate that courses co-sponsored by accredited chiropractic colleges, National or states organizations are presumptively approved (24 Del. Admin. Code 700-2.1.7). Accordingly, like section 507(b) of the act, the Delaware statute affords the Delaware board a great deal of latitude to determine what constitutes acceptable continuing education. However, unlike section 507(c) and (d) of the act which provide that sponsors of continuing education receive Board approval for each program of continuing chiropractic education, the Delaware board has “pre-approved” courses co-sponsored by accredited chiropractic colleges, National or states organizations.

The relevant Illinois statute (225 ILCS 60/20) directs the Illinois board to promulgate rules of continuing education which require that licensees complete an average of 50 hours of continuing education per license year, and the statute requires that the rules assure that licensees are given the opportunity to participate in those programs sponsored by or through their professional associations or hospitals which are relevant to their practice. The relevant rule (68 Ill. Adm. Code 1285.110(b)) allows licensees to obtain continuing education credit hours by completing formal continuing education programs conducted or endorsed by hospitals, specialty societies, medical, chiropractic or osteopathic colleges, schools or education programs, or specialty boards and professional associations. Accordingly, like section 507(b) of the act, the Illinois statute affords the Illinois board a great deal of latitude to determine what constitutes acceptable continuing education. However, unlike section 507(c) and (d) of the act which provide that sponsors of continuing education receive Board approval for each program of continuing chiropractic education, the Illinois board is required to accept continuing education programs sponsored by or through professional associations or hospitals. The Illinois board expanded the list of “pre-approved” providers of continuing education through its regulations.

Ultimately, to sum it all up, the Colorado board is empowered to shift the burden to licensees to ensure that continuing education courses comply with the requirements; the Board is not. The Delaware and Illinois boards are empowered to “pre-approve” sponsors or providers of continuing education programs; the Board is not.

Due to the specific application requirements set forth in section 507(c) and (d) of the act, the Board is not empowered to adopt the continuing education models of Colorado, Delaware or Illinois. Consequently, the Board



has not amended this final-form rulemaking and finds the fee to be reasonable given the costs incurred by the Board to process an application for continuing education program approval. It would be inequitable to expect licensees of the Board to underwrite the costs of approval of continuing education programs through their biennial registration fees. In addition, a \$100 fee for approval of a continuing education course is comparable to the fees paid by other professions under the Bureau. For example, the State Board of Massage Therapy's regulation at § 20.3 (relating to fees) sets forth a \$100 fee for approval of a continuing education program; the State Board of Podiatry's regulation at § 29.13 (relating to fees) sets forth a fee of \$75 for applications for approval of educational conference; and the State Board of Veterinary Medicine's regulation at § 31.41 (relating to fees) is being amended to increase its fee for application for continuing education program approval from \$35 to \$108. As each of these boards also set their fees based on the cost of processing the application for approval, and these fees are fairly comparable, the Board finds the \$100 fee to be reasonable.

*Fiscal Impact and Paperwork Requirements*

The amendments will increase application and biennial registration fees on a graduated basis. Applicants, licensees and registrants will be required to comply with this final-form rulemaking. The fees may be paid by applicants, licensees or registrants or may be paid by their employers, should their employers choose to pay these fees. This final-form rulemaking should have no other fiscal impact on the private sector, the general public or political subdivisions of the Commonwealth.

Approximately 916 applicants will be impacted by the increased application fees. Specifically, the number of applicants affected are as follows: 175 applications for licensure by exam; 15 applications for licensure by reciprocity; 126 applications for certification to use adjunctive procedure; and 600 applications for continuing education course approvals.

Based upon the graduated application fee increases, the total economic impact is as follows:

FYs 2024-2025 and 2025-2026:	\$134,710
FYs 2026-2027 and 2027-2028:	\$18,440
FYs 2028-2029 and 2029-2030:	\$19,102
Total:	\$172,252

Licensed chiropractors will be impacted by the increased biennial registration fees. Based upon the above graduated increases, the economic impact is as follows:

FYs 2024-2025 and 2025-2026:	\$57,150
FYs 2026-2027 and 2027-2028:	\$60,960
FYs 2028-2029 and 2029-2030:	\$64,770
Total:	\$182,880

Thus, the total economic impact to applicants, licensees, registrants or employers (if employers choose to pay application or biennial registration fees) is \$355,132. This amount reflects the economic impact that will occur as a result of the fee increases between FY 2024-2025 and FY 2029-2030.

This final-form rulemaking will require the Board revise certain applications and biennial registration forms to reflect the new fees; however, the amendments will not create additional paperwork for the regulated community or for the private sector.

*Sunset Date*

The Board continuously monitors the effectiveness of its regulations. Therefore, no sunset date has been assigned. Additionally, the BFP provides the Board with an annual report detailing the Board's financial condition. In this way, the Board continuously monitors the adequacy of its fee schedule.

*Regulatory Review*

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on July 25, 2023, the Board submitted a copy of the notice of proposed rulemaking, published at 53 Pa.B. 4420 and a copy of a Regulatory Analysis Form to IRRC and to the chairperson of the SCP/PLC and chairperson of the HPLC. A copy of this material is available to the public upon request.

Under section 5(c) of the Regulatory Review Act (71 P.S. § 745.5(c)), the Board shall submit to IRRC, the SCP/PLC and the HPLC, copies of comments received as well as other documents when requested. In preparing this final-form regulation, the Board has considered all comments from IRRC, the SCP/PLC, the HPLC and the public.

Under section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)), on March 15, 2024, the Board delivered this final-form rulemaking to IRRC, the SCP/PLC and the HPLC. Under section 5.1(j.2) of the Regulation Review Act, the final-form rulemaking was deemed approved by the SCP/PLC and the HPLC on April 17, 2024. Under section 5.1(e) of the Regulatory Review Act, IRRC met on April 18, 2024, and approved the final-form rulemaking.

*Additional Information*

Additional information may be obtained by writing to Shakeena Chappelle, Board Administrator, State Board of Chiropractic, P.O. Box 2649, Harrisburg, PA 17105-2649, ST-CHIROPRACTIC@pa.gov.

*Findings*

The Board finds that:

(1) Public notice of proposed rulemaking was given under sections 201 and 202 of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. §§ 1201 and 1202), referred to as the Commonwealth Documents Law, and the regulations promulgated thereunder, 1 Pa. Code §§ 7.1 and 7.2 (relating to notice of proposed rulemaking required; and adoption of regulations).

(2) A public comment period was provided as required by law and all comments received were considered in drafting this final-form rulemaking.

(3) The amendments to this final-form rulemaking do not enlarge the original purpose of the proposed rulemaking published at 53 Pa.B. 4420.

(4) This final-form rulemaking is necessary and appropriate for the administration of the act.

*Order*

The Board, therefore, orders that:

(a) The regulations of the Board, 49 Pa. Code Chapter 5, are amended by amending §§ 5.6, 5.15 and 5.16 to read as set forth in Annex A, with ellipses referring to the existing text of the regulations.

(b) The Board shall submit this final-form rulemaking to the Office of Attorney General and the Office of General Counsel for approval as required by law.

(c) The Board shall submit this final-form rulemaking to IRRC, the SCP/PLC and the HPLC as required by law.

(d) The Board shall certify this final-form rulemaking and deposit it with the Legislative Reference Bureau as required by law.

(e) This final-form rulemaking shall take effect immediately upon publication in the *Pennsylvania Bulletin*.

WILLIAM AUKERMAN, DC,  
*Chairperson, State Board of Chiropractic*

ARION R. CLAGGETT,  
*Acting Commissioner, Bureau of Professional and Occupational Affairs*

*(Editor's Note: See 54 Pa.B. 2469 (May 4, 2024) for IRRC's approval order.)*

**Fiscal Note:** Fiscal Note 16A-4335 remains valid for the final adoption of the subject regulations.

**Annex A**

**TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS**

**PART I. DEPARTMENT OF STATE**

**Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS**

**CHAPTER 5. STATE BOARD OF CHIROPRACTIC**

**Subchapter A. GENERAL PROVISIONS**

**§ 5.6. Fees.**

(a) An applicant for a license, certificate, registration or service shall pay the following fees at the time of application:

	<i>Effective June 8, 2024</i>	<i>Effective July 1, 2026</i>	<i>Effective July 1, 2028</i>
Licensure by examination	\$105	\$115	\$126
Licensure by reciprocity	\$150	\$164	\$180
Limited license	\$30	\$30	\$30
Adjunctive procedures certification	\$105	\$115	\$126
Certification of grades or licensure	\$25	\$25	\$25
Continuing education course approval	\$100	\$110	\$120
Licensure restoration	\$25	\$25	\$25

(b) An applicant for biennial registration shall pay the following fees:

	<i>September 2, 2024— September 1, 2026, Biennial Registration Fee</i>	<i>September 2, 2026— September 1, 2028, Biennial Registration Fee</i>	<i>September 2, 2028— September 1, 2030, Biennial Registration Fee and thereafter</i>
Chiropractor	\$225	\$241	\$258

**Subchapter B. LICENSURE, CERTIFICATION, EXAMINATION AND REGISTRATION PROVISIONS**

**§ 5.15. Licensure examinations.**

(a) To qualify for licensure by examination, an applicant shall successfully complete the following examinations:

- (1) Parts I, II, III and IV of the National Board Examination.
- (2) [Reserved].

(b) The applicant shall apply to the NBCE for admission to the National Board Examinations and pay the required fees at the direction of the NBCE.

\* \* \* \* \*

(d) Passing scores on the National Board Examinations shall be established by the NBCE for each administration of the National Board Examinations in accordance with section 502(e) of the act (63 P.S. § 625.502(e)). A passing score on Part IV of the National Board Examination obtained at any time since Part IV has been offered by the NBCE will satisfy the Part IV National Board Examination requirement under § 5.12(a) (relating to licensure by examination).

(e) [Reserved].

**§ 5.16. Failure on examination; reexamination.**

(a) An applicant who fails one or more of the National Board Examinations is eligible for reexamination in accordance with the rules and regulations of the NBCE.

(b) [Reserved].

## Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

### STATE BOARD OF CERTIFIED REAL ESTATE APPRAISERS

[ 49 PA. CODE CH. 36 ]

#### Federally Mandated Revisions

The State Board of Certified Real Estate Appraisers (Board) amends Chapter 36, Subchapter A (relating to general provisions) by amending §§ 36.41 and 36.91 (relating to continuing education requirement; and reactivation of lapsed certification) and Subchapter E (relating to appraisal management companies) by amending § 36.412 (relating to qualifications of owners and key persons) to read as set forth in Annex A.

#### *Effective Date*

This final-omitted rulemaking will be effective upon publication in the *Pennsylvania Bulletin*.

#### *Statutory Authority*

Regarding the continuing education component of this final-omitted rulemaking, section 5(1) of the Real Estate Appraisers Certification Act (act or REACA) (63 P.S. § 457.5(1)) authorizes the Board “[t]o pass upon the qualifications and fitness of applicants for certification or licensure and to adopt and revise rules and regulations requiring applicants for certification to pass examinations relating to their qualifications for certification.” Under section 5(2) of the act, the Board is empowered “[t]o adopt and, from time to time, revise such rules and regulations as may be necessary to carry out the provisions of this act.” Under section 6 of the act (63 P.S. § 457.6), the Board is authorized to issue certificates to real estate appraisers that meet the minimum education and experience requirements established by the Appraiser Qualifications Board (AQB) under the Financial Institutions Reform, Recovery and Enforcement Act of 1989 (FIRREA) (Pub.L. No. 101-73, 103 Stat. 183), as amended (12 U.S.C. §§ 3331—3356). Under section 10(b), (b.1) and (b.2) of the act (63 P.S. § 457.10(b), (b.1) and (b.2)), continuing education is a condition of biennial renewal for certified residential and general appraisers, certified broker/appraisers and licensed appraiser trainees if, and only to the minimum extent, required under FIRREA.

Regarding the qualifications of owners and key persons amendments in this final-omitted rulemaking, section 4(a) of the Appraisal Management Company Registration Act (AMCRA) (63 P.S. § 457.24(a)) authorizes the Board to implement, administer and enforce the act, including the power to adopt rules and regulations consistent with the act. Title XI of the FIRREA at 12 U.S.C. § 3353 requires the Office of the Comptroller of the Currency (OCC), the Board of Governors of the Federal Reserve System, the Federal Deposit Insurance Corporation (FDIC), the National Credit Union Administration (NCUA), Consumer Financial Protection Bureau (Bureau) and Federal Housing Finance Agency (FHFA), to establish minimum requirements to be applied by states in the registration and supervision of appraisal management companies (AMC), regarding AMC minimum requirements. Under this authority, these Federal agencies jointly adopted regulations establishing the minimum requirements for AMCs found at 12 CFR 34.210—34.216, 12 CFR 225.190—225.196, 12 CFR 323.8—323.14 and 12 CFR 1222.20—1222.26.

#### *Omission of Proposed Rulemaking*

Under section 204(3) of the Commonwealth Documents Law (CDL) (45 P.S. § 1204(3)), the Board is authorized to omit the procedures for proposed rulemaking in section 201 and 202 of the CDL (45 P.S. §§ 1201 and 1202) if the Board finds that the specified procedures are impracticable, unnecessary or contrary to the public interest. The Board has determined that publication of proposed rulemaking is unnecessary under the circumstances because this final-omitted rulemaking is needed to comply with recently adopted AQB requirements concerning appraiser training on valuation bias and fair housing laws and regulations, a recently adopted name change of the 7-hour National Uniform Standards of Professional Appraisal Practice (USPAP) Update Course and applicable Federal law concerning AMC ownership limitations.

#### *Background and Need for the Amendments*

FIRREA is the Federal legislation that established the broad framework by which state appraiser regulatory bodies are to credential real estate appraisers and licensed appraiser trainees. The Appraisal Subcommittee (ASC) was created as a result of Title XI of FIRREA to provide Federal oversight for all appraiser programs of every state appraiser regulatory agency in the United States. See 12 U.S.C. § 3310. As required under 12 U.S.C. § 3332(b), the ASC monitors and reviews the practices, procedures, activities and organizational structure of the Appraisal Foundation. The AQB and the Appraisal Standards Board (ASB) are independent boards that are under the umbrella of the Appraisal Foundation. The Appraisal Foundation, through the AQB, is charged under FIRREA with establishing the minimum initial education, continuing education, examination and experience requirements for state-credentialed appraisers. These minimum qualification criteria are binding on the Board. Additionally, under Title IX of FIRREA, the ASB is responsible for writing, amending and interpreting the USPAP, which provides the generally recognized ethical and performance standards for the appraisal profession in the United States.

Regarding the continuing education component of this final-omitted rulemaking, all State appraiser programs must meet the minimum Federal standards that are established by the AQB for continuing education, as well as the standards set forth in USPAP. The AQB publishes the Federal minimum requirements for real property appraisers in the Real Property Appraiser Qualification Criteria (Criteria) (AQB Qualification Criteria) found at <https://appraisalfoundation.sharefile.com/share/view/s63f99dc2b9f241e0b3fd1645f7b63680>.

In June of 2021, the Biden Administration created the Interagency Task Force on Property Appraisal and Valuation Equity (PAVE) which is dedicated to ending bias in property valuation. The PAVE Task Force is co-chaired by Marcia Fudge, Secretary of the United States Department of Housing and Urban Development (HUD), and Neera Tanden, Director, White House Domestic Policy Council (DPC). The PAVE Task Force is comprised of 13 Federal agencies, including the ASC, HUD, DPC, Board of Governors of the Federal Reserve System, the Bureau, FDIC, FHFA, NCUA, OCC, United States Department of Agriculture, United States Department of Justice, United States Department of Labor and United States Department of Veterans Affairs. On March 31, 2022, the PAVE Task Force issued an action plan which outlined the historical role of racism in the valuation of residential property, examined the forms of bias that could impact

property valuation, and described affirmative steps that Federal agencies should take to advance equity in the appraisal process.

The AQB engaged the appraiser community Nationwide by releasing exposure drafts and soliciting written and verbal comments. On January 31, 2023, the AQB released the First Exposure Draft of Proposed Changes to the Real Property Appraiser Qualification Criteria, which can be found at <https://appraisalfoundation.sharefile.com/share/view/sad153ab0d1f94d208860a41be6268580/fo691e7b-5fc0-4a99-ac55-82dbcb621eba>.

The proposed changes included valuation bias and fair housing as a required component of an appraiser's qualifying and continuing education. The written comment period was open between January 31, 2023, through March 13, 2023. At its virtual public meeting on March 22, 2023, the AQB discussed the written comments received and entertained additional verbal comments. For the most part, the commentors expressed support for the changes. There was concern that the implementation date for the valuation bias and fair housing course did not provide sufficient time for states to implement it because of the various rulemaking processes of each state. Additionally, some appraisers questioned why the course was required for all appraisers and suggested that the course only be required for appraisers who performed residential appraisal assignments and for appraisers that have been identified as being deficient in understanding valuation bias and fair housing laws and regulations.

At the conclusion of the March 22, 2023, public meeting, the AQB voted to release a second exposure draft. In drafting the Second Exposure Draft of Proposed Changes to the Criteria (Second Exposure Draft), the AQB considered comments received in response to the First Exposure Draft of Proposed Changes to the Criteria (First Exposure Draft), recognizing that the First Exposure Draft did not take into consideration the rulemaking processes of the different states. Regarding the question as to why everyone had to take the course, the AQB emphasized the importance for all appraisers being trained on valuation bias and fair housing issues. The Second Exposure Draft which can be found at <https://appraisalfoundation.sharefile.com/share/view/sad153ab0d1f94d208860a41be6268580/fo691e7b-5fc0-4a99-ac55-82dbcb621eba>, was released on May 17, 2023. The written comment period was open from May 17, 2023, through June 17, 2023. At its virtual public meeting on June 22, 2023, the AQB discussed the written comments received and entertained additional verbal comments. At the conclusion of the June 22, 2023, public meeting, the AQB voted to adopt the Second Exposure Draft. The AQB announcement regarding the adoption of the changes to the AQB Criteria was posted on the Board's web site on June 27, 2023, was sent out to all licensees as an e-mail blast on June 27, 2023, and was announced at the July 27, 2023, Board meeting as required under § 36.2(f) (relating to application process) of the Board's regulations.

The Second Exposure Draft makes training on valuation bias and fair housing laws and regulations a required component of every appraiser's qualifying and continuing education. Credentialed appraisers must successfully complete a course which meets the content requirements of the AQB's valuation bias and fair housing laws and regulations course outline every 2 calendar years. The first time an appraiser completes the continuing education course, it must be a 7-hour course. If an appraiser has successfully completed a 7-hour (plus 1-hour exam) course as part of their qualifying education, the 7-hour

course length requirement is satisfied. After the 7-hour course length requirement is satisfied, appraisers are required to take a valuation bias and fair housing law and regulations course that is at least 4 hours in length as a condition of renewal.

The changes to the AQB Qualification Criteria will be effective as of January 1, 2026, to ensure that each state appraiser regulatory agency has time to complete their respective rulemaking process to adopt these Federal requirements. The AQB is encouraging state regulatory agencies, however, to implement these changes as soon as their regulatory process is completed. The Board reviewed its current regulations; the AQB Qualification Criteria is adopted and incorporated by reference throughout the Board's regulations. Specifically, under § 36.42 (relating to subject matter and sources of continuing education), the Board's regulations require that continuing education subject matter and sources must comply with the requirements in the AQB Qualification Criteria. Heeding the advice of the AQB that state appraiser regulatory agencies should implement the changes as soon as possible, the Board determined that it should amend the regulations as soon as possible to ensure that the regulated community is aware of the specific time frame by which all appraisers in this Commonwealth must complete their 7-hour continuing education course on valuation bias and fair housing. The regulations would be amended to reflect the AQB Criteria and would require appraisers in this Commonwealth and licensed appraiser trainees to complete the 7-hour continuing education course beginning with the 2025—2027 biennial renewal period as a condition of renewal of certification or licensure. Every biennial renewal period thereafter, appraisers and trainees will be required to take the continuing education course that is at least 4 hours in length. The Board's amendments in this final-omitted rulemaking will put the Board in compliance with the Federally required continuing education requirements.

The AQB also adopted a name change for the 7-hour National USPAP Update Course; it is now the 7-hour National USPAP Continuing Education Course. This final-omitted rulemaking updates the Board's regulation to reflect this name change.

Regarding the component of this final-omitted rulemaking addressing qualifications of owners of appraisal management companies, during a recent audit, the ASC advised the Board that § 36.412(b) of the Board's AMC regulations is inconsistent with the Federal standard under 12 CFR 34.214(a)(1) and (2) (relating to ownership limitations for State-registered appraisal management companies) regarding AMC ownership limitations. Thus, the Board must amend its regulation regarding the qualifications of owners and key persons to be in compliance with Federal regulations. Section 36.412(b) of the Board's AMC regulations currently states that “[a]n individual may not be an owner or key person of an AMC if the individual had a license or certificate refused, denied, cancelled, suspended or revoked or if they voluntarily surrendered a license or certificate, unless the license or certificate was subsequently granted or reinstated to the individual[.]” Under 12 CFR 34.214(a)(1), a state may not register an AMC that is “. . . owned by any person who has had an appraiser license or certificate refused, denied, cancelled, surrendered in lieu of revocation, or revoked in any State for a substantive cause, as determined by the appropriate State appraiser certifying and licensing agency.” Under 12 CFR 34.214(a)(2), however, an individual is not disqualified from becoming an owner of an AMC if the Board determines that the individual's license

or certificate was not revoked for a substantive cause and the individual's license or certificate was reinstated by the state in which the individual was licensed or certified. The AMC Final Rule on Minimum Requirements for Appraisal Management Companies published at 80 FR 32658 (June 9, 2015) (AMC Final Rule) addresses the difference between a substantive and technical licensing violation. A substantive cause is a non-technical violation that would include license violations such as fraud, violations of the Truth in Lending Act (15 U.S.C. §§ 1601—1667f) and failure to perform an appraisal in compliance with USPAP. Technical violations are procedural or administrative in nature and would not be related to the quality of appraisals or fraudulent conduct, but rather, would include violations such as lapsed licenses and non-payment of fees or penalties.

*Description of the Amendments*

The Board is amending § 36.41 to require completion of an AQB-compliant course on valuation bias and fair housing laws and regulations as a condition of renewal of certification or licensure, beginning with the 2025—2027 biennial renewal period. The first time certified real estate appraisers and licensed appraiser trainees take the AQB-compliant course on valuation bias and fair housing laws and regulations, the course length must be 7 hours. If the certified real estate appraiser or licensed appraiser trainee successfully completed a 7-hour (plus 1-hour exam) course as part of their qualifying education, they have satisfied this requirement.

Licenseses that have satisfied the 7-hour course length requirement shall complete an AQB-compliant continuing education course of at least 4 hours on valuation bias and fair housing laws and regulations as a condition of renewal of certification or licensure.

The Board is amending § 36.91 by deleting the term "Update" and replacing it with "Continuing Education." The phrase "7-hour National USPAP Update Course" will, therefore, become "7-hour National USPAP Continuing Education Course."

Section 36.412(a) currently states that an individual may not be an owner or key person if they are disqualified from eligibility to be certified or licensed under REACA. Section 36.412(b) states that a person is disqualified from eligibility to be certified or licensed under REACA if the individual had a license or certificate refused, denied, cancelled, suspended or revoked or voluntarily surrendered a license or certificate, unless the license or certificate has been subsequently granted or reinstated to the individual. The Board is amending its regulations by adding § 36.412(b.1), which only applies to owners. Section 36.412(b.1) is the same standard contained in § 36.412(b), except that § 36.412(b.1) includes the Federal standard under 12 CFR 34.214(a)(1) and (2) regarding AMC ownership limitations. Accordingly, under § 36.412(b.1), an individual is not disqualified from becoming an owner of an AMC if the individual's license or certificate was not revoked for a substantive cause and the individual's license or certificate was reinstated by the state in which the individual was licensed or certified. The Board also amends § 36.412(b) to clarify that subsection (b) applies to key persons since § 36.412(b.1) now addresses ownership qualifications.

*Fiscal Impact and Paperwork Requirements*

This final-omitted rulemaking will have no fiscal impact on the regulated community. Appraisers and appraiser trainees are required to complete 28 hours of continuing education every 2 years as a condition of

biennial license renewal. The continuing education course on valuation bias and fair housing laws and regulations will fall within the 28 hours that are already required and, therefore, will not pose an additional cost to licensees. Additionally, the amendments to the AMC regulations will not have a fiscal impact.

This final-omitted rulemaking will not have a fiscal impact and will not create additional paperwork for the general public or the Commonwealth's political subdivisions.

*Sunset Date*

The Board continuously monitors the effectiveness of the regulations. Therefore, no sunset date has been assigned.

*Regulatory Review*

Under section 5.1(c) of the Regulatory Review Act (71 P.S. § 745.5a(c)), on April 9, 2024 the Board submitted copies of the final-omitted rulemaking with a Regulatory Analysis Form to the Independent Regulatory Review Commission (IRRC) and to the chairperson of the Consumer Protection and Professional Licensure Committee of the Senate (SPC/PLC) and the chairperson of the Professional Licensure Committee of the House of Representatives (HPLC). On the same date, the Board submitted a copy of the final-omitted rulemaking to the Office of Attorney General under section 204(b) of the Commonwealth Attorneys Act (71 P.S. § 732-204(b)).

Under sections 5.1(e) and (j.2) of the Regulatory Review Act (71 P.S. § 745.5a(e) and (j.2)), the regulations were deemed approved by the SPC/PLC and the HPLC on May 15, 2024, and IRRC met on May 16, 2024, and approved the final-omitted rulemaking.

*Additional Information*

Further information regarding this final-omitted regulation may be obtained by contacting Kristel Hennessy Hemler, Board Administrator, State Board of Certified Real Estate Appraisers, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105-2649. Reference regulation No. 16A-7031 (Federally Mandated Revisions), when requesting information.

*Findings*

The Board finds that:

(1) Public notice of the Board's intention to amend the Board's regulations under the procedures in sections 201 and 202 of the Commonwealth Documents Law (45 P.S. §§ 1201 and 1202) has been omitted under section 204 of the CDL (45 P.S. § 1204) because publication of proposed rulemaking and public comment is unnecessary in that the rulemaking is needed to comply with recently adopted AQB Federal requirements concerning appraiser training on valuation bias and fair housing laws and regulations, to comply with the recently adopted name change of the 7-hour National USPAP Update Course, and to comply with applicable Federal law concerning AMC ownership limitations.

(2) The promulgation of the regulations in the manner provided in this order is necessary to comply with Federal law and for the administration of the Real Estate Appraisers Certification Act (63 P.S. §§ 457.1—457.20) and the Appraisal Management Company Registration Act (63 P.S. §§ 457.21—457.32).

*Order*

The Board, acting under its authorizing statute, orders that:

(a) The regulations of the Board, 49 Pa. Code Chapter 36 are amended by amending §§ 36.41, 36.91 and 36.412, to read as set forth in Annex A.

(b) The Board shall submit this final-omitted rule-making to the Office of Attorney General and the Office of General Counsel for approval as required by law.

(c) The Board shall submit this final-omitted rule-making to IRRC, the HPLC and the SPC/PLC as required by law.

(d) The Board shall certify this final-omitted rule-making and deposit it with the Legislative Reference Bureau as required by law.

(e) This final-omitted rulemaking shall take effect upon publication in the *Pennsylvania Bulletin*.

MARK V. SMELTZER, Sr.,  
Chairperson

(Editor's Note: See 54 Pa.B. 3134 (June 1, 2024) for IRRC's approval order.)

**Fiscal Note:** 16A-7031. No fiscal impact; recommends adoption.

### Annex A

## TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

### PART I. DEPARTMENT OF STATE

#### Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

#### CHAPTER 36. STATE BOARD OF CERTIFIED REAL ESTATE APPRAISERS

##### Subchapter A. GENERAL PROVISIONS CONTINUING EDUCATION

##### § 36.41. Continuing education requirement.

(a) Continuing education for certified real estate appraisers and licensed appraiser trainees is necessary to ensure that they maintain and increase their skill, knowledge and competency in real estate appraising. Except as provided in subsection (b), certified real estate appraisers and licensed appraiser trainees shall satisfy the continuing education requirements in the AQB Qualification Criteria, which must include at least 2 hours on the act, this chapter and the policies of the Board during each biennial renewal period as a condition of renewal of certification for the next biennial renewal period.

(a.1) Beginning with the renewal of certification or licensure for the 2025—2027 biennial renewal period, certified real estate appraisers and licensed appraiser trainees shall provide evidence of completion of an AQB-compliant course on valuation bias and fair housing laws and regulations as a condition of renewal of certification or licensure. The following apply:

(1) *7-hour course length requirement.* The first time a certified real estate appraiser or licensed appraiser trainee completes the AQB-compliant course on valuation bias and fair housing laws and regulations referenced in this subsection, the course length must be 7 hours. If a certified real estate appraiser or licensed appraiser trainee successfully completed a 7-hour (plus 1-hour exam) course as part of their qualifying education, the 7-hour course length requirement is satisfied.

(2) *4-hour course length requirement.* A certified real estate appraiser or licensed appraiser trainee who has satisfied the 7-hour course length requirement shall, as a condition of renewal of certification or licensure, complete

an AQB-compliant continuing education course of at least 4 hours on valuation bias and fair housing laws and regulations.

(b) A certified general real estate appraiser, residential real estate appraiser or licensed appraiser trainee whose initial certification or license becomes effective between January 1 and June 30 of a biennial renewal year will not be required to furnish proof of continuing education as a condition of renewal of certification in that biennial renewal year.

### MISCELLANEOUS PROVISIONS

#### § 36.91. Reactivation of lapsed certification.

A certified real estate appraiser whose certification has lapsed for failure to biennially renew certification may apply to the Board for reactivation of certification by paying the renewal fee required under § 36.6 (relating to fees) and providing documentation of having completed the continuing education hours that would have been required under § 36.41 (relating to continuing education requirement) if the certified real estate appraiser had maintained current certification, except that only the most recent versions of the 7-hour National USPAP Continuing Education Course and the 2-hour course on the act, this chapter and Board policies must be completed. A certified real estate appraiser who performed an appraisal, or held himself out as an appraiser, during a period when his certification was lapsed shall be subject to disciplinary action by the Board under section 3 of the act (63 P.S. § 457.3) in addition to being required to pay late renewal fees under section 225 of the Bureau of Professional and Occupational Affairs Fee Act (63 P.S. § 1401-225).

#### Subchapter E. APPRAISAL MANAGEMENT COMPANIES

##### REGISTRATION

##### § 36.412. Qualifications of owners and key persons.

(a) A person who would be disqualified from eligibility to be certified or licensed under REACA as defined in subsections (b) and (b.1) may not be an owner or a key person.

(b) An individual would be disqualified from eligibility to be certified or licensed under REACA, as provided in section 8(d)(1) of AMCRA (63 P.S. § 457.28(d)(1)), and may not be a key person if the individual had a license or certificate refused, denied, cancelled, suspended or revoked, or voluntarily surrendered a license or certificate under any of the following provisions of REACA or CHRIA, or similar provision of another jurisdiction, unless the license or certificate has been subsequently granted or reinstated to the individual:

(1) Section 3 of REACA (63 P.S. § 457.3).

(2) Section 6(c)(1) of REACA (63 P.S. § 457.6(c)(1)).

(3) Section 11 of REACA (63 P.S. § 457.11).

(4) Section 9124(c)(1) or (2) of CHRIA (18 Pa.C.S. § 9124(c)(1) and (2) (relating to use of records by licensing agencies)).

(b.1) An individual would be disqualified from eligibility to be certified or licensed under REACA and may not be an owner if the individual had a license or certificate refused, denied, cancelled, suspended or revoked, or voluntarily surrendered a license or certificate under any of the following provisions of REACA or CHRIA, or similar provision of another jurisdiction, unless the Board determines that the individual's license or certificate was not

revoked for a substantive cause and the license or certificate has been subsequently reinstated to the individual:

- (1) Section 3 of REACA (63 P.S. § 457.3).
- (2) Section 6(c)(1) of REACA (63 P.S. § 457.6(c)(1)).
- (3) Section 11 of REACA (63 P.S. § 457.11).
- (4) Section 9124(c)(1) or (2) of CHRIA (18 Pa.C.S. § 9124(c)(1) and (2) (relating to use of records by licensing agencies)).
- (c) Nothing in AMCRA or this subchapter may be construed as a requirement that an owner or a key person shall possess the education or experience required by the AQB or REACA for certification or licensure.

(d) A person who has been suspended or revoked, or has voluntarily surrendered a license under RELRA, 7 Pa.C.S. Chapter 61 (relating to Mortgage Licensing Act) or sections 301—318 of the Mortgage Bankers and Brokers and Consumer Equity Protection Act (63 P.S. §§ 456.301—456.318) (repealed) may not be an owner or key person.

(e) The Board may consider a disqualifying violation described in subsection (b) if the individual's license or certificate has been subsequently reinstated or granted in determining whether the individual possesses good moral character as required under section 5(c)(4) of AMCRA (63 P.S. § 457.25(c)(4)).

[Pa.B. Doc. No. 24-791. Filed for public inspection June 7, 2024, 9:00 a.m.]

# STATEMENTS OF POLICY

## Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

### STATE BOARD OF MEDICINE [ 49 PA. CODE CH. 16 ]

#### Conversion Therapy—Statement of Policy

The State Board of Medicine (Board) adds § 16.63 (relating to conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy) to read as set forth in Annex A. This statement of policy is intended to provide guidance to Board-regulated practitioners and the general public.

#### *Effective Date*

This statement of policy will be effective upon publication in the *Pennsylvania Bulletin*.

#### *Statutory Authority*

Section 41(8) of the Medical Practice Act of 1985 (act) (63 P.S. § 422.41(8)) authorizes the Board to impose disciplinary or corrective measures on Board-regulated practitioners, including medical doctors, for being guilty of immoral or unprofessional conduct. Unprofessional conduct shall include departure from or failing to conform to an ethical or quality standard of the profession. Under section 3(g) of the Acupuncture Licensure Act (63 P.S. § 1803(g)), acupuncturists licensed with the Board are subject to all disciplinary provisions applicable to medical doctors as set forth in the act.

Section 102 of the Commonwealth Documents Law (45 P.S. § 1102) defines “statement of policy” as “any document, except an adjudication or a regulation, promulgated by an agency which sets forth substantive or procedural personal or property rights, privileges, immunities, duties, liabilities or obligations of the public or any part thereof, and includes, without limiting the generality of the foregoing, any document interpreting or implementing any act of Assembly enforced or administered by such agency.” Statements of policy that are general and permanent in nature are required to be codified under 1 Pa. Code § 3.1 (relating to contents of *Code*).

#### *Background and Purpose*

The Commonwealth has a compelling interest in protecting the physical and psychological well-being of minors, including lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual (LGBTQIA+) youths, and in protecting minors against exposure to the severe harms caused by conversion therapy. Likewise, the Board has an interest in and a duty to protect the public from practices that create a danger for patients and is dutybound to enforce the provisions of the act and its regulations. These duties compel the Board to take steps to guard against the dangers posed by conversion therapy.

Conversion therapy, also known as sexual orientation change efforts or reparative therapy, is a term that describes a wide range of interventions by mental health professionals that seek to change an individual’s sexual orientation or gender expression, including efforts to change behaviors, gender identity or gender expressions, or to reduce or eliminate sexual or romantic attractions or feelings toward an individual of the same gender. The term does not include counseling for an individual seeking to transition from one gender to another; counseling

that provides acceptance, support and understanding of an individual or facilitates an individual’s coping; social support and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices; or counseling that does not seek to change sexual orientation.

Conversion therapy can pose critical health risks to LGBTQIA+ people, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources.

Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is strongly opposed by the American Academy of Child Adolescent Psychiatry, American Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Medical Association, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization and the World Psychiatric Association.

On June 15, 2022, President Joe Biden recognized the need to promote an end to the use of conversion therapies through the issuance of Executive Order 14075, which instructs Federal departments and agencies to formulate an action plan to prevent these therapies on a world-wide basis. On August 16, 2022, Governor Tom Wolf signed Executive Order 2022-02, which was published at 52 Pa.B. 5788 (September 10, 2022), to protect residents of this Commonwealth from conversion therapy by directing State agencies to discourage the practice of conversion therapy. See 4 Pa. Code §§ 7.921—7.924 (relating to protecting Pennsylvanians from conversion therapy and supporting LGBTQIA+ Pennsylvanians).

Given the lack of evidence to support the use of psychological interventions to change sexual orientation as well as the overwhelming opposition within the medical and psychological professions, the Board adopted this statement of policy as a public safety measure and to ensure that its licensees are aware of the Board’s position on using conversion therapy on minors.

#### *Description of this Statement of Policy*

This statement of policy clarifies that it is the position of the Board that being LGBTQIA+ is not a disease, disorder, illness, deficiency or shortcoming. This statement of policy notifies Board-regulated practitioners that the Board may find the use of conversion therapy on an individual under 18 years of age to be unprofessional or immoral conduct. Additionally, under this statement of policy, a Board-regulated practitioner who uses conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

#### *Fiscal Impact and Paperwork Requirements*

This statement of policy will have no adverse fiscal impact on the Commonwealth or its political subdivisions



and will impose no additional paperwork requirements upon the Commonwealth, political subdivisions or the private sector.

#### *Sunset Date*

A sunset date is not being established for this statement of policy. Its need and efficacy will be periodically monitored by the Board.

#### *Additional Information*

Persons who require additional information about this statement of policy may submit inquiries to the Counsel, State Board of Medicine, P.O. Box 69523, Harrisburg, PA 17106-9523, (717) 783-7200, RA-STRegulatoryCounsel@pa.gov.

#### *Order*

The Board acting under the authority statutes, orders that:

(a) Chapter 16 of 49 Pa. Code is amended by adding a statement of policy in § 16.63 to read as set forth in Annex A.

(b) The Board shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall take effect upon publication in the *Pennsylvania Bulletin*.

MARK B. WOODLAND, MS, MD,  
*Chairperson*

**Fiscal Note:** 16A-4961. No fiscal impact; recommends adoption.

### **Annex A**

## **TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS**

### **PART I. DEPARTMENT OF STATE**

#### **Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS**

#### **CHAPTER 16. STATE BOARD OF MEDICINE—GENERAL PROVISIONS**

#### **Subchapter E. MEDICAL DISCIPLINARY PROCESS AND PROCEDURES**

#### **UNPROFESSIONAL AND IMMORAL CONDUCT**

#### **§ 16.63. Conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy.**

(a) *Background.* Conversion therapy, also known as sexual orientation change efforts or reparative therapy, poses critical health risks to lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual individuals, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources. The American Medical Association opposes the use of conversion therapy for sexual orientation or gender identity. Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is strongly opposed by the American Academy of Child Adolescent Psychiatry, Ameri-

can Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Medical Association, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization and the World Psychiatric Association.

(b) *Board authority.* The Board has statutory authority to license, regulate and discipline Board-regulated practitioners in this Commonwealth. Under section 41(8) of the act (63 P.S. § 422.41(8)), the Board is authorized to impose disciplinary or corrective measures on a Board-regulated practitioner for being guilty of immoral or unprofessional conduct, which includes departure from or failing to conform to an ethical or quality standard of the profession and conduct specified under § 16.61 (relating to unprofessional and immoral conduct).

(c) *Guidelines.* The following conversion therapy guidelines should be considered by Board-regulated practitioners to ensure compliance with the act and the Board's regulations.

(1) Being lesbian, gay, bisexual, transgender, queer/questioning, intersex or asexual is not a disease, disorder, illness, deficiency or shortcoming.

(2) Conversion therapy includes the following conduct:

(i) A practice or treatment that seeks to change an individual's sexual orientation or gender identity.

(ii) An effort to change the behavioral expression of an individual's sexual orientation, change gender expression or eliminate or reduce sexual or romantic attractions or feelings toward individuals of the same gender.

(3) Conversion therapy does not include a practice or treatment that provides counseling for an individual undergoing gender transition, counseling that provides acceptance, support and understanding, or the facilitation of coping, social support and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices. Conversion therapy does not include a practice that does not seek to change sexual orientation or gender identity.

(4) In a disciplinary action brought against a Board-regulated practitioner, the Board may find the use of conversion therapy on an individual under 18 years of age to be unethical, immoral or unprofessional conduct. A Board-regulated practitioner who uses conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

[Pa.B. Doc. No. 24-792. Filed for public inspection June 7, 2024, 9:00 a.m.]

## **Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS**

### **STATE BOARD OF NURSING**

#### **[ 49 PA. CODE CH. 21 ]**

#### **Conversion Therapy—Statement of Policy**

The State Board of Nursing (Board) adds § 21.416 (relating to conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy) to

read as set forth in Annex A. This statement of policy is intended to provide guidance to licensees under the Board and the general public.

#### *Effective Date*

This statement of policy will be effective upon publication in the *Pennsylvania Bulletin*.

#### *Statutory Authority*

Section 14(a)(9) and (b) of the Professional Nursing Law (63 P.S. §§ 224(a)(9) and (b)) authorizes the Board to impose discipline on licensees for being guilty of immoral or unprofessional conduct. Unprofessional conduct shall include departure from or failing to conform to an ethical or quality standard of the profession.

Section 102 of the Commonwealth Documents Law (45 P.S. § 1102) defines “statement of policy” as “any document, except an adjudication or a regulation, promulgated by an agency which sets forth substantive or procedural personal or property rights, privileges, immunities, duties, liabilities or obligations of the public or any part thereof, and includes, without limiting the generality of the foregoing, any document interpreting or implementing any act of Assembly enforced or administered by such agency.” Statements of policy that are general and permanent in nature are required to be codified under 1 Pa. Code § 3.1 (relating to contents of *Code*).

#### *Background and Purpose*

The Commonwealth has a compelling interest in protecting the physical and psychological well-being of minors, including lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual (LGBTQIA+) youths, and in protecting minors against exposure to the severe harms caused by conversion therapy. Likewise, the Board has an interest in and a duty to protect the public from nursing practices that create a danger for patients and is dutybound to enforce the provisions of the act and its regulations. These duties compel the Board to take steps to guard against the dangers posed by conversion therapy.

Conversion therapy, also known as sexual orientation change efforts or reparative therapy, is a term that describes a wide range of interventions by mental health professionals that seek to change an individual’s sexual orientation or gender expression, including efforts to change behaviors, gender identity or gender expressions, or to reduce or eliminate sexual or romantic attractions or feelings toward an individual of the same gender. The term does not include counseling for an individual seeking to transition from one gender to another, counseling that provides acceptance, support and understanding of an individual or facilitates an individual’s coping, social support and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices, or counseling that does not seek to change sexual orientation.

Conversion therapy can pose critical health risks to LGBTQIA+ people, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources.

The American Medical Association, the American Nurses Association, American Academy of Nursing and International Society of Psychiatric-Mental Health Nurses oppose the use of conversion therapy for sexual orientation or gender identity. Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is also strongly opposed by the American Academy of Child Adolescent Psychiatry, American Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization and the World Psychiatric Association.

On June 15, 2022, President Joe Biden recognized the need to promote an end to the use of conversion therapies through the issuance of Executive Order 14075, which instructs Federal departments and agencies to formulate an action plan to prevent these therapies on a world-wide basis. On August 16, 2022, Governor Tom Wolf signed Executive Order 2022-02, which was published at 52 Pa.B. 5788 (September 10, 2022), to protect Pennsylvanians from conversion therapy by directing State agencies to discourage the practice of conversion therapy. See 4 Pa. Code §§ 7.921—7.924 (relating to protecting Pennsylvanians from conversion therapy and supporting LGBTQIA+ Pennsylvanians).

Given the lack of evidence to support the use of psychological interventions to change sexual orientation as well as the overwhelming opposition within the medical and psychological professions, the Board adopted this statement of policy as a public safety measure and to ensure that its licensees are aware of the Board’s position on using conversion therapy on minors.

#### *Description of this Statement of Policy*

This statement of policy clarifies that it is the position of the Board that being LGBTQIA+ is not a disease, disorder, illness, deficiency or shortcoming. This statement of policy notifies licensees that the Board may find the use of conversion therapy on an individual under 18 years of age to be unprofessional or immoral conduct. Additionally, under this statement of policy, licensees who use conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

#### *Fiscal Impact and Paperwork Requirements*

This statement of policy will have no adverse fiscal impact on the Commonwealth or its political subdivisions and will impose no additional paperwork requirements upon the Commonwealth, political subdivisions or the private sector.

#### *Sunset Date*

A sunset date is not being established for this statement of policy. Its need and efficacy will be periodically monitored by the Board.

#### *Additional Information*

Persons who require additional information about this statement of policy may submit inquiries to the Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523, RA-STRegulatoryCounsel@pa.gov.

#### *Order*

The Board acting under the authority statutes, orders that:

(a) Chapter 21 of 49 Pa. Code is amended by adding a statement of policy in § 21.416 to read as set forth in Annex A.

(b) The Board shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall take effect upon publication in the *Pennsylvania Bulletin*.

COLBY P. HUNSBERGER, DNP, RN, CNEcl,  
*Chairperson*

**Fiscal Note:** 16A-5149. No fiscal impact; recommends adoption.

### Annex A

## TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

### PART I. DEPARTMENT OF STATE

#### Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

#### CHAPTER 21. STATE BOARD OF NURSING

#### Subchapter D. INTERPRETATIONS

#### STATEMENT OF POLICY

#### § 21.416. Conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy.

(a) *Background.* Conversion therapy, also known as sexual orientation change efforts or reparative therapy, poses critical health risks to lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual individuals, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources. The American Medical Association, the American Nurses Association, the American Academy of Nursing and the International Society of Psychiatric-Mental Health Nurses oppose the use of conversion therapy for sexual orientation or gender identity. Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is also strongly opposed by the American Academy of Child Adolescent Psychiatry, American Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization and the World Psychiatric Association.

(b) *Board authority.* The Board has statutory authority to license, regulate and discipline a licensee in this Commonwealth. Under section 14(a)(9) and (b) of the act (63 P.S. § 224(a)(9) and (b)), the Board is authorized to impose disciplinary or corrective measures on a licensee for being guilty of immoral or unprofessional conduct, which includes departure from or failing to conform to an ethical or quality standard of the profession.

(c) *Guidelines.* The following conversion therapy guidelines should be considered by a licensee to ensure compliance with the act and the Board's regulations.

(1) Being lesbian, gay, bisexual, transgender, queer/questioning, intersex or asexual is not a disease, disorder, illness, deficiency or shortcoming.

(2) Conversion therapy includes the following conduct:

(i) A practice or treatment that seeks to change an individual's sexual orientation or gender identity.

(ii) An effort to change the behavioral expression of an individual's sexual orientation, change gender expression, or eliminate or reduce sexual or romantic attractions or feelings toward individuals of the same gender.

(3) Conversion therapy does not include a practice or treatment that provides counseling for an individual undergoing gender transition, counseling that provides acceptance, support, and understanding, or the facilitation of coping, social support, and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices. Conversion therapy does not include a practice that does not seek to change sexual orientation or gender identity.

(4) In a disciplinary action brought against a licensee, the Board may find the use of conversion therapy on an individual under 18 years of age to be unethical, immoral or unprofessional conduct. A licensee who uses conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

[Pa.B. Doc. No. 24-793. Filed for public inspection June 7, 2024, 9:00 a.m.]

## Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

### STATE BOARD OF OSTEOPATHIC MEDICINE

#### [ 49 PA. CODE CH. 25 ]

#### Conversion Therapy—Statement of Policy

The State Board of Osteopathic Medicine (Board) adds § 25.218 (relating to conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy) to read as set forth in Annex A. This statement of policy is intended to provide guidance to Board-regulated practitioners and the general public.

#### *Effective Date*

This statement of policy will be effective upon its publication in the *Pennsylvania Bulletin*.

#### *Statutory Authority*

Section 15(a)(8) and (b)(9) of the Osteopathic Medical Practice Act (act) (63 P.S. § 271.15(a)(8) and (b)(9)) authorizes the Board to refuse, revoke or suspend the license of a physician, physician assistant, respiratory therapist or athletic trainer guilty of immoral or unprofessional conduct. Unprofessional conduct includes any departure from, or the failure to conform to, the standards of acceptable and prevailing practice. Under section 3(g) of the Acupuncture Licensure Act (63 P.S. § 1803(g)), acupuncturists licensed with the Board are subject to all disciplinary provisions applicable to medical doctors as set forth in the act. Under the Board's regulations, perfusionists and genetic counselors are subject to discipline under section 15(a)(8) and (b)(9) of the act, respectively.

Section 102 of the Commonwealth Documents Law (45 P.S. § 1102) defines "statement of policy" as "any document, except an adjudication or a regulation, promulgated by an agency which sets forth substantive or

procedural personal or property rights, privileges, immunities, duties, liabilities or obligations of the public or any part thereof, and includes, without limiting the generality of the foregoing, any document interpreting or implementing any act of Assembly enforced or administered by such agency.” Statements of policy that are general and permanent in nature are required to be codified under 1 Pa. Code § 3.1 (relating to contents of *Code*).

#### *Background and Purpose*

The Commonwealth has a compelling interest in protecting the physical and psychological well-being of minors, including lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual (LGBTQIA+) youths, and in protecting minors against exposure to the severe harms caused by conversion therapy. Likewise, the Board has an interest in and a duty to protect the public from practices that create a danger for patients and is dutybound to enforce the provisions of the act and its regulations. These duties compel the Board to take steps to guard against the dangers posed by conversion therapy.

Conversion therapy, also known as sexual orientation change efforts or reparative therapy, is a term that describes a wide range of interventions by mental health professionals that seek to change an individual’s sexual orientation or gender expression, including efforts to change behaviors, gender identity or gender expressions, or to reduce or eliminate sexual or romantic attractions or feelings toward an individual of the same gender. The term does not include counseling for an individual seeking to transition from one gender to another, counseling that provides acceptance, support and understanding of an individual or facilitates an individual’s coping, social support and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices, or counseling that does not seek to change sexual orientation.

Conversion therapy can pose critical health risks to LGBTQIA+ people, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources.

Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is strongly opposed by the American Academy of Child Adolescent Psychiatry, American Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Medical Association, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization, and the World Psychiatric Association.

On June 15, 2022, President Joe Biden recognized the need to promote an end to the use of conversion therapies through the issuance of Executive Order 14075, which instructs Federal departments and agencies to formulate

an action plan to prevent these therapies on a world-wide basis. On August 16, 2022, Governor Tom Wolf signed Executive Order 2022-02, which was published at 52 Pa.B. 5788 (September 10, 2022), to protect Pennsylvanians from conversion therapy by directing State agencies to discourage the practice of conversion therapy. See 4 Pa. Code §§ 7.921—7.924 (relating to protecting Pennsylvanians from conversion therapy and supporting LGBTQIA+ Pennsylvanians).

Given the lack of evidence to support the use of psychological interventions to change sexual orientation as well as the overwhelming opposition within the medical and psychological professions, the Board adopts this statement of policy as a public safety measure and to ensure that its licensees are aware of the Board’s position on using conversion therapy on minors.

#### *Description of this Statement of Policy*

This statement of policy clarifies that it is the position of the Board that being LGBTQIA+ is not a disease, disorder, illness, deficiency or shortcoming. This statement of policy notifies Board-regulated practitioners that the Board may find the use of conversion therapy on an individual under 18 years of age to be unprofessional or immoral conduct. Additionally, under this statement of policy, a Board-regulated practitioner who uses conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

#### *Fiscal Impact and Paperwork Requirements*

This statement of policy will have no adverse fiscal impact on the Commonwealth or its political subdivisions and will impose no additional paperwork requirements upon the Commonwealth, political subdivisions or the private sector.

#### *Sunset Date*

A sunset date is not being established for this statement of policy. Its need and efficacy will be periodically monitored by the Board.

#### *Additional Information*

Persons who require additional information about this statement of policy may submit inquiries to the Counsel, State Board of Osteopathic Medicine, P.O. Box 69523, Harrisburg, PA 17106-9523, (717) 783-7200, RA-STRegulatoryCounsel@pa.gov.

#### *Order*

The Board acting under the authority statutes, orders that:

(a) Chapter 25 of 49 Pa. Code is amended by adding a statement of policy in § 25.218 to read as set forth in Annex A.

(b) The Board shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall take effect upon publication in the *Pennsylvania Bulletin*.

JOHN BULGER, DO, MBA,  
*Chairperson*

**Fiscal Note:** 16A-5340. No fiscal impact; recommends adoption.

## Annex A

## TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

## PART I. DEPARTMENT OF STATE

## Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

## CHAPTER 25. STATE BOARD OF OSTEOPATHIC MEDICINE

## Subchapter D. MINIMUM STANDARDS OF PRACTICE

## § 25.218. Conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy.

(a) *Background.* Conversion therapy, also known as sexual orientation change efforts or reparative therapy, poses critical health risks to lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual individuals, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources. The American Medical Association opposes the use of conversion therapy for sexual orientation or gender identity. Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is strongly opposed by the American Academy of Child Adolescent Psychiatry, American Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Medical Association, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization, and the World Psychiatric Association.

(b) *Board authority.* The Board has statutory authority to license, regulate and discipline Board-regulated practitioners in this Commonwealth. Under section 15 of the act (63 P.S. § 271.15), the Board is authorized to refuse, revoke or suspend the license of a Board-regulated practitioner who is guilty of immoral or unprofessional conduct.

(c) *Guidelines.* The following conversion therapy guidelines should be considered by Board-regulated practitioners to ensure compliance with the act and the Board's regulations.

(1) Being lesbian, gay, bisexual, transgender, queer/questioning, intersex or asexual is not a disease, disorder, illness, deficiency or shortcoming.

(2) Conversion therapy includes the following conduct:

(i) A practice or treatment that seeks to change an individual's sexual orientation or gender identity.

(ii) An effort to change the behavioral expression of an individual's sexual orientation, change gender expression, or eliminate or reduce sexual or romantic attractions or feelings toward individuals of the same gender.

(3) Conversion therapy does not include a practice or treatment that provides counseling for an individual undergoing gender transition, counseling that provides acceptance, support and understanding, or the facilitation

of coping, social support and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices. Conversion therapy does not include a practice that does not seek to change sexual orientation or gender identity.

(4) In a disciplinary action brought against a Board-regulated practitioner, the Board may find the use of conversion therapy on an individual under 18 years of age to be immoral or unprofessional conduct. A Board-regulated practitioner who uses conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

[Pa.B. Doc. No. 24-794. Filed for public inspection June 7, 2024, 9:00 a.m.]

## Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

## STATE BOARD OF PSYCHOLOGY

[ 49 PA. CODE CH. 41 ]

## Conversion Therapy—Statement of Policy

The State Board of Psychology (Board) adds § 41.62 (relating to conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy) to read as set forth in Annex A. This statement of policy is intended to provide guidance to Board-regulated psychologists and the general public.

*Effective Date*

This statement of policy will be effective upon publication in the *Pennsylvania Bulletin*.

*Statutory Authority*

Section 3.2(2) of the Professional Psychologists Practice Act (act) (63 P.S. § 1203.2(2)) provides that the Board shall have the authority “[t]o adopt and, from time to time, revise such rules and regulations and policies not inconsistent with the law as may be necessary to carry into effect the provisions of [the] act. Such rules and regulations shall include, but not be limited to, standards for professional practice and a code of ethics for psychologists . . .” Section 8(a)(11) of the act (63 P.S. § 1208(a)(11)) authorizes the Board to suspend, revoke or limit or restrict a license or reprimand a licensee who commits immoral or unprofessional conduct.

Section 102 of the Commonwealth Documents Law (45 P.S. § 1102) defines “statement of policy” as “any document, except an adjudication or a regulation, promulgated by an agency which sets forth substantive or procedural personal or property rights, privileges, immunities, duties, liabilities or obligations of the public or any part thereof, and includes, without limiting the generality of the foregoing, any document interpreting or implementing any act of Assembly enforced or administered by such agency.” Statements of policy that are general and permanent in nature are required to be codified under 1 Pa. Code § 3.1 (relating to contents of *Code*).

*Background and Purpose*

The Commonwealth has a compelling interest in protecting the physical and psychological well-being of minors, including lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual (LGBTQIA+) youths,

and in protecting minors against exposure to serious harms caused by conversion therapy. Likewise, the Board has an interest in and a duty to protect the public from practices that create a danger for patients and is dutybound to enforce the provisions of the act and its regulations. These duties compel the Board to take steps to guard against the dangers posed by conversion therapy.

Conversion therapy, also known as sexual orientation change efforts or reparative therapy, is a term that describes a wide range of interventions by mental health professionals that seek to change an individual's sexual orientation or gender expression, including efforts to change behaviors, gender identity or gender expressions, or to reduce or eliminate sexual or romantic attractions or feelings toward an individual of the same gender. The term does not include counseling for an individual seeking to transition from one gender to another, counseling that provides acceptance, support and understanding of an individual or facilitates an individual's coping, social support and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices, or counseling that does not seek to change sexual orientation.

Conversion therapy can pose critical health risks to LGBTQIA+ people, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources.

The American Psychological Association has resolved that there is insufficient evidence to support the use of psychological interventions to change sexual orientation and encourages mental health professionals to avoid misrepresenting the efficacy of sexual orientation change efforts by promoting or promising change in sexual orientation when providing assistance to individuals. Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is strongly opposed by the American Academy of Child Adolescent Psychiatry, American Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Medical Association, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization and the World Psychiatric Association.

On June 15, 2022, President Joe Biden recognized the need to promote an end to the use of conversion therapies through the issuance of Executive Order 14075, which instructs Federal departments and agencies to formulate an action plan to prevent these therapies on a world-wide basis. On August 16, 2022, Governor Tom Wolf signed Executive Order 2022-02, which was published at 52 Pa.B. 5788 (September 10, 2022), to protect Pennsylvanians from conversion therapy by directing State agencies to discourage the practice of conversion therapy. See 4 Pa. Code §§ 7.921—7.924 (relating to protecting Pennsylvanians from conversion therapy and supporting LGBTQIA+ Pennsylvanians).

Under Principle 3(a) of § 41.61 (relating to Code of Ethics), psychologists shall be aware of the prevailing

community standards and of the possible impact upon the quality of professional services provided by their conformity to or deviation from these standards. Principle 3(c) prohibits psychologists from engaging in or condoning practices that are inhumane or that result in illegal or unjustifiable actions, which can include actions that constitute unlawful discriminatory practices under section 5 of the Pennsylvania Human Relations Act (43 P.S. § 955). Principle 3(d) requires that psychologists avoid action that will violate or diminish the legal and civil rights of clients or of others who may be affected by their actions. Principle 3(e) requires that psychologists act in accord with American Psychological Association standards and guidelines related to practice.

Given the lack of evidence to support the use of psychological interventions to change sexual orientation as well as the overwhelming opposition within the medical and psychological professions, the Board adopted this statement of policy as a public safety measure and to ensure that its licensees are aware of the Board's position on using conversion therapy on minors.

#### *Description of this Statement of Policy*

This statement of policy clarifies that it is the position of the Board that being LGBTQIA+ is not a disease, disorder, illness, deficiency or shortcoming. This statement of policy notifies licensees that the Board may find the use of conversion therapy on an individual under 18 years of age to be unethical, immoral and unprofessional conduct. Additionally, under this statement of policy, a licensee who uses conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

#### *Fiscal Impact and Paperwork Requirements*

This statement of policy will have no adverse fiscal impact on the Commonwealth or its political subdivisions and will impose no additional paperwork requirements upon the Commonwealth, political subdivisions or the private sector.

#### *Sunset Date*

A sunset date is not being established for this statement of policy. Its need and efficacy will be periodically monitored by the Board.

#### *Additional Information*

Persons who require additional information about the statement of policy may submit inquiries to the Regulatory Counsel, State Board of Psychology, P.O. Box 69523, Harrisburg, PA 17106-9523, (717) 783-7200, RA-STRegulatoryCounsel@pa.gov.

#### *Order*

The Board acting under the authority statutes, orders that:

(a) Chapter 41 of 49 Pa. Code is amended by adding a statement of policy in § 41.62 to read as set forth in Annex A.

(b) The Board shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall take effect upon publication in the *Pennsylvania Bulletin*.

STEVEN K. ERICKSON, PhD,  
Chairperson

**Fiscal Note:** 16A-6328. No fiscal impact; recommends adoption.

## Annex A

## TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

## PART I. DEPARTMENT OF STATE

## Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

CHAPTER 41. STATE BOARD OF PSYCHOLOGY  
CODE OF ETHICS

## § 41.62. Conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy.

(a) *Background.* Conversion therapy, also known as sexual orientation change efforts or reparative therapy, poses critical health risks to lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual individuals, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources. The American Psychological Association has resolved that there is insufficient evidence to support the use of psychological interventions to change sexual orientation and encourages mental health professionals to avoid misrepresenting the efficacy of sexual orientation change efforts by promoting or promising change in sexual orientation when providing assistance to individuals. Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is strongly opposed by the American Academy of Child Adolescent Psychiatry, American Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Medical Association, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization and the World Psychiatric Association.

(b) *Board authority.* The Board has statutory authority to license, regulate and discipline psychologists in this Commonwealth. Under section 8(a)(9) of the act (63 P.S. § 1208(a)(9)), the Board is authorized to discipline a licensee for violating a regulation promulgated by the Board, including the Board's ethical regulations under § 41.61 (relating to code of ethics). The Board is also authorized under section 8(a)(11) to discipline a licensee for engaging in immoral or unprofessional conduct.

(c) *Guidelines.* The following conversion therapy guidelines should be considered by licensees to ensure compliance with the act and the Board's regulations:

(1) Being lesbian, gay, bisexual, transgender, queer/questioning, intersex or asexual is not a disease, disorder, illness, deficiency or shortcoming.

(2) Conversion therapy includes the following conduct:

(i) A practice or treatment that seeks to change an individual's sexual orientation or gender identity.

(ii) An effort to change the behavioral expression of an individual's sexual orientation, change gender expression, or eliminate or reduce sexual or romantic attractions or feelings toward individuals of the same gender.

(3) Conversion therapy does not include a practice or treatment that provides counseling for an individual undergoing gender transition, counseling that provides acceptance, support, and understanding, or the facilitation of coping, social support, and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices. Conversion therapy does not include a practice that does not seek to change sexual orientation or gender identity.

(4) In a disciplinary action brought against a licensee, the Board may find the use of conversion therapy on an individual under 18 years of age to be unethical, immoral or unprofessional conduct. A licensee who uses conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

[Pa.B. Doc. No. 24-795. Filed for public inspection June 7, 2024, 9:00 a.m.]

## Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

## STATE BOARD OF SOCIAL WORKERS, MARRIAGE AND FAMILY THERAPISTS AND PROFESSIONAL COUNSELORS

[ 49 PA. CODE CHS. 47, 48 AND 49 ]

## Conversion Therapy—Statement of Policy

The State Board of Social Workers, Marriage and Family Therapists and Professional Counselors (Board) adds §§ 47.5, 48.5 and 49.5 (relating to conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy) to read as set forth in Annex A. This statement of policy is intended to provide guidance to Board-regulated social workers, marriage and family therapists and professional counselors and the general public.

*Effective Date*

This statement of policy will be effective upon publication in the *Pennsylvania Bulletin*.

*Statutory Authority*

Section 6(2) of the Social Workers, Marriage and Family Therapists and Professional Counselors Act (act) (63 P.S. § 1906(2)) provides that the Board shall have the authority “[t]o adopt and, from time to time, revise such rules and regulations as may be necessary to carry into effect the provisions of this act. Such regulations may include, but shall not be limited to, standards of professional practice and conduct for licensed bachelor social workers, licensed social workers, licensed clinical social workers, licensed associate marriage and family therapists, licensed marriage and family therapists, licensed associate professional counselors and licensed professional counselors in Pennsylvania.” Section 11(a)(2) and (3) of the act (63 P.S. § 1911(a)(2) and (3)) grants the Board authority to refuse, suspend, revoke, limit or restrict a license or reprimand a licensee for being guilty of immoral or unprofessional conduct and for violating standards of professional practice or conduct adopted by the Board.

Section 102 of the Commonwealth Documents Law (45 P.S. § 1102) defines “statement of policy” as “any document, except an adjudication or a regulation, promul-

gated by an agency which sets forth substantive or procedural personal or property rights, privileges, immunities, duties, liabilities or obligations of the public or any part thereof, and includes, without limiting the generality of the foregoing, any document interpreting or implementing any act of Assembly enforced or administered by such agency.” Statements of policy that are general and permanent in nature are required to be codified under 1 Pa. Code § 3.1 (relating to contents of *Code*).

#### *Background and Purpose*

The Commonwealth has a compelling interest in protecting the physical and psychological well-being of minors, including lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual (LGBTQIA+) youths, and in protecting minors against exposure to serious harms caused by conversion therapy. Likewise, the Board has an interest in and a duty to protect the public from practices that create a danger for patients and is dutybound to enforce the provisions of the act and its regulations. These duties compel the Board to take steps to guard against the dangers posed by conversion therapy.

Conversion therapy, also known as sexual orientation change efforts or reparative therapy, is a term that describes a wide range of interventions by mental health professionals that seek to change an individual’s sexual orientation or gender expression, including efforts to change behaviors, gender identity or gender expressions, or to reduce or eliminate sexual or romantic attractions or feelings toward an individual of the same gender. The term does not include counseling for an individual seeking to transition from one gender to another, counseling that provides acceptance, support and understanding of an individual or facilitates an individual’s coping, social support and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices, or counseling that does not seek to change sexual orientation.

Conversion therapy can pose critical health risks to LGBTQIA+ people, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources.

Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is strongly opposed by the American Academy of Child Adolescent Psychiatry, American Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Medical Association, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization and the World Psychiatric Association.

Under the Board’s regulations in § 47.71 (relating to codes of ethical practice and professional conduct), social workers are required to adhere “. . . to the codes of ethics and practice standards promulgated by the National Association of Social Workers (NASW). . . .” The NASW’s position statement on sexual orientation change efforts

provides that the practice of sexual orientation change efforts “violates the very tenets of the social work profession as outlined in the NASW Code of Ethics.” Under the Board’s regulations in § 48.71 (relating to code of ethical practice and professional conduct), licensed marriage and family therapists are required to adhere to the American Association for Marriage and Family Therapy (AAMFT) Code of Ethics. AAMFT does not consider homosexuality a disorder that requires treatment and does not see a basis for conversion therapy. Under the Board’s regulations in § 49.71 (relating to code of ethical practice and professional conduct), licensed professional counselors (licensees) shall adhere to the American Counseling Association (ACA) Code of Ethics. ACA opposes the promotion of conversion therapy as a cure for LGBTQIA+ individuals and considers it to be ineffectual and harmful. ACA considers conversion therapy to be a significant and serious violation of the ACA Code of Ethics.

On June 15, 2022, President Joe Biden recognized the need to promote an end to the use of conversion therapies through the issuance of Executive Order 14075, which instructs Federal departments and agencies to formulate an action plan to prevent these therapies on a world-wide basis. On August 16, 2022, Governor Tom Wolf signed Executive Order 2022-02, which was published at 52 Pa.B. 5788 (September 10, 2022), to protect Pennsylvanians from conversion therapy by directing State agencies to discourage the practice of conversion therapy. See 4 Pa. Code §§ 7.921—7.924 (relating to protecting Pennsylvanians from conversion therapy and supporting LGBTQIA+ Pennsylvanians).

Given the lack of evidence to support the use of psychological interventions to change sexual orientation as well as the overwhelming opposition within the medical and psychological professions, the Board adopted this statement of policy as a public safety measure and to ensure that its licensees are aware of the Board’s position on using conversion therapy on minors.

#### *Description of this Statement of Policy*

This statement of policy clarifies that it is the position of the Board that being LGBTQIA+ is not a disease, disorder, illness, deficiency or shortcoming. This statement of policy notifies licensees that the Board may find the use of conversion therapy on an individual under 18 years of age to be unethical, immoral and unprofessional conduct. Additionally, under this statement of policy, a licensee who uses conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

#### *Fiscal Impact and Paperwork Requirements*

This statement of policy will have no adverse fiscal impact on the Commonwealth or its political subdivisions and will impose no additional paperwork requirements upon the Commonwealth, political subdivisions or the private sector.

#### *Sunset Date*

A sunset date is not being established for this statement of policy. Its need and efficacy will be periodically monitored by the Board.

#### *Additional Information*

Persons who require additional information about this statement of policy may submit inquiries to the Counsel, State Board of Social Workers, Marriage and Family Therapists and Professional Counselors, P.O. Box 6923, Harrisburg, PA 17106-9523, (717) 783-7200, RA-STRegulatoryCounsel@pa.gov.



*Order*

The Board acting under the authority statutes, orders that:

(a) Chapters 47, 48 and 49 of 49 Pa. Code are amended by adding a statement of policy in §§ 47.5, 48.5 and 49.5 to read as set forth in Annex A.

(b) The Board shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall take effect upon publication in the *Pennsylvania Bulletin*.

MICHELLE SANTIAGO, PsyD, NCC, CCMHC, LPC,  
*Chairperson*

**Fiscal Note:** 16A-6926. No fiscal impact; recommends adoption.

**Annex A****TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS****PART I. DEPARTMENT OF STATE****Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS****CHAPTER 47. STATE BOARD OF SOCIAL WORKERS, MARRIAGE AND FAMILY THERAPISTS AND PROFESSIONAL COUNSELORS****STATEMENT OF POLICY****§ 47.5. Conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy.**

(a) *Background.* Conversion therapy, also known as sexual orientation change efforts or reparative therapy, poses critical health risks to lesbian, gay, bisexual, transgender, queer/questioning, intersex and asexual individuals, including suicidality, substance abuse, confusion, depression, guilt, helplessness, hopelessness, shame, social withdrawal, stress, disappointment, self-blame, decreased self-esteem and authenticity to others, increased self-hatred, hostility and blame toward parents, feelings of anger and betrayal, loss of friends and potential romantic partners, problems with sexual and emotional intimacy, sexual dysfunction, high-risk sexual behaviors, a feeling of being dehumanized and untrue to self, a loss of faith and a sense of having wasted time and resources. Due to the lack of scientific evidence supporting conversion therapy and the risk of harm to minors, the practice of conversion therapy is strongly opposed by the American Academy of Child Adolescent Psychiatry, American Academy of Pediatrics, American Association for Marriage and Family Therapy, American College of Physicians, American Medical Association, American Psychiatric Association, American Psychoanalytic Association, American Psychological Association, National Association of Social Workers, Pan American Health Organization and the World Psychiatric Association.

(b) *Board authority.* The Board has statutory authority to license, regulate and discipline social workers, marriage and family therapists and professional counselors. Under section 11(a)(2) and (3) of the act (63 P.S. § 1911(a)(2) and (3)), the Board is authorized to discipline a licensee for being guilty of immoral or unprofessional

conduct and for violating professional practice or conduct standards adopted by the Board, including §§ 47.71, 48.71 and 49.71 (relating to codes of ethical practice and professional conduct; code of ethical practice and professional conduct; and code of ethical practice and professional conduct).

(c) *Guidelines.* The following conversion therapy guidelines should be considered by licensees to ensure compliance with the act and the Board's regulations.

(1) Being lesbian, gay, bisexual, transgender, queer/questioning, intersex or asexual is not a disease, disorder, illness, deficiency or shortcoming.

(2) Conversion therapy includes the following conduct:

(i) A practice or treatment that seeks to change an individual's sexual orientation or gender identity.

(ii) An effort to change the behavioral expression of an individual's sexual orientation, change gender expression, or eliminate or reduce sexual or romantic attractions or feelings toward individuals of the same gender.

(3) Conversion therapy does not include a practice or treatment that provides counseling for an individual undergoing gender transition, counseling that provides acceptance, support, and understanding, or the facilitation of coping, social support, and identity exploration and development, including sexual orientation-neutral interventions to prevent or address unlawful conduct or unsafe sexual practices. Conversion therapy does not include a practice that does not seek to change sexual orientation or gender identity.

(4) In a disciplinary action brought against a licensee, the Board may find the use of conversion therapy on an individual under 18 years of age to be unethical, immoral and unprofessional conduct. A licensee who uses conversion therapy on an individual under 18 years of age may be subject to discipline by the Board.

**CHAPTER 48. STATE BOARD OF SOCIAL WORKERS, MARRIAGE AND FAMILY THERAPISTS AND PROFESSIONAL COUNSELORS—LICENSURE OF MARRIAGE AND FAMILY THERAPISTS****STATEMENT OF POLICY****§ 48.5. Conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy.**

Section 47.5 (relating to conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy) applies to this chapter.

**CHAPTER 49. STATE BOARD OF SOCIAL WORKERS, MARRIAGE AND FAMILY THERAPISTS AND PROFESSIONAL COUNSELORS—LICENSURE OF PROFESSIONAL COUNSELORS****STATEMENT OF POLICY****§ 49.5. Conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy.**

Section 47.5 (relating to conversion therapy, sexual orientation change efforts and reparative therapy—statement of policy) applies to this chapter.

[Pa.B. Doc. No. 24-796. Filed for public inspection June 7, 2024, 9:00 a.m.]

# NOTICES

## DEPARTMENT OF AGING

### Pharmaceutical Assistance Advisory Board Meeting

The Pharmaceutical Assistance Advisory Board will hold a meeting by means of Microsoft Teams on Monday, June 17, 2024, from 1 p.m. to 2:30 p.m. The discussion

topics have yet to be determined. For connection information or any questions, contact Megan McDaniel, memcdaniel@pa.gov, (717) 787-7313.

JASON KAVULICH,  
*Secretary*

[Pa.B. Doc. No. 24-797. Filed for public inspection June 7, 2024, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending May 28, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

### APPLICATIONS FOR COMMENT

#### BANKING INSTITUTIONS

No activity.

#### CREDIT UNIONS

No activity.

### OTHER APPLICATION ACTIVITY

#### BANKING INSTITUTIONS

##### Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Status</i>
05-28-2024	Iron Workers Savings Bank Aston Delaware County	Approved

After-the-Fact Amendment to Article II of the institution's Articles of Conversion provides for the change of the registered address of the principal place of business to match the renumbering/redesignation of 249 Concord Road to 3333 Concord Road, Aston, Delaware County, PA, by the United States Post Office.

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
05-06-2024	CNB Bank Clearfield Clearfield County	1524 West College Avenue State College Centre County	Opened

#### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-798. Filed for public inspection June 7, 2024, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Revisions to Schedule of Prices for State Parks

#### A. Summary and Background

Under section 314 of the Conservation and Natural Resources Act (71 P.S. § 1340.314) and 17 Pa. Code § 11.224 (relating to prices), the Department of Conservation and Natural Resources (Department), Bureau of State Parks, has revised its price schedule for State park activities, uses and privileges, effective upon publication of this notice in the *Pennsylvania Bulletin*. Section D identifies the new Friends and Family Great Gathering 3 unit full-hookup site type that is being added to the Tuttle Campground at Pymatuning State Park.

For comparison purposes, the current price schedule can be found at the Pennsylvania State Parks web site at

<https://www.dcnr.pa.gov/StateParks/StateParkPrices/Pages/default.aspx>. It can also be obtained by calling Pennsylvania State Parks Reservations and Information at (888) PA-PARKS. When the updated price schedule becomes effective, it will be posted on the State Parks web site.

#### B. Contact Person

Questions may be directed to Ryan Dysinger, Assistant Director, Bureau of State Parks, Rachel Carson State Office Building, P.O. Box 8551, Harrisburg, PA 17105-8551, (717) 787-6640, rydysinger@pa.gov. Persons with a disability may use the Pennsylvania Hamilton Relay Service by calling (800) 654-5984 (TDD users).

#### C. Effective Date

The effective date of these new fees is immediately upon publication of this notice in the *Pennsylvania Bulletin*.

#### D. Pricing for Great Gathering Friends and Family 3 Unit Full-Hookup Sites

Facility	Time Frame	Resident Price	Non-resident Price
Great Gathering Friends and Family: 3 Unit Modern Fee	Per Site Per Night	\$12—\$22	\$12—\$22
Great Gathering Friends and Family: 3 Unit Sewage/Water Fee	Per Site Per Night	\$39—\$49	\$39—\$49
Great Gathering Friends and Family: 3 Unit Electric Fee	Per Night Per Site	\$21—\$31	\$21—\$31
Great Gathering Friends and Family: Multi-Campsite Fee	Per Night Per Site	\$36—\$46	\$36—\$52
Great Gathering Friends and Family: 3 Unit Pet Fee	Per Night Per Site	\$6—\$16	\$6—\$16
Great Gathering Friends and Family: 3 Unit Premium—Friday, Saturday, Holiday, Events Fee	Per Night Per Site	\$12—\$22	\$12—\$22

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 24-799. Filed for public inspection June 7, 2024, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Application of South College to Operate as a College

#### Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of South College to be granted a Certificate of Authority to operate as a degree-granting institution in this Commonwealth with authority to award the Associate of Science degree in Diagnostic Medical Sonography.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in

accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher Education, Access and Equity, 607 South Drive, Floor 3E, Harrisburg, PA 17120 on or before the due date prescribed by this notice. Persons wishing to review the application should call (717) 783-6786 or write to the previously listed address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact the Division of Higher Education, Access and Equity at (717) 783-6786 to discuss accommodations.

DR. KHALID N. MUMIN,  
*Secretary*

[Pa.B. Doc. No. 24-800. Filed for public inspection June 7, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

#### APPLICATIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

#### **I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD280019	Chapter 102 Individual NPDES Permit	Amendment Minor	Infrastructure & Energy Alternatives Inc. 6325 Digital Way Indianapolis, IN 46278-1678	Fannett Township Franklin County	SCRO
PAD440025	Chapter 102 Individual NPDES Permit	Amendment Minor	Red Huds RE LLC 1 Commerical Drive Area E Florida, NY 10921	Granville Township Mifflin County	SCRO
PAD650027	Chapter 102 Individual NPDES Permit	Transfer	Weber Richard 620 Pine Road Sewickley, PA 15143-1210	Ligonier Township Westmoreland County	SWRO
0224800	Joint DEP/PFBC Pesticides Permit	New	Mallard Landing HOA 2807 Drake Court Gibsonia, PA 15044-8377	Hampton Township Allegheny County	SWRO
0224801	Joint DEP/PFBC Pesticides Permit	New	Loftus Paul 177 Thorn Hill Road Warrendale, PA 15086-7527	Hampton Township Allegheny County	SWRO
0818802	Joint DEP/PFBC Pesticides Permit	New	Ratschki Robert P 1259 Irish Ridge Road Wysox, PA 18854-7857	Wysox Township Bradford County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
9138169	Joint DEP/PFBC Pesticides Permit	Renewal	Lakeview Farms Partnership LLP 215 W Church Road Suite 108 King of Prussia, PA 19406-3203	Springfield Township Bucks County	SERO
0924803	Joint DEP/PFBC Pesticides Permit	New	Smith Andrew L 2753 Winding Road Quakertown, PA 18951-1908	Springfield Township Bucks County	SERO
0924805	Joint DEP/PFBC Pesticides Permit	New	Regency at Hilltown Comm Association 1266 Webb Drive Perkasie, PA 18944-4448	Hilltown Township Bucks County	SERO
0924806	Joint DEP/PFBC Pesticides Permit	New	Lewis Michael J 103 Pintail Pt New Hope, PA 18938-9320	Solebury Township Bucks County	SERO
0924807	Joint DEP/PFBC Pesticides Permit	New	Scocco Anthony 763 Cafferty Road Upper Black Eddy, PA 18972-9517	Tinicum Township Bucks County	SERO
1013832	Joint DEP/PFBC Pesticides Permit	Renewal	Winchester Lakes HOA 4900 Perry Highway Pittsburgh, PA 15229-2220	Cranberry Township Butler County	NWRO
1524807	Joint DEP/PFBC Pesticides Permit	New	Allen Jean 2520 Whitehorse Road Berwyn, PA 19312	Easttown Township Chester County	SERO
2524805	Joint DEP/PFBC Pesticides Permit	New	National Lime & Stone Co. 1331 Broad Avenue Findlay, OH 45840-2654	Erie City Erie County	NWRO
2620801	Joint DEP/PFBC Pesticides Permit	Transfer	Pirain Reed & Elizabeth 333 Old Lesnett Road Pittsburgh, PA 15241-3516	Saltlick Township Fayette County	SWRO
3624802	Joint DEP/PFBC Pesticides Permit	New	Ephrata Borough Lancaster County 124 S State Street Ephrata, PA 17522-2411	Ephrata Borough Lancaster County	SCRO
3724805	Joint DEP/PFBC Pesticides Permit	New	Wimer Holdings Corp 3538 State Route 956 New Castle, PA 16105-4020	Washington Township Lawrence County	NWRO
3724806	Joint DEP/PFBC Pesticides Permit	New	Wimer Holdings Corp 3538 Rte 956 New Castle, PA 16105	Wilmington Township Lawrence County	NWRO
4324809	Joint DEP/PFBC Pesticides Permit	New	Ted Opitz 3689 Sandy Lake Road Sandy Lake, PA 16145-3835	Mill Creek Township Mercer County	NWRO
4324810	Joint DEP/PFBC Pesticides Permit	New	Lawrence Okresik 699 Greenfield Road Mercer, PA 16137-2605	Lackawannock Township Mercer County	NWRO
4624806	Joint DEP/PFBC Pesticides Permit	New	Reserve at Center Square 555 Croton Road Suite 400 King of Prussia, PA 19406-3124	Worcester Township Montgomery County	SERO
4624807	Joint DEP/PFBC Pesticides Permit	New	Walton Pond HOA 430 Mallard Circle Blue Bell, PA 19422-2409	Whitpain Township Montgomery County	SERO
6524801	Joint DEP/PFBC Pesticides Permit	New	Latimer Luke A 152 Swan Lake Lane New Alexandria, PA 15670-2554	Derry Township Westmoreland County	SWRO
6524802	Joint DEP/PFBC Pesticides Permit	New	Spring Grove Estates HOA 2102 Lake View Drive Belle Vernon, PA 15012	Rostraver Township Westmoreland County	SWRO

## NOTICES

3177

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0214403	Land Application and Reuse of Sewage Individual WQM Permit	Amendment	Pittsburgh Parks Conservancy 2000 Technology Drive Suite 200 Pittsburgh, PA 15219-3113	Pittsburgh City Allegheny County	SWRO
PA0255815	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Amendment Minor	Cyprus Amax Minerals Co. 333 N Central Avenue Phoenix, AZ 85004-2189	Smith Township Washington County	SWRO
2672406	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Pleasant View MHP LLC P.O. Box 662 Mount Pleasant, PA 15666-0662	Saltlick Township Fayette County	SWRO
NNOEXNC69	No Exposure Certification	Renewal	Ward Manufacturing LLC 18992 Route 287 Tioga, PA 16946-8815	Lawrenceville Borough Tioga County	NCRO
NOEXSW024	No Exposure Certification	Renewal	Nine Energy Service 6500 West Fwy Fort Worth, TX 76116-2167	Fallowfield Township Washington County	SWRO
PAG036270	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	E J Bognar Inc. 733 Washington Road Pittsburgh, PA 15228-2022	Big Beaver Borough Beaver County	SWRO
PAG041166	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Amendment	Anthony Lore & Catisha Christy Lore 2751 Scranton Hollow Road Warren, PA 16365-8824	Farmington Township Warren County	NWRO
PAG041336	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Camplese Mark 909 E Fairfield Avenue New Castle, PA 16105-2317	Neshannock Township Lawrence County	NWRO
PAG041348	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Jeffrey & Mary Cusick 1049 Hartford Road Sharpsville, PA 16150-9648	South Pymatuning Township Mercer County	NWRO
PAG041350	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Matthew & Michele Mapes 1265 Slippery Rock Road Slippery Rock, PA 16057-4031	Liberty Township Mercer County	NWRO
PAG041351	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Liszka Todd 1318 W 9th Street Erie, PA 16502-1023	Delaware Township Mercer County	NWRO
PAG041352	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Dornbusch LLC 131 Watters Station Road Evans City, PA 16033-9323	Forward Township Butler County	NWRO
PAG123610	PAG-12 NPDES General Permit for CAFOs	Renewal	Hege Michael J 11473 Gehr Road Waynesboro, PA 17268-9239	Washington Township Franklin County	SCRO
PAG123726	PAG-12 NPDES General Permit for CAFOs	Renewal	Carsonville Farms LP 345 W High Street Elizabethtown, PA 17022	Wayne Township Dauphin County	SCRO
PAG124805	PAG-12 NPDES General Permit for CAFOs	Renewal	David Groff 314 Lamplight Lane Lewisburg, PA 17837-9010	Kelly Township Union County	SCRO
PAG124847	PAG-12 NPDES General Permit for CAFOs	Renewal	Keister Family Farms LLC 105 Keisters Farm Lane Middleburg, PA 17842-9298	Franklin Township Snyder County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2224202	Sewer Extensions Individual WQM Permit	New	Capital Region Water 3003 N Front Street Harrisburg, PA 17110-1224	Harrisburg City Dauphin County	SCRO
PA0288772	Single Residence STP Individual NPDES Permit	Transfer	Corey & Maria Ivonne Norman 5564 W Center Road Linesville, PA 16424-7744	Conneaut Township Crawford County	NWRO
1024406	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Lippert Regis 245 Lindsay Road Zelienople, PA 16063-8917	Jackson Township Butler County	NWRO

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### *Northcentral Regional Office*

**PA0022195**, Sewage, SIC Code 4952, **Catawissa Borough, Columbia County**, 307 Main Street, Catawissa, PA 17820-1315. Facility Name: Catawissa Borough Sanitary Sewer STP. This existing facility is located in Catawissa Borough, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Catawissa Creek (TSF), is located in State Water Plan watershed 5-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	41	65	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	50	75	XXX	30.0	45.0	60
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

### *Northcentral Regional Office*

**PA0046094**, Sewage, SIC Code 4952, **US ACOE Baltimore District**, 710 Ives Run Lane, Tioga, PA 16946-8643. Facility Name: Ives Run Recreation Area Wastewater Treatment Plant. This existing facility is located in Tioga Township, **Tioga County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.



The receiving stream(s), Crooked Creek, is located in State Water Plan watershed 4-A and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0625 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	15.0	XXX	30.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

**PA0209457**, Industrial, SIC Code 2493, **Jeld Wen, Inc.**, P.O. Box 311, Towanda, PA 18848-0311. Facility Name: Jeld Wen, Inc. Fiber Division PA. This existing facility is located in Wysox Township, **Bradford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Laning Creek (WWF) and Laning Creek (WWF, MF), is located in State Water Plan watershed 4-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.026 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Arsenic, Total (ug/L)—Interim	Report	Report	XXX	Report	Report	XXX
Arsenic, Total (ug/L)—Final	0.006	0.01	XXX	29.2	45.5	72.9
Mercury, Total (ug/L)—Interim	Report	Report	XXX	Report	Report	XXX
Mercury, Total (ug/L)—Final	0.00003	0.00005	XXX	0.15	0.23	0.36
Selenium, Total (ug/L)—Interim	Report	Report	XXX	Report	Report	XXX
Selenium, Total (ug/L)—Final	0.003	0.005	XXX	14.6	22.7	36.4
Total Dissolved Solids (ug/L)	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total (ug/L)	XXX	Report	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	Report	XXX	XXX	Report	7.0
Sulfate, Total	XXX	Report	XXX	XXX	Report	XXX
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	Inst Min XXX	30	100	150
Oil and Grease	XXX	XXX	XXX	15	20	30
PFOA (ng/L)	XXX	Report	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	Report	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	Report	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	Report	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0103373**, Sewage, SIC Code 4952, **Foxburg Borough Area Water & Sewer Authority**, P.O. Box 2, Foxburg, PA 16036-0002. Facility Name: Foxburg STP. This existing facility is located in Foxburg Borough, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Allegheny River (WWF), is located in State Water Plan watershed 17-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.16 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	33.0	53.0	Inst Min XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	40.0	60.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Zinc, Dissolved (ug/L)	XXX	XXX	XXX	Avg Qrtly Report	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0264474**, Sewage, SIC Code 8800, **Jeffrey & Jennifer Tait**, 204 Geibel Road, Butler, PA 16002-9216. Facility Name: Jeffrey & Jennifer Tait SRSTP. This existing facility is located in Summit Township, **Butler County**.

Description of Existing Activity: The application is for a renewal and transfer of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Bonnie Brook (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Carbonaceous Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0295761**, Sewage, SIC Code 8800, **Joy & Timothy Merrill**, 9712 Mitchell Road, Union City, PA 16438-9764. Facility Name: Joy & Timothy Merrill SRSTP. This proposed facility is located in Union Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to South Branch French Creek (CWF), is located in State Water Plan watershed 16-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0022179**, Sewage, SIC Code 4952, **Mercersburg Sewer Authority**, 113 S Main Street, Mercersburg, PA 17236-1517. Facility Name: Mercersburg STP. This existing facility is located in Mercersburg Borough, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Johnston Run (WWF, MF), is located in State Water Plan watershed 13-C and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Nov 1 - Apr 30	62	100	XXX	25.0	40.0	50
May 1 - Oct 31	50	72	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	75	112	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Total Nitrogen	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	22.5	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	7.5	XXX	XXX	3.0	XXX	9
Total Kjeldahl Nitrogen	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Total Phosphorus	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Copper, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Zinc, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0080501**, Sewage, SIC Code 8211, **Tuscarora School District**, 9138 Fort Loudon Road, Mercersburg, PA 17236-9207. Facility Name: Montgomery Elementary School. This existing facility is located in Montgomery Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary of West Branch Conococheague Creek (TSF, MF), is located in State Water Plan watershed 13-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00175 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0080683**, Sewage, SIC Code 6515, **Millers Skyview Sales Inc.**, 200 Ridge Road, Eppers, PA 17319-9110. Facility Name: Millers Skyview MHP. This existing facility is located in Newberry Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Bennett Run (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .025 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.04	XXX	0.12
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	2.5	XXX	5
Nov 1 - Apr 30	Report	XXX	XXX	1.0	XXX	2.5
May 1 - Oct 31	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .025 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0081281**, Sewage, SIC Code 6515, **Park Acquisition LLC**, 2160 Hanover Road, Gettysburg, PA 17325-7719. Facility Name: Cavalry Heights MHP. This existing facility is located in Mount Pleasant Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to White Run (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.025 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.10	XXX	0.20
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	1.5	XXX	3.0
May 1 - Oct 31	XXX	XXX	XXX	4.5	XXX	9.0
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0081388**, Sewage, SIC Code 6515, **Barkas Inc.**, 14971 Mount Olivet Road, Stewartstown, PA 17363-8506. Facility Name: Windy Brae MHP. This existing facility is located in North Hopewell Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of East Branch Codorus Creek (HQ-CWF), is located in State Water Plan watershed 7-H and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0337 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .0337 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.10	XXX	0.32
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	7.5	XXX	15
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	6.0	XXX	12
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	2.0	XXX	4.5
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.5
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0082007**, Sewage, SIC Code 8811, **Kimberly A Browell Jr**, 6827 Bedford Valley Road, Bedford, PA 15522. Facility Name: Browell Res. This existing facility is located in Cumberland Valley Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Sand Spring Run (HQ-CWF), is located in State Water Plan watershed 13-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0007 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .0007 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	20.0	XXX	40.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0084077**, Sewage, SIC Code 4952, **Snake Spring Township Municipal Authority, Bedford County**, 624 Pennknoll Road, Everett, PA 15537-6945. Facility Name: Snake Spring Township STP. This existing facility is located in Snake Spring Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Raystown Branch Juniata River (TSF, MF), is located in State Water Plan watershed 11-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .19 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Lead, Total	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX



The proposed effluent limits for Outfall 001 are based on a design flow of .19 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	39	63	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	47	71	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	3.17	XXX	XXX	2.0	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .19 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	Semi Avg XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	Semi Avg XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	Semi Avg XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0085278**, Sewage, SIC Code 8641, **Deerwood Community HOA**, 11375 Lafayette Road, Mercersburg, PA 17236-9772. Facility Name: Deerwood Community STP. This existing facility is located in Montgomery Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Licking Creek (TSF, MF), is located in State Water Plan watershed 13-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .018 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.21	XXX	0.69

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6

The proposed effluent limits for Outfall 001 are based on a design flow of .018 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Annl Avg	XXX	XXX	Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Annl Avg	XXX	XXX	Annl Avg	XXX	XXX
	Report			Report		
	Annl Avg			Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0085332**, Sewage, SIC Code 4952, **Delta Borough Municipal Authority**, P.O. Box 278, Delta, PA 17314-0278. Facility Name: Delta Borough WWTP. This existing facility is located in Delta Borough, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Scott Creek (CWF (existing use)), is located in State Water Plan watershed 7-I and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .24 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	Daily Max	XXX
Total Residual Chlorine (TRC)	XXX	XXX	5.0	0.061	XXX	0.199
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	50	80	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	60	90	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Geo Mean		
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	XXX	XXX	XXX
	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Ammonia-Nitrogen	12.0	XXX	XXX	6.0	XXX	12
Nov 1 - Apr 30						
May 1 - Oct 31	4.0	XXX	XXX	2.0	XXX	4
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Total Phosphorus	4.0	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Copper, Total	0.024	0.038	XXX	0.012	0.019	XXX
		Daily Max			Daily Max	
Zinc, Total	0.240	0.298	XXX	0.12	0.149	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .48 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0087190**, Sewage, SIC Code 4952, **Saint Thomas Township Municipal Authority, Franklin County**, 175 Saint Thomas Edenville Road, Saint Thomas, PA 17252-9743. Facility Name: St Thomas Township Edenville STP. This existing facility is located in Saint Thomas Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Wilson Run (TSF), is located in State Water Plan watershed 13-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .06 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	Report	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .06 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Total Nitrogen	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Total Kjeldahl Nitrogen	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Total Phosphorus	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .06 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	12.5	20	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	15	22	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	Geo Mean	XXX	XXX
Ammonia-Nitrogen	8.2	XXX	XXX	16.5	XXX	33
Oct 1 - Apr 30						
May 1 - Sep 30	2.8	XXX	XXX	5.5	XXX	11

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0088277**, Sewage, SIC Code 4952, **Summit Ridge Homeowners Assoc**, 2950 Lewisberry Road, York, PA 17404-8376. Facility Name: Summit Ridge STP. This existing facility is located in Berwick Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Beaver Creek, is located in State Water Plan watershed 7-F and is classified for WWF & MF, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02555 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.14	XXX	0.45
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30						
Oct 1 - Apr 30	XXX	XXX	XXX	20,00	XXX	10,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	2.5	XXX	5.0
May 1 - Oct 31						
Nov 1 - Apr 30	XXX	XXX	XXX	7.5	XXX	15.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02555 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Kjeldahl Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0088579**, Sewage, SIC Code 4952, **The York Water Co.**, 130 E Market Street, York, PA 17401-1219. Facility Name: York Water Felton Borough STP. This existing facility is located in Felton Borough, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), North Branch Muddy Creek (CWF), is located in State Water Plan watershed 7-I and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	8.3	13.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	10.0	15.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	XXX	XXX	XXX
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0088650**, Sewage, SIC Code 8661, **Vibrant—A Christian Church**, 1775 Lambs Gap Road, Mechanicsburg, PA 17055. Facility Name: Vibrant - A Christian Church. This existing facility is located in Hampden Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0021 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0021 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	44
Nov 1 - Apr 30				22.0		
May 1 - Oct 31	XXX	XXX	XXX	7.5	XXX	15

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0294250**, Sewage, SIC Code 4952, **MRPI Amity Hall LLC**, 509 S Exeter Street, Baltimore, MD 21202-4365. Facility Name: Susquehanna Crossings. This proposed facility is located in Watts Township, **Perry County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Susquehanna River (WWF, MF) and Buffalo Creek (WWF, MF), is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	Report	Report	XXX	25.0	40.0	XXX
Total Suspended Solids	Report	Report	XXX	30.0	45.0	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean XXX	XXX	XXX
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0044911**, Industrial, SIC Code 2023, **Land O Lakes Inc.**, 405 Park Drive, Carlisle, PA 17015-9270. Facility Name: Land O Lakes—Carlisle Facility. This existing facility is located in South Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Mountain Creek (TSF, MF) and Yellow Breeches Creek (HQ-CWF, MF), is located in State Water Plan watershed 7-E and is classified for Trout Stocking, High Quality—Cold Water, Migratory Fish, and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .95 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
			Daily Min			

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Temperature (°F)	XXX	XXX	XXX	Report	110	XXX
Jan 1 - Jun 30						
Jul 1 - 31	XXX	XXX	XXX	Report	100	XXX
August 1 - 15	XXX	XXX	XXX	Report	98.8	XXX
August 16 - 31	XXX	XXX	XXX	Report	110	XXX
September 1 - 15	XXX	XXX	XXX	Report	110	XXX
September 16 - 30	XXX	XXX	XXX	Report	108	XXX
Oct 1 - Dec 31	XXX	XXX	XXX	Report	110	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	79	158	XXX	10.0	20.0	25
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	Report	XXX
Industrial Influent						
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Industrial Influent						
Total Suspended Solids	79	158	XXX	10.0	20.0	25
Nitrate-Nitrite as N	XXX	Report	XXX	XXX	Report	XXX
Total Nitrogen	XXX	Report	XXX	XXX	Report	XXX
Ammonia-Nitrogen	35	71	XXX	4.5	9.0	11
Nov 1 - Apr 30						
May 1 - Oct 31	11	23	XXX	1.5	3.0	3.7
Total Kjeldahl Nitrogen	XXX	Report	XXX	XXX	Report	XXX
Total Phosphorus	7.5	15	XXX	1.0	2.0	2.5
Total Selenium	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Sulfate	Report	Report	XXX	Report	Report	XXX
Chromide	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX

The proposed stormwater discharge requirements for Outfall 002 are as follows—

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0081418**, SIC Code 2026, **Rutters Dairy Inc.**, 2100 N George Street, York, PA 17404-1815. Facility Name: Rutters Dairy. This existing facility is located in Manchester Township, **York County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated.

The receiving stream(s), Unnamed Tributary to Codorus Creek (WWF), is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0



Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Temperature (deg F) (°F)	XXX	XXX	XXX	55.8	XXX	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	55.9	XXX	XXX
Mar 1 - 31	XXX	XXX	XXX	56.5	XXX	XXX
Apr 1 - 15	XXX	XXX	XXX	57.0	XXX	XXX
Apr 16 - 30	XXX	XXX	XXX	64.7	XXX	XXX
May 1 - 15	XXX	XXX	XXX	73.5	XXX	XXX
May 16 - 31	XXX	XXX	XXX	89.3	XXX	XXX
Jun 1 - 15	XXX	XXX	XXX	94.8	XXX	XXX
Jun 16 - 30	XXX	XXX	XXX	101.0	XXX	XXX
Jul 1 - 31	XXX	XXX	XXX	97.6	XXX	XXX
Aug 1 - 15	XXX	XXX	XXX	95.8	XXX	XXX
Aug 16 - 31	XXX	XXX	XXX	95.8	XXX	XXX
Sep 1 - 15	XXX	XXX	XXX	90.3	XXX	XXX
Sep 16 - 30	XXX	XXX	XXX	83.0	XXX	XXX
Oct 1 - 15	XXX	XXX	XXX	76.1	XXX	XXX
Oct 16 - 31	XXX	XXX	XXX	68.7	XXX	XXX
Nov 1 - 15	XXX	XXX	XXX	59.2	XXX	XXX
Nov 16 - 30	XXX	XXX	XXX	55.5	XXX	XXX
Dec 1 - 31	XXX	XXX	XXX	55.7	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0082244**, Industrial, SIC Code 4581, **Susquehanna Area Region Airport Authority**, 1 Terminal Drive, Suite 300, Middletown, PA 17057-5048. Facility Name: Harrisburg International Airport. This existing facility is located in Lower Swatara Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Susquehanna River (WWF), is located in State Water Plan watershed 7-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 004 are based on a design flow of .046 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min			
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Sulfate, Total	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFBS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Approval Contingencies
- Proper Waste/Solids Management
- Collected Screenings, Slurries, Sludges, and Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0083143**, Industrial, SIC Code 4941, **Saxton Borough Municipal Authority, Bedford County**, 707 9th Street, Saxton, PA 16678-1109. Facility Name: Saxton Borough Water System. This existing facility is located in Saxton Borough, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Raystown Branch Juniata River (TSF), is located in State Water Plan watershed 11-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .045 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	11.0	XXX	XXX	30.0	60.0	75
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	10
Iron, Total	XXX	XXX	XXX	2.0	4.0	5
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0027987**, Sewage, SIC Code 5541, **Applegreen PA Welcome Center LLC**, 208 Harristown Road, Glen Rock, NJ 07452. Facility Name: Peter J Camiel Service Plaza. This existing facility is located in Wallace Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Marsh Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-H and is classified for Migratory and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	8.3	XXX	XXX	20.0	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	4.2	XXX	XXX	10.0	XXX	20
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	8.3	XXX	XXX	20.0	XXX	40
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	3.7	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	1.3	XXX	XXX	3.0	XXX	6
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	0.83	XXX	XXX	2.0	XXX	4
Nov 1 - Mar 31						
Apr 1 - Oct 31	0.42	XXX	XXX	1.0	XXX	2

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Sludge Disposal Requirements
- D. Phase Out When Municipal Sewers Available
- E. Total Residual Chlorine Requirement
- F. Discharge to Small Stream
- G. Notification of Designation of Operator
- H. Remedial Measures if Unsatisfactory Effluent
- I. Twice per Month Sampling

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southeast Regional Office*

**PAI130044, MS4, Hilltown Township, Bucks County**, 13 W Creamery Road, Hilltown, PA 18927.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Hilltown Township, **Bucks County**. The receiving stream(s), Unnamed Tributary to Reading Creek (WWF, MF) and Mill Creek (TSF, MF), is located in State Water Plan watershed 2-F and 3-E and is classified for Trout Stocking, Warm Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southwest Regional Office*

**PA0096814**, Sewage, SIC Code, **Coen Markets Inc.**, 1000 Philadelphia Street, Canonsburg, PA 15317-1700. Facility Name: Robyns Shop Donegal Tri Fuel STP. This existing facility is located in Donegal Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unnamed Tributary to Minnow Run (CWF), is located in State Water Plan watershed 19-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0022 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX		
	Average Monthly	Average Weekly		Average Monthly	Maximum			
Flow (MGD)	0.0022	XXX	XXX	XXX	XXX	XXX		
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0		
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX		
			4.0					
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6		
			XXX					
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0		
			XXX					
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0		
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000		
							Oct 1 - Apr 30	Geo Mean
							May 1 - Sep 30	200
Ammonia-Nitrogen	XXX	XXX	XXX	3.0	XXX	6.0		
							Nov 1 - Apr 30	Geo Mean
							May 1 - Oct 31	2.0

The proposed effluent limits for Outfall 001 are based on a design flow of .0022 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP if municipal Sewers Available
- E. Chlorine Optimization
- F. Dry Stream Discharge
- G. Operator Notification
- H. Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0255416**, Sewage, SIC Code 7033, **Empire Realty Homes LLC**, 1 Oak Drive, Buena Vista, PA 15018-9534. Facility Name: Rolling Hills Village MHP STP. This proposed facility is located in Elizabeth Township, **Allegheny County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Youghiogheny River (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .035 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.4	XXX	3.3
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	25.0	XXX	50.0
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	Report
Total Phosphorus	XXX	XXX	XXX	Report Daily Max	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .035 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Total Nitrogen	XXX	XXX	XXX	5.0 Annl Avg	XXX	10.0
Total Phosphorus	XXX	XXX	XXX	0.5 Annl Avg	XXX	1.0

The proposed effluent limits for Outfall 001 are based on a design flow of .035 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean		
Nov 1 - Apr 30				Report	XXX	Report
May 1 - Oct 31	XXX	XXX	XXX	25.0	XXX	50.0

The proposed effluent limits for Outfall 001 are based on a design flow of .035 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The following major condition has been added to the permit:

- A compliance schedule in Part C II.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0097306**, Industrial, SIC Code 4941, **Municipal Authority of the Township of Robinson**, 4200 Campbells Run Road, Pittsburgh, PA 15205-1306. Facility Name: Groveton Water Filtration Plant. This existing facility is located in Robinson Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Ohio River (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.058 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

*Northeast Regional Office*

Applicant: **Frederick Chang**

Applicant Address: 231 Hackensack Plank Road, Apt 203, Weehawken, NJ 07086

Application Number: **PAD520056**

Application Type: New

Municipality/County: Milford Township, **Pike County**

Project Site Name: Milford Highlands Lot 62

Total Earth Disturbance Area (acres): 1.08 acres

Surface Waters Receiving Stormwater Discharges: Crawford Branch, High Quality—Cold Water Fish, Migratory Fish (HQ-CWF, MF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single-family dwelling with on-site septic system, well and stormwater management.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southcentral Regional Office*

Applicant: **Adib Al-Absi**

Applicant Address: 1773 W Trindle Road # E, Mechanicsburg, PA 17050

Application Number: **PAD210108**

Application Type: New

Municipality/County: Silver Spring Township, **Cumberland County**

Project Site Name: 6469 Carlisle Pike Development

Total Earth Disturbance Area (acres): 1.57 acres

Surface Waters Receiving Stormwater Discharges: Conodoguinet Creek (WWF, MF) and the Silver Spring Quarry.

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of an automotive repair building and a quick service restaurant.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Northeast Regional Office*

Applicant: **Mamora Realty, LP**

Applicant Address: 512 Hamilton Street, Allentown, PA 18101

Application Number: **PAD480076**

Application Type: Renewal

Municipality/County: Forks Township, **Northampton County**

Project Site Name: Penn's Ridge Residential Subdivision

Total Earth Disturbance Area (acres): 5.46 acres

Surface Waters Receiving Stormwater Discharges: Bushkill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Residential subdivision.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Matthew Snyder**

Applicant Address: 45 Spring Brook Road, Milanville, PA 18443

Application Number: **PAD640049**

Application Type: New

Municipality/County: Damascus Township, **Wayne County**

Project Site Name: 45 Spring Brook Road

Total Earth Disturbance Area (acres): 8.99 acres

Surface Waters Receiving Stormwater Discharges: UNT to South Branch Calkins Creek (HQ-CWF, MF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of a single-family residence with a detached barn, driveway and associated stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southeast Regional Office*

Applicant: **Spring Ford Area School District**

Applicant Address: 857 South Lewis Road, Royersford, PA 19468-2732

Application Number: **PAD150341**

Application Type: New

Municipality/County: East Vincent Township, **Chester County**

Project Site Name: Spring City Elementary School—Building Additions & Renovations

Total Earth Disturbance Area (acres): 4.16 acres

Surface Waters Receiving Stormwater Discharges: Schuylkill River (WWF-MF), Stony Creek (HQ-TSF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Applicant, SFASD, proposes to construct four (4) building additions and an enhanced parking lot with associated concrete sidewalk(s). Runoff will be controlled by proposed Stormwater Management Facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Northeast Regional Office*

Applicant: **Grim's Orchard & Family Farms, c/o Josh Grim**

Applicant Address: 9941 Schantz Road, Breinigsville, PA 18031

Application Number: **PAD390126**

Application Type: Renewal

Municipality/County: Upper Macungie Township, **Lehigh County**

Project Site Name: Grim's Orchard & Family Farm

Total Earth Disturbance Area (acres): 84.85 acres

Surface Waters Receiving Stormwater Discharges: Schaefer Run (HQ-CWF, MF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Land cover change associated with farming operations and fruit picking.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Jaindl Land Company, c/o David Jaindl**

Applicant Address: 3150 Coffeetown Road, Orefield, PA 18069

Application Number: **PAD390186 A-10**

Application Type: Major Amendment

Municipality/County: South Whitehall Township, **Lehigh County**

Project Site Name: The Hills at Winchester Lot 228 Major Amendment

Total Earth Disturbance Area (acres): 99.34 acres

Surface Waters Receiving Stormwater Discharges: Jordan Creek (TSF, MF) and Little Cedar Creek (HQ-CWF, MF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Lot 228 has been altered to include additional property added to the lot through approved lot line adjustment (which falls outside current NPDES Permit boundary and LOD), accounts for additional impervious coverage, removes seepage pit 228, alters storm sewer running along rear of property and proposes a new infiltration basin.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Nazareth Borough**

Applicant Address: 134 South Main Street, Nazareth, PA 18064

Application Number: **PAD480208**

Application Type: New

Municipality/County: Upper Nazareth Township, **Northampton County**

Project Site Name: Borough of Nazareth Yard Waste and Recycling Drop-Off Facility

Total Earth Disturbance Area (acres): 5.00 acres

Surface Waters Receiving Stormwater Discharges: UNT to East Branch Monocacy Creek (HQ-CWF, MF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To develop a yard waste recycling and drop-off facility that will contain a mail sparking area for those using the facility, a bioretention area for stormwater management, a guard shack, dumpsters for Act 101 recycling materials and bunker storage for yard waste materials.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southcentral Regional Office*

Applicant: **Mr. Israel Kinsinger**

Applicant Address: 286 Reath Road, Kirkwood, PA 17536

Application Number: **PAD360119**

Application Type: New

Municipality/County: Colerain Township, **Lancaster County**

Project Site Name: Israel S. Kinsinger

Total Earth Disturbance Area (acres): 2.23 acres

Surface Waters Receiving Stormwater Discharges: Kings Run (HQ-CWF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction for proposed dwelling, barn and building.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.



*Regional Permit Coordination Office*

Applicant: **Thane Martin**

Applicant Address: 210 Blackburn Road, Quarryville, PA 17566

Application Number: **PAD360118**

Application Type: New

Municipality/County: East Drumore Township, **Lancaster County**

Project Site Name: Thane Martin AG Operation

Total Earth Disturbance Area (acres): 9.5 acres

Surface Waters Receiving Stormwater Discharges: tributary to West Branch Octoraro Creek (HQ-CWF, MF)/Wetland (Other).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Thane Martin is proposing to construct a new poultry operation inclusive of two poultry barns (42-feet by 600-feet), egg room (36-feet by 50-feet), manure storage (50-feet by 88-feet), gravel driveway, gravel pads, and associated stormwater management controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

*Regional Permit Coordination Office*

Applicant: **Pennsylvania Turnpike Commission**

Applicant Address: 700 S. Eisenhower Blvd, Middletown, PA 17057

Application Number: **PAD150342**

Application Type: New

Municipality/County: East Nantmeal Township, **Chester County**

Project Site Name: Replacement of Bridge EB-707 (Adams Road) at Milepost 304.44

Total Earth Disturbance Area (acres): 7.16 acres

Surface Waters Receiving Stormwater Discharges: Tributary to Marsh Creek (HQ, TSF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Total bridge replacement (Adams Road) over PA Turnpike with Marsh Road to be shifted to allow the work. Two PCSM BMPs will be utilized to maintain stormwater.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

*Northeast Regional Office*

Applicant: **Tobyhanna Army Depot**

Applicant Address: 11 Hap Arnold Blvd., Tobyhanna, PA 18466

Application Number: **PAD450205**

Application Type: New

Municipality/County: Coolbaugh Township, **Monroe County**

Project Site Name: Tobyhanna Army Depot Water, Phased Modernization for Water, Wastewater and Stormwater Systems

Total Earth Disturbance Area (acres): 21.28 acres

Surface Waters Receiving Stormwater Discharges: EV Wetlands to Hummler Run, EV, (HQ-CWF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Replace the existing sanitary, water, and stormwater systems along First St. between Signal Dr. and Gibbs St.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northwest Regional Office*

Applicant: **St Marys Area Water Authority**

Applicant Address: 967 State Street, St Marys, PA 15857

Application Number: **PAD240015**

Application Type: New

Municipality/County: City of Saint Marys and Fox Township, **Elk County**

Project Site Name: Kersey Booster Waterline Replacement

Total Earth Disturbance Area (acres): 4.25 acres

Surface Waters Receiving Stormwater Discharges: Byrnes Run EV, Laurel Run (CWF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The applicant proposes the installation of approximately 8,400 feet of 12-inch waterline and 530 feet of 8-inch waterline in St. Marys City, Elk County. The waterline will be installed using open cut and boring methods. All disturbed areas will be restored and returned to their pre-construction condition.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

*Northeast Regional Office*

Applicant: **Todd Arthurs Holdings, LLC**

Applicant Address: 1509 Coral Ridge Road, Shepherdsville, KY 40165

Application Number: **PAD400082**

Application Type: New

Municipality/County: Pittston Township, **Luzerne County**

Project Site Name: TAH—New Warehouse Project

Total Earth Disturbance Area (acres): 19.42 acres

Surface Waters Receiving Stormwater Discharges: 1. Collins Creek (CWF, MF), 2. UNT to Collins Creek (CWF, MF), 3. EV Wetlands.

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a 263,500 SF warehouse and associated access road, parking, truck parking, stormwater management and utilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northcentral Regional Office*

Applicant: **Jersey Shore Area Joint Water Authority**

Applicant Address: 1111 Bardo Avenue, Jersey Shore, PA 17740

Application Number: **PAD410030**

Application Type: New

Municipality/County: Jersey Shore Borough, **Lycoming County**

Project Site Name: Roaring Run Waterline Replacement

Total Earth Disturbance Area (acres): 1.7 acres

Surface Waters Receiving Stormwater Discharges: Larry's Creek (HQ-CWF), EV.

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Replacement of approximately 4,000 linear feet of an existing 12-inch HDPE raw waterline for their Roaring Run water source. The existing waterline is old and on the verge of failure. The project has three (3) stream crossings impacting Larry's Creek. The waterline will be installed by the open cut method and the LOD is approximately 1.7 acres. The project qualifies as a Site Restoration Project.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Northcentral Regional Office*

Applicant: **Watrous Water Association**

Applicant Address: 2430 Elk Run Road, Gaines, PA 16921

Application Number: **PAD590015 A-1**

Application Type: Major Amendment

Municipality/County: West Branch Township and Gaines Township, Galetton Borough, Pike Township, **Tioga County** and **Potter County**

Project Site Name: Watrous Water Association Interconnect Project

Total Earth Disturbance Area (acres): 6.0 acres

Surface Waters Receiving Stormwater Discharges: Pine Creek (EV), Elk Run (EV).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To install approximately 15,000 LF of transmission main to provide interconnected water service between Galetton Borough and the Village of Watrous.

Special Conditions: N/A—Restoration Plan

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Southeast Regional Office*

Applicant: **Asset Realty & Construction Group**

Applicant Address: 1590 Troy Avenue, Brooklyn, NY 11234-1444

Application Number: **PAD510237**

Application Type: New

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: 7240 State Road

Total Earth Disturbance Area (acres): 3.27 acres

Surface Waters Receiving Stormwater Discharges: Delaware River (WWF, MF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project site is presently developed with vacant industrial buildings and site improvements. This application is for the first phase of the project, which includes demolition of existing buildings, site demolition, and limited earthwork. A future application will be submitted for the planned development of an approximately 150,000 SF 4-story self-storage building and associated site improvements.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Northcentral Regional Office*

Applicant: **Pennsylvania Department of Transportation Engineering District 3-0**

Applicant Address: 715 Jordan Ave, Montoursville, PA 17754

Application Number: **PAD410002**

Application Type: New

Municipality/County: Picture Rocks Borough and Shrewsbury Township, **Lycoming County**

Project Site Name: SR 0220, Section 166 and 181 Roadway Safety Project

Total Earth Disturbance Area (acres): 25.9 acres

Surface Waters Receiving Stormwater Discharges: Muncy Creek (EV).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Pennsylvania Department of Transportation is applying an NPDES permit for the construction of a 5.6-mile-long roadway safety improvement project. The roadway safety improvement project will include roadway reconstruction (repaving), roadway curve correction, and roadway slide repairs at the three locations and the associated stormwater controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Northeast Regional Office*

Applicant: **CRG Services Management, LLC c/o Fred Ferraro**

Applicant Address: 300 Barr Harbor Drive, Suite 720, Conshohocken, PA 19428

Application Number: **PAD390265**

Application Type: New

Municipality/County: Lowhill Township, **Lehigh County**

Project Site Name: 2951 Betz Court Site

Total Earth Disturbance Area (acres): 28.0 acres

Surface Waters Receiving Stormwater Discharges: UNT to Jordan Creek (HQ-CWF, MF), Other Wetlands & EV Wetlands.

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of one new warehouse/distribution center totaling approximately 299,880 square feet of gross floor area. Development of the site will also include construction of two access driveways, truck courts, employee parking areas, site utilities, landscaping amenities, a stormwater collection and conveyance system and other related site improvements. Access to the site will be provided through two proposed driveway connections to Betz Court. DEP has made a tentative decision to deny the application for the Individual NPDES Permit. A 30-day public comment period applies to this application and tentative decision. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 570-826-2511.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northcentral Regional Office*

Applicant: **Pennsylvania Department of Transportation Engineering District 3-0**

Applicant Address: 715 Jordan Ave, Montoursville, PA 17754

Application Number: **PAD410006**

Application Type: New

Municipality/County: Piatt Township and Woodward Township, **Lycoming County**

Project Site Name: SR 0220, Section 122 Roadway Safety Project

Total Earth Disturbance Area (acres): 169.25 acres

Surface Waters Receiving Stormwater Discharges: Larrys Creek (EV), W.B. Susquehanna River (WWF), Pine Run (WWF), Quenshukeny Run (WWF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Pennsylvania Department of Transportation is applying an NPDES permit for the construction of a roadway safety improvement project. This a renewal of a project that is nearly completed. The roadway safety improvement project will include roadway reconstruction (repaving), roadway widening and turning lanes, and bridge rehabilitations/replacements and the associated stormwater controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

#### ACT 38

#### NUTRIENT MANAGEMENT PLANS

#### CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Hord Family Farms LLC 8815 Dry Run Road Mercersburg, PA 17236	Franklin County	0	1,588.7	Swine	NA	Renewal
Aurand Poultry LLC 135 Woodside Drive Bloomsburg, PA 17815	Montour County and Columbia County	866.6	835.1	Layer Embryo	NA	Renewal
Hidden Hollow Poultry LLC 160 Oakville Road Shippensburg, PA 17257	Cumberland County	13.4	502.4	Poultry	NA	New
Mattern Farms LLC 197 Mattern Hill Road Dornsife, PA 17823	Schuylkill County	295.3	320.16	Layer	NA	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**SAFE DRINKING WATER**

**Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**Application No. 4024507**, Construction, Public Water Supply.

Applicant **Alnajukchahat Real Estate, LLC**  
 Address 547 N Hunter Highway  
 Drums, PA 18222  
 Municipality Butler Township  
 County **Luzerne County**  
 Responsible Official Prathesh Patel  
 CEO  
 Alnajukchahat Real Estate, LLC  
 547 N Hunter Highway  
 Drums, PA 18222  
 Consulting Engineer Daniel J. Hopkins, P.E.  
 Entech Engineering, Inc.  
 201 Penn Street  
 Suite 300  
 P.O. Box 32  
 Reading, PA 19601  
 Application Received May 15, 2024

Description Permit application for after-the-fact approval of work performed on a transient, noncommunity water system serving Al's Quick Stop and a Dunkin' Donuts restaurant located along SR 0309, just north of I-80. The PWS treatment process includes a reverse osmosis (RO) treatment system, a water softening (cation-exchange) unit and an ultraviolet (UV) light disinfection system.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.*

**Application No. 5024506**, Construction, Public Water Supply.

Applicant **MRPI Amity Hall, LLC**  
 Address 509 South Exeter Street  
 Suite 216  
 Baltimore, MD 21202  
 Municipality Watts Township  
 County **Perry County**  
 Responsible Official Matthew J. Clymer  
 509 South Exeter Street  
 Suite 216  
 Baltimore, MD 21202  
 Consulting Engineer JHA Companies  
 (formerly Glace Associates, Inc.)  
 3705 E Trindle Road  
 Suite 100  
 Camp Hill, PA 17011  
 Application Received May 16, 2024  
 Description Construction application for a new water system for MRP Industrial Susquehanna Crossing.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: RA-EPSWSDW@pa.gov.*

**Application No. 6524505**, Construction, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**  
 Address 124 Park and Pool Road  
 New Stanton, PA 15672  
 Municipality Murrysville Borough  
 County **Westmoreland County**  
 Responsible Official Michael Kukura  
 124 Park and Pool Road  
 New Stanton, PA 15672  
 Consulting Engineer Gibson—Thomas Engineering  
 Company, Inc.  
 1004 Ligonier Street  
 P.O. Box 853  
 Latrobe, PA 15650

Application Received May 21, 2024  
 Description Application received and accepted for the construction of a 2,400,000-gallon concrete water storage tank, and the rehabilitation of a 5,000,000-gallon existing concrete water storage tank, along with the installation of mixers within each tank.

Contact: Renee Diehl, Program Manager, ra-epswsdu@pa.gov.

**Application No. 3024507**, Construction, Public Water Supply.

Applicant **East Dunkard Water Authority, by its Receiver, Pennsylvania American Water Co.**  
 Address 2790 South Eighty Eight Road  
 P.O. Box 241  
 Dilliner, PA 15327  
 Municipality Dunkard Township and Monongahela Township  
 County **Greene County**  
 Responsible Official Bruce Aiton  
 852 Wesley Drive  
 Mechanicsburg, PA 17055  
 Consulting Engineer Pennsylvania American Water Co.  
 852 Wesley Drive  
 Mechanicsburg, PA 17055  
 Application Received May 22, 2024  
 Description Water Treatment Plant Chlorine System Upgrade; Bald Hill Pump Station pump replacement; and Sugar Grove SWPA Emergency Interconnect.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An

individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

**Chesapeake Dacheux Unit B on the Dacheux Unit B Pad**, Primary Facility ID # **875679**, 1281 Bear Road, Dushore, PA 18614, Cherry Township, **Sullivan County**. Creston Environmental, LLC, PO Box 1373, Camp Hill, PA 17001 on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Notice of Intent to Remediate concerning remediation of site soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Review* on May 15, 2024. Application received: May 17, 2024.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

Contact: Eric Supey, Environmental Program Manager.

**C. Larue Pad 2**, Primary Facility ID # **743300**, 2310 State Route 3010, Montrose, PA 18801, Dimock Township, **Susquehanna County**. Folsom Engineering, 4361 State Route 87, Mehoopany, PA 18629 on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Groundwater was contaminated by a release of petroleum-based drilling mud. The Notice of Intent to

Remediate was published in *The Susquehanna County Transcript* on May 15, 2024. Application received: May 24, 2024.

**Shopper's Village**, Primary Facility ID # **875396**, 2434 Catasauqua Road, Bethlehem, PA 18018, City of Bethlehem, **Lehigh County**. Barry Isett & Associates, 5420 Crackersport Road, Allentown, PA 18104 on behalf of Retail Development Corporation, 915 West Broad Street, Bethlehem, PA 18018, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with chlorinated solvents from a dry-cleaning operation. The Notice of Intent to Remediate was published in *The Morning Call* on May 4, 2024. Application received: May 9, 2024.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Jordan, 814-332-6172.*

**134 Mill St**, Primary Facility ID # **875630**, 134 Mill Street, Sharon, PA 16146, City of Sharon, **Mercer County**. Compliance Environmental Services, 2700 Kirila Boulevard, Hermitage, PA 16148 on behalf of Sharon Acquisitions LLC, P.O. Box 68, Brookfield, OH 44403, submitted a Notice of Intent to Remediate. The Site has historically been industrial-use, the most current operation being the Wheatland Tube Steel Plant, however the Owner intends the future use to be Residential or Commercial. Environmental investigations of soil, groundwater and surface water performed in 2021–2023 discovered low levels of Arsenic in soil at slightly above the SHS, Residential (SHSR) criteria at 8 boring locations, the highest value of Arsenic being 47.8 mg/kg (the SHSR is 12 mg/kg). Lead in soil was above the SHSR at one location at the far south side of the property (SB-6, having a concentration of 794 mg/kg) above the SHSR of 450 mg/kg. Most of the soil samples showing exceedances were collected from a depth of 10 to 15 feet. Arsenic was above the SHSR in groundwater at two locations, the highest of which was 42.19 ug/l (SHSR for Arsenic is 10 ug/l). There were no other exceedances of the SHSR for any other constituent of concern (COC) including the full list of Volatile Organic Compounds (VOCs); Semi-volatile Organic Compounds; 8 RCRA Metals, PCBs; and Cyanide. It should be noted that even though Arsenic levels are above the PA DEP SHSR, the concentrations are within the range that can possibly be attributed to natural levels (which will be evaluated by additional soil testing). The last 4 registered aboveground storage tanks at the site were permanently closed during 2024 and no associated contamination was discovered. Following termination of steel processing and manufacturing operations, sometime between 2013 and 2017, the previous owner contracted to have the site remedied of potential environmental concerns and based on Phase I and Phase II Environmental Site Assessments performed by Compliance Environmental Services, including several walk-throughs of the property, it appeared that the cleanup contractor did a very thorough job of cleanup. The property borders the east side of the Shenango River. Accompanying this NIR is a map showing the locations of environmental testing that has been performed for soil, groundwater and surface water. The Notice of Intent to Remediate was published in *The Herald & Allied News* on May 9, 2024. Application received: May 20, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**100-118 Franklin Street**, Primary Facility ID # **875716**, 100-118 Franklin Street, West Reading, PA 19607, West Reading Borough, **Berks County**. Tetra Tech, 234 Mall Blvd., Suite 260, King of Prussia, PA 19406 on behalf of B5 Holding, LLC, P.O. Box 1723, Reading, PA 19607, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with Arsenic, Lead & Mercury. The site will be remediated to the site-specific standard. Future use of the site is nonresidential. The Notice of Intent to Remediate was published in *Reading Eagle* on May 3, 2024. Application received: May 14, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**Sun Pipeline LP Elverson Valve Station (DUNS # 9000-0020)**, Primary Facility ID # **617442**, Route 82 and 401 (Parkside Drive and 26 West Sunnyside Drive), Elverson, PA 19520, Elverson Borough, **Chester County**. Marco Droese, Aquaterra Technologies, Inc., 901 South Bolmar Street, Suite 1A, West Chester, PA 19382 on behalf of Susan Shirer, Pipeline Operations, a series of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Notice of Intent to Remediate. Soil and groundwater at the site have been contaminated with unleaded gasoline. The proposed future use of the property will be nonresidential for use as a pipeline valve station and the area surrounding the valve station is residential. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in *The Daily Local News* on January 19, 2006. Application received: April 2, 2024.

**The Estate of Paul Fusco**, Primary Facility ID # **875436**, 131 West Ridge Pike, Limerick, PA 19468, Limerick Township, **Montgomery County**. Thomas Petrecz, Penn E&R, Inc., 400 Old Dublin Pike, Doylestown, PA 18901 on behalf of Paula McLaughlin and Maria Sica. The Estate of Paul Fusco, 809 School Street, Collegeville, PA 19426, submitted a Notice of Intent to Remediate. Soil and groundwater at the site have been found to be impacted with petroleum compounds, chlorinated solvents, metals, PAHs and other organic compounds. The future use of the property is uncertain but may consist of residential and commercial uses. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in *The MediaNews Group* on April 26, 2024. Application received: April 25, 2024.

**Right-of Way 3 (ROW-3) Release on 6/22/23 Area**, Primary Facility ID # **875427**, 3144 Passyunk Avenue, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. Jeff Smith, Langan Engineering and Environmental Services, 1818 Market Street, Suite 3300, Philadelphia, PA 19103 on behalf of Anne Garr, Philadelphia Energy Solutions Refining and Marketing LLC, 111 South Wacker Drive, Suite 3000, Chicago, IL 60606, submitted a Notice of Intent to Remediate. The site will be used for nonresidential commercial/industrial purposes. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Philadelphia Inquirer* on April 12, 2024. Application received: April 18, 2024.



**155-159 Cecil B. Moore Avenue**, Primary Facility ID # **875483**, 155-159 Cecil B. Moore Avenue, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Steve Ford, Sharktown, Inc., 1714 North Mascher Street, Philadelphia, PA 19122, submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with chlorinated solvents. The planned use is expected to be nonresidential. The proposed cleanup standard for the site is the Special Industrial Area. The Notice of Intent to Remediate was published in *The Star* on April 24, 2024. Application received: April 24, 2024.

#### DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.*

**WMGM019-NE001. Springbrook Enterprises Inc.**, 504 Wells Road, Hawley, PA 18428, Blooming Grove Township, **Pike County**. An application for Determination of Applicability for coverage under WMGM019 for the processing of concrete and asphalt for beneficial use as a construction material. Application received: May 21, 2024. Deemed administratively complete: May 24, 2024.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Program Manager.*

**WMGM055SW008. Chestnut Valley Biogas, LLC**, 1192 McClellandtown Road, McClellandtown, PA 15458, German Township, **Fayette County**. Determination of Applicability to put the Chestnut Valley High-BTU Gas Plant, located at 1192 McClellandtown Road, onto WMGM055. Application received: November 22, 2023. Accepted: December 8, 2023. Approved: March 19, 2024.

Comments or questions concerning the application should be directed to Regional Files, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, 800-654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Lisa D. Houser, P.E., Facilities Manager, 570-327-3740.*

**301626. White Pines Corp.**, 2650 Audubon Rd, Audubon, PA 19403, Pine Township, **Columbia County**. Solid waste permit renewal application for the operation of the White Pines Landfill. Application received: May 20, 2024.

Comments or questions concerning the application should be directed to Lisa D. Houser, P.E., Facilities Manager, 570-327-3740, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**101125. County of Lycoming, Lycoming County Resource Management Svc.** P.O. Box 187, 447 Alexander Drive, Montgomery, PA 17752, City of Williamsport, **Lycoming County**. Solid waste permit renewal application for the operation of the Lycoming County Transfer Station. Application received: May 24, 2024.

Comments or questions concerning the application should be directed to Lisa D. Houser, P.E., Facilities Manager, 570-327-3740, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### AIR QUALITY

#### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office.

Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### PLAN APPROVALS

#### **Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, New Source Review Section Chief, 814-332-6328.*

**10-00298E: Luxfer Magtech Inc.**, 955 Saxonburg Blvd., Saxonburg, PA 16056, Saxonburg Borough, **Butler County**. Application received: December 2, 2023.

Intent to Issue Plan Approval 10-00298E: Luxfer MagTech Inc. Saxonburg (at 955 Saxonburg Blvd., Saxonburg, PA 16056). The Department of Environmental

Protection intends to issue a plan approval to Luxfer to install four (4) new wet scrubbers to control PM emissions from their existing # 5 Grinding Line and associated Hammermill Crushers at their facility located in Saxonburg Borough, Butler County. Luxfer, a Natural Minor facility and a manufacturer of magnesium products permitted under State Only Operating Permit # 10-00298. Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44.

Luxfer seeks approval to install four new wet scrubbers (Source ID C114A2, C114B2, C114C2, and C114D2). The control devices will control PM emissions from four (4) Hammermill crushers (Source ID 114A—114D), previously classified as a single source (Source ID 114). After evaluating fabric collectors, electrostatic precipitators (wet and dry), and wet scrubbers, Luxfer determined that wet scrubbers were the only feasible option due to the explosive nature of magnesium used in the process. Their analysis indicates that these scrubbers will achieve the required PM emission limit of 0.02 gr/dscf.

These crushers process magnesium at a rate of 50 lbs/hr and, for permitting purposes, are assumed to operate 8,760 hours annually. Previously, simple cyclone product collectors controlled the emissions alone and were installed under an RFD in June 2022. However, recent stack tests revealed emissions of 0.18 gr/dscf, exceeding allowable limits. Consequently, their operating permit renewal included a condition requiring a plan for installing additional controls (wet scrubbers).

Based on BAT the emission limits of each of the sources will be as follows:

- 0.02 gr/dscf PM

Potential emissions from the subject source(s) will be as follows:

	<i>NO<sub>x</sub></i>	<i>CO</i>	<i>SO<sub>x</sub></i>	<i>PM<sub>10</sub></i>	<i>PM<sub>2.5</sub></i>	<i>VOC</i>
114A				1.53	1.53	
114B				1.53	1.53	
114C				1.53	1.53	
114D				1.53	1.53	

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [10-00298E: Luxfer MagTech Inc.] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6819.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**23-0227: Bella Materials LLC**, 710 Trainer St, Trainer, PA 19061, Trainer Borough, **Delaware County**. Application received: March 24, 2024. This action is for the installation of a Portable Nonmetallic Mineral Processing Plant (PNMPP). Bella Materials operates a Construction & Demolition Waste facility where asphalt and concrete material are received at their facility via trucks. The asphalt and concrete are crushed to size specifications by the PNMPP and then trucked to other sites for secondary use. The PNMPP consists of a crusher, screener and two associated diesel engines. The primary pollutant of concern from the crusher and screener is particulate matter (PM). The PM will be controlled by a water spray dust suppression system that has been installed on the PNMPP. The potential after control PM emissions from the PNMPP are 2.30 tons per year. The primary pollutant of concern from the diesel engines is Nitrogen Oxides (NO<sub>x</sub>). The potential emissions from the two diesel engines is 7.60 tons per year. The Plan Approval includes requirements for testing, monitoring, recordkeeping and work practice requirements designed to ensure this facility complies with all applicable air quality regulations. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

### OPERATING PERMITS

#### Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh R Patel, P.E., New Source Review Chief, 570-826-2357.*

**48-00006, Portland Power, LLC**, P.O. Box 238, Portland, PA 18351, Upper Mount Bethel Township, **Northampton County**. Application received: December 30, 2022.

**48-00006:** Approval of a Reasonably Available Control Technology (RACT) 3 plan for Portland Power, LLC, located in Upper Mount Bethel Township, **Northampton County**, as a significant modification to its applicable Title V operating permit.

In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO<sub>x</sub> and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve a RACT 3 plan for Portland Power, LLC, Portland Generating Station. The RACT 3 plan approval, if approved by the Department, will be issued as a significant modification to the facility's Title V operating permit (48-00006).

The RACT 3 plan approval incorporates provisions and requirements for the control of emissions of volatile organic compounds (VOCs). These provisions and requirements are intended to address the Commonwealth's RACT obligations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT 3 plan approval does not adopt any new regulations. If approved by the Department, this RACT 3 plan approval will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT 3 plan approval will be excluded from the SIP revision submittal.

The following is a summary of the RACT 3 plan approval requirements for this facility that are proposed to be submitted to the EPA as a revision to the Commonwealth's SIP:

#### [ 25 Pa. Code § 129.114 ]

Alternative RACT proposal and petition for alternative compliance schedule.

Source ID 103

# 001

RACT for control of NO<sub>x</sub> emissions from Source ID 103 shall be the use of water injection, LNBs, and good combustion practices.

# 002

Section D, Source ID 103, Condition No. 002:

(1) The mass of NO<sub>x</sub> in the exhaust gases may not exceed 164.79 pounds per hour

(lbs/hr) when firing natural gas.

(2) The mass of NO<sub>x</sub> in the exhaust gases may not exceed 303.17 lbs/hr when firing

No. 2 fuel oil.

# 003

Section E, Source Group 06, Condition No. 001

(1) Natural gas or a noncommercial gaseous fuel, 42 parts per million volume, dry

(ppmvd) NO<sub>x</sub> at 15% oxygen.

(2) Fuel oil, 96 ppmvd NO<sub>x</sub> at 15% oxygen.

Public Comment Details:

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Shailesh Patel, Environmental Engineering Manager, Air Quality Program, at 2 Public Square, Wilkes-Barre, PA 18701, or at spatel@pa.gov on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on July 8, 2024.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT 3 plan approval, including the permit number, and a concise statement regarding the RACT 3 plan approval provision or requirement that the person is commenting on and the relevancy of the information or objections to issuance of the RACT 3 plan approval.

Public hearing. A public hearing will be held on July 10, 2024, at 10:00 a.m. at the DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701, to accept oral comments on the proposed RACT 3 plan approval action and the proposed SIP revision. To register to speak at the hearing, please contact Shailesh Patel at 570-826-234. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be July 5, 2024.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing may submit a written statement and exhibits within 10 days thereafter to Shailesh Patel at 2 Public Square, Wilkes-Barre, PA 18701, or at spatel@pa.gov.

All pertinent documents are available electronically for public review and copies can be requested by contacting Shailesh Patel at 570-826-234 or at spatel@pa.gov.

**54-00009, Omnova Solutions, Inc.**, 95 Hickory Drive, Auburn, PA 17922, West Brunswick Township, **Schuylkill County**. Application received: December 20, 2022.

**54-00009:** Approval of a Reasonably Available Control Technology (RACT) 3 plan for Omnova Solutions, Inc., located in West Brunswick Township, **Schuylkill County**, as a significant modification to its applicable Title V operating permit.

In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO<sub>x</sub> and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve a RACT 3 plan for OMNOVA Solutions, Inc., Auburn Plant. The RACT 3 plan approval, if approved by the Department, will be issued as a significant modification to the facility's Title V operating permit (54-00009).

The RACT 3 plan approval incorporates provisions and requirements for the control of emissions of volatile organic compounds (VOCs). These provisions and requirements are intended to address the Commonwealth's RACT obligations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT 3 plan approval does not adopt any new regulations. If approved by the Department, this RACT 3 plan approval will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT 3 plan approval will be excluded from the SIP revision submittal.

The following is a summary of the RACT 3 plan approval requirements for this facility that are proposed to be submitted to the EPA as a revision to the Commonwealth's SIP:

#### [ 25 Pa. Code § 129.114 ]

Alternative RACT proposal and petition for alternative compliance schedule.

# 001

Source IDs 106—111

The Owner/Operator shall install, maintain, and operate the source in accordance with the manufacturer's specifications and with good operating practices.

# 002

Source IDs 106—108

These sources shall be limited to a total combined emission VOC emission rate of 548 lbs/day and 100 tons per year based on a 12-month rolling sum. These limits include product emissions and cleanup emissions for these sources.

# 003

Source IDs 109—111

These sources shall be limited to a total combined emission VOC emission rate of 494 lbs/day and 80 tons per year based on a 12-month rolling sum. These limits include product emissions and cleanup emissions for these sources.

#### Public Comment Details:

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Shailesh Patel, Environmental Engineering Manager, Air Quality Program, at 2 Public Square, Wilkes-Barre, PA 18701, or at spatel@pa.gov on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on July 8, 2024.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT 3 plan approval, including the permit number, and a concise statement regarding the RACT 3 plan approval provision or requirement that the person is commenting on and the relevancy of the information or objections to issuance of the RACT 3 plan approval.

Public hearing. A public hearing will be held on July 10, 2024, at 10:00 a.m. at the DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701, to accept oral comments on the proposed RACT 3 plan approval action and the proposed SIP revision. To register to speak at the hearing, please contact Shailesh Patel at 570-826-234. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be July 5, 2024.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing may submit a written statement and exhibits within 10 days thereafter to Shailesh Patel at 2 Public Square, Wilkes-Barre, PA 18701, or at spatel@pa.gov.

All pertinent documents are available electronically for public review and copies can be requested by contacting Shailesh Patel at 570-826-234 or at spatel@pa.gov.

**40-00021, Hazleton Generation**, 120 Maplewood Dr, Hazle Township, PA 18202, Hazle Township, **Luzerne County**. Application received: December 29, 2022.

**Intent to Submit Pennsylvania State Implementation Plan Revisions to Environmental Protection Agency**

The Department of Environmental Protection (Department) has made a preliminary determination that the owner and operator of the permitted facility listed in the following table will demonstrate compliance with the Federal Clean Air Act Reasonably Available Control Technology (RACT) requirements for the 2015 8-hour ozone National Ambient Air Quality Standard (NAAQS) (RACT III) by complying with their existing RACT II permit

<i>County</i>	<i>Permit Number</i>	<i>Facility Name</i>	<i>Pollutant</i>	<i>Facility</i>	<i>Compliance Method</i>
Luzerne	40-00021	Hazleton Generation Hazle Township	NO <sub>x</sub>	X	§ 129.114(i)(1)(i)

The Department has made a preliminary determination that this case-by-case RACT II requirements for the 1997 and 2008 ozone NAAQS remain RACT for the 2015 ozone NAAQS. These provisions and requirements are intended to address the Commonwealth’s RACT obligations under sections 182 and 184 of the Clean Air Act (42 U.S.C.A. §§ 7511a and 7511c) for the 2015 ozone NAAQS. If finally approved, the Department intends to submit all relevant documentation, including facility notifications submitted under 25 Pa. Code § 129.115(a) (relating to written notification, compliance demonstration and recordkeeping and reporting requirements) the Department’s determination that RACT II requirements continue to demonstrate compliance with RACT III requirements, respective review memos and other relevant documentation to the United States Environmental Protection Agency (EPA) with a request for the EPA to approve the Department’s declaration that no changes to the Commonwealth’s SIP are required for RACT III at these facilities. The SIP revision will reflect the Department’s declaration that RACT II remains RACT for RACT III at the listed facilities.

These documents are available for review in the directory at <https://files.dep.state.pa.us/Air/AirQuality/AQPortalFiles/Permits/RACT/RACT%20II%20is%20RACT%20III/>.

The first file in this directory, named facility list, is an Excel file which makes it easy to search for facilities located in a specific county, by the Department’s Regional Office or by permit number.

**Public Comment Details:**

A public comment period is provided for persons wishing to file a written protest, objection, comments or additional information which they believe should be considered prior to the submission of the proposed revision of the SIP to the EPA. The written comments, information, protests or objections may be submitted to Mark Wejkszner, Program Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, mwejkszner@pa.gov, or at RA-EPAIRCOMMENTS@pa.gov on or before the closing date of this public comment period. The public comment period closes on July 8, 2024.

Written submissions must contain the name, address and telephone number of the person submitting the comments; identification of the RACT II is RACT III proposal, including the permit number; and a concise statement regarding the issue with the RACT III proposal on which the person is commenting and the relevancy of

conditions as currently written into the Commonwealth’s State Implementation Plan (SIP). The provisions in 25 Pa. Code § 129.114(i)(1) and (2) (relating to alternative RACT proposal and petition for alternative compliance schedule) allow for the owners and operators of facilities which have not been modified or changed and which have previously complied with RACT II through the provisions of 25 Pa. Code § 129.99 (relating to alternative RACT proposal and petition for alternative compliance schedule) to use the same case-by-case conditions previously adopted as RACT II to comply with RACT III.

the information or objections to the fact that the owner or operator of the facility is complying with RACT III by their case-by-case RACT II conditions which are already in the Commonwealth’s SIP.

**Public hearing.** A public hearing will be held on July 10, 2024, at 10 a.m. at the Department of Environmental Protection Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701, to accept oral comments on the RACT II is RACT III proposal and the proposed SIP revision. To register to speak at the hearing, send an e-mail to mwejkszner@pa.gov. Speakers must preregister to testify at the hearing. The last day to preregister to speak at the hearing is July 5, 2024.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested to be provided to the hearing chairperson. Organizations are requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing may submit a written statement and exhibits within 10 days to Mark Wejkszner, Program Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, or at mwejkszner@pa.gov.

**OPERATING PERMITS**

**Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**21-05028, Fry Communications, Inc.,** 15 Pleasant View Drive, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County.** Application received: March 14, 2024. To issue a State-Only Operating Permit renewal for the Building 3 commercial lithographic printing facility. Potential air emissions from the facility are estimated at 1.66 tpy PM, 21.8 tpy NO<sub>x</sub>, 18.3 tpy CO, 19.3 tpy VOC, 0.41 tpy HAPs, and 0.13 tpy SO<sub>2</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items the conditions include provisions derived from 25 Pa. Code § 129.63 Degreasing Operations, 25 Pa. Code § 123.13 Processes, 25 Pa. Code § 123.21 General,

25 Pa. Code § 129.67b Control of VOC emissions from offset lithographic printing presses and letterpress printing presses.

**21-05013, Fry Communications, Inc.**, 800 W. Church Road, Mechanicsburg, PA 17055, Mechanicsburg Borough, **Cumberland County**. Application received: March 14, 2024. To issue a State-Only Operating Permit renewal for the Building 1 and 2 commercial lithographic printing facility. Potential air emissions from the facility are estimated at 0.48 tpy PM, 6.58 tpy NO<sub>x</sub>, 5.36 tpy CO, 15.8 tpy VOC, 0.13 tpy HAPs and 0.06 tpy SO<sub>2</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items the conditions include provisions derived from 25 Pa. Code § 129.63 Degreasing Operations, 40 CFR Part 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 25 Pa. Code § 129.67b Control of VOC emissions from offset lithographic printing presses and letterpress printing presses.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-05092, H & K, Inc./Reading Asphalt Facility**, 2052 Lucon Road, Skippack, PA 19474, Cumru Township, **Berks County**. Application received: February 19, 2024. To issue a State-Only Operating Permit renewal for the asphalt and paving mixtures manufacturing operation. Potential emissions from the facility are estimated to be CO 80.0 tpy, NO<sub>x</sub> 5.0 tpy, PM 6.6 tpy, SO<sub>x</sub> 0.9 tpy, VOC 1.6 tpy, HAP's 1.5 tpy. The Operating Permit will include work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the facility is subject to 40 CFR 60, Subpart I—Standards of Performance for Hot Asphalt Facilities.

**06-03093, H & K, Inc./Reading Railcar Unloading Station**, 2052 Lucon Road, Skippack, PA 19474, Cumru Township, **Berks County**. Application received: February 19, 2024. To issue a State-Only Operating Permit renewal for their non-metallic mineral storage operation. Potential emissions from the facility are estimated to be PM 87.0 tpy. The Operating Permit will include work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the facility is subject to 40 CFR 60 Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plant.

**36-05076, Penn Medicine—Lancaster General Hospital**, 555 North Duke Street, Lancaster, PA 17604, City of Lancaster, **Lancaster County**. Application received: December 12, 2023. To issue a State-Only Operating Permit renewal for the operation of their medical and surgical hospital. The facility's actual emissions for 2022 were reported to be 3.35 tons CO, 20.33 tons NO<sub>x</sub>, 1.20 tons PM<sub>10</sub>/PM<sub>2.5</sub>, 1.28 tons SO<sub>x</sub>, 1.46 tons VOC, 0.53 ton of a single HAP (formaldehyde), and 0.66 ton of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR 60 Subpart IIII—Standards of

Performance for Stationary Compression Ignition Internal Combustion Engines and 40 CFR 60 Subpart KKKK—Standards of Performance for Stationary Combustion Turbines.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**09-00106, Univar USA Inc.**, 200 Dean Sievers Pl, Morrisville, PA 19067, Falls Township, **Bucks County**. Application received: December 5, 2023. This action is for the renewal of the State Only Operating Permit. Univar USA Inc. operates as a Synthetic Minor. The total Volatile Organic Compounds (VOC) emissions, including Hazardous Air Pollutants (HAPs), from the facility are restricted to less than 24.9 tons per year. The total NO<sub>x</sub> emissions from the facility are restricted to less than 24.9 tons per year. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person previously listed in the header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**65-00778, Three Rivers Marine & Rail Terminals, LLC**, 2124 PA 906, Belle Vernon, PA 15012, Rostraver Township, **Westmoreland County**. Application received: December 26, 2023. Natural Minor Operating Permit is for a facility that stores, transfers, packages, and loads and unloads various products and is located in Rostraver Township, Westmoreland County. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an Air Quality Operating Permit for the previously mentioned facility. Sources of emissions consist of loading and unloading operations of various materials, and emergency generators (one (1) 42 hp diesel emergency generator and one (1) 275 hp portable diesel emergency generator). The facility is required to conduct daily surveys of the site to ensure compliance with fugitive and malodor emission requirements and maintain records of those surveys. Potential emissions at the facility are projected to be 46.51 tons per year (TPY) PM<sub>10</sub>, 7.41 TPY PM<sub>2.5</sub>, 1.56 TPY NO<sub>x</sub>, 0.76 TPY CO, 2.24 TPY SO<sub>2</sub>, 0.048 TPY VOCs, and 0.0003 TPY HAPs with a combined material handling limit of two million tons per year, 500 hours of operations for emergency generators. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Natural Minor State-Only Operating Permit may submit the information to Tom Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (65-00778) and concise statements regarding the rel-

evancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address. All comments must be received prior to the close of business 30 days after the date of this publication.

**COAL & NONCOAL MINING ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on

a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant’s newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

*Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill, Morris and Washington Townships, Greene County.** To revise the permit and related NPDES permit for installation of two (2) degas boreholes, affecting 6.0 proposed surface acres. Application received: April 24, 2024. Accepted: May 16, 2024.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 32830113. NPDES No. PA0605778. Alverda Enterprises, Inc., P.O. Box 245, Alverda, PA 15710, Buffington Township, Indiana County.** Transfer of a bituminous surface and auger mine affecting 410.5 acres. Receiving streams: unnamed tributaries to/and Mardis Run, classified for the following use: CWF. Application received: May 16, 2024.

**Mining Permit No. 11020202. NPDES No. PA0249254. Ebensburg Power Company**, 1501 Ligonier Street, Latrobe, PA 15650, Nanty Glo Borough, **Cambria County**. NPDES renewal and reclamation only for a bituminous surface mine affecting 48.2 acres. Receiving streams: tributary to South Branch Blacklick Creek to Blacklick Creek to Two Lick Creek, classified for the following use: CWF. Application received: May 28, 2024.

*New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

*Contact: Tracy Norbert, Clerical Assistant 3.*

**Mining Permit No. 30080201. NPDES No. PA0251470. Shannopin Materials, LLC**, 966 Crafts Run Road, Madsville, WV 26541, Monongahela Township, **Greene County**. Renewal application for continued mining of an existing bituminous surface mine, affecting 19.6 acres. Receiving streams: Monongahela River, classified for the following use: WWF. Application received: May 16, 2024.

*Noncoal Applications*

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 56920301. NPDES No. PA0599417. New Enterprise Stone & Lime Co., Inc.**, P.O. Box 77, New Enterprise, PA 16664, Ogle Township, **Somerset County**. NPDES renewal of a large noncoal (industrial minerals) mine affecting 222.5 acres. Receiving streams: unnamed tributaries to Clear Shade Creek, classified for the following use: EV. Application received: May 28, 2024.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.*

**Mining Permit No. 16030302. NPDES No. PA0242365. IA Construction Corporation**, 24 Gibb Road, Franklin, PA 16323, Richland Township, Licking Township, **Clarion County**. Renewal of an NPDES permit. Application received: May 20, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 6277SM1C1A1C19. PA0595080. Compass Quarries, Inc., d/b/a Allan Myers Materials, Inc.**, 638 Lancaster Avenue, Malvern, PA 19355, Paradise Township, **Lancaster County**. Correction to a NPDES Permit on a large noncoal quarry operation affecting 175.1 acres. Receiving stream: Londonland Run to Eshleman Run, classified for the following use: CWF, MF. Application received: March 26, 2024. Accepted: March 28, 2024.

*Contact: RA-EPPOTTSVILLEDMO@pa.gov.*

**Mining Permit No. 58990824. David Hinkley**, 2483 Old Route 11, Hallstead, PA 18822-0901, Great Bend Township, **Susquehanna County**. Stage I & II bond release of a quarry operation affecting 2.0 acres. Application received: May 6, 2024. Accepted: May 21, 2024.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l



<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

*Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**NPDES No. PA0120944. Mining Permit No. 56663069. Heritage Coal & Natural Res LLC**, 1117 Shaw Mines Road, Meyersdale, PA 15552, Elk Lick Township, **Somerset County**. Renewal of an NPDES permit affecting 3,040 acres related to a coal mining activity permit. Receiving stream: Unnamed tributaries to/and Elk Lick Creek and unnamed tributaries to/and Casselman River, classified for the following use: CWF/WWF. The receiving streams are included in the Casselman River TMDL. Application received: December 11, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Unnamed Tributary to Casselman River:

<i>Outfall Number</i>	<i>New or existing</i>	<i>Type</i>	<i>Discharge Rate</i>
005	Existing	Treatment Facility	0.029 MGD
008	Existing	Treatment Facility	0.126 MGD

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls: 005 and 008 (All Discharges)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	3.0	6.0	7.0
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	0.75	0.75	0.75
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	10.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

The following outfalls discharge to Unnamed Tributary to Casselman River and Unnamed Tributary to Elk Lick Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
007	Existing	Treatment Facility	Precipitation Induced
009	Existing	Treatment Facility	Precipitation Induced
023	Existing	Treatment Facility	Precipitation Induced
025	Existing	Treatment Facility	Precipitation Induced
026	Existing	Treatment Facility	Precipitation Induced
027	Existing	Treatment Facility	Precipitation Induced
036	Existing	Treatment Facility	Precipitation Induced
037	Existing	Treatment Facility	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls: 007, 009, 023, 025—027, 036, and 037*

*(All Discharges)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	1.5	3.0	3.7
Total Manganese (mg/L)	XXX	1.0	2.0	2.5
Total Aluminum (mg/L)	XXX	0.75	0.75	0.75
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	10.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

The following outfalls discharge to Unnamed Tributaries to/and Casselman River and Unnamed Tributaries to Elk Lick Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
011	Existing	Stormwater	Precipitation Induced
015	Existing	Stormwater	Precipitation Induced
016	Existing	Stormwater	Precipitation Induced
018	Existing	Stormwater	Precipitation Induced
019	Existing	Stormwater	Precipitation Induced
020	Existing	Stormwater	Precipitation Induced
022	Existing	Stormwater	Precipitation Induced
024	Existing	Stormwater	Precipitation Induced
028	Existing	Stormwater	Precipitation Induced
031	Existing	Stormwater	Precipitation Induced
033	Existing	Stormwater	Precipitation Induced
041	Existing	Stormwater	Precipitation Induced
042	Existing	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls: 011, 015, 016, 018—020, 022, 024, 028,*

*031, 033, 034, 041, and 042 (All Discharges)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	3.0	6.0	7.0
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	XXX	XXX	Report
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

The following outfalls discharge to Unnamed Tributary to Elk Lick Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
032	Existing	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfall are as follows:

*Outfalls: 032 (All Discharges)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	2.4	4.8	6.0
Total Manganese (mg/L)	XXX	1.7	3.4	4.2
Total Aluminum (mg/L)	XXX	1.2	2.4	3.0
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0

*Outfalls: 032 (All Discharges)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

The following outfalls discharge to Unnamed Tributary to Elk Lick Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
029	Existing	Stormwater	Precipitation Induced
030	Existing	Stormwater	Precipitation Induced
035	Existing	Stormwater	Precipitation Induced
038	Existing	Stormwater	Precipitation Induced
039	Existing	Stormwater	Precipitation Induced
040	Existing	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls: 029, 030, 035, and 038—040*

*(All Discharges)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	2.7	5.4	6.7
Total Manganese (mg/L)	XXX	1.8	3.6	4.5
Total Aluminum (mg/L)	XXX	1.3	2.6	3.2
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**NPDES No. PA0214612. Mining Permit No. 17921603. Greenwood Processing & Loading Complex, LLC, 1340 Hoyt Road, Curwensville, PA 16833, Greenwood Township, Clearfield County.** Application received: March 21, 2024.

Renewal of an NPDES permit for discharge of water resulting from coal preparation plant in affecting 31.8 acres. Receiving stream(s): West Branch Susquehanna River, classified for the following use(s): WWF, MF. This receiving stream is included in the West Branch Susquehanna River Watershed TMDL.

The following outfalls discharge to West Branch Susquehanna River:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Pond A	Precipitation Induced
002	Existing	Pond B	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls: 001 (All Discharges)*

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
Osmotic Pressure (mOs/kg)		Report	
Total Dissolved Solids (mg/l)		Report	
pH (S.U.):	Must be between 6.0 and 9.0 standard units at all times.		
Alkalinity:	must exceed acidity at all times.		

<i>Outfalls: 002 (All Discharges)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Oil and Grease (mg/L)	15.0	30.0	30.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
Osmotic Pressure (mOs/kg)		Report	
Total Dissolved Solids (mg/L)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

*Noncoal NPDES Draft Permits*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.*

**NPDES No. PA0258636. Mining Permit No. 37080305. 422 Aggregates, LLC**, 3340 U.S. Route 422, New Castle, PA 16101, Slippery Rock Township, **Lawrence County**. Renewal of an NPDES permit for discharge of water resulting from surface mining of industrial minerals affecting 50.0 acres. Receiving stream(s): unnamed tributary to Slippery Rock Creek classified for the following use(s): CWF. Application received: April 1, 2024.

The following outfalls discharge to unnamed tributary # 1 to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sediment Pond A	Precipitation Induced, 0.59 MGD
002	Existing	Sediment Pond B	Precipitation Induced, 0.59 MGD
003	Existing	Treatment Pond A	Intermittent (Pumped), 0.72 MGD

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfall: 003 (All Discharges)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Net Alkalinity (as CaCO <sub>3</sub> , mg/L)		Calculation	
Aluminum, Total (mg/L)		Report	
Sulfate, Total (mg/L)		Report	
Alkalinity, Total (as CaCO <sub>3</sub> , mg/L)		Report	
Acidity, Total (as CaCO <sub>3</sub> , mg/L)		Report	
Specific Conductivity (µmhos/cm)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units.

<i>Outfalls: 001, 002</i> <i>(Discharges during Dry Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Net Alkalinity (as CaCO <sub>3</sub> , mg/L)		Calculation	
Aluminum, Total (mg/L)		Report	
Sulfate, Total (mg/L)		Report	
Alkalinity, Total (as CaCO <sub>3</sub> , mg/L)		Report	
Acidity, Total (as CaCO <sub>3</sub> , mg/L)		Report	
Specific Conductivity (µmhos/cm)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units.

<i>Outfalls: 001, 002</i> <i>(Discharges after ≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

*Outfalls: 001, 002 (Discharges after >10-yr/24-hr Precip. Event)*

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**NPDES No. PA0238287. Mining Permit No. 41990301. Glenn O. Hawbaker, Inc.,** 1952 Waddle Road, State College, PA 16803, Armstrong Township, **Lycoming County**. Application received: March 11, 2024.

Renewal of an NPDES permit for discharge of water resulting from surface mining of industrial minerals, affecting 41.3 acres. Receiving stream(s): Hagerman’s Run, classified for the following use(s): CWF.

The following outfalls discharge to Hagerman’s Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sediment Pond ES1	Precipitation Induced
002	Existing	Sediment Pond ES2	Precipitation Induced
003	Existing	Treatment Basin ES3	Intermittent (Pumped)

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls: 001 and 002*

*(Discharges during Dry Weather Conditions)*

*Parameter*

*30-Day  
Average*

*Daily  
Maximum*

*Instant.  
Maximum*

Total Suspended Solids (mg/L)

35.0

70.0

90.0

Temperature (°C)

Report

Flow (gpm)

Report

pH (S.U.): Must be between 6.0 and 9.0 standard units.

*Outfalls: 001 and 002 (Discharges after ≤10-yr/*

*24-hr Precip. Event)*

*Parameter*

*30-Day  
Average*

*Daily  
Maximum*

*Instant.  
Maximum*

Total Settleable Solids (mL/L)

N/A

N/A

0.5

Flow (gpm)

Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

*Outfalls: 001 and 002 (Discharges after >10-yr/24-hr Precip. Event)*

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

*Outfalls: 003 (All Discharges)*

*Parameter*

*30-Day  
Average*

*Daily  
Maximum*

*Instant.  
Maximum*

Aluminum (mg/L)

0.75

0.75

0.75

Total Suspended Solids (mg/L)

35.0

70.0

90.0

Temperature (°C)

Report

Flow (gpm)

Report

pH (S.U.): Must be between 6.0 and 9.0 standard units.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**NPDES No. PA0595829. Mining Permit No. 13930301. H & K Group, Inc.,** P.O. Box 196, 2052 Lucon Road, Skippack, PA 19474, Penn Forest Township, **Carbon County**. Renewal of a NPDES permit affecting 14.9 acres. Receiving stream: Stony Creek, classified for the following use: EV-MF. Application received: January 18, 2024.

**NPDES No. PA0224693. Mining Permit No. 64080301. H & K Group, Inc.,** P.O. Box 196, 2052 Lucon Road, Skippack, PA 1974, Palmyra Township, **Wayne County**. Renewal of a NPDES permit affecting 79.2 acres. Receiving stream: Unnamed Tributary to Wallenpaupack Creek, classified for the following use: HQ-CWF. Application received: September 11, 2023.

**NPDES No. PA0594369. Mining Permit No. 7973SM3. Naceville Materials Joint Venture,** P.O. Box 196, 2052 Lucon Road, Skippack, PA 19474, Wrights-town Township, **Bucks County**. Renewal of a NPDES

permit affecting 60.0 acres. Receiving stream: Mill Creek, classified for the following use: WWF. Application received: October 12, 2023.

**NPDES No. PA0225908. Mining Permit No. 39970301. Holcim (US), Inc.,** 5160 Main Street, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Renewal of a NPDES permit affecting 211.71 acres. Receiving stream: Coplay Creek, classified for the following use: MF and CWF. Application received: February 2, 2024.

**NPDES No. PA0593885. Mining Permit No. 8275SM2, 36970301, 36990301, & 36080302. New Enterprise Stone & Lime Company, Inc.,** 3912 Brumbaugh Road, New Enterprise, PA 16664, Earl & Ephrata Townships, **Lancaster County**. Revision of a NPDES permit affecting 261 acres. Receiving stream: Unnamed Tributary to the Conestoga River and the Conestoga River, classified for the following use: WWF. Application received: June 23, 2023.

**NPDES No. PA0225932. Mining Permit No. 64910302. Ronald Scull,** 565 Beach Lake Highway, Honesdale, PA 18431, Berlin Township, **Wayne County**. Renewal of a NPDES permit affecting 41.5 acres. Receiv-

ing stream: Indian Orchard Brook, classified for the following use: HQ-CWF. Application received: December 28, 2023.

**NPDES No. PA0594474. Mining Permit No. 6376SM2. York Building Products Company, Inc.,** 950 Smile Way, Suite A, York, PA 17404, Jackson Township, **York County.** Renewal of a NPDES permit affecting 341.5 acres. Receiving stream: Little Conewago Creek, classified for the following use: TSF. Application received: September 18, 2023.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E5929224-004. NFG Midstream Covington LLC,** 1100 State Street, Erie, PA 16501, Delmar Township, **Tioga County.** U.S. Army Corps of Engineers Baltimore District. Application received: April 2, 2024.

To construct, operate, and maintain:

1. A temporary road crossing using timber mats, and an 8-inch and 12-inch diameter natural gas pipelines impacting 7,660 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.798869°, -77.316868°);

2. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipeline impacting 79 linear feet of Baldwin Run (HG-CWF) (Keeneyville, PA Quadrangle 41.796145°, -77.305631°);

3. A temporary road crossing using timber mats, and an 8-inch and 12-inch diameter natural gas pipelines impacting 1,139 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.800894°, -77.304284°);

4. A temporary road crossing using timber mats, and an 8-inch and 12-inch diameter natural gas pipelines impacting 185 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 161 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland and 76 linear feet of an unnamed tributary to Baldwin Run (HQ-CWF) (Keeneyville, PA Quadrangle 41.8001736°, -77.30342°);

5. A temporary road crossing using timber mats impacting 601 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.802364°, -77.302221°);

6. A temporary road crossing using timber mats impacting 1,354 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.802636°, -77.302068°);

7. A temporary road crossing using timber mats impacting 20 square feet of a palustrine emergent (PEM) wetland (Keeneyville, PA Quadrangle 41.803713°, -77.301676°);

8. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 10,030 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.804301°, -77.301394°);

9. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 15,284 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland (Keeneyville, PA Quadrangle 41.80487°, -77.301107°);

10. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 107 linear feet of an unnamed tributary to Baldwin Run (HQ-CWF) (Keeneyville, PA Quadrangle 41.80487°, -77.301107°);

11. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 2,942 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 9,310 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Keeneyville, PA Quadrangle 41.806762°, -77.299476°);

12. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 6,323 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 94 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland (Keeneyville, PA Quadrangle 41.807394°, -77.298316°);

13. A temporary road crossing impacting 366 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.808153°, -77.296761°).

The project will result in 186 linear feet of temporary stream impacts, 44,644 square feet (1.025 acres) of temporary wetland impacts and 9,301 square feet (0.214 acre) of

permanent wetland impacts all for the purpose of installing a natural gas pipeline in Delmar Township, Tioga County.

*Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Pete Geanacopoulos, Project Manager, RA-EPWW-NCRO@pa.gov.*

**E5904224-006. UGI Utilities, Inc.**, 1 UGI Drive, Denver, PA 17517, Jackson Township, **Tioga County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 7, 2024.

UGI Utilities, Inc. intends to retire in place approximately 2,741 LF of existing steel and plastic pipe which runs through public and private property located in Jackson Township, Tioga County, PA. As part of this retirement UGI proposes to install approximately 3,650 LF 4" and 2" of HDPE pipe within road right of way and private property, as needed, to serve existing customers. The proposed limits of disturbance are 1.87 acres, with a total project area of 6.80 acres. Latitude: 41°, 56', 32", Longitude: -76°, 57', 10".

*Contact: RA-EPWW-NCRO@pa.gov.*

**E4904224-001. Shamokin & Coal Twp Jt Sew Auth Northumberland Cnty**, 114 Bridge Street, Shamokin, PA 17872-7690, Ralpho Township, **Northumberland County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 17, 2024.

The applicant proposes to install a pump system and a pair of outfall pipes along the existing wastewater treatment plant discharge pipe. Shamokin Coal Township Wastewater Treatment Plant has flooded on several occasions due to the creek backing up into the existing discharge pipe and encroaching into the treatment plant. To prohibit flooding of the treatment plant from occurring again, this project proposes to add two pumps and additional discharge pipes to the existing wet well along the existing discharge pipe. If Shamokin Creek backs up discharges from the outfall system, the water can be pumped and discharged to Shamokin Creek through the new system. An energy dispersion apron will also be constructed below the new discharge pipes. Latitude: 40.81083333°, Longitude: -76.58416667°.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**E0703223-005. Roaring Springs Park, LLC**, 3082 Highway 88, Diliner, PA 15327, Roaring Springs Borough and Taylor Township, **Blair County**. U.S. Army Corps of Engineers Baltimore District. Application received: December 6, 2023.

To 1) demolish existing degraded structures from a decommissioned paper mill. The proposed work will impact 10,392 square feet of Halter Creek (WWF, MF) and 19,979 square feet of its floodway, as well as approximately 3,065 square feet of UNT to Halter Creek (WWF, MF) and 48,090 square feet of its floodway. The buildings which are slated for removal include various structures utilized in the paper making and ancillary processes, including, but not limited to, storage and office buildings, production areas, and electrical/utility buildings. Each building will be demolished by industry standard best practices. The method of demolition will include the external collapse of building walls where appropriate and

controlled implosion of structures where required. The project is located at Latitude: 40.3374, Longitude: 78.4063 in Roaring Springs Borough and Taylor Township. All proposed impacts are for the purpose of ensuring safety and environmental responsibility, as well as preparing the site for possible future development. There are no wetland impacts proposed. Latitude: 40.3374°, Longitude: -78.4063°.

**E2103223-008. Provco Pinewood Shippensburg, LLC**, 795 E. Lancaster Avenue, Villanova, PA 19085, Shippensburg Borough, **Cumberland County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 31, 2023.

To place approximately 16,940 cubic feet of fill behind a proposed retaining wall (43.5' x 117' x 6.75') permanently impacting 2,510 square feet of the floodway of UNT to Burd Run (WWF, MF). All proposed impacts are for the purpose of developing the area into a Wawa Convenience Store. The project is located at Longitude: 40.05773, Latitude: -77.50702 in Shippensburg Borough, Cumberland County. There are no wetland impacts proposed. Latitude: 40.05773°, Longitude: -77.50702°.

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: ra-ep-ww-sero-105@pa.gov.*

**E2301224-005. Ridge Road Development, LP**, 234 North James Street, Newport, DE 19804, Concord Township, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District. Application received: April 29, 2024.

Ridge Road Development, L.P., is proposing to place fill within two (2) isolated wetlands (Wetland A and B—PEM) within the West Branch of Chester Creek watershed resulting in 4,774 square feet (0.12 acre) of permanent wetland impact and loss. This activity is to facilitate the construction of a commercial center with retail and restaurant pads, parking, utilities, along with stormwater management and is located at the southwest corner of Ridge Road and Concord Pike (U.S. Route 202) just north of the Delaware State Line in Concord Township, Delaware County (USGS PA Wilmington North Quadrangle). Latitude: 39.863938°, Longitude: -75.546987°.

**E5101224-004. Yankee Pointe, LLC**, 6318 Passyunk Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: March 13, 2024.

To construct, rehabilitate, and maintain the Old Yankee Terminal within the floodway of the Schuylkill River (WWF-MF), associated with the modernization and upgrading of the facility. The project will include the following activities: 1) Replace about 1,250 LF deteriorated timber bulkhead with new steel sheet piles installation. The bulkhead will be reinforced with double C15 x 40 Wales, 2" steel tie rods, a reinforced concrete "Deadman" system, and two steel sheet pile return walls. Stone and earthen fill will be used to reestablish the previous pierhead and bulkhead line. 2) Eight (8) reinforced concrete land dolphins are proposed with the new bulkhead. The dolphins will include a reinforced concrete pile cap that measures 8.0' by 8.0'. 3) Dredging along the berth area in the Schuylkill River. Dredging will be 10-ft below the MLW plus 2-ft over dredge. Area of dredged limits about 207,597 SF, total material removed about 36,000 CY. 4) Legalize the activities constructed without permit for Concrete dock 380-ft by 90-ft. The impacted area for the dock is 34,200 SF (.79 acre). 5) Restore Pipeline crossing owned by Texas Eastern Transmission, L.P. 6)

The project will have permanent wetlands impact of 2.29 acres, and temporary wetlands impact of 1.36 acres. The site is located about 2,500 feet south of Passyunk Avenue and 62nd Street (Philadelphia, PA USGS Quadrangles) in the City of Philadelphia, Philadelphia County. Latitude: 39.911280°, Longitude: -75.211295°.

Contact: *ra-ep-ww-sero-105@pa.gov*.

**E1501224-003. Chester County**, 313 West Market Street, Suite 5402, West Chester, PA 19380, Tredyffrin Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: May 17, 2024.

Chester County is proposing to remove a single span, 34.3 foot-long, 15.77 foot-wide wrought iron pony truss bridge over Valley Creek (EV-MF), and in its place, construct and maintain a single span, 43 foot-long, 33 foot-wide prestressed concrete adjacent box beam bridge resulting in 1,890 square feet of permanent water-course impact, 2,051 square feet of temporary water-course impact, 1,762 square feet of permanent floodway impact, 895 square feet of temporary floodway impact, 4,999 square feet of permanent floodplain impact, and 3,300 square feet of temporary floodplain impact. Permanent impacts include shading from the new bridge, placement of riprap scour protection, abutments, and grading for the new approaches to the bridge. Temporary impact is due to coffer dams to dewater the work area and temporary disturbance and access. The existing Mill Road Bridge is also listed as a National Register-eligible resource and is located between LeBoutillier and Duportail Roads in Tredyffrin Township, Chester County (USGS PA Valley Forge Quadrangle). Latitude: 40.070143°, Longitude: -75.472647°.

**E4601224-012. Upper Hanover Township**, P.O. Box 27, East Greenville, PA 18041, Upper Hanover Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: May 22, 2024.

Upper Hanover Township is proposing to construct and maintain a pickleball court associated with a stormwater management facility in and along the 100-year floodplain of Macoby Creek (TSF), which is funded by the Montco 2040 Grant, resulting in 29,037.46 square feet (0.67 acre) of permanent floodplain impact. The site is located at Macoby Creek Park at 1044 East Eleventh Street (Milford-Square, PA USGS map) in Upper Hanover Township, Montgomery County. Latitude: 40.38615°, Longitude: -75.48242°.

**E4601224-013. Borough of Bridgeport**, 63 West 4th Street, Bridgeport, PA 19405, Bridgeport Borough, **Mont-**

**gomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: May 23, 2024.

Bridgeport Borough is proposing to perform Chapter 106 floodplain restoration activities associated with eleven (11) properties within the 100-year floodplain of the Schuylkill River (WWF-MF). This includes demolition of existing structures and restoration through stabilization of disturbed areas at the following locations: 1) 1 & 1-1/2 West Front Street include 0.025 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107215 N, Longitude 75.341599 W). 2) 3 West Front Street includes 0.017 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107292 N, Longitude 75.341643 W). 3) 5 West Front Street includes 0.017 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107319 N, Longitude 75.341678 W). 4) 7 West Front Street includes 0.019 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107379 N, Longitude 75.341718 W). 5) 9 West Front Street includes 0.027 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107293 N, Longitude 75.341856 W). 6) 135 and 137 West Second Street includes 0.044 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107659 N, Longitude 75.344778 W). 7) 130 and 134 West Second Street includes 0.080 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107428 N, Longitude 75.344777 W). 8) 136 West Second Street includes 0.034 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107499 N, Longitude 75.344855 W).

**E4601224-014. Borough of Bridgeport**, 63 West 4th Street, Bridgeport, PA 19405, Bridgeport Borough, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: May 23, 2024.

Bridgeport Borough is proposing to perform Chapter 106 floodplain restoration activities associated with four (4) properties within the 100-year floodplain of Schuylkill River (WWF-MF). This includes demolition of existing structures and restoration through stabilization of disturbed areas at the following locations: 1) 101 West Second Street includes 0.103 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107442 N, Longitude 75.34356 W). 2) 108 West Front Street includes 0.071 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107560 N, Longitude 75.34364 W). 3) 110 West Front Street includes 0.089 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107599 N, Longitude 75.34377 W). 4) 112 West Front Street includes 0.017 acre of disturbance (USGS PA Norristown Quadrangle—Latitude 40.107670 N, Longitude 75.34386 W).

---

## ACTIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).



DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

#### **I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA400005D	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 1639 Church Road Genn 4 Allentown, PA 18104-9342	Butler Township Luzerne County	NERO
PAD020074	Chapter 102 Individual NPDES Permit	Issued	L&W Supply One Abc Parkway Beloit, WI 53511	Kennedy Township Allegheny County	SWRO
PAD040118	Chapter 102 Individual NPDES Permit	Issued	PA Cyber Charter School 652 Midland Avenue Midland, PA 15059-1433	Midland Borough Beaver County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD060015	Chapter 102 Individual NPDES Permit	Issued	STMA LP 415 Ellis Woods Road Pottstown, PA 19465	Longswamp Township Berks County	SCRO
PAD150108	Chapter 102 Individual NPDES Permit	Issued	The Preserve at Marsh Creek LLC 940 W Sproul Road Springfield, PA 19064-1255	Upper Uwchlan Township Chester County	SERO
PAD150317	Chapter 102 Individual NPDES Permit	Issued	1354 Pottstown Pike LLC 55 Country Club Drive Suite 200 Downingtown, PA 19335-3062	West Whiteland Township Chester County	SERO
PAD230076	Chapter 102 Individual NPDES Permit	Issued	Energy Transfer Market & Terminal LP 100 Green Street Marcus Hook, PA 19061-4800	Marcus Hook Borough Delaware County	SERO
PAD390100	Chapter 102 Individual NPDES Permit	Issued	Madison Village Management LLC P.O. Box 86 Bath, PA 18014-0086	Lynn Township Lehigh County	NERO
PAD390283	Chapter 102 Individual NPDES Permit	Issued	Americold Logistics LLC 10 Glenlake Parkway Atlanta, GA 30328-3495	Upper Macungie Township Lehigh County	NERO
PAD390300	Chapter 102 Individual NPDES Permit	Issued	K Matkem Co. 6612 Snowdrift Road Allentown, PA 18106-9352	Upper Macungie Township Lehigh County	NERO
PAD480201	Chapter 102 Individual NPDES Permit	Issued	Executive Land Holdings IV LLC 3843 West Chester Pike Newtown Square, PA 19073-2304	Allen Township Northampton County	NERO
PAD520054	Chapter 102 Individual NPDES Permit	Issued	Schumm James 27 Monell Place Beacon, NY 12508-1423	Milford Township Pike County	NERO
PAD630079	Chapter 102 Individual NPDES Permit	Issued	PA American Water Co. 300 Galley Road Canonsburg, PA 15317-2391	Mount Pleasant Township Washington County	SWRO
PAD670109	Chapter 102 Individual NPDES Permit	Issued	Columbia Gas of PA Inc. 1600 Colony Road York, PA 17408-4357	Red Lion Borough York County	SCRO
PA0276154	Industrial Stormwater Individual NPDES Permit	Issued	Georg Fischer LLC 300 Kuebler Road Easton, PA 18040	Forks Township Northampton County	NERO
PAS322201	Industrial Stormwater Individual NPDES Permit	Issued	Crayola LLC 1100 Church Lane P.O. Box 431 Easton, PA 18040-6638	Forks Township Northampton County	NERO
0124802	Joint DEP/PFBC Pesticides Permit	Issued	Golf Lag LLC The Links at Gettysburg 4099 Bullfrog Road Fairfield, PA 17320-9389	Mount Joy Township Adams County	SCRO
0213808	Joint DEP/PFBC Pesticides Permit	Issued	Wildwood Golf Course 2195 Sample Road Allison Park, PA 15101-2104	Hampton Township Allegheny County	SWRO
9138169	Joint DEP/PFBC Pesticides Permit	Issued	Lakeview Farms Partnership LLP 215 W Church Road Suite 108 King of Prussia, PA 19406-3203	Springfield Township Bucks County	SERO

## NOTICES

3229

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0924803	Joint DEP/PFBC Pesticides Permit	Issued	Smith Andrew L 2753 Winding Road Quakertown, PA 18951-1908	Springfield Township Bucks County	SERO
0924805	Joint DEP/PFBC Pesticides Permit	Issued	Regency at Hilltown Comm Association 1266 Webb Drive Perkasie, PA 18944-4448	Hilltown Township Bucks County	SERO
0924806	Joint DEP/PFBC Pesticides Permit	Issued	Lewis Michael J 103 Pintail Pt New Hope, PA 18938-9320	Solebury Township Bucks County	SERO
0924807	Joint DEP/PFBC Pesticides Permit	Issued	Scocco Anthony 763 Cafferty Road Upper Black Eddy, PA 18972-9517	Tinicum Township Bucks County	SERO
1013832	Joint DEP/PFBC Pesticides Permit	Issued	Winchester Lakes HOA 4900 Perry Highway Pittsburgh, PA 15229-2220	Cranberry Township Butler County	NWRO
1524807	Joint DEP/PFBC Pesticides Permit	Issued	Allen Jean 2520 Whitehorse Road Berwyn, PA 19312	Easttown Township Chester County	SERO
2624801	Joint DEP/PFBC Pesticides Permit	Issued	Nemacolin Wooflands LLC 3945 National Pike Farmington, PA 15437-1334	Wharton Township Fayette County	SWRO
3513821	Joint DEP/PFBC Pesticides Permit	Issued	Eagle Lake Comm Association Inc. P.O. Box 305 Gouldsboro, PA 18424-0305	Covington Township Lackawanna County	NERO
3513833	Joint DEP/PFBC Pesticides Permit	Issued	Metzgar P 200 Jermyn Drive Clarks Summit, PA 18411-1082	Waverly Township Lackawanna County	NERO
3724806	Joint DEP/PFBC Pesticides Permit	Issued	Wimer Holdings Corp 3538 Rte 956 New Castle, PA 16105	Wilmington Township Lawrence County	NWRO
4024803	Joint DEP/PFBC Pesticides Permit	Issued	Indian Lakes Sports Club Inc. 408 Indian Lake Trail White Haven, PA 18661-2015	Buck Township Luzerne County	NERO
4324809	Joint DEP/PFBC Pesticides Permit	Issued	Ted Opitz 3689 Sandy Lake Road Sandy Lake, PA 16145-3835	Mill Creek Township Mercer County	NWRO
4324810	Joint DEP/PFBC Pesticides Permit	Issued	Lawrence Okresik 699 Greenfield Road Mercer, PA 16137-2605	Lackawannock Township Mercer County	NWRO
4514802	Joint DEP/PFBC Pesticides Permit	Issued	Pocono Wild Haven Estates P.O. Box 86 Lake Ariel, PA 18436-0086	Middle Smithfield Township Monroe County	NERO
4524803	Joint DEP/PFBC Pesticides Permit	Issued	Arrowhead Lake Comm Association 961 Arrowhead Drive Pocono Lake, PA 18347-7856	Coolbaugh Township Monroe County	NERO
4524804	Joint DEP/PFBC Pesticides Permit	Issued	Club Exploria Management LLC 111 Warehouse Drive East Stroudsburg, PA 18302-7512	Middle Smithfield Township Monroe County	NERO
4624805	Joint DEP/PFBC Pesticides Permit	Issued	Kershaw Brittany 17 Cepp Road Perkiomenville, PA 18074-9742	Lower Frederick Township Montgomery County	SERO
4624806	Joint DEP/PFBC Pesticides Permit	Issued	Reserve At Center Square 555 Croton Road Suite 400 King of Prussia, PA 19406-3124	Worcester Township Montgomery County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4624807	Joint DEP/PFBC Pesticides Permit	Issued	Walton Pond HOA 430 Mallard Circle Blue Bell, PA 19422-2409	Whitpain Township Montgomery County	SERO
4824802	Joint DEP/PFBC Pesticides Permit	Issued	Bodine Melissa 300 Fox Gap Road Bangor, PA 18013-5827	Upper Mount Bethel Township Northampton County	NERO
5813814	Joint DEP/PFBC Pesticides Permit	Issued	Heart Lake Assoc 85 Eastpoint Road Montrose, PA 18801-8174	Bridgewater Township Susquehanna County	NERO
6424805	Joint DEP/PFBC Pesticides Permit	Issued	Simasek Bernie 100 Buck Toe Hills Road Kennett Square, PA 19348-2727	Preston Township Wayne County	NERO
6617801	Joint DEP/PFBC Pesticides Permit	Issued	Morgan John 137 Novak Road Meshoppen, PA 18630	Meshoppen Township Wyoming County	NERO
0214403	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Pittsburgh Parks Conservancy 2000 Technology Drive Suite 200 Pittsburgh, PA 15219-3113	Pittsburgh City Allegheny County	SWRO
PAI132204	MS4 Individual NPDES Permit	Issued	Upper Milford Township Lehigh County P.O. Box 210 Old Zionsville, PA 18068-0210	Upper Milford Township Lehigh County	NERO
PA0009466	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Vale Wood Dairy 517 Vale Wood Road Loretto, PA 15940-6605	Munster Township Cambria County	SWRO
PA0216950	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Creswell Heights Joint Authority 3961 Jordan Street P.O. Box 301 South Heights, PA 15081-1026	South Heights Borough Beaver County	SWRO
PA0217778	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Chance Gas & Oil LLC 416 Kirkland Road Clymer, PA 15728-6318	Dunbar Township Fayette County	SWRO
PA0032603	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Trillium Tiny Home & RV Comm LLC 1501 E Poland Avenue Bessemer, PA 16112-9249	Mahoning Township Lawrence County	NWRO
PA0101087	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Twilight MHP LLC 7700 Martin Allen Court Alexandria, VA 22315-6056	Mahoning Township Lawrence County	NWRO
PA0222381	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Clearfield Jefferson County Region Airport Authority 377 Aviation Way Reynoldsville, PA 15851-8143	Washington Township Jefferson County	NWRO
PA0245585	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Chatham Acres Healthcare Grp Inc. 23700 Commerce Park Beachwood, OH 44122-5827	London Grove Township Chester County	SERO
PA0061361	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Smithfield Township Monroe County 1155 Red Fox Road East Stroudsburg, PA 18301-9106	Smithfield Township Monroe County	NERO

## NOTICES

3231

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3773412	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Twilight MHP LLC 7700 Martin Allen Court Alexandria, VA 22315-6056	Mahoning Township Lawrence County	NWRO
4006405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3489	White Haven Borough Luzerne County	NERO
6198401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Clintonville Borough Sewer & Water Authority Venango County 109 Franklin Street Clintonville, PA 16372-9836	Clintonville Borough Venango County	NWRO
NOEXSE366	No Exposure Certification	Issued	Tiger Optics LLC 275 Gibraltar Road Horsham, PA 19044-2305	Horsham Township Montgomery County	SERO
PAG030135	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Industrial Tech & Service LLC 201 Ivyland Road Warminster, PA 18974-1706	Ivyland Borough Bucks County	SERO
PAG030289	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Accupac Inc. P.O. Box 200 Mainland, PA 19451-0200	Towamencin Township Montgomery County	SERO
PAG033593	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Precision Cut Ind 115 Ram Drive Hanover, PA 17331	Conewago Township Adams County	SCRO
PAG033817	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Precision Cut Ind 115 Ram Drive Hanover, PA 17331	Conewago Township Adams County	SCRO
PAG034055	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Precision Cut Ind 115 Ram Drive Hanover, PA 17331-7783	Conewago Township Adams County	SCRO
PAG035026	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Centre Concrete Co. 629 E Rolling Ridge Drive Bellefonte, PA 16823-8135	Patton Township Centre County	NCRO
PAG036450	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Union RR Co. 708 Duquesne Boulevard Duquesne, PA 15110-1522	West Mifflin Borough Allegheny County	SWRO
PAG036470	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Union RR Co. 708 Duquesne Boulevard Duquesne, PA 15110-1522	Pittsburgh City Allegheny County	SWRO
PAG036476	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Metalico Neville Inc. P.O. Box 76 Brownsville, PA 15417	Jefferson Township Fayette County	SWRO
PAG038351	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	JJ Kennedy Inc. P.O. Box 69 Zelienople, PA 16063-0069	Paint Township Clarion County	NWRO

## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038353	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	JJ Kennedy Inc. P.O. Box 69 Zelienople, PA 16063-0069	Punxsutawney Borough Jefferson County	NWRO
PAG038373	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rehrig Pacific Co. 1738 W 20 Street Erie, PA 16502-2116	Erie City Erie County	NWRO
PAG038396	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	UFP Parker LLC 2801 E Beltline Avenue NE Grand Rapids, MI 49525-9680	Shippenville Borough Clarion County	NWRO
PAG038433	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Hovis Inc. 1973 Old Route 322 Cochranton, PA 16314	Wayne Township Crawford County	NWRO
PAG038444	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Specialty Tires of American Inc. 1600 Washington Street Indiana, PA 15701-2893	Indiana Borough Indiana County	NWRO
PAG038462	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	BNZ Materials Inc. 191 Front Street Zelienople, PA 16063-1088	Zelienople Borough Butler County	NWRO
PAG038480	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Accuride Corp 1015 E 12th Street Erie, PA 16503-1520	Erie City Erie County	NWRO
PAG038585	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Luxfer Magtech Inc. 955 Saxonburg Boulevard Saxonburg, PA 16056-2317	Clinton Township Butler County	NWRO
PAG041240	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	David and Jocelyn Steves 16075 Spirit Hill Road Corry, PA 16407-7137	Wayne Township Erie County	NWRO
PAG041289	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Dale and Susan Anderson 4503 US Highway 322 Jamestown, PA 16134	South Shenango Township Crawford County	NWRO
PAG041296	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Triple L Properties LLC 7420 Macumber Road Oakfield, NY 14125-9719	Wolf Creek Township Mercer County	NWRO
PAG041297	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Triple L Properties LLC 7420 Macumber Road Oakfield, NY 14125-9719	Wolf Creek Township Mercer County	NWRO
PAG046479	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Crawford George 125 Graham Avenue Washington, PA 15301-9079	South Franklin Township Washington County	SWRO
PAG046484	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	CNX Land LLC 226 Rankin Road Washington, PA 15301-3182	South Franklin Township Washington County	SWRO
PAG048928	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Wian Caleb 5004 Route 446 Eldred, PA 16731-3822	Eldred Township McKean County	NWRO

## NOTICES

3233

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG048982	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Jones William D 5154 Jackson Run Road Warren, PA 16365-8635	Conewango Township Warren County	NWRO
PAG066116	PAG-06 NPDES General Permit for Combined Sewer Systems	Issued	West View Water Authority Allegheny County 441 Perry Highway Pittsburgh, PA 15229-1818	West View Borough Allegheny County	SWRO
PAG066125	PAG-06 NPDES General Permit for Combined Sewer Systems	Issued	Sharpsburg Borough Allegheny County 1611 Main Street Pittsburgh, PA 15215-2609	Sharpsburg Borough Allegheny County	SWRO
PAG122205	PAG-12 NPDES General Permit for CAFOs	Issued	R W Sauder Inc. 570 Furnace Hills Road Lititz, PA 17543	Hubley Township Schuylkill County	SCRO
PAG123610	PAG-12 NPDES General Permit for CAFOs	Issued	Hege Michael J 11473 Gehr Road Waynesboro, PA 17268-9239	Washington Township Franklin County	SCRO
PAG123655	PAG-12 NPDES General Permit for CAFOs	Issued	Burkholder Leslie 52 Burkholder Lane Fredericksburg, PA 17026-9000	Swatara Township Lebanon County	SCRO
PAG123684	PAG-12 NPDES General Permit for CAFOs	Issued	Hoffman Chris R 4716 Mountain Road McAlisterville, PA 17049	Derry Township Mifflin County	SCRO
PAG123879	PAG-12 NPDES General Permit for CAFOs	Issued	Zuck Jeffrey H 135 Fox Road Lebanon, PA 17042-8842	South Lebanon Township Lebanon County	SCRO
PAG124839	PAG-12 NPDES General Permit for CAFOs	Issued	Martin Robert S 4227 Ridge Road Beaver Springs, PA 17812-9419	West Beaver Township Snyder County	SCRO
PAG124846	PAG-12 NPDES General Permit for CAFOs	Issued	Country View Family Farms LLC 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990	Sullivan Township Tioga County	SCRO
PAG124861	PAG-12 NPDES General Permit for CAFOs	Issued	R & F Family Farms 122 Reitz Road Shamokin, PA 17872-7554	Shamokin Township Northumberland County	SCRO
PAG124864	PAG-12 NPDES General Permit for CAFOs	Issued	Country View Family Farms LLC 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990	Wells Township Bradford County	SCRO
PAG133694	PAG-13 NPDES General Permit for MS4s	Waived	Strasburg Township Lancaster County 400 Bunker Hill Road Strasburg, PA 17579-9501	Strasburg Township Lancaster County	SCRO
2224401	Pump Stations Individual WQM Permit	Issued	Steelton Borough Dauphin County 123 N Front Street Steelton, PA 17113-2238	Steelton Borough Dauphin County	SCRO
4424401	Pump Stations Individual WQM Permit	Issued	Granville Township Mifflin County 100 Helen Street Lewistown, PA 17044-2437	Granville Township Mifflin County	SCRO
3924401	Sewer Extensions Individual WQM Permit	Issued	Lower Macungie Township Lehigh County 3400 Brookside Road Macungie, PA 18062-1427	Lower Macungie Township Lehigh County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6524401	Sewer Extensions Individual WQM Permit	Issued	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
PA0057274	Single Residence STP Individual NPDES Permit	Issued	Michael and Antionette Hughes 305 Auburn Drive Downingtown, PA 19335-4420	Upper Uwchlan Township Chester County	SERO
PA0255955	Single Residence STP Individual NPDES Permit	Issued	Richard Austin W 1141 Route 288 Fombell, PA 16123-2329	Franklin Township Beaver County	SWRO
PA0263931	Single Residence STP Individual NPDES Permit	Issued	Gaffney Stephen J 2101 Brickyard Road North East, PA 16428-2825	North East Township Erie County	NWRO
PA0271608	Single Residence STP Individual NPDES Permit	Issued	Ward Donald 185 Donaldson Road Gibsonia, PA 15044	Clinton Township Butler County	NWRO
0421405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Richard Austin W 1141 Route 288 Fombell, PA 16123-2329	Franklin Township Beaver County	SWRO
4203404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Wian Caleb 5004 Route 446 Eldred, PA 16731-3822	Eldred Township McKean County	NWRO
6204405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jones William D 5154 Jackson Run Road Warren, PA 16365-8635	Conewango Township Warren County	NWRO
WQG01202402	WQG-01 WQM General Permit	Issued	Dale and Susan Anderson 4503 US Highway 322 Jamestown, PA 16134	South Shenango Township Crawford County	NWRO
WQG01432401	WQG-01 WQM General Permit	Issued	Triple L Properties LLC 7420 Macumber Road Oakfield, NY 14125-9719	Wolf Creek Township Mercer County	NWRO
WQG01432402	WQG-01 WQM General Permit	Issued	Triple L Properties LLC 7420 Macumber Road Oakfield, NY 14125-9719	Wolf Creek Township Mercer County	NWRO
WQG01632401	WQG-01 WQM General Permit	Issued	Crawford George 125 Graham Avenue Washington, PA 15301-9079	South Franklin Township Washington County	SWRO
WQG018826	WQG-01 WQM General Permit	Issued	Gaffney Stephen J 2101 Brickyard Road North East, PA 16428-2825	North East Township Erie County	NWRO

## II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460853	PAG-02 General Permit	Issued	Toll Mid Atlantic LP Company Inc 1140 Virginia Drive Fort Washington, PA 19034-3204	Upper Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@pa.gov



## NOTICES

3235

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460453	PAG-02 General Permit	Issued	Airport Square Shopping Associates LP 810 Seventh Avenue 10th Floor New York, NY 10019	Montgomery Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC230186 A-1	PAG-02 General Permit	Issued	NUVO Development Partners, LLC 200 E. New England Ave. Winter Park, FL 32789	Glenolden Borough Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC230277	PAG-02 General Permit	Issued	Aronimink Golf Club c/o Andrew Whitelaw 3600 St. Davids Road Newtown Township, PA 19073	Newton Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC460867	PAG-02 General Permit	Issued	Commerce Pursuit Capital LP 1300 Virginia Drive, Suite 215 Fort Washington, PA 19034-3221	Upper Dublin Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460882	PAG-02 General Permit	Issued	Mikelen LLC 2985 W Germantown Pike Norristown, PA 19401-1035	Montgomery Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC400311	PAG-02 General Permit	Issued	VMC Realty, LLC Frank Carey Jr. 21 Carey Lane Pittston, PA 18640	Jenkins Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC670221A-2	PAG-02 General Permit	Issued	Yazoo Mills Incorporated 305 Commerce Street New Oxford, PA 17350	Penn Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670704	PAG-02 General Permit	Issued	Brett Garrett 3133 Grove Court Mechanicsburg, PA 17050	Fairview Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC360949	PAG-02 General Permit	Issued	LEMSA 100 East Charlotte Street Millersville, PA 17551	City of Lancaster Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360914 A-1	PAG-02 General Permit	Issued	Manheim Township 1840 Municipal Drive Lancaster, PA 17601	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360906	PAG-02 General Permit	Issued	Esbensshade RE Holdings, LLC 109 Esbensshade Road Ronks, PA 17572	Paradise Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360889	PAG-02 General Permit	Issued	Frank Weaver 2233 Little Hill Road Narvon, PA 17555	Caernarvon Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC100301	PAG-02 General Permit	Issued	Rightmyer Estates LLC 3940 Middle Road Allison Park, PA 15101	Adams Township Middlesex Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC030056	PAG-02 General Permit	Issued	C&G Arms LLC 160 York Drive Natrona Heights, PA 15065	Cowanshannock Township Armstrong County	Armstrong County Conservation District 124 Armsdale Road Suite 1 Kittanning, PA 16201 724-548-3425
PAC100320	PAG-02 General Permit	Issued	Belmont Investment Properties LLC 75 Dutchtown Road Butler, PA 16002	Butler Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC630313	PAG-02 General Permit	Issued	Guardian Angels Medical Service Dogs, Inc 3251 NE 180th Ave Williston, FL 32696	Robinson Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO

## NOTICES

3237

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC630301	PAG-02 General Permit	Issued	Champion Center Enterprises 110 Belmont Avenue Canonsburg, PA 15317	South Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630319	PAG-02 General Permit	Issued	PennWest California University 250 University Avenue California, PA 15419	California Borough Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC300061	PAG-02 General Permit	Issued	CVE US PA Garards Fort 161, LLC 109 W. 27th Street 8th Floor New York, NY 10001	Green Township Greene County	Greene County Conservation District 22 West High Street Suite 204 Waynesburg, PA 15370 724-852-5278 SWRO
PAC630127	PAG-02 General Permit	Issued	CVL Partners, LP Route 18 P.O. Box 273 Atlasburg, PA 15004	Mount Pleasant Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC230103	PAG-02 General Permit	Issued	Estates at Coventry Woods, LP c/o National Developers, Inc. 1604 Walnut Street 4th Floor Philadelphia, PA 19103	Springfield Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC150385	PAG-02 General Permit	Issued	Bawa Muhaiyaddeen Fellowship 99 Fellowship Road Coatesville, PA 19320	East Fallowfield Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150373	PAG-02 General Permit	Issued	Joseph Ciarmella and Joseph Cairmella Jr. Trust 930 Saginaw Rd Oxford, PA 19363	Franklin Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460850	PAG-02 General Permit	Issued	Arbors Commercial 2 Corp 1030 West Germantown Pike East Norriton, PA 19403-3929	Hatfield Township Montgomery County	Montgomery County Conservation District 143 Level Road Coatesville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460329	PAG-02 General Permit	Issued	Pennsylvania Department of Transportation District 6-0 7000 Geerdes Blvd King of Prussia, PA 19406	Lower Gwynedd Township Montgomery County	Montgomery County Conservation District 143 Level Road Coatesville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460891	PAG-02 General Permit	Denied	Michelino Marino 1355 Grasshopper Road Huntingdon Valley, PA 19006-5803	Lower Moreland Township Montgomery County	Montgomery County Conservation District 143 Level Road Coatesville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov

## STATE CONSERVATION COMMISSION

### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

#### NUTRIENT MANAGEMENT PLAN

#### CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Hillside Poultry Farms Inc. 1849 Letterkenny Road Chambersburg, PA 17202	Franklin County	421.83	1,469.72	Poultry	NA	Approved

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

### SAFE DRINKING WATER

#### Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Ryan Fox, Env. Engineering Specialist, 570-826-2533.*

**Construction Permit No. 5423504**, Major Amendment, Public Water Supply.

Applicant	<b>Environmental Materials, LLC</b>
Address	98 Pheasant Run Rd. Orwigsburg, PA 17961
Municipality	West Brunswick Township
County	<b>Schuylkill County</b>
Consulting Engineer	Charles A. Kehew 18 South George St. Suite 300 York, PA 17401
Application Received	November 16, 2023
Permit Issued	May 22, 2024

Description	PWS Major Permit Amendment issued to Environmental Materials, LLC for construction of New Well No. 4 and associated Fe & Mn treatment.
-------------	--

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Joseph Mattucci, Program Manager, 717-705-4931.*

**Construction Permit No. 3624501 MA**, Minor Amendment, Public Water Supply.

Applicant	<b>Manheim Area Water and Sewer Authority</b>
Address	18 East High Street Manheim Borough, PA 17545
Municipality	Manheim Borough
County	<b>Lancaster County</b>
Consulting Engineer	Jason G. Saylor, P.E. 1230 Peachtree Street, NE Suite 1100 11th Floor Atlanta, GA 30309

Application Received	March 6, 2024
----------------------	---------------

Permit Issued	May 23, 2024
---------------	--------------

Description	Manheim Area Water and Sewer Authority is a community water system and this permit gives permission to install a mixer in the 500,000-gallon Sun Hill Tank.
-------------	---

**NCWSA Construction Permit No. 7361034**, Public Water Supply.

Applicant	<b>John F Martin and Sons Inc.</b>
Address	55 Lower Hillside Road Stevens, PA 17578
Municipality	West Cocalico Township
County	<b>Lancaster County</b>
Consulting Engineer	Sheldon Zeist Certified Water Operator 4216 Oregon Pike Box 607 Brownstown, PA 17508

Application Received	February 7, 2024
----------------------	------------------

Permit Issued	May 24, 2024
---------------	--------------

Description	This Noncommunity Water System Application proposes the replacement of the system's two booster pumps and the removal of the bypass from the contact time tank.
-------------	---

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Operation Permit 5500502-A1**. PWSID No. **4550006**. **Adams Township Municipal Authority**, P.O. Box 1, Troxelville, PA 17882, Adams Township, **Snyder County**. Application received: April 15, 2024. Permit Issued: May

21, 2024. This permit authorizes the permittee to revise sampling requirements for residual chlorine in the distribution system from daily to weekly in Adams Township, Snyder County.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.*

**NCWSA Operation Permit 7380432.** PWSID No. **7380432. AROD Entities, LLC**, 1720 Mineral Spring Rd, Reading, PA 19602, Jackson Township, **Lebanon County**. Application received: May 1, 2024. Permit Issued: May 20, 2024. This action authorizes operation of the public water supply at Dunkin' Myerstown.

*Contact: Thomas Filip, Environmental Engineer, 717-705-4708.*

**Construction Permit 3824501.** PWSID No. **7380319. Mt Lebanon Campmeeting Association, Inc.**, 23 Mt Lebanon Drive, Lebanon, PA 17042, North Lebanon Township, **Lebanon County**. Application received: February 27, 2024. Permit Issued: May 22, 2024. Installation of iron and manganese treatment.

*Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.*

**Operation Permit 2222519.** PWSID No. **7220044. Susquehanna Area Regional Airport Authority/Harrisburg International Airport**, One Terminal Drive, Suite 300, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. Application received: May 16, 2024. Permit Issued: May 23, 2024. Reissuance of the 4-log treatment of viruses demonstration for a lower treatment flow.

**Operation Permit 2221501.** PWSID No. **7220044. Susquehanna Area Regional Airport Authority/Harrisburg International Airport**, One Terminal Drive, Suite 300, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. Application received: May 16, 2024. Permit Issued: May 23, 2024. Operation permit for the granular activated carbon upgrade project.

**Operation Permit 3061057.** PWSID No. **3061057. New Morgan LDFL Co, Inc. Conestoga Landfill**, 420 Quarry Road, Morgantown, PA 19543, New Morgan Borough, **Berks County**. Application received: May 23, 2024. Permit Issued: May 24, 2024. Comprehensive operation permit for pH adjustment for Lead and Copper Rule corrosion control.

**Construction Permit 0124505 MA.** PWSID No. **7670076. Borough of Hanover**, 44 Frederick Street, Hanover, PA 17331, Conewago Township, **Adams County**. Application received: April 3, 2024. Permit Issued: May 28, 2024. Construction permit for the replacement of chemical feed pumps.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: RA-EPSWSDW@pa.gov.*

**Operation Permit 0424514MA.** PWSID No. **5040008. Borough of Ambridge Water Authority**, 600 Eleventh Street, P.O. Box 257, Ambridge, PA 15003, Ambridge Borough, **Beaver County**. Application received: May 21, 2024. Permit Issued: May 23, 2024. Issuance of Operation Permit No. 0424514MA for the operation of the rehabilitated Filter No. 4.

## WATER ALLOCATIONS

**Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: RA-EPSWSDW@pa.gov.*

**WA2-118E-A1, Water Allocations. Oakmont Water Authority**, 721 Allegheny Avenue, P.O. Box 73, Oakmont, PA 15139, Oakmont Borough, **Allegheny County**. Issuance of amended Water Allocation Permit granting Oakmont Water Authority the right to withdraw up to 6,000,000-gallons of water per day, 30-day average from the Allegheny River. Application received: April 2, 2024. Issued: May 22, 2024.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Chesapeake Dacheux Unit B on the Dacheux Unit B Pad**, Primary Facility ID # **875679**, 1281 Bear Road, Dushore, PA 18614, Cherry Township, **Sullivan County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Avery Dennison Wilcox Street Cleanup**, Primary Facility ID # **715430**, 1 Wilcox Street, Sayre, PA 18840, Sayre Borough, **Bradford County**. Vanasse Hangen Brustlin, Inc., 1805 Atlantic Avenue, Manasquan, NJ 08736, on behalf of Avery Dennison Corporation, 8080 Norton Parkway, Mentor, OH 44060, submitted a Final Report concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Final Report is intended to document remediation of the site to meet the site-specific standards.

**Flynn Energy Transport South Main Street HHO Spill**, Primary Facility ID # **875479**, South Main Street, Towanda, PA 18848, Towanda Township, **Bradford County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Flynn Energy Transport, Inc., 342 E Macedonia Road, Towanda, PA 18848, submitted a Final Report concerning remediation of soil contaminated with home heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**EQT ARO LLC Mallory Pad A 2-29-24 Produced Fluid Release**, Primary Facility ID # **874844**, 2361 Hillbilly Hollow Lane, Trout Run, PA 17771, Plunketts Creek Township, **Lycoming County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of EQT ARO LLC, 2462 Lycoming Creek Road, Williamsport, PA 17701, submitted a Final Report concerning remediation of soil contaminated with produced fluid. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**10 Main Street**, Primary Facility ID # **874917**, 10 Main Street, New Philadelphia, PA 17959, Blythe Township, **Schuylkill County**. Union Technical Group, P.O. Box 8123, Pelham, NY 10803, on behalf of Quality Discount Heating Oil & Propane, 1 Second Street, Port Carbon, PA 17965, submitted a Final Report concerning remediation of soil contaminated with heating oil from an aboveground storage tank. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**C. Larue Pad 2**, Primary Facility ID # **743300**, 2310 State Route 3010, Montrose, PA 18801, Dimock Township, **Susquehanna County**. Folsom Engineering, 4361 State Route 87, Mehoopany, PA 18629, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation

of groundwater contaminated with petroleum-based drilling mud. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Nick, 814-332-6978.*

**Honeywell Farmers Valley Wax Plant Main**, Primary Facility ID # **653776**, Wax Street, Smethport, PA 16749, Keating Township, **McKean County**. AECOM Technical Services, Inc., 100 North Broadway, 20th Floor, Saint Louis, MO 63102, on behalf of Pennzoil-Quaker State Company, 128 East Center Street, Nazareth, PA 18064, submitted a Risk Assessment concerning remediation of soil and groundwater contaminated with Soil: 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, 2-Butanone, Acetone, Benzene, Cyclohexane, Ethylbenzene, Hexane, m,p-Xylene, Methyl Acetate, Methylcyclohexane, Naphthalene, o-Xylene, Toluene, Xylene, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(k)fluoranthene, Biphenyl, Dibenz(a,h)anthracene, Dibenzofuran, Indeno(1,2,3-cd)pyrene, Pentachlorophenol, Aroclor-1254, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Iron, Lead, Manganese, Mercury, Nickel, Selenium, Silver, Thallium, Vanadium, & Zinc. Groundwater: 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, 1,4-Dichlorobenzene, Benzene, Carbon disulfide, Chlorobenzene, Chloroform, Cyclohexane, Ethylbenzene, Hexane, Isopropylbenzene (Cumene), m,p-Xylene, Methylcyclohexane, Naphthalene, o-Xylene, sec-Butylbenzene, Styrene, tert-Butyl methyl ether (MTBE), tert-Butylbenzene, Tetrachloroethene, Toluene, Xylene, 2,4-Dimethylphenol, 2-Methylnaphthalene, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Benzo(k)fluoranthene, Biphenyl, Bis(2-Ethylhexyl)phthalate, Butyl benzyl phthalate, Chrysene, Dibenz(a,h)anthracene, Dibenzofuran, Indeno(1,2,3-cd)pyrene, Pentachlorophenol, Pyrene, Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Iron, Manganese, Mercury, Nickel, Selenium, Silver, Thallium, & Vanadium. The Risk Assessment is intended to document remediation of the site to meet the site-specific standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Chambersburg Service Center**, Primary Facility ID # **846874**, 80 South Franklin Street, Chambersburg, PA 17201, Chambersburg Borough, **Franklin County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of Borough of Chambersburg, 100 South 2nd Street, Chambersburg, PA 17201, submitted a Baseline Environmental Report concerning remediation of soil and groundwater contaminated with VOCs, SVOCs and Metals. The Baseline Environmental Report is intended to document remediation of the site to meet the special industrial area provision of act 2.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**8362-8280 State Road**, Primary Facility ID # **873683**, 8362-8280 State Road, Philadelphia, PA 19136, City of

Philadelphia, **Philadelphia County**. David Berry, The Vertex Companies, LLC, 2501 Seaport Drive, Suite 110, Chester, PA 19013, on behalf of Lucie McDonald, JRM Developers, 9525 Frankford Avenue, Philadelphia, PA 19114, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

**Premier Window Cleaning**, Primary Facility ID # **854755**, 2948-2964 East Venango Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. David Berry, The Vertex Companies, LLC, 2501 Seaport Drive, Suite 110, Chester, PA 19013, on behalf of John Zurzolo, Premier Window Cleaning, P.O. Box 8930, Turnersville, NJ 08012, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Range Brownlee Kelley Well Pad**, Primary Facility ID # **875077**, 178 Possum Hollow Road, Avella, PA 15312, Hopewell Township, **Washington County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Range Resources—Appalachia, LLC, 3000 Town Center Boulevard, Warrendale, PA 15086, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, strontium, vanadium, zinc, and selenium. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation

report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Repsol Oil & Gas USA, LLC Red Burn Road**, Primary Facility ID # **873742**, Red Burn Road, Trout Run, PA 17771, McIntyre Township, **Lycoming County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of Repsol Oil & Gas USA LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, submitted a Final Report concerning remediation of soil contaminated with produced water and diesel fuel. The Final Report demonstrated attainment of the Statewide health standards. Approved: May 22, 2024.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**13 Maple Street**, Primary Facility ID # **873047**, 13 Maple Street, West Pittston, PA 18643, West Pittston Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Newell Fuel Service, 1355 Memorial Highway, Shavertown, PA 18708, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: May 21, 2024.

**White Haven Center**, Primary Facility ID # **754804**, 821 Oley Valley Road, White Haven, PA 18661, Foster Township, **Luzerne County**. Skelly and Loy, 449 Eisenhower Boulevard, Suite 300, Harrisburg, PA 17111, on behalf of Pennsylvania Department of Human Services, 2525 North Seventh Street, Suite 150, Harrisburg, PA 17110, submitted a Final Report concerning remediation of soil and groundwater contaminated with heating oil.



The Final Report demonstrated attainment of the State-wide health standards. Approved: May 28, 2024.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Chris, 724-598-2206.*

**Reds Place for Car Care**, Primary Facility ID # **864282**, 101 South New Castle Street, New Wilmington, PA 16142, New Wilmington Borough, **Lawrence County**. Letterle & Associates, Inc., 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of Red's Place for Car Care LLC, 101 South New Castle Street, New Wilmington, PA 16142, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, xylenes, cumene, 1,2,4-trimethylbenzene (TMB), 1,3,5-TMB, dibromoethane (EDB), 1,2-dichloroethane (EDC), and lead. The Report demonstrated attainment of the site-specific standards. Approved: May 28, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**2045 West Hunting Park Avenue Site**, Primary Facility ID # **841642**, 2023-2061 West Hunting Park Avenue, Philadelphia, PA 19140, City of Philadelphia, **Philadelphia County**. David G. Sherman, PG., Geosyntec Consultants, Inc., 930 Harvest Drive, Suite 220, Blue Bell, PA 19422, on behalf of Duane Wanty, GPI Interim, Inc., 70 Mechanic Street, Foxboro, MA 02035, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of groundwater contaminated with VOCs. The Report demonstrated attainment of the site-specific standards. Approved: May 13, 2024.

**Philmont Country Club-Residential**, Primary Facility ID # **873018**, Northwest of the intersection Tomlinson Road and Philmont Avenue, Huntingdon Valley, PA 19006, Lower Moreland Township, **Montgomery County**. Richard Lake, Geo-Technology Associates, Inc., 2405 John Fries Highway, Quakertown, PA 18951, on behalf of Michael Charlton, ESC Philmont, LLC, 5074 Dorsey Hall Drive, Suite 205, Ellicott City, MD 21042, submitted a Remedial Investigation Report/Risk Assessment/Cleanup Plan/Final Report concerning remediation of soil contaminated with diesel fuel, No. 2 fuel oil, leaded gasoline, unleaded gasoline and used motor oil. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: May 10, 2024.

**Philmont Country Club-Former Maintenance Area**, Primary Facility ID # **874552**, Northwest of the intersection Tomlinson Road and Philmont Avenue, Huntingdon Valley, PA 19006, Lower Moreland Township, **Montgomery County**. Richard Lake, Geo-Technology Associates, Inc., 2405 John Fries Highway, Quakertown, PA 18951, on behalf of Michael Charlton, ESC Philmont, LLC, 5074 Dorsey Hall Drive, Suite 205, Ellicott City, MD 21042, submitted a Final Report concerning remediation of soil contaminated with contaminated with benzene, toluene, ethylbenzene, xylenes, cumene (isopropyl benzene), MTBE, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, naphthalene, pyrene, benzo(a)anthracene, chrysene and lead. The Final Report demonstrated attainment of the Statewide health standards. Approved: May 14, 2024.

**Farabella Property**, Primary Facility ID # **848438**, 2301 Computer Avenue, Willow Grove, PA 19090, Upper Moreland Township, **Montgomery County**. Jeffery A. Smith, PG, Langan Engineering and Environmental Services, Inc., 1818 Market Street, Suite 3300, Philadelphia, PA 19103, on behalf of Ernest Farabella, EF Precision Group, 3220 Pebblewood Lane, Dresher, PA 19025, submitted a Remedial Investigation Report/Risk Assessment/Cleanup Plan/Final Report concerning remediation of groundwater contaminated with PCE and TCE. The Final Report demonstrated attainment of the site-specific standards. Approved: May 15, 2024.

**Raceway Kia**, Primary Facility ID # **865179**, 1402 Ridge Pike, Conshohocken, PA 19428, Plymouth Township, **Montgomery County**. David DiPascale, TTI Environmental, Inc., 1253 North Street, Moorestown, NJ 08057, on behalf of Wayne Heilman, RW Real Estate, 1209 SW 54th Lane, Cape Coral, FL 33941, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil contaminated with lead. The Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: May 20, 2024.

**38th & Brown Street**, Primary Facility ID # **869026**, 777, 779, 781, 783, 785, 787 North 38th Street; 770, 772, 774 North Dekalb Street; 3716, 3718, 3720, 3722, 3724, 3726 Brown Street, Philadelphia, PA 19104, City of Philadelphia, **Philadelphia County**. Kevin Burns, Batta Environmental Associates, Inc., 6 Garfield Way, Newark, DE 19713, on behalf of Yanique Joyner, Women's Community Revitalization Project, 100 West Oxford Street, Philadelphia, PA 19122, Yanique Joyner, Women's Community Revitalization Project, 100 West Oxford Street, Philadelphia, PA 19122, Yanique Joyner, Women's Community Revitalization Project, 100 West Oxford Street, Philadelphia, PA 19122, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with PAHs and metals. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: May 15, 2024.

**River Pointe Parcel # 2**, Primary Facility ID # **864477**, 75 East 4th Street, Bridgeport, PA 19405, Bridgeport Borough, **Montgomery County**. Jeffery K. Walsh, PG, Penn E&R, Inc., 400 Dublin Pike, Doylestown, PA 18901, on behalf of Anthony E. Maras, Esq., DPD-Brightview, LP, 740 Sansom Street, Suite 501, Philadelphia, PA 19106, submitted a Final Report concerning remediation of soil contaminated with arsenic, benzo(b)fluoranthene, lead, acenaphthene, acenaphthylene, acetone, anthracene, barium, benzo(a)anthracene, benzo(a)pyrene, benzo(g,h,i)perylene, benzo(k)fluoranthene, cadmium, chromium, chrysene, dibenzo(a,h)anthracene, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, methyl acetate, naphthalene, phenanthrene, pyrene, selenium, silver, and vanadium. The Final Report demonstrated attainment of the site-specific standards. Approved: May 14, 2024.

**901 North 9th Street**, Primary Facility ID # **856326**, 901 North 9th Street, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. Stephen D. Brower, PG, Environmental Standards, 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19123, on behalf of Elise Halter, Post Quaker Property Owner, LLC, 1021 North Hancock Street, Suite 1, Philadelphia, PA 19123, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil contaminated with solvents. The Report demonstrated attainment of the site-specific standards. Approved: May 10, 2024.

**8362-8280 State Road**, Primary Facility ID # **873683**, 8362-8280 State Road, Philadelphia, PA 19136, City of Philadelphia, **Philadelphia County**. David Berry, The Vertex Companies, LLC, 2501 Seaport Drive, Suite 110, Chester, PA 19013, on behalf of Lucie McDonald, JRM Developers, 9525 Frankford Avenue, Philadelphia, PA 19144, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: May 10, 2024.

**Tioga Marine Terminal Pier 179N**, Primary Facility ID # **722887**, 3460 North Delaware Avenue, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Gregory Rosenzweig, PG, Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Richard Sherman, Kinder Morgan Liquids Terminals, LLC, One Terminal Road, Carteret, NJ 07008, submitted a Final Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Report did not demonstrate attainment of the Statewide health standards. Issued an administrative deficiency letter: May 16, 2024.

**Lukas Property**, Primary Facility ID # **707746**, 362 West Lancaster Avenue, Wayne, PA 19087, Radnor Township, **Delaware County**. Gary Drennen, Synergy Environmental Inc., 155 Railroad Plaza, First Floor, Royersford, PA 19468, on behalf of Joseph T. Lukas, 362 West Lancaster Avenue, Wayne, PA 19089, submitted a Remediation Investigation Report/Final Report concerning remediation of groundwater contaminated with chlorinated solvents. The Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: May 16, 2024.

**Holland Village**, Primary Facility ID # **841598**, 280 Middle Holland Road, Holland, PA 18966, Northampton Township, **Butler County**. I. Scott Renneisen, Terraphase Engineering Inc., 1100 East Hector Street, Suite 400, Conshohocken, PA 19428, on behalf of David Baker, Diakon Lutheran Social Ministries, 960 Century Drive, Mechanicsburg, PA 17055, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, cumene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: May 20, 2024.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Duquesne Electric & Manufacturing Co**, Primary Facility ID # **861363**, 475 Butler Street, Pittsburgh, PA 15223, Etna Borough, **Allegheny County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668, on behalf of Duquesne Electric & Manufacturing Co., 475 Butler Street, Pittsburgh, PA 15223, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with PCBs, metals, and chlorinated VOCs. The Report demonstrated attainment of the site-specific standards. Approved: May 8, 2024.

**USA Clean**, Primary Facility ID # **862093**, 56 Sexton Road, Pittsburgh, PA 15136, McKees Rocks Borough, **Allegheny County**. Langan Engineering & Environmen-

tal Services, Inc., 2400 Ansys Drive, Suite 403, Canonsburg, PA 15317, on behalf of Gordon Terminal Service Company, 1000 Agnes Street, McKees Rocks, PA 15136, submitted a Baseline Workplan concerning remediation of soil and groundwater contaminated with VOCs (including chlorinated solvents) and metals. The Plan did not demonstrate attainment of the special industrial area provision of act 2. Issued a technical deficiency letter: May 7, 2024.

**EQT Bristonia Road Incident**, Primary Facility ID # **874089**, Bristonia Road, Sycamore, PA 15364, Center Township, **Greene County**. SE Technologies, LLC, 500 Mosites Way, Pittsburgh, PA 15205, on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with chloride, aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report demonstrated attainment of the Statewide health standards. Approved: May 9, 2024.

**Olympus Energy Calliope Well Pad**, Primary Facility ID # **871136**, 812 White Cloud Road, New Kensington, PA 15068, Upper Burrell Township, **Westmoreland County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Olympus Energy, LLC, 501 Technology Drive, Suite 1200, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, zinc, benzene, tert-butylbenzene, sec-butylbenzene, cyclohexane, ethylbenzene, isopropylbenzene (cumene), naphthalene, toluene, total, xylenes, trimethylbenzene, 1,2,4-trimethylbenzene, 1,3,5-, acenaphthene, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, biphenyl, chrysene, fluoranthene, fluorene, indeno(1,2,3-cd) pyrene, 2-methylnaphthalene, phenanthrene, phenol and pyrene. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: April 30, 2024.

**CNX Maj 12 Well Pad**, Primary Facility ID # **874047**, 672 Dodds Ridge Road, Wind Ridge, PA 15380, Richhill Township, **Greene County**. Penn Environmental & Remediation, 111 Ryan Court, Pittsburgh, PA 15205, on behalf of CNX Gas Company, LLC, 1000 Horizon View Energy Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report demonstrated attainment of the Statewide health standards. Approved: April 30, 2024.

#### RESIDUAL WASTE GENERAL PERMITS

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.*

**WMGR011-NE001. Tri State Fluids Inc.**, 413 Edwin Lane, Stroudsburg, PA 18360, Hamlin Township, **Monroe**

**County.** A permit renewal for continued coverage under General Permit WMGR011 for the processing of spent antifreeze in mobile processing units for the purpose of reconditioning and reuse. Application received: January 12, 2024. Issued: May 22, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**WMGR081-NE004. GER Solutions LLC**, 635 S. Tenth Street, Unit 600, Allentown, PA 18103, City of Allentown, **Lehigh County.** A permit renewal for continued coverage under General Permit WMGR081 for the processing of electronic waste for beneficial reuse. Application received: March 7, 2024. Renewal issued: May 24, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

#### DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Carrie A. Fleming, Program Manager.*

**WMGM065SC001. Earthcare, LLC**, 3311 East Powell Avenue, Evansville, IN 47714, Bethel Township, **Berks County.** This is for a determination of applicability under WMGM065 for the facility located at 203 Kline Road, Bethel, PA 19507. General permit WMGM065 authorizes the storage and processing of municipal wastewater sewage sludge from municipal wastewater treatment plants for beneficial use as a fuel at power plants and cement kilns. Application received: March 2, 2022. Issued: May 28, 2024.

Persons interested in reviewing the permit may contact John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

#### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Management Program Manager.*

**WMGR123SW025. EQT CHAP LLC**, 400 Woodcliff Drive, Canonsburg, PA 15317, Luzerne Township, **Fayette County.** At the request of the Permittee, General Permit No. WMGR123SW025, issued on February 26, 2018 and renewed on January 4, 2021 for the processing, transfer and beneficial use of oil and gas liquid waste at the Dogbone Centralized Water Facility intended to be located on Rush Run Road in Millsboro, PA is revoked. The facility was never constructed nor operated; therefore, the Department is releasing \$1,995,405 in financial assurance associated with the revoked permit. Application received: February 26, 2024. Revoked: May 22, 2024.

Persons interested in reviewing the permit may contact Regional Files (412-442-4100), Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**WMGR123SW029. EQT CHAP LLC**, 400 Woodcliff Drive, Canonsburg, PA 15317, South Huntingdon Township, **Westmoreland County.** At the request of the Permittee, General Permit No. WMGR123SW029, issued on November 16, 2018 and renewed on January 4, 2021 for the processing, transfer and beneficial use of oil and gas liquid waste at the Herminie South Centralized Water Facility intended to be located on Mount Pleasant Road in West Newton, PA, is revoked. The facility was never constructed nor operated; therefore, the Department is releasing \$2,047,305 in financial assurance associated with the revoked permit. Application received: February 26, 2024. May 22, 2024.

Persons interested in reviewing the permit may contact Regional Files (412-442-4100), Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.*

**101733. Crawford County Transfer Station, LLC**, 500 Technology Drive, Canonsburg, PA 15317, Sparta Township, **Crawford County.** A permit application for a new municipal waste transfer station was received by the Department. Application received: December 13, 2023. Issued: May 22, 2024. Expiration date: May 22, 2034.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

## AIR QUALITY

### Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, New Source Review Section Chief, 814-332-6328.*

**AG5-10-00001C: Pine Run Midstream LLC—Bicker Compressor Station**, 827 Winfield Road, Cabot, PA 16023, Winfield Township, **Butler County**. Issued a GP-5 renewal with no equipment changes for the Bicker Compressor Station. This permit expires April 30, 2029. Application received: April 23, 2024. Issued: May 20, 2024.

### Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**49-00004A: Resilite Sports Products, Inc.**, 200 Point Township Drive, Northumberland, PA 17857, Northumberland Borough, **Northumberland County**. The Department issued a plan approval for the installation of Control Device C001 for the control of volatile organic compounds (VOC) from Source IDs 106 and 202 at the company's athletic mat manufacturing facility. Pursuant to the Alternate Compliance Schedule provisions of 25 Pa. Code § 129.112(n) (RACT III), the company has the option to install and operate either a NESTEC Electric Powered Regenerative Catalytic Oxidizer or a Tann Corporation Model TR6095 Regenerative Thermal Oxidizer, or equivalent as determined by the Department. The installation of the proposed control device will meet all applicable air quality regulatory requirements, including the Best Available Technology requirements of 25 Pa. Code §§ 127.1 and 127.12 and the RACT III provisions of 25 Pa. Code §§ 129.111—129.115. Upon construction and operation and subsequent compliance demonstration of the Control Device C001, and after 12 consecutive months of VOCs remaining below the VOC major emission threshold, the facility will become a Natural Minor facility. The facility will be qualified to operate under the authority of a State Only (Natural Minor) Operating Permit pursuant to 25 Pa. Code §§ 127.401—127.425 once actual emissions remain below the VOC major threshold. Application received: January 3, 2023. Permit issued: May 21, 2024. Expiration date: November 20, 2025.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, P.E., Environmental Group Manager.*

**35-00003C: General Dynamics Ordnance and Tactical Systems**, 156 Cedar Avenue, Scranton, PA 18505,

City of Scranton, **Lackawanna County**. for the installation and operation of a second welding line Application received: November 30, 2023. Issued: May 28, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, Environmental Engineer Manager, 814-332-6328.*

**10-00265F: Iron Mountain Information Management LLC**, 1137 Branchton Road, Boyer, PA 16020, Cherry Township, **Butler County**. The Department issued a plan approval to construct and temporarily operate one emergency generator powered by a 2023 model year Caterpillar model C32 four stroke lean-burn diesel-fired emergency engine with a maximum rating of 1,352 brake-horsepower (Source 130) at the Boyers facility. Application received: February 7, 2023. Issued: May 28, 2024. Expiration date: November 27, 2025.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**46-0008A: Coopers Creek Chemical Corporation/Upper Merion Plant**, 884 River Rd, West Conshohocken, PA 19428-2699, Upper Merion Township, **Montgomery County**. This action is for an extension of a plan approval for the addition of equipment that will add flexibility to produce a high melt-point pitch at their non-Title V facility. Application received: April 3, 2024. Issued: May 22, 2024.

**15-0027M: Johnson Matthey/Devon Plant**, 456 Devon Park Dr, Wayne, PA 19087-1816, Tredyffrin Township, **Chester County**. This action is for the extension of a Plan Approval for the installation/replacement of a dust collector for the Washcoat Batch Process and re-routing the dust collector effluent. Application received: April 30, 2024. Issued: May 23, 2024.

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**46-0005AY: Merck Sharp & Dohme LLC/West Point Plant**, 770 Sumneytown Pike, West Point, PA 19486-8000, Upper Gwynedd Township, **Montgomery County**. This action is for an extension to build Building 50 with good manufacturing practice (GMP) space, to use cleaners and disinfectants that contain volatile organic compounds in the GMP areas, as well as to install a 2,500-kW natural gas-fired non-emergency generator. Application received: May 28, 2024. Issued: May 16, 2024.

**46-0299: Innovation 411 Fee Owner LLC**, 411 Swedeland Rd, King of Prussia, PA 19406-2787, Upper Merion Township, **Montgomery County**. This action is for an extension for the installation of two (2) 2,000-kW diesel fuel-fired electric generators and the decommissioning and removal of two existing 1,600-kW electric generators at Building No. 32 at their multi-tenant commercial property used for R&D and finance. Application received: April 19, 2024. Issued: May 21, 2024.

**23-0021C: Congoleum Acquisitions LLC/Congoleum Plant No. 3**, 4401 Ridge Rd, Trainer, PA 19061-5000, Trainer Borough, **Delaware County**. This action is for the extension of a plan approval for the replacement of an existing thermal oxidizer with two RL60 Durr thermal incinerators for the reduction of Volatile Organic Compounds. Application received: April 2, 2024. Issued: May 23, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-63-01062: Sollon Funeral & Cremation Service, LTD**, 30 E College Street, Canonsburg, PA 15317, Canonsburg Borough, **Washington County**. PA-63-01062 plan approval extension is issued on May 23, 2024, to Sollon Funeral & Cremation Services (30 E College St, Canonsburg, PA 15317) effective May 28, 2024, for the temporary operation of one (1) Matthews Environmental Solutions IE43-PPI natural gas-fired human crematory incinerator at the Sollon Funeral Home in the Borough of Canonsburg, Washington County. The new expiration date is November May 28, 2024. Application received: May 22, 2024. Issued: May 23, 2024.

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**17-00071B: Matheson Tri-Gas, Inc.**, 1700 Scepter Road, Waverly, TN 37185, Clearfield Borough, **Clearfield County**. The Department issued a plan approval extension and revision for the continued operation of the Clearfield CO<sub>2</sub> Recovery facility's sources under plan approval for another 180 days to allow for additional time to incorporate the terms and conditions of the plan approval into the initial State Only Operating Permit. In addition to the plan approval's expiration date being revised, the plan approval was also revised due to the facility's change of ownership from Continental Carbonics to Matheson Tri-Gas, Inc. The plan approval has been extended. Application received: May 14, 2024. Revised: May 21, 2024. New expiration date: December 7, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05107G: Pepperidge Farm, Inc.**, 2195 N. Reading Rd., Denver, PA 17517, East Cocalico Township, **Lancaster County**. For the replacement of a catalytic oxidizer controlling a baking oven at the bakery facility. The plan approval was extended. Application received: May 21, 2024. Issued: May 23, 2024.

**Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**65-00837: Eastern Gas Transmission and Storage, Inc.**, 6814 Route 22 W., Delmont, PA 15626, Salem Township, **Westmoreland County**. On May 22, 2024, the Department issued a renewal Title V Operating Permit for EGTS—Oakford CS, a compressor station. The Operating Permit includes conditions relating to applicable

emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at the facility located in Salem Township, Westmoreland County. Application received: April 13, 2023. Issued: May 22, 2024.

**26-00535: Fayette Power Company LLC**, 498 N Redwood St., Masontown, PA 15461, German Township, **Fayette County**. On May 23, 2024, the Department issued a modified Title V Operating Permit for Fayette Power Company LLC, to incorporate RACT III requirements. The Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at the facility located in German Township, Fayette County. Application received: May 17, 2023. Issued: May 23, 2024.

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**14-00037: Spectrum Control, Inc.**, 1900 West College Avenue, State College, PA 16801, Ferguson Township, **Centre County**. The Department issued a State Only (Natural Minor) Operating Permit (renewal) for the facility located in Ferguson Township, Centre County. All applicable regulatory requirements are incorporated into the renewal permit, including monitoring, recordkeeping, work practices and other conditions to verify compliance with Federal and State regulations. Application received: December 15, 2023. Renewal issued: May 14, 2024. New expiration date: May 13, 2029.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**42-00181: Lewis Run Gas Plant LLC/Lewis Run Gas Plant**, 4613 E 91st St, Tulsa, OK 74137-2852, Bradford Township, **McKean County**. The Department recently issued the renewal of a Natural Minor Operating Permit to operate a natural gas processing plant. The facility's primary emission sources include a dehydration unit, combustion emissions for the dehydration unit, a fractionation skid with an associated combustion heater, an inlet compressor (rated at 700 HP) a 265 HP refrigeration compressor, potential equipment leaks, product storage tanks and loading, and an emergency natural gas generator. The inlet compressor and refrigeration compressor are 4 stroke rich burn engines equipped with catalytic converters. These two engines are subject to 40 CFR 63 Subpart ZZZZ—NESHAPs for Stationary Reciprocating Internal Combustion Units. The dehydration unit is subject to 40 CFR 63 Subpart HH—NESHAPs from Oil and Natural Gas Production Facilities. The emergency engine is subject to 40 CFR 60 Subpart JJJJ. The actual emissions reported from the facility for 2022 were 3.31 TPY CO, 1.31 TPY NO<sub>x</sub>, 0.03 TPY PM<sub>-10</sub>, < 0.01 TPY SO<sub>x</sub>, and 11.9 TPY VOC. In this renewal, permit changes include the addition of one 840-bhp

natural gas-fired compressor engine and the incorporation of Permit No. AG5-42-00007A. This new source is subject to 40 CFR Part 60, Subpart OOOOa. Leak detection and repair (LDAR) requirements are now given by 40 CFR 60 Part VVa, which replaces Subparts KKK and VV. Ministerial updates are incorporated from applicable provisions of Subparts JJJJ and HH. The new oil and gas requirements of 25 Pa. Code § 129, Control of VOC Emissions from Conventional and Natural Gas Sources, are added to the Operating Permit. Application received: January 13, 2023. Issued: April 4, 2024.

**32-00394: Beyond the Sunset Pet Crematory**, 498 Ben Franklin Rd S, Indiana, PA 15701, White Township, **Indiana County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has issued an Air Quality Operating Permit for the previously mentioned facility. Sources of emissions consist of one Matthews International-Cremation Division (“Matthews”) IE43-PP Jr. animal crematory incinerator with a 75 lb/hr capacity. The unit is equipped with a 0.6 MMBtu/hr primary burner and a 1.2 MMBtu/hr secondary chamber afterburner that meets current best available technology standards. Facility-wide potential emissions are less than 1 TPY for each pollutant. The facility was originally authorized by Plan Approval 32-00394A. The air quality permit includes operating requirements, monitoring requirements, and recordkeeping requirements for the site. Application received: April 5, 2024. Renewed: May 21, 2024.

**37-00318: AMG Titanium LLC**, 207 Frenz Dr, New Castle, PA 16101, Neshannock Township and Union Township, **Lawrence County**. The Department issued the renewal State Only Natural Minor Operating Permit for the manufacturing facility. The facility’s primary emission sources include the thermite reduction process, a diesel-fueled emergency generator engine, the milling operation, a parts washer, non-vanadium sizing, an aerospace Wheelabrator, a specialty binary room, and vacuum induction melting furnaces (VIMs). The potential emissions of the primary pollutants from the facility after permit limitations are as follows: 3.22 TPY NO<sub>x</sub>, 0.95 TPY CO, 0.19 TPY SO<sub>x</sub>, 0.36 TPY VOC, 30.16 TPY PM, and 0.57 TPY HAPs; thus, the facility is a natural minor. The engine is subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Reciprocating Internal Combustion Engines. The VIMs are subject to 40 CFR 63 Subpart RRR, NESHAP for Secondary Aluminum Production for Group 2 furnaces. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: December 22, 2022. Issued: May 21, 2024.

**33-00172: Original Fuels Inc.**, P.O. Box 343, Punxsutawney, PA 15767, Perry Township, **Jefferson County**. The Department renewed a State Only Operating Permit for the Original Fuels, Inc., Hamilton 2 Mine stone crushing & processing plant. The primary sources at the facility are 2 stone crushing and screening plants each rated at 200 tph and 2 diesel engine generators rated at 563 hp and 623 hp. The facility is a Natural Minor. Potential emissions are 4.52 tpy NO<sub>x</sub>; 0.63 tpy SO<sub>x</sub>; 17.83 tpy PM; 0.5 tpy CO; and 1.20 tpy VOC. Both engines are subject to an operating hour restriction of 1,700 hours per year. The plant is subject to 40 CFR Part 60 Subpart OOO, the Standards of Performance for Nonmetallic Mineral Processing Plants. The engines are subject to 40 CFR Part 63 Subpart ZZZZ, National

Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 40 CFR Part 60 Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The facility also subject to the conditions of the previously issued plan approvals and Operating Permits. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: September 1, 2020. Renewal issued: May 21, 2024.

*Southcentral Region: Air Quality Program, 909 Elmer ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**28-03043: Novae LLC**, 4763 Zane A. Miller Drive, Waynesboro, PA 17268-8667, Washington Township, **Franklin County**. For the trailer manufacturing facility. The State-Only permit was renewed. Application received: January 9, 2024. Issued: May 23, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05168: Columbia Gas Transmission LLC**, 1588 Depot Rd., Marietta, PA 17547, East Donegal Township, **Lancaster County**. For operation of a natural gas transmission and storage station facility. Application received: November 17, 2023. Issued: May 21, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**11-00325: Maple Coal Company**, 254 Interpower Drive, Colver, PA 15927, Barr Township, **Cambria County**. On May 22, 2024, the Department issued a Natural Minor Operating Permit to Maple Coal Company/ Colver Refuse Reprocessing Plant for the operation of a coal preparation plant including one (1) 150 TPH screen, conveyors, stockpiles, and truck unloading and loading operation. Air pollution prevention equipment at the facility includes enclosures, minimization of drop height, and a water truck and a road sweeper for the plant roads. The proposed Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit located at the facility in Barr Township, Cambria County. Application received: December 26, 2023. Accepted: January 10, 2024.

---

**Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**53-00015: Phoenix Sintered Metals Galeton LLC**, 1251 Route 6 West, Galeton, PA 16922, Pike Township, **Potter County**. The Department issued a revised State Only Operating Permit for the Galeton powder metal

manufacturer's facility due to the change of ownership of this facility from Catalus Corporation to Phoenix Sintered Metals Galetton, LLC. All applicable regulatory requirements are incorporated into the renewal permit, including monitoring, recordkeeping, work practices and other conditions to verify compliance with Federal and State regulations. Application received: April 26, 2024. Effective: May 21, 2024. Revised: May 21, 2024.

**47-00001: Montour LLC**, P.O. Box 128, Washingtonville, PA 17884, Derry Township, **Montour County**. The Department issued a revised Title V Operating Permit for their Montour Steam Electric Station to incorporate the terms and conditions of Plan Approvals 47-00001G and 47-00001H for the facility's natural gas conversion project as well as incorporate applicable presumptive RACT 3 requirements for existing sources at the facility. The revised Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: December 8, 2023. Effective: May 20, 2024. Revised: May 20, 2024.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, Environmental Engineer Manager, 570-826-2341.*

**45-00004: U.S. Department of Defense—Tobyhanna Army Depot**, 11 HAP Arnold Boulevard, Tobyhanna, PA 18466, Coolbaugh Township, **Monroe County**. 45-00004: U.S. Department of Defense—Tobyhanna Army Depot (11 HAP Arnold Boulevard, Tobyhanna, PA 18466-5002) on May 20, 2024, in Coolbaugh Twp., Monroe County for an amendment to incorporate process modification. The conditions from Plan Approval 45-00004B were copied into the State Only Operating Permit. Administrative Amendment of State Only Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. Application received: May 21, 2024. Issued: May 20, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**10-00030: Concast Metal Products Company**, P.O. Box 816, Mars, PA 16046, Adams Township, **Butler County**. The permit was administratively amended to incorporate the partial change in ownership (to an LLC) and to update the responsible official. Application received: April 22, 2024. Revised: May 17, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19011, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**23-00004: Covanta Delaware Valley LP/Delaware Valley Resource Recovery Facility**, 10 Highland Ave, Chester, PA 19013, City of Chester, **Delaware County**. This action is for a minor modification of TVOP No. 23-00004 issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.462. The Title V Operating Permit was modified in response to the EPA Petition Order No. III-2023-10 (dated June 23, 2023)

to address the following: • Identifying the origin of and authority for permit conditions # 002, # 004(a), # 005 (except for the limit on “Mercury and Compounds” in # 005(a)(1)), # 006, # 007, # 008, # 009, # 011, # 012(a), (c)—(e), # 013, # 014, and # 020(a) in Section E of the Permit. • The applicability of 40 CFR Part 60 Subpart Eb in the permit record. • The assurance of compliance with the hourly PM limit applicable to the facility's combustors. The modified Title V Operating Permit contains sufficient monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. Application received: March 29, 2024. Issued: May 20, 2024.

**15-00078: Janssen Biotech Inc.**, 200 Great Valley Pkwy, Malvern, PA 19355-1307, East Whiteland Township, **Chester County**. This action is for a minor modification of TVOP No. 23-00004 issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.462. The minor modification addressed Source ID 107 & 109 (Generators 1 and 2) as they are no longer being used for Demand Response and are now considered emergency generators. The oxidation catalysts are also being removed from the sources. The modified SMOP includes monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Application received: April 23, 2024. Issued: May 23, 2024.

**09-00059: St Mary Medical Center**, 1201 Langhorne Newtown Rd, Langhorne, PA 19047-1201, Middletown Township, **Bucks County**. This action is for the renewal of a Synthetic Minor Operating Permit for a general medical and surgical hospital. The air emission sources consist of two boilers and four emergency generators. The Operating Permit has fuel restrictions in place for the facility to remain a synthetic minor facility. Application received: May 1, 2024. Issued: May 21, 2024.

---

#### **De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

---

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**DEM-26-00405A: Eastern Gas Transmission and Storage, Inc.**, 10700 Energy Way, Glen Allen, PA 23060, North Union Township, **Fayette County**.

On April 11, 2024, Eastern Gas Transmission and Storage, Inc (EGTS) (10700 Energy Way, Glen Allen, VA 23060), submitted a request for a de minimis emission increase at its North Summit Compressor Station located in North Union Township, Fayette County. This notice is published per 25 Pa. Code § 127.449(i). The station contains two (2) 3,200-bhp, NG-fired, reciprocating engines driving reciprocating NG compressors, and ancillary equipment. The project is to replace a 30,000-gallon produced fluid storage tank with a new 13,400-gallon storage tank. EGTS will comply with requirements in DEM-26-00405A. Currently, operation of the compressor station is authorized by TVOP-26-00405.

The following table shows emission changes at the compressor station since the TVOP was last renewed:

**Change in Annual Potential Emissions since Latest Renewal of TVOP 26-00405  
On April 21, 2021  
Eastern Gas Transmission & Storage—North Summit Compressor Station**

Action	Date	Source	NO <sub>x</sub>	CO	VOC	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	HAPs	CO <sub>2e</sub>
			(tpy)							
Potential Emissions of North Summit Compressor Station at last renewal of TVOP.										
Renewal	4/21/2021	Facility	156.97	167.43	37.27	8.19	8.19	0.79	14.56	52,279
			Emissions Changes							
DEM-63-00405A	5/23/2024	Replacement of Tank I-1 (30,000-gal)	0.000	0.000	-0.003	0.000	0.000	0.000	0.000	-0.725
		with Tank I-2 (13,400-gal)	0.000	0.000	+0.003	0.000	0.000	0.000	0.000	+0.725
Sum of Emissions Change			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Current	5/23/2024	Facility	156.97	167.43	37.27	8.19	8.19	0.79	14.56	52,279

Under item Number “36 Source(s) qualifying under § 127.449 as de minimis emission increases.” of “Section 127.14(a)(8) Exemptions that do not require the submission of an RFD form” in the Department’s Plan Approval and Operating Permit Exemption List (275-2101-003/July 1, 2021) on Page 8, the change is exempt from requiring Department authorization. However, the upgrade and operation of the equipment are subject to certain requirements for this exemption to be effective. The constructed equipment and these requirements will be incorporated into the Operating Permit at a later time.

**DEM-63-01033A: Range Resources Corporation**, 3000 Town Center Boulevard, Canonsburg, PA 15317, Independence Township, **Washington County**.

On May 1, 2024, Range Resources Corporation (3000 Town Center Boulevard, Canonsburg, PA 15317), submitted a request for a de minimis emission increase at its Campbell Unit 10272 located in Independence Township, Washington County. This Notice is published per 25 Pa. Code § 127.449(i). The Campbell Unit is a well pad contains eight (8) completed, active, horizontal wells, producing “wet” natural gas from the Marcellus Shale and ancillary equipment. The project is to construct an emergency electrical generator powered by a 10.1-bhp diesel engine, to be utilized if utility electrical power becomes unavailable to the site. Annual operation of the generator engine will be limited to a maximum of 500-hours per year. Range Resources Corporation will comply with requirements in DEM-63-01033A. Currently operation of the facility is authorized by GP-5A-63-01033A.

The following table shows emission changes at the well pad since its operation was authorized by GP-5A-63-01033A:

**Table 1—Change in Potential Emissions since Authorization for Use of (AG5A-63-00018A/GP-5A-63-01033A) on March 2, 2020.  
Range Resources Corporation—Campbell Unit 10272 (GP-5A-63-01033A)**

Action	Date	Source	NO <sub>x</sub>	CO	VOC	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	HAPs	CO <sub>2e</sub>
			(tpy)							
			Emissions Change							
DEM-63-01033A	5/23/24	Diesel, Emergency Engine (10.1-bhp)	+0.078	+0.0172	+0.0062	+0.0056	+0.0056	+0.0052	+0.0024	+2.96
Sum of Changes			0.08	0.02	0.01	0.01	0.01	0.01	0.00	2.96

Under item Number “36 Source(s) qualifying under § 127.449 as de minimis emission increases.” of “Section 127.14(a)(8) Exemptions that do not require the submission of an RFD form” in the Department’s Plan Approval and Operating Permit Exemption List (275-2101-003/July 1, 2021) on Page 8, the change is exempt from requiring Department authorization. However, the upgrade and operation of the equipment are subject to certain requirements for this exemption to be effective. The constructed equipment and these requirements will be incorporated into the general Operating Permit at a later time.

**DEM-63-01019B: Range Resources Corporation**, 3000 Town Center Boulevard, Canonsburg, PA 15317, Donegal Borough, **Washington County**.

On May 1, 2024, Range Resources Corporation (3000 Town Center Boulevard, Canonsburg, Pennsylvania 15317), submitted a request for a de minimis emission increase at its Hunter John 11629 Well Pad located in Donegal Township, Washington County. This Notice is published per 25 Pa. Code § 127.449(i). The well pad contains nine (9) completed, active, horizontal wells, producing “wet” natural gas from the Marcellus Shale and ancillary equipment. The project is to construct an emergency electrical generator powered by a 10.1-bhp diesel engine, to be utilized if utility electrical power becomes unavailable to the site and conversion of power for regulators from natural gas to compressed air. Annual



operation of the generator engine will be limited to a maximum of 500-hours per year. Range Resources Corporation will comply with requirements in DEM-63-01019B. Currently operation of the well pad is authorized by GP-5A-63-01019B.

The following table shows emission changes at the well pad since its operation was authorized by GP-5A-63-01019:

**Table 1—Change in Potential Emissions since Authorization for Use of (AG5A-63-00003A/GP-5A-63-01019) on February 12, 2019. Range Resources Corporation—Hunter John 11629 Well Pad (GP-5A-63-010519)**

Action	Date	Source	NO <sub>x</sub>	CO	VOC	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	Combined HAPs	CO <sub>2e</sub>
			Tons per Year							
Previous Emission Changes										
DEM-63-01019A	3/1/2023	Addition of Vapor Separator	0.00	0.00	+0.097	0.00	0.00	0.00	0.00	0.00
Current Emissions Change										
DEM-63-01019B	5/23/2024	Addition of 10.1-bhp Diesel, Emergency Engine &	+0.078	+0.0172	+0.0062	+0.0056	+0.0056	+0.0052	+0.0024	+2.96
		Compressed Air for Regulators	0.00	0.00	-0.4337	0.00	0.00	0.00	0.00	-16.71
Sum of Changes			0.08	0.02	0.10	0.01	0.01	0.01	0.00	-13.75

Under item Number “36 Source(s) qualifying under § 127.449 as de minimis emission increases.” of “Section 127.14(a)(8) Exemptions that do not require the submission of an RFD form” in the Department’s Plan Approval and Operating Permit Exemption List (275-2101-003/July 1, 2021) on Page 8, the change is exempt from requiring Department authorization. However, the upgrade and operation of the equipment are subject to certain requirements for this exemption to be effective. The constructed equipment and these requirements will be incorporated into the general Operating Permit at a later time.

**DEM-63-01057A: Range Resources Corporation, 3000 Town Center Boulevard, Canonsburg, PA 15317, Cross Creek Township, Washington County.**

On April 11, 2024, Range Resources Corporation (3000 Town Center Boulevard, Canonsburg, PA 15317), submitted a request for a de minimis emission increase at its Margaria Raymond Well Pad located in Cross Creek Township, Washington County. This Notice is published per 25 Pa. Code § 127.449(i). The well pad contains eight (8) completed, active, horizontal wells, producing “wet” natural gas from the Marcellus Shale and ancillary equipment. The project is to construct an emergency electrical generator powered by a 10.1-bhp diesel engine, to be utilized if utility electrical power becomes unavailable to the site. Annual operation of the generator engine will be limited to a maximum of 500-hours per year. Range Resources Corporation will comply with requirements in DEM-63-01057A. Currently operation of the well pad is authorized by GP-5A-63-01057A.

The following table shows emission changes at the well pad since its operation was authorized by GP-5A-63-01057A:

**Table 1—Change in Potential Emissions since Authorization for Use of (AG5A-63-00029A/GP-5A-63-01057A) on October 12, 2021. Range Resources Corporation—Margaria Raymond Well Pad (GP-5A-63-01057A)**

Action	Date	Source	NO <sub>x</sub>	CO	VOC	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	Combined HAPs	CO <sub>2e</sub>
			(tpy)							
Previous Emission Changes										
DEM-63-01057	3/1/2023	Addition of Vapor Separator <sup>2</sup>	0.00	0.00	+0.097	0.00	0.00	0.00	0.00	0.00
Current Emissions Change										
DEM-63-01057A	5/23/2024	Addition of 10.1-bhp Diesel, Emergency Engine	+0.078	+0.0172	+0.0062	+0.0056	+0.0056	+0.0052	+0.0024	+2.96
Sum of Changes			0.08	0.02	0.10	0.01	0.01	0.01	0.00	2.96

Under item Number “36 Source(s) qualifying under § 127.449 as de minimis emission increases.” of “Section 127.14(a)(8) Exemptions that do not require the submission of an RFD form” in the Department’s Plan Approval and Operating Permit Exemption List (275-2101-003/July 1, 2021) on Page 8, the change is exempt from requiring Department authorization. However, the upgrade and operation of the equipment are subject to certain requirements for this exemption to be effective. The constructed equipment and these requirements will be incorporated into the general Operating Permit at a later time.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).**

### Coal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 32150101. NPDES No. PA0279421. Amerikohl Mining, Inc.,** 202 Sunset Drive, Butler, PA 16001, West Wheatfield Township, **Indiana County.** Permit acreage modification on a bituminous surface mine. The 58.4 acres permit area will be reduced to 3.0 acres. Receiving streams: unnamed tributary to/and Roaring Run to Conemaugh River, classified for the following use: CWF. Application received: March 13, 2024. Permit issued: May 21, 2024.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**Mining Permit No. GP12-17080107. Junior Coal Contracting, Inc.,** 2330 Six Mile Road, Philipsburg, PA 16866, Decatur Township, **Clearfield County.** General Operating Permit to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 17080107. Application received: November 17, 2023. Accepted: December 14, 2023. Issued: May 20, 2024.

**Mining Permit No. 17060101. NPDES No. PA0269573. Waroquier Coal Company,** P.O. Box 128,

Clearfield, PA 16830, Lawrence Township, **Clearfield County.** Denial of a permit renewal for an NPDES discharge of water resulting from coal surface mining, affecting 203 acres. Receiving stream(s): unnamed tributaries to Little Clearfield Creek, classified for the following use(s): HQ-CWF. This receiving stream is included in the Clearfield Creek TMDL. Application received: April 27, 2023. Denied: May 22, 2024.

**Mining Permit No. 17051601. NPDES No. PA0235733. Junior Coal Contracting, Inc.,** 2330 Six Mile Road, Philipsburg, PA 16866, Decatur Township, **Clearfield County.** Permit renewal for a coal preparation plant and associated NPDES permit affecting 48.1 acres. The permit renewal includes a Change of Post-Mining Land Use from forestland to industrial/commercial. Receiving stream(s): Moshannon Creek and Beaver Run classified for the following use(s): TSF, MF and CWF, MF. Application received: March 17, 2023. Accepted: March 21, 2023. Issued: May 22, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPOTTSVILLEDMO@pa.gov.*

**Mining Permit No. 40990201R5. Jeddo-Highland Coal Company,** 144 Brown Street, Yatesville, PA 18640-3723, Hanover & Wilkes-Barre Townships, Laurel Run Borough, **Luzerne County.** Renewal of an existing anthracite coal refuse reprocessing operation affecting 194.4 acres. Application received: February 1, 2024. Renewal issued: May 20, 2024.

### Noncoal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 4274SM7. NPDES No. PA0009822. New Enterprise Stone & Lime Co., Inc.,** P.O. Box 77, New Enterprise, PA 16664, Walker Township, **Huntingdon County.** NPDES renewal of a large industrial mineral permit. Receiving stream: Crooked Creek classified for the following uses: WWF. Application received: March 6, 2023. Renewal issued: May 28, 2024.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.*

**Mining Permit No. 24092801. NPDES No. PA0280640. S. E. Dyne Stone Sales, LLC,** P.O. Box 733, Kane, PA 16735, Highland Township, **Elk County.** Renewal of an NPDES permit. Application received: February 26, 2024. Issued: May 21, 2024.

**Mining Permit No. 25230801. Darren M. Smith d/b/a Farley Roxx,** 14234 Middleton Road, Waterford, PA 16441, Waterford Township, **Erie County.** Commencement, operation and restoration of a small industrial minerals mine affecting 5.0 acres. Receiving stream(s): French Creek classified for the following use(s): WWF. Application received: March 27, 2023. Issued: May 22, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPOTTSVILLEDMO@pa.gov.*

**Mining Permit No. 58242503. PAM124005. Backcountry Bluestone, LLC,** 255 Skinner Hill Road, Susquehanna, PA 18847, Harmony Township, **Susquehanna County.** Coverage under the General NPDES for Stormwater Discharge Associated with Mining Activities

(GMP GP-104). Receiving stream: Starrucca Creek (no discharge). Application received: January 26, 2024. Issued: May 20, 2024.

### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

#### *Blasting Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Permit No. 32244101. Wampum Hardware Company**, 636 Paden Road, New Galilee, PA 16141-2018, Center Township, **Indiana County**. Blasting activity permit for commercial development with an expiration date of December 31, 2024. Application received: May 21, 2024. Permit issued: May 22, 2024.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot

afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E5729224-001. Chesapeake Appalachia LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Cherry Township, **Sullivan County**. U.S. Army Corps of Engineers Baltimore District.

Application received: January 25, 2024. Issued: May 20, 2024.

To construct, operate, and maintain:

1. (Wetland 1R 2R, Stream 1R 2R) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 1,655 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 20 linear feet of an unnamed tributary to Little Loyalsock Creek (EV), 20 linear feet of another unnamed tributary Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41.523867°, -76.415808°);

2. (Stream 3R) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 2,580 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 20 linear feet of an unnamed tributary to Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41.517792°, -76.415808°);

3. (Stream 1S) One 16-inch diameter temporary surface waterline impacting 58 linear feet of Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41.521505°, -76.418492°);

The project will result in 118 linear feet of temporary stream impacts and 4,235 square feet (0.097 acre) of temporary wetland impacts all for the purpose of installing a temporary fresh waterline in Cherry Township, Sullivan County.

*Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Pete Geanacopoulos, Project Manager, RA-EPWW-NCRO@pa.gov.*

**E1904224-001. South Centre Township**, 6260 4th Street, Bloomsburg, PA 17815, Bloomsburg, **Columbia County**, PA. U.S. Army Corps of Engineers Baltimore District.

Waste site for sewer project at Columbia Park. Latitude: 41.13921°, Longitude: -76.19933°. Application received: January 16, 2024. Accepted: March 29, 2023. Approved: May 28, 2024.

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E3502223-006. MLSY Realty, LLC**, 754 Eastern Parkway, Brooklyn, NY 11213, Clifton Township, **Lackawanna County**. U.S. Army Corps of Engineers Philadelphia District.

To construct a 45-foot-long steel beam bridge with concrete abutments over Tamarack Creek (EV-CWF, MF), due to the collapsing of the existing structure. The project is located in Clifton Township, Lackawanna County, PA. (Thornhurst, PA Quadrangle, Latitude: 41°, 14', 13"; Longitude: -75°, 30', 18"). Latitude: 41°, 14', 13", Longitude: -75°, 30', 18". Application received: August 30, 2023. Issued: May 23, 2024.

**E4002224-005. Jeff Barrett**, 3193 Lakeside Drive, Harveys Lake, PA 18618, Harveys Lake Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain an addition to an existing dock/boathouse structure consisting of a 420 ft<sup>2</sup>, pile-supported dock at Pole No. 288 within the normal pool elevation of Harveys Lake (HQ-CWF, MF). The project is located at 3193 Lakeside Drive, approximately 0.2 mile east of the intersection of Lehman Outlet Road and Robin Road (Harveys Lake, PA Quadrangle, Latitude: 41°, 21', 0"; Longitude: -76°, 2', 34.8") in Harveys Lake Borough, Luzerne County. Latitude: 41°, 21', 0", Longitude: -76°, 2', 34.8". Application received: February 1, 2024. Issued: May 23, 2024.

**E4002224-002. Kurt Jones**, 3122 Lakeside Drive, Harveys Lake, PA 18618, Harveys Lake Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To replace and maintain an existing 221 ft<sup>2</sup>, pile-supported dock and to construct and maintain a 540 ft<sup>2</sup>, pile-supported dock at Pole No. 281 within the normal pool elevation of Harveys Lake (HQ-CWF, MF). The project is located at 3122 Lakeside Drive, approximately 0.1 mile northeast of the intersection of Outlet Road and Robin Road (Harveys Lake, PA Quadrangle, Latitude: 41°, 21', 2"; Longitude: -76°, 2', 50") in Harveys Lake Borough, Luzerne County. Latitude: 41°, 21', 2", Longitude: -76°, 2', 50". Application received: January 12, 2024. Issued: May 22, 2024.

**E1302223-002. Weatherly Borough**, 61 West Main Street, Weatherly, PA 18255, Weatherly Borough, Lehigh Township, **Carbon County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the construction of a new 6.5-miles long multi-use trail to expand the existing D&L trail system in Lehigh Township: 1. To construct and maintain a single span 10-foot wide by 120-foot long metal truss bridge structure having an approx. 12.0-foot underclearance across Hazle Creek (R1). 2. To construct and maintain a two-span 10-foot wide by 160-foot long metal I-beam bridge structure having an approx. 9.0-foot underclearance across Quakake Creek (R2). 3. To construct and maintain e proposed trail as well as stormwater facilities within 0.41 acre of floodplain of Hazle Creek. The project begins at a point southwest of the intersection of Wilbur St and 1st Street in Weatherly Borough and extends southwardly adjacent to Norfolk Southern rail for approximately 0.75-mile ending at existing D&L trail in Lehigh Township, Carbon County (Weatherly, PA Quadrangle, Begin Latitude: 40.939647, Longitude: -75.829128, End Latitude: 40.931267, Longitude: -75.822344) Application received: July 17, 2023. Issued: May 28, 2024.

*Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPOILGASDROPBOX@pa.gov.*

**E4208223-002. Highland Field Services, LLC**, 51 Zents Blvd., Brookville, PA 15825, Sergeant Township, and Norwich Township, **McKean County**. U.S. Army Corps of Engineers Pittsburgh District.

Latitude: 41.619251°, Longitude: -78.426436°. Application received: October 4, 2023. Issued: May 28, 2024.

*Northwest Region: District Oil and Gas Office, 230 Chestnut Street Meadville PA 16335, 814-332-6860.*

**E4208223-002. Highland Field Services, LLC**, 51 Zents Blvd., Brookville, PA 15825. Clermont Storage Facility to Shawmut Grade Tank Farm Pipeline, in Sergeant and Norwich Townships, **McKean County**, ACOE Pittsburgh District, Hazel Hurst, Crosby, Wildwood Fire Tower, PA Quadrangles Latitude: 41.619251; Longitude: -78.426436

To construct, operate, and maintain two buried 8-inch core line double walled pipelines that will transfer water between the Clermont Storage Facility and the Shawmut Grade Tank Farm. A two-inch gas line will also be added within the same corridor starting at an existing above ground valve set and extend to the Shawmut Grade Tank Farm. Several aquatic resources will be impacted by the project: South Fork West Branch Potato Creek (HQ-CWF), UNT's to South Fork West Branch Potato Creek (HQ-CWF), UNT to Lick Run (HQ-CWF), East Branch Clarion River (HQ-CWF) and nineteen (19) EV wetlands. The two (2) 8-inch pipelines will be open trenched with four (4) feet of minimum cover across two (2) UNT's to South Fork West Branch Potato Creek (41.619428, -78.439973), (41.619132, -78.440613), South Fork West Branch Potato Creek (41.61778, -78.442529), UNT to Lick Run (41.637821, -78.461704). The gas line as well as the two (2) 8-inch pipelines will be open trenched with four (4) feet of minimum cover across East Branch Clarion River (41.676733, -78.500602). Temporary equipment crossings via timber mats will also occur at the two (2) UNT's to South Fork West Branch Potato Creek and the East Branch Clarion River. Two (2) Palustrine Forested Wetlands (41.619132, -78.440613), (41.618775, -78.441218) will be crossed by the two (2) 8-inch lines open trenched with four (4) feet of minimum cover. A third PFO Wetland (41.676219, -78.500612) will be crossed by the two (2) 8-inch waterlines as well as the gas line with four (4) feet of minimum cover. One (1) PEM/PFO wetland (41.618288, -78.452017), will be crossed by the two (2) 8-inch waterlines with four (4) feet of minimum cover. Five (5) PEM wetlands (41.628751, -78.456577), (41.652384, -78.480754), (41.673508, -78.493454), (41.674723, -78.495645), (41.67474, -78.498001) will be crossed by the two (2) 8-inch waterlines with four (4) feet of minimum cover. One (1) PEM/PSS/PFO wetland (41.638655, -78.463654) will be crossed by the two (2) 8-inch waterlines with four (4) feet of minimum cover. Six (6) PEM/PSS wetlands (41.646706, -78.477293), (41.657237, -78.484452), (41.659226, -78.486698), (41.667072, -78.487403), (41.670959, -78.491046), (41.677068, -78.500644) will be crossed by the two (2) 8-inch lines open trenched with four (4) feet of minimum cover. One (1) PSS wetland (41.674709, -78.49963) will be crossed by the two (2) 8-inch lines open trenched with four (4) feet of minimum cover. Temporary equipment crossings will also occur at the above wetland crossings. The project will result in 208 linear feet of temporary stream impacts, 49

linear feet of permanent stream impacts, 0.6 acre of temporary floodway impacts, 0.02 acre of permanent floodway impacts, 5,425 square feet (0.12 acre) of temporary wetland impacts and 74,488 square feet (1.71 acres) of permanent wetland impacts. Proposed wetland mitigation includes the enhancement of 0.51 acre of wetland trees and shrubs on site and 3.6 acres of wetland trees and shrubs off site.

Contact: RA-EPWW-NWRO@pa.gov.

**E3306223-004. Bridging Pennsylvania Developer I LLC**, Nova Tower 1, Suite 300, Pittsburgh, PA 15212, Brookville Borough and Pine Creek Township, **Jefferson County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain the following activities as part of a widening and safety improvement project along Interstate 80 from Exit 78 to Exit 81 in Brookville Borough and Pine Creek Townships, Jefferson County (Brookville, PA Quadrangle N: 41.169866°; W: 79.074778°): 1. To remove the existing seven-span SR 0080, Section 550 Westbound (WB) bridge and to construct and maintain a four-span continuous composite weathering steel plate girder bridge having a total normal span of 1,039.83 feet, an underclearance of 127.80 feet, and an out-to-out length of 60.29 feet over North Fork Redbank Creek (41.170646 N, 79.072910 W); 2. To remove the existing eight-span SR 0080, Section 550 Eastbound (EB) bridge and to construct and maintain a four-span continuous composite weathering steel plate girder bridge having a total normal span of 1,039.83 feet, an underclearance of 127.86 feet, and an out-to-out length of 60.29 feet over North Fork Redbank Creek (41.170646 N, 79.072910 W); 3. To rehabilitate an existing 72-inch diameter corrugated metal pipe (CMP) by installing 4-inch thick concrete paving, to replace the existing headwall with a tapered inlet, and to construct and maintain a 731.4-foot long, 72-inch diameter reinforced concrete pipe (RCP) extension of the existing stream enclosure (to accommodate the proposed roadway fill slopes) along UNT North Fork Redbank Creek (41.16993 N, 79.07998 W) and to realign a 541-foot long section of UNT North Fork Redbank Creek downstream of the proposed culvert extension; 4. To construct and maintain a 165-foot long precast concrete box culvert extension having a normal span of 10.0 feet and an underclearance of 8.0 feet (6.0 feet effective, with baffles) along the existing concrete arch stream enclosure along UNT North Fork Redbank Creek (41.17105 N, 79.06912 W) and to realign four sections of stream channel totaling 1,491 feet to accommodate the proposed roadway fill slopes; additionally, the bottom of the existing arch culvert will be removed and replaced with concrete baffles to establish a natural stream bottom through the total length of the proposed structure; 5. To construct and maintain a 54-inch diameter RCP extension (32.73 feet upstream of the existing and 40.52 feet downstream) along the existing 54-inch diameter RCP stream enclosure along UNT North Fork Redbank Creek (41.17033 N, 79.05876 W) and to realign 838 feet of stream channel (included with the 1,491 feet previously referenced) to accommodate the proposed roadway fill slopes; 6. To construct and maintain a 23-foot long, 36-inch diameter RCP extension along the existing 292.89-foot long, 36-inch diameter RCP stream enclosure carrying UNT North Fork Redbank Creek (41.17008 N, 79.087483 W) and to realign approximately 75 feet of stream channel on the upstream side of the culvert; 7. Additional fill and grading impacts will result in project total of 5,150 feet of permanent stream impacts, 1,750 feet of temporary stream impacts (including the

construction of three temporary causeways in North Fork Redbank Creek to facilitate construction), 0.16 acre of permanent wetland impacts, and 0.02 acre of temporary wetland impacts to regulated waters; an additional 555 feet of permanent stream impacts and 379 feet of temporary stream impacts are proposed to streams under 100 acres of drainage area; 8. To construct 2,980 feet of onsite stream relocation, and the purchase of 5,523 square feet of stream credits from Land Reclamation Group as stream mitigation; and permanent wetland impacts will be mitigated by debiting 0.162 acre of credits from the existing PennDOT District 10-0 Dubois—Jefferson County Mitigation & Wetland Bank Site. Latitude: 41.169866°, Longitude: -79.074778°. Application received: October 5, 2023. Issued: May 28, 2024.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

Contact: 717-705-4802.

**E6703223-014. Inch's 700 Sherman, LLC**, 2950 Lewisberry Rd, York, PA 17404-8376, Spring Garden Township, **York County**. U.S. Army Corps of Engineers District.

To place and maintain clean fill in a 6.79-acre quarry pond for the purposes of reclaiming the quarry and providing an area to dispose of clean fill. The project is located near the intersection of Olive Street and North Sherman Street (Latitude: 39.9773° N; Longitude: 76.7131° W) in Spring Garden Township, York County. No wetlands will be impacted by this project. Latitude: 39.9773° N, Longitude: -76.7131° W. Application received: October 6, 2023. Issued: May 23, 2024.

**E2103223-002. North Middleton Township**, 2051 Spring Road, Carlisle, PA 17013, North Middleton Township, **Cumberland County**. U.S. Army Corps of Engineers District.

To complete and maintain a stream enhancement project along a total 750 linear feet of an Unnamed tributary to (UNT) Conodoguinet Creek (WWF, MF) including 1) excavating and maintaining 228 linear feet (4,551 square feet) of the UNT to Conodoguinet Creek (WWF, MF) in order to daylight the existing enclosed watercourse, 2) place and maintain 100 linear feet (1,998 square feet) of rock toe protection in the UNT to Conodoguinet Creek (WWF, MF), 3) place and maintain 59 linear feet (1,174 square feet) of bank stabilization and protection along the UNT to Conodoguinet Creek (WWF, MF), and 4) grade and maintain 664 linear feet (13,285 square feet) along the UNT to Conodoguinet Creek (WWF, MF), all for the purpose of maintaining the stream's ability to manage flow and reduce sediment loads downstream. The project is located near Spring Road and Clearwater Drive in North Middleton Township, Cumberland County (40.238158, -77.179580). No wetlands will be impacted by the proposed project. Latitude: 40.238158°, Longitude: -77.179580°. Application received: May 16, 2023. Authorized: May 28, 2024.

**E3603223-009. Bent Creek Country Club**, 620 Bent Creek Drive, Lititz, PA 17543, Manheim Township and East Hempfield Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District.

To install and maintain a 6-inch HDPE irrigation line across the Little Conestoga Creek (WWF) and along its floodway and adjacent wetlands at three different locations: GP-5-1 (40.121932, -76.357775), GP-5-2 (40.120223, -76.356741), and GP-5-3 (40.119331, -76.356084); and 2) to re-grade and maintain a bunker on Hole No. 4 on

the floodway of Little Conestoga Creek that will permanently impact approximately 30-linear feet of watercourse, 0.4 acre of floodway, and 0.01 acre of permanent wetland impact, all for the purpose of improving the golf course. The project is located approximately 0.07 mile southwest of the intersection of Shadewood Pl. and Greenside Dr. (Latitude: 40.120437° N; Longitude: -76.357156° W) in East Hempfield and Manheim Township, Lancaster County. Application received: September 8, 2023. Authorized: May 28, 2024.

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: ra-ep-ww-sero-105@pa.gov.*

**E1501223-014. Pocopson Township**, 740 Denton Hollow Road, Pocopson, PA 19366, Pocopson Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

To perform improvements within Pocopson Creek (Trout Stocked Fishery-TSF and Migratory Fishery-MF; Scenic Rivers) upstream of Lenape Unionville Road. Proposed construction activities, including bank grading and stabilization, engineered riffle establishment, and toe boulder protection, will result in 618.20 linear feet (5,189 square feet, 0.120 acre) of permanent impact to Pocopson Creek and 884.40 linear feet (6,742 square feet, 0.155 acre) of permanent impact to the floodway of Pocopson Creek. Additionally, temporary erosion and sediment control measures, as well as access required for construction, will result in 5,399.10 linear feet (787 square feet, 0.133 acre) of temporary impact to Pocopson Creek, 101 square feet (0.002 acre) of temporary impact to Pocopson Creek UNT (Trout Stocked Fishery-TSF and Migratory Fishery-MF; Scenic Rivers), and 884.10 linear feet (13,093 square feet, 0.301 acre) of temporary impact to the floodway of Pocopson Creek. The total area of impact within the Pocopson Creek floodplain is 8,248 square feet (0.189 acre) of temporary impact. This project is located in 650 S Wawaset Road, Pocopson Township, PA-19366, Chester County, Pocopson Township, Pennsylvania (USGS PA Unionville Quadrangle). Latitude: 39.899714°, Longitude: -75.665236°. Application received: July 10, 2023. Permit issued: May 20, 2024.

*Contact: ra-ep-ww-sero-105@pa.gov.*

**E2301223-011. Chanticleer Garden**, 786 Church Road, Wayne, PA 19087, Radnor Township, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District.

To perform the following water obstruction and encroachment activities: 1) To demolish an existing bridge over an unnamed tributary to Little Darby Creek (CWF) also known as Love Canal and to relocate the unnamed tributary resulting in 63 linear feet (191 square feet) of permanent watercourse impact. This activity also includes the construction and maintenance of a new 11.1-foot-long, 49-inch by 33-inch corrugated steel-pipe arch culvert. 2) To demolish portions of an existing retaining wall along an unnamed tributary to Little Darby Creek (CWF) also known as Bell's Run and grading of the floodway to allow for greater floodplain access during larger storm events with riparian plantings resulting in 4,081 square feet of permanent floodway impact and 877 square feet of temporary floodway impact due to construction access to grade the floodway. This activity also includes the construction and maintenance of a new stone wall section at the confluence of the relocated Love Canal and Bell's Run. The overall project includes a new 6-foot-wide grass trail with 1-foot-wide shoulders

over the proposed pipe-arch culvert and within the floodway and is located in Chanticleer Garden in Radnor Township, Delaware County (USGS PA Valley Forge). Latitude: 40.031712°, Longitude: -75.392779°. Application received: December 15, 2023. Permit issued: May 22, 2024.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake, Program Manager.*

**E6505222-001. Rostraver Township**, 201 Municipal Drive, Rochester, PA 15012, Rostraver Township, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: January 26, 2022. Issued: May 23, 2024.

**E6505222-001. Rostraver Township**, 201 Municipal Drive, Rostraver Township, **Westmoreland County**, Pittsburgh ACOE District.

The applicant has been given consent to:

Construct, operate, and maintain approximately 462 linear feet of streambank stabilization along the unnamed tributary to Speers Run (WWF) and associated floodway, consisting of re-establishing and stabilizing both eroded streambanks via vegetative slope stabilization, landscape fabric, a 35 foot riparian buffer plantings, and 219 linear feet of coir log, for the purpose of stabilizing the streambanks that are experiencing severe erosion causing siltation within the stream channel. The project proposes laying back the streambank via a 5-foot-wide bench to aid in re-connecting the stream to its floodway. In addition, the project will temporarily impact 60 ft<sup>2</sup> of the unnamed tributary to Speers Run with a temporary stream crossing.

The project site is located near the intersection of Broad Avenue and Elk's Place (Donora, PA USGS topographic quadrangle N: 40°, 8', 2"; W: -79°, 51', 5"; Sub-basin 19C; USACE Pittsburgh District), in Rostraver Township, Westmoreland County.

#### ENVIRONMENTAL ASSESSMENTS

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNNOGPRG@pa.gov.*

**EA0829224-001. Chesapeake Appalachia LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Litchfield Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District.

The construction of the existing well pad resulted in 2,024 square feet (0.046 acre) of temporary impacts to a Palustrine Emergent Wetland. The project proposes 2,024 square feet (0.046 acre) of restoration activities and the replanting of native hydrophytic vegetation within the impacted wetland. The project will result in 2,024 square feet (0.046 acre) of temporary Palustrine Emergent Wetland impacts (Litchfield, PA Quadrangle, Latitude: 41.986231°, Longitude: -76.452670°). Application received: January 31, 2024. Issued: May 20, 2024.

### CORRECTIVE ACTION UNDER ACT 32, 1989

#### PREAMBLE 2

---

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Onvo Express White Haven**, Storage Tank Facility ID # **13-25464**, 4700 State Route 534, White Haven, PA 18661, Kidder Township, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Onvo Express White Haven, 2227 Scranton-Carbondale Highway, Scranton, PA 18508, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel. The report is intended to document the remedial actions for meeting Statewide health standards.

**Uni Mart Blakslee (ARV Food Mart)**, Storage Tank Facility ID # **45-00752**, 5663 State Route 115, Blakeslee, PA 18610, Tobyhanna Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Nagi Vanga, 107 Squirrel Run, Clarks Green, PA 18411, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The combined plan and report is intended to document the remedial actions for meeting Statewide health and site-specific standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Faulkner Pontiac GMC**, Storage Tank Facility ID # **09-30478**, 4427 Street Road, Trevoise, PA 19053, Bensalem Township, **Bucks County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on

behalf of The Faulkner Automobile Group, 4437 Street Road, Trevoise, PA 19053, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with used motor oil. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Lacues Sunoco**, Storage Tank Facility ID # **11-17390**, 333 Magee Avenue, Patton, PA 16668, Patton Borough, **Cambria County**. Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Lacues Sunoco, Inc., 333 Magee Avenue, Patton, PA 16668, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

**BT Uniontown**, Storage Tank Facility ID # **26-13128**, 595 West Main Street, Uniontown, PA 15401, South Union Township, **Fayette County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of BT Uniontown LLC, 116 Union Avenue, Altoona, PA 16602, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

---

**Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Chris, 724-598-2206.*

**BFS Grove City W Main**, Storage Tank Facility ID # **43-14158**, 201 West Main Street, Grove City, PA 16127, Grove City Borough, **Mercer County**. Antea USA, Inc., 10320 Little Patuxent Parkway, Suite 200, Columbia, MD 21044, on behalf of BP Products North America, Inc., P.O. Box 101925, Arlington, VA, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with toluene, xylenes, methyl tertiary butyl ether (MTBE), cumene, 1,3,5-trimethylbenzene (TMB), benzene, ethylbenzene, naphthalene, and 1,2,4-TMB. The plan was not acceptable to meet the nonresidential Statewide health and site-specific standards and was disapproved by DEP on May 22, 2024.

**Jiffy Mini Mart**, Storage Tank Facility ID # **43-12818**, 850 Franklin Road, Jackson Center, PA 16133, Jackson Center Borough, **Mercer County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Health Oil, Inc., 5821 US Route 322, Franklin, PA 16323, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, xylenes, methyl tertiary butyl ether (MTBE), cumene, 1,3,5-trimethylbenzene (TMB) and 1,2,4-TMB. The plan was acceptable to meet the residential Statewide health standards and was approved by DEP on May 28, 2024.

*Contact: Jordan, 814-332-6172.*

**Browns Country Kitchen**, Storage Tank Facility ID # **10-10488**, 1149 West Portersville Road, Portersville, PA 16051, Portersville Borough, **Butler County**. Flynn Environmental, Inc., 5640 Whipple Avenue NW, North Canton, OH 44720, on behalf of Brown's Country Kitchen, 1149 West Portersville Road, Portersville, PA 16051, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, total xylenes, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and methyl-tert-butyl ether. The report demonstrated attainment of the residential Statewide health standards and was approved by DEP on May 28, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Cherie Campbell, Soil Scientist, 717-705-4705.*

**Former McGinniss Airfield**, Storage Tank Facility ID # **36-98067**, 1020 Manor Street, Columbia, PA 17512-1828, Columbia Borough, **Lancaster County**. ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406, on behalf of Columbia Borough, 308 Locust Street, Columbia, PA 17512, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with Petroleum Constituents. The report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on May 23, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Plumstead Pointe**, Storage Tank Facility ID # **09-43359**, 4095 Ferry Rd., Plumstead, PA 18901, Plumstead Township, **Bucks County**. Environmental Maintenance Company, 1420 E. Mermaid Lane, Glenside, PA 19038, on behalf of J&J Investments, LLC, 1510 Swamp Road, Doylestown, PA 18902 submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The combined plan and report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on May 24, 2024.

**101 E Hunting Park Avenue**, Storage Tank Facility ID # **51-09761**, 101 E Hunting Park Ave., Philadelphia, PA 19124, City of Philadelphia, **Philadelphia County**. LaBella Associates, P.C., 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of 101 East Hunting Park, LP, 8205 Rose Petal Drive, Philadelphia, PA 19111, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the nonresidential site-specific standards and was approved by DEP on May 20, 2024.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Verizon Stewarton**, Storage Tank Facility ID # **26-81980**, 685 Stewarton Road, Mill Run, PA 15464, Springfield Township, **Fayette County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Verizon, Inc., 966 South Matlack Street, West Chester, PA 19382, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel fuel. The plan was acceptable to meet the nonresidential Statewide health standards and was approved by DEP on May 2, 2024.

**GetGo # 3051**, Storage Tank Facility ID # **65-80084**, 4285 State Route 51, Belle Vernon, PA 15012, Rostraver Township, **Westmoreland County**. BJAAM Environmental, Inc., P.O. Box 523, Canal Fulton, OH 44614, on behalf of Giant Eagle, Inc., 31 35th Street, Pittsburgh, PA 15201, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline and diesel fuel. The plan was acceptable to meet the nonresidential Statewide health standards and was approved by DEP on May 7, 2024.

---

## SPECIAL NOTICES

---

### WASTE, AIR, RADIATION AND REMEDIATION

---

**Covered Device Prohibited from Sale under Sections 302 and 507 of the Covered Device Recycling Act, Act 108 of 2010.**

---

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.*

*Contact: Teesha Truesdale, 787-7382.*



The Department of Environmental Protection (Department) hereby announces that a certain manufacturer of covered devices is not included on the Department's list of registered manufacturers, maintained by the Department under Sections 302 and 507 of the Covered Device Recycling Act (CDRA). Accordingly, under Section 302 of the CDRA, no retailer may offer these manufacturers' products for sale within the Commonwealth.

Manufacturers of new covered devices—such as televisions, laptop and desktop computers, tablets, etc.—offered for sale in Pennsylvania are required to register with the Department prior to commencing sales per Section 304 of the CDRA. Manufacturers must also pay an annual registration fee and submit a recycling plan and annual report. Section 302 of the CDRA prohibits the sale of covered devices in the Commonwealth by unregistered manufacturers.

The Department is required to maintain a list of registered manufacturers per Section 302(b) of the CDRA. The list can be accessed by visiting [dep.pa.gov](http://dep.pa.gov).

The following manufacturer is not included on the Department's list and are therefore considered out of compliance:

#### **Cocopar**

Due to its noncompliant status and non-inclusion on the list of registered manufacturers, the Department is notifying the public, in cooperation with covered device retailers, that the CDRA prohibits the sale of devices manufactured by Cocopar within the Commonwealth, and that the sale of such devices would constitute unlawful conduct under the CDRA. Noncompliant manufacturers may once again be included on the Department's list of registered manufacturers, and their devices offered for sale in the Commonwealth, if the manufacturers return to compliance with all the applicable provisions of the CDRA.

Inquiries regarding this notification can be directed to Jordan Hoover, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at [jorhoover@pa.gov](mailto:jorhoover@pa.gov) or (717) 783-8973.

[Pa.B. Doc. No. 24-801. Filed for public inspection June 7, 2024, 9:00 a.m.]

## **DEPARTMENT OF HEALTH**

### **Approved Prearrest and Evidential Breath Testing Devices**

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

#### *Prearrest Breath Testing Devices*

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code).

Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P.S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

*Evidential Breath Testing Devices*

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984).

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 blood alcohol content (BAC), to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993.

Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The NHTSA published an additional update to the CPL at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). This current list was published at 82 FR 50940 (November 2, 2017).

Instruments marked with an asterisk (\*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR

48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

The update to the CPL published at 82 FR 50940 (November 2, 2017) adds 12 new instruments that have been evaluated and found to conform to the Model Specifications, as amended on September 17, 1993, for mobile and nonmobile use. One instrument is distributed by two different companies, so it has been listed twice. One manufacturer changed their legal name. One manufacturer added a new product option for USB and Ethernet connectivity. One manufacturer added a Bluetooth keyboard accessory to two devices and a calibration accessory for seven of its devices. These devices were found to conform with or without the accessories. Another seven instruments are now being listed under a different distributor/manufacturer and those devices will be cross-referenced for legacy purposes. In alphabetical order by company, the new devices are:

(1) The "AlcoMate TS600" distributed by AK GlobalTech Corporation, Palisades Park, NJ. This device will be known as the Alcoscan ALP—1 outside of the United States. The AlcoMate TS600 is a hand-held device with an electrochemical (EC) fuel cell sensor. This device is powered by internal batteries and is intended for mobile or stationary operations.

(2) The "Intoxilyzer 500" manufactured by CMI, Inc., Owensboro, KY. This instrument is currently listed on the CPL for Alcohol Screening Devices and will be removed when that CPL is updated. Improvements to the device's sampling system allow it to conform as an Evidential Breath Tester (EBT). It is a hand-held instrument intended for use in mobile or stationary operations. It uses a fuel cell sensor and is powered by an internal battery. The Intoxilyzer 500 is also distributed as the Lion Alcolmeter 500 by Lion Laboratories outside the United States, so it has been listed twice on the CPL, once under each of its distributors/manufacturers.

(3) The “Intoxilyzer 9000” manufactured by CMI, Inc., Owensboro, KY. This is a bench-top device that is intended for use in mobile or stationary operations. This device uses an infrared (IR) sensor to measure ethanol concentration. The Intoxilyzer 9000 can be powered by either 110 volts alternate current (AC) or 12 volts direct current (DC).

(4) The “Alcotest 3820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 3820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(5) The “Alcotest 5510” manufactured by Draeger, Inc., Irving, TX. The Alcotest 5510 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(6) The “Alcotest 5820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 5820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(7) The “Alcotest 6820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 6820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(8) The “AlcoQuant 6020 Plus” manufactured by EnviteC, Wismar, Germany and distributed by Honeywell GmbH, Fond du Lac, WI. The AlcoQuant 6020 Plus is a hand-held device with a fuel cell sensor. This device is powered by internal batteries and is intended for use in mobile and stationary operations.

(9) The “Alco-Sensor FST” manufactured by Intoximeters, Inc., Saint Louis, MO. The Alco-Sensor FST is a hand-held EBT that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(10) The “Intox DMT Dual Sensor” manufactured by Intoximeters, Inc., Saint Louis, MO. The Intox DMT Dual Sensor is a bench-top EBT that is intended for use in stationary or mobile operations. This device uses both an IR sensor and an EC fuel cell sensor. The Intox DMT Dual Sensor can be powered by either 110 volts AC or 12 volts DC.

(11) The “Intox EC/IR II.t” manufactured by Intoximeters, Inc., Saint Louis, MO. This is a benchtop device intended for use in mobile or stationary operations. This device uses both an EC fuel cell sensor and an IR sensor to measure ethanol concentrations. The Intox EC/IR II.t can be powered by either 110 volts AC or 12 volts DC.

(12) The “FC10Plus” manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO. This is a hand-held device that is intended for use in mobile or stationary operations. This device uses a fuel cell sensor and is powered by internal batteries.

This update indicates that two devices (the Phoenix 6.0 and the FC20, manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO) come with Bluetooth keyboard support

and five additional fields that users can use to enter additional information. With these features, these devices will be listed on the CPL as the “Phoenix 6.0BT” and the “FC20BT.” This update indicates also that seven devices manufactured by Lifeloc come with the EASYCAL calibration accessory. Those devices include the FC10, FC10Plus, FC20, FC20BT, EV30, Phoenix 6.0 and the Phoenix 6.0BT. The CPL specifies that each of these devices conforms to the model specifications “w/or without the EASYCAL accessory.”

Intoximeters, Inc., Saint Louis, MO, acquired the breath alcohol testing business of National Patent Analytical Systems, Inc. (NPAS). Since there have been no changes to the devices other than ownership and a device name change, all six devices previously listed under NPAS (BAC DataMaster (with or without the Delta-1 accessory), BAC Verifier DataMaster (with or without the Delta-1 accessory), DataMaster cdm (w/or without the Delta-1 accessory), DataMaster DMT with Fuel Cell option, DataMaster DMT with Rev A Fuel Cell option and DataMaster DMT) will now be listed under both Intoximeters and NPAS. The NPAS DataMaster DMT will now be known as the Intoximeters Intox DMT. Accordingly, this device will be listed under Intoximeters under both names.

The CPL has been updated to reflect that Draeger Safety Diagnostics, Inc. will begin operating under the name Draeger, Inc. effective July 1, 2017, to align all sales and service operations for Draeger in the United States. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Jennifer Okraska at the address given as follows so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

## CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey <sup>1</sup>	<ul style="list-style-type: none"> <li>• AlcoScan AL-2500.</li> <li>• SafeMate.<sup>2</sup></li> <li>• SafeDrive.</li> <li>• AlcoMate.<sup>3</sup> (aka: AlcoHAWK Pro by Q3 Innovations).</li> <li>• AlcoMate Accu Cell AL-9000.</li> <li>• AlcoMate Pro.<sup>3</sup></li> <li>• AlcoMate Core.<sup>4</sup></li> <li>• AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).<sup>4 5</sup></li> <li>• AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).<sup>4 6</sup></li> <li>• AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).</li> </ul>
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. <sup>7</sup> Alco Check 9000. <sup>7</sup>
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol® .02 Detection System. <sup>8</sup>
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
Chematics, Inc., North Webster, Indiana	ALCO-SCREEN 02 <sup>TM9</sup> .
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> <li>• Alco Tector Mark X.</li> <li>• Mark X Alcohol Checker.</li> <li>• Alcotector WAT89EC-1.</li> <li>• Alcotector WAT90.</li> </ul>
Han International Co., Ltd., <sup>2</sup> Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> <li>• BACTRACK Select S50.<sup>10</sup></li> <li>• BACTRACK Select S80.<sup>10</sup></li> <li>• BACTRACK Element.</li> <li>• BACTRACK S 75 Pro.</li> </ul>
Lion Laboratories, Ltd., Wales, United Kingdom	Alcometer 500 (aka: Intoxilyzer 500-CMI, Inc.).
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> <li>• PAS Vr.</li> <li>• Alcovisor MARS.</li> </ul>
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> <li>• AlcoHAWK Precision.</li> <li>• AlcoHAWK Slim.</li> <li>• AlcoHAWK Slim 2.</li> <li>• AlcoHAWK Elite.</li> <li>• AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.).</li> <li>• AlcoHAWK Micro.</li> <li>• AlcoHAWK PRO (aka: AlcoMate by AK Solutions).</li> <li>• AlcoHAWK PT 500.</li> <li>• CA2010.</li> </ul>
RepcO Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> <li>• AT577.</li> <li>• AT578 (aka: AlcoCheck FC90).</li> <li>• AT579.</li> </ul>
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. <sup>7</sup>
Varian, Inc., Lake Forest, California	On-Site Alcohol. <sup>10</sup>

<sup>1</sup> The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

<sup>2</sup> Manufactured by Seju Engineering, Korea.

<sup>3</sup> Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

<sup>4</sup> Manufactured by Sentech Korea Corp.

<sup>5</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

<sup>6</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

<sup>7</sup> While these devices are still being sold, they are no longer manufactured or supported.

<sup>8</sup> The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

<sup>9</sup> While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

<sup>10</sup> While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

#### CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
AK GlobalTech Corporation, Palisades Park, New Jersey:		
AlcoMate TS600 (aka: Alcoscan ALP-1 outside the U.S.)	X	X
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF <sup>IR</sup> Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	X
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
800	X	—
1400	X	X
4011*	X	X
4011A*	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
9000	X	X
9000 (serial numbers 90-000500 and above)	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
<b>Draeger, Inc. (aka: Draeger Safety Diagnostics, Inc. or National Draeger) Irving, Texas:</b>		
Alcotest Model:		
3820	X	X
5510	X	X
5820	X	X
6510	X	X
6810	X	X
6820	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
<b>EnviteC, Wismar, Germany, distributed by Honeywell GmbH, Fond du Lac, Wisconsin:</b>		
AlcoQuant 6020	X	X
AlcoQuant 6020 Plus	X	X
<b>Gall's Inc., Lexington, Kentucky:</b>		
Alcohol Detection System—A.D.S. 500	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Auto Intoximeter*	X	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Photo Electric Intoximeter*	—	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox DMT Dual Sensor	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)	—	X
Intox EC/IR II.t	X	X
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
(Also Listed under National Patent Analytical Systems, Inc.) BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT w/Fuel Cell option	X	X
DataMaster DMT w/Rev A Fuel Cell option	X	X
DataMaster DMT (aka: Intox MT)	X	X
Intox DMT (aka: DataMaster DMT)	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
<b>Komyo Kitagawa, Kogyo, K.K., Japan:</b>		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
<b>Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:</b>		
EV 30 (w/or without EASYCAL accessory)	X	X
FC 10 (w/or without EASYCAL accessory)	X	X
FC 10Plus (w/or without EASYCAL accessory)	X	X
FC 20 (w/or without EASYCAL accessory)	X	X
FC 20BT (w/or without EASYCAL accessory)	X	X
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0 (w/or without EASYCAL accessory)	X	X
Phoenix 6.0BT (w/or without EASYCAL accessory)	X	X
<b>Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:</b>		
<b>Alcolmeter Model:</b>		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	X
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
EBA*	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
<b>Intoxilyzer Model:</b>		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
<b>Luckey Laboratories, San Bernardino, California:</b>		
<b>Alco-Analyzer Model:</b>		
1000*	—	X
2000*	—	X
<b>Nanopuls AB, Uppsala, Sweden:</b>		
Evidenzer	X	X
<b>National Patent Analytical Systems, Inc. (NPAS), Mansfield, Ohio:</b>		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT (aka: Intox DMT)	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/ Rev A Fuel Cell option SN: 100630	X	X



<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
<b>Omicron Systems, Palo Alto, California:</b>		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
<b>PAS International, Fredericksburg, Virginia:</b>		
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Mark V Alcovisor	X	X
<b>Plus 4 Engineering, Minturn, Colorado:</b>		
5000 Plus 4*	X	X
<b>Seres, Paris, France:</b>		
Alco Master	X	X
Alcopro	X	X
<b>Siemens-Allis, Cherry Hill, New Jersey:</b>		
Alcomat*	X	X
Alcomat F*	X	X
<b>Smith and Wesson Electronics, Springfield, Massachusetts:</b>		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
<b>Sound-Off, Inc., Hudsonville, Michigan:</b>		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
<b>Stephenson Corp.:</b>		
Breathalyzer 900*	X	X
<b>Tokai-Denshi Inc., Tokyo, Japan:</b>		
ALC-PRO II (U.S.)	X	X
<b>U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:</b>		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
<b>Verax Systems, Inc., Fairport, New York:</b>		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
Acting Secretary

[Pa.B. Doc. No. 24-802. Filed for public inspection June 7, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Laboratories Approved to Determine Analyses of Blood or Serum or Both for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Federal Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analyses, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision at 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988, (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When

changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols SB, SSe, CB and CSe indicate the following:

SB = approved for blood screening analyses

SSe = approved for serum screening analyses

CB = approved for blood confirmatory analyses

CSe = approved for serum confirmatory analyses

00671

ALLEGHENY COUNTY MED EX DIV OF LAB—SB, CB  
1520 PENN AVENUE, 2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425

31871

AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,  
SSe, CB, CSe  
789 PARK AVENUE  
HUNTINGTON, NY 11743  
(631) 973-0166

21613

ARUP LABORATORIES INC—SSe, CSe  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787

24997

ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,  
SSe, CB, CSe  
3520 PROGRESS DRIVE, UNIT C  
BENSALEM, PA 19020  
(267) 525-2470

00977

DRUGSCAN INC—SB, SSe, CB, CSe  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(215) 674-9310

31400

FRANCES WARDE MEDICAL LABORATORY—SSe, CSe  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300

24655

HEALTH NETWORK LABORATORIES—SB, SSe, CB,  
CSe  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

29685

MAYO CLINIC LABS-ROCH SUPERIOR DR—SSe, CSe  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458

05574  
 MEDTOX LABORATORIES INC—SB, SSe, CB, CSe  
 402 COUNTY ROAD, D WEST  
 ST PAUL, MN 55112  
 (651) 636-7466

00504  
 NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,  
 CB, CSe  
 200 WELSH ROAD  
 HORSHAM, PA 19044  
 (215) 657-4900

29741  
 NORTHERN TIER RESEARCH—SB, SSe, CB, CSe  
 1302 MADISON AVE  
 DUNMORE, PA 18509  
 (570) 351-6153

30984  
 OFFICE OF THE DISTRICT ATTORNEY—SB, CB  
 1601 RITNER HIGHWAY  
 CARLISLE, PA 17013  
 (717) 240-6526

35876  
 OPANS, LLC—CB  
 4134 S. ALSTON AVE., SUITE 100  
 DURHAM, NC 27713  
 (919) 323-4299

22533  
 PENNSYLVANIA DEPT. OF HEALTH—SB, CB  
 110 PICKERING WAY  
 EXTON, PA 19341  
 (610) 280-3464

40533  
 PHENOMICS HEALTH, INC.—SSe, CSe  
 46701 COMMERCE CENTER DRIVE  
 PLYMOUTH, MI 48170  
 (734) 233-3070

01136  
 QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,  
 SSe, CB, CSe  
 14225 NEWBROOK DRIVE  
 CHANTILLY, VA 20151  
 (703) 802-6900

22376  
 QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
 VALENCIA—SSe, CSe  
 27027 TOURNEY ROAD  
 VALENCIA, CA 91355  
 (661) 799-6543

00151  
 ST JOSEPH QUALITY MEDICAL LAB—SSe  
 2500 BERNVILLE ROAD  
 READING, PA 19605-9453  
 (610) 378-2200

00018  
 WBGH COMMONWEALTH HEALTH LAB SVS—SSe  
 575 NORTH RIVER STREET  
 WILKES-BARRE, PA 18764  
 (570) 829-8111

00141  
 YORK HOSPITAL—SSe  
 1001 SOUTH GEORGE STREET  
 YORK, PA 17405  
 (717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope,

Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-803. Filed for public inspection June 7, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988, (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques

and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C. § 263a), and implementing regulations at 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, B and SB indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

00212

ABINGTON MEMORIAL HOSPITAL—S  
1200 OLD YORK ROAD  
ABINGTON, PA 19001  
(215) 481-2324

00041

ACMH HOSPITAL LABORATORY—S  
ONE NOLTE DRIVE  
KITTANNING, PA 16201  
(724) 543-8219

00061

AHN GROVE CITY—S  
GROVE CITY MEDICAL CENTER  
631 NORTH BROAD STREET EXT.  
GROVE CITY, PA 16127  
(724) 450-7128

38782

AHN WEXFORD HOSPITAL—S  
12351 PERRY HIGHWAY  
WEXFORD, PA 15090  
(878) 231-5006

00233

ALBERT EINSTEIN MEDICAL CENTER—S  
5501 OLD YORK RD—LABS—TOWER BLDG GROUND  
FL  
PHILADELPHIA, PA 19141-3001  
(215) 456-6152

00100

ALLE-KISKI MD CTR DBA AVH—S  
1301 CARLISLE STREET  
NATRONA HEIGHTS, PA 15065  
(724) 224-5100

00671

ALLEGHENY COUNTY MED EX DIV OF LABS—SB  
1520 PENN AVENUE, 2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
320 E NORTH AVENUE  
PITTSBURGH, PA 15212  
(412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL LAB—S  
1307 FEDERAL STREET  
PITTSBURGH, PA 15212  
(412) 359-6886

34874

AMERATHON LLC, DBA AHA—S  
26300 EUCLID AVENUE, SUITE 910  
CLEVELAND, OH 44132  
(216) 472-2318

21613

ARUP LABORATORIES INC—S  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787

00047

ASSOCIATED CLINICAL LABORATORIES—SB  
PATHOLOGY ASSOCIATES OF ERIE, INC  
1526 PEACH STREET  
ERIE, PA 16501  
(814) 461-2400

24997

ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB  
3520 PROGRESS DRIVE, UNIT C  
BENSALEM, PA 19020  
(267) 525-2470

00320

BARNES KASSON HOSPITAL LAB—S  
2872 TURNPIKE STREET  
SUSQUEHANNA, PA 18847  
(570) 853-5059

00033

BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247

00369

BUCKTAIL MED CENTER—S  
1001 PINE STREET  
RENOVO, PA 17764  
(570) 531-6176

00301

BUTLER MEMORIAL HOSPITAL—S  
ONE HOSPITAL WAY, (911 E. BRADY STREET)  
BUTLER, PA 16001  
(724) 284-4513

00107

CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916

- 00157  
CGOH LABORATORY—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340
- 00132  
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-  
OGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7973
- 00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 260-9955 x6181
- 00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182
- 00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446
- 28143  
CHOP KING OF PRUSSIA HOSPITAL—S  
550 GODDARD BOULEVARD  
KING OF PRUSSIA, PA 19406  
(267) 426-8820
- 00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 226-1399
- 00125  
CONEMAUGH MEM MED CTR-MAIN LAB—S  
LABORATORY DEPT 1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-9787
- 00231  
CONEMAUGH MEYERSDALE MEDICAL CTR—S  
200 HOSPITAL DR  
MEYERSDALE, PA 15552  
(814) 972-6913
- 00128  
CONEMAUGH MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200
- 00326  
CORRY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORRY, PA 16407  
(814) 664-4641
- 00201  
CROZER CHESTER MED CENTER LAB—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2232
- 00266  
DEPT OF PATHOLOGY & LAB MED-HUP—S  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423
- 00247  
DEPART. OF PATHOLOGY & LAB MED-HUP—S  
5301 CEDAR AVENUE  
PHILADELPHIA, PA 19143  
(215) 662-7879
- 00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250
- 00977  
DRUGSCAN INC—SB  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(215) 674-9310
- 00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000
- 00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
100 HOSPITAL DRIVE  
MONTROSE, PA 18801  
(570) 278-3801
- 00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE, PO BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311
- 00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510
- 00114  
EXCELA HEALTH LATROBE HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 689-1689
- 00085  
FORBES HOSPITAL—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2567
- 31400  
FRANCES WARDE MEDICAL LABORATORY—SB  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300
- 00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500
- 00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6169

00002  
 GEISINGER BLOOMSBURG HOSPITAL LABORATORY—S  
 549 E FAIR STREET  
 BLOOMSBURG, PA 17815  
 (570) 387-2098

00005  
 GEISINGER COMMUNITY MEDICAL CENTER—S  
 1800 MULBERRY STREET  
 SCRANTON, PA 18510  
 (570) 703-7123

00138  
 GEISINGER LEWISTOWN HOSPITAL LABORATORY—S  
 LABORATORY ADMINISTRATION  
 400 HIGHLAND AVENUE  
 LEWISTOWN, PA 17044  
 (717) 242-7113

00173  
 GEISINGER MEDICAL CENTER—SB  
 100 N ACADEMY AVENUE  
 DANVILLE, PA 17822-0131  
 (570) 271-7443

38895  
 GEISINGER MEDICAL CENTER MUNCY—S  
 255 ROUTE 220 HIGHWAY  
 MUNCY, PA 17756  
 (570) 308-2536

36920  
 GEISINGER ST. LUKE'S HOSPITAL—S  
 100 PARAMONT BLVD  
 ORWIGSBURG, PA 17961  
 (272) 212-1091

00019  
 GEISINGER WYOMING VALLEY MED CTR LAB—S  
 1000 E MOUNTAIN DRIVE  
 WILKES-BARRE, PA 18711  
 (570) 808-7845

00185  
 GEISINGER SHAMOKIN AREA COMMUNITY HOSPITAL—S  
 4200 HOSPITAL ROAD  
 COAL TOWNSHIP, PA 17866-9697  
 (570) 644-4281

00122  
 GETTYSBURG HOSPITAL LABORATORY—S  
 147 GETTYS STREET  
 GETTYSBURG, PA 17325  
 (717) 337-4120

00196  
 GRAND VIEW HOSPITAL—S  
 700 LAWN AVE  
 SELLERSVILLE, PA 18960  
 (215) 453-4648

00017  
 GSWB A CAMPUS OF GWVMC—S  
 25 CHURCH STREET  
 WILKES-BARRE, PA 18765  
 (570) 808-7845

00024  
 GUTHRIE MEDICAL GROUP LAB TROY—S  
 275 GUTHRIE LANE  
 TROY, PA 16947  
 (570) 297-9289

00654  
 GUTHRIE MEDICAL GROUP LABORATORIES—S  
 ONE GUTHRIE SQUARE  
 SAYRE, PA 18840  
 (570) 887-4177

00023  
 GUTHRIE MEDICAL GROUP LAB-TOWANDA—S  
 91 HOSPITAL DRIVE  
 TOWANDA, PA 18848  
 (570) 265-2191

00139  
 HANOVER HOSPITAL LABORATORY—S  
 300 HIGHLAND AVE  
 HANOVER, PA 17331  
 (717) 316-2150

00155  
 HARRISBURG HOSPITAL LABORATORY—S  
 100 SOUTH 2ND STREET  
 HARRISBURG, PA 17101  
 (717) 782-3340

00169  
 HEALTH NETWORK LABORATORIES—S  
 1627 WEST CHEW STREET  
 ALLENTOWN, PA 18102  
 (610) 402-2236

00022  
 HEALTH NETWORK LABORATORIES—S  
 206 EAST BROWN STREET  
 EAST STROUDSBURG, PA 18301  
 (570) 476-3370

00549  
 HEALTH NETWORK LABORATORIES—S  
 1200 SOUTH CEDAR CREST BLVD  
 ALLENTOWN, PA 18103  
 (484) 425-8150

00600  
 HEALTH NETWORK LABORATORIES—S  
 2545 SCHOENERSVILLE ROAD  
 BETHLEHEM, PA 18017-7384  
 (484) 884-2259

24655  
 HEALTH NETWORK LABORATORIES—SB  
 794 ROBLE ROAD  
 ALLENTOWN, PA 18109-9110  
 (610) 402-8150

00205  
 HERITAGE VALLEY BEAVER—S  
 1000 DUTCH RIDGE ROAD  
 BEAVER, PA 15009  
 (724) 728-7000

00101  
 HERITAGE VALLEY SEWICKLEY LAB—S  
 720 BLACKBURN RD  
 SEWICKLEY, PA 15143  
 (412) 749-7364

00103  
 HIGHLANDS HOSPITAL—S  
 401 EAST MURPHY AVENUE  
 CONNELLSVILLE, PA 15425  
 (724) 626-2363

39450  
 HNL-ACL-CARBON—S  
 2128 BLAKESLEE BLVD., DRIVE E  
 LEHIGHTON, PA 18235  
 (484) 425-8215

- 39535  
HNL-ADCL-DICKSON CITY—S  
330 MAIN STREET  
DICKSON CITY, PA 18519  
(484) 425-8215
- 38714  
HNL-ACL-HECKTOWN OAKS—S  
3780 HECKTOWN ROAD  
EASTON, PA 18045  
(484) 425-5532
- 00099  
HVS, KENNEDY CAMPUS—S  
25 HECKEL ROAD  
MCKEES ROCKS, PA 15136  
(412) 777-6161
- 00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7160
- 00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645
- 00192  
JEFFERSON HEALTH, NE, BUCKS—S  
380 NORTH OXFORD VALLEY ROAD  
LANGHORNE, PA 19047-8304  
(215) 934-5227
- 00236  
JEFFERSON HEALTH-NE, FRANKFORD—S  
FRANKFORD AVE & WAKELING STREET  
PHILADELPHIA, PA 19124  
(215) 831-2068
- 00341  
JEFFERSON HEALTH-NE, TORRESDALE—S  
10800 KNIGHTS ROAD  
PHILADELPHIA, PA 19114  
(215) 612-2648
- 00038  
JEFFERSON HOSPITAL LABORATORY—S  
PO BOX 18119, 565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723
- 36342  
LABCORP CENTRAL LABORATORY SERVICES—B  
8211 SCICOR DRIVE  
INDIANAPOLIS, IN 46214  
(317) 273-1200
- 01088  
LABCORP OF AMERICA HOLDINGS—SB  
69 FIRST AVENUE, PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400
- 22715  
LABONE LLC DBA QUEST DIAGNOSTICS—B  
10101 RENNEN BOULEVARD  
LENEXA, KS 66219-9752  
(913) 577-1703
- 00165  
LANCASTER GENERAL HOSPITAL LAB—S  
555 N DUKE STREET  
LANCASTER, PA 17602  
(717) 544-4331
- 00215  
LANSDALE HOSPITAL—S  
100 MEDICAL CAMPUS DRIVE  
LANSDALE, PA 19446  
(215) 361-4623
- 00010  
LEHIGH VALLEY HOSPITAL—HAZLETON LABORATORY—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4156
- 00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300
- 00182  
LVH-SCHUYLKILL E NORWEGIAN—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032
- 00213  
MAIN LINE HEALTH LAB-BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3768
- 00242  
MAIN LINE HOSPITALS LAB-LANKENAU—S  
100 EAST LANCASTER AVENUE, 3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521
- 00199  
MAIN LINE HOSPITALS LAB-PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000
- 00206  
MAIN LINE HOSPITALS LAB-RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339
- 29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR—SB  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458
- 40570  
MCI—S  
1155 KAS DRIVE, SUITE 180  
RICHARDSON, TX 75081  
(469) 485-2382
- 00049  
MEADVILLE MED CTR-LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 333-5514
- 05574  
MEDTOX LABORATORIES INC—SB  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466
- 00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
1701 INNOVATION DRIVE  
YORK, PA 17408  
(717) 849-5371

00203  
MERCY FITZGERALD HOSPITAL LABORATORY—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4185

28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 952-9057

00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-6215

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SB  
200 WELSH ROAD  
HORSHAM, PA 19044  
(215) 657-4900

00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245

29741  
NORTHERN TIER RESEARCH—SB  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 351-6153

30984  
OFFICE OF THE DISTRICT ATTORNEY—B  
1601 RITNER HIGHWAY  
CARLISLE, PA 17013  
(717) 240-6526

00053  
PENN HIGHLANDS-BROOKVILLE—S  
100 HOSPITAL ROAD  
BROOKVILLE, PA 15825  
(814) 849-2312

00027  
PENN HIGHLANDS DUBOIS—S  
100 HOSPITAL AVENUE  
DUBOIS, PA 15801  
(814) 375-3239

00032  
PENN HIGHLANDS ELK—S  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525

00108  
PENN HIGHLANDS MON VALLEY—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021

00258  
PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST, DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435

38878  
PENN STATE HEALTH HAMPDEN MEDICAL CENTER  
LABORATORY—S  
2200 GOOD HOPE ROAD  
ENOLA, PA 17025  
(717) 857-0020

39750  
PENN STATE HEALTH LANCASTER MEDICAL CENTER—S  
2160 STATE ROAD  
LANCASTER, PA 17601  
(223) 287-8135

00316  
PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353

22533  
PENNSYLVANIA DEPT OF HEALTH—SB  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00251  
PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREET  
PHILADELPHIA, PA 19107  
(215) 829-3541

00026  
PH DUBOIS, CLEARFIELD CAMPUS—S  
809 TURNPIKE AVENUE, PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280

00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD, DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1000

00221  
POTTSTOWN HOSPITAL—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7130

00130  
PSH HOLY SPIRIT MEDICAL CENTER—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2191

00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820

00669  
QUEST DIAGNOSTICS INCORPORATED—B  
1 INSIGHTS DRIVE  
CLIFTON, NJ 07012  
(201) 393-5895

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-6900



- 00482  
QUEST DIAGNOSTICS OF PA INC—SB  
875 GREENTREE ROAD, 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600
- 25461  
QUEST DIAGNOSTICS VENTURE LLC—SB  
875 GREENTREE ROAD, 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7867
- 00150  
READING HOSPITAL LABORATORY—S  
420 S 5TH AVE  
WEST READING, PA 19611  
(484) 628-8615
- 00336  
REGIONAL HOSPITAL OF SCRANTON—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100
- 00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394
- 00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 942-3800
- 00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558
- 00328  
SAINT MARY MEDICAL CENTER-PATH LAB—S  
1201 LANGHORNE-NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162
- 00048  
SAINT VINCENT HEALTH CENTER—S  
232 WEST 25TH STREET  
ERIE, PA 16544  
(814) 452-5383
- 00064  
SHARON REGIONAL LAB SERVICES—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3914
- 00171  
SLUHN SACRED HEART CAMPUS—S  
421 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 776-4720
- 00260  
ST. CHRISTOPHER'S HOSPITAL FOR CHILDREN—S  
DEPT. OF PATHOLOGY & LAB MEDICINE  
160 EAST ERIE AVENUE  
PHILADELPHIA, PA 19134-1095  
(215) 427-5475
- 00151  
ST JOSEPH QUALITY MEDICAL LAB—S  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200
- 00318  
ST LUKE'S HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8723
- 32021  
ST. LUKE'S HOSPITAL-ANDERSON LAB—S  
1872 ST. LUKE'S BLVD.  
EASTON, PA 18045  
(484) 503-1075
- 38867  
ST. LUKE'S HOSPITAL-CARBON CAMPUS—S  
500 ST. LUKE'S DRIVE  
LEHIGHTON, PA 18235  
(610) 377-7084
- 00175  
ST. LUKE'S HOSPITAL EASTON CAMPUS—S  
250 SOUTH 21ST STREET  
EASTON, PA 18042  
(484) 822-0115
- 00180  
ST. LUKE'S HOSPITAL MINERS CAMPUS—S  
360 WEST RUDDLE STREET, PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271
- 35019  
ST. LUKE'S MONROE CAMPUS LABORATORY—S  
100 ST. LUKE'S LANE  
STROUDSBURG, PA 18360  
(484) 514-3606
- 00195  
ST. LUKE'S UPPER BUCKS CAMPUS—S  
3000 ST. LUKE'S WAY  
QUAKERTOWN, PA 18951  
(267) 985-0038
- 00219  
SUBURBAN COMMUNITY HOSPITAL—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 278-2075
- 00207  
TAYLOR HOSPITAL LABORATORY—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 447-2232
- 00227  
TEMPLE HEALTH-CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 707-8366
- 00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4470
- 00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 NORTH BROAD STREET  
DEPT OF PATH & LAB MED-RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560

00240  
 TEMPLE UNIVERSITY HOSPITAL—JEANES CAM-  
 PUS—S  
 7600 CENTRAL AVENUE  
 PHILADELPHIA, PA 19111  
 (215) 728-2248

00104  
 THE UNIONTOWN HOSPITAL LABORATORY—S  
 500 WEST BERKELEY STREET  
 UNIONTOWN, PA 15401  
 (724) 430-5143

00241  
 THOMAS JEFFERSON UNIVERSITY HOSP—S  
 125 SOUTH 11TH STREET, 204 FOERDERER PAVIL-  
 ION  
 PHILADELPHIA, PA 19107  
 (215) 955-3941

00051  
 TITUSVILLE AREA HOSPITAL—S  
 406 WEST OAK STREET  
 TITUSVILLE, PA 16354  
 (814) 827-1851

00124  
 TYRONE HOSPITAL—S  
 187 HOSPITAL DRIVE  
 TYRONE, PA 16686  
 (814) 684-6384

00119  
 UPMC ALTOONA LAB—S  
 620 HOWARD AVENUE  
 ALTOONA, PA 16601-4899  
 (814) 889-2340

00121  
 UPMC BEDFORD MEMORIAL—S  
 10455 LINCOLN HIGHWAY  
 EVERETT, PA 15537  
 (814) 623-3506

32389  
 UPMC EAST PATHOLOGY LABORATORY—S  
 2775 MOSSIDE BLVD  
 GROUND FLOOR, ROOM 0304  
 MONROEVILLE, PA 15146  
 (412) 357-3682

00046  
 UPMC HAMOT—S  
 201 STATE STREET, 4TH FLOOR WEST  
 ERIE, PA 16550  
 (814) 877-3131

00059  
 UPMC HORIZON GREENVILLE—S  
 110 NORTH MAIN STREET  
 GREENVILLE, PA 16125  
 (724) 588-2100

00057  
 UPMC HORIZON SHENANGO—S  
 2200 MEMORIAL DRIVE  
 FARRELL, PA 16121  
 (724) 981-3500

00054  
 UPMC JAMESON—S  
 1211 WILMINGTON AVENUE  
 NEW CASTLE, PA 16105  
 (724) 656-4082

00034  
 UPMC KANE—S  
 4372 ROUTE 6  
 KANE, PA 16735  
 (814) 837-4570

00098  
 UPMC MCKEESPORT LABORATORY—S  
 1500 FIFTH AVENUE  
 MCKEESPORT, PA 15132  
 (412) 664-2233

00082  
 UPMC MERCY DEPT OF LAB MEDICINE—S  
 1400 LOCUST STREET  
 PITTSBURGH, PA 15219  
 (412) 232-7624

00035  
 UPMC MUNCY LABORATORY—S  
 215 EAST WATER ST  
 MUNCY, PA 17756  
 (570) 546-8282

00084  
 UPMC PASSAVANT—S  
 9104 BABCOCK BLVD  
 GROUND FLOOR, T BUILDING  
 PITTSBURGH, PA 15237  
 (412) 367-6700

05784  
 UPMC PASSAVANT LABORATORY CRANBERRY—S  
 ONE ST FRANCIS WAY  
 ATTN: LAB  
 CRANBERRY TOWNSHIP, PA 16066  
 (724) 772-5370

00131  
 UPMC PINNACLE CARLISLE—S  
 361 ALEXANDER SPRING ROAD  
 CARLISLE, PA 17015-9129  
 (717) 960-3336

00166  
 UPMC PINNACLE LITITZ—S  
 1500 HIGHLANDS DRIVE  
 LITITZ, PA 17543  
 (717) 625-5572

00083  
 UPMC PRESBYTERIAN SHADYSIDE CP PUH—S  
 UPMC CLINICAL LABORATORY BUILDING  
 3477 EULER WAY  
 PITTSBURGH, PA 15213  
 (412) 647-5855

00091  
 UPMC SAINT MARGARET HOSPITAL—S  
 815 FREEPORT ROAD  
 PITTSBURGH, PA 15215  
 (412) 784-4000

00092  
 UPMC SHADYSIDE—S  
 5230 CENTRE AVENUE, GROUND FLOOR WEST  
 WING  
 PITTSBURGH, PA 15232  
 (412) 623-5950

00297  
 UPMC SOMERSET HOSPITAL—S  
 225 S CENTER AVENUE  
 SOMERSET, PA 15501  
 (814) 443-5215

00039  
UPMC WELLSBORO LABORATORY—S  
32-36 CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0133

00037  
UPMC WILLIAMSPORT LABORATORY—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00030  
UPMC WILLIAMSPORT OP EMERG. DEPT.—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5033

00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860

00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 627-2640

00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3120

00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

00133  
WAYNESBORO HOSPITAL LABORATORY—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SB  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVENUE  
PITTSBURGH, PA 15224  
(412) 578-5779

33480  
WEST SHORE HOSP LABORATORY—S  
1995 TECHNOLOGY PKWY  
MECHANICSBURG, PA 17050  
(717) 782-3128

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4896

00106  
WINDBER HOSPITAL—S  
600 SOMERSET AVE  
WINDBER, PA 15963  
(814) 467-3430

00299  
WS GOOD SAMARITAN HOSPITAL LAB SERVICES—S  
252 S. 4TH STREET  
LEBANON, PA 17042  
(717) 270-7500

25064  
WVU HOSPITAL AT RUBY MEMORIAL HOSPITAL—S  
1 MEDICAL CENTER DR, PO BOX 8009  
MORGANTOWN, WV 26506-8009  
(304) 598-4241

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-804. Filed for public inspection June 7, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances.

This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory urine drug analyses, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the

director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, C, SC indicate the following:

S = approved for screening analyses

C = approved for confirmatory analyses

SC = approved for screening and confirmatory analyses

00212

ABINGTON MEMORIAL HOSPITAL—S  
1200 OLD YORK ROAD  
ABINGTON, PA 19001  
(215) 481-2324

34830

ACUTIS DIAGNOSTICS—SC  
400 KARIN LANE  
HICKSVILLE, NY 11801  
(516) 253-2171

36379

ADVANCED COMPREHENSIVE LABORATORY—SC  
67-71 EAST WILLOW STREET  
MILLBURN, NJ 07041  
(877) 355-3580

30914

ADVANCED PAIN MEDICINE—SC  
1009 BEAVER GRADE ROAD  
MOON TOWNSHIP, PA 15108  
(724) 771-2314

34513

ADVANCED SPINE & PAIN (DBA RELIEVUS)—SC  
2 8TH STREET  
HAMMONTON, NJ 08037  
(888) 985-2727, X185

34867

ADVANTA ANALYTICAL LAB—SC  
10935 CR 159, SUITE 101  
TYLER, TX 75703  
(903) 805-9955

31695

AEGIS SCIENCES CORPORATION—SC  
515 GREAT CIRCLE ROAD  
NASHVILLE, TN 37228  
(615) 255-2400

38782

AHN WEXFORD HOSPITAL—S  
12351 PERRY HIGHWAY, 1ST FLOOR LABORATORY  
WEXFORD, PA 15090  
(878) 231-5006

00233

ALBERT EINSTEIN MEDICAL CENTER NORTH—S  
5501 OLD YORK RD  
PHILADELPHIA, PA 19141-3001  
(215) 456-6152

24496

ALERE TOXICOLOGY SERVICES—SC  
450 SOUTHLAKE BOULEVARD  
RICHMOND, VA 23236  
(804) 378-9130

26008

ALERE TOXICOLOGY SERVICES INC—SC  
1111 NEWTON STREET  
GRETNA, LA 70053  
(504) 361-8989

37650

ALFA LABS INC—SC  
101 WOODWINDS INDUSTRIAL CT., STE L  
CARY, NC 27511  
(919) 473-6298

00671

ALLEGHENY COUNTY MED EX DIV OF LAB—SC  
1520 PENN AVENUE, 2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
320 E NORTH AVENUE  
PITTSBURGH, PA 15212  
(412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL LAB—S  
1307 FEDERAL STREET  
PITTSBURGH, PA 15212  
(412) 359-6886

00100

ALLE-KISKE, M.D., CTR DBA AVH—S  
1301 CARLISLE STREET  
NATRONA HEIGHTS, PA 15065  
(724) 224-5100

35214

ALLIANCE PHARMA, INC—C  
17 LEE BOULEVARD  
MALVERN, PA 19355  
(610) 296-3152

- 34874  
AMERATHON LLC, DBA AHA—S  
26300 EUCLID AVENUE, SUITE 910  
CLEVELAND, OH 44132  
(216) 472-2318
- 31871  
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC  
789 PARK AVENUE  
HUNTINGTON, NY 11743  
(631) 923-0166
- 36327  
AMERICAN HEALTH ASSOCIATES—S  
15712 SW 41 STREET, SUITE 16  
DAVIE, FL 33331  
(954) 919-5007
- 26620  
AMMON ANALYTICAL LABORATORY—SC  
35 BLANCKE STREET  
LINDEN, NJ 07036  
(908) 862-4404
- 40031  
ANALYZE PATHOLOGY, INC.—C  
160 SW 12TH AVENUE, UNIT 103  
DEERFIELD BEACH, FL 33442  
(855) 425-9428
- 40860  
APC HEALTH LLC—SC  
2817 MILLER RANCH ROAD, UNIT 317  
PEARLAND, TX 77584  
(281) 240-0974
- 34650  
APEX LABS, INC—SC  
6015 BENJAMIN ROAD, SUITE 315  
TAMPA, FL 33634  
(813) 385-7784
- 37557  
ARS TREATMENT CENTERS, P.C.—SC  
1200 SHARON ROAD  
BEAVER, PA 15009-3156  
(724) 467-2145
- 33097  
ART OF PAIN MANAGEMENT—SC  
9622 BUSTLETON AVENUE, SUITE 3  
PHILADELPHIA, PA 19115  
(610) 352-1710
- 26137  
ARTHRITIS & OSTEOPOROSIS CTR INC—S  
2760 CENTURY BOULEVARD  
WYOMISSING, PA 19610  
(610) 375-4251
- 21613  
ARUP LABORATORIES INC—SC  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787
- 00047  
ASSOCIATED CLINICAL LABORATORIES—S  
PATHOLOGY ASSOCIATES OF ERIE, INC  
1526 PEACH STREET  
ERIE, PA 16501  
(814) 461-2400
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC  
3520 PROGRESS DRIVE, UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 38799  
ATVIVO—S  
955 YONKERS AVENUE, STE # 19  
YONKERS, NY 10704  
(844) 788-1478
- 33067  
AVERTEST LLC DBA AVERHEALTH—SC  
4709 LAGUARDIA DRIVE, SUITE 100  
ST. LOUIS, MO 63134  
(804) 285-0413
- 00320  
BARNES KASSON HOSPITAL LAB—S  
2872 TURNPIKE STREET  
SUSQUEHANNA, PA 18847  
(570) 853-5059
- 37340  
BAYSIDE LABORATORIES, INC—S  
4557 BELL BLVD  
BAYSIDE, NY 11361  
(718) 229-8800
- 38970  
BEECHTREE DIAGNOSTICS—SC  
12351 GATEWAY PARK PLACE, SUITE D-700  
DRAPER, UT 84020  
(801) 893-2773
- 34189  
BIODIAGNOSTIC LABS—S  
2380 E 22 STREET  
BROOKLYN, NY 11229  
(718) 646-6000
- 34011  
BIOGENICA LABORATORIES—SC  
241 MOLNAR DR, UNIT A1  
ELMWOOD PARK, NJ 07407-2041  
(201) 791-7293
- 22757  
BIOREFERENCE LABORATORIES INC—SC  
481 EDWARD H. ROSS DRIVE  
ELMWOOD PARK, NJ 07407  
(201) 791-3600
- 00033  
BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247
- 00472  
BROOKSIDE CLINICAL LAB INC—S  
2901 W DUTTONS MILLS ROAD, SUITE 100  
ASTON, PA 19014  
(610) 872-6466
- 00301  
BUTLER MEMORIAL HOSPITAL—S  
ONE HOSPITAL WAY (911E BRADY STREET)  
BUTLER, PA 16001  
(724) 284-4513
- 00107  
CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916
- 40796  
CAREPOINT LABS—S  
8601 DUNWOODY PLACE, SUITE 444  
ATLANTA, GA 30350  
(770) 462-2317

35410  
CARING HEALTHCARE NETWORK LAB—SC  
18 N FRONT ST  
PHILIPSBURG, PA 16866  
(814) 342-2333

35694  
CAYUGA MEDICAL CENTER—S  
101 DATES DRIVE  
ITHACA, NY 14850  
(604) 274-4474

36293  
CENTER FOR INTERVENTIONAL PAIN & SPINE  
LLC—C  
300 WELSH ROAD, BUILDING 2, SUITE 104  
HORSHAM, PA 19044  
(856) 701-0039

32471  
CENTERS LAB NJ, LLC—SC  
DBA CENTERS LAB  
85 HORSE HILL ROAD  
CEDAR KNOLLS, NJ 07927  
(973) 731-2900

34075  
CENTRAL TOX LLC—C  
525 ROUND ROCK WEST DRIVE, STE B200  
ROUND ROCK, TX 78681  
(512) 382-9710

38363  
CERTIGEN LABORATORY—SC  
9309 SOUTH TOLEDO AVENUE, SUITE A  
TULSA, OK 74137  
(405) 550-7935

00157  
CGOH LABORATORY—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340

00132  
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-  
OGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7973

00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 260-9955, X6181

35138  
CHEMISYS LABORATORY—SC  
17-01 POLLITT DRIVE  
FAIR LAWN, NJ 07410  
(210) 312-6980

34920  
CHESAPEAKE TOXICOLOGY RESOURCES—SC  
8415 PROGRESS DRIVE, SUITE V  
FREDERICK, MD 21701  
(240) 397-7060

00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182

00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446

28143  
CHOP KING OF PRUSSIA HOSPITAL—S  
550 GODDARD BOULEVARD  
KING OF PRUSSIA, PA 19406  
(267) 425-8820

00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 226-1399

36109  
CLARITY LABS—SC  
97 MOUNT BETHEL ROAD  
WARREN, NJ 07059  
(405) 266-3784

34259  
CLEANSLATE CENTERS—SC  
59 BOBALA ROAD  
HOLYOKE, MA 01040  
(413) 584-2173

33726  
CLEARFIELD JEFFERSON PRIMARY CARE AS-  
SOC.—S  
1464 N. MAIN STREET, SUITE 15  
PUNXSUTAWNEY, PA 15767  
(814) 503-8070

27845  
CLINICAL REFERENCE LABORATORY—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 693-5481

33142  
CLINICAL REFERENCE LABORATORY, INC—SC  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652

24916  
CLINICAL SCIENCE LABORATORY INC—SC  
51 FRANCIS AVENUE  
MANSFIELD, MA 02048  
(508) 339-6106

31556  
COMPREHENSIVE PAIN CENTER ALLENTOWN—SC  
1146 CEDAR CREST BLVD.  
ALLENTOWN, PA 18103  
(610) 366-9000

32655  
COMPREHENSIVE PAIN MANAGEMENT—SC  
1177 HIGHWAY 315 BLVD.  
WILKES-BARRE, PA 18702  
(570) 270-5700

00125  
CONEMAUGH MEM MED CTR-MAIN LAB—S  
LABORATORY DEPARTMENT  
1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-9787

00231  
CONEMAUGH MEYERSDALE MEDICAL CTR—S  
200 HOSPITAL DRIVE  
MEYERSDALE, PA 15552  
(814) 972-6913

00128  
CONEMAUGH MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200

00326  
CORRY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORRY, PA 16407  
(814) 664-4641

00201  
CROZER CHESTER MEDICAL CENTER-LAB—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2232

35842  
DELAWARE DIAGNOSTIC LABS, LLC—SC  
1 CENTURIAN DRIVE, SUITE 103  
NEWARK, DE 19713  
(302) 407-5903

00266  
DEPT OF PATHOLOGY & LAB MED-HUP—SC  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423

00247  
DEPT. OF PATHOLOGY & LAB MED-HUP—S  
5301 CEDAR AVENUE  
PHILADELPHIA, PA 19143  
(215) 662-7879

36709  
DEVANSH LAB WERKS INC—SC  
234 AQUARIUS DRIVE, SUITE 111  
HOMEWOOD, AL 35209  
(205) 994-8266

32240  
DOMINION DIAGNOSTICS, LLC—SC  
211 CIRCUIT DRIVE  
NORTH KINGSTOWN, RI 02852  
(877) 734-9600

00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2083

26633  
DREXEL MEDICINE DIAGNOSTICS—SC  
245 N. 15TH STREET, ROOM 5106, NCB  
PHILADELPHIA, PA 19102  
(267) 359-2518

00977  
DRUGSCAN INC—SC  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(215) 674-9310

37898  
DTR LABS—SC  
2150 JUSTIN ROAD, SUITE 300  
HIGHLAND, TX 75077  
(469) 702-6015

00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000

34056  
ELITE DIAGNOSTICS, LLC—SC  
10996 FOUR SEASONS PLACE, 100A  
CROWN POINT, IN 46307  
(888) 339-7339

31625  
EMPIRE CITY LABORATORIES—S  
229 49TH STREET  
BROOKLYN, NY 11220  
(718) 788-3840

00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
100 HOSPITAL DRIVE  
MONTROSE, PA 18801  
(570) 278-3801

00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE, PO BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311

36981  
ETHOS LABORATORIES—SC  
29 E. 6TH STREET  
NEWPORT, KY 41071  
(877) 496-2570

00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510

00114  
EXCELA HEALTH LATROBE HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 689-1689

34527  
EXCELA CLINICAL LABORATORY—SC  
95 DERMODY STREET  
CRANFORD, NJ 07016  
(732) 287-5115

00085  
FORBES HOSPITAL—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2567

32166  
FORENSIC FLUIDS LABORATORIES, INC—SC  
225 PARSONS STREET  
KALAMAZOO, MI 49007  
(269) 492-7700

32497  
FOX CHASE PAIN MANAGEMENT ASSOCIATES—S  
4979 OLD STREET ROAD, SUITE B  
TREVOSSE, PA 19053  
(267) 288-5601

31400  
FRANCES WARDE MEDICAL LABORATORY—SC  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300

- 00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500
- 00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6169
- 30188  
GARCIA CLINICAL LABORATORY INC—S  
2195 SPRING ARBOR ROAD  
JACKSON, MI 49201  
(517) 787-9200
- 34725  
GATES PHYSICIAN SERVICES—S  
2525 9TH AVENUE, SUITE 2B  
ALTOONA, PA 16602  
(814) 300-2273
- 00002  
GEISINGER-BLOOMSBURG HOSPITAL LABORATORY—S  
549 E FAIR STREET  
BLOOMSBURG, PA 17815  
(570) 387-2098
- 00005  
GEISINGER COMMUNITY MEDICAL CENTER—S  
1800 MULBERRY STREET  
SCRANTON, PA 18510  
(570) 703-7123
- 00312  
GEISINGER JERSEY SHORE HOSPITAL—S  
1020 THOMPSON STREET  
JERSEY SHORE, PA 17740  
(570) 398-5276
- 00138  
GEISINGER-LEWISTOWN HOSPITAL LABORATORY—S  
400 HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 242-7113
- 00173  
GEISINGER MEDICAL CENTER—SC  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-7443
- 38895  
GEISINGER MEDICAL CENTER MUNCY—S  
255 ROUTE 220 HIGHWAY  
MUNCY, PA 17756  
(570) 271-6336
- 36920  
GEISINGER ST. LUKE'S HOSPITAL—S  
100 PARAMONT BLVD  
ORWIGSBURG, PA 17961  
(272) 212-1091
- 00019  
GEISINGER WYOMING VALLEY MC LABORATORY—S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 808-7845
- 00185  
GEISINGER-SHAMOKIN AREA COMMUNITY HOSPITAL—S  
4200 HOSPITAL ROAD  
COAL TOWNSHIP, PA 17866-9697  
(570) 644-4281
- 40626  
GENCO LABS—C  
7 SYCAMORE WAY, UNIT 9  
BRANFORD, CT 06405  
(860) 303-9950
- 35154  
GENE TOX WORLDWIDE, LLC DBA SCIENTIA DIAGNOSTIC LLC—C  
136 RIDGE ROAD, SUITE 1A  
LYNDHURST, NJ 07071  
(201) 844-9160
- 35160  
GENESIS REFERENCE LABORATORY, LLC—SC  
7924 FOREST CITY ROAD, SUITE 210  
ORLANDO, FL 32810  
(407) 232-7130
- 34333  
GENOTOX LABORATORIES, LTD—C  
2170 WOODWARD STREET, SUITE 100  
AUSTIN, TX 78744  
(512) 600-6601
- 37022  
GENTECH LABORATORIES, LLC—SC  
4403 N. BELTWOOD PKWY., STE 300  
DALLAS, TX 75244  
(866) 658-4485
- 40842  
GH LABB LLC—SC  
6302 BENJAMIN ROAD, SUITE 400  
TAMPA, FL 33634  
(813) 290-7326
- 35228  
GRAVITY DIAGNOSTICS, LLC—SC  
812 RUSSELL STREET  
COVINGTON, KY 41011  
(859) 757-0158
- 00017  
GSWB A CAMPUS OF GWVMC—S  
25 CHURCH STREET  
WILKES-BARRE, PA 18765  
(570) 808-7845
- 00024  
GUTHRIE MEDICAL GROUP LAB TROY—S  
275 GUTHRIE DRIVE  
TROY, PA 16947  
(570) 297-9289
- 00654  
GUTHRIE MEDICAL GROUP LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-4177
- 00023  
GUTHRIE MEDICAL GRP LAB-TOWANDA—S  
91 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191



- 00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 316-2150
- 35815  
HARMONY CARES DIAGNOSTICS—SC  
500 KIRTS BLVD.  
TROY, MI 48084  
(248) 824-6500
- 00155  
HARRISBURG HOSPITAL LABORATORY—S  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 782-3340
- 00022  
HEALTH NETWORK LABORATORIES—S  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3370
- 00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-2236
- 24655  
HEALTH NETWORK LABORATORIES—SC  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150
- 00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(484) 425-8150
- 00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 884-2259
- 36670  
HEALTHQUEST ESOTERICS, INC—SC  
6 BENDIX  
IRVINE, CA 92618  
(949) 242-2260
- 38933  
HELIX DIAGNOSTIX—SC  
3745 PARK CENTRAL BLVD.  
POMPANO BEACH, FL 33064  
(754) 307-1945
- 00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000
- 00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 749-7364
- 00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 626-2363
- 37187  
HIGHLANDS HOSPITAL TOXICOLOGY LABORATORY—SC  
700 PARK STREET, LOWER LEVEL  
CONNELLSVILLE, PA 15425  
(724) 603-2741
- 39450  
HNL ACL—CARBON—S  
2128 BLAKESLEE BLVD., DRIVE E  
LEHIGHTON, PA 18235  
(484) 425-8215
- 39535  
HNL ACL—DICKSON CITY—S  
330 MAIN STREET  
DICKSON CITY, PA 18519  
(484) 425-8215
- 38714  
HNL-ACL-HECKTOWN OAKS—S  
3780 HECKTOWN ROAD  
EASTON, PA 18045  
(484) 425-5532
- 00216  
HOLY REDEEMER HOSPITAL—S  
1648 HUNTINGDON PIKE  
MEADOWBROOK, PA 19046  
(215) 938-3703
- 00099  
HVS, KENNEDY CAMPUS—S  
25 HECKEL RD  
MCKEES ROCKS, PA 15136  
(412) 777-6161
- 36118  
IDEAL OPTION—SC  
8508 W. GAGE BLVD., SUITE A101  
KENNEWICK, WA 99336  
(509) 222-1275
- 37831  
IDEAL OPTION PLLC—SC  
1215 120TH AVE., NE, SUITE 201 & 204  
BELLEVUE, WA 98005  
(509) 290-1543
- 36818  
INDIANA REGIONAL MEDICAL CENTER—SC  
120 IRMC DRIVE, SUITE 150  
INDIANA, PA 15701  
(724) 357-7188
- 00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7160
- 34295  
INFINITI LABS INC—SC  
6015 BENJAMIN ROAD, SUITE 315  
TAMPA, FL 33634  
(813) 886-2616
- 00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645

36232  
JB PAIN FREE MD PLLC DBA THE YORK PAIN  
CTR—SC  
718 S. MAIN STREET  
RED LION, PA 17356  
(717) 244-8504

00192  
JEFFERSON HEALTH, NE-BUCKS—S  
380 NORTH OXFORD VALLEY ROAD  
LANGHORNE, PA 19047-8304  
(215) 934-5227

00236  
JEFFERSON HEALTH, NE-FRANKFORD—S  
FRANKFORD AVE & WAKELING STREET  
PHILADELPHIA, PA 19124  
(215) 831-2068

00341  
JEFFERSON HEALTH, NE-TORRESDALE—S  
10800 KNIGHTS ROAD  
PHILADELPHIA, PA 19114  
(215) 612-2648

00038  
JEFFERSON HOSPITAL LABORATORY—S  
PO BOX 18119, 565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723

37360  
KASHI CLINICAL LABORATORIES, INC—SC  
10101 SW BARBUR BLVD., SUITE 200  
PORTLAND, OR 97219  
(503) 206-4989

34192  
KEYSTONE LABORATORIES, INC—SC  
3 MCDOWELL STREET  
ASHEVILLE, NC 28801  
(828) 255-0307

21306  
LAB CORP OCCUPATIONAL TEST SRVCS—SC  
1120 STATELINE ROAD WEST  
SOUTHAVEN, MS 38671  
(886) 827-8042

36342  
LABCORP CENTRAL LABORATORY SERVICES—SC  
8211 SCICOR DRIVE  
INDIANAPOLIS, IN 46214  
(317) 273-1200

20512  
LABCORP OCCUPATIONAL TESTING SER—SC  
1904 ALEXANDER DRIVE, PO BOX 12652  
RESEARCH TRIANGLE PARK, NC 27709  
(919) 572-6900

01088  
LABCORP OF AMERICA HOLDINGS—SC  
69 FIRST AVENUE, PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400

22715  
LABONE LLC DBA QUEST DIAGNOSTICS—SC  
10101 RENNERS BOULEVARD  
LENEXA, KS 66219-9752  
(913) 577-1703

00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET  
LANCASTER, PA 17602  
(717) 544-4331

00215  
LANSDALE HOSPITAL—S  
100 MEDICAL CAMPUS DRIVE  
LANSDALE, PA 19446  
(215) 361-4623

00010  
LEHIGH VALLEY HOSPITAL-HAZLETON LABORA-  
TORY—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4156

35348  
LEXAR LABS ANALYSIS, LLC—SC  
112 WESTHAMPTON DRIVE  
LEXINGTON, KY 40511  
(859) 543-2022

00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300

40654  
LUXOR SCIENTIFIC—SC  
1327 MILLER ROAD, SUITE F  
GREENVILLE, SC 29607  
(864) 568-8940

00182  
LVH-SCHUYLKILL E NORWEGIAN—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032

37916  
M1 LABS LLC—SC  
1330 STATE ROUTE 14  
COLUMBIANA, OH 44408  
(330) 892-5191

00213  
MAIN LINE HEALTH LAB-BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3768

00242  
MAIN LINE HOSPITALS LAB-LANKENAU—S  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521

00199  
MAIN LINE HOSPITALS LAB-PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000

00206  
MAIN LINE HOSPITALS LAB-RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339

29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR—SC  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458

33620  
MCKEESPORT DRUG SCREENING LAB—S  
339 FIFTH AVENUE, WANDER BLDG, ROOM 208  
PITTSBURGH, PA 15132  
(412) 664-8871

39021  
MD TOX LABORATORY—S  
1565 MCGAW AVENUE  
IRVINE, CA 92614  
(800) 820-8803

00049  
MEADVILLE MED CTR-LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 333-5514

36586  
MED SCREEN LABORATORIES INC.—SC  
992 CLIFTON AVE, 2ND FLOOR  
CLIFTON, NJ 07013  
(914) 393-3148

35673  
MEDARBOR LLC DBA MEDARBOR DIAGNOSTICS—  
SC  
200 RITTENHOUSE CIRCLE, EAST BUILDING,  
SUITE 1  
BRISTOL, PA 19007  
(610) 660-8100, X141

03298  
MEDICAL GROUP OF CORRY RHC—S  
315 YORK STREET  
CORRY, PA 16407  
(814) 664-8686

35682  
MEDSCAN LABORATORY, INC—SC  
1502 13TH AVE. WEST, SUITE 201  
WILLISTON, ND 58801  
(701) 577-0498

05574  
MEDTOX LABORATORIES INC—SC  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466

00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
1701 INNOVATION DRIVE  
YORK, PA 17408  
(717) 849-5371

00203  
MERCY FITZGERALD HOSPITAL LABORATORY—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4185

28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 952-9057

40861  
MICROGEN HEALTH, INC—SC  
14225 SULLYFIELD CIRCLE, SUITE E  
CHANTILLY, VA 20151  
(571) 775-1973

00045  
MILLCREEK COMMUNITY HOSP LAB—S  
5515 PEACH STREET  
ERIE, PA 16509  
(814) 864-4031

31050  
MILLENIUM HEALTH, LLC—SC  
16981 VIA TAZON, BUILDING 1  
SAN DIEGO, CA 92127  
(858) 451-3535

34564  
MOLECULAR TESTING LABS—SC  
14401 SE 1ST STREET  
VANCOUVER, WA 98684  
(360) 693-8850

40179  
MONARCH DIAGNOSTICS INC.—SC  
17791 SKY PARK CIRCLE, SUITE A  
IRVINE, CA 92614  
(949) 939-2893

00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2630

00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-6215

35947  
NASPAC—NJ, PLLC—S  
2325 MARYLAND ROAD, SUITE 100  
WILLOW GROVE, PA 19090  
(215) 657-1315

37004  
NASPAC1-CHERRY HILL—C  
1601 N KINGS HWY, STE 800  
CHERRY HILL, NJ 08034  
(856) 888-2602

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SC  
200 WELSH ROAD  
HORSHAM, PA 19044  
(215) 657-4900

40655  
NATIONAL TOXICOLOGY CENTER—SC  
150 NEW SCOTLAND AVENUE, SUITE 1105, CMS  
BUILDING  
ALBANY, NY 12208  
(518) 605-9041

00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245

29741  
NORTHERN TIER RESEARCH—SC  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 351-6153

40244

OMNIA DIAGNOSTICS SERVICES—SC  
ONE DUNCAN DRIVE, CEDAR BROOK COMPLEX  
CRANBURY, NJ 08512  
(609) 642-4033

35679

OMNIHEALTH DIAGNOSTICS—SC  
1840 N. GREENVILLE AVENUE, SUITE 176  
RICHARDSON, TX 75081  
(972) 887-3444

38883

OXFORD CLINICAL LABORATORY—S  
397 HALEDON AVENUE, SUITE 4  
HALDEON, NJ 07508  
(201) 647-3319

23801

PACIFIC TOXICOLOGY LABORATORIES—SC  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110

34837

PAIN AND SPINE SPECIALISTS OF MARYLAND—S  
2702 BACK ACRE CIRCLE, SUITE 290B  
MOUNT AIRY, MD 21771  
(301) 703-8767

36349

PARADIGM LABS, LLC—SC  
1302 FOUNTAIN PARK CIRCLE  
BRUNSWICK, GA 31520  
(912) 342-2443

00250

PARKWAY CLINICAL LABORATORIES—S  
3494 PROGRESS DRIVE  
BENSALEM, PA 19020  
(215) 245-5112

33054

PATHOLOGY LABORATORIES, INC.—S  
1946 NORTH 13TH STREET, SUITE 301  
TOLEDO, OH 43604  
(419) 255-4600

37287

PATIENTS CHOICE LABORATORIES OF INDIANA,  
LLC—SC  
7026 CORPORATE DRIVE  
INDIANAPOLIS, IN 46278  
(317) 299-5227

00053

PENN HIGHLANDS—BROOKVILLE—S  
100 HOSPITAL ROAD  
BROOKVILLE, PA 15825  
(814) 849-2312

00027

PENN HIGHLANDS DUBOIS—S  
100 HOSPITAL AVENUE  
DUBOIS, PA 15801  
(814) 375-3239

00032

PENN HIGHLANDS ELK—S  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525

00108

PENN HIGHLANDS MON VALLEY—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021

00258

PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435

38878

PENN STATE HEALTH HAMPDEN MED. CTR.  
LABORATORY—S  
2200 GOOD HOPE ROAD  
ENOLA, PA 17025  
(717) 857-0020

39750

PENN STATE HEALTH LANCASTER MEDICAL  
CENTER—S  
2160 STATE ROAD  
LANCASTER, PA 17601  
(223) 287-8135

00316

PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353

22533

PENNSYLVANIA DEPT OF HEALTH—SC  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00251

PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREET  
PHILADELPHIA, PA 19107  
(215) 829-3541

33387

PENNSYLVANIA PAIN AND SPINE—SC  
1500 HORIZON CR., SUITE 102B  
CHALFONT, PA 18914  
(215) 395-8888

36582

PGN LAB, LLC—SC  
7847 SW ELLIPSE WAY, C-15  
STUART, FL 34997  
(772) 291-2629

00026

PH DUBOIS, CLEARFIELD CAMPUS—S  
809 TURNPIKE AVENUE, PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280

31082

PHAMATECH INC—SC  
15175 INNOVATION DRIVE  
SAN DIEGO, CA 92128  
(858) 643-5555

40127

PHARMA GENLABS—SC  
8170 SOUTH AVENUE, SUITE 3  
YOUNGSTOWN, OH 44512  
(330) 953-1093

40782

PHD LABORATORY, LLC—S  
5104 REAGAN DRIVE, SUITE 8  
CHARLOTTE, NC 28206  
(704) 565-0870

32887  
PHOENIX TOXICOLOGY & LAB SERVICES—SC  
2432 W PEORIA AVE, # 1064  
PHOENIX, AZ 85029  
(602) 374-4097

00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD, DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1000

33621  
PITTSBURGH DRUG SCREENING LAB—S  
440 ROSS STREET, SUITE 2033  
PITTSBURGH, PA 15219  
(412) 350-5808

00221  
POTTSTOWN HOSPITAL—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7130

33487  
PRECISION TOXICOLOGY, LLC—SC  
4215 SORRENTO VALLEY BLVD, SUITE 100  
SAN DIEGO, CA 92121  
(800) 635-6901

34191  
PREMIER BIOTECH LABS, LLC—SC  
723 KASOTA AVE SE  
MINNEAPOLIS, MN 55414  
(855) 718-6917

40536  
PREMIER BRAIN AND SPINE LLC—SC  
2500 MORRIS AVENUE, SUITE 220  
UNION, NJ 07083  
(732) 983-5150

34030  
PRINCIPLE LABS, LLC—SC  
2550 BROADHEAD ROAD, SUITE 105  
BETHLEHEM, PA 18020-8922  
(484) 353-6661

35172  
PROGRESSIVE DIAGNOSTICS, LLC—SC  
35 NUTMEG DRIVE, SUITE 303  
TRUMBULL, CT 06611  
(888) 503-8803

00130  
PSH HOLY SPIRIT MEDICAL CENTER—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2191

21648  
PSYCHEMEDICS CORPORATION—SC  
5832 UPLANDER WAY  
CULVER CITY, CA 90230  
(800) 522-7424

00255  
PUBLIC HEALTH LAB CITY OF PHILADELPHIA—S  
1930 SOUTH BROAD STREET, SUITE 37, 2ND FLOOR  
PHILADELPHIA, PA 19145  
(215) 685-6773

00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820

40322  
QLABS, INC.—SC  
312 MACCORKLE AVENUE, SE  
CHARLESTON, WV 25314  
(304) 926-0565

36980  
QR DIAGNOSTICS LLC—SC  
12734 KENWOOD LN., UNIT 68  
FORT MYERS, FL 33907  
(239) 330-4573

36012  
QUALITY LABORATORY SERVICE—SC  
2124 MORRIS AVE  
UNION, NJ 07083  
(908) 686-2300

34644  
QUALITY LABORATORY SERVICES—SC  
2651 EAST 14TH STREET  
BROOKLYN, NY 11235  
(718) 646-5100

00669  
QUEST DIAGNOSTICS INCORPORATED—S  
1 INSIGHTS DRIVE  
CLIFTON, NJ 07012  
(201) 393-5895

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-6900

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—SC  
875 GREENTREE ROAD, 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SC  
875 GREENTREE ROAD, 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7867

34188  
RADEAS LLC—SC  
907 GATEWAY COMMONS CIRCLE, SUITE 100  
WAKE FOREST, NC 27587  
(919) 435-6669

35692  
RCA LABORATORY SERVICES—S  
4060 INNSLAKE DRIVE  
GLEN ALLEN, VA 23060  
(804) 346-4363

00150  
READING HOSPITAL LABORATORY—S  
420 S 5TH AVE  
WEST READING, PA 19611  
(484) 628-8615

34074  
REALTOX LABS LLC—SC  
200 BUSINESS CENTER DRIVE  
REISTERTOWN, MD 21136  
(410) 833-3025

25348  
REDWOOD TOXICOLOGY LABORATORY—SC  
3650 WESTWIND BOULEVARD  
SANTA ROSA, CA 95403  
(707) 577-7958

00336  
REGIONAL HOSPITAL OF SCRANTON—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

29015  
REGIONAL TOXICOLOGY SERVICES—SC  
2617 EAST L STREET # A  
TACOMA, WA 98421-2205  
(253) 552-1551

32372  
REGIONAL WOMENS HEALTH—S  
450 CRESSON BLVD.  
SUITE 305-307  
OAKS, PA 19456  
(484) 842-0717

40758  
RHB LABORATORIES, INC.—SC  
575 E. MAPLE ROAD  
TROY, MI 48083  
(248) 557-0411

35000  
RIDGEWOOD DIAGNOSTIC LABORATORY—SC  
126 STATE STREET, 2ND FLOOR  
HACKENSACK, NJ 07601  
(973) 542-2343

27779  
RNJ SERVICES—S  
35-37 PROGRESS STREET, SUITE B6  
EDISON, NJ 08820  
(908) 754-4300

00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394

30821  
RXTOX INC—SC  
51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300  
PITTSBURGH, PA 15236  
(412) 460-1310

00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 942-3800

00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558

00328  
SAINT MARY MEDICAL CENTER-PATH LAB—S  
1201 LANGHORNE-NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162

29838  
SAN DIEGO REFERENCE LABORATORY—SC  
6565 NANCY RIDGE DRIVE  
SAN DIEGO, CA 92121  
(800) 677-7995

35681  
SCHUYLER HOSPITAL—S  
220 STEUBEN ST  
MONTOUR FALLS, NY 14856  
(604) 274-4474

36007  
SCIENTIFIC LABORATORY COMPANY LLC—SC  
3395 LAKE WORTH ROAD, SUITES 1 & 2  
PALM SPRINGS, FL 33461  
(561) 855-2479

36741  
SE PA PAIN MANAGEMENT, LTD—SC  
508 PRUDENTIAL RD, SUITE 500  
HORSHAM, PA 19044  
(855) 235-7246

29038  
SECON OF NEW ENGLAND DBA CORDANT HEALTH  
SOLUTIONS—S  
415 MAIN STREET, 4TH FLOOR  
WORCESTER, MA 01608  
(508) 471-3340

00064  
SHARON REGIONAL LAB SERVICES—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3914

40697  
SIGMUND NJ LLP—SC  
78 JOHN MILLER WAY, SUITE 300  
KEARNY, NJ 07032  
(210) 299-5366

00171  
SLUHN SACRED HEART CAMPUS—S  
421 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 776-4720

27649  
SMA MEDICAL LABORATORIES—SC  
940 PENNSYLVANIA BOULEVARD, UNIT E  
FEASTERVILLE, PA 19053  
(215) 322-6590

34171  
SONIC REFERENCE LABORATORY, INC—C  
3800 QUICK HILL ROAD, BUILDING 3, SUITE 101  
AUSTIN, TX 78728  
(512) 531-2100

35875  
SPECTOR SCIENTIFIC LAB—C  
160 SW 12TH AVE, UNIT 103B  
DEERFIELD BEACH, FL 33442  
(561) 507-0522

35762  
ST. ANTHONY MEDICAL LABORATORIES—S  
654 AVENUE C, SUITE # 303  
BAYONNE, NJ 07002  
(201) 455-8940

00260  
ST CHRISTOPHERS HOSP FOR CHILDREN—S  
160 EAST ERIE AVENUE  
DEPT OF PATHOLOGY & LAB MEDICINE  
PHILADELPHIA, PA 19134-1095  
(215) 427-5475

- 00151  
ST JOSEPH QUALITY MEDICAL LAB—S  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200
- 35019  
ST LUKE'S MONROE CAMPUS LABORATORY—S  
100 ST LUKE'S LANE  
STROUDSBURG, PA 18360  
(484) 514-3606
- 00318  
ST LUKE'S HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8723
- 32021  
ST. LUKE'S HOSPITAL-ANDERSON LAB—S  
1872 ST. LUKE'S BLVD.  
EASTON, PA 18045  
(484) 503-1075
- 38867  
ST. LUKE'S HOSPITAL CARBON CAMPUS—S  
500 ST. LUKE'S DRIVE  
LEHIGHTON, PA 18235  
(610) 377-7084
- 00175  
ST. LUKE'S HOSPITAL EASTON CAMPUS—S  
250 SOUTH 21ST STREET  
EASTON, PA 18042  
(484) 822-0115
- 00180  
ST LUKE'S HOSPITAL MINERS CAMPUS—S  
360 WEST RUDDLE STREET, PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271
- 00195  
ST. LUKE'S UPPER BUCKS CAMPUS—S  
3000 ST. LUKE'S WAY  
QUAKERTOWN, PA 18951  
(267) 985-0038
- 37359  
STAR LABORATORY CORPORATION—SC  
125 FLEMING STREET  
PISCATAWAY, NJ 08854  
(732) 529-5100
- 00219  
SUBURBAN COMMUNITY HOSPITAL—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 278-2075
- 36199  
SUNRISE CLINICAL LAB LLC—SC  
22 BALL STREET, SECOND FLOOR  
IRVINGTON, NJ 07111  
(973) 877-8358
- 33368  
SYNERGY MEDICAL LABORATORIES, PC—C  
152 STATE ROUTE 35  
KEYPORT, NJ 07735  
(732) 792-3609
- 00207  
TAYLOR HOSPITAL LABORATORY—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 447-2232
- 27246  
TECHNICAL RESOURCE MGMT—SC  
1760 EAST ROUTE 66, SUITE 1  
FLAGSTAFF, AZ 86004  
(928) 526-1011
- 00227  
TEMPLE HEALTH-CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 707-8366
- 00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4470
- 00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 NORTH BROAD STREET  
DEPT OF PATH & LAB MED—RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560
- 00240  
TEMPLE UNIVERSITY HOSPITAL—JEANES  
CAMPUS—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2248
- 36013  
TESTING MATTERS, INC—SC  
14001 NW 4TH ST.  
SUNRISE, FL 33325  
(954) 268-1470, X1003
- 35318  
THE OCCUPATIONAL HEALTH CENTER-SAINT  
VINCENT—S  
2501 W. 12TH STREET, SUITE C7  
ERIE, PA 16505  
(814) 452-7879
- 00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143
- 00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 S 11TH STREET, 204 FOERDERER PAVILION  
PHILADELPHIA, PA 19107  
(215) 955-3941
- 34652  
THREE RIVERS DIAGNOSTICS—SC  
115 TECHNOLOGY DRIVE  
PITTSBURGH, PA 15275  
(412) 326-8570
- 34847  
THREE RIVERS PAIN MANAGEMENT—SC  
8628 INDUSTRIAL PARKWAY, UNIT E, SUITE 104  
PLAIN CITY, OH 43064  
(724) 812-5580
- 34314  
THYROID SPECIALTY LABORATORY, INC—C  
1636 HEADLAND DRIVE  
FENTON, MO 63026  
(314) 200-3040

00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851

40464  
TOTAL LAB SOLUTIONS, LLC—SC  
1250 STEPHENSON HIGHWAY, SUITE 200  
TROY, MI 48083  
(248) 800-6626

36731  
TRINITY MEDICAL LABORATORIES LLC—SC  
3 EVES DRIVE, SUITE 300  
MARLTON, NJ 08053  
(856) 334-9496

00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384

34997  
UNITED CLINICAL LABORATORY LLC—SC  
2257 VISTA PARKWAY, SUITE 2  
WEST PALM BEACH, FL 33411  
(844) 291-4292

36800  
UNITED CLINICAL LABORATORY OF NEW JERSEY  
LLC—SC  
373 E US ROUTE 46, W UNIT 111  
FAIRFIELD, NJ 07004  
(862) 210-8456

00119  
UPMC ALTOONA LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 889-2340

00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3506

32389  
UPMC EAST PATHOLOGY LABORATORY—S  
2775 MOSSIDE BLVD  
GROUND FLOOR, ROOM 0304  
MONROEVILLE, PA 15146  
(412) 357-3682

00046  
UPMC HAMOT—S  
201 STATE STREET, 4TH FLOOR WEST  
ERIE, PA 16550  
(814) 877-3131

00059  
UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100

00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500

00054  
UPMC JAMESON—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4082

00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233

00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7624

00035  
UPMC MUNCY LABORATORY—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282

00058  
UPMC NORTHWEST—S  
100 FAIRFIELD DRIVE  
SENECA, PA 16346  
(814) 676-7120

00084  
UPMC PASSAVANT—S  
9100 BABCOCK BLVD, GROUND FLOOR, T BUILDING  
PITTSBURGH, PA 15237  
(412) 367-6700

05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370

00131  
UPMC PINNACLE CARLISLE—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 960-3336

00166  
UPMC PINNACLE LITITZ—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5572

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855

00091  
UPMC SAINT MARGARET HOSPITAL LABORA-  
TORY—S  
815 FREEPORT ROAD  
PITTSBURGH, PA 15215  
(412) 784-4000

00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE, GROUND FLOOR WEST  
WING  
PITTSBURGH, PA 15232  
(412) 623-5950



00297  
UPMC SOMERSET HOSPITAL—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5215

00039  
UPMC WELLSBORO LABORATORY—S  
32-36 CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0133

00037  
UPMC WILLIAMSPORT LABORATORY—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00030  
UPMC WILLIAMSPORT OP EMERG DEPT.—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5033

27225  
US DRUG TESTING LABORATORIES INC—SC  
1700 SOUTH MOUNT PROSPECT ROAD  
DES PLAINES, IL 60018  
(847) 375-0770

36977  
VERO DIAGNOSTICS—SC  
3216 S. ALSTON AVENUE  
DURHAM, NC 27713  
(919) 341-1255

34702  
VISION LABORATORIES LLC—SC  
6130 SHALLOWFORD ROAD, SUITE 100  
CHATTANOOGA, TN 37421  
(844) 484-3522

34864  
VITAE DIAGNOSTICS—SC  
3848 DEL AMO BLVD, SUITE 303  
TORRANCE, CA 90503  
(310) 376-5812

39537  
VITAL PAIN CENTER, LLC—S  
363 VANADIUM ROAD, SUITE 106  
PITTSBURGH, PA 15243  
(412) 279-1231

00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860

00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 627-2640

00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3120

00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

00133  
WAYNESBORO HOSPITAL LABORATORY—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SC  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVE  
PITTSBURGH, PA 15224  
(412) 578-5779

33480  
WEST SHORE HOSP LABORATORY—S  
1995 TECHNOLOGY PKWY  
MECHANICSBURG, PA 17050  
(717) 782-3128

34586  
WESTERN SLOPE LABORATORY, LLC—SC  
1197 ROCHESTER ROAD, SUITE K  
TROY, MI 48083  
(248) 307-1168

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4896

00299  
WS GOOD SAMARITAN HOSPITAL LAB SERVICES—S  
252 S. 4TH STREET  
LEBANON, PA 17042  
(717) 270-7500

36227  
XERON CLINICAL LABORATORIES, INC.—SC  
629 SPRINGFIELD ROAD  
KENILWORTH, NJ 07033  
(844) 762-9522

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-805. Filed for public inspection June 7, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ( $\mu\text{g}/\text{dL}$ ) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25  $\mu\text{g}/\text{dL}$  or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25  $\mu\text{g}/\text{dL}$ .

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The symbols L and P indicate the following:

L = approved for blood lead analyses

P = approved for erythrocyte protoporphyrin analyses

LP = approved for blood lead and erythrocyte protoporphyrin analyses

20978  
ABW ST. LUKES PEDIATRICS—L  
834 EATON AVE. SUITE # 201  
BETHLEHEM, PA 18018  
(484) 526-7722

- 27431  
ABW ST. LUKE'S PEDIATRICS—L  
487 EAST MOORESTOWN ROAD  
SUITE 105  
WIND GAP, PA 18091  
(601) 863-8200
- 34235  
ABW ST. LUKES PEDIATRICS—L  
6651 SILVER CREST ROAD, SUITE 103  
BATH, PA 18014  
(484) 526-7360
- 31609  
ACCU REFERENCE MEDICAL LABORATORY—L  
1901 EAST LINDEN AVENUE  
SUITE 4  
LINDEN, NJ 07036  
(908) 474-1004
- 04439  
AHN HEALTH & WELLNESS PAVILION E—L  
4950 BUFFALO ROAD  
ERIE, PA 16510  
(814) 899-7000
- 28416  
AHN PEDIATRICS, ARCADIA—L  
9795 PERRY HIGHWAY, SUITE 100  
WEXFORD, PA 15090  
(412) 358-9548
- 10167  
AHN PEDIATRICS CHARTIERS—L  
1370 WASHINGTON PIKE, SUITE 107  
BRIDGEVILLE, PA 15017  
(412) 221-0160
- 30286  
AHN PEDIATRICS FOX CHAPEL—L  
3394 SAXONBURG BLVD, SUITE 600  
GLENSHAW, PA 15116  
(412) 767-0707
- 34549  
AHN PEDIATRICS JEFFERSON—L  
1200 BROOKS LANE, SUITE 130  
JEFFERSON MEDICAL ARTS BLDG  
JEFFERSON HILLS, PA 15025  
(412) 460-8111
- 28764  
AHN PEDIATRICS MCMURRAY—L  
3001 WATERDAM PLAZA  
SUITE 200  
MCMURRAY, PA 15317  
(724) 941-2747
- 39940  
AHN PEDIATRICS—MONTOUR—L  
2419 STATE AVENUE (ROUTE 51)  
CORAPOLIS, PA 15108  
(412) 625-2630
- 22712  
AHN PEDS PAL GREENTREE—L  
969 GREENTREE ROAD  
PRIMARY CARE CENTER OF GREENTREE  
PITTSBURGH, PA 15220  
(412) 922-5250
- 26609  
AHN PEDS PAL NORTHLAND 7 FIELDS—L  
100 NORTH POINTE CIRCLE, STE 101  
SEVEN FIELDS, PA 16046  
(724) 772-0777
- 24516  
AHN PEDS PAL NORTHLAND CRANBERRY—L  
TWO LANDMARK NORTH  
SUITE 136 20397 ROUTE 19 NORTH  
CRANBERRY TOWNSHIP, PA 16066  
(724) 776-6030
- 01543  
AHN PEDS/ALLEGHENY CLINIC PEDS—L  
4721 MCKNIGHT RD, SUITE 209N  
PITTSBURGH, PA 15237  
(412) 366-5550
- 02125  
AHN, PEDIATRICS, ST. CLAIR—L  
1580 MCLAUGHLIN RUN ROAD  
PINERIDGE COMMONS SUITE 208  
UPPER ST CLAIR, PA 15241  
(412) 221-2121
- 22604  
ALLEGHENY HEALTH & WELLNESS PAVILION—L  
4247 WEST RIDGE ROAD, SUITE 105  
ERIE, PA 16506  
(814) 838-2468
- 00016  
ANGELINE KIRBY MEM HEALTH CENTER—L  
71 NORTH FRANKLIN STREET  
WILKES-BARRE, PA 18701  
(570) 822-4278
- 21613  
ARUP LABORATORIES INC—LP  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP  
3520 PROGRESS DRIVE, UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 20364  
BEITTEL-BECKER LABORATORY—L  
2150 NOLL DRIVE, SUITE 100  
LANCASTER, PA 17603  
(717) 299-8933
- 22757  
BIOREFERENCE LABORATORIES INC—L  
481 EDWARD H ROSS DRIVE  
ELMWOOD PARK, NJ 07407  
(201) 791-3600
- 36638  
BTAMC PEDIATRIC & FAMILY HEALTH CARE—L  
6311 MARGE DRIVE  
HUNTINGDON, PA 16652  
(814) 506-8490
- 30248  
CARING HANDS PEDIATRICS—L  
300 CEDAR RIDGE DRIVE, SUITE 309  
PITTSBURGH, PA 15205  
(412) 921-2345
- 30249  
CARING HANDS PEDIATRICS—L  
105 BRAUNLICH DRIVE, SUITE 102  
PITTSBURGH, PA 15237  
(412) 369-7720

02526  
CARLISLE PEDIATRIC ASSOCS LAB—L  
804 BELVEDERE STREET  
CARLISLE, PA 17013  
(717) 243-1943

26490  
CCP HOPE NORTHWEST—L  
3512 STATE ROUTE 257, SUITE 106  
SENECA, PA 16346  
(814) 677-3717

27845  
CLINICAL REFERENCE LABORTORY—LP  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 693-5481

39945  
CONYNGHAMN PRIMARY HEALTH CARE CENTER—  
L  
335 SOUTH FRANKLIN STREET  
WILKES-BARRE, PA 18702  
(570) 301-0924

35189  
CORNERSTONE CARE FAMILY PRACTICE CTR. OF  
WASHINGTON—L  
351 WEST BEAU STREET, SUITE 200  
WASHINGTON, PA 15301  
(724) 728-7400

27598  
CORNERSTONE CARE PEDS & FAMILY MED. OF  
WAYNESBURG—L  
236 ELM DRIVE, SUITE 101  
WAYNESBURG, PA 15370  
(724) 943-3308

31847  
DOCTOR'S DATA, INC—L  
3755 ILLINOIS AVENUE  
ST CHARLES, IL 60174-2420  
(630) 377-8139

25658  
EAST LIBERTY FAMILY HEALTH CARE CENTER—L  
7157 MARY PECK BOND PLACE  
PITTSBURGH, PA 15206  
(412) 361-8284

20306  
EAST LIBERTY FAMILY HEALTH CTR—L  
6023 HARVARD STREET  
PITTSBURGH, PA 15206  
(412) 661-2802

00561  
EAST PENN MFG CO INC—LP  
DEKA RD KELLER TECH CENTER  
PO BOX 147  
LYONS STATION, PA 19536  
(610) 682-6361

25549  
EAST SUBURBAN PEDIATRICS—L  
40 LINCOLN WAY, SUITE 400  
NORTH HUNTINGDON, PA 15642  
(724) 863-8811

29302  
EAST SUBURBAN PEDIATRICS—L  
2566 HAYMAKER ROAD, SUITE 106  
MONROEVILLE, PA 15146  
(412) 858-2777

10390  
EAST SUBURBAN PEDIATRICS LTD—L  
4262 OLD WILLIAM PENN HWY, SUITE 208  
MURRYSVILLE, PA 15668  
(724) 325-2133

32339  
EDEN PARK PEDIATRIC ASSOCIATES MOUNT  
JOY—L  
779 E MAIN STREET  
MOUNT JOY, PA 17552  
(717) 569-8518

29462  
EDEN PARK PEDIATRIC ASSOCIATES—L  
4221 OREGON PIKE  
EPHRATA, PA 17522  
(717) 569-8518

10266  
EDEN PARK PEDIATRIC ASSOCIATES—L  
1725 OREGON PIKE  
LANCASTER, PA 17601  
(717) 569-8518

10324  
FORBES FAMILY MEDICINE—L  
2550 MOSSIDE BLVD, SUITE 500  
MONROEVILLE, PA 15146  
(412) 457-1077

31400  
FRANCES WARDE MEDICAL LABORATORY—LP  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0300

00173  
GEISINGER MEDICAL CENTER—L  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-7443

25914  
GENOVA DIAGNOSTICS—L  
63 ZILICOA STREET  
ASHEVILLE, NC 28801  
(828) 253-0621

10395  
GETTYSBURG PEDIATRICS—L  
11 HUNTERS TRAIL  
GETTYSBURG, PA 17325  
(717) 334-7681

01170  
GRAHAM MEDICAL CLINIC—L  
100 SOUTH HIGH STREET  
NEWVILLE, PA 17241  
(717) 776-3114

31348  
GREENVILLE COMMUNITY HEALTH CENTER—L  
348 MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-5250

01711  
HANOVER PEDIATRICS—L  
217 BROADWAY  
HANOVER, PA 17331  
(717) 632-3911

34095  
HARBORVIEW MED CNTR, DEPT OF LAB MEDI-  
CINE—P  
325 9TH AVE. ROOM GWH-47  
SEATTLE, WA 98104  
(206) 897-5201

24655  
HEALTH NETWORK LABORATORIES—L  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

01933  
HERITAGE VALLEY PEDICATRICS—L  
250 COLLEGE AVENUE  
BEAVER, PA 15009  
(724) 774-4070

02115  
HERITAGE VALLEY PEDIATRICS—L  
301 OHIO RIVER BLVD., SUITE 200  
SEWICKLEY, PA 15143  
(412) 417-2622

20999  
HERITAGE VALLEY PEDIATRICS—L  
2032 BROADHEAD ROAD  
ALQUIPPA, PA 15001  
(724) 375-6161

21628  
HERITAGE VALLEY PEDIATRICS—L  
2580 CONSTITUTION BLVD.  
BEAVER FALLS, PA 15010  
(724) 773-6842

29054  
HILLTOP COMMUNITY HEALTHCARE CENTER—L  
151 RUTH STREET  
PITTSBURGH, PA 15211  
(412) 431-3520

29136  
KIDS CARE PEDIATRICS—L  
108 HORNER LANE  
LATROBE, PA 15650  
(724) 537-2131

33090  
KIDS PLUS PEDIATRICS—L  
671 CASTLE CREEK DRIVE  
SEVEN FIELDS, PA 16046  
(724) 761-2020

28267  
KIDS PLUS PEDIATRICS PC—L  
4070 BEECHWOOD BLVD  
PITTSBURGH, PA 15217  
(412) 521-6511

10158  
KIDS PLUS PEDIATRICS PC—L  
810 CLAIRTON BLVD, SUITE 100  
PITTSBURGH, PA 15236  
(412) 466-5004

21885  
LAB CORP OF AMERICA HOLDINGS—LP  
1447 YORK COURT  
BURLINGTON, NC 27215  
(336) 436-2153

05618  
LAB CORP OF AMERICA HOLDINGS—LP  
6370 WILCOX ROAD  
DUBLIN, OH 43016-1296  
(800) 282-7300

01088  
LABCORP OF AMERICA HOLDINGS—LP  
69 FIRST AVENUE, PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400

33653  
LANCASTER GENERAL DOWNTOWN FAMILY MEDI-  
CINE—L  
540 N. DUKE STREET, 3RD FLOOR  
LANCASTER, PA 17602  
(717) 544-4142

23380  
LANCASTER PEDIATRIC ASSOC LTD—L  
222 WILLOW VALLEY LAKES DRIVE  
SUITE 100  
WILLOW STREET, PA 17584-9463  
(717) 464-9555

10270  
LANCASTER PEDIATRIC ASSOCIATES—L  
2106 HARRISBURG PIKE  
SUITE 1 MED OFFICE, PO BOX 3200  
LANCASTER, PA 17601  
(717) 291-5931

27107  
LAUREL PEDIATRIC ASSOCIATES, INC.—L  
323 BUDFIELD STREET  
JOHNSTOWN, PA 15904  
(814) 262-9500

02555  
LEHIGH VALLEY PEDIATRIC ASSOC—L  
401 NORTH 17TH STREET, STE 307  
ALLENTOWN, PA 18104  
(610) 434-2162

25678  
LEHIGH VALLEY PEDIATRIC ASSOC INC—L  
612 ELM ST  
BETHLEHEM, PA 18018  
(610) 865-3151

37668  
LUZ MEDICINE, PC—L  
29 CLOISTER AVENUE  
EPHRATA, PA 17522  
(717) 844-9003

01163  
LVPG-FAMILY MEDICINE—SOUTHSIDE—L  
1648 S. 4TH STREET  
ALLENTOWN, PA 18103  
(610) 791-5930

10180  
LVPG PEDIATRICS—BROAD ST—L  
564 W BROAD STREET  
HAZLETON, PA 18201  
(570) 501-6400

23799  
LVPG PEDIATRICS—CENTER VALLEY—L  
3800 SIERRA CIRCLE, SUITE 100  
HEALTH CENTER AT SAUCON  
CENTER VALLEY, PA 18034  
(484) 664-2090

37009  
LVPG PEDIATRICS—EASTON—L  
2401 NORTHAMPTON ST., SUITE 210  
EASTON, PA 18045  
(484) 591-7470

04053

LVPG PEDIATRICS—FOGELSVILLE—L  
1431 NURSERY STREET, SUITE 102  
FOGELSVILLE, PA 18051  
(610) 821-4920

23471

LVPG PEDIATRICS—LAURYS STATION—L  
5649 WYNNEWOOD DRIVE, SUITE 104  
LAURYS STATION, PA 18059  
(610) 262-6641

20350

LVPG PEDIATRICS—LEHIGHTON—L  
363 N. 1ST STREET  
LEHIGHTON, PA 18235  
(610) 377-6969

36106

LVPG PEDIATRICS—MACUNGIE—L  
3371 ROUTE 100, SUITE 205  
MACUNGIE, PA 18062  
(835) 215-5504

32891

LVPG—PEDIATRICS—MADISON FARMS—L  
4807 FREEMANSBURG AVENUE, SUITE 100  
EASTON, PA 18045  
(484) 591-7620

35574

LVPG PEDIATRICS—PALMER TOWNSHIP—L  
3701 CORRIER ROAD, SUITE 10  
EASTON, PA 18045  
(484) 591-7060

39286

LVPG PEDIATRICS—PENNSBURG—L  
101 W. 7TH STREET, SUITE 2C  
PENNSBURG, PA 18073  
(484) 763-5275

31930

LVPG PEDIATRICS—PLAZA COURT—L  
500 PLAZA CT., SUITE A  
EAST STROUDSBURG, PA 18301  
(570) 476-3585

23472

LVPG PEDIATRICS—POND ROAD—L  
PARAGON CENTER BLDG.  
1611 POND ROAD, SUITE 400  
ALLENTOWN, PA 18104  
(610) 395-4300

35624

LVPG PEDIATRICS—RICHLAND TOWNSHIP—L  
320 W. PUMPING STATION ROAD  
QUAKERTOWN, PA 18951  
(215) 529-4270

37144

LVPG PEDIATRICS—STROUDWEST—L  
205 APPLGATE RD., SUITE 101  
STROUDSBURG, PA 18360  
(570) 476-3585

36865

LVPG PEDIATRICS—TOBYHANNA—L  
100 COMMUNITY DRIVE, SUITE 202  
TOBYHANNA, PA 18466  
(570) 476-3585

28292

LVPG PEDIATRICS—TRELERTOWN—L  
6900 HAMILTON BLVD., P.O. BOX 60  
TRELERTOWN, PA 18087  
(610) 402-2600

33419

LVPG PEDIATRICS—WEST BROAD—L  
325 W. BROAD STREET, 2ND FLOOR  
BETHLEHEM, PA 18018  
(484) 626-9222

37210

LVPG PEDIATRICS—WEST END—L  
120 BURRUS BLVD.  
BRODHEADSVILLE, PA 18322  
(570) 476-3585

36481

LVPG PEDIATRICS—WHITEHALL—L  
3691 CRESCENT COURT EAST, SUITE 100  
WHITEHALL, PA 18052  
(610) 262-6641

29685

MAYO CLINIC LABS-ROCH SUPERIOR DR—L  
3050 SUPERIOR DRIVE, NW  
ROCHESTER, MN 55901  
(507) 538-3458

09003

MAYO CLINIC LABS-ROCHESTER MAIN CAMPUS—P  
200 FIRST STREET, SW HILTON 530  
ROCHESTER, MN 55905  
(507) 284-3018

24668

MCMURRAY PEDIATRIC & ADOLESCENT MEDI-  
CINE—L  
6000 WATERDAM PLAZA DRIVE # 280  
MCMURRAY, PA 15317  
(724) 941-8199

05574

MEDTOX LABORATORIES INC—LP  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 636-7466

40082

METRO COMMUNITY HEALTH CENTER—L  
1789 S. BRADDOCK AVENUE, SUITE 395  
PITTSBURGH, PA 15218  
(412) 941-2310

26760

METRO FAMILY PRACTICE, INC.—L  
1789 S BRODDOCK AVENUE, SUITE 410  
PITTSBURGH, PA 15218  
(412) 247-2310

10233

MNPG DEPT OF PEDIATRICS—L  
3901 SOUTH ATHERTON STREET, SUITE 5  
STATE COLLEGE, PA 16801  
(814) 466-7921

22325

MNPG DEPT. OF PEDIATRICS—L  
129 MEDICAL PARK LANE  
BELLEFONTE, PA 16823  
(814) 466-7921

00504

NATIONAL MED SVCS INC-DBA/NMS LABS—LP  
200 WELSH ROAD  
HORSHAM, PA 19044  
(215) 657-4900

- 30553  
NATIONWIDE CHILDRENS HOSPITAL—L  
CORE LAB AND LAB INFORMATION SYSTEMS  
700 CHILDRENS DRIVE  
COLUMBUS, OH 43205  
(614) 722-5335
- 37445  
NHCLV—BROAD ST—L  
635 E. BROAD ST  
BETHLEHEM, PA 18018  
(610) 820-7605
- 31166  
NHCLV—CASA—L  
218 NORTH SECOND STREET  
ALLENTOWN, PA 18102  
(610) 841-8400
- 30162  
NHCLV—DONEGAN—L  
1210 E 4TH STREET  
BETHLEHEM, PA 18015  
(610) 820-7605
- 39725  
NHCLV—HAMILTON—L  
160 HAMILTON STREET  
ALLENTOWN, PA 18101  
(610) 820-7605
- 35491  
NHCLV AT TWO RIVERS—L  
1101 NORTHAMPTON ST.  
EASTON, PA 18042  
(610) 841-9400
- 23205  
NORTHSIDE CHRISTIAN HEALTH CENTER—L  
816 MIDDLE STREET  
PITTSBURGH, PA 15212  
(412) 321-4001
- 30505  
NORTHSIDE CHRISTIAN HEALTH CENTER-NVH—L  
525 MOUNT PLEASANT ROAD, NORTHVIEW  
HEIGHTS  
PITTSBURGH, PA 15214  
(412) 321-4001
- 23801  
PACIFIC TOXICOLOGY LABORATORIES—LP  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110
- 35190  
PEDIATRIC ALLIANCE PC WITH AHN ALLE-  
GHENY—L  
1307 FEDERAL STREET, SUITE B200  
PITTSBURGH, PA 15212  
(412) 930-0908
- 28784  
PEDIATRIC ASSOCIATES OF KINGSTON LLC—L  
451 3RD AVENUE  
KINGSTON, PA 18704  
(570) 288-6543
- 39602  
PEDIATRIC ASSOCIATES OF KINGSTON IN CLARK  
SUMMIT—L  
1212 S. ABINGTON BLVD.,  
CLARKS SUMMIT, PA 18411  
(570) 288-6543
- 39457  
PEDIATRIC ASSOCIATES OF KINGSTON IN MTN  
TOP—L  
239 S. MOUNTAINTOP BLVD., SUITE 600  
MOUNTAIN TOP, PA 18707  
(570) 288-6543
- 35918  
PEDIATRIC ASSOCIATES OF KINGSTON IN  
PITTSTON—L  
1081 OAK STREET, SUITE 1  
PITTSTON, PA 18640  
(570) 288-6543
- 25436  
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L  
27 VISTA DRIVE, UNIT 3  
WAYNESBORO, PA 17268  
(717) 765-6621
- 10184  
PEDIATRICS OF NORTHEASTERN PA—L  
920 VIEWMONT DRIVE  
DICKSON CITY, PA 18519  
(570) 346-1464
- 27931  
PENN CARE FOR KIDS—L  
420 WEST LINFIELD TRAPPE ROAD, SUITE 1000A  
LIMERICK, PA 19468  
(610) 495-2310
- 27935  
PENN CARE FOR KIDS—L  
824 MAIN STREET, SUITE 100A  
PHOENIXVILLE, PA 19460  
(610) 935-1330
- 10248  
PENN MEDICINE LGHP ROSEVILLE PEDIATRICS—L  
1570 FRUITVILLE PIKE  
LANCASTER, PA 17601  
(717) 569-6481
- 29898  
PENN MEDICINE LGHP ROSEVILLE PEDIATRICS—L  
51 PETERS ROAD, SUITE 202  
LITITZ, PA 17543  
(717) 569-6481
- 29610  
PENN STATE HEALTH ALL ABOUT CHILDREN—L  
655 WALNUT STREET  
WEST READING, PA 19611  
(610) 372-9222
- 23864  
PENN STATE HERSHEY MED. GROUP MIDDLE-  
TOWN—L  
3100 SCHOOLHOUSE ROAD  
MIDDLETOWN, PA 17057  
(717) 948-5180
- 01518  
PENN STATE HERSHEY MEDICAL GROUP—L  
941 PARK DRIVE  
PALMYRA, PA 17078  
(717) 838-6305
- 22533  
PENNSYLVANIA DEPT OF HEALTH—L  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

34168  
PHILADELPHIA FIGHT CHC—L  
1207 CHESTNUT STREET  
PHILADELPHIA, PA 19107  
(267) 985-4448

22972  
PMA—PENN HILLS PEDS—L  
310 RODI ROAD, SUITE 140  
PITTSBURGH, PA 15235  
(412) 317-6414

22973  
PMA-IRWIN PEDS—L  
4044 ROUTE 130, SUITE 240  
IRWIN, PA 15642  
(724) 744-7337

37694  
PRIVA PATH LABS, INC.—L  
222 E. HUNTINGTON DRIVE, SUITE 100  
MONROVIA, CA 91016  
(626) 479-8489

21982  
PS MEDICAL GROUP-CORNERSTONE—L  
6 WEST NEWPORT ROAD  
LITITZ, PA 17543  
(717) 627-2108

39579  
PSH LANCASTER PEDIATRICS—L  
1430 HARRISBURG PIKE  
LANCASTER, PA 17601  
(717) 391-7092

23778  
PSH MEDICAL GROUP-ELIZABETHTOWN—L  
ONE CONTINENTAL DRIVE  
ELIZABETHTOWN, PA 17022  
(717) 361-0666

34675  
PSH SJMG—MUHLENBERG—L  
4301 N. 5TH STREET HIGHWAY, SUITE 100  
TEMPLE, PA 19605  
(610) 208-8800

23938  
PSHCMG FAM. MED/PEDS UPPER ALLEN—L  
1819 SOUTH MARKET STREET, BUILDING A  
MECHANICSBURG, PA 17055  
(717) 691-9683

23511  
PSHMC CAMP HILL—L  
3025 MARKET STREET  
CAMP HILL, PA 17011  
(717) 691-1212

38406  
PSHMG FAM. MEDICINE EAST PENNSBORO—L  
1800 CENTER STREET, SUITE 1A110  
CAMP HILL, PA 17011  
(717) 775-8093

35899  
PSHMG FAM MED/PEDS ENOLA—L  
310 EAST PENN DRIVE  
ENOLA, PA 17025  
(717) 857-2490

04521  
PSHMG HARRISBURG—L  
2626 NORTH THIRD STREET, F12  
HARRISBURG, PA 17110  
(717) 232-5443

35397  
PSHMG-MECHANICSBURG—L  
140 OLD WILLOW MILL ROAD  
MECHANICSBURG, PA 17050  
(717) 766-4635

32841  
PSHMG-MOUNT JOY—L  
201 LEFEVER ROAD  
MOUNT JOY, 17552  
(717) 653-2900

40412  
PSHMG PEDIATRICS CARLISLE—L  
1211 FORGE ROAD, SUITE 300, BUILDING A  
CARLISLE, PA 17013  
(717) 218-3920

37644  
PSMG NYES ROAD—L  
121 NYES ROAD  
HARRISBURG, PA 17112  
(717) 531-1780

31648  
PSHMG WINDMERE CENTER—L  
476 ROLLING RIDGE DRIVE  
STATE COLLEGE, PA 16801  
(814) 689-4980

09620  
QUEST DIAGNOSTICS CLINICAL LABS, INC.—P  
8401 FALLBROOK AVENUE  
WEST HILLS, CA 91304  
(818) 737-6264

00669  
QUEST DIAGNOSTICS INCORPORATED—L  
ONE INSIGHTS DRIVE  
CLIFTON, NJ 07012  
(201) 393-5895

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-6900

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—L  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—LP  
875 GREENTREE ROAD, 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—LP  
875 GREENTREE ROAD, 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7867

01216  
READING PEDIATRICS INC—L  
40 BERKSHIRE COURT, SUITE 1  
WYOMISSING, PA 19610  
(610) 374-7400

29871  
READING PEDIATRICS INC—L  
5101 ALLENTOWN PIKE  
TEMPLE, PA 19560  
(610) 374-7400



- 29873  
READING PEDIATRICS INC—L  
25 LORANE ROAD  
READING, PA 19606  
(610) 374-7400
- 32983  
READING PEDIATRICS INC—L  
541 W. PENN AVE  
ROBESONIA, PA 19551  
(610) 374-7400
- 22143  
SAINT VINCENT FAMILY MEDICINE—L  
311 WEST 24TH STREET, SUITE 305  
ERIE, PA 16502  
(814) 452-5096
- 24657  
SANDY LAKE COMMUNITY HEALTH CENTER—L  
3205 SOUTH MAIN STREET  
SANDY LAKE, PA 16145  
(724) 342-3002
- 22196  
SHARON MEDICAL GROUP—L  
63 PITT STREET  
SHARON, PA 16146  
(724) 342-6604
- 24508  
SHEAKLEYVILLE HEALTH CENTER—L  
3339 PERRY HIGHWAY  
SHEAKLEYVILLE, PA 16151  
(724) 253-3428
- 27649  
SMA MEDICAL LABORATORIES—L  
940 PENNSYLVANIA BOULEVARD, UNIT E  
FEASTERVILLE, PA 19053  
(215) 322-6590
- 00151  
ST JOSEPH QUALITY MEDICAL LAB—L  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200
- 34494  
ST LUKE'S ALLENTOWN PEDIATRICS—L  
501 CETRONIA ROAD, SUITE 115  
ALLENTOWN, PA 18104  
(484) 426-2468
- 35321  
ST. LUKE'S CHILDREN'S CHOICE PEDIATRICS—L  
514 DELAWARE AVENUE  
BETHLEHEM, PA 18015  
(610) 865-6545
- 33310  
ST LUKE'S COOPERSBURG PEDIATRICS—L  
5425 LANARK ROAD, 1ST FLOOR, SUITE 101  
CENTER VALLEY, PA 18034  
(484) 822-6112
- 39668  
ST. LUKE'S HARLEYSVILLE PEDIATRICS—L  
142 CLEMENS ROAD, SUITE 100  
HARLEYSVILLE, PA 19438  
(267) 985-5150
- 23136  
ST LUKE'S POCONO PEDIATRIC ASSOC—L  
208 LIFELINE ROAD, SUITE 201  
STROUDSBURG, PA 18360  
(570) 664-8750
- 23134  
ST LUKES POCONO PEDIATRIC ASSOC—L  
125 SMITHFIELD LANE, 1ST FLOOR  
EAST STROUDSBURG, PA 18301  
(272) 639-6020
- 36017  
ST. LUKE'S ANDERSON PEDIATRICS—L  
1700 ST. LUKE'S BLVD., SUITE 403  
EASTON, PA 18045  
(484) 503-0060
- 10346  
ST. LUKE'S QUAKERTOWN PEDIATRICS—L  
237 N WEST END BLVD  
QUAKERTOWN, PA 18951  
(215) 536-1915
- 28786  
STAR COMMUNITY HEALTH KC BETHLEHEM—L  
511 E. 3RD STREET, SUITE 201  
BETHLEHEM, PA 18015  
(484) 526-3060
- 34279  
STAR COMMUNITY HEALTH KIDS CARE EASTON—L  
220 FERRY STREET  
EASTON, PA 18042  
(484) 503-8160
- 27304  
STAR COMMUNITY HEALTH KIDS CARE SIGAL—L  
450 CHEW STREET, SECOND FLOOR  
ALLENTOWN, PA 18102  
(484) 822-7850
- 37359  
STAR LABORATORY CORPORATION—L  
125 FLEMING STREET  
PISCATAWAY, NJ 08854  
(732) 529-5100
- 01683  
STO-ROX FAMILY HEALTH CENTER—L  
710 THOMPSON AVE  
MCKEES ROCKS, PA 15136  
(412) 771-6460
- 25258  
TAMAQUA PRIMARY CARE—L  
143 NORTH RAILROAD STREET  
TAMAQUA, PA 18252  
(570) 645-1540
- 22134  
TAN & GARCIA PEDIATRICS PC—L  
4700 UNION DEPOSIT RD, SUITE 120  
HARRISBURG, PA 17111  
(717) 540-1743
- 10296  
TAN & GARCIA PEDIATRICS PC—L  
2020 GOOD HOPE ROAD, SUITE 120  
ENOLA, PA 17025  
(717) 761-7901
- 39888  
THE CHILDREN'S CLINIC AT HAYS—L  
1227 WEST GORDON STREET  
ALLENTOWN, PA 18102  
(610) 969-4301
- 27248  
THE WRIGHT CENTER MEDICAL GROUP—L  
1721 NORTH MAIN AVENUE  
SCRANTON, PA 18508  
(570) 346-8417

## 3300

36990  
THE WRIGHT CENTER MEDICAL GROUP—L  
501 S. WASHINGTON AVE.  
SCRANTON, PA 18505  
(570) 491-0125

37454  
THE WRIGHT CENTER MEDICAL GROUP—L  
103 SPRUCE STREET  
HAWLEY, PA 18428  
(570) 230-0019

39649  
THE WRIGHT CENTER MEDICAL GROUP—L  
260 DALEVILLE HIGHWAY, SUITE 103  
COVINGTON TOWNSHIP, PA 18444  
(570) 343-2383

40108  
THE WRIGHT CENTER MEDICAL GROUP—L  
169 N. PENNSYLVANIA AVENUE  
WILKES-BARRE, PA 18701  
(570) 491-0126

35522  
THE WRIGHT CENTER MEDICAL GROUP PC—L  
1401 FELLOW STREET  
SCRANTON, PA 18504  
(570) 343-2383

26198  
THE WRIGHT CENTER MEDICAL GROUP PC—L  
5 SOUTH WASHINGTON AVENUE  
JERMYN, PA 18433  
(570) 343-2383

32537  
THE WRIGHT CENTER MEDICAL GROUP PC—L  
1145 NORTHERN BLVD  
SOUTH ABINGTON TOWNSHIP, PA 18411  
(570) 343-2383

30006  
THMG FAMILY MEDICINE-PHOENIXVILLE—L  
300 SCHUYLKILL ROAD  
PHOENIXVILLE, PA 19460  
(610) 935-3929

20407  
THMG PEDIATRICS-WYOMISSING—L  
2101 STATE HILL ROAD, SUITE # 6  
WYOMISSING, PA 19610  
(484) 628-7540

29554  
TRAPPE PEDIATRIC CARE—L  
17 IRON BRIDGE DRIVE, SUITE 100  
COLLEGEVILLE, PA 19426  
(610) 489-5782

30336  
TRI COUNTY PEDIATRICS—L  
821 HUNTINGDON PIKE, SUITE 207  
HUNTINGDON VALLEY, PA 19006  
(215) 884-5715

29164  
TRI COUNTY PEDIATRICS INC—L  
9121 E ROOSEVELT BLVD  
PHILADELPHIA, PA 19114  
(215) 884-5715

27432  
TRI COUNTY PEDIATRICS INC—L  
140 EAST BUTLER AVENUE  
CHALFONT, PA 18914  
(215) 884-5715

## NOTICES

04159  
TRI COUNTY PEDIATRICS INC—L  
205 NEWTOWN ROAD, SUITE 210  
WARMINSTER, PA 18974  
(215) 884-5715

04575  
TRI COUNTY PEDIATRICS INC—L  
1939 CHELTENHAM AVENUE  
ELKINS PARK, PA 19027  
(215) 884-5715

30337  
TRI COUNTY PEDIATRICS, INC—L  
729 GROVE AVENUE, SUITE 1  
SOUTHAMPTON, PA 18966  
(215) 884-5715

40281  
UNION COMMUNITY AT CARTER MACRAE—L  
251 S. PRINCE STREET  
LANCASTER, PA 17603  
(717) 945-1568

40282  
UNION COMMUNITY AT MCCASKEY—L  
445 S. RESEVOIR STREET  
LANCASTER, PA 17602  
(717) 945-1568

40283  
UNION COMMUNITY AT WASHINGTON—L  
545 S. ANN STREET  
LANCASTER, PA 17602  
(717) 945-1568

29855  
UNION COMMUNITY CARE AT BRIGHTSIDE—L  
515 B HERSHEY AVENUE  
LANCASTER, PA 17603  
(717) 299-6372

31959  
UNION COMMUNITY CARE AT CHURCH STREET—L  
920 CHURCH STREET  
LEBANON, PA 17046  
(717) 354-4711

10289  
UNION COMMUNITY CARE AT DUKE ST.—L  
625 SOUTH DUKE STREET  
LANCASTER, PA 17062  
(717) 299-6372

40069  
UNION COMMUNITY CARE AT FULTON ELEMEN-  
TARY—L  
225 WEST ORANGE STREET  
LANCASTER, PA 17603  
(717) 945-1568

35866  
UNION COMMUNITY CARE AT NHA—L  
802 NEW HOLLAND AVENUE, SUITE # 200  
LANCASTER, PA 17062  
(717) 299-6371

34598  
UNION COMMUNITY CARE AT REYNOLDS—L  
605 W. WALNUT STREET  
LANCASTER, PA 17603-3383  
(717) 945-1567

29218  
UNION COMMUNITY CARE AT SPRINGVILLE—L  
584 SPRINGVILLE ROAD  
NEW HOLLAND, PA 17557  
(717) 354-4711

31622  
UNION COMMUNITY CARE AT WATER STREET—L  
304 N. WATER STREET  
LANCASTER, PA 17603  
(717) 299-6372

25506  
UNIVERSITY PHYSICIAN GROUP—L  
35 HOPE DRIVE  
HERSHEY, PA 17033  
(717) 531-0003

22200  
UNIVERSITY PHYSICIAN GROUP-FISHBURN—L  
845 FISHBURN ROAD  
HERSHEY, PA 17033  
(717) 531-8181

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—L  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855

30816  
VHP-CHILDREN'S CLINIC—L  
1627 CHEW STREET, 6TH FLOOR  
ALLENTOWN, PA 18102  
(610) 969-4300

00539  
WASHINGTON PED & ADOLESCENT MED—L  
100 WELLNESS WAY, BLDG 2  
WASHINGTON, PA 15301  
(724) 250-6001

39903  
WMC—KIMBERLY PEZZONE, M.D.—L  
400 MARKET PLACE DRIVE  
OAKDALE, PA 15071  
(724) 218-1931

34515  
ZERO PEDIATRICS, PLLC—L  
1000 MEADE ST, SUITE 204  
DUNMORE, PA 18512  
(570) 871-4445

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-806. Filed for public inspection June 7, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Availability of the Low-Income Home Energy Assistance Program; Proposed State Plan and Public Hearing Schedule

The Department of Human Services (Department) is making available for public review and comment the Fiscal Year (FY) 2024-2025 Low-Income Home Energy Assistance Program (LIHEAP) proposed State Plan. Comments on this notice and testimony received at public hearings will be used to formulate the final State Plan for using Federal funds for FY 2024-2025 LIHEAP.

The Department has made the proposed State Plan available to the public at <https://www.dhs.pa.gov/Services/>

Assistance/Pages/LIHEAP.aspx. In addition, copies of the proposed State Plan are available upon written request to the Division of Federal Programs and Program Management, Department of Human Services, CoPA HUB, Suite 240/250, P.O. Box 2675, Harrisburg, PA 17105-2675.

The Department will hold two public hearings throughout this Commonwealth to allow testimony on the proposed State Plan and to fulfill the Federal mandate for public input into the planning process. This mandate appears in Title XXVI (The Low-Income Home Energy Assistance Act of 1981) of the Omnibus Budget Reconciliation Act of 1981 (Pub.L. No. 97-35), (42 U.S.C. §§ 8621—8630) as amended by the Human Services Reauthorization Act of 1984 (Pub.L. No. 98-558), the Human Services Reauthorization Act of 1986 (Pub.L. No. 99-425), the Augustus F. Hawkins Human Services Reauthorization Act of 1990 (Pub.L. No. 101-501), the National Institutes of Health Revitalization Act of 1993 (Pub.L. No. 103-43), the Low-Income Home Energy Assistance Amendments of 1994 (Pub.L. No. 103-252), the Coats Human Services Reauthorization Act of 1998 (Pub.L. No. 105-285) and the Energy Policy Act of 2005 (Pub.L. No. 109-58).

#### *Public Hearing Schedule*

Two teleconference meetings are available for public participation:

*Date:* Tuesday, June 25, 2024

*Time:* 10 a.m.—12 p.m.

*Call:* (267) 332-8737

*Conference ID:* 399041813#

*Online:* [https://teams.microsoft.com/dl/launcher/launcher.html?url=%2F\\_%23%2F1%2Fmeetup-join%2F19%3Ameeting\\_OTk4YWwRmYzAtZmY2ZC00ZjQyLTg1MDAtNDQxMjViZGIxMjE4%40thread.v2%2F0%3Fcontext%3D%257b%2522Tid%2522%253a%2522418e2841-0128-4dd5-9b6c-47fc5a9a1bde%2522%252c%2522Oid%2522%253a%252298c71b34-61bb-4706-b9b6-1f23c85134cb%2522%257d%26anon%3Dtrue&type=meetup-join&deeplinkId=d11df461-9beb-4217-ba64-b502ecb93b4f&directDl=true&msLaunch=true&enableMobilePage=true&suppressPrompt=true](https://teams.microsoft.com/dl/launcher/launcher.html?url=%2F_%23%2F1%2Fmeetup-join%2F19%3Ameeting_OTk4YWwRmYzAtZmY2ZC00ZjQyLTg1MDAtNDQxMjViZGIxMjE4%40thread.v2%2F0%3Fcontext%3D%257b%2522Tid%2522%253a%2522418e2841-0128-4dd5-9b6c-47fc5a9a1bde%2522%252c%2522Oid%2522%253a%252298c71b34-61bb-4706-b9b6-1f23c85134cb%2522%257d%26anon%3Dtrue&type=meetup-join&deeplinkId=d11df461-9beb-4217-ba64-b502ecb93b4f&directDl=true&msLaunch=true&enableMobilePage=true&suppressPrompt=true)

*Date:* Tuesday, July 2, 2024

*Time:* 10 a.m.—12 p.m.

*Call:* (267) 332-8737

*Conference ID:* 579305412#

*Online:* [https://teams.microsoft.com/dl/launcher/launcher.html?url=%2F\\_%23%2F1%2Fmeetup-join%2F19%3Ameeting\\_Y2I0ZTJkYjMtMTEyZS00Yzc0LTl1ODYtNDEzMWwNkZDI5OGM3%40thread.v2%2F0%3Fcontext%3D%257b%2522Tid%2522%253a%2522418e2841-0128-4dd5-9b6c-47fc5a9a1bde%2522%252c%2522Oid%2522%253a%252298c71b34-61bb-4706-b9b6-1f23c85134cb%2522%257d%26anon%3Dtrue&type=meetup-join&deeplinkId=0257ccfa-e50e-42f6-a207-f9a49a25a267&directDl=true&msLaunch=true&enableMobilePage=true&suppressPrompt=true](https://teams.microsoft.com/dl/launcher/launcher.html?url=%2F_%23%2F1%2Fmeetup-join%2F19%3Ameeting_Y2I0ZTJkYjMtMTEyZS00Yzc0LTl1ODYtNDEzMWwNkZDI5OGM3%40thread.v2%2F0%3Fcontext%3D%257b%2522Tid%2522%253a%2522418e2841-0128-4dd5-9b6c-47fc5a9a1bde%2522%252c%2522Oid%2522%253a%252298c71b34-61bb-4706-b9b6-1f23c85134cb%2522%257d%26anon%3Dtrue&type=meetup-join&deeplinkId=0257ccfa-e50e-42f6-a207-f9a49a25a267&directDl=true&msLaunch=true&enableMobilePage=true&suppressPrompt=true)

This notice shall take effect upon publication in the *Pennsylvania Bulletin*.

Public Comment

Persons who wish to testify on the proposed State Plan at a public hearing should arrange a time by telephoning (717) 772-7906. Persons from outside the Harrisburg area should call (800) 692-7462 or send a written request, including telephone number, to the Division of Federal Programs and Program Management, Department of Human Services, CoPA HUB, Suite 240/250, P.O. Box 2675, Harrisburg, PA 17105-2675.

Individuals also may submit written comments at any of the public hearings, by e-mail to LIHEAPmail@pa.gov,

or by mail to the previously listed address by July 12, 2024.

Persons with a hearing or speech impairment may submit comments through the Pennsylvania Telecommunications Relay Service by calling 711.

VALERIE A. ARKOOSH, Secretary

Fiscal Note: 14-NOT-1621. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-807. Filed for public inspection June 7, 2024, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

Table with 4 columns: Final Form Reg. No., Agency/Title, Received, Public Meeting. Row 1: 16A-4412, State Board of Podiatry Child Abuse Reporting Requirements, 05/22/24, 07/18/24

GEORGE D. BEDWICK, Chairperson

[Pa.B. Doc. No. 24-808. Filed for public inspection June 7, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Ryan J. Ohm; Doc. No. SC24-05-034

Notice is hereby given of the Order to Show Cause issued on May 28, 2024, by the Deputy Insurance Commissioner of the Commonwealth in the previously referenced matter. Violations of the following are alleged: sections 611-A(20) and 678-A(b) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(20) and 310.78(b)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously referenced administrative hearing, and require an auxiliary aid, service or other accommodation to

participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS, Insurance Commissioner

[Pa.B. Doc. No. 24-809. Filed for public inspection June 7, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

United Security Assurance Company of Pennsylvania; Rate Increase Filing for Individual LTC Form LTC-95P (USPA-134058613); Rate Filing

United Security Assurance Company of Pennsylvania is requesting approval to increase the premium 50% on 210 Pennsylvania policyholders of individual LTC form LTC-95P.

Unless formal administrative action is taken prior to August 13, 2024, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA

17120, jlaverty@pa.gov within 20 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Insurance Commissioner

[Pa.B. Doc. No. 24-810. Filed for public inspection June 7, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Unum Life Insurance Company of America; Rate Increase Filing for Several Group LTC Forms (UNUM-134119934); Rate Filing

Unum Life Insurance Company of America is requesting approval to increase the premium 54% on 13,505 Pennsylvania policyholders of group LTC forms BLTC, GLTC95-95 and GLTC95-98.

Unless formal administrative action is taken prior to August 13, 2024, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 20 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Insurance Commissioner

[Pa.B. Doc. No. 24-811. Filed for public inspection June 7, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### General Rule Transfer of Control

**A-2024-3049188 and A-2024-3049189. IRU Networks, LLC and USA Digital Communications, Inc.** Joint application for approval of a general rule transfer of control, nunc pro tunc, of IRU Networks, LLC to USA Digital Communications, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, June 24, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or at the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120 with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

*Applicants:* IRU Networks, LLC; USA Digital Communications, Inc.

*Through and By Counsel:* Lance J.M. Steinhart, Esq., Managing Attorney, Lance J.M. Steinhart, PC, 1725

Windward Concourse, Suite 150, Alpharetta, GA 30005, (770) 232-9200, [info@telecomcounsel.com](mailto:info@telecomcounsel.com)

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-812. Filed for public inspection June 7, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Recalculation of the Pennsylvania Telecommunications Relay Service Surcharge

Public Meeting held  
May 23, 2024

*Commissioners Present:* Stephen M. DeFrank, Chairperson; Kimberly Barrow, Vice Chairperson; Ralph V. Yanora; Kathryn L. Zerfuss; John F. Coleman, Jr.

*Recalculation of the Pennsylvania Telecommunications Relay Service Surcharge; M-2024-3045235; M-00900239*

### Order

*By the Commission:*

In accordance with our May 29, 1990, Order at Docket No. M-00900239 establishing the Pennsylvania Telecommunications Relay Service (TRS or Relay)<sup>1</sup> and surcharge funding mechanism (TRS surcharge) and subsequent Commission orders and legislation,<sup>2</sup> we have completed the annual recalculation of the TRS surcharge rate established for the period beginning on July 1, 2024, and ending June 30, 2025. The Commission proposes to continue with the current TRS surcharge rate of \$0.00 per month for residential and business access lines<sup>3</sup> for the upcoming fiscal year period beginning July 1, 2024.

### Background

The TRS surcharge recovers anticipated costs to provide calling services and equipment to individuals that are deaf, hard of hearing, deaf-blind or have difficulty speaking to make and receive telephone calls. The surcharge funds three individual programs: the Relay service itself, the Telecommunications Device Distribution Program (TDDP),<sup>4</sup> and the Print Media Access System Program (PMASP).<sup>5</sup> The surcharge is assessed upon the customers of wireline Incumbent Local Exchange Carriers (ILECs) and Competitive Local Exchange Carriers (CLECs) (collectively, LECs).

<sup>1</sup> Additional information on TRS may be found at: [http://www.puc.pa.gov/utility\\_industry/telecommunications/telecommunications\\_relay\\_service.aspx](http://www.puc.pa.gov/utility_industry/telecommunications/telecommunications_relay_service.aspx).

<sup>2</sup> See Act 34 of 1995, 35 P.S. §§ 6701.1—6701.4 (the statutory provisions were amended by Act 181 of 2002 to be more inclusive of persons with disabilities), establishing the Telecommunication Device Distribution Program (TDDP) to be funded by the TRS surcharge and which codified Relay and use of the TRS surcharge funding mechanism; and Act 174 of 2004, 35 P.S. § 6701.3a, which established the Print Media Access System Program (PMASP) which may be funded in part or in whole by the TRS surcharge. PMASP is a reading service for persons with certain vision-related physical disabilities. The law is now called the "Universal Telecommunications and Print Media Access Act" or "UTPMAAA."

<sup>3</sup> See 2022 Recalculation of the Pennsylvania Telecommunications Relay Service Surcharge Order at Docket No. M-2022-3030272.

<sup>4</sup> This program provides specialized telecommunications devices, such as text telephones and amplifiers, at no charge to qualifying persons who are deaf or hard of hearing, or with speech and language disorders, or with a physical disability that prevents them from using standard telecommunication equipment. As per 35 P.S. § 6701.4, the Pennsylvania Department of Labor and Industry—Office of Vocational Rehabilitation is required to provide the Commission with an annual budget for the TDDP for the upcoming fiscal year. We note that our action on the TRS surcharge for the 2022-23 surcharge year should not be construed as an approval of the TDDP annual budget for 2022-23. Rather, the TDDP budget for 2022-23, including whether the budget is compliant with applicable law, is still under review.

<sup>5</sup> This program is a reading service for persons with certain vision-related physical disabilities.

The annual TRS surcharge recalculation is dependent on data from several sources. LECs are required to submit annual wireline access line counts to the Commission pursuant to 52 Pa. Code § 63.37. The traditional relay provider, Hamilton Relay, Inc.,<sup>6</sup> submitted the estimated minutes of use and charges for the fiscal year July 1, 2024, through June 30, 2025. Hamilton Telephone Company d/b/a Hamilton Telecommunications submitted the estimated minutes-of-use report for the Captioned Telephone Relay Service<sup>7</sup> (CTRS).<sup>8</sup> Pursuant to Sections 6701.3(b)(3) and 6701.4(c) of the UTMCAA, 35 P.S. § 6701.3(b)(3) and 6701.4(c), The Office of Vocational Rehabilitation (OVR), Department of Labor and Industry, submitted the 2024-2025 TDDP budget and the 2024-2025 PMASP budget.

#### *Forecasted Operations Costs for 2024-2025*

The Commission shall continue its active oversight of the operations of the Pennsylvania Telecommunications Relay Service. In doing so, the Commission believes it is necessary to continue to collaborate with OVR and its TDDP administrator<sup>9</sup> to ensure adequate funding for distribution of TDDP equipment to qualified Pennsylvanians. As stated above, OVR is required to file annual budgets for the TDDP and the PMASP.<sup>10</sup> Further, we shall continue to assist OVR in its mission to ensure adequate funding for the PMASP. We acknowledge that OVR is statutorily obligated to ensure that there is adequate funding for the TDDP and the PMASP in Pennsylvania and we are willing to assist OVR to fulfill this mission.

#### *Calculation of TRS surcharge for 2024-2025 Fiscal Year*

As explained above, the monthly surcharge recalculation is based principally on the anticipated costs of three individual programs, Relay (TTY style, Speech-to-Speech, Spanish Relay, and CTRS), TDDP and the PMASP, and an accounting of access lines in service. The combined residential and business wireline access lines reported by LECs for 2023 and adjusted for Centrex lines are estimated to be 2,954,000. Accordingly, based upon the number of access lines, the anticipated Pennsylvania TRS Advisory Board<sup>11</sup> expenses, the TRS Fund administration costs, the projected TRS program costs from Hamilton (Relay and CTRS), the projected TDDP and PMASP budgets from OVR and the financial status of the TRS Fund, the 2024-2025 TRS surcharge rate for residential and business access lines will remain set at the current rate of \$0.00 per month per access line.

Since the set rate will not change, LECs are not required to file tariff supplements. Additionally, LECs will not have to file any monthly remittance forms with US Bank since the TRS surcharge rate will continue at zero for the period beginning July 1, 2024, through June 30, 2025.

#### *Audits*

In November 2023, the Bureau of Audits initiated an audit of the Telecommunication Device Distribution and

<sup>6</sup> Hamilton Relay, Inc. (Hamilton) holds the TRS Certificate of Public Convenience to provide TRS throughout the Commonwealth of Pennsylvania. The Commission approved Hamilton's Application by order entered December 4, 2014, at Docket No. A-2014-2447601.

<sup>7</sup> Hamilton Telecommunications, an affiliate of Hamilton Relay, provides CTRS services.

<sup>8</sup> CTRS has an open Request for Proposal. The winning vendor should be in place by July 1, 2024.

<sup>9</sup> As of January 1, 2007, the TDDP is administered by Pennsylvania's Initiative on Assistive Technology, Institute on Disabilities, Temple University.

<sup>10</sup> 35 P.S. §§ 6701.3 and 6701.4.

<sup>11</sup> The Pennsylvania TRS Advisory Board was established pursuant to Commission Order entered May 29, 1990. The TRS Advisory Board's By-Laws and quarterly meeting schedule can be found at: [http://www.puc.pa.gov/utility\\_industry/telecommunications/telecommunications\\_relay\\_service/trs\\_advisory\\_board\\_.aspx](http://www.puc.pa.gov/utility_industry/telecommunications/telecommunications_relay_service/trs_advisory_board_.aspx).

Print Media Access System Programs for the twelve-month periods ended June 30, 2020; June 30, 2021; and June 30, 2022, at Docket No. D-2023-3043989. The audit report is expected to be released in 2024.

#### *Service of Order*

In the past, our practice has been to serve the annual TRS surcharge recalculation order on every LEC in the Commonwealth in addition to each Relay service provider, the Office of Vocational Rehabilitation, the Office of Consumer Advocate, the Office of Small Business Advocate, the Pennsylvania Telephone Association, and the Fund Administrator. Consistent with the TRS surcharge recalculation order entered May 23, 2013, at Docket No. M-2013-2341301, we now serve paper copies of the annual TRS surcharge recalculation order only when there is a change in the TRS surcharge rate or other provision in the order requiring that the LECs file a tariff supplement or take other action. As this order does not change the TRS surcharge rate, paper copies of the order will not be served. We will continue to publish the order in the *Pennsylvania Bulletin* and on the Commission's website.

#### *Conclusion*

The Commission has completed the annual recalculation of the TRS surcharge rate. The TRS surcharge rate for residential and business access lines will remain set at \$0.00 per month for the time period beginning July 1, 2024, through June 30, 2025; *Therefore,*

#### *It Is Ordered That:*

1. For the period of July 1, 2024, through June 30, 2025, the TRS surcharge rate for residential and business access lines shall be set at \$0.00 per month, unless the Commission takes further action to revise the TRS surcharge rate prior to June 30, 2025.

2. A copy of this Order be published in the *Pennsylvania Bulletin*.

3. A copy of this Order be posted to the Commission's website.

ROSEMARY CHIAVETTA,  
*Secretary*

ORDER ADOPTED: May 23, 2024

ORDER ENTERED: May 23, 2024

[Pa.B. Doc. No. 24-813. Filed for public inspection June 7, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Second Distributed Energy Resources Management Plan

**P-2024-3049223. PPL Electric Utilities Corporation.** Petition of PPL Electric Utilities Corporation for approval of its second distributed energy resources management plan.

Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 8, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the petition are available

for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* PPL Electric Utilities Corporation

*Through and By Counsel:* Devin T. Ryan, Esquire, Post & Schell, PC, One Oxford Centre, 301 Grant Street, Suite 3010, Pittsburgh, PA 15219

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-814. Filed for public inspection June 7, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before June 24, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by June 24, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the docket number as follows or by searching the applicant's web site.

**Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.***

**A-2024-3046271. IS Luxury Limo, LLC** (406 Sylvan Avenue, Norwood, Delaware County, PA 19074) in limousine service, between points in the Counties of Bucks, Delaware and Montgomery.

**A-2024-3048196. Time Away Transportation Services, LLC** (102 Friendship Drive, Hawley, Wayne County, PA 18428) for the right to begin to transport, as a common carrier, by motor vehicle, persons in call or demand service, between points in the Counties of Lackawanna, Pike and Wayne.

**A-2024-3048973. Rapid Care Transportation, LLC** (12 Hambletonian Drive, Colts Neck, Monmouth County, NJ 07722) to provide nonemergency transportation services by motor vehicle, to persons, from points in the Counties of Cumberland, Dauphin, Lancaster, Lebanon, Perry and York, to points in Pennsylvania, and return, and to clients of SAI Adult Day Care Center in Bucks and

Philadelphia Counties, and return. *Attorney:* Todd S. Stewart, 100 North Tenth Street, Harrisburg, PA 17101.

**A-2024-3049228. A1 Reliable Transportation, LLC** (30 Plains Gap Road, North Brunswick, Middlesex County, NJ 08902) to provide nonemergency transportation services by motor vehicle, to persons, from points in the Counties of Bucks, Montgomery and Philadelphia, to points in Pennsylvania and return. *Attorney:* Todd S. Stewart, 100 North Tenth Street, Harrisburg, PA 17101.

**Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.***

**A-2024-3049023. R & J Transportation, Inc.** (326 Chestnut Street, Pottsville, Schuylkill County, PA 17901) for the discontinuance and cancellation of its right to transport, as a common carrier, persons in paratransit service, from points in the County of Schuylkill, to points in the City of Harrisburg, Dauphin County, and return, limited to vehicles having a seating capacity of 48 passengers or less excluding the driver, as originally Docketed at A-00102322F0004. *Attorney:* Michael J. Gombar, Jr., 875 Berkshire Boulevard # 100, Wyomissing, PA 19610.

**A-2024-3049131. Barry L. Yunkin, Sr., t/a B Yunkin** (744 County Line Road, Gap, Lancaster County, PA 17527) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

**A-2024-3049134. Williamsport, The City of** (1500 West 3rd Street, Williamsport, Lycoming County, PA 17701) for the discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons in scheduled route service, as more thoroughly described in the original ordering paragraphs at A-00095269F3.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-815. Filed for public inspection June 7, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transmission Service

**A-2024-3049272, G-2024-3049271, P-2024-3049273. Transource Pennsylvania, LLC.** Application of Transource Pennsylvania, LLC for all of the necessary authority, approvals and certificates of public convenience: (i) to begin to offer, render, furnish or supply, or both, transmission service in this Commonwealth; (ii) to construct and operate an electric substation facility in York County; and (iii) for any other approvals necessary. Transource Pennsylvania, LLC request for approval of certain affiliated interest agreements. Petition of Transource Pennsylvania, LLC for confirmation of an exemption from local zoning regulation and for the construction of buildings in connection with the construction of a proposed electric substation in Peach Bottom Township, York County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 7, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission’s (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant’s business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission’s web site at [www.puc.pa.gov](http://www.puc.pa.gov) or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission’s Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* David E. Rupert, Transource Pennsylvania, LLC, 1 Riverside Plaza, Columbus, OH 43215-2372

*Through and By Counsel for:* John F. Povilaitis, Esquire, Alan M. Seltzer, Esquire, 409 North Second Street, Suite 500, Harrisburg, PA 17101, (717) 237-4800, fax (717) 233-0852, [john.povilaitis@bipc.com](mailto:john.povilaitis@bipc.com), [alan.seltzer@bipc.com](mailto:alan.seltzer@bipc.com); Hector Garcia Santana, Esquire, American Electric Power Service Corporation, 1 Riverside Plaza, 29th Floor, Columbus, OH 43215, (614) 716-3410, fax (614) 716-1613, [hgarcial@aep.com](mailto:hgarcial@aep.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-816. Filed for public inspection June 7, 2024, 9:00 a.m.]

**PENNSYLVANIA PUBLIC  
UTILITY COMMISSION**

**Wastewater Service**

**A-2024-3049282. Allied Utility Services, Inc.** In the matter of the application of Allied Utility Services, Inc. for approval of the right to offer, render, furnish or supply wastewater collection, treatment and disposal service to the public in the Ridings at Parkland—Phase 2 residential subdivision within the Township of North Whitehall, Lehigh County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before June 24, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission’s (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov), with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission’s web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant’s business address. If a filing contains confidential or propri-

etary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission’s Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* Allied Utility Services, Inc., 60 Kober Road, P.O. Box 1488, Skippack, PA 19474

*The Applicant’s Representative is:* H. James Wilson, Jr., President, Allied Utility Services, Inc., P.O. Box 1488, Skippack, PA 19474, (610) 584-3593, [alliedutilityservicesinc@gmail.com](mailto:alliedutilityservicesinc@gmail.com)

*Through and By Counsel for:* Kenneth Stark, Esquire, John Arose, Esquire, Rebecca Kimmel, Esquire, McNeese Wallace & Nurick, LLC, 100 Pine Street, P.O. Box 1166, Harrisburg, PA 17108, (717) 232-8000, [kstark@mcneeslaw.com](mailto:kstark@mcneeslaw.com), [jarose@mcneeslaw.com](mailto:jarose@mcneeslaw.com), [rkimmel@mcneeslaw.com](mailto:rkimmel@mcneeslaw.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-817. Filed for public inspection June 7, 2024, 9:00 a.m.]

**STATE CHARTER SCHOOL  
APPEAL BOARD**

**Schedule of Meetings**

The State Charter School Appeal Board will meet as follows:

<i>Date</i>	<i>Time</i>	<i>Location*</i>
Tuesday, July 9, 2024	1 p.m.	Virtual (Zoom)
Tuesday, September 10, 2024	1 p.m.	Virtual (Zoom)
Tuesday, October 8, 2024	1 p.m.	Virtual (Zoom)
Tuesday, December 10, 2024	1 p.m.	Virtual (Zoom)
Tuesday, January 14, 2025	1 p.m.	Virtual (Zoom)
Tuesday, February 18, 2025	1 p.m.	Virtual (Zoom)
Tuesday, April 8, 2025	1 p.m.	Virtual (Zoom)
Tuesday, May 13, 2025	1 p.m.	Virtual (Zoom)
Tuesday, June 10, 2025	1 p.m.	Virtual (Zoom)

\*These meetings will be held virtually by means of Zoom unless due and timely legal notice to the contrary is given. Specific Zoom information will be provided for each meeting. Individuals should visit <https://www.education.pa.gov/K-12/Charter%20Schools/Appeals/Pages/CAB-Meeting-Dates.aspx> for logon information and agenda.

Persons with disabilities needing special accommodations to attend the meeting may contact Sara Hockenberry, Counsel to the Board, 607 South Drive, 3rd Floor, Harrisburg, PA 17120, (717) 787-5500, or the Pennsylvania Hamilton Relay Service, (800) 654-5984 at least 24 hours in advance so that arrangements can be made.

SARA M. HOCKENBERRY,  
*Board Counsel*

[Pa.B. Doc. No. 24-818. Filed for public inspection June 7, 2024, 9:00 a.m.]

**END OF ISSUE**

















