

PENNSYLVANIA BULLETIN

Volume 55

Number 17

Saturday, April 26, 2025 • Harrisburg, PA

Pages 2977—3102

Agencies in this issue

The Courts
Delaware River Basin Commission
Department of Banking and Securities
Department of Environmental Protection
Department of Health
Department of Human Services
Department of Labor and Industry
Department of Transportation
Executive Board
Game Commission
Independent Regulatory Review Commission
Municipal Police Officers' Education and
Training Commission
Pennsylvania Public Utility Commission
Philadelphia Parking Authority
Public School Employees' Retirement Board
State Charter School Appeal Board
Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 605, April 2025

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pbulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2025 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

APPELLATE PROCEDURE

- Amendments to Chapter 37 of the Pennsylvania Rules of Appellate Procedure, business of the Commonwealth Court; No. 126 misc. docket No. 3 2984
- Amendments to the internal operating procedures of the Commonwealth Court of Pennsylvania; No. 126 misc. docket No. 3 2984

LOCAL COURT RULES

Cumberland County

- Rules of the court of common pleas; local rules 1996-1335 2990

MINOR COURT CIVIL RULES

- Proposed amendment of Pa.R.Civ.P.M.D.J. 214 2987

RULES OF CIVIL PROCEDURE

- Order amending Rule 1910.16-6 of the Pennsylvania Rules of Civil Procedure; No. 765 civil procedural rules docket 2985

EXECUTIVE AND INDEPENDENT AGENCIES

DELAWARE RIVER BASIN COMMISSION

Notices

- Public hearing and business meeting 2995

DEPARTMENT OF BANKING AND SECURITIES

Notices

- Actions on applications 2996

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

- Applications, actions and special notices 2996
- Bid opportunity 3072
- Laboratory Accreditation Advisory Committee meeting cancellation 3072
- PIOGA, et al. v. DEP, et al. 3072

DEPARTMENT OF HEALTH

Notices

- Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; public meetings ... 3074
- Medical Marijuana Advisory Board's recommendation to add a qualifying serious medical condition for Chapter 20 research purposes only and the Secretary of Health's decision to effectuate the recommendation 3074

DEPARTMENT OF HUMAN SERVICES

Notices

- Availability of Fiscal Year 2025-2026 Social Services Block Grant Intended Use Plan 3076
- Supplemental payments to qualifying hospitals 3076

DEPARTMENT OF LABOR AND INDUSTRY

Notices

- Prevailing Wage Appeals Board public meeting 3077

DEPARTMENT OF TRANSPORTATION

Notices

- Medical Advisory Board meeting 3077
- Pedalcycle and Pedestrian Advisory Committee meeting 3077

EXECUTIVE BOARD

Statements of Policy

- Reorganization of the Department of Transportation 2991

GAME COMMISSION

Notices

- Chronic Wasting Disease—designation of disease management areas and endemic states and Canadian provinces order # 15 3078

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

- Notice of comments issued 3092

MUNICIPAL POLICE OFFICERS' EDUCATION AND TRAINING COMMISSION

Statements of Policy

- Canine training and certification program 2993

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

- Service of notice of motor carrier applications 3095
- Service of notice of motor carrier formal complaints ... 3096
- Wastewater service 3100
- Water service (2 documents) 3100, 3101

PHILADELPHIA PARKING AUTHORITY

Notices

- Service of notice of motor carrier applications in the City of Philadelphia 3101

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Notices

- Hearing scheduled 3101

STATE CHARTER SCHOOL APPEAL BOARD

Notices

- Schedule of meetings 3102

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2025.

4 Pa. Code (Administration)

Adopted Rules

7	2419
71	257
601a	2035
602a	2035
603a	2035
604a	2035
605a	2035
606a	2035
607a	2035
608	2035
609	2035
610	2035
611	2035
612	2035
613	2035
614	2035
615	2035

Statements of Policy

9	4, 484, 1075, 2098, 2991
---	--------------------------

22 Pa. Code (Education)

Adopted Rules

4	1234, 2255
---	------------

25 Pa. Code (Environmental Protection)

Proposed Rules

91	2589
93	914
129	725
977	481

34 Pa. Code (Labor and Industry)

Adopted Rules

123	719
-----	-----

Statements of Policy

47	2275
----	------

37 Pa. Code (Law)

Adopted Rules

481	2254
-----	------

Statements of Policy

281	2993
-----	------

43 Pa. Code (Military Affairs)

Proposed Rules

5	1421
5A	1421

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

7	451
20	454
25	457

Proposed Rules

21	728
----	-----

52 Pa. Code (Public Utilities)

Statements of Policy

56	268
69	1447

55 Pa. Code (Human Services)

Adopted Rules

5230	463
------	-----

58 Pa. Code (Recreation)

Adopted Rules

63	2069
69	2070
603a	261
617b	2071
627b	2071
629b	2071
631b	2071
633a	261
633b	2071
637b	2071
687a	261
691	2071
692	2071
812a	261
819a	261

Proposed Rules

135	2257
139	2257
141	2267
143	2269, 2271
147	2272

Statements of Policy

57	1926
----	------

67 Pa. Code (Transportation)

Proposed Rules

441	25
-----	----

210 Pa. Code (Appellate Procedure)

Adopted Rules

1	659
37	2984
63	660
65	2731
69	2984

Proposed Rules

5	2730
19	1923

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules

200	438
1910	2985
1915	238, 660
4000	661
Part II	7

Proposed Rules

1930	2732
------	------

234 Pa. Code (Rules of Criminal Procedure)

Adopted Rules

4	702
10	702

Proposed Rules

4	663
5	2733
7	663
10	663

237 Pa. Code (Juvenile Rules)

Adopted Rules

11	244
12	244
13	244
14	244

Proposed Rules

1	2245
---------	------

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules

1200	708, 1791
------------	-----------

Proposed Rules

200	2987
500	441

249 Pa. Code (Philadelphia Rules)

Unclassified	2095, 2250
--------------------	------------

252 Pa. Code (Allegheny County Rules)

Unclassified	20, 2251
--------------------	----------

255 Pa. Code (Local Court Rules)

Unclassified	21, 22, 23, 253, 256, 443, 444, 446, 447, 450, 714, 717, 904, 909, 1221, 1229, 1231, 1233, 1420, 1671, 1791, 1792, 1925, 2095, 2096, 2097, 2251, 2422, 2423, 2586, 2851, 2990
--------------------	---

THE COURTS

Title 210—APPELLATE PROCEDURE

PART I. RULES OF APPELLATE PROCEDURE

[210 PA. CODE CH. 37]

Amendments to Chapter 37 of the Pennsylvania Rules of Appellate Procedure, Business of the Commonwealth Court; No. 126 Misc. Docket No. 3

Order

Now, this 9th day of April, 2025, it is Ordered pursuant to Pa.R.A.P. 104(a) that Chapter 37 of the Rules of Appellate Procedure, Business of the Commonwealth Court, is amended in the following form. These amendments shall be effective immediately upon publication in the *Pennsylvania Bulletin*.

By the Court

RENÉE COHN JUBELIRER,
President Judge

Annex A

TITLE 210. APPELLATE PROCEDURE

PART I. RULES OF APPELLATE PROCEDURE

ARTICLE III. MISCELLANEOUS PROVISIONS

CHAPTER 37. BUSINESS OF THE COMMONWEALTH COURT

THE COMMONWEALTH COURT

Rule 3707. Preargument Matters; Applications and Motions.

Prior to filing an application or a motion with the Court, a party shall confer with all counsel of record and any unrepresented parties to determine their position. Applications and motions shall include a paragraph indicating whether the other parties concur with the relief sought. If the other party does not respond to an inquiry regarding concurrence within a reasonable time, the party filing the application or motion shall set forth in detail the efforts made to obtain a response and that no response was received. This requirement shall not apply to preliminary objections, motions for **[judgments] judgment** on the pleadings, motions for summary judgment or summary relief, **motions to dismiss or quash**, petitions to open or strike judgments, applications for supersedeas, petitions to proceed in forma pauperis, **motions for admission pro hac vice**, and motions for post-trial relief. This requirement also shall not apply to actions involving incarcerated individuals **or fugitives**.

[Pa.B. Doc. No. 25-553. Filed for public inspection April 25, 2025, 9:00 a.m.]

Title 210—APPELLATE PROCEDURE

PART II. INTERNAL OPERATING PROCEDURES

[210 PA. CODE CH. 69]

Amendments to the Internal Operating Procedures of the Commonwealth Court of Pennsylvania; No. 126 Misc. Docket No. 3

Order

Now, this 9th day of April, 2025, it is Ordered that the Internal Operating Procedures of the Commonwealth Court of Pennsylvania, Sections 103 (new), 112, 211, 258, 321, and 414 are hereby adopted or amended in the following form. These amendments shall be effective immediately upon publication in the *Pennsylvania Bulletin*.

By the Court

RENÉE COHN JUBELIRER,
President Judge

Annex A

TITLE 210. APPELLATE PROCEDURE

PART II. INTERNAL OPERATING PROCEDURES

CHAPTER 69. INTERNAL OPERATING PROCEDURES OF THE COMMONWEALTH COURT OF PENNSYLVANIA

ORGANIZATION AND ASSIGNMENT OF JUDGES

(Editor's Note: The following section is new and is printed in regular type to enhance readability.)

(This is an entirely new section.)

§ 69.103. General Definitions.

Subject to additional definitions contained in other provisions of these Internal Operating Procedures that are applicable to specific provisions, the following words and phrases when used in these Internal Operating Procedures shall have, unless the context clearly indicates otherwise, the meanings given to them in this Section:

Election law matter.—An action, proceeding, or appeal that implicates issues related to any election and designated by the President Judge as an election law matter for purposes of Section 112(b).

§ 69.112. Courts En Banc and Panels; Composition.

* * * * *

(b) The President Judge may designate **a matter in either the Court's appellate or original jurisdiction as an election law matter, and may assign** Judges to serve on a special court en banc or panel to hear **[election law] such matters[, appellate or original jurisdiction,]** on an expedited basis.

APPELLATE JURISDICTION

§ 69.211. Petition for Review; Clarification.

(a) When the Prothonotary receives a written communication that evidences an intention to appeal an adjudication of a state administrative agency but does not conform to the rules for an appellate petition for review, the Prothonotary shall time-stamp the written communication with the date of **actual** receipt. The Prothonotary shall advise the party by letter (1) of the procedures necessary to perfect the appeal and (2) that the date of receipt of the communication or the date of earlier deposit in the United States mail as prescribed in paragraph (b) will be preserved as the date of filing of the appeal if that party files a fully conforming petition for review within 30 days of the date of the Prothonotary's letter. If the party fails to file a fully conforming petition for review within that period, the Prothonotary shall advise the party by letter that the Court will take no further action in the matter.

(b) If the communication is sent by first class, express, or priority United States Postal Service mail, the communication shall be deemed received by the Prothonotary for the purposes of Pa.R.A.P. 121(a) on the date deposited in the United States mail, as shown on a United States Postal Service Form 3817 Certificate of Mailing, Form 3800 Receipt for Certified Mail, Form 3806 Receipt for Registered Mail, or other similar United States Postal Service form from which the date of deposit can be verified. The certificate of mailing or other similar Postal Service form from which the date of deposit can be verified shall be cancelled by the Postal Service and shall show the docket number of the matter in the government unit, and shall be either enclosed with the communication or separately mailed to the Prothonotary.

§ 69.258. Decisions; Election Law [Appeals] Matters.

The procedures of §§ 69.252—69.257 shall not apply to election law [**appeals**] **matters** heard by a special Court en banc or panel. The members of a special Court en banc or panel, under the supervision of the President Judge or presiding Judge, shall reach and file their decision, together with concurrences and dissents, if any, as soon as possible, without circulation to, or participation by, the Judges not sitting on the respective special Court en banc or panel.

ORIGINAL JURISDICTION

§ 69.321. Proceedings; Election [Cases] Law Matters.

[**Proceedings under the Pennsylvania Election Code**] **Election law matters** within the Court's original jurisdiction (petitions for review in the nature of mandamus and objections to nomination petitions and papers) shall be under the direct supervision of the President Judge, the Prothonotary and the Chief Legal Counsel. The President Judge, to dispose of such cases, shall establish a special election Court schedule, assign Judges to hear cases or, when necessary, convene a special Court en banc or panel [**to hear the same promptly**] **in accordance with Section 112(b).**

DECISIONS

§ 69.414. Citing Judicial Opinions in Filings.

* * * *

(d) A reported opinion of a single Judge filed after October 1, 2013, in an election law matter may be cited

as binding precedent in an election law matter only. [**For purposes of § 414, "an election law matter" is one that implicates matters related to the pending or future elections.**]

[Pa.B. Doc. No. 25-554. Filed for public inspection April 25, 2025, 9:00 a.m.]

Title 231—RULES OF
CIVIL PROCEDURE

PART I. GENERAL

[231 PA. CODE CH. 1910]

Order Amending Rule 1910.16-6 of the Pennsylvania Rules of Civil Procedure; No. 765 Civil Procedural Rules Docket

Order

Per Curiam

And Now, this 15th day of April, 2025, upon the recommendation of the Domestic Relations Procedural Rules Committee, the proposal having been published for public comment at 52 Pa.B. 7807 (December 17, 2022):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Rule 1910.16-6 of the Pennsylvania Rules of Civil Procedure are amended in the attached form.

This Order shall be processed in accordance with Pa.R.J.A. 103(b), and shall be effective July 1, 2025.

Additions to the rule are shown in bold and are underlined.

Deletions from the rule are shown in bold and brackets.

Annex A

TITLE 231. RULES OF CIVIL PROCEDURE

PART I. GENERAL

CHAPTER 1910. ACTIONS FOR SUPPORT

Rule 1910.16-6. Support Guidelines. Basic Support Obligation Adjustments. Additional Expenses Allocation.

* * * *

(c) **Reasonable** *Unreimbursed Medical Expenses*. The trier-of-fact shall allocate the obligee's or child's **reasonable** unreimbursed medical expenses. However, the trier-of-fact shall not allocate **reasonable** unreimbursed medical expenses incurred by a party who is not owed a statutory duty of support by the other party. The trier-of-fact may require that the obligor's expense share be included in the basic support obligation, paid directly to the health care provider, or paid directly to the obligee.

(1) *Medical Expenses*.

(i) For purposes of this subdivision, medical expenses are annual unreimbursed medical expenses in excess of \$250 per person.

(ii) Medical expenses include insurance co-payments and deductibles and all expenses **reasonably** incurred for [**reasonably**] necessary medical services and supplies,

including but not limited to surgical, dental, and optical services, **psychiatric and psychological services**, and orthodontia.

(iii) Medical expenses do not include cosmetic, chiropractic, [**psychiatric, psychological,**] or other services unless specifically directed in the order of court.

(2) The trier-of-fact may impose an annual limitation when the burden on the obligor would otherwise be excessive.

(3) Annual expenses shall be calculated on a calendar year basis.

(i) In the year in which the initial support order is entered, or in any period in which support is being paid that is less than a full year, the \$250 threshold shall be pro-rated.

(ii) The party seeking allocation for an unreimbursed medical expense shall provide to the other party the expense's documentation, such as a receipt or an invoice, promptly upon receipt, but not later than March 31st of the year following the calendar year in which the final bill was received by the party seeking allocation.

(iii) For purposes of subsequent enforcement, unreimbursed medical bills need not be submitted to the domestic relations section prior to March 31st.

(iv) The trier-of-fact shall have the discretion to not allocate an expense if documentation is not timely provided to the other party.

(4) If the trier-of-fact determines that out-of-network **unreimbursed** medical expenses were not obtained due to medical emergency or other compelling factors, the trier-of-fact may **deem those expenses to be unreasonable and** decline to assess the expenses against the other party.

* * * * *

Comment:

Subdivision (a)(1)(i) Example: Mother has primary custody of the parties' two children and Father has partial custody. The parties' respective monthly net incomes are \$2,000 and \$3,500. At the combined monthly net income of \$5,500 for two children, the basic child support obligation is \$1,567. As Father's income represents 64% of the parties' combined monthly net income, Father's basic child support obligation is \$1,003. Mother incurs monthly child care expenses of \$400, and Father incurs \$100 per month. The total child care expenses, \$500, will be apportioned between the parties, with Father paying 64%, or \$320. As Father is paying \$100 for the children's child care during [in] his partial custody, he would pay the remaining \$220 to Mother for a total child support obligation of \$1,223 (\$1,003 + \$220).

* * * * *

[Concerning subdivision (c), if the trier-of-fact determines that the obligee acted reasonably in obtaining services that were not specifically set forth in the order of support, payment for such services may be ordered retroactively.

Concerning subdivision (c)(1), while cosmetic, chiropractic, psychiatric, psychological, or other expenses are not required to be apportioned between the parties, the trier-of-fact may apportion such expenses that it determines to be reasonable and appropriate under the circumstances.]

Subdivision (c) is intended to implement 23 Pa.C.S. § 4326(e).

An unreimbursed medical expense may be unreasonable if it was an avoidable expense incurred solely by the party requesting reimbursement, e.g., expenses for missed office visits, excessive supplies, purchases of name brand medications when generic medications are suitable and available, denial of insurance coverage because of a failure to comply with plan requirements, or non-emergency out-of-network expenses pursuant to subdivision (c)(4).

The determination of medical necessity of a medical service or medical supplies can be made in a support proceeding or a custody proceeding. Even if challenged during a support proceeding (rather than a custody proceeding), the necessity of a medical service or medical supplies, which results in an unreimbursed medical expense for which a party seeks allocation subject to subdivision (c)(1)(ii), should be determined by the trier-of-fact, and subject to review by a judge if the trier-of-fact is not a judge.

If the trier-of-fact determines that a party acted reasonably in obtaining services that were not specifically set forth in the order of support, payment for such services may be ordered retroactively.

Pursuant to subdivision (c)(1)(iii), medical expenses for cosmetic, chiropractic, or other services may be, but are not required to be, allocated between the parties by the trier-of-fact if such expenses are reasonable and necessary.

* * * * *

SUPREME COURT OF PENNSYLVANIA DOMESTIC RELATIONS PROCEDURAL RULES COMMITTEE

ADOPTION REPORT

Amendment of Pa.R.Civ.P. 1910.16-6

On April 15, 2025, the Supreme Court amended Pennsylvania Rule of Civil Procedure 1910.16-6 governing the allocation of psychological and psychiatric services as medical expenses between the parties if those expenses are not reimbursed by a third party. The Domestic Relations Procedural Rules Committee has prepared this Adoption Report describing the rulemaking process. An Adoption Report should not be confused with Comments to the rules. See Pa.R.J.A. 103, cmt. The statements contained herein are those of the Committee, not the Court.

The Committee received several requests for the amendment of Pa.R.Civ.P. 1910.16-6(c) to categorize psychological and psychiatric expenses as medical expenses subject to mandatory allocation. Prior to amendment, the rule, which has existed in some form since the original support guidelines were adopted and became effective September 30, 1989, excluded allocation of those expenses unless ordered by the court.

Since the adoption of Rule 1910.16-6(c), the coverage and provision of mental health services has evolved. In 2010, the Mental Health Parity and Addiction Equality Act of 2008 (MHPAEA) was enacted to require that insurance companies provide equivalent coverage for mental health services as they do for other medical and surgical benefits, if covered. See 29 U.S.C. § 1185a(a)(3)(A)

and 42 U.S.C. § 300gg-26(a)(3)(A). Similarly, the Patient Protection and Affordable Care Act built on the MHPAEA, requiring all new small group and individual market plans to cover ten essential health benefit categories, including mental health and substance use disorder services, and to cover them at parity with medical and surgical benefits. *See* 42 U.S.C. § 18022(b)(1)(E).

Moreover, children covered by the Children's Health Insurance Program (CHIP) receive mental health services. *See* 42 U.S.C. § 1397cc(c)(6). These services include counseling, therapy, medication management, and substance use disorder treatment. *See id.* Children enrolled in Medicaid also receive a wide range of "medically necessary" services, including mental health services. *See* 42 U.S.C. § 1396d(r)(1)(A)(ii).

The requests for amendment to categorize psychological and psychiatric expenses as medical expenses follow the existing statutory inclusion of those expenses as medical expenses. The Domestic Relations Code requires one or both parents to provide "medical support" for children of parties in support matters. *See* 23 Pa.C.S. § 4326(a). "Medical support" is defined as "[h]ealth care coverage, which includes coverage under a health insurance plan. . ." and "health care coverage" includes "coverage for medical, dental. . . psychological, psychiatric or other health care services. . ." *See id.* § 4326(l).

The Committee published a proposed amendment of Pa.R.Civ.P. 1910.16-6(c) for comment. *See* 52 Pa.B. 7807 (December 17, 2022). The proposal would move the references to "psychiatric" and "psychological" expenses from subdivision (c)(1)(iii) to subdivision (c)(1)(ii) so those expenses would be allocated without a specific order of court in a manner similar to other medical expenses.

The Committee also proposed adding the following paragraph to the Comment:

The contested necessity of unreimbursed medical services should be raised as a custody or other matter. The intent of this rule is strictly to apportion costs of these services, not to determine if the services are appropriate for the child or obligee.

Commenters agreed with the proposed amendment of the rule text but disagreed with the above-commentary. The primary contention was the commentary sowed confusion whether medical necessity could be determined in a support proceeding.

The Committee revised the commentary to make explicit that a determination of medical necessity can be made in a support proceeding, as well as in a custody proceeding. The case law suggests that medical necessity, in practice, may fall within the purview of a support proceeding. Further, the Committee could discern little difference with the application of Pa.R.Civ.P. 1910.16-6(d)(1) ("If the trier-of-fact determines that private school or summer camp is reasonable under the parties' circumstances, the trier-of-fact shall apportion the expense to the parties.") and a determination of medical necessity. If the court can decide about attending a private school or summer camp in a support matter, then the court can make a decision about necessity of a medical service or medical supplies in a support matter. The revised commentary also contains a proviso that a determination of medical necessity in a support proceeding should be subject to judicial review if the trier-of-fact is not a judge.

The Committee also added commentary to provide guidance through examples of unreasonable medical expenses. The examples are not intended to be exhaustive.

This amendment becomes effective on July 1, 2025.

[Pa.B. Doc. No. 25-555. Filed for public inspection April 25, 2025, 9:00 a.m.]

Title 246—MINOR COURT CIVIL RULES

PART I. GENERAL

[246 PA. CODE CH. 200]

Proposed Amendment of Pa.R.Civ.P.M.D.J. 214

The Minor Court Rules Committee is considering proposing to the Supreme Court of Pennsylvania the amendment of Pa.R.Civ.P.M.D.J. 214, pertaining to subpoenas, for the reasons set forth in the accompanying Publication Report. Pursuant to Pa.R.J.A. 103(a)(1), the proposal is being published in the *Pennsylvania Bulletin* for comments, suggestions, or objections prior to submission to the Supreme Court.

Any report accompanying this proposal was prepared by the Committee to include the rationale for the proposed rulemaking. It will neither constitute a part of the rules nor be officially adopted by the Supreme Court.

Additions to the text are bolded and underlined; deletions to the text are bolded and bracketed.

The Committee invites all interested persons to submit comments, suggestions, or objections in writing to:

Pamela S. Walker, Counsel
Minor Court Rules Committee
Supreme Court of Pennsylvania
Pennsylvania Judicial Center
PO Box 62635
Harrisburg, PA 17106-2635
FAX: 717-231-9546
minorrules@pacourts.us

All communications in reference to the proposal should be received by June 17, 2025. E-mail is the preferred method for submitting comments, suggestions, or objections; any e-mailed submission need not be reproduced and resubmitted via mail. The Committee will acknowledge receipt of all submissions.

By the Minor Court Rules Committee

HON. ALEXANDRA KOKURA KRAVITZ,
Chair

Annex A

TITLE 246. MINOR COURT CIVIL RULES

PART I. GENERAL

CHAPTER 200. RULES OF CONSTRUCTION; GENERAL PROVISIONS

(*Editor's Note:* Rule 214 as printed in 246 Pa. Code reads "Official Note" rather than "Note.")

Rule 214. Subpoena; Issuance; Service.

[(A) Magisterial district judges may issue subpoenas throughout the Commonwealth. Magisterial district judges shall not issue subpoenas in blank.

(B)] (a) Generally.

(1) Upon the request of a self-represented party [proceeding pro se], the authorized representative of a party, or an attorney of record, the magisterial district judge may issue a subpoena signed and under the seal of the magisterial district judge.

(2) The request shall include the information required in subdivision (b), the address of the person being subpoenaed, and whether the person being subpoenaed is a minor.

(3) A magisterial district judge shall not issue a subpoena in blank.

(b) [The] Contents of Subpoena. If the subpoena is to be issued, the magisterial district judge shall specify in the subpoena:

(1) the name [and address for service] of the person [subpoenaed] being ordered to testify or being ordered to produce documents or things;

(2) the name of the party on whose behalf the person is being ordered to testify or being ordered to produce documents or things;

(3) the date, time, and place [at which] where the person is to appear; and

(4) a description of the documents or things that the person is to produce, if any.

[(1) The party, authorized representative, or attorney of record requesting the subpoena shall provide the magisterial district court with the information required in paragraph (B).

(2)] (c) [If the subpoena is to be issued, the magisterial district court shall fill in the information provided and return it to the requestor for service.] Issuance. Upon issuance, the magisterial district judge shall return the subpoena to the requestor for service.

[(C)] (d) [A subpoena may be served] Service Within Commonwealth. A competent adult may serve the subpoena upon any person within the Commonwealth by [a competent adult]:

(1) [by] handing a copy to the person; or

(2) [by] handing a copy:

[(a)] (A) at the residence of the person to an adult member of the family with whom the person resides; but if no adult member of the family is found, then to an adult in charge of [such] the residence; [or

(b) at the residence of the person] (B) to the clerk or manager of the hotel, inn, apartment house, boarding house, or other place of lodging [at which] where the person resides; or

[(c) at any office or usual place of business of the person to the person's agent or other person for the time being in charge thereof.] (C) to the person's agent or other person for the time being in charge of any office or usual place of business of the person;

(3) mailing a copy to the person by certified or comparable delivery method resulting in a return

receipt in paper or electronic form. The return receipt shall show the signature of the person or those persons designated in subdivision (d)(2). If the signature on the return receipt is that of any persons designated in subdivision (d)(2), it shall be presumed, unless contrary evidence is shown, that the signer was an agent of the person subpoenaed.

(4) first class mail. In addition to the subpoena, the mail shall contain two copies of an acknowledgement of receipt on a form prescribed by the Court Administrator of Pennsylvania and a self-addressed stamped envelope. A subpoena delivered by first class mail is not enforceable unless the person subpoenaed acknowledges having received it.

[(D)] (e) Return of Service. The person making service of a subpoena [must] shall file a return of service on a form promulgated by the Court Administrator of Pennsylvania in the magisterial district court [in which] where the hearing is pending within 48 hours of service, and in no event later than the commencement of the hearing. The return of service shall identify, among other things, the method and location of service. Filing under this [paragraph] subdivision may be accomplished by sending a copy by facsimile transmission.

[(E)] (f) Minors. If [a subpoenaed witness] the person subpoenaed is under the age of 18, the parent or guardian of the [witness] person subpoenaed shall be served with a copy of the subpoena in the same manner as prescribed in [paragraph (C).] subdivision (d).

[Note:] Comment:

When issuing a subpoena, the magisterial district judge has discretion to limit the scope of the subpoena to persons, documents, or things that are relevant to the cause of action before the magisterial district judge.

The request for a subpoena shall include the address of the person being subpoenaed in the event the magisterial district court must contact the person. However, the address is not included on the subpoena. Service may occur at a location other than the address of the person being subpoenaed. The location of service is reported on the return of service.

A subpoenaed person who resides outside the Commonwealth may be served while present in the Commonwealth pursuant to subdivision (d)(1) or (d)(2)(c).

The service of subpoenas outside the Commonwealth is beyond the scope of this rule. A party seeking the issuance of a subpoena for service outside the Commonwealth should consult the statutes and procedural rules of the jurisdiction where the subpoena is to be served. See, e.g., Unif. Interstate Depositions and Discovery Act (2007), if adopted in the jurisdiction where the subpoena will be served, and compare with 42 Pa.C.S. §§ 5331 et seq., pertaining to procedures for service of a subpoena issued by another jurisdiction upon a resident of the Commonwealth.

[Paragraph (D)] Subdivision (e) provides for filing the return of service by facsimile transmission. It is

[the intent of these rules] intended that filing documents by facsimile transmission is permitted only [when] as expressly provided for in the rules. [Paragraph (D) also provides for use of a form promulgated by the Court Administrator of Pennsylvania.]

[Paragraph (E) provides that parties choosing to subpoena witnesses under the age of 18 must alert the magisterial district court of the witness' age and are responsible for any additional service costs] Regarding subdivision (f), the person requesting the subpoena is responsible for any additional service costs resulting from service of a copy the subpoena on the parent or guardian of a subpoenaed person under the age of 18.

[See Rule 202] See Pa.R.Civ.P.M.D.J. 202 for definitions of "subpoena" and "attorney of record." [Compare Pa.R.C.P. Nos. 234.2 and 402(a) and Pa.R.Crim.P. 107] Compare Pa.R.Civ.P. 234.2 and Pa.R.Crim.P. 107 (pertaining to the use of subpoenas in the court of common pleas and in criminal matters). [See also Rule 207] See also Pa.R.Civ.P.M.D.J. 207 regarding representation by an authorized representative.

[For the scope of the contempt powers of magisterial district judges, see 42 Pa.C.S. § 4137.] See 42 Pa.C.S. § 4137 for the contempt powers of a magisterial district judge. [See also] See also Pa.R.Crim.P. 140—142.

SUPREME COURT OF PENNSYLVANIA

Minor Court Rules Committee

PUBLICATION REPORT

Proposed Amendment of Pa.R.Civ.P.M.D.J. 214

The Minor Court Rules Committee ("Committee") is considering proposing to the Supreme Court of Pennsylvania the amendment of Pa.R.Civ.P.M.D.J. 214, pertaining to the issuance and service of subpoenas in magisterial district court proceedings.

The Committee received an inquiry from an individual concerning the denial of a request for the issuance of a subpoena. The Committee was advised that the request was denied because the individual intended to serve the subpoena on a corporation at its location in another state. This inquiry caused the Committee to examine Pa.R.Civ.P.M.D.J. 214 to determine if revisions were warranted.

The Committee observes that Pennsylvania residents, particularly those living near the Commonwealth's borders with neighboring states, regularly do business with or have contact with out-of-state persons and businesses. A Pennsylvanian may bring a civil action in a magisterial district court that requires the testimony of or documents in the possession of a person residing outside the state.

Currently, the rule provides that "[m]agisterial district judges may issue subpoenas throughout the Commonwealth." See Pa.R.Civ.P.M.D.J. 214(A). However, upon further review, the Committee believes that the provision oversimplifies the subpoena process and focuses on the issuance of the subpoena rather than its service. For example, an out-of-state corporation will have a registered agent in the Commonwealth to accept service of

process. See 15 Pa.C.S. § 411(f) ("every registered foreign association shall have, and continuously maintain, in this Commonwealth a registered office"). Similarly, a nonresident can be served while present in the Commonwealth by being handed a copy of the subpoena. See Pa.R.Civ.P.M.D.J. 214(C)(1) ("any person within the Commonwealth"). The Committee explored ways to clarify that the rule permits service of a subpoena on an out-of-state person when within the Commonwealth.

First, the Committee is considering recommending the deletion of subdivision (A), pertaining in part to magisterial district judges' authority to issue subpoenas throughout the Commonwealth. This phrase may confuse readers if they do not understand that it is intended to relate to the issuance of subpoenas for service throughout the Commonwealth and not the residency of the intended recipient. The existing prohibition on magisterial district judges issuing subpoenas in blank would be moved to new subdivision (a).

Second, the Committee observes that while Pa.R.Civ.P.M.D.J. 214 identifies the contents of the subpoena, it is silent as to the contents of the subpoena request. Therefore, the Committee is proposing a new provision in subdivision (a) to require that the subpoena request include the items set forth in subdivision (b), pertaining to contents of the subpoena, as well as the address of the person being subpoenaed. The address of the person subpoenaed will be included in the request but not the issued subpoena. It is hoped that removing the subpoenaed person's address from the subpoena will help avoid conflation between a person's residence and the location for service of the subpoena. Having the address available to the magisterial district court will be useful if it is necessary to contact the subpoenaed person. The subpoena request must also indicate whether the person to be subpoenaed is under the age of 18 so the court can confirm whether service on a parent or guardian was also effectuated, as required by subdivision (f).

Third, subdivision (d) sets forth the methods of serving a subpoena within the Commonwealth. As proposed, service within the Commonwealth can be accomplished by personal service, as well as two new options: certified mail and first-class mail. Adding new options for service by mail is consistent with practice in the courts of common pleas. See Pa.R.Civ.P. 234.2(b)(2)-(b)(3). Proof of mail service will be accomplished by a signed return receipt or a new acknowledgment of receipt.

Fourth, the Committee proposes the revision of subdivision (e) to reflect that the return of service form is promulgated by the Court Administrator of Pennsylvania. The person making service will be required to identify the method and location of service to ensure that it comports with subdivision (d).

Finally, the Committee is considering adding new commentary to Pa.R.Civ.P.M.D.J. 214. It will clarify that service of a subpoena may be made at a location other than the recipient's residence. Additionally, the commentary explains that Rule 214 does not address service of a subpoena outside the Commonwealth because out-of-state service is subject to the statutes and procedural rules of the jurisdiction where the subpoena is to be served. Stylistic changes were made through the rule, including, but not limited to the addition of subdivision titles.

* * * * *

The Committee welcomes all comments, concerns, and suggestions regarding this proposal.

[Pa.B. Doc. No. 25-556. Filed for public inspection April 25, 2025, 9:00 a.m.]

Title 255—LOCAL COURT RULES

CUMBERLAND COUNTY

Rules of the Court of Common Pleas; Local Rules 1996-1335

Order of Court

And Now, this 15th day of April 2025, it is hereby Ordered and Decreed, that effective June 1, 2025, or thirty (30) days after publication in the *Pennsylvania Bulletin*, whichever is later, the Cumberland County Court of Common Pleas adopts the following local rules, 113, 460, and 547.

The Cumberland County District Court Administrator is Ordered and Directed to do the following:

1) File one (1) copy to the Administrative Office of Pennsylvania Courts via email to adminrules@pacourts.us.

2) File one (1) paper copy and one (1) electronic copy in a Microsoft Word format only to bulletin@palrb.us with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

3) Publish these Rules on the Cumberland County Court website at www.cumberlandcountypa.gov.

4) Incorporation of the local rule into the set of local rules on www.cumberlandcountypa.gov within thirty (30) days after the publication of the local rule in the *Pennsylvania Bulletin*.

5) File one (1) copy of the local rule in the appropriate filing office for public inspection and copying.

6) Forward one (1) copy to the *Cumberland Law Journal*.

By the Court

EDWARD E. GUIDO,
President Judge

Rule 113. Criminal Case File and Docket Entries.

The Clerk of Courts shall assign a Common Pleas docket number to all criminal cases within 2 business days of transmission of the electronically scanned transcript and any associated documents by the issuing authority.

Rule 460. Notice of Appeal; Transmittal of Transcript and Associated Documents.

Pursuant to Pa.R.Crim.P. 460, upon the filing of a Notice of Appeal, the Clerk of Courts shall assign a Common Pleas docket number and notify the Magisterial District Court that all transcripts and any associated documents shall be electronically scanned and transmitted to the Clerk of Courts within 5 business days, in digital format in lieu of transmitting the physical paper transcript and associated documents.

Rule 547. Transmittal of Transcript and Associated Documents.

Pursuant to Pa.R.Crim.P. 547, all transcripts and any associated documents shall be electronically scanned and transmitted to the Clerk of Courts within 5 business days, in digital format in lieu of transmitting the physical paper transcript and associated documents. The Clerk of Courts shall assign a Common Pleas docket number to all cases within 2 business days of transmission of the transcript and any associated documents.

[Pa.B. Doc. No. 25-557. Filed for public inspection April 25, 2025, 9:00 a.m.]

STATEMENTS OF POLICY

Title 4—ADMINISTRATION

PART II. EXECUTIVE BOARD

[4 PA. CODE CH. 9]

Reorganization of the Department of Transportation


The Executive Board approved a reorganization of the Department of Transportation effective April 10, 2025.

The organization chart at 55 Pa.B. 2992 (April 26, 2025) is published at the request of the Joint Committee on Documents under 1 Pa. Code § 3.1(a)(9) (relating to contents of *Code*).

(Editor's Note: The Joint Committee on Documents has found organization charts to be general and permanent in nature. This document meets the criteria of 45 Pa.C.S. § 702(7) (relating to contents of Pennsylvania Code) as a document general and permanent in nature which shall be codified in the Pennsylvania Code.)

[Pa.B. Doc. No. 25-558. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION



Title 37—LAW

MUNICIPAL POLICE OFFICERS' EDUCATION AND TRAINING COMMISSION

[37 PA. CODE CH. 281]

Canine Training and Certification Program

Under 53 Pa.C.S. § 2172(b) (relating to canine training standards for police officers), the Municipal Police Officers' Education and Training Commission in collaboration with the Pennsylvania State Police amends the police officer canine training and certification standards, originally adopted December 8, 2022, and previously amended March 23, 2023. This document, set forth in Annex A as 37 Pa. Code Part IV, Subpart E, Chapter 281, Appendix A (relating to canine training and certification standards), is published under 53 Pa.C.S. § 2172(c) and 45 Pa.C.S. § 702(7) (relating to contents of *Pennsylvania Code*) as a document general and permanent in nature which shall be codified in the *Pennsylvania Code*.

STEPHANIE F. LATIMORE,
Director
Legislative Reference Bureau

Annex A

TITLE 37. LAW

PART IV. MUNICIPAL POLICE OFFICERS' EDUCATION AND TRAINING COMMISSION

Subpart E. LEGISLATIVELY ORDERED MATERIAL

CHAPTER 281. LEGISLATIVELY ORDERED MATERIAL RELATING TO CANINE TRAINING AND CERTIFICATION

APPENDIX A. Canine Training and Certification Standards

(*Editor's Note:* Under 53 Pa.C.S. § 2172(b) (relating to canine training standards for police officers), the Municipal Police Officers' Education and Training Commission in collaboration with the Pennsylvania State Police and municipal police department canine units or officers, amends the police officer canine training and certification standards. This document is published under 53 Pa.C.S. § 2172(c) and 45 Pa.C.S. § 702(7) (relating to contents of *Pennsylvania Code*) as a document general and permanent in nature which shall be codified in the *Pennsylvania Code*. Added text is boldface and underscored.)

§ 1. Basic training.

(a) *Requirements.* Prior to conducting police operations, a police canine unit must complete a basic training program that includes instruction in the following:

- (1) Basic working dog skills including temperament, obedience, apprehension and the like.
- (2) Applicable specialty skills including patrol, scent and the like.
- (3) Team training with the assigned handler.

(b) *Evaluation/approval organizations.* Following completion of basic training, the police canine unit must be evaluated and approved by a police canine trainer operating with the approval of one of the following organizations:

- (1) American Mantrailing, Police & Work Dog Association
- (2) American Police Canine Association
- (3) National Narcotic Detector Dog Association
- (4) National Police Canine Association
- (5) National Tactical Police Dog Association
- (6) North American Police Work Dog Association
- (7) Penn Vet Working Dog Center
- (8) Pennsylvania State Police
- (9) United States Customs and Border Protection
- (10) United States Police Canine Association
- (11) United Police and Corrections K-9 Association
- (12) Transportation Security Administration
- (13) American Working Dog Association
- (14) Maine Criminal Justice Academy
- (15) National Association of Professional Canine Handlers

(16) Pittsburgh Police Department

(17) Jordan Detection K9

(18) The Keystone Police K-9, LLC

(19) Eastern Police Canine Association

§ 2. Maintenance training and evaluation.

(a) *Training.* Every police canine unit shall accomplish 16 hours of monthly maintenance training that includes the following:

- (1) Review basic skills.
- (2) Review specialty skills.
- (3) Review use of force decision-making by the handler.
- (b) *Attendance.*

(1) A police canine unit that is unable to complete monthly training shall document the reasons and will be required to make up the missed training at the next available opportunity.

(2) A police canine unit that fails to accomplish monthly training for 2 consecutive months will be required to be evaluated in accordance with subsection (c) before being permitted to conduct police operations.

(c) *Evaluation/approval.* At least once per calendar year, each police canine unit must be evaluated and approved by a police canine trainer as specified in § 1(a) (relating to basic training).

(d) *Evaluation/probation.* A police canine unit that fails an evaluation may continue to conduct police operations for a period not to exceed 60 days, during which the canine unit must be re-evaluated and approved.

(e) *Removal from service.* A police canine unit not meeting evaluation and approval standards within 60 days will be removed from service until the police canine unit is successfully evaluated and approved.

§ 3. Records and documentation.

(a) *Training documentation.* Every police department employing a police canine unit shall maintain documentation of all basic and maintenance training for the duration of the police canine unit's service and for at least 5 years following the end of the police canine unit's service with the department.

(b) *Evaluation form.* Both initial and annual evaluations will be documented on a form promulgated by the Municipal Police Officers' Education and Training Commission.

(c) *Evaluation results.* Evaluations, whether successful or unsuccessful, shall be maintained for the duration of

the police canine unit's service and for at least 5 years following the end of the police canine unit's service with the department.

[Pa.B. Doc. No. 25-559. Filed for public inspection April 25, 2025, 9:00 a.m.]

NOTICES

DELAWARE RIVER BASIN COMMISSION

Public Hearing and Business Meeting

The Delaware River Basin Commission (Commission) will hold a public hearing on Wednesday, May 7, 2025. A business meeting will be held the following month on Wednesday, June 11, 2025. Both the hearing and the business meeting are open to the public. The public hearing will be conducted virtually, and the business meeting will be held in person.

Public hearing. The Commission will conduct the public hearing virtually on May 7, 2025, beginning at 1:30 p.m. Hearing items will include draft dockets for withdrawals, discharges and other projects that could have a substantial effect on the basin's water resources, as well as resolutions to: (a) adopt the Fiscal Year 2026—2028 Water Resources Program; (b) adopt the Commission's annual current expense and capital budgets for the fiscal year ending June 30, 2026; and (c) apportion among the signatory parties the amounts required for the support of the current expense and capital budgets for the fiscal year ending June 30, 2026. A list of the projects scheduled for hearing, including project descriptions, along with links to draft docket approvals, draft resolutions and resolution attachments will be posted on the Commission's website at www.drbc.gov, in a long form of this notice at least 10 days before the hearing date.

Written comments on matters scheduled for hearing on May 7, 2025, will be accepted through 5 p.m. on Monday, May 12, 2025.

The public is advised to check the Commission's website periodically during the 10 days prior to the hearing date, as items scheduled for hearing may be postponed if additional time is needed to complete the Commission's review. Items also may be added up to 10 days prior to the hearing date. In reviewing docket descriptions, the public is asked to be aware that the details of projects may change during the Commission's review, which is ongoing.

Business meeting. The business meeting on June 11, 2025, will be held in person at the Nurture Nature Center, 518 Northampton Street, Easton, PA beginning at 10 a.m. and will include: adoption of the minutes of the Commission's March 12, 2025, business meeting; announcements of upcoming meetings and events; a report on hydrologic conditions; reports by the Executive Director and the Commission's General Counsel; and consideration of any items for which a hearing has been completed or is not required. The agenda is expected to include consideration of the resolutions and the draft dockets for withdrawals, discharges and other projects that are subjects of the public hearing on May 7, 2025.

After all scheduled business has been completed and as time allows, the business meeting will be followed by up to 1 hour of open public comment, an opportunity to address the Commission off the record on any topic concerning management of the Delaware River Basin's water resources outside the context of a duly noticed, on-the-record public hearing.

There will be no opportunity for additional public comment for the record at the June 11, 2025, business meeting on items for which a hearing was completed on

May 7, 2025, or a previous date. Commission consideration on June 11, 2025, of items for which the public hearing is closed may result in approval of the item as proposed, approval with changes, denial or deferral. When the Commissioners defer an action, they may announce an additional period for written comment on the item, with or without an additional hearing date, or they may take additional time to consider the input they have already received without requesting further public input. Deferred items will be considered for action at a public meeting of the Commission on a future date.

Advance registration and sign-up for oral comment. Registration links for those who wish to attend and speak during the (virtual) public hearing and for those who wish to speak during the (in-person) open public comment session immediately following the business meeting will be posted at www.drbc.gov at least 10 days before each meeting date. The Commission's public hearing, business meeting and open public comment session will also be livestreamed on YouTube at https://www.youtube.com/@DRBC_1961. For assistance contact Patricia Hausler at patricia.hausler@drbc.gov.

Addresses for written comment. Written comment on items scheduled for hearing may be made through the Commission's web-based comment system, a link to which is provided at www.drbc.gov. Use of the web-based system ensures that all submissions are captured in a single location and their receipt is acknowledged. Exceptions to the use of this system are available based on need, by writing to the attention of the Commission Secretary, Delaware River Basin Commission, P.O. Box 7360, 25 Cosey Road, West Trenton, NJ 08628-0360. For assistance contact Patricia Hausler at patricia.hausler@drbc.gov.

Accommodation for special needs. Closed captioning will be available on both webinar and live-stream Internet platforms. Those with limited Internet access may listen and speak at virtual public meetings of the Commission using any of several toll-free phone numbers that will be provided to all virtual meeting registrants.

Other individuals in need of an accommodation as provided for in the Americans with Disabilities Act of 1990 who wish to attend the business meeting or virtual hearing should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services at 711, to discuss how the Commission can accommodate their needs.

Additional information and contacts. Additional public records relating to hearing items may be examined at the Commission's offices by appointment by contacting Donna Woolf at (609) 883-9500. For other questions concerning hearing items, contact David Kovach, Project Review Section Manager, at (609) 477-7264.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 25-560. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending April 15, 2025.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by email to ra-bnbksbmssnspt@pa.gov or for credit unions, by email to ra-bncusubmissions@pa.gov and trust companies, by email to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
03-31-2025	PS Bank Wyalusing Bradford County	1743 North Keyser Avenue Scranton Lackawanna County	Opened
04-14-2025	The Victory Bank Limerick Montgomery County	100 Gibraltar Road Horsham Montgomery County	Opened
04-15-2025	Fidelity Deposit and Discount Bank Dunmore Lackawanna County	3106 William Penn Highway Easton Northampton County	Approved

CREDIT UNIONS

No activity.

The Department's website at www.pa.gov/dobs includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 25-561. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have

submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD150326	Chapter 102 Individual NPDES Permit	Transfer	Crescent LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601-6813	New Garden Township Chester County	SERO
0913887	Joint DEP/PFBC Pesticides Permit	Renewal	Garinger Ronald 3606 Wellsford Lane Doylestown, PA 18902-1483	Buckingham Township Bucks County	SERO
0921808	Joint DEP/PFBC Pesticides Permit	Amendment	Victory Square HOA 950 Town Center Drive Langhorne, PA 19047-1866	Bensalem Township Bucks County	SERO
1513872	Joint DEP/PFBC Pesticides Permit	Renewal	Scott Hattersley 2175 Twinbrook Road Berwyn, PA 19312-1943	Thornbury Township Chester County	SERO
1517812	Joint DEP/PFBC Pesticides Permit	Renewal	Layden Sally 841 Forest Lane Malvern, PA 19355	Willistown Township Chester County	SERO
1519806	Joint DEP/PFBC Pesticides Permit	Renewal	Coventry Lake Association 910 Nottingham Road Pottstown, PA 19465	North Coventry Township Chester County	SERO
1520811	Joint DEP/PFBC Pesticides Permit	Renewal	Murdoch Janice 6114 Goshen Road Newtown Square, PA 19073	Willistown Township Chester County	SERO
1525804	Joint DEP/PFBC Pesticides Permit	New	French Creek Golf Course 4500 Conestoga Road Elverson, PA 19520-9057	East Nantmeal Township Chester County	SERO
1525806	Joint DEP/PFBC Pesticides Permit	New	Concert Penns Oaks LLC 150 Penn Oaks Drive West Chester, PA 19382-8443	Thornbury Township Chester County	SERO
2021801	Joint DEP/PFBC Pesticides Permit	Amendment	John Manross 25950 Hayden Lane Edinboro, PA 16412-4750	Cussewago Township Crawford County	NWRO
2525802	Joint DEP/PFBC Pesticides Permit	New	Linda Lewis 11412 E Main Road North East, PA 16428-3630	North East Township Erie County	NWRO
3625802	Joint DEP/PFBC Pesticides Permit	New	Chester Water Authority P.O. Box 467 Chester, PA 19016-0467	Little Britain Township Lancaster County	SCRO

NOTICES

2999

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4516806	Joint DEP/PFBC Pesticides Permit	Amendment	Pocono Plateau Camp & Retreat Center 304 Pocono Plateau Road Cresco, PA 18326-7888	Barrett Township Monroe County	NERO
5113801	Joint DEP/PFBC Pesticides Permit	Amendment	White Jason 603 West Hartwell Lane Philadelphia, PA 19118	Philadelphia City Philadelphia County	SERO
6525801	Joint DEP/PFBC Pesticides Permit	New	Monsour Howard 309 Freeman Road Ligonier, PA 15658-1185	Ligonier Township Westmoreland County	SWRO
6715802	Joint DEP/PFBC Pesticides Permit	Amendment	Jensenius Ted 50 Cemetery Road Manchester, PA 17345-9616	Conewago Township York County	SCRO
0417201	Major Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Shell Chemicals Appalachia LLC 300 Frankfort Road Monaca, PA 15061-2210	Potter Township Beaver County	SWRO
0771402	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Tyrone Borough Blair County 1100 Logan Avenue Tyrone, PA 16686-1624	Snyder Township Blair County	SCRO
3613201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Amendment	Rohrer Dairy Farm LLC 124 Charlestown Road Washington Boro, PA 17582-9669	Manor Township Lancaster County	SCRO
3825203	Manure Storage and Wastewater Impoundments Individual WQM Permit	New	Daryl Martin 216 Chestnut Hill Road Fredericksburg, PA 17026-9334	Bethel Township Lebanon County	SCRO
1405201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Hanover Foods Corp 3008 Penns Valley Pike Centre Hall, PA 16828-8405	Potter Township Centre County	NCRO
NOEXNC183	No Exposure Certification	New	UPS Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	State College Borough Centre County	NCRO
NOEXSC129	No Exposure Certification	Renewal	Pkg Corp of American 1 N Field Court Lake Forest, IL 60045-4810	Muhlenberg Township Berks County	SCRO
PAG034105	PAG-03 NPDES General Permit for Industrial Stormwater	New	Norfolk Southern Railway Co. 650 W Peachtree Street NW Box 27 Atlanta, GA 30308-1925	Spring Garden Township York County	SCRO
PAG044018	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Herzberg Delores A & Herzberg Kurt V 3951 Country Drive Dover, PA 17315-3515	Tell Township Huntingdon County	SCRO
PAG153505	PAG-15 NPDES General Permit for Pesticides	New	Chester Water Authority P.O. Box 467 Chester, PA 19016-0467	Little Britain Township Lancaster County	SCRO
4497	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
463S19	Sewer Extensions Individual WQM Permit	Amendment	Meyersdale Municipal Authority P.O. Box 37 215 Main Street Rm # 2B Meyersdale, PA 15552-0037	Meyersdale Borough Somerset County	SWRO
6525400	Sewer Extensions Individual WQM Permit	New	Franklin Township Municipal Sanitary Authority Westmoreland County 3001 Meadowbrook Road Murrysville, PA 15668-1627	Murrysville Borough Westmoreland County	SWRO
WQG0225401	WQG-02 Sewer Extension WQM General Permit	New	Pocono Township Lancaster County 112 Township Drive Tannersville, PA 18372	Pocono Township Monroe County	NERO
WQG02362504	WQG-02 Sewer Extension WQM General Permit	New	Warwick Township Municipal Authority Lancaster County 315 Clay Road Lititz, PA 17543-9019	Warwick Township Lancaster County	SCRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0112895, Sewage, SIC Code 4952, **Crawford, John W.**, 205B Independent Street, Catawissa, PA 17820-8202. Facility Name: John W. Crawford SRSTP. This existing facility is located in Roaring Creek Township, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Mill Creek (HQ-CWF, MF), is located in State Water Plan watershed 5-E and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0231789, Storm Water, SIC Code 2411, **Baillie Lumber Company**, 212 Colvin Road, Williamsport, PA 17701-1030. Facility Name: Baillie Lumber Co. Williamsport Yard. This existing facility is located in Old Lycoming Township, **Lycoming County**.

Description of Existing Activity: The application is for a new individual NPDES permit for an existing discharge of industrial stormwater. This permit replaces an existing stormwater general permit coverage (PAG-03).

The receiving stream(s), Beautys Run (WWF, MF), is located in State Water Plan watershed 10-A and is classified for Exceptional Value and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls
- Best Management Practices
- Stormwater Monitoring Requirements
- Routine Inspections
- Preparedness, Prevention and Contingency Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0233421, Storm Water, SIC Code 4512, 4513, 4522, 4581, **PA State University**, 139J Physical Plant Bldg, University Park, PA 16802. Facility Name: University Park Airport. This existing facility is located in Benner Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary of Spring Creek (CWF), Unnamed Tributary to Spring Creek (CWF), and Unnamed Tributary of Buffalo Run (HQ-CWF), is located in State Water Plan watershed 9-C and is classified for Cold Water Fishes and High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 and 002—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Potassium, Total	XXX	XXX	XXX	XXX	Report	XXX
Sodium, Total	XXX	XXX	XXX	XXX	Report	XXX
Propylene Glycol	XXX	XXX	XXX	XXX	Report	XXX
PFOA	XXX	XXX	XXX	XXX	Report	XXX
PFOS	XXX	XXX	XXX	XXX	Report	XXX
PFBS	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 and Outfall 008—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	Report Daily Min	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA	XXX	XXX	XXX	XXX	Report	XXX
PFOS	XXX	XXX	XXX	XXX	Report	XXX
PFBS	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Appendix G air transportation BMPs
- Prohibition of use of urea in de-icing operation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0061085, Sewage, SIC Code 4952, **Glenburn Service Co.**, 1301 Winola Road, Clarks Summit, PA 18411-9445. Facility Name: Glenburn Service Co. Wastewater Plant. This existing facility is located in Glenburn Township, **Lackawanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Ackerly Creek (TSF), is located in State Water Plan watershed 4-F and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .032666 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.95	XXX	2.8

The proposed effluent limits for Outfall 001 are based on a design flow of .032666 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of .032666 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .032666 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	6.0	XXX	12
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4

In addition, the permit contains the following major special conditions:

- TRC Minimization
- Solids Management
- New Requirements for TRC

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0064157, Sewage, SIC Code 4952, **New Ringgold Borough**, P.O. Box 188, New Ringgold, PA 17960-0188. Facility Name: New Ringgold Borough WWTP. This existing facility is located in New Ringgold Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Little Schuylkill River (CWF, MF), is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	8.0	13.0	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	10.0	15.0	XXX	30.0	45.0	60.0
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Nov 1 - Apr 30						
May 1 - Oct 31	8.0	XXX	XXX	25.0	XXX	50.0

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0008354, Industrial, SIC Code 4941, **Pennsylvania American Water**, 1799 Jumper Road, Wilkes-Barre, PA 18702-8031. Facility Name: Montrose Water Treatment Plant. This existing facility is located in Bridgewater Township, **Susquehanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving water, Lake Montrose (Snake Creek (CWF, MF)), is located in State Water Plan watershed 4-E and is classified for Cold Water and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	Report	Report	XXX	30.0	60.0	XXX
Aluminum, Total	Report	Report	XXX	4.0	8.0	XXX
Iron, Total	Report	Report	XXX	2.0	4.0	XXX
Manganese, Total	Report	Report	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi- Annual Average</i>	<i>Daily Maximum</i>		<i>Semi- Annual Average</i>	<i>Daily Maximum</i>	
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.024 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi- Annual Average</i>	<i>Daily Maximum</i>		<i>Semi- Annual Average</i>	<i>Daily Maximum</i>	
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.024 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	Report	Report	XXX	30.0	60.0	XXX
Aluminum, Total	Report	Report	XXX	4.0	8.0	XXX
Iron, Total	Report	Report	XXX	2.0	4.0	XXX
Manganese, Total	Report	Report	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.024 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Sedimentation Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PAI132237, MS4, **Forks Township, Northampton County**, 1606 Sullivan Trail, Easton, PA 18040-8332.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Forks Township, **Northampton County**. The receiving streams, Delaware River (WWF, MF), Bushkill Creek (HQ-CWF, MF), and Unnamed Tributary to Delaware River (CWF, MF), are located in State Water Plan watershed 1-F and are classified for High Quality-Cold Water, Migratory Fish, Warm Water Fishes, Migratory Fishes, and Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Northeast Regional Office

PAS122202, Storm Water, SIC Code 2086, 3085, 5149, **Bluetriton Brands Inc.**, 405 Nestle Way, Breinigsville, PA 18031-1500. Facility Name: Blue Triton. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)

- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PAS232208, Stormwater, SIC Code 2297, 3086, **Carpenter Co.**, 5016 Monument Avenue, Richmond, VA 23230-3620. Facility Name: Carpenter Co. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF), is located in State Water Plan watershed 2-C and is classified for High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (Stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (Stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0025607, Sewage, SIC Code 4952, **Barkeyville Sewerage, LLC**, P.O. Box 941, Oil City, PA 16301-0941. Facility Name: Barkeyville Sewerage WWTP. This existing facility is located in Barkeyville Borough, **Venango County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the North Branch Slippery Rock Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	26.0	XXX	XXX	20.8	XXX	41.6
Total Suspended Solids	37.5	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	11.4	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	3.8	XXX	XXX	3.0	XXX	6
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	26.0	XXX	XXX	20.8	XXX	41.6
Total Suspended Solids	37.5	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	11.4	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	3.8	XXX	XXX	3.0	XXX	6
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.009	XXX	0.028
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	26.0	XXX	XXX	20.8	XXX	41.6
Total Suspended Solids	37.5	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	11.4	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	3.8	XXX	XXX	3.0	XXX	6
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

In addition, the permit contains the following major special conditions:

- Solids Management
- Compliance Schedule for NH₃-N
- Compliance Schedule for Dissolved Oxygen (DO)
- Requirements for Total Residual Chlorine (TRC)
- TRC Effluent Limitations Below Quantitation Limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0047201, Sewage, SIC Code 4952, **Tionesta Municipal Authority**, P.O. Box 408, Tionesta, PA 16353-0408. Facility Name: Tionesta Borough WWTP. This existing facility is located in Tionesta Borough, **Forest County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage. This is a Second Draft for this NPDES Permit to add additional monitoring.

The receiving stream, the Allegheny River (WWF), is located in State Water Plan watershed 16-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	52.0	78.0	XXX	25.0	37.5	50
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	Report	XXX
Raw Sewage Influent						

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids	62.0	93.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Total Nitrogen	Report	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	Report
Total Phosphorus	Report	XXX	XXX	Report	XXX	Report
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX
Nickel, Total	Avg Qrtly	Daily Max	XXX	Avg Qrtly	Daily Max	XXX
	Report	Report		Report	Report	
Zinc, Dissolved	Avg Qrtly	Daily Max	XXX	Avg Qrtly	Daily Max	XXX
	Report	Report		Report	Report	
Chloride	Avg Qrtly	Daily Max	XXX	Avg Qrtly	Daily Max	XXX
	Report	Report		Report	Report	
	Avg Qrtly	Daily Max		Avg Qrtly	Daily Max	

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0210471, Sewage, SIC Code 4952, **Bessemer Municipal Authority**, P.O. Box 642, Bessemer, PA 16112-0642. Facility Name: Bessemer Municipal Authority STP. This existing facility is located in North Beaver Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Hickory Run (TSF), is located in State Water Plan watershed 20-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .35 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.33	XXX	1.08
Copper, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .35 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.22	XXX	0.73
Copper, Total	0.065	0.1	XXX	0.022	0.035	0.055
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .35 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min		Daily Max	
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Daily Min			

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	56.9	85.3	XXX	19.5	29.0	39
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	87.5	131.3	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	20.1	XXX	XXX	6.9	XXX	13.8
Nov 1 - Apr 30						
May 1 - Oct 31	6.7	XXX	XXX	2.3	XXX	4.6
Zinc, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	Report	XXX
				Avg Qrtly	Daily Max	
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0218715, Sewage, SIC Code 5812, **Chris Arco**, 2033 SR 66, Ford City, PA 16226-8902. Facility Name: Garda's Restaurant STP. This existing facility is located in Manor Township, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving streams, Crooked Creek (WWF), is located in State Water Plan watershed 17-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0021 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.0021	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	0.5	XXX	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	25.0	XXX	XXX	50.0
Total Suspended Solids	XXX	XXX	30.0	XXX	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	Report	XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0218723, Sewage, SIC Code 4952, **Blacklick Valley Municipal Authority**, P.O. Box 272, Twin Rocks, PA 15960. Facility Name: Blacklick Valley Municipal Authority. This existing facility is located in Buffington Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Blacklick Creek (TSF), is located in State Water Plan watershed 18-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/L)</i>			<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Average Monthly</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	41.7	62.6	25.0	37.5	XXX	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Wkly Avg Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	50.1	75.1	30.0	45.0	XXX	60
Total Suspended Solids	Report	Report Daily Max	XXX	Wkly Avg Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean		
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report Inst Min	XXX	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Manganese, Total	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0222607, Sewage, SIC Code 8811, **Ronald Martonik**, 2045 Rasselas Road, Wilcox, PA 15870-3519. Facility Name: Ronald Martonik SRSTP. This existing facility is located in Jones Township, **Elk County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), East Branch Clarion River (HQ-CWF), is located in State Water Plan watershed 17-A and is classified for High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0264288, Sewage, SIC Code 4952, 8800, **Jimmy W Sudul Jr**, 4618 Hatch Run Road, Warren, PA 16365-8154. Facility Name: Jimmy W Sudul Jr SRSTP. This existing facility is located in Glade Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Hatch Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0272001, Sewage, SIC Code 8800, **Jerry Park**, 10518 Scandia Road, Russell, PA 16345. Facility Name: Jerry Park SRSTP. This existing facility is located in Elk Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Fishburn Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0287849, Sewage, SIC Code 8800, **Thomas Rabbitt**, 299 Rabbitt Road, Chicora, PA 16025. Facility Name: Thomas Rabbitt SRSTP. This existing facility is located in Donegal Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Buffalo Creek (HQ-CWF), is located in State Water Plan watershed 18-F and is classified for High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0288012, Sewage, SIC Code 8800, **Jason Wolf**, 183 Schnur Road, Butler, PA 16002-9215. Facility Name: Jason Wolf SRSTP. This existing facility is located in Summit Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Rough Run (HQ-TSF), is located in State Water Plan watershed 18-F and is classified for High Quality Waters-Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0288128, Sewage, SIC Code 8800, **Thomas H Perry**, 307 Harmony Road, Slippery Rock, PA 16057-2413. Facility Name: Thomas Perry SRSTP. This existing facility is located in Slippery Rock Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Slippery Rock Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0101052, Industrial, SIC Code 4941, **Union City Borough Municipal Authority, Erie County**, 22 North Main Street, Union City, PA 16438-1329. Facility Name: Union City Borough WTP. This existing facility is located in Union Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Bentley Run (CWF), is located in State Water Plan watershed 16-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .025 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.13	XXX	0.2
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Aluminum, Total	0.51	XXX	XXX	3.4	XXX	6.8
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
				Daily Max		
Iron, Total	XXX	XXX	XXX	2.0	XXX	4
Manganese, Total	XXX	XXX	XXX	1.0	XXX	2

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0252662, Industrial, SIC Code 4941, **Central Indiana County Water Authority**, 30 E Wiley Street, Homer City, PA 15748-1543. Facility Name: Central Indiana County Water Authority. This existing facility is located in Center Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Yellow Creek (TSF), is located in State Water Plan watershed 18-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0754 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

In addition, the permit contains the following major special conditions:

- Approval contingencies
- Management of collected screenings, slurries, sludges and other solids

- Water quality management permit superseded by NPDES condition
- Conditions to address new stringent guidelines or standards during permit cycle
- Chlorine minimization
- Chemical additives requirement
- Sedimentation tank cleaning requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0218723, Sewage, SIC Code 4952, **Blacklick Valley Municipal Authority**, P.O. Box 272, Twin Rocks, PA 15960. Facility Name: Blacklick Valley Municipal Authority. This existing facility is located in Buffington Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Blacklick Creek (TSF), is located in State Water Plan watershed 18-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/L)</i>			<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Average Monthly</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	41.7	62.6	25.0	37.5 Wkly Avg	XXX	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	50.1	75.1	30.0	45.0 Wkly Avg	XXX	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30						
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report Inst Min	XXX	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0265560, Industrial, SIC Code 4941, **Aqua Pennsylvania Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010-3489. Facility Name: Aqua PA Mount Jewett WTP. This existing facility is located in Hamlin Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving streams, Kane Creek (CWF), is located in State Water Plan watershed 16-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0064 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.3	XXX	0.6
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Aluminum, Total	XXX	XXX	XXX	2.0	XXX	4.0
Cadmium, Total	XXX	XXX	XXX	0.0017	0.0026	0.0042
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	2.0	XXX	4.0
Manganese, Total	XXX	XXX	XXX	1.0	XXX	2.0
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX
Silver, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0263591, Concentrated Animal Feeding Operation (CAFO), **Apple Shamrock Dairy Farms LLC (Apple Shamrock Dairy)**, 32821 Guys Mills Road, Townville, PA 16360-3009.

Apple Shamrock Dairy Farms LLC has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Apple Shamrock Dairy, located in Steuben Township, **Crawford County**.

The CAFO is situated near Unnamed Tributary of Muddy Creek (HQ-CWF), Marsh Run (CWF), and Unnamed Tributary to Muddy Creek (HQ-CWF) in Watershed 16-A and 16-E, which is classified for High Quality-Cold Water Fishes, Cold Water Fishes, and High Quality-Cold Water Fishes respectively. The CAFO is designed to maintain an animal population of approximately 3,539.00 animal equivalent units (AEUs) consisting of 1,600 Holstein Lactating Cows, 400 Holstein Dry Cow, 450 Holstein Heifer: 1-2 yr., and 450 Holstein Calf: 0-1 yr. Manure is stored in three HDPE-Lined Lagoons, two Earthen Lagoons, and a satellite concrete circular storage. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southcentral Regional Office

PA0248312, Concentrated Animal Feeding Operation (CAFO), **Willow Behrer Farm LLC (Willow Behrer Farm)**, 3288 Behrer Lane, Spruce Creek, PA 16683-1500.

Willow Behrer Farm LLC has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Willow Behrer Farm, located in Franklin Township, **Huntingdon County**.

The CAFO is situated near Unnamed Tributary to Spruce Creek (HQ-CWF, MF) and Spruce Creek (HQ-CWF, MF) in Watershed 11-A, which is classified for High Quality-Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 1,856.9 animal equivalent units (AEUs) consisting of 1,048 dairy cows, 260 heifers, 180 calves, and 1 bull. Manure is stored in underbarn storages, a settling basin, and an earthen lagoon. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southeast Regional Office

PA0029530, Sewage, SIC Code 8211, **Palisades School District**, 39 Thomas Free Drive, Kintnersville, PA 18930. Facility Name: Palisades High School STP. This existing facility is located in Nockamixon Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Gallows Run (CWF, MF), is located in State Water Plan watershed 2-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0215 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Sep 1 - Jun 30			Inst Min			
Jul 1 - Aug 31	XXX	XXX	5.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Sep 1 - Jun 30						
Jul 1 - Aug 31	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	4.5	XXX	XXX	25.0	XXX	50
Total Suspended Solids	5.4	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	1,000.0
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200.0	XXX	1,000.0
				Geo Mean		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	3.6	XXX	XXX	20.0	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	2.3	XXX	XXX	13.0	XXX	26
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0215 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Sep 1 - Jun 30						
Jul 1 - Aug 31	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	3.58	XXX	XXX	20.0	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	1.79	XXX	XXX	10.0	XXX	20
Total Suspended Solids	1.79	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	50	XXX	1,000
				Geo Mean		
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Sep 1 - Jun 30						
Jul 1 - Aug 31	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	Report	XXX	XXX	10.0	XXX	20
Ammonia-Nitrogen	0.81	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30						
May 1 - Oct 31	0.27	XXX	XXX	1.5	XXX	3
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of .0215 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .0215 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Sep 1 - Jun 30			Inst Min			
Jul 1 - Aug 31	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosage
- Notification of designation of responsible operator
- DRBC may have other requirements
- Discharge into Delaware River SPW
- Hauled in waste restriction
- Solids management for non-lagoon system

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PAI130509, MS4, **Easttown Township, Chester County**, 566 Beaumont Road, Devon, PA 19333-1722.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Easttown Township, **Chester County**. The receiving stream(s), Darby Creek (CWF, MF), Unnamed Tributary of Crum Creek (HQ-CWF, MF), Julip Run (CWF, MF), Unnamed Tributary to Crum Creek (HQ-CWF, MF), and Unnamed Tributary to Darby Creek (CWF, MF), is located in State Water Plan watershed 3-G and is classified for High Quality-Cold Water, Migratory Fish, Cold Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Southwest Regional Office

PA0027111, Sewage, SIC Code 4952, **Municipal Sanitary Authority of the City of New Kensington**, 120 Logans Ferry Road, New Kensington, PA 15068-2004. Facility Name: New Kensington STP. This existing facility is located in New Kensington City, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Pucketa Creek (TSF), is located in State Water Plan watershed 18-A and is classified for Trout Stocking and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 6 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Weekly Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.0	XXX	3.3
				Avg Mo		
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,250	1,875	25.0	37.5	XXX	50.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Weekly Average</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1,500	2,250	30.0	45.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean		
Ammonia-Nitrogen	1,250	XXX	XXX	XXX	XXX	Report
				25.0	XXX	50.0
Aluminum, Total	XXX	XXX	XXX	Avg Mo		
				Report	Report	XXX
Total Nitrogen	XXX	XXX	XXX	Avg Mo	Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 6 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Weekly Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
				Avg Mo		
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,250	1,875	25.0	37.5	XXX	50.0
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1,500	2,250	30.0	45.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean		
Ammonia-Nitrogen	1,250	XXX	XXX	XXX	XXX	Report
				25.0	XXX	50.0
Aluminum, Total	XXX	XXX	XXX	Avg Mo		
				Report	Report	XXX
Total Nitrogen	XXX	XXX	XXX	Avg Mo	Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The following Combined Sewer Overflow outfalls are identified in the permit, all discharging to the Allegheny River: CSO Outfalls 004—009.

In addition, the permit contains the following major special conditions: requirements for Combined Sewer Overflows including conditions for implementation of Nine Minimum Controls, implementation of a Long-Term Control Plan (LTCP) that will achieve at least 85% capture of system-wide combined sewage during typical year conditions, and a schedule for implementation of the LTCP; requirements for Pretreatment Program implementation; requirements for solids management; requirements for chlorine optimization; requirements for storm water discharges; and requirements for Whole Effluent Toxicity testing.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0095150, Sewage, SIC Code 4952, **Bunola Estates LLC**, 1598 Oakleaf Lane, Pittsburgh, PA 15237-1512. Facility Name: Bunola Estates MHP. This existing facility is located in Forward Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .028 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max	XXX
					Report	
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .028 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.028	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	Report
				Report		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0095176, Industrial, SIC Codes 3511 and 3563, **Elliott Company, Inc.**, 901 N 4th Street, Jeannette, PA 15644-1474. Facility Name: Jeannette Facility. This existing facility is located in Jeannette City, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for existing discharges of treated industrial waste, non-contact cooling water, groundwater, and storm water.

The receiving stream, Unnamed Tributary to Brush Creek (TSF), is located in State Water Plan watershed 19-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharges are not expected to affect public water supplies.

The proposed effluent limits for Outfalls 002, 008, 012, 020, 040, and 042 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>		<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.033 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>		<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX
Total Suspended Solids	XXX	XXX	XXX	11.3	18.8	28.3
Oil and Grease	XXX	XXX	XXX	5.1	5.3	XXX
Arsenic, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Chloroform (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Vinyl Chloride (µg/L)	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.033 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>		<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)						
Jan 1 - 31	XXX	XXX	XXX	XXX	46.0	XXX
Feb 1 - 28	XXX	XXX	XXX	XXX	45.5	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	61.4	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	69.5	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	75.5	XXX
May 1 - 15	XXX	XXX	XXX	XXX	76.8	XXX
May 16 - 31	XXX	XXX	XXX	XXX	80.8	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	74.7	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	74.8	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	74.5	XXX
Aug 1 - 15	XXX	XXX	XXX	XXX	83.5	XXX
Aug 16 - 31	XXX	XXX	XXX	XXX	94.5	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	89.5	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	83.5	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	77.6	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	70.9	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	63.5	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	54.5	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	46.5	XXX
Total Suspended Solids	XXX	XXX	XXX	11.3	18.8	28.3
Oil and Grease	XXX	XXX	XXX	5.1	5.3	XXX
Arsenic, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total (µg/L)	XXX	XXX	XXX	2,229.0	3,563.0	5,572
Selenium, Total (µg/L)	XXX	XXX	XXX	7.41	11.6	18.5
Thallium, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Chloroform (µg/L)	XXX	XXX	XXX	8.47	13.9	21.2
Vinyl Chloride (µg/L)	XXX	XXX	XXX	0.14	0.21	0.34
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 015 are based on a design flow of 0.066 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX
Total Suspended Solids	XXX	XXX	XXX	5.28	5.60	13.2
Oil and Grease	XXX	XXX	XXX	5.1	5.3	XXX
Antimony, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Lead, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Chlorodibromomethane (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Dichlorobromomethane (µg/L)	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 015 are based on a design flow of 0.066 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)						
Jan 1 - 31	XXX	XXX	XXX	XXX	42.8	XXX
Feb 1 - 28	XXX	XXX	XXX	XXX	42.6	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	53.2	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	60.2	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	66.2	XXX
May 1 - 15	XXX	XXX	XXX	XXX	70.0	XXX
May 16 - 31	XXX	XXX	XXX	XXX	74.0	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	72.2	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	73.3	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	74.2	XXX
Aug 1 - 15	XXX	XXX	XXX	XXX	81.6	XXX
Aug 16 - 31	XXX	XXX	XXX	XXX	90.5	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	86.6	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	80.6	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	74.6	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	68.3	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	60.6	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	52.1	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	44.1	XXX
Total Suspended Solids	XXX	XXX	XXX	5.28	5.60	13.2
Oil and Grease	XXX	XXX	XXX	5.1	5.3	XXX
Antimony, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total (µg/L)	XXX	XXX	XXX	2,229.0	3,563.0	5,572
Lead, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Chlorodibromomethane (µg/L)	XXX	XXX	XXX	3.04	4.74	7.59
Dichlorobromomethane (µg/L)	XXX	XXX	XXX	3.6	5.62	9.01
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 015 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

Outfalls 001, 004, 007, 009, 011, 013, 014, 019, 021, 022, 030, 031, 033, 040, 041, and 043 discharge storm water. Storm water discharges from Outfalls 001 and 004 are represented by Outfall 002; storm water discharges from Outfalls 007, 009, 011, 013, 014, and 043 are represented by Outfall 012; storm water discharges from Outfalls 030 and 031 are represented by Outfall 008; storm water discharges from Outfalls 019, 021, 022, and 033 are represented by Outfall 020; storm water discharges from Outfall 039 are represented by Outfall 040; and storm water discharges from Outfall 041 are represented by Outfall 042.

In addition, the permit contains the following major special conditions: requirements for storm water discharges, schedules of compliance for new water quality-based effluent limits for toxics and temperature at Outfalls 003 and 015; optional requirements for implementing Section 316(a) of the Clean Water Act regarding variances for alternative temperature limits; and requirements for chemical additives.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0217468, Industrial, SIC Code 4941, **Beaver Falls Municipal Authority**, 1425 Eighth Avenue, Beaver Falls, PA 15010-0400. Facility Name: Eastvale Water Treatment Plant. This existing facility is located in Eastvale Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Beaver River (WWF), is located in State Water Plan watershed 20-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.64 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Minimum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0218219, Storm Water, SIC Code 3731, **Campbell Transportation Company, Inc.**, 4600 J Barry Court, Canonsburg, PA 15317. Facility Name: Georgetown Shipyard. This existing facility is located in Georgetown Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial stormwater.

The receiving stream, Ohio River (WWF), is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 and Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0219029, Storm Water, SIC Code 3273, **Marcon Building Supply, Inc.**, 4888 National Pike, Markleysburg, PA 15459-1028. Facility Name: Markleysburg Facility. This existing facility is located in Henry Clay Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream, Tributary 38509 of Beaver Creek (HQ-CWF), is located in State Water Plan watershed 19-E and is classified for High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Cambria District Office

Applicant: **PADEP—Bureau of Abandoned Mine Reclamation**

Applicant Address: 400 Market Street, Harrisburg, PA 17101

Application Number: **PAD690004**

Application Type: New

Municipality/County: Rostraver Township, **Westmoreland County**

Project Site Name: Banning/West Newton Coal Logistics Refuse Pile Reclamation Project

Total Earth Disturbance Area (acres): 137.14 acres

Surface Waters Receiving Stormwater Discharges: UNTs Youghiogheny River (WWF, MF) Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Project involves the treatment and regrading of a coal refuse pile. The intent of the Project is to eliminate public health and safety hazards associated with the abandoned coal refuse pile, including the unstable embankments of the pile and the three ponds constructed on it.

Special Conditions: None

You may review the permit application file by contacting DEP's File Review Coordinator at 814-472-1800.

Cambria District Office

Applicant: **PADEP—Bureau of Abandoned Mine Reclamation**

Applicant Address: 400 Market Street, Harrisburg, PA 17101

Application Number: **PAD690005**

Application Type: New

Municipality/County: Sandy Township, **Clearfield County**

Project Site Name: OSM 17(4940)101.1 Sandy Lick Creek

Total Earth Disturbance Area (acres): 28.8 acres

Surface Waters Receiving Stormwater Discharges: UNTs Narrows Creek (CWF, MF), Narrows Creek (CWF, MF), Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project will reclaim two (2) Abandoned Mine Land Features (AMLFs) by backfilling a nearly 50 feet high by 1,900 feet long dangerous highwall (DH) utilizing spoil from an adjacent spoil area (SA).

Special Conditions: None

You may review the permit application file by contacting DEP's File Review Coordinator at 814-472-1800.

Northcentral Regional Office

Applicant: **Glenn O. Hawbaker, Inc.**

Applicant Address: 1952 Waddle Road, State College, PA 16803

Application Number: **PAD140128**

Application Type: New

Municipality/County: Marion Township, **Centre County**

Project Site Name: SR 26—Jacksonville Road Fill Area

Total Earth Disturbance Area (acres): 2.50 acres

Surface Waters Receiving Stormwater Discharges: UNT to Nittany Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: SR 26—Jacksonville Rd Fill Area. The proposed project area is to be used as a clean fill waste area. The area is to return to a vegetated condition with no new impervious area. The fill material consists of excavated material from the SR 26 roadway construction project.

Special Conditions: N/A—No site specific special conditions.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northcentral Regional Office

Applicant: **Barnes Lane Development, LLC**

Applicant Address: 2121 Old Gatesburg Road, State College, PA 16803

Application Number: **PAD140130**

Application Type: New

Municipality/County: Potter Township, **Centre County**

Project Site Name: Decker Valley Road Subdivision

Total Earth Disturbance Area (acres): 44.10 acres

Surface Waters Receiving Stormwater Discharges: UNT to Laurel Run (HQ-CWF, MF), Wetlands (EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Residential Subdivision Project Consisting of 14 single family homes and related infrastructure.

Special Conditions: PCSM Stormwater Demonstration Assumed Values—Impervious Area Coverage. The PCSM stormwater demonstration assumed the following per lot maximum impervious area coverage values: Lot 1 (6,667 SF), Lot 2 (6,324 SF), Lot 3 (7,664 SF), Lot 4 (7,995 SF), Lot 5 (6,990 SF), Lot 6 (5,910 SF), Lot 7 (4,712 SF), Lot 8 (6,360 SF), Lot 9 (6,721 SF), Lot 10 (7,761 SF), Lot 11 (12,712 SF), Lot 12 (8,061 SF), Lot 13 (6,366 SF), Lot 14 (6,896 SF). The permittee shall notify DEP/CCD in writing of any planned change to the individual lot development, in accordance with Part B. Condition III. C. Amending Permit Coverage, for DEP/CCD consideration as a Field Change (i.e. red-line change) or permit amendment; any change to the PCSM plan for which the per lot impervious area exceeds the maximum values or changes to drainage patterns or SCM drainage will require a permit amendment, unless determined otherwise by DEP/CCD. The permittee may not proceed to implement the proposed change until the permittee receives written approval for the field change or amendment from DEP/CCD, in accordance with Part B. Condition III. C. Amending Permit Coverage. PCSM Stormwater Demonstration Assumed Values—Woods (Good Condition) Area Coverage. The PCSM stormwater demonstration assumed the following per lot maximum “Disturbed Lawn” area coverage values, with the remaining per lot acreage modeled to remain “Woods (Good Condition)”: Lots 1—6, 8—10, and 12—14; 43,560 SF; Lot 7; 92,862 SF; Lot 11; 87,120 SF. For the purposes of this condition, areas meeting the criteria “Woods [. . .] protected from grazing and litter and brush adequately cover the soil” are to be considered “Woods (Good Condition),” as defined in TR-55, 1986, Table 2-2c. The permittee shall notify DEP/CCD in writing of any planned change to the individual lot development, in accordance with Part B. Condition III. C. Amending Permit Coverage, for DEP/CCD consideration as a Field Change (i.e. red-line change) or permit amendment; any change to the PCSM plan for which the per lot conversion from “Woods (Good Condition)” area exceeds the maximum values will require a permit amendment, unless determined otherwise by DEP/CCD. The permittee may not proceed to implement the proposed change until the permittee receives written approval for the field change or amendment from DEP/CCD, in accordance with Part B. Condition III. C. Amending Permit Coverage.

You may review the permit application file by contacting DEP’s File Review Coordinator at 570-327-3693.

Northeast Regional Office

Applicant: **MNB Properties, LLC**

Applicant Address: P.O. Box 1888, Bethlehem, PA 18016-1888

Application Number: **PAD480092**

Application Type: Renewal

Municipality/County: Bethlehem Township, **Northampton County**

Project Site Name: MNB Properties, LLC Proposed Office and Garage

Total Earth Disturbance Area (acres): 2.30 acres

Surface Waters Receiving Stormwater Discharges: Monocacy (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Straight renewal for the construction of a commercial office, garage and parking lot in Bethlehem Township, Northampton County.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP’s File Review Coordinator at 570-826-5472.

Northcentral Regional Office

Applicant: **LMP Westerly Parkway, LLC**

Applicant Address: 315 Oconee Street, Athens, GA 30601

Application Number: **PAD140131**

Application Type: New

Municipality/County: State College Borough, **Centre County**

Project Site Name: The Retreat at Westerly

Total Earth Disturbance Area (acres): 13.50 acres

Surface Waters Receiving Stormwater Discharges: Thompson Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Re-development of existing strip mall into residential cottage development.

Special Conditions: N/A—No site specific special conditions.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northcentral Regional Office

Applicant: **State College Area School District**

Applicant Address: 240 Villa Crest Drive, State College, PA 16801

Application Number: **PAD140061**

Application Type: Renewal

Municipality/County: State College Borough, **Centre County**

Project Site Name: State College Area High School

Total Earth Disturbance Area (acres): 37.00 acres

Surface Waters Receiving Stormwater Discharges: Slab Cabin Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new parking lot and associated storm sewers.

Special Conditions: N/A—No site specific special conditions.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Arlin Wadel 301 McCulloch Road Shippensburg, PA 17257	Cumberland County	297.59	344.30	Poultry	NA	Renewal
Hemlock Lane Farm LP 121 Hemlock Lane Williamsburg, PA 16693	Blair County	595.2	761.35	Swine Beef	NA	Renewal

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Alan Harnish 3421 Blue Rock Road Lancaster, PA 17603	Lancaster County	46.1	570.56	Swine Beef	NA	Renewal
Mel Bricker 2859 East Dutch Corner Rd McConnellsburg, PA 17233	Fulton County	275.02	608.82	Turkey- Starter Finisher	NA	Renewal
Rick Martin—Heidelberg Pig Family Farm 425 North Market Street Myerstown, PA 17067	Lebanon County	40.1	528.1	Swine	NA	Renewal
Samuel King—Royal Egg Farms 9291/9251 Old Route 22 Bethel, PA 19507	Berks County	17.9	269.62	Poultry	NA	Renewal
Eric Gemmill 458 Gemmill Road Delta, PA 17314	York County	592.1	1.11	Swine	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Angie Hall, Clerical II, 570-327-3490.

Application No. 1925503, Construction, Public Water Supply.

Applicant	PA Amer Water Berwick
Address	P.O. Box 249 Berwick, PA 18603-0249
Municipality	Berwick Borough
County	Columbia County
Responsible Official	PA Amer Water Co 852 Wesley Dr Mechanicsburg, PA 17055-4436
Consulting Engineer	Jonathan Bucha 208 West Third Street Suite 101 Williamsport, PA 17701
Application Received	April 4, 2025
Description	New GAC WTP for PFAS, Chlorine and Polyphosphate storage and feed systems. Convert existing WTP into Well Station for wells 1—4, New Transmission Main to connect existing and new WTP buildings.

Application No. 4125502, Construction, Public Water Supply.

Applicant	Harvest Moon Mobile Home Park LLC
Address	38 Harvest Moon Park Linden, PA 17744
Municipality	Woodward Township
County	Lycoming County
Responsible Official	Ben Schwimmer/Pennstone Management LLC 241 Brian Lane Dalton, PA 18414
Consulting Engineer	Anna Barrick 208 West Third Street Suite 101 Williamsport, PA 17701

Application Received February 10, 2025
 Description Construction permit application for unauthorized construction of the following: replacement of two booster pumps backwash pump two chemical feed pumps miscellaneous piping modifications/improvements.

Application No. 0824503, Public Water Supply.

Applicant **Bentley Creek Dollar General # 30392**
 Address 12999 Berwick Turnpike Gillett, PA 16925
 Municipality Ridgebury Township
 County **Bradford County**
 Responsible Official Daniel P McMahan
 P.O Box 472
 950 E. Main St.
 Schuylkill Haven, PA 17972
 Consulting Engineer Cory Templin
 208 West Third Street
 Suite 101
 Williamsport, PA 17701
 Application Received December 27, 2024
 Description Public water supply permit application.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Paul Barnes, P.E. at 570-826-2274 or paulbarnes@pa.gov.

Application No. 1134740, Construction, Public Water Supply.

Applicant **Maplewood Heights LLC**
 Address 99 Lindley Avenue Factoryville, PA 18419
 Municipality Overfield Township
 County **Wyoming County**
 Responsible Official Lori Shupp
 99 Lindley Avenue
 Factoryville, PA 18419
 Consulting Engineer Atlas Technical Consultants
 1001 Lackawanna Trail
 Clark Summit, PA 18411
 Application Received April 7, 2025
 Description The Maplewood Heights LLC PWS submitted a construction application for upgrades to the chlorine disinfection system and the addition of arsenic treatment.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Application No. 2125504, Construction, Public Water Supply.

Applicant **Bongiorno Conference Center**
 Address 430 Union Hall Road Carlisle, PA 17013
 Municipality North Middleton Township
 County **Cumberland County**
 Responsible Official Jeffrey A. Marshall
 430 Union Hall Road
 Carlisle, PA 17013
 Consulting Engineer James R. Holley & Associates, Inc.
 18 South George Street
 Suite 300
 York, PA 17401
 Application Received April 4, 2025
 Description Construction permit application for proposed treatment upgrades, including Greensand filtration, water softening, sodium hypochlorite disinfection and contact time, finished water storage, and booster pumps.

WATER ALLOCATIONS

Application(s) Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631–641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

50-1040, Water Allocations. **Veolia Water Pennsylvania, Inc.**, 6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, Penn Township, **Perry County**. Water Allocation Permit application for a newly proposed Penn Township Water Treatment Plant for the Veolia Water Pennsylvania, Inc.'s Business One Campus water system. The application requests a quantity of allocation of 750,000 gpd on a peak day basis from Shermans Creek. Application received: March 19, 2025.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers, Clerical Assistant 2.

WA-46-149G, Water Allocations. **Pennsylvania American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055, Royersford Borough, **Montgomery County**. Pennsylvania American Water is seeking an increase in their water allocation to 11.0 million gallons per day (mgd) from the Schuylkill Rivers. Application received: April 9, 2025.

1525503, Water Allocations. **Pennsylvania American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055, East Vincent Township, **Chester County**. Construction and installation of a 0.75 MG elevated storage tank, site improvements and 16-inch DIP water main connecting the tank to off-site piping. Application received: April 10, 2025.

0925505, Water Allocations. **Buckingham Township**, P.O. Box 413, Buckingham, PA 18912, Buckingham Township, **Bucks County**. Construction of a water treatment facility for the treatment of radon and PFOA/PFOS from Well CS-4. Application received: April 8, 2025.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101–6026.908).

Sections 302–305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Green Acres Mobile Home Park—1006 Redwood Drive, Primary Facility ID # **873938**, 1006 Redwood Drive, Breinigsville, PA 18031, Upper Macungie Township, **Lehigh County**. Light-Heigel & Associates, 306 Taxiway Road, Annville, PA 17003 on behalf of Equity Lifestyle Properties, Inc., 2 North Riverside Plaza, Suite 800, Chicago, IL 60606, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of No. 2 heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *Morning Call* on March 6, 2025. Application received: April 9, 2025.

Green Acres Mobile Home Park—8701 Breinig Run Circle, Primary Facility ID # **880561**, 8701 Breinig Run Circle, Breinigsville, PA 18031, Upper Macungie Township, **Lehigh County**. Light-Heigel & Associates, 306 Taxiway Road, Annville, PA 17003 on behalf of Equity Lifestyle Properties, Inc., 2 North Riverside Plaza, Suite 800, Chicago, IL 60606, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of No. 2 heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *Morning Call* on March 6, 2025. Application received: April 9, 2025.

Green Acres Mobile Home Park—8762 Breinig Run Circle, Primary Facility ID # **874784**, 8762 Breinig Run Circle, Breinigsville, PA 18031, Upper Macungie Township, **Lehigh County**. Light-Heigel & Associates, 306 Taxiway Road, Annville, PA 17003 on behalf of Equity Lifestyle Properties, Inc., 2 North Riverside Plaza, Suite 800, Chicago, IL 60606, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of No. 2 heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *Morning Call* on March 6, 2025. Application received: April 9, 2025.

Green Acres Mobile Home Park—8882 Breinig Run Circle, Primary Facility ID # **874083**, 8882 Breinig Run Circle, Breinigsville, PA 18031, Upper Macungie Township, **Lehigh County**. Light-Heigel & Associates, 306 Taxiway Road, Annville, PA 17003 on behalf of Equity Lifestyle Properties, Inc., 2 North Riverside Plaza, Suite 800, Chicago, IL 60606, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of No. 2 heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *Morning Call* on March 6, 2025. Application received: April 9, 2025.

117 South Greenwood Street (Former Rottet Motors), Primary Facility ID # **882900**, 117 South Greenwood Street, Tamaqua, PA 18252, Tamaqua Borough, **Schuylkill County**. Liberty Environmental, 505 Penn Street, Suite 400, Reading, PA 19601 on behalf of 117 MGT, LLC, 117 South Greenwood Street, Tamaqua, PA 18252, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated by a release of leaded gasoline. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Republican-Herald* on April 6, 2025. Application received: April 10, 2025.

NR-Brant West Pad, Primary Facility ID # **879056**, 601 Tarzan Road, Great Bend, PA 18847, Great Bend

Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of oil-based drilling mud. Future use of the site will be residential. The Notice of Intent to Remediate was published in *Susquehanna County Independent* on April 9, 2025. Application received: April 14, 2025.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief Technical Services, RA-EPWM-SERO-PERMITs@pa.gov.

101699. Waste Management of Fairless, LLC, 1000 New Ford Mill Road, Morrisville, PA 19067, Falls Township, **Bucks County**. This permit renewal application is for a ten-year renewal to continue operations at the Fairless Landfill of Waste Management of Fairless (WMF), LLC. No permit modification is proposed in this permit renewal application. The Fairless Landfill is an active municipal waste landfill located in Falls Township, Bucks County. Application received: March 25, 2025. Deemed administratively complete: April 8, 2025.

Comments or questions concerning the application should be directed to Waste Management Program Manager, Phone 484.250.5960, or by email at RA-EPWM-SERO-PERMITs@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR017SC004. Amerigreen, Inc., P.O. Box 7, Womelsdorf, PA 19567, Spring Township, **Berks County**. This is for the renewal of general permit WMGR017SC004 which authorizes the beneficial use of

water supply treatment plant sludge (water treatment residual) for use as (i) a soil additive by land application upon agricultural, agronomic, horticultural, and silvicultural lands, and (ii) land application on disturbed lands to facilitate re-vegetation for land reclamation purposes. Application received: February 27, 2025. Deemed administratively complete: April 9, 2025.

Questions concerning the application should be directed to Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to

25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, P.E., Environmental Group Manager, 570.826.2511.

13-00001F: BEFESA Zinc US Inc., 900 Delaware Ave, Palmerton, PA 18071-2008, Palmerton Borough, **Carbon County**. Application received: April 2, 2025.

To replace two existing permitted natural gas-fired ID fan emergency drive engines with two new state-of-the-art natural gas-fired emergency drive engines at the facility.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

43-00400A: H & H Materials, Inc., 190 Canon Road, Stoneboro, PA 16153, Lake Township, **Mercer County**. Application received: April 2, 2025.

Application received for a sand and gravel production plant located in Lake Township, Mercer County.

10-00001R: Cleveland-Cliffs Steel Corp/Butler Works, 210 Pittsburgh Road, Butler, PA 16001, Butler Township, **Butler County**. Application received: April 7, 2025.

Application received for the installation of 4 new induction reheat furnaces and 1 cooling tower system at Cleveland Cliffs Butler Works facility. This facility currently operates under Title V Permit No. 10-00001.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

39-00020, Lehigh Valley Hospital Cedar Crest, 1200 S Cedar Crest Blvd., Allentown, PA 18103-6202, Salisbury Township, **Lehigh County**. Application received: February 25, 2025. The Department intends to issue a renewal State-Only Operating Permit (natural minor) for the Sailsbury Township facility. Sources at this facility include their boilers and emergency generators. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00091, SVC Tire Truck Ctr Inc., 2255 Avenue A, Bethlehem, PA 18017-2107, City of Bethlehem, **Lehigh County**. Application received: November 18, 2024. The Department intends to issue a renewal State-Only Operating Permit (natural minor) for the Bethlehem facility. Sources at this facility includes their truck tire retreading process. Sources at this facility also include their rubber recovery cyclone as a control device. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

33-00211, Diversified Production LLC, State Game Lands 195, 101 McQuiston Dr, Jackson Center, PA 16133-1633, Gaskill Township, **Jefferson County**. Application received: November 25, 2024. The Department intends to issue the renewal State Only Natural Minor Operating Permit for the natural gas compressor station. The facility consists of a natural gas RICE (95-bhp 4SRB) and a produced water storage tank. Other sources of emissions result from pneumatic devices, venting/blow-downs, and fugitives. The potential emissions of the major pollutants from the facility are as follows: PM₁₀ and PM_{2.5}: 0.06 TPY, NO_x: 19.34 TPY, SO_x: 0.002 TPY, CO: 1.47 TPY, and VOC: 0.57 TPY; thus, the facility is a natural minor. The engine is subject to 40 CFR Part 63, Subpart ZZZZ, NESHAP for stationary RICE. The permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00363, Pennex Aluminum Company/Greenville Plant, 93 Werner Road, Greenville, PA 16125, Sugar Grove Township, **Mercer County**. Application received: October 31, 2023. The Department intends to renew the Natural Minor State-Only Operating Permit of a facility that casts aluminum billets used by the aluminum extrusion industry. The permitted sources at the facility are one (1) holding furnace, two (2) melting furnaces, and two (2) homogenizing furnaces. The site level emissions are below Title V levels for both criteria pollutants and HAPs. The site level potential emissions in tons per year (tpy): NO_x, 36.0; CO, 33.1; SO_x, 0.2; VOC, 2.2; Pb, <0.1; PM, 6.6; HAPs, 3.0. The permit contains emission restrictions, along with testing, monitoring, recordkeeping, reporting, and work practices for all sources from 25 Pa. Code Chapters 121, 123, 127, 129 and 135, along with the same from 40 CFR 63 Subpart RRR applicable to the melting and holding furnaces, to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Vince Pascucci, PE, East Permit Section Chief, 717-705-4702.

22-05035, New Enterprise Stone & Lime, P.O. Box 77, New Enterprise, PA 16664, Washington Township, Dauphin County. Application received: June 28, 2024. To issue a State-Only Operating Permit for their stone crushing and asphalt operations at the Elizabethville Quarry. Actual emissions from the facility in 2023 were reported to be 0.882 tpy for PM₁₀, 6.54 tpy of CO, 1.962 tpy of NO_x, 1.439 tpy of SO_x, and 0.589 tpy of VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from NSPS Subpart OOO—Standards of Performance for Non-metallic Mineral Processing Plants, NSPS Subpart I—Standards of Performance for Hot Mix Asphalt Facilities, and 25 Pa. Code § 129.63 degreasing operations.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

65-00061, Allegheny River Term Inc., 1 5th St, New Kensington, PA 15068, City of New Kensington, Westmoreland County. Application received: December 11, 2023. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue a renewed natural minor State-Only Operating Permit to Allegheny River Terminal Inc.'s New Kensington Crushing Plant located in the City of New Kensington, Westmoreland County. This renewal updates the source list at the facility and updates and reorganizes regulatory requirements. Sources consist of a material transfer facility, two (2) screens, a crusher, a non-emergency diesel engine, plant roads, and outdoor storage piles. Potential emissions from this facility are estimated to be 4.64 TPY NO_x, 1.75 TPY CO, 0.26 TPY VOC, 0.68 TPY SO_x, 9.31 TPY PM₁₀, 2.81 TPY PM_{2.5} and 0.022 TPY HAPs. Those who wish to provide the Department with additional written information that they believe should be considered prior to the renewal of the State-Only Operating Permit may submit the information to Tom Joseph, at the DEP's Southwest Regional Office. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (65-00061) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. All comments must be received within 30 days of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph directly.

PLAN APPROVALS

Receipt of Plan Approval Application(s) and Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, P.E., Environmental Group Manager.

35-00003D, General Dynamics Ordnance and Tactical Systems, 156 Cedar Avenue, Scranton, PA 18504, City of Scranton, Lackawanna County. Application received: April 7, 2025. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to General Dynamics Ordnance and Tactical Systems (156 Cedar Avenue, Scranton, PA 18505-1138) for their facility located in Scranton, Lackawanna County. This Plan Approval No. 35-00003D will be incorporated into a State Only Permit through an administrative amendment at a later date. Plan Approval No. 35-00003D is for the construction of a new Welding Line # 3 with dust collector and to replace an existing Paint Spray Booth with a new booth. VOC emissions from the plant will remain under 50 TPY threshold limit, 12-month rolling sum. Particulate emissions will not exceed 0.02 grain/dscf from the fabric collector. Total HAP emissions from the facility will be under 25 TPY, 12-month rolling sum. Single HAP emissions will be under 10 TPY, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for Visible emissions. The Paint Booth shall be subject to and comply with 25 Pa. Code § 129.52d, miscellaneous metal parts surface coating processes. These limits will meet BAT requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The Plan approval and Operating Permit will include testing, monitoring, recordkeeping, and reporting requirements designed to keep the sources operating within all applicable air quality requirements. For further details, contact Shailesh Patel at (570) 826-2511 within 30 days after publication date. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Permit No. 35-00003D and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspa-

per or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Shailesh Patel, Environmental Engineering Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections;

application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Lori Jenkins, Clerical Assistant 3.

NPDES No. PA0236179. Mining Permit No. 30120701. Iron Cumberland, LLC, 200 Evergreene Drive, Suite 1020, Waynesburg, PA 15370, Whiteley Township, **Greene County**. Application received: September 10, 2024. Accepted: October 21, 2024.

To renew the NPDES permit and mining activity permit in Whiteley Township, **Greene County**, affecting 548.5 surface acres. Receiving stream(s): UNT 41291 to Whiteley Creek, UNT 41292 to Whiteley Creek, classified for the following use: TSF. Whiteley Creek Sediment TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 034 discharging to UNT 41291 to Whiteley Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Start of Refuse Placement:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

The proposed effluent limits for Outfall 034 discharging to UNT 41291 to Whiteley Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Start of Refuse Placement to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	2,000	4,000	5,000
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	50	50

The proposed effluent limits for Outfall 035 discharging to UNT 41292 to Whiteley Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	2.5	5.0	6.25
Suspended Solids	(mg/l)	-	35	70	90

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Manganese	(mg/l)	-	1.62	3.25	4.05
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

The proposed effluent limits for Outfall 036 discharging to UNT 41292 to Whiteley Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	2.5	5.0	6.25
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.62	3.25	4.05
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

The EPA Waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

NPDES No. PA0269158. Mining Permit No. 56120114. Heritage Coal & Natural Res LLC, 117 Shaw Mines Road, Meyersdale, PA 15552, Elk Lick and Summit Townships, **Somerset County**. Renewal of an NPDES permit for bituminous surface mine affecting 353.0 acres. Receiving streams: unnamed tributaries to/and Casselman River, classified for the following uses: CWF and WWF. This receiving stream is included in the Casselman River TMDL. Application received: March 13, 2025.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributaries to Casselman River:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Facility	Intermittent
002	Existing	Treatment Facility	Intermittent
003	Existing	Treatment Facility	Intermittent
004	Existing	Treatment Facility	Intermittent
006	Existing	Stormwater	Precipitation Induced
007	Existing	Stormwater	Precipitation Induced
009	Existing	Stormwater	Precipitation Induced
009	Existing	Stormwater	Precipitation Induced
011	Existing	Stormwater	Precipitation Induced

The following outfalls discharge to Casselman River:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
005	Existing	Treatment Facility	Intermittent
010	Existing	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 001, 003, 006, 008, 009, and 011

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	1.5	3.0	3.7
Total Manganese (mg/L)	XXX	1.0	2.0	2.5
Total Aluminum (mg/L)	XXX	0.75	0.75	0.75
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0

Outfalls: 001, 003, 006, 008, 009, and 011
Parameter (unit)

	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

Outfalls: 002 and 004
Parameter (unit)

	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	3.0	6.0	7.0
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	0.75	0.75	0.75
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

Outfalls: 005 and 010
Parameter (unit)

	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	3.0	6.0	7.0
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	1.5	3.0	3.7
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

Outfalls: 007

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	3.0	6.0	7.0
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	1.0	2.0	2.5
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

NPDES No. PA0251909. Mining Permit No. 02090201. Coal Valley Sales, LLC, P.O. Box 221, Zelienople, PA 16063, West Deer and Indiana Townships, Allegheny County. NPDES permit renewal for an existing NPDES permit and associated surface mine, affecting approximately 220 acres. The receiving stream is an unnamed tributary to Little Deer Creek; classified for the following use: TSF, which is subject to a mining related total maximum daily load (TMDL).

The Department has made a tentative determination to impose effluent limitations for the site's outfalls consistent with the Little Deer Creek Watershed TMDL. Application received: March 15, 2021.

The following outfalls discharge to an unnamed tributary to Little Deer Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Stormwater Outfall
003	N (not constructed)	Stormwater Outfall
004	N (not constructed)	Stormwater Outfall

The proposed effluent limits for outfalls 001, 003, and 004 under all weather conditions are as follows (minimum monitoring frequency of twice per month):

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Avg. Monthly</i>	<i>Max. Daily</i>	<i>Instantaneous Maximum</i>
pH (S.U.)	6.0	N/A	N/A	9.0
Total Suspended Solids (mg/L)	N/A	35.0	70.0	90.0
Iron, Total (mg/L)	N/A	1.5	3.0	3.7
Manganese, Total (mg/L)	N/A	1.0	2.0	2.5
Aluminum, Total (mg/L)	N/A	0.75	0.75	0.75
Osmotic Pressure (mOsm/kg)	N/A	50	50	50
Net Alkalinity (as CaCO ₃ , mg/L)		Monitor and Report		
Alkalinity, Total (as CaCO ₃ , mg/L)		Greater than acidity		
Acidity, Total (as CaCO ₃ , mg/L)		Less than alkalinity		
Flow (gpm)		Monitor and Report		
Temperature (°C)		Monitor and Report		
Specific Conductance (microohms/cm)		Monitor and Report		
Total Dissolved Solids (mg/L)		Monitor and Report		
Sulfate, Total (mg/L)		Monitor and Report		
Selenium, Total (mg/L)		Monitor and Report		

NPDES No. PA0202355. Mining Permit No. 26980104. Gary Gioia Coal Company, 319 Karen Drive, Elizabeth, PA 15037, Wharton Township, **Fayette County**. NPDES permit renewed for continued treatment to an existing surface mine site, affecting 156.5 acres. Receiving stream(s): Unnamed tributary to Big Sandy Creek, classified for the following use: HQ-CWF. There is no downstream potable water supply intake between the point of discharge and the state line. The permit requires water from its treatment facilities pumped to an infiltration gallery and storm water outfalls in rainfall events less than a 10-year/24-hour storm event to be pumped to a spray field. The Department has made a tentative determination to impose effluent limitations, within the ranges specified. Application received: July 14, 2021.

Water pumped all treatment and settling ponds to the infiltration gallery/spray field limits are listed as follows:

<i>Discharge Parameter</i>	<i>Limit</i>	<i>Measurement Frequency</i>	<i>Type</i>
Total Iron	7.0 (mg/l)	During discharge	Grab
Total Manganese	5.0 (mg/l)	During discharge	Grab
Total Aluminum	5.0 (mg/l)	During discharge	Grab
Total Suspended Solids	90 (mg/l)	During discharge	Grab
pH	Between 6.0 and 9.0	During discharge	Grab
Net Alkalinity	> 0.0	During discharge	Grab
Sulfates	Monitor and Report	During discharge	Grab

The following stormwater outfall discharges to UNT to Big Sandy Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
006	N	Stormwater Outfall

The following outfalls represent emergency spillways in response to precipitation that exceeds a 10-year/24-hour event.

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	6.0	-	-	9.0
Net Alkalinity (mg/L)	0.0	-	-	-
Total Iron (mg/L)	-	3.0	6.0	7.5
Total Settleable Solids (ml/L)	-	35.0	70.0	90.0

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Noncoal NPDES Draft Permits

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

NPDES No. PA0203424. Mining Permit No. 63920301. Langeloth Metallurgical Company, LLC, 10 Langeloth Plant Drive, P.O. Box 608, Langeloth, PA 15054, Smith Township, **Washington County**. NPDES permit renewal for continued mining to an existing surface mine, affecting 13.0 acres. Receiving stream: Burgetts Fork, classified for the following use: WWF. The receiving stream is subject to a mining related total maximum daily load (TMDL) in the Racoon Creek Watershed. The Department has made a tentative determination to impose effluent limitations for the site's only outfall (001) consistent with the Racoon Creek Watershed TMDL. Application received: June 16, 2022.

The following outfall discharges to Burgetts Fork:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Stormwater Outfall

The proposed effluent limits for outfall 001 under all weather conditions are as follows (minimum monitoring frequency of twice per month):

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Avg. Monthly</i>	<i>Max. Daily</i>	<i>Instantaneous Maximum</i>
pH (S.U.)	6.0	N/A	N/A	9.0
Total Suspended Solids (mg/L)	N/A	35.0	70.0	90.0
Iron, Total (mg/L)	N/A	1.5	3.0	3.7
Manganese, Total (mg/L)	N/A	1.0	2.0	2.5
Aluminum, Total (mg/L)	N/A	0.75	0.75	0.75
Molybdenum, Total (mg/L)		Monitor and Report		
Net Alkalinity (as CaCO ₃ , mg/L)		Monitor and Report		
Alkalinity, Total (as CaCO ₃ , mg/L)		Greater than acidity		
Acidity, Total (as CaCO ₃ , mg/L)		Less than alkalinity		
Flow (gpm)		Monitor and Report		
Temperature (°C)		Monitor and Report		
Sulfate, Total (mg/L)		Monitor and Report		

NPDES No. PA0200042. Mining Permit No. 26840301. Norman Thompson, P.O. Box 10, Lemont Furnace, PA 15456, North Union Township, **Fayette County**. NPDES permit renewal at an existing noncoal surface mine, affecting 50.2 acres. Receiving stream(s): Cove Run, classified for the following use(s): WWF. The receiving stream does have coverage with the Cove Run TMDL, however the segment is not included. The first downstream potable water supply

intake from the point of discharge is the Newell Municipal Authority, Newell Township on the Monongahela River. The Department has made a tentative determination to impose effluent limitations, within the ranges specified. Application received: May 25, 2021.

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001 (stormwater outfall)	N
002 (treatment outfall)	

The proposed effluent limits for the previously listed outfalls for all weather conditions are as follows:

<i>(All Weather Conditions) Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	6.0	-	-	9.0
Acidity (mg/L)	-	-	-	Report
Total Alkalinity (mg/L)	-	-	-	Report
Net Alkalinity (mg/L)	0.0	-	-	-
Total Iron (mg/L)	-	3.0	6.0	7.5
Total Manganese (mg/L)	-	2.0	4.0	5.0
Total Aluminum (mg/L)	-	-	-	Report
Total Suspended Solids (mg/L)	-	35.0	70.0	90.0
Sulfate (mg/L)	-	-	-	Report
Osmotic Pressure (mg/km)	-	-	-	Report
Temperature (°F)	-	-	-	Report
Flow (gpm)	-	-	-	Report

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E2506225-001. Aldi Inc., 6000 North Noah Drive, Saxonburg, PA 16056, Millcreek Township, **Erie County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: March 27, 2025.

To re-authorize the permanent impact to 0.73 acre of wetland and 0.09 acre of an existing pond for the construction of an Aldi supermarket and associated parking at Millcreek Town Center along SR 20 previously permitted under DEP Permit No. E25-726. DEP Permit E25-726 was originally issued in January 2010 and expired in 2019 without completing the development of the parcel. The permit included creation of 3.31 acres of replacement wetlands on-site that were determined to be successfully established by the Department in March 2020. Therefore, since the area of wetland impact for this project was previously permitted and has been successfully mitigated, no additional mitigation is being required. Latitude: 42.0686741°, Longitude: -80.19419318°.

E1006225-006. Pennsylvania American Water Company, 425 Waterworks Road, Clarion, PA 16214, Summit Township, Oakland Township, **Butler County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: March 31, 2025.

To conduct the following activities associated with upgrading the existing Butler Oneida Valley Water Treatment Plant, on the west side of Oneida Valley Rd approximately 600 ft north of the intersection with Thorn Run Rd, resulting in 0.43 acre of permanent impact and 0.18 acre of temporary impact to the floodplain of Connoquenessing Creek (WWF). 1. To remove existing treatment structures and replace with updated treatment structures. 2. To install a new subsurface utility line 3. To expand an existing parking lot. Latitude: 40.886349°, Longitude: -79.875387°.

E0306225-001. Buffalo Township Municipal Authority, 707 South Pike Road, Sarver, PA 16055, Freeport Borough, **Armstrong County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: January 10, 2025.

To construct and maintain an expansion to the existing Freeport Water Treatment Plant including a new 30 feet diameter settling tank structure and the installation of a 160-foot long by 15-foot wide grass-covered access road starting at the existing water treatment plant access road and extending downslope to the edge of the normal pool for emergency access to the river. The overall project will permanently impact 0.22 acre of floodway and 0.15 acre of floodplain. Latitude: 40.672684°, Longitude: -79.679535°.

E2006222-002. Conneaut Lake Joint Municipal Authority, 9888 State Highway 285, P.O. Box 277, Conneaut Lake, PA 16313, Sadsbury Township, **Crawford County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: March 26, 2025.

To amend DEP Permit No. E2006222-002 to include demolition of existing concrete structures within the FEMA delineated floodplain of Conneaut Outlet, and to construct a new treatment system and buildings within the floodplain, resulting in an additional 0.6 acre of impacts to previously disturbed land at the Conneaut Lake Wastewater Treatment Plant. Latitude: 41.59886°, Longitude: -80.29969°.

E1006225-005. Tank Carrier Services US Inc., P.O. Box 7A, Eau Claire, PA 16030, Cherry Valley Borough, **Butler County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: April 3, 2025.

The project proposes the construction of a gravel lot to expand from the existing parking area. The proposed development includes a new stormwater management facility, and drive aisle to access the gravel parking area. The project proposes re-routing the existing stream into a new channel of equal size that will drain into the onsite wetlands. The proposed project impacts of 0.57 acre total acres of 5 wetlands and to realign approximately 149 feet of UNT South Fork Little Scrubgrass Creek for the construction of an expansion to an existing gravel parking lot at the existing TCS facility at 3237 Oneida Valley Road approximately 19.4 miles north of Butler, PA. The compensatory mitigation for the wetland impacts is proposed to be through purchased wetland credits from the PIESCES program. Latitude: 41.148704°, Longitude: -79.799555°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E3103225-003. HU-Pauls LLC, 40 E. Montgomery Avenue, Ardmore, PA 19003, Porter Township, **Huntingdon County**. U.S. Army Corps of Engineers Baltimore District. Application received: March 21, 2025.

1.) to install and maintain a 20-foot long, 8, 24-inch diameter culvert to provide temporary access to the construction site across Robinson Run (WWF, MF) (Latitude: 40.5226007, Longitude: -78.1198831) that will have 1,950 square feet of temporary watercourse impact and 11,700 square feet of temporary floodway impact that will be removed at the completion of the project, 2.) to remove an 80-foot long by 26-foot wide existing ford crossing and to construct and maintain an 80-foot long by 26-foot wide ford crossing with 18-inches of depressed R-4 riprap chocked with 3-inch 2A stones on top of the riprap across Robinson Run (WWF, MF) (Latitude: 40.5226007, Longitude: -78.1198831), that will have 3,200 square feet of permanent watercourse impact and 4,000 square feet of permanent floodway impact and 3.) to install and maintain a 4, 3-inch diameter electric line crossing via the

open cut method across Ema Creek (WWF, MF) (Latitude: 40.5334398, Longitude: -78.0967297) that will approximately impact 150 square feet of permanent watercourse impact and 900 square feet of permanent floodway impact, all for the purpose of providing an access and constructing a new photovoltaic solar farm. The ford crossing is located approximately 0.39 mile south of the intersection of Pauls Road and Logging Road in Porter Township, Huntingdon County, and the electric line crossing is located approximately 0.38 mile west of the intersection of Old Rte. 22 and Loop Road in Porter Township, Huntingdon County. No wetlands will be impacted by the project. Latitude: 40.5226007°, Longitude: -78.1198831°.

E0603223-004. 422 Properties LP, 910 Germantown Pike, Plymouth Meeting, PA 19426, Amity Township, **Berks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: February 21, 2023.

To 1) install and maintain a 62-foot long Bridgecor Single Radius Arch culvert 25'-6" span x 12'-9" rise in Leaf Creek (WWF, MF), 2) install and maintain a twelve inch depressed, 40-foot long, concrete pipe culvert with wingwalls and a 3.67-foot waterway opening diameter in Leaf Creek (WWF, MF), 3) install and maintain a Bridgecor Single Radius Arch culvert 15" x 5 1/2"—25'-6" span x 12'-9" rise in an Unnamed Tributary to Leaf Creek (WWF, MF), 4) install and maintain a six inch depressed, 96-foot long, concrete pipe culvert with wingwalls and a 8-foot waterway opening diameter in an Unnamed Tributary to Leaf Creek (WWF, MF), 5) place and maintain 49 linear feet (145,530 cubic feet) of fill in and along Leaf Creek (WWF, MF), 6) place and maintain 45 linear feet (75,600 cubic feet) of fill in and along an Unnamed Tributary to Leaf Creek (WWF, MF), 7) place and maintain 657 linear feet (394,200 cubic feet) of fill in and along an Unnamed Tributary to Leaf Creek (WWF, MF), 8) relocate and maintain 679 linear feet (57,715 square feet) of an Unnamed Tributary to Leaf Creek (WWF, MF), 9) place and maintain 60 linear feet (1,380 cubic feet) of fill in and along an Unnamed Tributary to Leaf Creek (WWF, MF), 10) place and maintain 42 linear feet (336 cubic feet) of fill in and along an Unnamed Tributary to Leaf Creek (WWF, MF), 11) place and maintain 380 linear feet (1,330 cubic feet) of fill in and along an Unnamed Tributary to Leaf Creek (WWF, MF), 12) place and maintain 92 linear feet (115 cubic feet) of fill in and along an Unnamed Tributary to Leaf Creek (WWF, MF), 13) place and maintain 140 linear feet (980 cubic feet) of fill in and along an Unnamed Tributary to Leaf Creek (WWF, MF), 14) install and maintain an 18-inch stormwater line across Leaf Creek (WWF, MF) and in the floodway of Leaf Creek (WWF, MF), 15) install and maintain an 8-inch electric line across Leaf Creek (WWF, MF) and in the floodway of Leaf Creek (WWF, MF), 16) install and maintain a 12-inch water line across Leaf Creek (WWF, MF) and in the floodway of Leaf Creek (WWF, MF), 17) install and maintain a 12-inch sanitary sewer line across an Unnamed Tributary (WWF, MF) and in the floodway of the Unnamed Tributary to Leaf Creek (WWF, MF), 18) install and maintain a 12-inch water line across an Unnamed Tributary (WWF, MF) and in the floodway of the Unnamed Tributary to Leaf Creek (WWF, MF), 19) install and maintain an 8-inch encased gas line across an Unnamed Tributary (WWF, MF) and in the floodway of the Unnamed Tributary to Leaf Creek (WWF, MF), 20) install and maintain an 8-inch electric line across an Unnamed Tributary (WWF, MF) and in the floodway of the Unnamed Tributary to Leaf Creek (WWF, MF). All for the purpose of constructing two industrial commercial buildings with supporting loading, parking,

and access drives. The project location is bound by Tollgate Road at the north, Township Line Road on the east, Leaf Creek to the West, and Route 422 on the south in Amity Township, Berks County (40.260454, -75.720945). No wetlands will be impacted by this project.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EP-WW-SERO-105@pa.gov.

E1501225-005. Phoenixville Boro, 351 Bridge St, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: March 13, 2025.

Phoenixville Borough is proposing to construct and maintain a 12-foot-wide, 170-foot-long steel truss pedestrian bridge over French Creek including the construction of new sidewalk connections behind the parking lot for Borough Hall and improvements to the existing sidewalk along Smithworks Boulevard, including new ADA crosswalks and ADA curb ramps. These improvements will facilitate pedestrian access and improved connectivity between the Steelpointe residential development, currently under construction, and the existing Phoenixville historic district and downtown area. This activity will result in combination of watercourse and floodway impact resulting in 23,080 square feet of impact. This project is located in Phoenixville Borough (USGS PA Phoenixville Quadrangle—Latitude 40.133174, Longitude 75.521862 W).

E1501225-006. East Coventry Twp, 112 Moores Rd, Suite 200, Malvern, PA 19355, East Coventry Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: April 1, 2025.

To construct and maintain Steppingstone Bridge from an existing nature trail to a nature preserve within the floodway/floodplain of the Pigeon Creek (WWF-MF) associated with the recreational and promote outdoor activities. The project will include a new parking lot with one ADA and one standard stall, and misc. wooden steps for access to waterways. This project will result in 32 linear feet (5,985 square feet) of permanent watercourse impact. The project is located at 1131 S Sanatoga Road (Pottstown, PA USGS Quadrangle, Latitude: 40.202695; Longitude: -75.609142) in East Coventry Township, Chester County.

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-442-4281, RA-EPSW-OGSUBMISSION@pa.gov.

E6307225-004. MarkWest Liberty Midstream & Resources, LLC, 4600 J Barry Court, Suite 500, Canonsburg, PA 15317, Robinson Township, Mount Pleasant Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: March 31, 2025.

The applicant proposes to construct, operate and maintain approximately 2.2 linear miles of one (1) 20-inch diameter permanent steel natural gas gathering pipeline with an associated 100-ft right of way to connect existing Chiarelli well site to a proposed surface site. Project total earth disturbance is 30.4 acres. Project proposes to cross the NHRP-eligible historic Pittsburgh to Steubenville Railroad (also known as Panhandle Trail; SHPO # 1992RE00243), which is a local historical district in Robinson Township. Crossings of the historical properties are proposed to be done via high-density drilling (HDD) bore. On the historic property, project proposes one (1)

55-ft by 50-ft utility line HDD bored crossing and one (1) 55-ft by 16-ft temporary timber mat bridge crossing of one (1) Palustrine Emergent wetland (wetland W-KS04), resulting in 0.06 acre (2,729 SF) of permanent wetland impacts and 0.02 acre (880 SF) of temporary wetland impacts. Additionally, project proposes use of two (2) General Permit 5 (GP-5) utility line crossings impacting one (1) perennial stream (Robinson Run, a designated Warm Waters Fisheries (WWF)) and one (1) Palustrine Emergent wetland (wetland W-KS05), and three (3) General Permit 8 (GP-8) temporary access road crossings impacting one (1) perennial stream (Robinson Run, WWF) and three (3) Palustrine Emergent wetlands (W-KS01, W-KS06, W-KS05). Associated General Permit impacts result in 52 LF (1,300 SF; 0.03 acre) of permanent stream impacts, 16 LF (400 SF; 0.01 acre) of temporary stream impacts, 5,183 SF (0.12 acre) of permanent floodway impacts, 1,600 SF (0.04 acre) of temporary floodway impacts, and 237 SF (0.01 acre) of permanent wetland impacts and 928 SF (0.02 acre) of temporary wetland impacts. Latitude: 40.363370°, Longitude: -80.269967°.

Contact: Dana Drake, Program Manager, 412-442-4000.

E0405120-022. PennDOT District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017, New Sewickley Township, **Beaver County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: March 20, 2025.

Applicant is seeking authorization to amend E0405120-022, which granted authorization to:

1. Remove the existing 55' by 12' arch bridge, restore the stream channel, and install Erosion and Sedimentation Control measures, having a temporary impact of 110 LF to perennial Unnamed Tributary (UNT) to Crows Run (WWF) (S10).
2. Construct and maintain a replacement, 247' long concrete box culvert, with two 13' end sections, and two 5' long rip rap aprons, having a permanent impact of 314 LF and a temporary impact of 137 LF to a perennial Unnamed Tributary (UNT) to Crows Run (WWF) (S10).
3. Remove an existing 48" corrugated plastic pipe (CPP), construct and maintain a replacement 146' long, 48" concrete pipe, with two 5' end sections and 30' long rock apron, and to construct and maintain a 79' long, 48" concrete pipe with 30' long rock apron, and a 90' long stream realignment, having a permanent impact of 449 LF and a temporary impact of 63 LF to a perennial UNT to Crows Run (WWF) (S8).
4. Place and maintain fill in an intermittent UNT to Crows Run (WWF) (S9), having a permanent impact of 28 LF.
5. Remove an existing 62' long, 30" reinforced concrete pipe (RCP), construct and maintain replacements, 160' long and 30' long, 36" concrete pipes, connected by a manhole, and 25' long rock apron, having a permanent impact of 251 LF and a temporary impact of 152 LF to perennial UNT to Crows Run (WWF) (S7).
6. Remove an existing 62' pipe of unknown size, and to construct and maintain a replacement 98' long 24" RCP, with a 16' long rock apron, and to construct and maintain a 10' long, 30" RCP, and a 118' long channel realignment, having a permanent impact of 367 LF to a perennial UNT to Crows Run (WWF) (S6).
7. Remove an existing 22' by 14' steel beam bridge, and to construct and maintain a replacement 103' long concrete box culvert, with two (2) 13' end sections, and two (2) 5' rock aprons, and a 42' long stream realign-

ment, having a permanent impact of 181 LF and a temporary impact of 218 LF to a UNT to Wolfe Run (WWF) (S4).

8. Remove an existing 30" RCP and 8" CPP, and to construct and maintain two (2) replacement 30" RCP's, having a total length of 173', a 16' rock apron, and a 38' long channel realignment, having a permanent impact of 227 LF and a temporary impact of 22 LF to a perennial UNT to Crows Run (WWF) (S3).

9. Remove an existing 53' long, 48" RCP, and to construct and maintain a replacement 95' long, 66" RCP, with a 43' long rock apron, and to construct and maintain a 134' long channel realignment, having a permanent impact of 271 LF and a temporary impact of 22 LF to a perennial UNT to Crows Run (WWF) (S2).

10. Place and maintain fill within a UNT to Crows Run (WWF) (S1), having a permanent impact of 223 LF.

11. Place and maintain fill within a Palustrine Emergent (PEM) wetland (WL04), having a permanent impact of 0.2129 acre and a temporary impact of 0.1178 acre.

12. Place and maintain fill within a PEM wetland (WL09), having a permanent impact of 0.0031 acre.

This amendment is seeking authorization to:

1. Construct and maintain a 12.5 LF long, 30 LF wide, temporary steel trestle bridge within Crows Run (WWF), including other temporary erosion and sedimentation control measures, having a combined temporary watercourse impact of 262 LF to Crows Run, as well as a temporary floodway impact of 0.55 acre to the floodway of Crows Run.

2. Place and maintain Class R-7 stone for streambank stabilization along Crows Run, having a permanent watercourse impact of 188 LF and a permanent floodway impact of 0.04 acre to the floodway of Crows Run.

For the purpose of repairing a landslide that took place along the embankments of both Crows Run and Freedom Road, SR 2004, Section B06. This amendment will have a cumulative permanent impact of 188 LF and a cumulative temporary impact of 262 LF to watercourses, as well as a permanent impact of 0.04 acre and a temporary impact of 0.55 acre to floodways.

The project site is located approximately 500 LF from the intersection of Freedom Road, and Park Quarry Road (Baden, PA USGS topographic quadrangle; N: 40°, 40', 57.4"; W: 80°, 13', 14.0"; Sub-basin 20G; USACE Pittsburgh District), in New Sewickley Township, Beaver County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5321.

Contact: Jeffrey Hartranft, Environmental Group Manager, 717-772-5320.

E6715225-001. York County Rail Trail Authority, P.O. Box 335, Seven Valleys, PA 17360, Heidelberg Township, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: January 22, 2025.

The applicant proposes to re-surface an existing rail trail path and install a pedestrian bridge within the floodway and 100-year floodplain of Oil Creek (WWF, MF). The purpose of the project is to improve recreational amenities in York County by lengthening and connecting existing rail trail sections and providing adequate pedestrian access points. The project is associated with the restoration of approximately 16 acres of natural wetlands and floodplain areas and adjacent stream channels previously approved under restoration plan approval number EA6715223-003. The proposed project site is located north of Hanover Road in Hanover, PA. Latitude: 39.825418°, Longitude: -76.938238°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E3803224-006. Lebanon County, 200 Willow Street, Lebanon, PA 17046, City of Lebanon, **Lebanon County**. U.S. Army Corps of Engineers Baltimore District. Application received: November 15, 2024.

To remove existing structure and to install and maintain (1) fencing, grading, infrastructure, paving and multiple buildings for the Lebanon County Transit Authority within the floodway and floodplain of Quittapahilla Creek (TSF, MF) and (2) install and maintain two (2) outfall two (2) outfalls to Quittapahilla Creek (TSF, MF). The project proposed to impact 7.51 acres of floodway. The project is located in the City of Lebanon, Lebanon County (40.3418, -76.4138).

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5321.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D48-023EA. Steve Davidheiser, American Water, 852 Wesley Drive, Mechanicsburg, PA 17055, Madison Township, **Lackawanna County**. Project proposes to permanently breach the Curtis Dam to eliminate a threat to public safety and to restore approximately 8,000 feet of stream channel to a free-flowing condition. The project is located across White Oak Run (CWF, MF) (Lake Ariel, Olyphant, Moscow, PA Quadrangle, Latitude: 41.379389°, Longitude: -75.506491°. Application received: January 13, 2025.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at

the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't. of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD020089	Chapter 102 Individual NPDES Permit	Issued	CAG Waterfront Apartments 150 E Broad Street Suite 800 Columbus, OH 43215	Homestead Borough Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD020093	Chapter 102 Individual NPDES Permit	Issued	Incheon Ventures 1212 New York Avenue NW Washington, DC 20005-3987	Pittsburgh City Allegheny County	SWRO
PAD040120	Chapter 102 Individual NPDES Permit	Issued	Beaver County Airport Authority 15 Piper Street Beaver Falls, PA 15010-1043	Chippewa Township Beaver County	SWRO
PAD070035	Chapter 102 Individual NPDES Permit	Issued	Quarry Rd LLC 152 Weber Lane Bedford, PA 15522-7782	Greenfield Township Blair County	SCRO
PAD090053	Chapter 102 Individual NPDES Permit	Issued	Waste Gas Fabricating Co. Inc. 450 Newbold Road Fairless Hills, PA 19030-4316	Falls Township Bucks County	SERO
PAD150183	Chapter 102 Individual NPDES Permit	Issued	East Whiteland Township Chester County 209 Conestoga Road Frazer, PA 19355-1633	East Whiteland Township Chester County	SERO
PAD150326	Chapter 102 Individual NPDES Permit	Issued	Crescent LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601-6813	New Garden Township Chester County	SERO
PAD150326	Chapter 102 Individual NPDES Permit	Issued	Crescent LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601-6813	New Garden Township Chester County	SERO
PAD200005	Chapter 102 Individual NPDES Permit	Issued	CLP Camperland LLC 713 Broad Acres Road Narberth, PA 19072	Summit Township Crawford County	NWRO
PAD450104	Chapter 102 Individual NPDES Permit	Issued	Shawnee Stage 1 LLC 5906 Winchester Isle Road Orlando, FL 32829-8381	Smithfield Township Monroe County	NERO
PAD450104	Chapter 102 Individual NPDES Permit	Issued	Shawnee Sun Mountain LLC 5906 Winchester Isle Road Orlando, FL 32829-8381	Smithfield Township Monroe County	NERO
PAD450104	Chapter 102 Individual NPDES Permit	Issued	Shawnee Sun Mountain LLC 5906 Winchester Isle Road Orlando, FL 32829-8381	Smithfield Township Monroe County	NERO
PAD450223	Chapter 102 Individual NPDES Permit	Issued	D E & S Properties Inc. 2621 Route 940 Pocono Summit, PA 18346-7734	Price Township Monroe County	NERO
PAD510230	Chapter 102 Individual NPDES Permit	Issued	City Of Philadelphia Parks & Recreation 1515 Arch Street Philadelphia, PA 19102-1501	Philadelphia City Philadelphia County	SERO
PAD540034	Chapter 102 Individual NPDES Permit	Issued	Phineyville Road Solar 1 LLC 55 Technology Drive Lowell, MA 01851-5203	East Union Township Schuylkill County	NERO
PAD630083	Chapter 102 Individual NPDES Permit	Issued	First Energy Corp 217 Three Springs Drive Weirton, WV 26062-3814	Donegal Township Washington County	SWRO
PAS602204	Industrial Stormwater Individual NPDES Permit	Issued	Mitch Peter 400 Daniels Road Route 946 Nazareth, PA 18064-8753	Bushkill Township Northampton County	NERO
PAS802227	Industrial Stormwater Individual NPDES Permit	Issued	Dayton Superior Corp 1125 Byers Road Miamisburg, OH 45342-5765	Upper Macungie Township Lehigh County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0913887	Joint DEP/PFBC Pesticides Permit	Issued	Garinger Ronald 3606 Wellsford Lane Doylestown, PA 18902-1483	Buckingham Township Bucks County	SERO
0921808	Joint DEP/PFBC Pesticides Permit	Issued	Victory Square HOA 950 Town Center Drive Langhorne, PA 19047-1866	Bensalem Township Bucks County	SERO
1513872	Joint DEP/PFBC Pesticides Permit	Issued	Scott Hattersley 2175 Twinbrook Road Berwyn, PA 19312-1943	Thornbury Township Chester County	SERO
1517812	Joint DEP/PFBC Pesticides Permit	Issued	Layden Sally 841 Forest Lane Malvern, PA 19355	Willistown Township Chester County	SERO
1519806	Joint DEP/PFBC Pesticides Permit	Issued	Coventry Lake Association 910 Nottingham Road Pottstown, PA 19465	North Coventry Township Chester County	SERO
1520811	Joint DEP/PFBC Pesticides Permit	Issued	Murdoch Janice 6114 Goshen Road Newtown Square, PA 19073	Willistown Township Chester County	SERO
1525804	Joint DEP/PFBC Pesticides Permit	Issued	French Creek Golf Course 4500 Conestoga Road Elverson, PA 19520-9057	East Nantmeal Township Chester County	SERO
1525806	Joint DEP/PFBC Pesticides Permit	Issued	Concert Penns Oaks LLC 150 Penn Oaks Drive West Chester, PA 19382-8443	Thornbury Township Chester County	SERO
5113801	Joint DEP/PFBC Pesticides Permit	Issued	White Jason 603 West Hartwell Lane Philadelphia, PA 19118	Philadelphia City Philadelphia County	SERO
PAI132242	MS4 Individual NPDES Permit	Waived	Scott Township Lackawanna County 1038 Montdale Road Scott Township, PA 18447-9773	Scott Township Lackawanna County	NERO
PAI136101	MS4 Individual NPDES Permit	Issued	Indiana Township Allegheny County 3710 Saxonburg Boulevard Pittsburgh, PA 15238	Indiana Township Allegheny County	SWRO
PAI136120	MS4 Individual NPDES Permit	Issued	Upper Yoder Township Cambria County 110 Sunray Drive Suite 1 Johnstown, PA 15905-3008	Upper Yoder Township Cambria County	SWRO
PA0027430	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Municipal Authority of Westmoreland County P.O. Box 730 Greensburg, PA 15601-0730	Penn Borough Westmoreland County	SWRO
PA0002933	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	West Penn Power Co. 341 White Pond Drive Akron, OH 44320-1119	Connellsville City Fayette County	SWRO
PA0098779	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Portage Borough Municipal Water Authority Cambria County 606 Cambria Street Portage, PA 15946-1516	Portage Township Cambria County	SWRO
PA0098787	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Portage Borough Municipal Water Authority Cambria County 606 Cambria Street Portage, PA 15946-1516	Portage Township Cambria County	SWRO

NOTICES

3047

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0205079	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	American Beverage Corp 1 Daily Way Verona, PA 15147-1135	Verona Borough Allegheny County	SWRO
PA0218081	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Whemco Steel Castings Inc. 601 W 7th Avenue Homestead, PA 15120-1064	West Homestead Borough Allegheny County	SWRO
PA0060445	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	PA Historical & Museum Comm 2 Eckley Main Street Weatherly, PA 18255-5030	Foster Township Luzerne County	NERO
PA0062316	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Cresson Point Properties LLC 1200 Blue Mountain Circle Saylorsburg, PA 18353-7742	Ross Township Monroe County	NERO
PA0010987	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Tobyhanna Army Depot 11 Hap Arnold Boulevard Bldg 41 Environmental Branch Tobyhanna, PA 18466	Coolbaugh Township Monroe County	NERO
PA0020206	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Bath Borough Municipal Authority Northampton County P.O. Box 87 160 Mill Street Bath, PA 18014	Bath Borough Northampton County	NERO
PA0024015	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Cressona Borough Authority Schuylkill County 58 S Sillyman Street Cressona, PA 17929-1117	Cressona Borough Schuylkill County	NERO
PA0024163	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Cambria Township Sewer Authority Cambria County P.O. Box 247 Revloc, PA 15948-0247	Cambria Township Cambria County	SWRO
PA0032115	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	PA DCNR 695 State Route 487 Benton, PA 17814	Fairmount Township Luzerne County	NERO
PA0032433	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	PA DCNR 565 Mount Olivet Road Wyoming, PA 18644-9333	Kingston Township Luzerne County	NERO
PA0062596	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Laceyville Borough Joint Municipal Authority Wyoming County 342 Church Street Laceyville, PA 18623-6826	Laceyville Borough Wyoming County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4596402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Aqua PA Wastewater Inc. 1 Aqua Way White Haven, PA 18661-1115	Tobyhanna Township Monroe County	NERO
NOEXNE066	No Exposure Certification	Issued	Dober Chemical Corp 11230 Katherines Crossing Woodridge, IL 60517-5127	Delano Township Schuylkill County	NERO
PAG032206	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Dupont-Sunoco LLC 8111 Westchester Drive Dallas, TX 75225-6140	Pittston Township Luzerne County	NERO
PAG034911	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Joe Krentzman & Son Inc. 655 Dubois Street Du Bois, PA 15801-1830	DuBois City Clearfield County	NCRO
PAG036402	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	BFI Waste Service of PA LLC 73 Industrial Way Carnegie, PA 15106-1669	Collier Township Allegheny County	SWRO
PAG036597	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cheswick Plant Environmental Redevelopment Group LLC 12601 Plantside Drive Louisville, KY 40299-6386	Springdale Borough Allegheny County	SWRO
PAG041432	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Hall Dale 1242 Nebraska Road Tionesta, PA 16353	Green Township Forest County	NWRO
PAG041460	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Walker Steven P.O. Box 1 McKean, PA 16426-0001	Franklin Township Erie County	NWRO
PAG128305	PAG-12 NPDES General Permit for CAFOs	Issued	Lindell Farms LLC 5207 Route 957 Russell, PA 16345-2045	Farmington Township Warren County	SCRO
4598403	Pump Stations Individual WQM Permit	Issued	Aqua PA Wastewater Inc. 1 Aqua Way White Haven, PA 18661-1115	Tobyhanna Township Monroe County	NERO
PA0233005	Single Residence STP Individual NPDES Permit	Issued	Michael W & Robin J Fleming 1197 Pleasant Hills Road Williamsport, PA 17701	Eldred Township Lycoming County	NCRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390064	PAG-02 General Permit	Issued	c/o Eugene Jasin Saucon Enterprise, Inc. 199 Sellersville Rd. Chalfont, PA 18914	North Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County Ag Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 (610) 391-9583 szink@lehighconservation.org

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390157	PAG-02 General Permit	Issued	c/o Jeff Strauss Eagle View Townes, LLC 132 Sonoma Way Macungie, PA 18062	Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County Ag Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 (610) 391-9583 szink@ lehighconservation.org
PAC390245	PAG-02 General Permit	Issued	Robert Ruhe 1558 N Muhlenberg St. Allentown, PA 18104-2557	South Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County Ag Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 (610) 391-9583 szink@ lehighconservation.org
PAC390238	PAG-02 General Permit	Issued	c/o Ken Zimmerman Zimrick Group, LLC 472 Manatawny Road Boyertown, PA 19512-8084	Upper Saucon Township Lehigh County	Lehigh County Conservation District Lehigh County Ag Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 (610) 391-9583 szink@ lehighconservation.org
PAC480144	PAG-02 General Permit	Issued	Melo Enterprises LLC 305 Mill Road Lehighton, PA 18235	Lehigh Township Northampton County	Northampton County Conservation District 3158 Newburg Road Nazareth, PA 18064 (610) 726-1030 northamptoncd@ northamptoncd.org
PAC480199	PAG-02 General Permit	Issued	Alan Kulick 3203 Delps Road Danielsville, PA 18038-9507	Williams Township Northampton County	Northampton County Conservation District 3158 Newburg Road Nazareth, PA 18064 (610) 726-1030 northamptoncd@ northamptoncd.org
PAC480198	PAG-02 General Permit	Issued	PTV 1363, LLC 400 Penn Center Blvd. Bldg. 4 Suite 1000 Pittsburgh, PA 15235	Allen Township Northampton County	Northampton County Conservation District 3158 Newburg Road Nazareth, PA 18064 (610) 726-1030 northamptoncd@ northamptoncd.org
PAC480197	PAG-02 General Permit	Issued	1249 Newport Avenue, LLC 727 N Meadow Street Allentown, PA 18102	Northampton Borough Northampton County	Northampton County Conservation District 3158 Newburg Road Nazareth, PA 18064 (610) 726-1030 northamptoncd@ northamptoncd.org

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC480200	PAG-02 General Permit	Issued	Stephen F. & Teresa A. Selvaggio 22 S. Commerce Way Bethlehem, PA 18017	Palmer Township Northampton County	Northampton County Conservation District 3158 Newburg Road Nazareth, PA 18064 (610) 726-1030 northamptoncd@northamptoncd.org
PAC350194	PAG-02 General Permit	Issued	Abington Heights School District 200 East Grove Street Clarks Summit, PA 18411-1737	Newton Township Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road S. Abington Township, PA 18411 (570) 382-3086 mailbox@lccd.net
PAC350190	PAG-02 General Permit	Issued	DRKM Ventures LLC 1019 Underwood Road Olyphant, PA 18447	Olyphant Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road S. Abington Township, PA 18411 (570) 382-3086 mailbox@lccd.net
PAC540058	PAG-02 General Permit	Issued	Timothy Lobach 7 Harford Lane Radnor, PA 19087	Pine Grove Township Schuylkill County	Schuylkill Conservation District 1206 Ag Center Drive Pottsville, PA 17901 (570) 391-3327 schuylkillcd@schuylkillcountypa.gov
PAC280385	PAG-02 General Permit	Issued	John Newswanger Newswanger Poultry 11703 Weaver Road Orrstown, PA 17244	Lurgan Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Ste. 201 Chambersburg, PA 17202 (717) 264-5499 jschooley@franklinccd.org
PAC060415	PAG-02 General Permit	Issued	5520 Perk Owner LLC & 5550 Perk Owner LLC 835 Whitney Drive Blue Bell, PA 19422	Exeter Township Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657
PAC060286	PAG-02 General Permit	Issued	Pintzuk Brown Realty Group, Inc. 491 Old York Road Suite # 200 Jenkintown, PA 19046	Perry Township Shoemakersville Borough Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657
PAC060463	PAG-02 General Permit	Issued	Tulpehocken Area School District 27 Rehrersburg Rd Bethel, PA 19507	Jefferson Township Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC060466	PAG-02 General Permit	Issued	Apartments on Van Reed LLC 280 West Wesner Road Reading, PA 19605	Wyomissing Borough Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657
PAC060512	PAG-02 General Permit	Issued	Metropolitan Edison Company 2800 Pottsville Pike Reading, PA 19605	Colebrookdale Township Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657
PAC060294	PAG-02 General Permit	Issued	Church Hill Farms LLC 2039 Philadelphia Ave Birdsboro, PA 19508	Colebrookdale Township Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657
PAC060456	PAG-02 General Permit	Issued	Penske 5 Capital Drive Suite 202 Harrisburg, PA 17110	Bern Township Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657
PAC060412	PAG-02 General Permit	Issued	Darsh Realty, LLC 18 Hilgert Ave Reading, PA 19607	Kutztown Borough Maxatawny Township Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657
PAC060498	PAG-02 General Permit	Issued	Michael Kelsch 465 North Funk Road Boyertown, PA 19512	Colebrookdale Township Washington Township Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657
PAC060460	PAG-02 General Permit	Issued	Buckingham Land Holdings, LLC 10 Birch Lane Bernville PA 19506	Upper Tulpehocken Berks County	Berks County Conservation District 1238 County Welfare Rd Suite 200 Leesport, PA 19533 610-372-4657
PAC010292	PAG-02 General Permit	Issued	Gettysburg Bible Baptist Church 3003 Old Harrisburg Road Gettysburg, PA 17325-7518 1255 Baugher Road Westminster, MD 21158 1926 Good Hope Road Suite 400 Enola, PA 17025 1850 Carlisle Pike Hanover, PA 17331	Straban Township Adams County	Adams County Conservation District 670 Old Harrisburg Rd Ste 201 Gettysburg, PA 17325 717-334-0636 selandauer@adamscountypa.gov

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC010293	PAG-02 General Permit	Issued	PTV 1425 LLC 400 Penn Center Building 4 Suite 1000 Pittsburgh, PA 15235-5613	Butler Township Adams County	Adams County Conservation District 670 Old Harrisburg Rd Ste 201 Gettysburg, PA 17325 717-334-0636 selandauer@adamscountypa.gov
PAC010289	PAG-02 General Permit	Issued	U.S. Department of Defense Raven Rock Mountain Complex 1155 Defense Pentagon Washington, DC 20301-1155	Hamiltonban Township Liberty Township Adams County	Adams County Conservation District 670 Old Harrisburg Rd Ste 201 Gettysburg, PA 17325 717-334-0636 selandauer@adamscountypa.gov
PAC210351	PAG-02 General Permit	Issued	East Pennsboro Township 98 South Enola Road Enola, PA 17025	East Pennsboro Township Cumberland County	Cumberland County Conservation District 310 Allen Road Ste 301 Carlisle, PA 17013 717-240-7812 mmarsh@cumberlandcountypa.gov
PAC670759	PAG-02 General Permit	Issued	West York Area School District Sheri Schlemmer 1891 Loucks Road Suite 100 York, PA 17408	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430 yorkccd@yorkccd.org
PAC360746 A-1	PAG-02 General Permit	Issued	Mark Will Stone Mill Partners, LLC P.O. Box 291 Lititz, PA 17543	Manor Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@lancasterconservation.org
PAC360924 A-1	PAG-02 General Permit	Issued	Cindy Schweitzer East Hempfield Township 1700 Nissley Road Landisville, PA 17538	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@lancasterconservation.org
PAC360787	PAG-02 General Permit	Issued	Kevin Kahlfeldt 283 Commerce Hub Venture, LLC 7225 Renner Road Suite 250 Shawnee, KS 66217	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@lancasterconservation.org

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360848	PAG-02 General Permit	Issued	Stacie Doman Lancaster General Hospital 549 North Lime Street Lancaster, PA 17601	Manor Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@ lancasterconservation.org
PAC361027	PAG-02 General Permit	Issued	Joel Lingenfelter Lancaster Evangelical Free Church 419 Pierson Road Lititz, PA 17543	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@ lancasterconservation.org
PAC360653	PAG-02 General Permit	Issued	Keith Mirchandani Karma 61 Industrial Road, LLC P.O. Box 50077 Lighthouse Pointe, FL 33074	West Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@ lancasterconservation.org
PAC360512	PAG-02 General Permit	Issued	Kyle Lewis Americold Logistics, LLC 10 Glenlake Parkway Suite 600 South Tower Atlanta, GA 30328	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@ lancasterconservation.org
PAC360588	PAG-02 General Permit	Issued	Richard Jackson D.R. Horton, Inc. 4999 Louise Drive Mechanicsburg, PA 17055	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@ lancasterconservation.org
PAC360990	PAG-02 General Permit	Issued	Steve Ferreri Pennsylvania Game Commission 253 Snyder Road Reading, PA 19605	Clay Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@ lancasterconservation.org
PAC361010	PAG-02 General Permit	Issued	Jon White HMW Properties, LLC 802 Harmony Hill Road West Chester, PA 19380	East Cocalico Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@ lancasterconservation.org
PAC360825	PAG-02 General Permit	Issued	Raul Patel Raul and Hetal Patel 3738 Kennel Avenue Columbia, PA 17512	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@ lancasterconservation.org

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360955	PAG-02 General Permit	Issued	Rajesh Surapaneni Rajesh and Sowmya Surapaneni 6125 Log Cabin Trail Enola, PA 17025	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@lancasterconservation.org
PAC360564	PAG-02 General Permit	Issued	Nick Viscome Elizabethtown Regional Sewer Authority 235 Ersa Drive Elizabethtown, PA 17022	West Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@lancasterconservation.org
PAC360900	PAG-02 General Permit	Issued	James Tippet Corixa Corporation d/b/a GlaxoSmithKline Vaccines 325 N. Bridge Street Marietta, PA 17547	East Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@lancasterconservation.org
PAC360327	PAG-02 General Permit	Issued	Doug Lamb 1180 Zeager Road Elizabethtown, PA 17022	West Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@lancasterconservation.org
PAC360781	PAG-02 General Permit	Issued	George Agadis Karida LLC 3653 Marietta Avenue Lancaster, PA 17601	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@lancasterconservation.org
PAC360969	PAG-02 General Permit	Issued	Shakher Patel Dutchland Realty Holding Corp. 153 Buckwalter Road Lancaster, PA 17602	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 x5 lccd@lancasterconservation.org

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and

procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Parx Casino & Racing 3001 Street Road Bensalem, PA 19020	Bucks County	452.4	1,650	Horse	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Angie Hall, Clerical II, 570-327-0551.

Construction Permit No. 4140111, Public Water Supply.

Applicant	Madisonburg Water Works
Address	107 Madisonburg Pike Madisonburg, PA 16852
Municipality	Miles Township
County	Centre County
Consulting Engineer	Anna Barrick 208 West Third Street Suite 101 Williamsport, PA 17701
Application Received	January 27, 2025
Permit Issued	April 9, 2025
Description	Addition of 1,000 LF of 12" PVC waterline for chlorine contact prior to finished water storage.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Ryan Fox, Env. Engineer, 570-826-2533.

Construction Permit No. 5424509, Major Amendment, Public Water Supply.

Applicant	Veolia Water Pennsylvania, Inc.
Address	461 From Road Suite 400 Paramus, NJ 07652
Municipality	North Union Township
County	Schuylkill County
Consulting Engineer	Honor Engineer Company 1100 North Mountain Road Suite 1 Harrisburg, PA 17112
Application Received	November 19, 2024
Permit Issued	April 14, 2025
Description	Major Permit Amendment issued authorizing 4-Log treatment and storage tank upgrades.

Construction Permit No. 6624501MA, Minor Amendment, Public Water Supply.

Applicant **Pennsylvania American Water Company—Winola**
 Address 852 Wesley Dr.
 Mechanicsburg, PA 17055
 Municipality Overfield Township
 County **Wyoming County**
 Consulting Engineer Jacob Rowe, P.E.
 852 Wesley Dr.
 Mechanicsburg, PA 17055
 Application Received May 14, 2024
 Permit Issued March 21, 2025
 Description Minor permit amendment issued to PAWC Winola for chlorine analyzer replacement.

Construction Permit No. 1324503, Major Amendment, Public Water Supply.

Applicant **Country Junction General Store**
 Address 6565 Interchange Rd.
 Lehigh, PA 18235
 Municipality Towamensing Township
 County **Carbon County**
 Consulting Engineer Keystone Consulting Engineers, Inc.
 863 Interchange Rd.
 Kresgeville, PA 18058
 Application Received October 3, 2024
 Permit Issued March 21, 2025
 Description Major permit amendment issued to The Country Junction General Store for construction of 4-Log Treatment of Viruses, Corrosion control treatment, and Greensand filtration.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers.

Construction Permit No. 0924529, Major Amendment, Public Water Supply.

Applicant **Warminster Municipal Authority**
 Address 415 Gibson Avenue
 Warminster, PA 18974-4163
 Municipality Warminster Township
 County **Bucks County**
 Consulting Engineer CKS Engineering
 4259 West Swamp Road
 Suite 410
 Doylestown, PA 18902-1033
 Application Received December 2, 2024
 Permit Issued April 9, 2025
 Description Install treatment systems at Well Station No's 1, 3, 5, 7, 9, 14, 15, and 37.

Construction Permit No. 1525502, Major Amendment, Public Water Supply.

Applicant **Phoenixville Water Department**
 Address 351 Bridge Street
 Phoenixville, PA 19460
 Municipality Phoenixville Borough
 County **Chester County**
 Consulting Engineer Gannett Fleming
 1010 Adams Avenue
 Audubon, PA 19403
 Application Received March 17, 2025
 Permit Issued April 10, 2025
 Description A pump station is required in the new townhouse development to provide sufficient pressure to support the fire flow capacity of the automatic sprinkler system.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4708.

Operation Permit 2125501 MA. PWSID No. **7210028**. **Veolia Water Pennsylvania, Inc.**, 6310 Allentown Blvd, Suite 104, Harrisburg, PA 17112, Mechanicsburg Borough, **Cumberland County**. Application received: April 10, 2025. Permit Issued: April 11, 2025. This action authorizes operation of the filter at the Market Street WTP following media replacement.

NCWSA Operation Permit 7670841. PWSID No. **7670841**. **Pleasant View Church**, 10384 Winterstown Rd, Red Lion, PA 17356, North Hopewell Township, **York County**. Application received: March 11, 2025. Permit Issued: April 10, 2025. This action authorizes the operation of various water system treatment upgrades.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 2124512 MA. PWSID No. **7210002**. **Carlisle Borough Municipal Authority**, 53 W South Street, Carlisle, PA 17013, North Middleton Township, **Cumberland County**. Application received: April 2, 2025. Permit Issued: April 15, 2025. Partial operation permit for water treatment plant improvements (chlorinators) at the water treatment plant.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.

Operation Permit 2625501. PWSID No. **5260036**. **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15372, Dunbar Township, **Fayette County**. Application received: April 1, 2024. Permit Issued: April 8, 2024. Operation of clarifier No. 4.

Transfer Permit 4110299-T1. PWSID No. **4110017**. **Highland Sewer and Water Authority**, 120 Tank Drive, Johnstown, PA 15904, Croyle Township, **Cambria County**. Application received: February 5, 2025. Permit Issued: April 14, 2025. Transfer of Croyle Township Municipal Authority permits to Highland Sewer and Water Authority.

Construction Permit 5625503. PWSID No. **4560874.** **Highlands Ventures LLC**, 231 County Line Road, Champion, PA 15622, Middlecreek Township, **Somerset County**. Application received: February 7, 2025. Permit Issued: April 4, 2025. Installation of a pressure filter, softener, and 4-log UV disinfection system at Highlands Market.

NCWSA Construction Permit 5650941. PWSID No. **5650941.** **PTV 1343, LLC**, 400 Penn Center Boulevard, Building 4, Suite 1000, Pittsburgh, PA 15235, New Alexandria Borough, **Westmoreland County**. Application received: March 19, 2025. Permit Issued: April 4, 2025. New PWS well and treatment for Dollar General New Alexandria Store and the replacement of the UV light disinfection system.

NCWSA Operation Permit 4560844. PWSID No. **4560844.** **Leskinen Enterprises, Inc., d/b/a Somerfield South Rec Area**, 104 Marina Drive, Addison, PA 15411, Addison Township, **Somerset County**. Application received: April 1, 2025. Permit Issued: April 3, 2025. Operation of two chlorine contact tanks.

NCWSA Operation Permit 4560888. PWSID No. **4560888.** **Mountain Ridge Trail Resort LLC**, 517 Boone Road, Central City, PA 15926, Stonycreek Township, **Somerset County**. Application received: April 2, 2025. Permit Issued: April 3, 2025. New PWS Well and Treatment for Mountain Ridge Trail Resort.

BIOSOLIDS INDIVIDUAL PERMITS (PABIG, SSN AND PABIS)

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101— 6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

J S Helwig & Son LLC, Primary Facility ID # **880865**, US 15 N, MM 139.5, Williamsport, PA 17701, Old Lycoming Township, **Lycoming County**. Bressler's Environmental Service, 2994 E Valley Road, Loganton, PA 17747, on behalf of J S Helwig & Son LLC, 222 Metro Drive, Terrell, TX 75160, submitted a Final Report concerning remediation of soil contaminated with used motor oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Bahl Unit Well Pad, Primary Facility ID # **882581**, 493 Hottensteins Hill Road, New Albany, PA 18833, Forks Township, **Sullivan County**. Creston Environmental LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of

Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Seneca Aboveground Brine Water Line C09-J Brine Release, Primary Facility ID # **854402**, 1894 Indian Camp Lane, Emporium, PA 15834, Shippen Township, **Cameron County**. ARM Group LLC, 2548 Park Center Boulevard, State College, PA 16801, on behalf of Seneca Resources Company LLC, 2000 Westinghouse Drive, Suite 400, Cranberry Township, PA 16066, submitted a Final Report concerning remediation of soil contaminated with production water. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

360 Cliff Street, Primary Facility ID # **881032**, 360 Cliff Street, Honesdale, PA 18431, Honesdale Borough, **Wayne County**. Bluestone Environmental, 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of Firmstone Lakewood Fuels, 411 High Street, Honesdale, PA 18431, submitted a Final Report concerning remediation of soil contaminated with heating oil from an above-ground storage tank. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Manny's Service Center, Primary Facility ID # **882251**, 791 North Pennsylvania Avenue, Wilkes-Barre, PA 18705, City of Wilkes-Barre, **Luzerne County**. Quad 3 Group, 37 North Washington Street, Wilkes-Barre, PA 18701, on behalf of Emanuel Marotti, 791 North Pennsylvania Avenue, Wilkes-Barre, PA 18705, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with petroleum. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

K. Millard Pad 1, Primary Facility ID # **874319**, 1120 Warner Road, Montrose, PA 18801, Jessup Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report is intended to document remediation of the site to meet the Statewide health standards.

NR-13 Brant West Pad, Primary Facility ID # **879056**, 601 Tarzan Road, Great Bend, PA 18847, Great Bend Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil contaminated with oil-based drilling mud. The Final Report is intended to document remediation of the site to meet the Statewide health and background standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

ASC Engineered Solutions, LLC, Primary Facility ID # **622602**, 1411 Lancaster Avenue, Columbia, PA 17512, Columbia Borough, **Lancaster County**. WSP USA, Inc., 13530 Dulles Technology Drive, Suite 300, Herndon, VA 20171, on behalf of Emerson Electric Company, 8027 Forsyth Blvd., Saint Louis, MO 63105, submitted a Final Report concerning remediation of groundwater contaminated with spent pickling liquor. The Final Report is intended to document remediation of the site to meet the site-specific standards.

D&D Distribution Services, Primary Facility ID # **805916**, 789 Kings Mill Road, York, PA 17403, Spring Garden Township, **York County**. Arcadis U.S., Inc., 1 Harvard Way, Suite 5, Hillsborough, NJ 08844, on behalf of SK Kings Mill LLC, 254 West 31st Street, 4th Floor, New York, NY 10001, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with VOCs, SVOCs and Metals. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Regional Manager, 484-250-5792.

Alliance 51st Street, Primary Facility ID # **855927**, 1646 South 51st Street, Philadelphia, PA 19143, City of Philadelphia, **Philadelphia County**. Lawrence Brunt, Arcadis U.S., Inc., 1 Harvard Way, Suite 5, Hillsborough, NJ 08844, on behalf of Max Ryan, Alliance 51st Street, LLC, 40 Morris Avenue, Suite 230, Bryn Mawr, PA 19010, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with leaded gasoline, inorganics, lead, MTBE, other organics, and PAHs. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation

report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

C & K Coal 4910, Primary Facility ID # **879812**, Hall Road, Snow Shoe, PA 16874, Snow Shoe Township, **Centre County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production LLC, 126 Industry Road, # 201, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with brine fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: March 27, 2025.

Crain BRA Pad, Primary Facility ID # **879812**, 80 W Parks Road, Rome, PA 18847, Rome Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: April 1, 2025.

Former Keystone Explosives Manufacturing Facility, Primary Facility ID # **880037**, Wittimore Road, Emporium, PA 15834, Shippen Township, **Cameron County**. Insite Group, Inc., 611 South Irvine Avenue, Sharon, PA 16146, on behalf of Lyme Emporium Highlands III LLC, 23 S Main Street, Third Floor, Hanover, NH 03755, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil contaminated with lead and arsenic. The Report Was acceptable to meet site-specific standards. Approved: April 8, 2025.

Mazurak HHO Release Port Matilda, Primary Facility ID # **880313**, 5613 West Buffalo Run Road, Port Matilda, PA 16870, Patton Township, **Centre County**. Joann & Michael Mazurak III, 3613 W Buffalo Run Road,

Port Matilda, PA 16870, on behalf of Joann & Michael Mazurak III, 3613 W Buffalo Run Road, Port Matilda, PA 16870, submitted a Final Report concerning remediation of soil contaminated with Fuel Oil No. 2. The Final Report demonstrated attainment of the Statewide health standards. Approved: April 8, 2025.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Nick, 814-332-6978.

Kraft Dahlstrom Site, Primary Facility ID # **869478**, 58 Spruce Street, Oil City, PA 16301, City of Oil City, **Venango County**. Moody and Associates, Inc., 11548 Cotton Road, Meadville, PA 16335, on behalf of Oil Region Alliance of Business, Industry and Tourism, 217 Elm Street, Oil City, PA 16301, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with Antimony, Arsenic, Lead, Selenium, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Benzene, Naphthalene, 2-Methylnaphthalene, Ethylbenzene, Copper, Nickel, Zinc, Mercury, Benzo(b)fluoranthene, Benzo(k)fluoranthene, and bis(2-Ethylhexyl)-phthalate. The Report demonstrated attainment of the site-specific standards. Approved: April 10, 2025.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Regional Manager, 484-250-5792.

1820 West Allegheny Avenue Site, Primary Facility ID # **817769**, 1820 West Allegheny Avenue, Philadelphia, PA 19132, City of Philadelphia, **Philadelphia County**. Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of New Courtland Elder Services, 6970 Germantown Avenue, Philadelphia, PA 19119, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with PAHs, lead, and inorganics. The Report Was acceptable to meet site-specific standards. Approved: April 8, 2025.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Hambleton A Well Pad, Primary Facility ID # **882206**, 103 Stopka Lane, Amity, PA 15311, West Bethlehem Township, **Washington County**. Ronald Doumont, Penn Environmental & Remediation, 100 Ryan Court, Suite 20, Pittsburgh, PA 15205, on behalf of Kyle Borden, EQT Corporation, 2200 Energy Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with brine constituents, which includes aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, zinc, and chlorides. The Final Report demonstrated attainment of the Statewide health standards. Approved: April 9, 2025.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief, 814-332-6328.

GP3-37-00373C: Amerikohl Aggregates, Inc.—Welsh Mine, 1508 Jockey Moore Road, Elwood City, PA 16117, Wayne Township, **Lawrence County**. The Department received a GP-3 application for the installation of various crushers, screens, bins, feeders, and conveyors. The Welsh Mine currently operates under State Only Operating Permit (SOOP) # 37-00373, and this equipment will be incorporated into the SOOP upon its renewal. The Department reviewed the application and determined that it met all necessary requirements, and therefore, it was approved. Application received: February 21, 2025. Issued: April 8, 2025.

GP11-37-00373E: Amerikohl Aggregates, Inc.—Welsh Mine, 1508 Jockey Moore Road, Elwood City, PA 16117, Wayne Township, **Lawrence County**. The Department received a GP-11 application for the installation of a Caterpillar diesel-fired engine, being used to power various crushers, screens, bins, feeders, and conveyors. The Welsh Mine currently operates under State Only Operating Permit (SOOP) # 37-00373, and this equipment will be incorporated into the SOOP upon its renewal. The Department reviewed the application and determined that it met all necessary requirements, and therefore, it was approved. Application received: February 21, 2025. Issued: April 8, 2025.

GP21-32-00456A: ECC Bethany, 6314 Route 403 Highway NN, Heilwood, PA 11574, Pine Township, **Indiana County**. The Department issued a GP21 to ECC Bethany. Application received: February 20, 2025. Issued: April 2, 2025.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Vince Pascucci, PE, East Permit Section Chief, 717-705-4702.

GP19-36-03098B: Steel Fab Enterprises, Inc., 625 Baumgardner Road, Lancaster, PA 17603, Pequea Township, **Lancaster County**. For a shot blast cleaning machine controlled by a baghouse, at the structural steel manufacturing facility. Application received: March 20, 2025. Issued: April 8, 2025.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP21-30-00851A: Environmental Commodities Corporation, 1919 14th Street, Suite 700, Boulder, CO 80203, Aleppo Township, Authorization to install and operate three (3) enclosed flares to combust coal mine gas at the following three (3) boreholes: 13L-1 (39.833182, -80.416816), 13L-2 (39.835540, -80.424833), and 13L-3 (39.838329, -80.434168) on the active Bailey Mine in Aleppo Township, **Greene County**. Application received: March 25, 2025. GP coverage issued: April 11, 2025.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00045C: Hamilton Liberty LLC, 151 Liberty Lane, Towanda, PA 18848, Asylum Township, **Bradford County**. The Department issued a plan approval for the replacement of the rotors on the Units 10 and 20 Siemens natural gas-fired combined cycle combustion turbines at the Hamilton Liberty Generation Plant. The plan approval contains the necessary requirements including testing, monitoring, recordkeeping, and reporting conditions to ensure compliance with all applicable Federal and State regulations. Application received: April 4, 2023. Permit issued: April 11, 2025. Expiration date: October 10, 2026.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, P.E., Environmental Engineer Manager, 570-826-2341.

48-00003J: Keystone Cement Co., Route 329, Bath, PA 18014-0058, East Allen Township, **Northampton County**. The plan approval was issued on January 7, 2025 for the replacement of the existing four hazardous waste fuel AST's with six new 32,000-gallons above-ground storage tanks and installation of a 28,000-gallons hazardous waste above-ground storage tank at the facility located in East Allen Township, Northampton County. Application received: November 2, 2023. Issued: January 7, 2025.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0250: McGill Fairless Hills Composting Facility, 600 Tyburn Rd, Morrisville, PA 19067-3616, Falls Township, **Bucks County**. This action is for a biofilter control device at an indoor composting facility. Application received: April 11, 2025. Issued: April 14, 2025.

09-0210B: Waste Management of Fairless, LLC/Fairless Area Parcel, Old Bordentown Rd & Steel Rd S, Fairless Hills, PA 19030, Falls Township, **Bucks County**. Plan Approval 09-0210B for the three (3) John Zink Ultra Low Emissions (ULE) flares is being modified to allow the introduction of up to 275 standard cubic feet per minute (scfm) of propane into the flare feed when combusting landfill gas (LFG) from the GROWS Landfill only. The propane is to augment the LFG since the heat content of the LFG is lower than the minimum needed for proper ULE flare operation. Use of propane augmentation will not increase any emissions from the ULE flares. Emissions with the use of the maximum allowed propane for all three ULE flares would be: nitrogen oxides (NO_x)—14.68 tons per year (tpy); carbon monoxide (CO)—64.43 tpy; sulfur oxides (SO_x)—41.81 tpy and volatile organic compounds (VOC)—0.52 tpy. The conditions for monitoring and recording the amount of propane used, restricting propane usage to when only GROWS LFG is combusted, and calculating the emissions from both the propane and LFG combusted are included in the plan approval. The flares will still need to comply with the requirements under 40 CFR Part 63 Subpart AAAA. Application received: March 28, 2025. Issued: April 15, 2025.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Vince Pascucci, PE, East Permit Section Chief, 717-705-4702.

06-05160: Nextera Renewable Fuels LLC, P.O. Box 39, Orefield, OH 18069-0039, Cumru Township, **Berks County**. For their on-site landfill gas (LFG) to energy plant at the Western Berks Landfill (WBLF). Application received: September 6, 2024. Issued: April 8, 2025.

06-05050: Sunoco Pipeline LP, 525 Fritztown Road, Sinking Spring, PA 19608, Spring Township, **Berks County**. For the petroleum pumping and storage facility. The Title V permit was renewed. Application received: December 16, 2024. Issued: April 1, 2025.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00071: Williamsport Steel Container Corporation, 360 Arch Street, Williamsport, PA 17701, City of Williamsport, **Lycoming County**. The Department issued a State Only (Natural Minor) Operating Permit (renewal) for Williamsport Steel Container Corporation's fabrication facility. The Operating Permit contains emission limits, throughput limitations and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with all applicable Federal and State air quality regulations. Application received: August 6, 2024. Renewal issued: April 11, 2025. New expiration date: April 10, 2030.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

48-00077: Falk Funeral Home, Inc., East Penn Crematory/Hellertown, 1418 Main Street, Hellertown, PA 18055, Hellertown Borough, **Northampton County**. The Department issued a renewal State-Only (Natural Minor) Permit for operation of a human crematory facility in Hellertown Borough, Northampton County. The primary sources consist of one (1) crematory incinerator. The control device consists of an afterburner. The source is considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), particulate matter (PM₁₀), and volatile organic compounds (VOC) emissions. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: November 6, 2024. Renewal issued: April 11, 2025.

40-00027: Susquehanna Nuclear LLC, 769 Salem Blvd, Berwick, PA 18603-6828, Salem Township, **Luzerne County**. The Department has issued a renewal State-Only (Synthetic Minor) Operating Permit for the Salem

Township facility. Sources at this facility include their emergency diesel generators, fire pump diesel generator, backup fire pump diesel generator, security control center diesel generator, blue max diesel generator, cooling towers, emergency spray pond, flex building emergency diesel generator, and their T-53 marine turbines. Sources at this facility also include cooling tower drift eliminators as control devices. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: February 5, 2025. Accepted: February 5, 2025. Issued: April 10, 2025.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

32-00349: Robindale Energy Services, Inc., I-22 Tipple, 1501 Ligonier St, Latrobe, PA 15650, Burrell Township, **Indiana County**. This action is for the change of ownership and renewal of the State-Only Operating Permit for the I-22 Tipple. The I-22 Tipple is considered a coal transfer facility and contains equipment for unloading from railcars, storing, and loading coal into trucks. Both the railcar dump and hopper of the truck loadout are enclosed to control dust. The facility contains a stockpile with a stacking tube, railcar dump, two transfer stations, truck loadout and conveyers. Annual potential emissions are 8.5 tons of PM₁₀. The sources at the facility are subject to 25 Pa. Code Chapters 121—145. The permit includes emission limitations and operational, monitoring, reporting, and recordkeeping requirements for the plant. Application received: February 6, 2024. Renewal issued: April 8, 2025.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00132: Lansdale Crematory Inc., 701 Derstine Ave, Lansdale, PA 19446-3344, Lansdale Borough, **Montgomery County**. This action is for the renewal of a Natural Minor Operating Permit for the operation of three (3) human crematories. Application received: December 6, 2023. Issued: April 11, 2025.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

65-01026: Woodgrain Inc., 123 BenBilt Place, Greensburg, PA 15601, Unity Township, **Westmoreland County**. On April 10, 2025, the Department issued a renewed synthetic minor State-Only Operating Permit to Woodgrain for their Latrobe Facility located in Unity Township, Westmoreland County. The renewal updates regulatory requirements and processes an administrative amendment for a change in ownership of the facility (formerly Hutig Building Products, Inc.). Sources of emissions consist of four (4) manual spray booths, and other equipment used in the coating process for metal doors, fiberglass doors and wooden door jambs and frames. Potential emissions from this facility, including the voluntary limits in the Operating Permit are 25.1 TPY VOC and 0.6 TPY HAP. Application received: October 16, 2024. Deemed administratively complete: October 18, 2024. Issued: April 10, 2025.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, EEM, 570-826-2341.

35-00011: Alliance Sanitary Landfill, Inc., 398 South Keyser Avenue, Taylor, PA 18517, Taylor Borough, **Lackawanna County**. 35-00011: Alliance Sanitary Landfill, Inc. (398 South Keyser Avenue, Taylor, PA 18517) on April 11, 2025, in Taylor Borough, Lackawanna County for an amendment to incorporate process modification. Conditions from Plan Approval 35-00011A were copied into the Title V Operating Permit No. 35-00011. Administrative Amendment of Title V Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. Application received: April 2, 2025. Issued: April 11, 2025.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

24-00131: SGL Carbon, 900 Theresia Street, P.O. Box 1030, Saint Mary's, PA 15857-1832, City of Saint Mary's, **Elk County**. The natural minor Operating Permit was administratively amended to incorporate the requirements of plan approvals 24-131V and 24-131X. Application received: March 10, 2025. Revised: April 8, 2025.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

67-03038: Yoe Construction, Inc., 775 Lombard Road, P.O. Box 285, Red Lion, PA 17356-8226, Windsor Township, **York County**. For the structural steel manufacturing facility. The State-Only permit was administratively amended in order to correct administrative omissions. Application received: March 26, 2025. Issued: April 9, 2025.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief, 814-332-6328.

AG5A-43-00001A: Hilcorp Energy Company—Jefferson McCullough Well Pad, 303 Charleston Road, Sharpsville, PA 16150, Jefferson Township, **Mercer County**.

The De Minimis emission increase is for the addition of blanket gas to storage tanks to aid in pressure differential issues in the closed vent system. In addition, this source is exempt from plan approval, as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by Pa. Code § 127.449(i). This list includes the De minimis emission increases since the General Plan Approval/General Operating Permit issuance on November 4, 2020.

Date	Source	PM ₁₀ (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
4/10/25	Blanket Gas Installation	--	--	--	0.76	--
Total Reported Increases		--	--	--	0.76	--
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

AG5-43-00001B: Hilcorp Energy Company—Jefferson Montgomery Station, 135 Steister Road, Mercer, PA 16137, Jefferson Township, **Mercer County**.

The De Minimis emission increase is for the addition of blanket gas to storage tanks to aid in pressure differential issues in the closed vent system. In addition, this source is exempt from plan approval, as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by Pa. Code § 127.449(i). This list includes the De minimis emission increases since the General Plan Approval/General Operating Permit issuance on October 24, 2023.

Date	Source	PM ₁₀ (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
4/10/25	Blanket Gas Installation	--	--	--	0.75	--
Total Reported Increases		--	--	--	0.75	--
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

AG5-43-00006A: Hilcorp Energy Company—Lackawannock Larmon Central Facility, PA 318, Mercer, PA 16137, Lackawannock Township, **Mercer County**.

The De Minimis emission increase is for the addition of blanket gas to storage tanks to aid in pressure differential issues in the closed vent system. In addition, this source is exempt from plan approval, as it complies with 25 Pa. Code

§ 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by Pa. Code § 127.449(i). This list includes the De minimis emission increases since the General Plan Approval/General Operating Permit issuance on March 25, 2021.

<i>Date</i>	<i>Source</i>	<i>PM₁₀ (tons)</i>	<i>SO_x (tons)</i>	<i>NO_x (tons)</i>	<i>VOC (tons)</i>	<i>CO (tons)</i>
4/10/25	Blanket Gas Installation	--	--	--	0.83	--
Total Reported Increases		--	--	--	0.83	--
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

AG5-37-00002A: Hilcorp Energy Company—Mahoning Siegel Facility, Lease Road, Frizzleburg, PA 16143, Mahoning Township, **Lawrence County**.

The De Minimis emission increase is for the addition of blanket gas to storage tanks to aid in pressure differential issues in the closed vent system. In addition, this source is exempt from plan approval, as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by Pa. Code § 127.449(i). This list includes the De minimis emission increases since the General Plan Approval/General Operating Permit issuance on March 11, 2021.

<i>Date</i>	<i>Source</i>	<i>PM₁₀ (tons)</i>	<i>SO_x (tons)</i>	<i>NO_x (tons)</i>	<i>VOC (tons)</i>	<i>CO (tons)</i>
4/10/25	Blanket Gas Installation	--	--	--	0.66	--
Total Reported Increases		--	--	--	0.66	--
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

AG5-37-00003A: Hilcorp Energy Company—NCD Central Facility, Lease Road, Edinburg, PA 16116, North Beaver Township, **Lawrence County**.

The De Minimis emission increase is for the addition of blanket gas to storage tanks to aid in pressure differential issues in the closed vent system. In addition, this source is exempt from plan approval, as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by Pa. Code § 127.449(i). This list includes the De minimis emission increases since the General Plan Approval/General Operating Permit issuance on March 22, 2021.

<i>Date</i>	<i>Source</i>	<i>PM₁₀ (tons)</i>	<i>SO_x (tons)</i>	<i>NO_x (tons)</i>	<i>VOC (tons)</i>	<i>CO (tons)</i>
4/10/25	Blanket Gas Installation	--	--	--	0.04	--
Total Reported Increases		--	--	--	0.04	--
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

AG5-37-00004A: Hilcorp Energy Company—Pulaski Whiting Central Facility, 3140 Garner Road, Edinburg, PA 16116, Pulaski Township, **Lawrence County**.

The De Minimis emission increase is for the addition of blanket gas to storage tanks to aid in pressure differential issues in the closed vent system. In addition, this source is exempt from plan approval, as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by Pa. Code § 127.449(i). This list includes the De minimis emission increases since the General Plan Approval/General Operating Permit issuance on August 30, 2021.

<i>Date</i>	<i>Source</i>	<i>PM₁₀ (tons)</i>	<i>SO_x (tons)</i>	<i>NO_x (tons)</i>	<i>VOC (tons)</i>	<i>CO (tons)</i>
4/10/25	Blanket Gas Installation	--	--	--	0.54	--
Total Reported Increases		--	--	--	0.54	--
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

AG5-43-00007A: Hilcorp Energy Company—Shenango Radkowski Station, PA 551S, Pulaski, PA 16143, Shenango Township, Mercer County.

The De Minimis emission increase is for the addition of blanket gas to storage tanks to aid in pressure differential issues in the closed vent system. In addition, this source is exempt from plan approval, as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by Pa. Code § 127.449(i). This list includes the De minimis emission increases since the General Plan Approval/General Operating Permit issuance on April 7, 2021.

Date	Source	PM ₁₀ (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
4/10/25	Blanket Gas Installation	--	--	--	0.61	--
Total Reported Increases		--	--	--	0.61	--
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

AG5A-37-00001A: Hilcorp Energy Company, 1013 Skyhill Road, Edinburg, PA 16116, Mahoning Township, Lawrence County.

The De minimis emission increase is for the addition of blanket gas to storage tanks to aid in pressure differential issues in the closed vent system. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De minimis emission increases since the General Plan Approval/General Operating Permit issuance on May 24, 2024.

Date	Source	PM ₁₀ (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
04/07/25	Storage Tanks	—	—	—	0.21	—
Total Reported Increases		—	—	—	0.21	—
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

28-05002: Letterkenny Army Depot, One Overcash Avenue, Chambersburg, PA 17201, Greene Township, Letterkenny Township, Franklin County. Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for a de minimis emissions increase of 0.191 tpy CO, 0.228 tpy NO_x, 0.017 tpy PM₁₀, 0.001 tpy SO_x, and 0.013 tpy VOC resulting from the installation of comfort heaters in Buildings 2290 and 3321 at the Letterkenny Army Depot. This is the first de minimis emissions increase at the facility during the term of the current Operating Permit.

28-05002: Letterkenny Army Depot, One Overcash Avenue, Chambersburg, PA 17201, Greene Township, Letterkenny Township, Franklin County. Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for a de minimis emissions increase of 0.431 tpy CO, 0.514 tpy NO_x, 0.039 tpy PM₁₀, 0.003 tpy SO_x, and 0.028 tpy VOC resulting from the installation of comfort heaters and water heaters in new Building 3285 at the Letterkenny Army Depot. This is the second de minimis emissions increase at the facility during the term of the current Operating Permit.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Lori Jenkins, Clerical Assistant 3.

Mining Permit No. 30020701. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill and Gray Townships, **Greene County**. To renew the permit. Application received: June 23, 2023. Accepted: August 1, 2023. Issued: April 8, 2025.

Mining Permit No. 30841316. NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Aleppo and Richhill Townships, **Greene County**. To revise the permit and related NPDES permit for the installation of a ventilation borehole, affecting 8.0 sure acres. Application received: January 27, 2025. Accepted: February 5, 2025. Issued: April 2, 2025.

Mining Permit No. 32131303. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Washington Township and Creekside Borough, **Indiana County**. To renew the permit. Application received: March 25, 2024. Accepted: April 24, 2024. Issued: March 11, 2025.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 33990102. NPDES No. PA0227978. McKay Coal Company, Inc., P.O. Box 343, Punxsutawney, PA 15767, Perry Township, **Jefferson County**. Renewal of an existing bituminous surface mine and associated NPDES permit 81.7 affecting 280.0 acres. Receiving streams: UNT to Foundry Run. Application received: March 14, 2024. Renewed: April 10, 2025.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 40030202. Pioneer Equipment Rentals, Inc., 645 Laurel Run Road, Bear Creek Township, PA 18702, Duryea and Hughestown Boroughs, **Luzerne County**. Renew an anthracite coal refuse reprocessing operation affecting 150.0 acres. Receiving stream: Mill Creek. Application received: September 11, 2023. Renewal issued: April 9, 2025.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 24240802. Nero Enterprise, LLC, 484 Walnut Street, St. Mary's, PA 15857, City of Saint Mary's, **Elk County**. Commencement, operation and restoration of a large industrial minerals mine affecting 5.0 acres. Receiving streams: Elk Creek. Application received: April 10, 2024. Issued: April 15, 2025.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 06920301. NPDES Permit No. PA0595641. Martin Stone Quarries, Inc., 1355 North Reading Avenue, Bechtelsville, PA 19505, Washington Township, **Berks County**. Renew NPDES Permit on a

quarry operation. Receiving stream: UNT to Swamp Creek. Application received: June 10, 2024. Renewal issued: April 10, 2025.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Permit No. 30254101. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141-2018, Perry Township, **Greene County**. Blasting Activity Permit issued for the construction/demolition of ARS EQT Downer Gas Well Pad, with an expiration date of December 31, 2026. Application received: April 7, 2025. Issued: April 9, 2025.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 46254103. Rock Work, Inc., 1257 Dekalb Pike, Blue Bell, PA 19422, West Pottsgrove Township, **Montgomery County**. Construction blasting for Wawa Gas Station. Application received: April 8, 2025. Permit issued: April 11, 2025. Expiration date: May 1, 2026.

Permit No. 15254107. Valley Rock Solutions, LLC, P.O. Box 246, Macungie, PA 18062, Valley Township, **Chester County**. Construction blasting for Valley View Lot 8B. Application received: April 9, 2025. Permit issued: April 11, 2025. Expiration date: March 31, 2026.

Permit No. 64254001. Implosion Technologies, LLC, 966 Calkins Road, Milanville, PA 18443, Damascus Township, **Wayne County**. Demolition blasting for Skinner's Bridge Demo. Application received: April 3, 2025. Permit issued: April 10, 2025. Expiration date: May 30, 2025.

Permit No. 22254102. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Lower Swatara Township, **Dauphin County**. Construction blasting for The Pond at Fulling Mill. Application received: April 7, 2025. Permit issued: April 11, 2025. Expiration date: December 1, 2025.

Permit No. 64254102. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Lebanon Township, **Wayne County**. Construction blasting for Chris Wallingford foundation. Application received: April 7, 2025. Permit issued: April 11, 2025. Expiration date: April 7, 2026.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E3502224-008. Pennsylvania American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055-4436, City of Scranton, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstructions/encroachments associated with the Community Environmental Project (CEP)—Roaring Brook: 1. A streambank restoration project along a 580-foot reach of Roaring Brook (CWF, MF) with work consisting of re-grading 390 linear feet of streambank to have a 2:1 slope and regrading the other 190 linear feet of streambank with a 1.5:1 slope. Additional streambank work includes installation of soil lifts, native riparian plantings with seed mixes, and a wooden staircase proposed within the regraded streambank to provide community access. 2. To

relocate an existing 4-foot wide, 545-foot-long gravel walking path within the floodway of Roaring Brook (CWF, MF). The proposed trail will be at existing grade and will not result in an increase in fill within the floodway. 3. To place sixteen (16) boulders within the stream channel of Roaring Brook (CWF, MF) for improved instream aquatic habitat. 4. An additional streambank restoration project along a 70-foot reach of Roaring Brook (CWF, MF) with work consisting of re-grading the streambank and installing a rock revetment wall at a 1:1 grade. Additional work within the floodway includes the installation of a 4-foot wide handicap access path, construction of a new 10-foot x 10-foot fishing platform, and installation of a new 60-foot long split rail fence. The project is located at Darcy Park to the left of Richter Ave after its intersection with Ash Street (Scranton, PA Quadrangle Latitude: 41°, 24', 25", Longitude: -75°, 38', 13") in Scranton City, Lackawanna County. Application received: October 17, 2024. Issued: April 10, 2025.

E4802224-006. Easton Wood Ave., Propco, LLC, 8801 River Crossing Boulevard, Indianapolis, IN 46240-2294, Easton City, Palmer Township, Wilson Borough, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Easton Commerce Park Project: 1) A fill within 0.064 acre of PEM/PFO Wetlands (EV) for the purpose of constructing a 40-ft wide paved road to access a proposed 1,006,880 ft² industrial building. 2) A channel change within an 870-ft segment of a UNT to Bushkill Creek (HQ-CWF, MF) consisting of the relocation of the existing stream and the construction of a 1,532-ft long, 8-ft wide, 1.1-ft deep trapezoidal channel having 2.5:1 side slopes, a bed lined with R-3 riprap, and longitudinal slopes ranging from 0.01% to 3%. 3) A stream crossing of a UNT to Bushkill Creek (HQ-CWF, MF) consisting of a 75-ft long, 96-inch diameter concrete culvert, concrete wingwalls, and an invert depressed 12-in below streambed elevation. 4) A utility line crossing of an enclosed portion of a UNT to Bushkill Creek (HQ-CWF, MF) consisting of a 12-inch diameter water main. 5) A utility line crossing of an enclosed portion of a UNT to Bushkill Creek (HQ-CWF, MF) consisting of an 18-inch diameter smooth lined corrugated polyethylene pipe conveying stormwater. 6) The remove an existing stream crossing of a UNT to Bushkill Creek (HQ-CWF, MF) and to construct and maintain a replacement stream crossing consisting of a 60-foot long, 6.4-foot wide, 8.1-foot high, open-bottom reinforced con-span arch pipe. This crossing carries a UNT to Bushkill Creek below SR 2017 (Hackett Avenue). 7) A utility line crossing of an enclosed portion of a UNT to Bushkill Creek (HQ-CWF, MF) consisting of an 18-inch diameter smooth lined corrugated polyethylene pipe conveying stormwater. 8) A stormwater outfall within the floodway of a UNT to Bushkill Creek (HQ-CWF) consisting of a 6.5-foot long, 18-inch diameter perforated level spreader. 9) A stormwater outfall within the floodway of a UNT to Bushkill Creek (HQ-CWF) consisting of a 118-foot long, 24-inch diameter perforated level spreader. The project is located approximately 0.3 mile west of the intersection of N. 13th Street and Bushkill Drive (Easton, PA Quadrangle Latitude: 40°, 41', 55" Longitude: -75°, 14', 5") in City of Easton, Palmer Township, and Wilson Borough, Northampton County. Application received: April 11, 2024. Issued: April 15, 2025.

E5402224-002. Orwigsburg CSG 1 LLC, 3050 Peachtree Road, Suite 460, Atlanta, GA 30305, Orwigsburg Borough, **Schuylkill County**. U.S. Army Corps of Engineers Philadelphia District.

The construct and maintain the following water obstructions and encroachments associated with the Orwigsburg CSG 1, LLC Project: 1) A crossing of 0.03 acre of PFO Wetlands (EV) consisting of a 20-foot wide gravel access road and two (2) 34-foot long, 15-inch diameter HDPE cross pipes. 2) A crossing of 0.005 acre of PFO Wetlands (EV) consisting of a 20-foot wide gravel access road. The project is located 0.35 mile northwest of Lincoln Avenue and W. Market Street (Strausstown, PA Quadrangle Latitude: 40°, 39', 24"; Longitude: -76°, 6', 54") in Orwigsburg Borough, Schuylkill County. Application received: August 15, 2024. Issued: April 15, 2025.

E3502225-001. Hull Ave at Ash Street, LLC, 28130 Hiram Street, Unit 303, Bonita Springs, FL 34135, Olyphant Borough, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District.

To demolish an abandoned 55,500 square foot commercial use building and to construct and maintain thirteen 2-unit residential buildings, parking areas, sidewalks, landscaping, utilities and stormwater management facilities within the floodway of the Lackawanna River (CWF, MF). The proposed redevelopment project results in a net cut of 95,019 cubic yards of fill within the floodway. The project is located at the end of Hull Ave approximately 0.1 mile from the intersection with W. Lackawanna Ave. (Thornhurst, PA Quadrangle Latitude: 41°, 28', 8.7", Longitude: -75°, 36', 25.7") in Olyphant Borough, Lackawanna County. Application received: January 27, 2025. Issued: April 14, 2025.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EP-WW-SERO-105@pa.gov.

E0901224-012. Brondeau Spousal Lifetime Asset Trust, 1418 Monk Rd, Gladwyne, PA 19035, New Hope Borough, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District.

Brondeau Spousal Lifetime Asset Trust is proposing to rehabilitate an existing retaining wall along the Delaware River (WWF) resulting in 87.5 linear feet (350 square feet) of permanent watercourse impact. This project mainly consists of replacing timber lagging within the bulkhead structure and permanently stabilizing along the riverbank on Division Street and is located at 136 North Main Street in New Hope Borough, Bucks County (USGS PA Lambertville Quadrangle—Latitude 40.368957 N, Longitude 75.952832 W). Application received: October 23, 2024. Accepted: March 7, 2025. Issued: April 8, 2025.

E2301224-012. Haverford Township, 1014 Darby Rd, Havertown, PA 19083, Haverford Township, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District.

Haverford Township is proposing to construct and maintain (4) 1-foot diameter x 60-foot-tall light poles and 515 linear feet of 2-inch diameter conduit by open cut trenching within the floodplain of Darby Creek (TSF-MF) resulting in +/-2,180 square feet of permanent floodplain impact and +/-4,645 square feet of temporary floodplain impact. The trenching for permanent field lighting electrical conduit will be backfilled with excavated material to match existing grade. This project is located at the existing McDonald Field, near the intersection of Burmont Road and Warrior Road in Haverford Township,

Delaware County (USGS PA Chester Quadrangle—Latitude: 39.957177 N, Longitude: 75.333804 W). Application received: September 11, 2024. Accepted: December 5, 2024. Issued: April 8, 2025.

E1501224-003. Chester County, 313 W. Market St, West Chester, PA 19380, Tredyffrin Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

Chester County is proposing to remove a single span, 34.3 foot-long, 15.77 foot-wide wrought iron pony truss bridge over Valley Creek (EV-MF), and in its place, construct and maintain a single span, 43 foot-long, 33 foot-wide prestressed concrete adjacent box beam bridge resulting in 1,890 square feet of permanent watercourse impact, 2,051 square feet of temporary watercourse impact, 1,762 square feet of permanent floodway impact, 895 square feet of temporary floodway impact, 4,999 square feet of permanent floodplain impact, and 3,300 square feet of temporary floodplain impact. Permanent impacts include shading from the new bridge, placement of riprap scour protection, abutments, and grading for the new approaches to the bridge. Temporary impact is due to coffer dams to dewater the work area and temporary disturbance and access. The existing Mill Road Bridge is also listed as a National Register-eligible resource and is located between Le Boutillier and Duportail Roads in Tredyffrin Township, Chester County (USGS PA Valley Forge Quadrangle—Latitude 40.070143 N, Longitude 75.472647 W). Application received: May 17, 2024. Accepted: May 17, 2024. Issued: April 9, 2025.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E6305124-013. PennDOT District 12-0, 825 N. Galatin Ave. Ext., Uniontown, PA 15401, North Strabane Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to: 1. Remove the existing 23.15-LF long, 12-LF wide, Steel I-Beam Bridge, which carries SR 1055 over an unnamed tributary (UNT) to Little Chartiers Creek (HQ-WWF), and to construct and maintain a replacement 50-LF long, 14' x 6' Precast Box Culvert, including scour protection, to convey the UNT, resulting in a net loss of approximately 26.85 LF of open channel, and having a combined permanent watercourse impact of 72 LF to the UNT to Little Chartiers Creek. 2. Construct and maintain stream bank stabilization to be placed along the UNT to Little Chartiers Creek, at a length of 128 LF upstream and 13 LF downstream of the proposed culvert, consisting of R-7 choked with R-4 stone, and having a combined permanent watercourse impact of 141 LF to the UNT to Little Chartiers Creek. 3. Construct and maintain temporary erosion and sedimentation control structures in and along the UNT to Little Chartiers Creek, having a total temporary watercourse impact of 257 LF to the UNT to Little Chartiers Creek. For the purpose of replacing a structure along PA Route 1055, Section E10, including a full depth roadway reconstruction. The project will have a cumulative permanent impact of 213 LF to watercourses, and a cumulative temporary impact of 257 LF to watercourses. The project site is located along SR 1055, approximately 2,000 LF due southwest from the route's intersection with Long Drive (Hackett, PA USGS topographic quadrangle; N: 40°, 13', 6.9575"; W: -80°, 6', 47.743"). Application received: July 29, 2024. Issued: April 10, 2025.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kate Hogue Clerical Supervisor, 814-332-6868.

ESCGP # 4 **ESG081025001-00**

Applicant Name **Laurel Mountain Production**

Contact Person Matt Weinreich

Address 61 McMurray Rd, Ste 300

City, State, Zip Pittsburgh, PA 15241-1633

Township(s) Parker City, Parker Township

County **Armstrong County, Butler County**

Receiving Stream(s) and Classification(s) Allegheny River (WWF); UNT to Allegheny River (WWF); UNT to Bear Creek (CWF)

Application received: January 8, 2025

Issued: April 14, 2025

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The reme-

dial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Bones Auto Parts, Storage Tank Facility ID # **40-22861**, 1110 Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. Keystone Environmental Health & Safety Services, 1111 12th Avenue, Altoona, PA 16601, on behalf of EG America, 165 Flanders Road, Westborough, MA 01581, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting site-specific standards.

Walnutport Service Center, Storage Tank Facility ID # **48-31359**, 308 South Best Avenue, Walnutport, PA 18088, Walnutport Borough, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Blue Ridge Auto Center, Inc., 308 South Best Avenue, Walnutport, PA 18088, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with gasoline. The plan is intended to document the remedial actions for meeting Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Gregory Bowman, Environmental Group Manager, 717-705-4705.

PA0306—Mt. Union, Storage Tank Facility ID # **31-60030**, 3 North Jefferson Street, Mount Union, PA 17066, Mount Union Borough, **Huntingdon County**. Synergy Environmental, Inc., 155 Railroad Plaza, Royersford, PA 19458, on behalf of Dunne Manning Realty, LP, 645 Hamilton Street, Suite 400, Allentown, PA 18101, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum constituents. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

309 Car Wash, Storage Tank Facility ID # **46-02713**, 773 Bethlehem Pike, Montgomeryville, PA 18936, Montgomery Township, **Montgomery County**. RMS Environmental, LLC, 1000 East Walnut Street, Suite 722, Perkasie, PA 18944, on behalf of 309 Car Wash, Inc., 773 Bethlehem Pike, Montgomeryville, PA 18936, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Valley SVC CTR, Storage Tank Facility ID # **46-43051**, 3475 Huntingdon Pike, Huntingdon Valley, PA 19006, Lower Moreland Township, **Montgomery County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of Shell USA, Inc., 20945 South Wilmington Avenue, Carson, CA 90810, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential site-specific standards.

Cheltenham Sunoco, Storage Tank Facility ID # **51-01820**, 1700 West Cheltenham Avenue, Philadelphia, PA 19126, City of Philadelphia, **Philadelphia County**. Synergy Environmental, Inc., 155 Railroad Plaza, First Floor, Royersford, PA 19468, on behalf of Station Management Consultants, Inc., 439 South Governor Printz Avenue, Essington, PA 19029, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

7 Eleven 40135, Storage Tank Facility ID # **02-34616**, 339 Cochran Road, Mount Lebanon, PA 15228, Mount Lebanon Township, **Allegheny County**. Enviro Trac Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sunoco, Inc., 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Downingtown Mobil, Storage Tank Facility ID # **15-24370**, 47 W Lancaster Ave, Downingtown, PA 19335, Downingtown Borough, **Chester County**. Groundwater & Environmental Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of ExxonMobil Environmental and Property Solutions Company, 1900 West Linden Avenue, Building 28A, Linden, NJ 07036, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the nonresidential Statewide health and site-specific standards and was approved by DEP on April 11, 2025.

SPECIAL NOTICES

WATER PROGRAMS

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments,

suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PUBLIC NOTICE OF APPLICATION AND DRAFT STATE WATER QUALITY CERTIFICATION FOR A FERC REGULATED PIPELINE PROJECT

Proposed State Water Quality Certification Required by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the Capital Area Project.

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Kevin White, PE, Director; 570-826-2015.

WQ2883224-002, Eastern Gas Transmission and Storage, Inc. (Applicant), 10700 Energy Way Glen Allen, Virginia 23060. Capital Area Project (Project), in Leidy Township, **Clinton County**, Spring Township, **Centre County**, and Hamilton Township, **Franklin County**, U.S. Army Corps of Engineers, Baltimore District. The proposed project is located at three existing compressor station locations in Pennsylvania: Finnefrook Compressor Station in Leidy Township along Finnefrook Station Ln off of Tamarack Rd (Latitude: 41.426336°; Longitude: -77.857794°), Centre Compressor Station in Spring Township along Witherite Rd (Latitude: 40.880092°; Longitude: -77.729942°), and Chambersburg Compressor Station in Hamilton Township along Warm Spring Rd (Latitude: 39.892600°; Longitude: -77.720375°).

On December 11, 2024, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP25-29-000). The FERC Environmental Assessment for the Project, which was submitted on December 11, 2024, may be viewed on FERC's website at www.ferc.gov (search eLibrary; Docket Search; CP25-29-000).

On December 6, 2024, Applicant requested a State Water Quality Certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect

water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project, as proposed, includes the expansion and modification of existing compressor stations (Finnefrook Compressor Station, Centre Compressor Station, and Chambersburg Compressor Station) along the PL-1 natural gas pipeline system through the addition of gas-fired turbine compressor units and ancillary facilities at the Centre Compressor Station and Chambersburg Compressor Station, in addition to, modification of existing facilities at the Finnefrook Compressor Station. No new transmission pipelines will be required. The Project, as proposed, will require approximately 47.33 acres of earth disturbance. No impacts to streams or wetlands are proposed.

PADEP, by this notice, is proposing to issue a SWQC to Eastern Gas Transmission and Storage, Inc. for the Capital Area Project. PADEP is proposing to certify that construction, operation and maintenance of the Capital Area Project complies with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The PADEP is proposing to further certify that the construction, operation and maintenance of the Capital Area Project complies with Pennsylvania water quality standards and that the construction, operation and maintenance of the project will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. *Discharge of Hydrostatic Test Water*—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. *Erosion and Sediment Control and Stormwater Management*—All projects proposing earth disturbance must implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management) and all other applicable regulations.

4. *Other Water Quality Requirements*—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project

from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—At all times, Applicant shall properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals issued ensure the project shall maintain and protect state water quality standards as required by this SWQC. Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to:

Department of Environmental Protection
Regional Permit Coordination Office:
Kevin White, PE, Director
400 Market Street, Harrisburg, PA 17101
RA-EPREGIONALPERMIT@pa.gov

10. *Reservation of Rights*—PADEP may modify, suspend or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that Applicant has not complied with the terms and conditions of this SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of this SWQC shall not be affected thereby.

Prior to issuance of the final SWQC, PADEP will consider all relevant and timely comments, suggestions or objections submitted to PADEP within 30 days of this notice. Comments should be directed to [insert contact and title] at the previously listed address or through the Pennsylvania AT&T Relay Service at 800-654-5984 (TDD). Comments must be submitted in writing and contain the name of the person commenting and a concise statement of comments, objections or suggestions on this proposal. No comments submitted by facsimile will be accepted.

WASTE, AIR, RADIATION AND REMEDIATION

Covered Device Prohibited from Sale under Sections 302 and 507 of the Covered Device Recycling Act, Act 108 of 2010.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101,

Contact: Teesha Truesdale, 787-7382.

The Department of Environmental Protection (Department) hereby announces that a certain manufacturer of covered devices is not included on the Department's list of registered manufacturers, maintained by the Department under sections 302 and 507 of the Covered Device Recycling Act (CDRA). Accordingly, under Section 302 of the CDRA, no retailer may offer these manufacturers' products for sale within the Commonwealth.

Manufacturers of new covered devices—such as televisions, laptop and desktop computers, tablets, etc.—offered for sale in Pennsylvania are required to register with the Department prior to commencing sales per Section 304 of the CDRA. Manufacturers must also pay an annual registration fee and submit a recycling plan and annual report. Section 302 of the CDRA prohibits the sale of covered devices in the Commonwealth by unregistered manufacturers.

The Department is required to maintain a list of registered manufacturers per Section 302(b) of the CDRA. The list can be accessed by visiting dep.pa.gov.

The following manufacturer is not included on the Department's list and are therefore considered out of compliance:

KUU

Due to its non-compliant status and non-inclusion on the list of registered manufacturers, the Department is notifying the public, in cooperation with covered device retailers, that the CDRA prohibits the sale of devices manufactured by KUU within the Commonwealth, and that the sale of such devices would constitute unlawful conduct under the CDRA. Non-compliant manufacturers may once again be included on the Department's list of registered manufacturers, and their devices offered for sale in the Commonwealth, if the manufacturers return to compliance with all the applicable provisions of the CDRA.

Inquiries regarding this notification can be directed to Jordan Hoover, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at jorhoover@pa.gov or (717) 783-8973.

Request Proposals for Municipal Solid Waste Disposal By-Pass Disposal Facilities Chester County Health Department on Behalf of the County of Chester Board of Commissioners County of Chester, PA.

In accordance with the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of July 28, 1988, as amended, and Chapter 272 of the Pennsylvania Rules and Regulations, 25 Pa. Code, the County of Chester is soliciting proposals from regional landfills with the capacity to provide disposal for municipal solid waste, including construction and demolition waste and municipal sewage sludge originating from the County of Chester for the ten year period 2025–2034. During the ten year period, the County of Chester is projected to generate an average of 333,547 tons per year.

Qualified respondents will enter into an agreement for five (5) year period of the 2025–2030, with the option to extend for another five (5) year period of 2030–2034. Respondents who enter into an agreement with the County of Chester will be listed as by-pass facilities in the County Municipal Waste Management Plan that is currently being updated.

Request for Proposal (RFP) Information:

- RFP Release: 4/25/2025 on <https://www.chesco.org/5561/Public-Bids>
- Questions Due: 5/2/2025 by 5:00 PM
- Proposals Due: 5/9/2025 by 12:00 Noon

Organizations who applied to the recent previous RFP by the County of Chester NEED NOT RE-APPLY.

Access to the RFP can be found at the County of Chester Procurement page at <https://www.chesco.org/5561/Public-Bids>.

The County of Chester requires questions and proposals to be submitted through the FREE e-procurement services Public Purchase at www.publicpurchase.com.

Questions should be submitted via email to Chevis Fennell, Acting Director of Procurement at cfennell@chesco.org or via Public Purchase; responses to questions will be posted on the County of Chester's Public Purchase.

[Pa.B. Doc. No. 25-562. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 17(6680)101.1, Abandoned Mine Reclamation Project, Kellytown Southwest 1, Knox Township, Clearfield County. The principal items of work and approximate quantities include the following: implementation of the erosion and sediment pollution control plan—rock construction, entrance, 1 each; implementation of the erosion and sediment pollution, control plan—compost filter sock (32" diameter), 4,284 linear feet; access road, 1 each; clearing and grubbing, 28.2 acres; grading, 314,593 cubic yards; planting—grass seed, 1,780 pounds; and gas line crossings, 1 lump sum.

This bid issued on April 25, 2025, and bids will be opened on May 29, 2025, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C. §§ 1201–1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 25-563. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Laboratory Accreditation Advisory Committee Meeting Cancellation

The April 29, 2025, meeting of the Laboratory Accreditation Advisory Committee (Committee) is cancelled. The next regular meeting of the Committee is tentatively scheduled for Tuesday, October 28, 2025. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) website at www.pa.gov/agencies/dep (select "Public Participation," then "Advisory Committees," then "Laboratory Accreditation Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the October 28, 2025, meeting can be directed to Torrey Anderson-Green at tandersong@pa.gov or (717) 346-8637.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-8727 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 25-564. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

PIOGA, et al. v. DEP, et al.

This notice is to announce a settlement in the case *Pennsylvania Independent Oil & Gas Association, Penn-*

sylvania Grade Crude Oil Coalition, and Pennsylvania Independent Petroleum Producers Association v. Department of Environmental Protection of the Commonwealth of Pennsylvania and Environmental Quality Board of the Commonwealth of Pennsylvania (574 M.D. 2022). On December 5, 2022, petitioners filed a legal challenge against the emergency regulation titled “Control of VOC Emissions from Conventional Oil and Natural Gas Sources,” asserting two counts for declaratory relief. Both

parties agreed to pause the case to explore a settlement. The parties reached a settlement and requested the court to dismiss both counts of the petition and to clarify compliance dates and reporting deadlines under 25 Pa. Code § 129.140(k) to ensure proper notice to the regulated industry. The Commonwealth Court issued the following memorandum and order.

JESSICA SHIRLEY,
Acting Secretary

IN THE COMMONWEALTH COURT OF PENNSYLVANIA

Pennsylvania Independent Oil & Gas
Association, Pennsylvania Grade
Crude Oil Coalition, and Pennsylvania
Independent Petroleum Producers
Association,

Petitioners

v.

Department of Environmental
Protection of the Commonwealth of
Pennsylvania and Environmental
Quality Board of the Commonwealth
of Pennsylvania,

Respondents

No. 574 M.D. 2022

MEMORANDUM AND ORDER

Before this Court is the Joint Application for Relief Pursuant to Pennsylvania Rule of Appellate Procedure 123, Pa.R.A.P. 123¹ (Joint Application for Relief) filed by Petitioners Pennsylvania Independent Oil & Gas Association, Pennsylvania Grade Crude Oil Coalition, and Pennsylvania Petroleum Producers Association (collectively Petitioners), and Respondents Commonwealth of Pennsylvania Department of Environmental Protection (DEP) and Environmental Quality Board of the Commonwealth of Pennsylvania (collectively, Respondents).

On December 5, 2022, Petitioners initiated this action by filing a Petition for Review in the Nature of a Complaint for Declaratory Relief (PFR), which asserted two counts for declaratory relief challenging the promulgation of the emergency certified final-omitted “Control of VOC [(Volatile Organic Compounds)] Emissions from Conventional Oil and Natural Gas Sources.” In response, Respondents filed preliminary objections, which this Court unanimously overruled. See *Pennsylvania Independent Oil & Gas Association v. Department of Environmental Protection* (Pa. Cmwlth., No. 574 M.D. 2022, filed April 16, 2024) (en banc). Thereafter, the parties filed a Joint Application for Stay of Proceedings to Explore Settlement, which this Court granted.

¹ Rule 123(a) provides:

Unless another form is elsewhere prescribed by these rules, an application for an order or other relief shall be made by filing a written application for such order or relief with proof of service on all other parties. The application shall contain or be accompanied by any matter required by a specific provision of these rules governing such an application, shall state with particularity the grounds on which it is based, and shall set forth the order or relief sought. If an application is supported by briefs, verified statements, or other papers, they shall be served and filed with the application. An application may be made in the alternative and seek such alternative relief or action by the court as may be appropriate. All grounds for relief demanded shall be stated in the application and failure to state a ground shall constitute a waiver thereof. Except as otherwise prescribed by these rules, a request for more than one type of relief may be combined in the same application. Pa.R.A.P. 123(a).

According to the Joint Application for Relief now before the Court, the parties entered into a Stipulation for Settlement on March 31, 2025. Based on the Stipulation for Settlement, the parties agree that there is a need to clarify applicable compliance dates set forth in the regulation codified at 25 Pa. Code § 129.140(k) and ensure adequate notice to the regulated community. Per the settlement, the parties request this Court to dismiss Counts I and II of the PFR and clarify certain deadlines to submit an initial annual report to the Air Program Manager of the Department Regional Office in accordance with the provisions of 25 Pa. Code § 129.140(k). Upon review, the Court grants the requested relief and enters the following:

ORDER

AND NOW, this 8th day of April, 2025, upon consideration of the parties’ Joint Application:

1. Counts I and II of the PFR are DISMISSED without prejudice;

2. Owners or operators of a source subject to 25 Pa. Code § 129.131(a) shall submit an initial annual report to the Air Program Manager of the Department Regional Office by June 1, 2025, in accordance with the provisions of 25 Pa. Code § 129.140(k); and

3. DEP shall submit a copy of this Order to the *Pennsylvania Bulletin* on the next submission deadline following issuance of the Order for publication in accordance with the *Pennsylvania Bulletin* publication schedule.

4. The Prothonotary is directed to mark this case closed.

MICHAEL H. WOJCIK,
Judge

[Pa.B. Doc. No. 25-565. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C. §§ 241(a) and 247b), will hold public meetings at the Genetti Hotel, 200 West 4th Street, Williamsport, PA on Wednesday, May 14, 2025, from 3 p.m. to 6 p.m. and on Thursday, May 15, 2025, from 9 a.m. to 2:30 p.m.

Participants can also access the meetings virtually through the following options:

To join the Microsoft Teams meetings, individuals will need to connect by phone; this can be done by dialing the following number and entering the meeting ID listed as follows:

Day 1: Main Meeting

Call-In Information:

Toll Free: (267) 332-8737

Phone conference ID: 255 885 561#

<https://bitly.cx/QQkmP>

Day 2: Main Meeting

Call-In Information:

Toll Free: (267) 332-8737

Phone conference ID: 526 764 228#

<https://bitly.cx/vkNaa>

Day 2: Evaluation Subcommittee Time

Call-In Information:

Toll Free: (267) 332-8737

Phone conference ID: 526 764 228#

<https://bitly.cx/vkNaa>

Day 2: Intersectional and Innovation Subcommittee Time

Call-In Information:

Toll Free: (267) 332-8737

Phone conference ID: 541 208 670#

<https://bitly.cx/05riW>

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention Integrated HIV Surveillance and Prevention Programs for Health Departments grant. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the meetings who require an auxiliary aid, service or other accommodation to do so, should contact Kyle Fait, Planning Coordinator, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Health and Human Services Building, Harrisburg, PA 17120, (717) 260-8929, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel these meetings without prior notice.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 25-566. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Advisory Board's Recommendation to Add a Qualifying Serious Medical Condition for Chapter 20 Research Purposes Only and the Secretary of Health's Decision to Effectuate the Recommendation

Under section 1202 of the Medical Marijuana Act (act) (35 P.S. § 10231.1202) of the decision of the Secretary of Health (Secretary) to effectuate the recommendations of the Medical Marijuana Board (Board) in the Board's reports, adopted at a public meeting on May 22, 2024, and September 18, 2024, under section 1201(j)(6) of the act (35 P.S. § 10231.1201(j)(6)).

The Department of Health (Department) is updating 28 Pa. Code Chapter 1141a, Appendix A (relating to serious medical conditions) to add "Moderate to Severe Traumatic Brain Injury (TBI) with Chronic Symptoms" and "Type II Diabetes Mellitus" to the list of serious medical conditions limited to Chapter 20 research purposes only. Academic Clinical Research Centers that wish to conduct research on the approved serious medical conditions limited to Chapter 20 research purposes only must comply with the Bureau of Medical Marijuana's policies and procedures.

Under section 1202 of the act, the Secretary has discretion to effectuate recommendations of the Board within 12 months of receipt of a report adopted at a public meeting under section 1201(j)(6) by transmitting a notice to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*. The following are the recommendations of the Board, along with the Secretary's rationale, as to whether to effectuate the recommendations.

Board Recommendation: During a public meeting held on May 22, 2024, the Board recommended approval of the Chapter 20 research application from Penn State College of Medicine to add "Moderate to Severe Traumatic Brain Injury (TBI) with Chronic Symptoms" as a qualifying serious medical condition for research purposes only through adoption of a written report.

Secretary's Rationale: The Secretary agrees and will effectuate the Board's recommendation to add "TBI with Chronic Symptoms" as a qualifying serious medical condition for Chapter 20 research purposes only.

The act makes clear that research into the safety and effectiveness of medical marijuana to treat serious medical conditions should be "promoted" and "encouraged," stating, in part, that "Patients suffering from serious medical conditions deserve the benefit of research. . . to determine whether medical marijuana will improve their conditions or symptoms." See sections 102(3)(iii) and 2000(a)(1) and (b) 35 P.S. §§ 10231.102(3)(iii) and 10231.2000(a)(1) and (b) of the act. The Secretary recognizes the importance of the proposed research to evaluate whether medical marijuana is a safe and effective treat-

ment option for patients suffering from TBIs. There are currently more than 5 million people in the United States (approximately 2% of the population) living with a TBI-related disability. Studies provided in the application and cited in the report suggest that cannabis can directly act on the biochemical pathways that drive the secondary/chronic TBI-related injuries by reducing neurodegeneration, promoting cell healing and reducing the associated symptoms after a life-altering injury. If research demonstrates that cannabis reduces the symptoms resulting from TBI-related chronic injuries, such as spasticity, pain and sleep issues, it could improve their quality of life and well-being.

Board Recommendation: During a public meeting held on September 18, 2024, the Board recommended approval of the Chapter 20 research application from Penn State College of Medicine to add “Type II Diabetes Mellitus” as a qualifying serious medical condition for research purposes only through adoption of a written report.

Secretary’s Rationale: The Secretary agrees and will effectuate the Board’s recommendation to add Type II Diabetes Mellitus as a qualifying serious medical condition for Chapter 20 research purposes only.

The act makes clear that research into the safety and effectiveness of medical marijuana to treat serious medical conditions should be “promoted” and “encouraged,” stating, in part, that “Patients suffering from serious medical conditions deserve the benefit of research. . .to determine whether medical marijuana will improve their conditions or symptoms.” See sections 102(3)(iii) and 2000(a)(1) and (b) of the act. The Secretary recognizes the importance of the proposed research to evaluate whether medical marijuana is a safe and effective treatment option for patients suffering from Type II Diabetes Mellitus. Research suggests that at least one cannabinoid decreases fasting plasma glucose and improves function of the cells in the pancreas that produce insulin. Furthermore, cannabinoids have been shown to activate the same receptor as a class of medications approved to treat Type II Diabetes Mellitus. Also, people with Type II Diabetes Mellitus frequently experience comorbidities such as neuropathy, which is associated with severe pain and a marked reduction in well-being. Pain for neuropathy is already approved as a serious medical condition for the use of medical marijuana.

For additional information, including an alternative format of this notice (for example, large print, audiotape, Braille), contact the Bureau of Medical Marijuana, 625 Forster Street, Room 628, Health and Human Services Building, Harrisburg, PA 17120, (717) 547-3047, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

APPENDIX A. SERIOUS MEDICAL CONDITIONS

[The act of June 30, 2021 (P.L. 210, No. 44) (Act 44 of 2021) amended the statutory definition of “serious medical condition” under the Medical Marijuana Act (act) (35 P.S. §§ 10231.101–10231.2110), to include] Under section 103 of the Medical Marijuana Act (35 P.S. § 10231.103), the definition of a “serious medical condition” includes “other conditions that are recommended by the Advisory Board (Board) and approved by the Secretary under section 1202.” Section 1201(j)(5)(ii) of the act charges the Board with the responsibility to issue written reports, which include the Board’s recommendation on “whether to change, add or reduce the types of medical conditions which

qualify as serious medical conditions...” See 35 P.S. § 10231.1201(j)(5)(ii). [**This amendment was given retroactive effect to May 18, 2016, codifying conditions added by the Board between the act’s commencement and Act 44 of 2021’s passage.**]

At a public meeting on April 9, 2018, the Board adopted a final report recommending that a process be established for a subcommittee of the Board to review and approve additional serious medical conditions on a continuous basis. See 35 P.S. § 1201(j)(6). The Secretary approved this recommendation which is published at 48 Pa.B. 2898 (May 12, 2018).

Recognizing the potential need for research to be conducted prior to approval of additional serious medical conditions, on July 28, 2022, the Board established a procedure permitting Academic Clinical Research Centers (ACRCs) to petition the Board for approval of a serious medical condition, limited to Chapter 20 research purposes only. See 35 P.S. §§ 10231.2001–10231.2003.

The Department attaches this Appendix A to reflect all approved serious medical conditions **and serious medical conditions limited to Chapter 20 research purposes only**. The Department will periodically, no less than annually if additional serious medical conditions have been recommended by the Board and approved by the Secretary, publish notice in the *Pennsylvania Bulletin* updating the list of serious medical conditions. The list will also be posted on the Department’s publicly accessible Internet web site.

The following list is comprised of [**all**] medical conditions approved as a “serious medical condition” under the [**law**] **act**:

- Cancer, including remission therapy.
- Positive status for Human Immunodeficiency Virus or Acquired Immune Deficiency Syndrome.
- Amyotrophic lateral sclerosis.
- Parkinson’s disease.
- Multiple sclerosis.
- Damage to the nervous tissue of the central nervous system (brain-spinal cord) with objective neurological indication of intractable spasticity, and other associated neuropathies.
- Epilepsy.
- Inflammatory bowel disease.
- Neuropathies.
- Huntington’s disease.
- Crohn’s disease.
- Post-traumatic stress disorder.
- Intractable seizures.
- Glaucoma.
- Sickle cell anemia.
- Severe chronic or intractable pain of neuropathic origin or severe chronic or intractable pain.
- Autism.
- Neurodegenerative diseases.
- Terminal illness.
- Dyskinetic and spastic movement disorders.
- Tourette’s Syndrome.

- Opioid use disorder for which conventional therapeutic interventions are contraindicated or ineffective, or for which adjunctive therapy is indicated in combination with primary therapeutic interventions.

- Anxiety disorders.
- Chronic Hepatitis C.

The following list is comprised of medical conditions approved as a “serious medical condition limited to Chapter 20 research purposes only” under the act:

- **Moderate to Severe Traumatic Brain Injury (TBI) with Chronic Symptoms.**
- **Type II Diabetes Mellitus.**

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 25-567. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Availability of Fiscal Year 2025-2026 Social Services Block Grant Intended Use Plan

The Department of Human Services (Department) is making the Fiscal Year 2025-2026 Social Services Block Grant Intended Use Plan available for public review and comment in accordance with requirements to report on the intended use of payments at 42 U.S.C. § 1397c (relating to State reporting requirements), including information on the types of activities to be supported and the categories or characteristics of individuals to be served at 42 U.S.C. § 1397a (relating to payments to states). Title XX of the Social Security Act (42 U.S.C. §§ 1397—1397i), referred to as the Social Services Block Grant, provides funding to states to furnish social services directed at meeting specific goals. The Fiscal Year 2025-2026 Social Services Block Grant Intended Use Plan includes information on the types of activities to be supported and the categories or characteristics of individuals to be served by Social Services Block Grant funding. Comments on the Fiscal Year 2025-2026 Social Services Block Grant Intended Use Plan will be used to formulate the Department’s final plan for using Social Services Block Grant funds in Fiscal Year 2025-2026.

Public Comment

Interested persons are invited to submit comments related to this notice to the Bureau of Financial Operations by email at RA-ssbg@pa.gov within the 30-day comment period, which begins on the date this notice is published in the *Pennsylvania Bulletin*. Comments received within 30 days will be reviewed and considered for subsequent revision to the Fiscal Year 2025-2026 Social Services Block Grant Intended Use Plan. If no significant comments are received during the 30-day comment period, the Fiscal Year 2025-2026 Social Services Block Grant Intended Use Plan will be considered final and will be submitted to the United States Department of Health and Human Services.

Persons wishing to obtain the Fiscal Year 2025-2026 Social Services Block Grant Intended Use Plan may do so at the Department’s website at <https://www.pa.gov/agencies/dhs/resources/data-reports/highlighted-reports.html> or by

written request. Written requests should be emailed to RA-ssbg@pa.gov.

The previous Fiscal Year 2024-2025 Social Services Block Grant Intended Use Plan is available for all interested individuals and groups by written request at RA-ssbg@pa.gov or at the Department’s website at <https://www.pa.gov/content/dam/copapwp-pagov/en/dhs/documents/docs/publications/documents/highlighted-reports/2024-25-SSBG-Intended-Use-Plan.pdf>. Written requests should be emailed to RA-ssbg@pa.gov.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service by dialing 711 (inside Pennsylvania) or (800) 833-5833 (for TTY services outside of Pennsylvania) or (800) 654-5988 (voice users). The Department Helpline number is (800) 692-7462.

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1681. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 25-568. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds beginning with Fiscal Year (FY) 2025-2026 to establish a new class of supplemental payments to qualifying Medical Assistance (MA) enrolled freestanding children’s hospitals located in a city of the first class that serve a high percentage of MA beneficiaries.

Background

On July 4, 2008, the General Assembly enacted Article VIII-E of the Human Services Code (62 P.S. §§ 801-E—808-E) to authorize the City of Philadelphia (City) to impose, by ordinance, a monetary assessment on the non-Medicare net operating revenue of acute care general hospitals located in the City for purposes of assuring access to hospital and emergency department services. The City enacted an ordinance implementing a monetary assessment effective January 1, 2009, and the Hospital Assessment Program (Program) has been in place since that time. The Program has generated additional revenues that are used to fund increased payments for MA services in the City. The Program has also generated additional funding to support the City’s public health clinics.

The Program was reauthorized effective July 1, 2024, through June 30, 2029, and is expected to generate additional funding to support Medicaid payments and to support the City’s public health clinics and programs. The Department intends to use funds generated from the Program for Medicaid Supplemental payments to acute care general hospitals located in a city of the first class.

Qualifying Criteria

A hospital is eligible for this additional class of supplemental payments if the hospital meets all the following criteria:

a) The hospital is enrolled in Pennsylvania's (PA) MA Program as an acute care general hospital, licensed by the Department of Health (DOH).

b) The hospital provides acute care inpatient services to patient populations predominately under 18 years of age. A hospital's patient population is predominately under 18 years of age if the hospital's number of discharges for "0—17 Years" is greater than 50% of the hospital's number of "Total" discharges. Discharges are determined from the Calendar Year 2022 DOH Reports 3-A and 3-B.

c) The hospital is located in a city of the first class.

d) The hospital's MA share of Net Patient Revenue is greater than 65% according to the Health Care Cost Containment Council's FY 2023 Financial Analysis (Volume 1).

Payment Methodology

Payments will be divided proportionally among qualifying hospitals based on the percentage of each qualifying hospital's fee-for-service (FFS) PA MA inpatient acute care days to the total FFS PA MA inpatient acute care days for all qualifying hospitals. The source of the information for FFS MA inpatient acute care days is the FY 2018-2019 MA-336 Hospital Cost Report available to the Department as of June 22, 2021.

Supplemental payments are subject to the regulations at 42 CFR 447.272 (relating to inpatient services: application of upper payment limits) and the application of upper payment limits for inpatient services.

Fiscal Impact

Beginning with FY 2025-2026, the Department will allocate an annualized amount of \$57.604 million in total funds (Federal and State) for these supplemental payments, upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding the qualifying criteria and payment methodologies in this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1683. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2024-25 is \$0; (3) 1st Succeeding Year 2025-26 through 4th Succeeding Year 2028-29 are \$15,300,000, 5th Succeeding Year 2029-30 is \$0; (4) 2023-24 Program—\$697,354,000; 2022-23 Pro-

gram—\$589,137,000; 2021-22 Program—\$644,059,000; (7) MA—FFS; (8) recommends adoption. Costs will be dependent on the passage of enacted budgets.

[Pa.B. Doc. No. 25-569. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Prevailing Wage Appeals Board Public Meeting

The Prevailing Wage Appeals Board will hold a virtual meeting on Friday, July 11, 2025, at 10 a.m. Individuals may join the virtual public meeting by dialing (267) 332-8737. The conference ID number is 170 406 512#.

The Americans with Disabilities Act contact is Gina Meckley, (717) 214-9300.

NANCY WALKER,
Secretary

[Pa.B. Doc. No. 25-570. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Medical Advisory Board Meeting

The Medical Advisory Board (Board) will meet on Friday, May 2, 2025. The meeting will begin at 10 a.m. at the Riverfront Office Center, Transportation University, 1101 South Front Street, Harrisburg, PA. Chairperson Diosdado Arroyo will preside. The meeting is open to the public.

Members of the public interested in addressing the Board with a concern relating to medical regulations should contact Saige Powell at (717) 787-0325 by Friday, April 25, 2025. These concerns will be discussed during "Items from the Floor" on the agenda, which will open at 12 p.m.

The meeting location is accessible to persons with disabilities. Persons with special needs or requiring special aids are also requested to contact Saige Powell at (717) 787-0325 prior to the meeting so that disability needs may be accommodated.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 25-571. Filed for public inspection April 25, 2025, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Pedalcycle and Pedestrian Advisory Committee Meeting

The Pedalcycle and Pedestrian Advisory Committee will hold a meeting on Monday, April 28, 2025. The meeting will be held in person at the Commonwealth Keystone

Building, 400 North Street, Desert Room Plaza Level, Harrisburg, PA 17102 at 12 p.m. There will also be a remote Microsoft Teams option and the meeting will be recorded. For more information, contact the Multimodal Deputate, (717) 787-8197, BikePedPA@pa.gov. To call into the meeting, dial (267) 332-8737 and enter 221079205# as the meeting code.

To view the meeting agenda, visit the Department of Transportation's website at pa.gov/agencies/pennndot.html (click on "Traveling in PA," then "Active Transportation" and then select "Pedalcycle and Pedestrian Advisory Committee" under "Resources").

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 25-572. Filed for public inspection April 25, 2025, 9:00 a.m.]

GAME COMMISSION

Chronic Wasting Disease—Designation of Disease Management Areas and Endemic States and Canadian Provinces Order # 15

Executive Order

Whereas, Chronic Wasting Disease (CWD) is an infectious and progressive neurological disease that is found in, and always proves fatal to, members of the family Cervidae (deer, elk or moose, and other susceptible species, collectively called cervids); and

Whereas, There are no known treatments for CWD infection, no vaccines to protect against CWD infection, and no approved tests that can detect the presence of CWD in live cervids; and

Whereas, CWD is designated as a "dangerous transmissible disease" of animals by order of the Secretary of Agriculture under 3 Pa.C.S. § 2321(d) (relating to dangerous transmissible diseases); and

Whereas, The Game and Wildlife Code (Code) (34 Pa.C.S. §§ 101 et seq.) and regulations promulgated thereunder (58 Pa. Code §§ 131.1 et seq.) collectively provide broad authority to the PGC to regulate activities relating to the protection, preservation, and management of game and wildlife, including cervids; and

Whereas, On March 28, 2017 (effective May 16, 2017), the Commission added 58 Pa. Code § 137.35 (relating to Chronic Wasting Disease Restrictions) to give more permanent status and structure to the CWD requirements and restrictions previously established and maintained over the prior decade by and through executive orders; and

Whereas, Section 137.35(d) provides the Executive Director with the authority to designate CWD Disease Management Areas (DMAs) and Established Areas (EAs) within this Commonwealth; and

Whereas, Previous executive orders concerning designation of CWD DMAs and EAs within this Commonwealth were issued by the Commission on June 1, 2017, July 24, 2017, October 6, 2017, February 16, 2018, May 21, 2018, October 22, 2018, June 17, 2019, June 2, 2020, May 28, 2021, October 21, 2021, April 5, 2022, August 18, 2022, June 22, 2023, and June 7, 2024; and

Whereas, The Commission has determined that further designations of CWD DMAs and EAs are required to implement necessary updates to the Commission's CWD program.

Now Therefore, I, STEPHEN P. SMITH, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct the following:

1. DMAs within this Commonwealth are designated as set forth below. These DMAs are more graphically illustrated on the maps titled "DMA 2," "DMA 3," "DMA 4," "DMA 5," "DMA 6," "DMA 7," "DMA 8," "DMA 9," "DMA 10" and "DMA OVERVIEW" attached hereto and incorporated by reference herein. Should any conflict exist between the below-listed written boundaries and maps of DMA 2, DMA 3, DMA 4, DMA 5, DMA 6, DMA 7, DMA 8, DMA 9, DMA 10, and DMA OVERVIEW, the written descriptions shall prevail.

a. *DMA 1*: Eliminated.

b. *DMA 2*: Adams, Bedford, Blair, Cambria, Centre, Clearfield, Cumberland, Franklin, Fulton, Huntingdon, Indiana, Juniata, Mifflin, Perry, Snyder, Somerset, Union, Westmoreland, and York counties, bounded and described as follows: Begin at the intersection of the west shore of the Susquehanna River and the Maryland State Line, proceed north along the western shore of the Susquehanna River for approximately 119.5 miles to the river bridge (State Highway 45) in Lewisburg. Continue west on State Highway 45 for approximately 44.1 miles to State Highway 144 in Old Fort. Continue south on State Highway 144 for approximately 3.9 miles to Old Route 322 in Potters Mills. Follow Old Route 322 for 0.4 miles to US Highway 322. Merge onto US Highway 322 and proceed west on US Highway 322 for approximately 13.4 miles, merging onto Interstate 99 and continuing west along Interstate 99 for approximately 11.9 miles to Exit 62 and returning to US Highway 322. Continue west on US Highway 322 for another 11.1 miles to State Highway 504 in Phillipsburg. Proceed west on State Highway 504 and follow 0.7 miles to State Highway 53. Continue west on State Highway 53 for 18.7 miles to State Highway 729 in Glen Hope. Proceed north on State Highway 729 for 9.6 miles to Marron Road (SR-3016). Follow Marron Road (ST-3016) west for 2.7 miles to Cherry Corner Road (SR-3005). Continue west on Cherry Corner Road for 0.3 mile to La Jose Road. Follow La Jose Road for 3.6 miles to State Highway 36 in Newburg. Continue south on State Highway 36 for 8.8 miles then turn west onto Sylvis Road. Continue for 5.8 miles to US Highway 219. Follow US Highway 219 south for 2.4 miles to State Highway 240. Continue west on State Highway 240 for 8.5 miles to State Highway 286. Follow State Highway 286 west for 2.5 miles to State Highway 403 in Clymer. Continue south on State Highway 403 for 2.1 miles to Spaulding Road. Follow Spaulding Road south for 3 miles to State Highway 553. Continue west on State Highway 553 for 2 miles to US Highway 422. Follow US Highway 422 east for 3.4 miles to State Highway 259. Follow State Highway 259 south for 5.4 miles to State Highway 56. Follow State Highway 56 west for 5.5 miles to US Highway 119. Continue south on US Highway 119 for 7.3 miles to US Highway 22. Continue west on US Highway 22 for 11.6 miles to State Highway 981. Follow State Highway 981 south for 9.8 miles to US Highway 30. Follow US Highway 30 east for 23.2 miles to US Highway 219. Proceed south along State Highway 219 for 32.6 miles to the Maryland border. Finally, continue east along the

Maryland border 151.6 miles to western shore of the Susquehanna River at the place of beginning.

c. *DMA 3*: Armstrong, Cambria, Clarion, Clearfield, Elk, Indiana, and Jefferson counties, bounded and described as follows: Begin at the intersection of US Highway 119/22 and State Highway 981 in the town of New Alexandria, proceed north on US Highway 119 for 19.2 miles to State Highway 56. Follow State Highway 56 east for 5.5 miles to State Highway 259. Continue north on State Highway 259 for 5.4 miles to US Highway 422. Follow US Highway 422 west for 3.4 miles to State Highway 553. Follow State Highway 553 east for 2.0 miles to Spaulding Road. Continue north on Spaulding Road for 3 miles to State Highway 403. Follow State Highway 403 north for 2.2 miles to State Highway 286. Continue east on State Highway 286 for 4.5 miles to State Highway 240. Follow State Highway 240 east for 8.5 miles to US Highway 219. Follow US Highway 219 north for 2.4 miles to Sylvis Road. Follow Sylvis Road east for 5.8 miles to State Highway 36. Follow State Highway 36 east for 8.8 miles to La Jose Road (SR-3016) in Newburg. Follow La Jose Road east for 3.6 miles becoming Cherry Corner Road (SR-3005) for another .3 mile to Marron Road (SR-3016). Proceed northeast on Marron Road for 2.7 miles to State Road 729. Follow State Road 729 north for .9 miles to Old Station Road. Follow Old Station Road (SR-2012) east for 2.4 miles to Douglas Road (SR-3007). Continue east on Douglas Road for .3 miles to New Millport Road (SR-2012) near New Millport. Follow New Millport Road east for 3.1 miles to Turkey Hill Road (SR-2012). Follow Turkey Hill Road 1.5 miles to Faunce Road (SR-2012). Follow Faunce Road east for 3.1 miles becoming Sanborn Road (SR-2012). Continue east on Sanborn Road for 2.4 miles to State Highway 153. Follow State Highway 153 north for 5 miles to Mineral Springs Road (SR-2027). Follow Mineral Springs Road north 3.3 miles to Bigler Cutoff Road. Follow Bigler Cutoff Road north for .1 miles to US Highway 322. Proceed east on US Highway 322 for .7 miles to State Highway 970. Follow State Highway 970 north for 1.5 miles to Interstate Highway 80. Follow I-80 west for 26.4 miles to State Highway 219. Follow State Highway 219 north for 25 miles to State Highway 948. Follow State Highway 948 for 0.3 miles to the Clarion River in Ridgway. Follow the Clarion River west for 28.1 miles to Belltown Road. Continue south on Belltown Road for 0.05 mile to State Highway 949. Proceed west on State Highway 949 for 16.1 miles to US Highway 322 in Corsica. Follow US Highway 322 east for 0.3 miles to State Highway 949. Follow State Highway 949 south for 4.2 miles to State Highway 28. Follow State Highway 28 south for 13.2 miles to State Highway 839 in New Bethlehem. Follow State Highway 839 south for 21.3 miles to State Highway 85. Follow State Highway 85 west for 12.7 miles to State Highway 28/66. Continue south on State Highway 28 for 1 mile. Continue onto US Highway 422 for 9.4 miles to the point it meets Buffalo Creek near the town of Worthington. Follow Buffalo Creek south for 20.2 miles where it meets the Allegheny River to a point abeam State Highway 356. Continue east on State Highway 356 for 5.5 miles then follow State Highway 56 east for 4.1 miles to the eastern shore of the Kiskiminetas River near the town of Vandergrift. Follow the eastern shore of the Kiskiminetas River east for 15.6 miles to the Washington Street bridge (State Highway 981) in Saltsburg. Follow State Highway 981 south for 7.7 miles to US Highway 119 at the place of beginning.

d. *DMA 4*: Lancaster County, bounded and described as follows: Beginning in the city of Litiz, at the intersec-

tion of State Highway 772 and State Highway 501, proceed north on State Highway 501 for 5.1 miles to US Highway 322. Proceed west on US Highway 322 for 1.2 miles to Interstate 76 (Pennsylvania Turnpike). Continue east on Interstate 76 (Pennsylvania Turnpike) for 16.9 miles to State Highway 625 (Reading Road). Follow State Highway 625 (Reading Road) south for 6.4 miles to State Highway 23. Continue west on State Highway 23 for 0.3 miles to State Highway 897. Follow State Highway 897 south for 0.6 miles to U.S. Highway 322 (28th Division Highway). Follow U.S. Highway 322 (28th Division Highway) east for 0.1 miles to State Highway 897 (Spring Valley Road). Follow State Highway 897 south for 4.2 miles to Seldomridge Road (T-513). Continue east on Seldomridge Road (T-513) for 1.8 miles to Cambridge Road (T-907). Follow Cambridge Road south for 1.6 miles to State Highway 340 (Old Philadelphia Pike). Continue west on State Highway 340 (Old Philadelphia Pike) for 0.4 miles to State Highway 897 (White Horse Road). Continue south on State Highway 897 for 4.0 miles to U.S. Highway 30. Follow U.S. Highway 30 west for 0.3 miles to State Highway 41 (Newport Pike). Continue south on State Highway 41 for 3.0 miles to Pine Creek. Follow Pine Creek south for 0.9 miles to East Branch Octoraro Creek. Continue south on East Branch Octoraro Creek for 18.2 miles to Octoraro Creek. Follow Octoraro Creek south along the Chester/Lancaster County border for 13.1 miles to the intersection with the Maryland border. Continue west along the Maryland border for 4.7 miles to the shoreline of the Susquehanna River. Proceed north along the Susquehanna River shorelines for 26.0 miles to a point abeam State Highway 999. Continue east on State Highway 999 for 7.0 miles to State Highway 741 (Rohrerstown Road). Follow State Highway 741 (Rohrerstown Road) north for 3.6 miles to U.S. Highway 30 (Lincoln Highway). Continue east on U.S. Highway 30 for 2.4 miles to State Highway 4011 (Fruitville Pike). Follow State Highway 4011 (Fruitville Pike) north for 6.7 miles to State Highway 772 (Orange Street). Continue east on State Highway 772 east for 3.6 miles to State Highway 501 at the place of beginning.

e. *DMA 5*: Warren County, bounded and described as follows: Beginning at the intersection of the Allegheny River and the New York State Line, proceed south on the west shore of the river for 27.8 miles to the bridge at Pennsylvania Ave East (Business U.S. Highway 6) in Warren. Continue south on Pennsylvania Ave East (Business U.S. Highway 6) for 0.1 mile to U.S. Highway 6. Follow U.S. Highway 6 west for 11.6 miles to West Main St (State Highway 27) in Youngsville. Continue northeast on West Main St (State Highway 27) for 0.5 mile to State Highway 27 (Matthews Run Road). Follow State Highway 27 (Matthews Run Road) north for 7.2 miles to State Highway 69 (Jackson Run Road). Continue north on State Highway 69 (Jackson Run Road) for 3 miles to State Highway 957 (Main St) in Sugar Grove. Follow State Highway 957 east for 0.2 miles to Jamestown Street. Continue north on Jamestown Street for 0.7 miles to where Jamestown Street becomes Busti Road. Continue north on Busti Road for 1 mile to the New York border. Finally, follow the New York border east for 18.1 miles to the Allegheny River at the place of beginning.

f. *DMA 6*: Clearfield, Elk, and Jefferson Counties, bounded and described as follows: Beginning in the town of Kersey at the intersection of Chicken Hill Road and State Highway 948, proceed south on Chicken Hill Road for 0.9 mile where the road becomes South Kersey Road. Follow South Kersey Road south for 1.4 miles where the road becomes Boone Mountain Road. Continue south on

Boone Mountain Road for 6.5 miles to State Highway 153. Follow State Highway 153 south for 4.9 miles to State Highway 255. Follow State Highway 255 south for 9.5 miles to Interstate 80. Follow Interstate 80 west for 4.4 miles to State Highway 219. Continue north on State Highway 219 for 21.1 miles to State Highway 948. Follow State Highway 948 east for 5.3 miles to Chicken Hill Road in Kersey at the place of beginning.

g. *DMA 7*: Columbia, Lycoming, Montour, Northumberland, and Sullivan Counties, bounded and described as follows: Beginning in the town of Trout Run at the intersection of State Highway 15 and State Highway 14, proceed north on State Highway 14 for 4.5 miles to Field Station Road. Continue southeast on Field Station Road for 2.3 miles to Beech Valley Road. Follow Beech Valley Road southeast for 0.9 mile to Calvert Road. Follow Calvert Road south for 0.1 mile to Southard Road. Continue east on Southard Road for 2.5 miles to Wallis Run Road. Follow Wallis Run Road east for 7.6 miles to Hoppestown Road in the town of Proctor. Continue northeast on Hoppestown Road for 5.9 miles to State Highway 87 at Hillsgrove. Follow State Highway 87 south for 2.4 miles to Ogdonia Road in the town of Ogdonia. Continue south on Ogdonia Road for 3.0 miles Loyalsock Trail Road. Continue south on Loyalsock Trail Road, becoming State Route 3005, then State Route 2083, and then Deer Lake Road for 6.6 miles to State Highway 220. Continue east on State Highway 220 for 5.6 miles to State Highway 42 in Beech Glen. Follow State Highway 42 south for 17.1 miles to State Highway 254 in Millville. Continue southwest on State Highway 254 for 3.5 miles to State Highway 44 in Jerseytown. Follow State Highway 44 west for 10.8 miles to State Highway 54 in Turbotville. Continue northwest on State Highway 54 for 10.9 miles to State Highway 15. Follow State Highway 15 northwest for 6.5 miles to Interstate 180 in Williamsport. Continue west on Interstate 180 for 2.0 miles returning to State Highway 15 at Exit 29. Continuing north on State Highway 15 for 12.7 miles to State Highway 14 in Trout Run at the place of beginning.

h. *DMA 8*: Dauphin, Lebanon, Northumberland, and Schuylkill Counties, bounded and described as follows: Beginning at the intersection of State Highway 743 and Interstate 76, follow Interstate 76 west 10.3 miles to the point it meets the west shore of the Susquehanna River. Follow the west shore of the Susquehanna River north for 59.5 miles to State Highway 147 in Shamokin Dam. Continue east on State Highway 147 for 0.47 mile to State Highway 61. Follow State Highway 61 east for 2.6 miles to State Highway 890. Continue southeast on State Highway 890 for 9.0 miles to State Highway 225. Continue east on State Highway 225 for 6.2 miles to State Highway 61. Follow State Highway 61 southeast for 0.3 mile to State Highway 125. Continue south on State Highway 125 for 21.0 miles to Interstate 81. Follow Interstate 81 south for 27.6 miles to State Highway 743. Turn left onto State Highway 743 south for 12 miles to Interstate 76 at the place of beginning.

i. *DMA 9*: Carbon, Columbia, Luzerne, and Schuylkill Counties, bounded and described as follows: Beginning at Interstate 476 and State Highway 895, follow State Highway 895 west for 20.3 miles. Continue west on State Highway 443 for 7.4 miles then proceed onto State Highway 443/61 and continue north. Follow State Highway 61 north for 25 miles and continue straight onto State Highway 42 for 17.3 miles to U.S. Highway 11.

Follow U.S. Highway 11 for 1.9 miles to State Highway 487. Continue north on State Highway 487 for 10.7 miles to Winding Road (SR 1020). Follow Winding Road for 5.3 miles to Waterton Road (SR 4006). Continue straight onto Waterton Road for 3.6 miles to Sunshine Road (SR 4010). Follow Sunshine Road (SR 4010) east for 3.8 miles to State Highway 239. Follow State Highway 239 south for 2.6 miles to U.S. Highway 11. Follow U.S. Highway 11 north for 10.1 miles to where it becomes State Highway 29. Follow State Highway 29 south for 4.9 miles to Interstate 81. Follow Interstate 81 north for 0.5 mile to State Highway 309. Continue south on State Highway 309 for 2.9 miles to State Highway 437. Follow State Highway 437 south for 11.6 miles to Interstate 80. Follow Interstate 80 east for 4.6 miles to Interstate 476. Follow Interstate 476 south for 21.1 miles to State Highway 895 at the place of beginning.

j. *DMA 10*: Wayne County, bounded and described as follows: Beginning at the intersection of State Highway 371 and State Highway 247, follow State Highway 247 north for 11.5 miles to State Highway 370. Continue east on State Highway 370 for 6.2 miles to the intersection with State Highway 191 to a point abeam Shehawken Creek. Follow Shehawken Creek north 0.17 mile to where it meets the West Branch Delaware River. Follow the West Branch Delaware River east for 0.46 mile to where it meets the Delaware River. Follow the Delaware River south for 32.4 miles to the Cocheton Turnpike bridge (State Highway 371). Continue west on State Highway 371 for 15.9 miles to the intersection with State Highway 247 at the place of beginning.

2. Established areas within this Commonwealth are designated as set forth below. The sole EA is more graphically illustrated on the map titled "Established Area In DMA 2" attached hereto and incorporated by reference herein. Should any conflict exist between the below-listed written boundary and map of "Established Area In DMA 2", the written descriptions shall prevail.


a. *Established Area in DMA 2*: Bedford, Blair, Franklin, Fulton, and Huntingdon counties, bounded and described as follows: Beginning at the intersection of State Highway 75 (Fort Loudon Road) and the Maryland State Line near Kasiesville, proceed north on State Highway 75 (Fort Loudon Road) for 13.9 miles to US Highway 30. Follow US Highway 30 west for 7.8 miles to US Highway 522 just north of McConnellsburg. Continue north on US Highway 522 for 37.5 miles to US Highway 22. Follow US 22 west for 41.7 miles to Old Route 22 in Duncansville. Continue west on Old Route 22 for 2.0 miles to Valley Forge Road. Follow Valley Forge Road south for 3.4 miles to the Poplar Run Road. Continue southeast on Poplar Run Road for 0.5 mile to Knob Run Road. Follow Knob Run Road southwest for 4.3 miles where the road becomes Knob Road. Continue south on Knob Road for 3.4 miles to the Bedford/Blair County Line, where the road becomes Blue Knob Road. Follow Blue Knob Road south for approximately 1.0 mile to State Forrest Road in Blue Knob State Park. Follow State Forrest Road south for 3.5 miles where the road becomes Pavia Road. Continue south on Pavia Road for 0.25 miles to State Highway 869. Follow State Highway 869 south for 3.4 miles to State Highway 96. Continue south on State Highway 96 south for 14.4 miles to US Highway 30 in Schellsburg. Follow US Highway 30 east 4.75 miles to State Highway 31. Follow State Highway 31 southwest for 3.4 miles to State Highway 96 in Manns Choice. Continue south on State Highway 96 for 22.25 miles to the Maryland border. Finally, follow along Maryland border east for 47.0 miles to State Highway 75 at place of beginning.


3. The previous executive order concerning designation of CWD DMAs and CWD-endemic States and Canadian Provinces within this Commonwealth that was issued by the Commission on June 7, 2024, and published in the *Pennsylvania Bulletin* on June 29, 2024, at 54 Pa.B. 3750, is hereby rescinded in its entirety and replaced by this Order.

4. This Order is effective immediately and shall remain in effect until rescinded or modified by subsequent order.


Given under my hand and seal of the Pennsylvania Game Commission on this 14th day of April, 2025.


STEPHEN P. SMITH,
Executive Director






















[Pa.B. Doc. No. 25-573. Filed for public inspection April 25, 2025, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (IRRC) may issue comments within 30 days of the close of the public comment period. IRRC comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

IRRC has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
13-6	Department of Military and Veterans Affairs State Veterans' Programs 55 Pa.B. 1421 (February 15, 2025)	03/17/25	04/16/25

Department of Military and Veterans Affairs Regulation # 13-6 (IRRC # 3429)

State Veterans' Programs

April 16, 2025

We submit for your consideration the following comments on the proposed rulemaking published in the February 15, 2025 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the Department of Military and Veterans Affairs (Department) to respond to all comments received from us or any other source.

Subchapter A. GENERAL PROVISIONS

1. Section 5a.2. Definitions.—Clarity.

Suggested definitions

The terms “State veterans’ programs,” “character of discharge” or “qualifying character of discharge,” and “rating code sheet” are used throughout the rulemaking. To improve clarity, we suggest these terms be defined in this section of the final-form rulemaking.

The proposed rulemaking defines the terms “Bureau,” “Commission,” and “Department.” Since § 5a.4, relating to waiver of regulations, grants certain power to the “Adjutant General,” we recommend that this term be defined as well.

In addition, the Preamble states that the term “active service” is defined in this section of the rulemaking. However, the term is not defined. We suggest that it be added to the final-form rulemaking.

2. Section 5a.3. Delegation of authority.—Need.

Under this section of the rulemaking, the State Veterans Commission (Commission) “delegates authority to the bureau director and to bureau personnel to make findings and determinations for the State veterans’ programs in this chapter based on applicable statutes, regulations, orders, precedents and the department’s policies and procedures.” The term “Bureau” is defined in § 5a.2 as “The Bureau of Veterans Programs, Initiatives, Reintegration and Outreach in the Office of Veterans Affairs of the department, or its successor.” The Preamble states this rulemaking is jointly promulgated by the Department and

the Commission. Since the rulemaking is a product of both agencies, what is the need to delegate authority to a bureau within the Department? We recommend that this section be deleted from the final-form rulemaking.

3. Section 5a.4. Waiver of regulations.—Clarity; Implementation procedures.

This section will allow the Adjutant General, “in his or her sole discretion,” to waive requirements in the chapter for “good cause.” We have two concerns. First, the term “good cause” is vague and should be defined. Second, the process under which waivers are granted is unclear. Must a waiver be requested by a member of the regulated community? Can the Adjutant General grant a waiver upon his or her own initiative or upon the request of a third party? Must a request be in writing? We recommend that the final-form rulemaking be amended to include provisions that guide the implementation of the waiver process.

4. Section 5a.6. Service in war or armed conflict.—Clarity; Reasonableness.

This section addresses how service in war or service in armed conflicts will be determined. Paragraph (2), relating to service in armed conflict, lists specific awards, as recorded on a DD Form 214, DD Form 215, or equivalent that would demonstrate an applicant served in an armed conflict. We have two concerns. First, a commentator noted that the list of awards does not include the Purple Heart Award. Would the recipient of the Purple Heart Award, as documented on the appropriate form, be an eligible applicant for a veterans’ program under this Chapter? If so, this award should be added to Paragraph (2). Second, the term “equivalent” is vague. The final-form regulation should either delete this term or list all the forms that allow an applicant to comply with this section of the rulemaking.

5. Section 5a.8. Appeal procedures.—Clarity.

Subsection (a) states that the appeal procedures relate to programs in Subchapters C, D, E, and F. To improve the clarity of the entire rulemaking, we suggest including appeal procedures in each subchapter and deleting this section in its entirety. The new appeal procedures sections for each subchapter should be added after the sections on adjudication procedures.

Subchapter B. DISABLED VETERANS' REAL ESTATE TAX EXEMPTION PROGRAM

6. Section 5a.12. Definitions.—Clarity.

This section provides for definitions of terms used under the Disabled Veterans' Real Estate Tax Exemption Program. A commentator expresses concerns about the lack of clarity about the definition of "Income" as it relates to income items found on Form 1040—the U.S. Individual Income Tax Return. We ask the Department to clarify this definition so that the regulated community can ascertain which income items from Form 1040 come under this definition.

7. Section 5a.14. Application procedures.—Clarity.

Subsection (e) Supporting documents

Under Subsection (e)(1), the phrase "or other document that proves identity and residence in this Commonwealth and that is acceptable to the board" is vague. The final-form regulation should list all documents that are acceptable to the Board. Similar language also appears in §§ 5a.24(e)(1), 5a.34(e)(1), 5a.44(e)(1), and 5a.54(e)(1).

Subsection (f) Fully developed application

This subsection reads as follow:

The application is considered fully developed when the requirements in subsections (a)—(e) are met. The applicant shall satisfy the requirements within a reasonable time, not to exceed 60 days except under extraordinary circumstances, after submitting the application. When the board or the bureau determines an application to be incomplete in form or substance, it will notify the applicant of the deficiencies in writing, allowing for sufficient time to reply. If the applicant has not taken a substantial step toward satisfying the requirements in subsections (a)—(e) within the 60-day development period, the application will be disapproved.

The phrases "except under extraordinary circumstances" and "substantial step" are vague. We recommend that the final-form regulation be amended to avoid the ambiguities these phrases may cause for the regulated community. In the alternative, these phrases should be defined in the final-form regulation. We have similar concerns with language found in §§ 5a.24, 5a.34, 5a.44, and 5a.54 of the proposed rulemaking.

8. Section 5a.15. Adjudication procedures.—Implementation procedures; Clarity.

Subsection (c) explains how the Bureau will determine if an applicant has financial need for the real estate tax exemption. We have two concerns. First, under 51 Pa.C.S.A. § 8904(1), the Commission is required to adjust the annual income level for eligibility for real estate tax exemption by an amount equal to the change in the Consumer Price Index in the preceding two years and to publish the adjusted income level as a notice in the *Pennsylvania Bulletin*. Subsection (c)(1) codifies that statutory requirement in the regulations of the Commission. To assist the regulated community with complying with this requirement, we suggest that the final-form regulation specify a date or time frame when the revised income level will be published as required.

Second, a commentator has suggested that applicants that are small business owners be allowed to deduct business expenses or losses from their income. Would this type of deduction be allowed under this subsection and the definition of "Income" in § 5a.12, relating to definitions? In the Preamble to the final-form regulation, we

ask the Department to explain if this type of deduction is allowable under this rulemaking.

Third, a commentator expresses concerns about untaxed income for federal income tax purposes being counted as income under the real estate tax exemption. We ask the Department to explain how such untaxed income will be treated under this subsection.

9. Section 5a.17. Administration of real estate tax exemption.—Statutory authority; Implementation procedures.

Subsection (f), relating to adjustment to presumptive need level, and Subsection (g), relating to adjustment to cost-of-living expense allowance, include automatic adjustment clauses that will be applied every two years. Under these subsections, the new amounts will be published in the *Pennsylvania Bulletin* and the Department will "ensure appropriate changes to the application and relevant programmatic material are made." We have two concerns. First, a similar automatic adjustment mechanism can be found in § 5a.15(c) of this rulemaking. However, the Department has specific statutory authority to implement that adjustment clause. Under what authority is the Department authorized to make similar adjustments to the presumptive need level and cost-of-living allowance? This should be explained in the Preamble to the final-form regulation.

Second, as noted in our comments on § 5a.15(c), we suggest that the final-form regulation specify a date or time frame when the presumptive need levels and cost-of-living allowances will be published in the *Pennsylvania Bulletin*.

We have similar concerns with the automatic adjustment mechanism and publication notices found in § 5a.46(d).

Subchapter C. AMPUTEE AND PARALYZED VETERANS' PENSION PROGRAM

10. Section 5a.25. Adjudication procedures.—Clarity.

Subsection (c) relates to the notification procedures the Bureau will follow after approval or disapproval of an application. The second sentence of this subsection explains that a request for a higher-level of review by an applicant under § 5a.8(b) of the regulation will require the Bureau to notify the applicant of its determination within 30 days of receiving the request. We believe the clarity of the regulation would be improved if this provision stood alone as its own Subsection (d). We offer a similar suggestion for §§ 5a.35(c), 5a.45(d), and 5a.55(g).

11. Section 5a.26. Administration of pension.—Implementation procedures; Clarity.

Subsection (e) provides procedures on reimbursement of debts. It states, in part, that the Bureau "may seek reimbursement of payments made following the death of a pensioner." The Preamble states that reimbursement is for debts "typically accrued when the department is not timely notified of the death of a pensioner." Can the Bureau seek reimbursement of debt related to situations other than the death of a pensioner? Would that action fall under the provisions of this subsection? If not, we recommend that the final-form regulation be amended to specify that this subsection is applicable only to the debt related to the death of a pensioner.

We have a similar concern with § 5a.36(e).

Subchapter E. EDUCATIONAL GRATUITY PROGRAM

12. Section 5a.45. Adjudication procedures.—Reasonableness; Implementation procedures; Clarity.

Subsection (b)(3)(i)

This subsection explains what the Department considers to be an “approved educational institution.” It reads as follows:

An approved educational institution includes any one of the colleges, universities, career and technical education centers, or other higher education institutions within this Commonwealth that are approved by the Veterans and Military Education Division of the Pennsylvania Department of Education, or its successor, acting in its role as the State Approving Agency under the provisions of 38 U.S.C. Chapters 30, 32, 33, 34, 35 and 36.

This differs from the definition of “educational institution” under Section 5a.42, relating to definitions. That definition is, “As defined in 51 Pa.C.S. § 8701 (relating to definitions).” The statutory definition is:

Any college or university of the State System of Higher Education, a State-aided educational or training institution of a secondary or college grade or other institution of higher education, a business school, a trade school, a hospital school providing training for nurses, an institution providing courses in beauty culture, art, radio or undertaking or embalming, or such other educational training within this Commonwealth approved by the commission.

We have two concerns. First, is there a difference between an “educational institution” as defined in regulation and statute and an “approved educational institution” as described in this subsection? We ask the Department to explain this distinction in the Preamble to the final-form regulation and why both terms are used in the regulation.

Second, to assist the regulated community in determining if a particular institution is approved, we suggest that the Department list those institutions on its website and amend the final-form regulation to state that the link is available on that website.

Subsection (c)(2)

Subsection (c) addresses how the financial need of an applicant will be determined. Subsection (c)(2) states that “certain income from student employment” must be considered and lists “gross income from Federal work-study and non-work-study positions” as an example of student income that must be considered. We have two concerns. First, a commentator has questioned the reasonableness of including federal work study and non-work study income counted when determining the financial need of an applicant. We ask the Department to explain in the Preamble to the final-form regulation why this type of income is included when determining the financial need of an applicant.

Second, this subsection lists examples of benefits, grants, scholarships, and income from student employment that will be considered financial aid by the Department. A list of examples does not set a binding norm that is enforceable. We recommend that the final-form regulation be amended to delete the list of examples and add a definitive list of benefits, grants, scholarships, and income types that will be considered financial aid under this subsection.

13. Miscellaneous—Clarity; Need.

Subsection 5a.34(c) should be amended to include the title Certification of information. This would make the subsection consistent with § 5a.24(c). We have the same suggestion for §§ 5a.44(c) and 5a.54(c).

The italicized language in the subsections listed below is not regulatory language and does not set a binding norm. A regulation has the full force and effect of law, and the italicized language below is more background and guidance information than it is regulatory language. If such information is necessary for the regulated community, we suggest that the Department remove it from this rulemaking and include it in a guidance document.

- § 5a.5(b)—The burden of proving eligibility and need for a benefit under this chapter rests with the applicant. *Accredited veterans services officers at the county offices of veterans affairs are available to assist applicants with the development of applications at no cost. Under 51 Pa.C.S. § 1712(3) (relating to specific duties), the department owes a duty to aid the Commonwealth's veterans and their dependents in filing and prosecuting claims as well. This assistance is provided strictly by outreach personnel within the department.*

- § 5a.7(c)—*Under certain circumstances, the U.S. Department of Veterans Affairs may approve a putative common-law spouse for Federal spousal or survivors' benefits even though the marriage is not valid in the Commonwealth. These determinations made by the U.S. Department of Veterans Affairs will have no bearing on the State veterans' programs in this chapter.*

- § 5a.15(b)(2)(i)—Qualifying character of discharge will be determined in accordance with 51 Pa.C.S. § 104 (relating to character of discharge). *This requirement is consistent with the U.S. Department of Veterans Affairs' character of discharge requirement for disability compensation at 38 CFR 3.12 (relating to benefit eligibility based on character of discharge). Therefore, a veteran who has been awarded disability compensation will be considered to have the qualifying character of discharge.*

- § 5a.15(b)(2)(iii)—*While there is no specific requirement for active service in 51 Pa.C.S. Chapter 89 (relating to disabled veterans' real estate tax exemption), active service is a requirement for the underlying Federal disability compensation rating. The U.S. Department of Veterans Affairs determines active service for the purpose of disability compensation in accordance with 38 CFR 3.6 (relating to duty periods) and 38 U.S.C. § 106 (relating to certain service deemed to be active service). Therefore, if a veteran receives disability compensation, the veteran's qualifying active service has already been positively adjudicated. To qualify for a real estate tax exemption, the veteran must have served at least 1 day of that qualifying period of active service in a war or armed conflict.*

- § 5a.15(b)(3)—To qualify for the exemption, the veteran must be rated by the U.S. Department of Veterans Affairs for service-connected total or 100% permanent disability, blindness, loss of two or more limbs or paraplegia, in accordance with 38 CFR Chapter I Part 4 (relating to schedule for rating disabilities). *The U.S. Department of Veterans Affairs rating code sheet will show the veteran's qualifying disability compensation ratings. At the discretion of the board, a current U.S. Department of Veterans Affairs tax abatement or summary of benefits letter showing total or 100% permanent disability may also be acceptable. The tax abatement or summary of benefits letter does not, however, provide sufficient detail to*

adjudicate an application based on blindness. Where these documents conflict, information in the rating code sheet will govern.

- § 5a.15(b)(3)(i)—Blindness, as defined in § 5a.12 (relating to definitions), must result in a rating of 90%–100% to qualify for the tax exemption. *The definition of “blindness” in § 5a.12 is consistent with the definition of “blind veteran” for the blind veterans’ pension at 51 Pa.C.S. § 7701(a) (relating to blind veteran’s pension). For this reason, an applicant should consider submitting an application for pension with the application for tax exemption.*

- § 5a.15(b)(3)(iii)—*An award of dependency and indemnity compensation (DIC) to a surviving spouse by the U.S. Department of Veterans Affairs is not always indicative of a qualifying disability rating under 51 Pa.C.S. Chapter 89. When the veteran was never rated for disability during their lifetime, DIC eligibility is determined by establishing whether a service-connected disability was the cause or a contributing cause of the veteran’s death. The disability itself, however, is not rated. In this situation, if a 100% disability rating is the only possible rating in 38 CFR Chapter I Part 4 for a service-connected disability underlying the award of DIC, the disability will be considered qualifying.*

- § 5a.17(b)(2)—*Nothing in this subsection is intended to prohibit or discourage taxing authorities from backdating or prorating tax exemptions irrespective of the date upon which an applicant files the application, extending tax exemptions irrespective of the date of expiration or exonerating back taxes as a matter of grace in reasonable and justifiable circumstances.*

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 25-574. Filed for public inspection April 25, 2025, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 12, 2025. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by May 12, 2025. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission’s eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission’s website at www.puc.pa.gov by searching under the docket number as follows or by searching the applicant’s website.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2025-3053956. Ark Life Services Limited Liability Company (Two Bala Plaza, Suite 300-556, Bala Cynwyd, Montgomery County, PA 19004) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2025-3053962. Care Connect Corporation (610 Old York Road, Jenkintown, Montgomery County, PA 19046) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia to points in Pennsylvania, and return.

A-2025-3054198. Advantage Transport Solutions, Inc. (P.O. Box 2782, Bala Cynwyd, Montgomery County, PA 19004) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2025-3054212. Bethel, Inc. (2001 North Front Street, # 214, Harrisburg, Dauphin County, PA 17102) to transport persons, as a common carrier, by motor vehicle, in paratransit service, between points in the City and County of Philadelphia.

A-2025-3054301. Ride Wit the Vibe 412, LLC (411 2nd Street, Pitscairn, Allegheny County, PA 15140-1405) to transport, as a common carrier, by motor vehicle, in group and party service, in vehicles seating 11–15 passengers including the driver, persons from points in the Counties of Allegheny and Westmoreland, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2025-3053468. Raymond E. Greer, Jr., t/a Greer Enterprises (211 Maple Drive, Nottingham, Chester County, PA 19362) discontinuance of service and cancellation of its certificate to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Chester, Lancaster and York Counties, to points in Pennsylvania, and return.

A-2025-3054461. Rita Car Care, LLC (1144 Alton Place, Philadelphia, Philadelphia County, PA 19115) discontinuance and cancellation of its right, in paratransit service, to transport, as a common carrier, by motor vehicle, persons in nonemergency medical paratransit service, between points in the City and County of Philadelphia.

MATTHEW HOMSHER,
Secretary

[Pa.B. Doc. No. 25-575. Filed for public inspection April 25, 2025, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code Chapter 5 (relating to formal proceedings). Answers are due May 12, 2025, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the assigned Prosecutor, Pennsylvania Public Utility Commission.

NOTICE OF MOTOR CARRIER COMPLAINT

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer should raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original mailed to:

Matthew Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing and Resources tab on the homepage. If your Answer exceeds 250 pages, you must also file a paper copy with the Secretary's Bureau.

In addition to filing your Answer with the Commission's Secretary, a copy should either be

Mailed to: Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street, 3W
Harrisburg, PA 17120

Or, E-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience, or other such remedy.

C. You may elect not to contest this Complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to "Commonwealth of Pennsylvania" and forwarded to:

Matthew Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and

desist from further violations. Upon receipt of your payment, the Complaint proceeding shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a fine and/or other such remedy.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge (ALJ) for hearing and decision. The ALJ is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Canyon Country Cabs, LLC; Docket No. C-2025-3051731

MOTOR CARRIER COMPLAINT

The Pennsylvania Public Utility Commission ("Commission" or "PUC") is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement—Motor Carrier Division hereby represents as follows:

1. That Canyon Country Cabs, LLC, Respondent, maintains its principal place of business at 11960 Rte 6, Wellsboro, PA 16901.

2. That Respondent was issued a certificate of public convenience for airport transfer authority on November 26, 2013, group and party 15 passengers or less authority on January 6, 2016, paratransit authority on January 31, 2018, and taxi authority on January 31, 2018, by this Commission at PUC Utility Code No. 6315888.

3. That on December 4, 2024, PUC Motor Carrier PUC Enforcement Officer Elliott Miller conducted an inspection of vehicles and drivers' records as a result of a consumer complaint lodged with the Motor Carrier Division.

4. That two taxi vehicles were inspected: A 2014 Ford Transit, PA registration TX49741 last 4 digits of the vehicle identification number being 3604 ("Company vehicle no. 12"); and a 2013 Ford Taurus, registration number TX48577, the last 4 digits of the vehicle identification number being 1244 (Company vehicle no. 10").

5. That upon physical inspection of these two (2) taxi vehicles, both Company vehicle no. 10 and Company vehicle no. 12 had expired registrations.

6. That Company vehicle no. 10 had steer axle tires with less than 2/32" tread remaining at any point. By operating a vehicle with two front tires that did not comply with safe operating conditions Respondent violated 52 Pa. Code § 29.402(1); 67 Pa. Code § 175.65. The

penalty for this violation is one hundred dollars (\$100.00) per violation for a total of \$200.00.

7. That Respondent, by permitting Company vehicle no. 10 and Company vehicle no. 12 to be operated with expired registrations has violated 52 PA Code § 29.402(1); 67 Pa. Code § 175.80. The penalty for this violation is one hundred dollars (\$100.00) per violation for a total of \$200.00.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine Canyon Country Cabs, LLC, four hundred dollars (\$400.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street 2nd Floor
Harrisburg, PA 17105-3265

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11 March 2025

Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE OF MOTOR CARRIER COMPLAINT

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer should raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original mailed to:

Matthew Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing and Resources tab on the homepage. If your Answer exceeds 250 pages, you must also file a paper copy with the Secretary's Bureau.

In addition to filing your Answer with the Commission's Secretary, a copy should either be

Mailed to: Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street, 3W
Harrisburg, PA 17120

Or, E-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience, or other such remedy.

C. You may elect not to contest this Complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to "Commonwealth of Pennsylvania" and forwarded to:

Matthew Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the Complaint proceeding shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a fine and/or other such remedy.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge (ALJ) for hearing and decision. The ALJ is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Flying Dutchman Transport, LLC; Docket No. C-2025-3052101

MOTOR CARRIER COMPLAINT

The Pennsylvania Public Utility Commission ("Commission" or "PUC") is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement—Motor Carrier Division hereby represents as follows:

1. That Flying Dutchman Transport, LLC, Respondent, maintains a principal address at 125 Boulder Drive, Denver, PA 17517.

2. That on October 31, 2024, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code number 8927445, Docket No. A-2024-3051358.

3. That on October 9, 2024, Respondent emailed Officer Matthew Ohlinger about a Safety Fitness Review ("SFR") that was scheduled for that day, stating that he had leased his vehicle to another company and no longer needed the SFR. Officer Ohlinger then phoned and during the conversation, Respondent relayed the intention to cancel his PUC authority. Officer Ohlinger informed the Respondent that a cancellation request form needed to be completed and returned to the PUC, also emailing the

form to the Respondent. Officer Ohlinger emailed the Respondent several more times with the cancellation form attached. The cancellation form for the Respondent has not been received.

4. That Respondent, by failing to respond to and achieve a satisfactory SFR evaluation while certificated by this Commission as a common carrier, violated 66 Pa. Code §§ 501(c) & 504. The penalty for these violations is cancellation of the certificate held by Respondent with this Commission at utility code number 8927445.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to Flying Dutchman Transport, LLC, at PUC utility code number 8927445.

Respectfully submitted,
 Brian B. Mehus, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street 2nd Floor
 Harrisburg, PA 17105-3265

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: March 13, 2025

Brian B. Mehus, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE OF MOTOR CARRIER COMPLAINT

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer should raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original mailed to:

Matthew Homsher, Secretary
 Pennsylvania Public Utility Commission
 Commonwealth Keystone Building
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing and Resources tab on the homepage. If your Answer exceeds 250 pages, you must also file a paper copy with the Secretary's Bureau.

In addition to filing your Answer with the Commission's Secretary, a copy should either be

Mailed to: Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 Commonwealth Keystone Building
 400 North Street, 3W
 Harrisburg, PA 17120

Or, E-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience, or other such remedy.

C. You may elect not to contest this Complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to "Commonwealth of Pennsylvania" and forwarded to:

Matthew Homsher, Secretary
 Pennsylvania Public Utility Commission
 Commonwealth Keystone Building
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the Complaint proceeding shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a fine and/or other such remedy.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge (ALJ) for hearing and decision. The ALJ is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Lyft, Inc.; Docket No. C-2025-3053408

MOTOR CARRIER COMPLAINT

The Pennsylvania Public Utility Commission ("Commission" or "PUC") is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement—Motor Carrier Division hereby represents as follows:

1. That Lyft, Inc., Respondent, maintains its principal place of business at 185 Berry Street, Suite 5000, San Francisco, California, 94107.

2. That Respondent was issued a license by this Commission on February 9, 2017, at PUC Utility Code number 6416471, authorizing transportation of persons for compensation from one point to another within Pennsylvania in Transportation Network Company service.

3. That Respondent, on 12 February 2025, permitted a certain 2024 Toyota Lexus bearing CA registration number 9NMY577 and having vehicle identification number the last 4 digits being 7286 to be operated by driver Alekberov Subkhan.

4. That the vehicle described in numbered paragraph 3, above, was inspected on the date specified by PUC Motor Carrier Enforcement Officer Andrew Rosenberger at the Pittsburgh International Airport, Coraopolis, Allegheny

County, PA. A Driver/Vehicle Compliance Report was completed with several violations, as follows:

5. That Respondent, by allowing a vehicle to operate while not having the proper company placard displayed on the vehicle as specified by the Commission, violated 66 Pa.C.S. § 2605(b)(8). The fine for this violation is \$50.00.

6. That Respondent, by allowing a vehicle to operate while not having a valid Pennsylvania certificate of inspection, violated 52 Pa. Code § 29.405 and 66 Pa.C.S. § 2606(c). The penalty for this violation is \$250.

7. That Respondent, by allowing a vehicle to operate while not having proof, either a paper copy or electronic copy of the liability insurance required, violated 66 Pa.C.S. § 2605(b)(4). The penalty for this violation is \$50.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine Lyft, Inc. the sum of three hundred fifty dollars (\$350.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street 2nd Floor
Harrisburg, PA 17105-3265

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 18 February 2025

Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE OF MOTOR CARRIER COMPLAINT

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer should raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original mailed to:

Matthew Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing and Resources tab on the homepage. If your Answer exceeds 250 pages, you must also file a paper copy with the Secretary's Bureau.

In addition to filing your Answer with the Commission's Secretary, a copy should either be

Mailed to: Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street, 3W
Harrisburg, PA 17120

Or, E-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience, or other such remedy.

C. You may elect not to contest this Complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to "Commonwealth of Pennsylvania" and forwarded to:

Matthew Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the Complaint proceeding shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a fine and/or other such remedy.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge (ALJ) for hearing and decision. The ALJ is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Lyft, Inc.;
Docket No. C-2025-3053409

MOTOR CARRIER COMPLAINT

The Pennsylvania Public Utility Commission ("Commission" or "PUC") is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement—Motor Carrier Division hereby represents as follows:

8. That Lyft, Inc., Respondent, maintains its principal place of business at 185 Berry Street, Suite 5000, San Francisco, California, 94107.

9. That Respondent was issued a license by this Commission on February 9, 2017, at PUC utility code number 6416471, authorizing transportation of persons for compensation from one point to another within Pennsylvania in Transportation Network Company service.

10. That Respondent, on 12 February 2025, permitted a certain 2014 Mercedes sedan bearing OH registration

number JAX2332 and having vehicle identification no. the last 4 digits being 1010 to be operated by driver Ly Mamadou.

11. That the vehicle described in numbered paragraph 3, above, was inspected on the date specified by PUC Motor Carrier Enforcement Officer Andrew Rosenberger at the Pittsburgh International Airport, Coraopolis, Allegheny County, PA. The vehicle did not have a valid certificate of inspection.

12. That Respondent, by allowing a vehicle to operate while not having a valid certificate of inspection, violated 52 Pa. Code § 29.405 and 66 Pa.C.S. § 2606(c). The penalty for this violation is \$250.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine Lyft, Inc. the sum of two hundred fifty dollars (\$250.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street 2nd Floor
Harrisburg, PA 17105-3265

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 18 February 2025

Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

MATTHEW HOMSHER,
Secretary

[Pa.B. Doc. No. 25-576. Filed for public inspection April 25, 2025, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Wastewater Service

A-2025-3054555 and A-2025-3054556. The York Water Company and CMV Sewage Company, Inc. In the matter of the joint application of The York Water Company and CMV Sewage Company, Inc. for: (1) approval of the right to transfer certain public wastewater facilities and rights from CMV Sewage Company, Inc. to The York Water Company; (2) the abandonment by CMV Sewage Company, Inc. of wastewater service to the public in its service territory in Chanceford Township, York County; and (3) approval for The York Water Company to begin to offer, render, furnish or supply wastewater service to the public in a portion of Chanceford Township, York County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities)

ties) on or before Monday, May 12, 2025. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) website at www.puc.pa.gov, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's website at www.puc.pa.gov and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery.

Joint Applicants: The York Water Company; CMV Sewage Company, Inc.

Through and By Counsel for The York Water Company: Devin T. Ryan, Esq., Post & Schell, PC, One Oxford Centre, 301 Grant Street, Suite 3010, Pittsburgh, PA 15219, dryan@postschell.com; Michael W. Hassell, Esq., Megan E. Rulli, Esq., Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, mhassell@postschell.com, mrulli@gmail.com

For CMV Sewage Company, Inc.: John Baranski, Esq., MPL Law, 96 South George Street, 5th Floor, York, PA 17401, jbaranski@mpl-law.com

MATTHEW HOMSHER,
Secretary

[Pa.B. Doc. No. 25-577. Filed for public inspection April 25, 2025, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-2025-3054576. Columbia Water Company. In the matter of the application of Columbia Water Company to provide water service in an additional portion of Manor Township, Lancaster County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 12, 2025. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) website at www.puc.pa.gov, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's website at www.puc.pa.gov and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

Applicant: Columbia Water Company, 220 Locust Street, Columbia, PA 17512

Through and By Counsel for: Whitney E. Snyder, Esquire, Erich W. Struble, Esquire, HMS Legal, LLP, 501 Corporate Circle, Suite 302, Harrisburg, PA 17110,

wesnyder@hmslegal.com, ewstruble@hmslegal.com, (717) 236-1300

MATTHEW HOMSHER,
Secretary

[Pa.B. Doc. No. 25-578. Filed for public inspection April 25, 2025, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-2025-3054585. Aqua Pennsylvania, Inc. In the matter of the application of Aqua Pennsylvania, Inc. for approval to begin to offer, render, furnish and supply water service to the public in an additional portion of Butler Township, Luzerne County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 12, 2025. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) website at www.puc.pa.gov, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's website at www.puc.pa.gov and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

Applicant: Aqua Pennsylvania, Inc., 762 West Lancaster Avenue, Bryn Mawr, PA 19010

Through and By Counsel for: Frances P. Orth, Esquire, Vice President and Senior Managing Counsel, Aqua Pennsylvania, Inc., 762 West Lancaster Avenue, (610) 645-1126, FPOrth@essential.com

MATTHEW HOMSHER,
Secretary

[Pa.B. Doc. No. 25-579. Filed for public inspection April 25, 2025, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than May 12, 2025. The nonrefundable protest filing fee is \$5,000

payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Heidi Robb at (215) 683-9799 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-25-03-05. Karr Taxi, LLC (11 North Carol Boulevard, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David Temple, Esq., 111 Buck Road, Building 500, Suite 1, Huntingdon Valley, PA 19006.

Doc. No. A-25-04-02. Kourouma Taxi, LLC (2927 West 11th Street, Chester, PA 19013): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

Doc. No. A-25-04-03. Barry & Brothers Trans, LLC (21 South 7th Street, Apartment A Floor 2, Darby, PA 19023): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 25-580. Filed for public inspection April 25, 2025, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101.

June 25, 2025	Account of Danielle L. Moyer (PSERS Membership)	10 a.m.
---------------	--	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 412-3677 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code

§ 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,
Executive Director

[Pa.B. Doc. No. 25-581. Filed for public inspection April 25, 2025, 9:00 a.m.]

**STATE CHARTER SCHOOL
APPEAL BOARD**

Schedule of Meetings

The State Charter School Appeal Board (Board) will meet as follows:

<i>Date</i>	<i>Time</i>	<i>Location*</i>
Tuesday, July 15, 2025	1 p.m.	Virtual (Zoom)*
Tuesday, September 9, 2025	1 p.m.	Virtual (Zoom)*
Tuesday, October 7, 2025	1 p.m.	Virtual (Zoom)*
Tuesday, December 9, 2025	1 p.m.	Virtual (Zoom)*
Tuesday, January 13, 2026	1 p.m.	Virtual (Zoom)*
Tuesday, February 10, 2026	1 p.m.	Virtual (Zoom)*
Tuesday, April 14, 2026	1 p.m.	Virtual (Zoom)*

<i>Date</i>	<i>Time</i>	<i>Location*</i>
Tuesday, May 12, 2026	1 p.m.	Virtual (Zoom)*
Tuesday, June 9, 2026	1 p.m.	Virtual (Zoom)*

*These meetings will be held virtually by means of Zoom unless due and timely legal notice to the contrary is given. Specific Zoom information will be provided for each meeting. Individuals should visit pa.gov/agencies/education/programs-and-services/instruction/elementary-and-secondary-education/charter-schools/charter-appeals.html for log-on information and agenda.

In-person meetings will be held at the Pennsylvania Training and Technical Assistance Network Central Office, 6340 Flank Drive, Harrisburg, PA 17112. Subsequent updates to meeting format will be appropriately addressed in accordance with the legal notice requirements for Board meetings.

Persons with disabilities needing special accommodations to attend the meeting may contact Sara Hockenberry, Counsel to the Board, 607 South Drive, 3rd Floor, Harrisburg, PA 17120, (717) 787-5500, or the Pennsylvania Hamilton Relay Service, (800) 654-5984 at least 24 hours in advance so that arrangements can be made.

SARA M. HOCKENBERRY,
Board Counsel

[Pa.B. Doc. No. 25-582. Filed for public inspection April 25, 2025, 9:00 a.m.]

END OF ISSUE

